

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	37.1	30.8 - 43.9	110	42.1	36.6 - 47.9	135	40.8	29.5 - 53.1	44	40.1	36.1 - 44.2	289
b. Nutrition	41.4	34.3 - 48.8	111	41.0	35.2 - 47.1	136	40.8	30.6 - 51.8	44	41.1	36.9 - 45.4	291
c. Tobacco-use prevention	46.6	39.4 - 53.9	111	44.1	38.0 - 50.5	136	57.4	43.8 - 69.9	44	47.0	42.5 - 51.5	291
d. Asthma	21.8	16.7 - 28.0	109	14.6	10.6 - 19.9	136	25.5	15.7 - 38.5	44	18.9	15.6 - 22.6	289
e. Injury and violence prevention	36.8	30.3 - 43.8	111	26.5	21.3 - 32.3	135	34.2	23.6 - 46.6	44	31.5	27.6 - 35.6	290
f. HIV, STD, and teen pregnancy prevention	37.1	30.5 - 44.2	110	27.2	22.1 - 33.0	136	43.6	31.6 - 56.4	44	33.3	29.3 - 37.5	290

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	25.2	19.8 - 31.5	110	23.0	18.2 - 28.7	135	20.2	14.1 - 28.2	39	23.5	20.1 - 27.2	284
b. Physical education	26.1	20.5 - 32.6	110	26.8	21.4 - 32.9	135	20.2	14.1 - 28.2	39	25.7	22.1 - 29.6	284
c. Physical activity	16.4	11.7 - 22.6	110	20.2	15.6 - 25.8	134	16.8	10.3 - 26.2	39	18.3	15.2 - 22.0	283
d. School meal programs	18.9	13.7 - 25.5	110	20.2	15.2 - 26.3	134	19.7	13.2 - 28.4	39	19.6	16.2 - 23.5	283
e. Foods and beverages available at school outside the school meal programs	13.6	9.2 - 19.6	110	14.9	10.6 - 20.5	135	19.7	13.4 - 27.9	39	15.0	12.0 - 18.5	284
f. Health services	25.6	20.1 - 32.1	109	22.3	17.2 - 28.4	135	14.8	8.9 - 23.7	38	22.6	19.1 - 26.5	282
g. Mental health and social services	38.3	31.9 - 45.1	110	27.4	21.9 - 33.7	135	23.7	14.3 - 36.4	40	31.0	27.1 - 35.3	285
h. Healthy and safe school environment	60.0	52.6 - 66.9	110	62.1	56.1 - 67.8	134	61.3	48.8 - 72.5	40	61.2	56.8 - 65.4	284
i. Family and community involvement	63.5	56.8 - 69.7	110	67.2	61.3 - 72.7	134	56.8	46.1 - 67.0	40	64.4	60.3 - 68.3	284
j. Faculty and staff health promotion	15.5	10.7 - 21.9	109	16.4	11.9 - 22.3	134	19.1	12.6 - 28.0	40	16.5	13.3 - 20.2	283

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
45.2	37.9 - 52.6	113	32.7	26.9 - 39.2	134	16.1	9.6 - 25.6	42	35.2	31.1 - 39.5	289

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.5	84.7 - 93.0	114	87.1	82.2 - 90.8	140	78.4	66.1 - 87.1	44	86.8	83.5 - 89.5	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
57.9	50.5 - 64.9	114	52.0	45.6 - 58.4	140	55.9	44.9 - 66.4	44	54.8	50.3 - 59.1	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	92.4	85.7 - 96.1	64	93.1	88.6 - 95.9	71	84.5	69.9 - 92.7	25	91.5	88.0 - 94.1	160
b. Health education teachers	78.1	68.8 - 85.3	64	85.8	78.6 - 90.9	70	96.3	85.5 - 99.1	25	84.3	79.4 - 88.2	159
c. Physical education teachers	79.3	70.0 - 86.4	63	93.0	86.7 - 96.4	70	96.3	85.5 - 99.1	25	88.1	83.6 - 91.5	158
d. Other classroom teachers	54.8	45.7 - 63.6	64	81.5	74.0 - 87.2	70	83.1	67.5 - 92.1	25	71.1	65.7 - 76.0	159
e. Mental health or social services staff (e.g., school counselors)	78.7	70.8 - 85.0	65	75.9	67.2 - 82.9	70	67.2	56.3 - 76.5	25	75.8	70.6 - 80.2	160
f. Nutrition or food service staff	69.8	62.4 - 76.4	66	64.7	56.6 - 72.0	68	83.6	67.7 - 92.5	25	69.6	64.5 - 74.2	159
g. Health services staff (e.g., school nurse)	86.5	79.7 - 91.3	66	82.5	75.2 - 88.0	69	88.1	73.2 - 95.3	25	85.0	80.5 - 88.6	160
h. Maintenance and transportation staff	27.0	19.7 - 35.7	63	21.9	15.2 - 30.5	68	16.3	7.6 - 31.4	24	23.1	18.5 - 28.5	155
i. Technology staff	20.9	14.3 - 29.6	63	20.4	14.2 - 28.5	68	8.2	2.7 - 22.3	25	18.8	14.6 - 23.9	156
j. Library/media center staff	12.7	7.3 - 21.0	63	17.7	12.1 - 25.2	68	3.7	0.8 - 15.2	25	13.6	10.0 - 18.2	156
k. Student body	53.1	44.5 - 61.6	64	47.1	38.4 - 55.9	68	50.8	35.9 - 65.5	25	50.1	44.3 - 55.8	157
l. Parents or families of students	67.8	59.2 - 75.3	64	61.7	52.2 - 70.4	68	70.9	59.6 - 80.1	25	65.5	59.8 - 70.8	157

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	59.0	50.2 - 67.3	63	55.8	46.2 - 64.9	68	70.9	59.6 - 80.1	25	59.3	53.5 - 64.9	156
n. Local health departments, agencies, or organizations	56.8	47.5 - 65.6	63	48.5	40.0 - 57.0	68	46.3	32.3 - 60.8	25	51.4	45.6 - 57.2	156
o. Faith-based organizations	17.5	11.8 - 25.2	63	19.0	13.4 - 26.2	68	22.9	11.8 - 39.7	25	19.0	14.9 - 23.8	156
p. Businesses	17.3	11.5 - 25.3	63	30.7	23.3 - 39.3	68	26.6	17.3 - 38.5	25	24.8	20.3 - 29.9	156
q. Local government agencies	33.4	26.3 - 41.3	63	28.9	21.9 - 37.0	69	16.0	7.4 - 31.2	25	28.7	24.1 - 33.9	157

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	58.3	49.0 - 67.1	65	63.5	53.9 - 72.1	69	43.8	29.0 - 59.8	25	58.5	52.4 - 64.4	159
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	78.9	70.5 - 85.5	65	72.7	63.9 - 80.1	70	72.6	59.8 - 82.5	25	75.2	69.8 - 79.9	160
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	59.9	50.5 - 68.7	64	56.0	47.4 - 64.2	68	54.5	40.4 - 67.8	25	57.3	51.6 - 62.9	157
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	86.2	78.4 - 91.5	64	79.3	70.7 - 86.0	68	75.4	58.4 - 87.0	25	81.5	76.2 - 85.8	157
e. Reviewed health-related curricula or instructional materials	75.7	67.1 - 82.6	66	71.5	63.2 - 78.6	69	68.1	49.9 - 82.0	25	72.7	67.1 - 77.6	160
f. Assessed the availability of physical activity opportunities for students	74.3	65.1 - 81.7	66	73.8	64.7 - 81.2	69	75.4	58.0 - 87.1	24	74.2	68.4 - 79.3	159

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.5	82.0 - 90.1	111	55.5	49.4 - 61.4	136	57.2	43.7 - 69.8	41	67.5	63.6 - 71.1	288

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	91.9	86.9 - 95.1	113	89.4	84.6 - 92.8	139	90.6	80.8 - 95.6	44	90.5	87.5 - 92.9	296
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	78.9	73.1 - 83.7	114	58.7	52.4 - 64.7	140	50.2	41.6 - 58.7	44	65.1	61.2 - 68.8	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	66.7	59.9 - 72.8	111	58.5	51.9 - 64.8	137	51.9	41.5 - 62.1	43	60.6	56.3 - 64.7	291
b. Procedures to protect HIV-infected students and staff from discrimination	74.7	68.0 - 80.3	111	68.1	61.5 - 74.0	138	68.8	58.7 - 77.4	43	70.6	66.4 - 74.5	292
c. Maintaining confidentiality of HIV-infected students and staff	81.1	75.4 - 85.7	111	75.9	69.4 - 81.4	137	76.6	66.9 - 84.1	44	77.9	74.0 - 81.4	292

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.5	46.6 - 60.2	112	13.6	10.0 - 18.3	134	14.0	7.4 - 24.9	44	28.8	25.4 - 32.4	290

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	79.5	73.3 - 84.6	113	63.5	57.7 - 69.0	140	57.5	45.4 - 68.7	45	68.6	64.6 - 72.3	298
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	97.4	94.0 - 98.9	113	93.0	89.3 - 95.4	140	86.3	75.7 - 92.7	45	93.6	91.3 - 95.4	298
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	55.1	47.8 - 62.2	111	50.9	44.7 - 57.1	140	41.1	30.1 - 53.1	45	51.0	46.6 - 55.4	296
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	59.1	53.5 - 64.4	112	35.8	30.4 - 41.6	140	38.8	29.1 - 49.6	45	44.8	41.2 - 48.6	297
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	59.6	52.9 - 66.0	111	38.0	32.3 - 44.0	140	41.3	31.3 - 52.1	45	46.4	42.4 - 50.5	296

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.9	89.4 - 96.5	114	92.1	88.2 - 94.8	140	100.0	†	45	93.9	91.5 - 95.6	299

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.9	89.5 - 96.6	114	98.5	95.9 - 99.5	140	93.3	84.7 - 97.2	45	96.1	94.0 - 97.4	299

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.5	92.7 - 98.3	114	96.4	93.0 - 98.1	139	84.6	73.8 - 91.4	45	94.7	92.4 - 96.4	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	91.2	85.8 - 94.7	102	-	-	12	92.0	87.1 - 95.2	114
b. Seventh grade	§	§	§	92.0	87.7 - 94.9	139	90.6	80.9 - 95.6	45	91.7	87.9 - 94.4	184
c. Eighth grade	§	§	§	91.3	86.8 - 94.4	139	90.6	80.9 - 95.6	45	91.1	87.3 - 93.9	184
d. Ninth grade	95.6	91.5 - 97.7	111	-	-	0	95.5	87.7 - 98.5	45	95.6	92.3 - 97.5	156
e. Tenth grade	53.3	46.3 - 60.1	108	§	§	§	43.9	32.2 - 56.2	44	50.6	44.6 - 56.6	152
f. Eleventh grade	28.3	22.9 - 34.4	102	§	§	§	17.1	9.5 - 29.0	43	25.0	20.4 - 30.3	145
g. Twelfth grade	28.3	22.9 - 34.4	102	§	§	§	17.1	9.5 - 29.0	43	25.0	20.4 - 30.3	145

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.5	80.4 - 90.9	111	62.8	57.2 - 68.2	137	63.7	53.2 - 73.0	45	71.7	68.0 - 75.2	293

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	98.3	95.2 - 99.4	114	90.0	86.1 - 92.8	140	91.3	82.2 - 95.9	45	93.3	91.0 - 95.0	299
b. A chart describing the annual scope and sequence of instruction for physical education	80.7	74.6 - 85.7	114	66.9	60.6 - 72.7	138	66.4	55.7 - 75.7	45	72.0	68.0 - 75.7	297
c. Plans for how to assess student performance in physical education	87.0	81.5 - 91.0	114	74.9	69.3 - 79.9	139	71.4	59.2 - 81.1	45	78.9	75.2 - 82.2	298
d. A written physical education curriculum	89.4	84.6 - 92.9	114	84.3	79.6 - 88.0	139	77.4	65.0 - 86.3	45	85.2	82.0 - 87.9	298
e. Resources for fitness testing	93.9	89.4 - 96.5	114	88.6	83.7 - 92.2	139	83.8	72.6 - 91.0	45	89.9	86.8 - 92.3	298
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	73.9	67.0 - 79.7	114	68.4	62.5 - 73.7	139	59.9	47.3 - 71.4	45	69.2	65.1 - 73.1	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
16.4	12.0 - 22.1	115	32.1	26.3 - 38.5	140	31.2	23.4 - 40.4	45	26.1	22.6 - 30.0	300

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
60.6	54.4 - 66.6	115	63.8	57.6 - 69.6	140	31.1	20.8 - 43.7	45	57.9	53.8 - 61.9	300

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.6	84.3 - 93.3	115	91.4	87.0 - 94.4	139	93.5	85.2 - 97.3	45	91.0	88.2 - 93.3	299

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
50.6	43.9 - 57.3	115	23.6	18.7 - 29.3	140	42.1	31.1 - 53.8	45	36.4	32.5 - 40.4	300

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
58.5	52.0 - 64.7	114	62.6	56.3 - 68.5	139	51.0	40.3 - 61.6	45	59.4	55.2 - 63.4	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
62.6	56.0 - 68.8	115	54.1	47.3 - 60.8	139	41.1	29.8 - 53.5	45	55.5	51.0 - 59.8	299

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	115	98.6	96.1 - 99.5	140	97.5	89.6 - 99.4	45	99.0	97.6 - 99.6	300

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	100.0	†	112	97.9	95.0 - 99.1	139	95.5	87.7 - 98.5	45	98.3	96.7 - 99.1	296
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	99.1	96.1 - 99.8	111	97.9	95.0 - 99.1	139	95.5	87.7 - 98.5	45	98.0	96.3 - 98.9	295
c. Cigars	100.0	†	112	97.1	94.0 - 98.6	139	95.5	87.7 - 98.5	45	97.9	96.2 - 98.9	296
d. Pipes	100.0	†	112	97.1	94.0 - 98.6	139	95.5	87.7 - 98.5	45	97.9	96.2 - 98.9	296

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	100.0	†	110	97.1	94.1 - 98.6	138	93.5	85.2 - 97.3	45	97.7	95.9 - 98.7	293
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	98.1	94.7 - 99.3	109	95.7	92.3 - 97.7	139	95.5	87.7 - 98.5	45	96.6	94.6 - 97.9	293
c. Cigars	100.0	†	110	96.4	93.1 - 98.2	139	95.5	87.7 - 98.5	45	97.6	95.8 - 98.6	294
d. Pipes	100.0	†	110	96.4	93.1 - 98.2	139	95.5	87.7 - 98.5	45	97.6	95.8 - 98.6	294

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	98.3	95.3 - 99.4	111	97.2	94.2 - 98.7	138	95.5	87.7 - 98.5	45	97.4	95.6 - 98.4	294
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	93.8	89.2 - 96.5	110	93.6	89.6 - 96.1	138	91.4	85.2 - 95.1	44	93.3	90.9 - 95.2	292
c. Cigars	98.3	95.2 - 99.4	110	95.7	92.2 - 97.7	138	95.5	87.7 - 98.5	45	96.6	94.6 - 97.9	293
d. Pipes	98.3	95.2 - 99.4	110	95.7	92.2 - 97.7	138	95.5	87.7 - 98.5	45	96.6	94.6 - 97.9	293

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	112	97.9	95.0 - 99.1	139	97.5	89.6 - 99.4	45	98.6	97.1 - 99.3	296
b. During non-school hours	98.2	94.9 - 99.4	112	89.0	84.1 - 92.5	136	91.1	81.8 - 95.8	45	92.7	90.0 - 94.8	293

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	111	97.1	94.0 - 98.6	139	95.5	87.7 - 98.5	45	98.0	96.3 - 98.9	295
b. During non-school hours	93.7	89.1 - 96.4	111	80.2	74.9 - 84.7	136	84.1	73.1 - 91.2	45	85.8	82.5 - 88.6	292

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.0	95.9 - 99.8	111	97.1	94.0 - 98.6	138	97.5	89.6 - 99.4	45	97.9	96.2 - 98.8	294
b. During non-school hours	92.8	88.0 - 95.8	111	79.5	74.1 - 84.1	136	84.1	73.1 - 91.2	45	85.2	81.8 - 88.0	292

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	112	97.9	95.0 - 99.1	139	97.5	89.6 - 99.4	45	98.6	97.1 - 99.3	296
b. Outside on school grounds, including parking lots and playing fields	100.0	†	112	97.9	95.0 - 99.1	139	97.5	89.4 - 99.4	44	98.6	97.1 - 99.3	295
c. On school buses or other vehicles used to transport students	100.0	†	112	97.9	95.0 - 99.1	139	97.5	89.6 - 99.4	45	98.6	97.1 - 99.3	296
d. At off-campus, school-sponsored events	100.0	†	112	94.2	90.3 - 96.6	139	94.9	86.1 - 98.3	44	96.5	94.4 - 97.8	295

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	111	97.9	95.0 - 99.1	139	95.1	86.5 - 98.3	45	98.2	96.6 - 99.1	295
b. Outside on school grounds, including parking lots and playing fields	100.0	†	111	97.2	94.1 - 98.7	139	92.4	82.8 - 96.8	44	97.5	95.7 - 98.6	294
c. On school buses or other vehicles used to transport students	99.1	96.1 - 99.8	111	97.9	95.0 - 99.1	139	95.1	86.5 - 98.3	45	97.9	96.2 - 98.9	295
d. At off-campus, school-sponsored events	86.7	81.2 - 90.7	111	82.8	77.9 - 86.9	139	79.7	69.5 - 87.1	43	83.8	80.5 - 86.7	293

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	109	98.6	96.1 - 99.5	139	95.1	86.5 - 98.3	45	98.6	97.1 - 99.3	293
b. Outside on school grounds, including parking lots and playing fields	99.1	96.3 - 99.8	109	95.7	92.3 - 97.7	139	92.4	82.8 - 96.8	44	96.5	94.4 - 97.8	292
c. On school buses or other vehicles used to transport students	98.1	94.7 - 99.3	109	97.1	94.0 - 98.6	139	95.1	86.5 - 98.3	45	97.2	95.3 - 98.3	293
d. At off-campus, school-sponsored events	70.4	63.8 - 76.2	108	66.3	60.2 - 71.9	139	57.2	46.1 - 67.5	43	66.5	62.4 - 70.4	290

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
63.7	56.3 - 70.6	110	53.8	47.3 - 60.2	136	50.3	39.1 - 61.6	43	57.0	52.5 - 61.4	289

*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.1	79.4 - 89.5	114	86.7	83.0 - 89.7	137	88.5	78.3 - 94.2	44	86.4	83.4 - 88.9	295

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	21.5	16.2 - 28.0	115	16.1	12.3 - 20.8	138	15.2	8.5 - 25.8	45	18.0	15.0 - 21.5	298
b. Students	27.5	21.7 - 34.2	115	16.7	12.6 - 21.9	138	39.1	29.3 - 49.9	45	24.0	20.7 - 27.8	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	32.2	26.4 - 38.6	115	40.9	35.3 - 46.7	138	24.4	17.3 - 33.3	45	35.2	31.6 - 39.1	298
b. Students	42.6	35.6 - 49.9	115	33.4	27.5 - 39.8	138	32.4	24.8 - 41.0	45	36.7	32.6 - 41.0	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	6.1	3.4 - 10.5	115	1.4	0.5 - 3.9	139	4.9	1.7 - 13.5	45	3.7	2.3 - 5.7	299
b. Never	2.6	1.1 - 6.1	115	4.4	2.4 - 7.9	139	6.7	2.8 - 15.4	45	4.1	2.6 - 6.2	299
c. Rarely	12.9	9.0 - 18.3	115	21.8	17.8 - 26.5	139	17.9	11.3 - 27.1	45	17.9	15.2 - 21.0	299
d. Sometimes	47.1	40.4 - 53.9	115	50.2	44.0 - 56.3	139	57.0	44.0 - 69.1	45	50.0	45.7 - 54.3	299
e. Always or almost always	31.3	25.6 - 37.6	115	22.3	17.4 - 28.0	139	13.4	7.1 - 23.9	45	24.4	21.0 - 28.2	299

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.0	78.0 - 88.6	114	57.3	51.2 - 63.3	139	83.6	74.7 - 89.9	45	71.1	67.3 - 74.7	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	48.8	41.9 - 55.9	114	26.2	20.9 - 32.3	137	45.2	34.1 - 56.7	44	37.5	33.4 - 41.7	295
b. Other kinds of candy	52.4	46.1 - 58.6	114	27.7	22.0 - 34.1	137	58.2	47.5 - 68.3	44	41.4	37.4 - 45.5	295
c. Salty snacks that are not low in fat (e.g., regular potato chips)	49.4	42.3 - 56.5	114	30.5	24.8 - 36.9	137	54.8	43.2 - 65.9	45	41.2	37.0 - 45.5	296
d. Low sodium or “no added salt” pretzels, crackers, or chips	66.7	59.2 - 73.4	114	34.5	28.7 - 40.8	136	61.0	49.4 - 71.5	45	50.5	46.3 - 54.8	295
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	48.4	41.7 - 55.2	114	32.0	26.3 - 38.3	137	59.5	48.6 - 69.5	45	42.2	38.1 - 46.4	296
f. Ice cream or frozen yogurt that is not low in fat	19.3	14.9 - 24.7	114	16.8	12.9 - 21.7	137	21.2	15.2 - 28.9	45	18.4	15.6 - 21.6	296
g. 2% or whole milk (plain or flavored)	33.3	27.2 - 39.9	114	21.0	16.5 - 26.3	137	29.7	21.7 - 39.2	45	26.9	23.5 - 30.6	296
h. Nonfat or 1% (low-fat) milk (plain)	48.9	42.4 - 55.5	114	23.9	19.4 - 29.0	137	42.6	33.7 - 52.1	45	36.0	32.5 - 39.7	296
i. Water ices or frozen slushes that do not contain juice	17.5	12.9 - 23.3	114	11.0	7.5 - 15.9	137	24.6	16.1 - 35.7	45	15.4	12.6 - 18.8	296
j. Soda pop or fruit drinks that are not 100% juice	58.0	50.0 - 65.6	114	29.7	24.2 - 35.7	137	63.2	52.6 - 72.7	45	45.2	41.0 - 49.5	296
k. Sports drinks (e.g., Gatorade)	73.5	66.3 - 79.7	114	35.5	30.2 - 41.2	137	75.2	66.0 - 82.5	45	55.6	51.7 - 59.4	296

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	3.5	1.7 - 7.3	114	2.2	0.9 - 5.2	137	4.5	1.5 - 12.3	45	3.1	1.9 - 5.0	296
m. Bottled water	84.0	78.0 - 88.6	114	56.0	49.9 - 61.9	137	83.6	74.7 - 89.9	45	70.6	66.8 - 74.1	296
n. 100% fruit or vegetable juice	62.0	54.5 - 69.0	114	37.1	31.6 - 43.0	137	67.7	59.2 - 75.2	45	50.9	46.9 - 55.0	296
o. Foods or beverages containing caffeine	53.4	46.1 - 60.5	114	22.6	18.0 - 28.0	136	57.0	47.4 - 66.1	45	39.2	35.4 - 43.2	295
p. Fruits (not fruit juice)	33.6	27.2 - 40.7	113	19.7	15.4 - 24.8	137	35.1	27.5 - 43.5	45	27.1	23.7 - 30.9	295
q. Non-fried vegetables (not vegetable juice)	22.1	17.0 - 28.2	113	15.3	11.6 - 19.9	137	23.9	15.4 - 35.1	45	19.1	16.1 - 22.5	295

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	19.5	14.8 - 25.3	114	9.7	6.7 - 13.9	134	10.5	5.3 - 19.7	45	13.5	11.0 - 16.6	293
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	54.6	47.8 - 61.2	114	32.2	26.6 - 38.4	134	35.5	27.1 - 44.9	45	41.2	37.3 - 45.3	293
c. Provided information to students or families on the nutrition and caloric content of foods available	57.2	50.5 - 63.7	114	47.9	42.1 - 53.8	134	46.8	36.8 - 57.1	45	51.3	47.3 - 55.3	293
d. Conducted taste tests to determine food preferences for nutritious items	41.1	35.3 - 47.2	114	29.8	24.6 - 35.5	134	35.8	25.6 - 47.6	45	35.0	31.3 - 38.9	293
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	30.7	25.0 - 37.0	114	14.2	11.2 - 17.8	133	13.4	7.8 - 22.0	45	20.4	17.6 - 23.5	292
f. Served locally or regionally grown foods in the cafeteria or classrooms	24.7	19.1 - 31.2	114	22.6	17.8 - 28.3	133	35.6	24.8 - 48.0	45	25.3	21.7 - 29.3	292
g. Planted a school food or vegetable garden	13.0	9.1 - 18.4	114	11.3	7.9 - 15.9	131	12.5	6.7 - 22.1	45	12.1	9.6 - 15.2	290
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	88.0	82.9 - 91.8	115	79.4	73.5 - 84.2	134	86.1	75.5 - 92.6	45	83.7	80.1 - 86.7	294

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	73.2	66.3 - 79.2	115	72.7	66.7 - 77.9	135	73.6	61.0 - 83.3	45	73.0	68.8 - 76.8	295
j. Offered a self-serve salad bar to students	53.1	46.9 - 59.3	113	37.3	31.4 - 43.6	134	48.5	38.0 - 59.2	45	45.0	41.0 - 49.0	292
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	44.4	37.5 - 51.5	113	43.3	37.3 - 49.6	134	27.9	19.9 - 37.6	45	41.5	37.4 - 45.7	292
l. Encouraged students to drink plain water	80.5	73.9 - 85.7	113	74.5	68.0 - 80.0	133	70.4	58.3 - 80.2	45	76.2	72.0 - 79.9	291
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	15.6	11.1 - 21.5	115	14.7	10.8 - 19.7	135	14.9	8.3 - 25.4	45	15.1	12.2 - 18.5	295
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	25.1	19.4 - 31.8	115	21.7	16.6 - 27.7	135	10.7	5.4 - 20.2	45	21.4	17.9 - 25.3	295

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	62.8	55.4 - 69.7	113	63.4	57.0 - 69.3	139	35.6	24.9 - 47.9	45	59.1	54.7 - 63.4	297
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	38.0	31.9 - 44.4	113	54.4	47.9 - 60.8	138	33.1	22.6 - 45.6	45	45.2	40.9 - 49.4	296
c. On school buses or other vehicles used to transport students	77.9	71.3 - 83.3	113	71.0	64.9 - 76.5	138	61.9	49.6 - 72.9	45	72.3	68.1 - 76.1	296
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	45.1	38.3 - 52.1	113	55.0	48.5 - 61.4	138	39.3	29.4 - 50.2	45	49.0	44.7 - 53.4	296
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	65.6	58.5 - 72.0	113	68.3	62.2 - 73.8	138	46.3	35.7 - 57.1	45	64.1	59.9 - 68.0	296

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	56.5	49.9 - 62.9	110	22.3	17.3 - 28.3	138	57.1	44.4 - 68.9	43	39.9	35.9 - 44.0	291
b. Yes, in certain locations	35.3	29.5 - 41.7	110	45.1	39.0 - 51.4	138	40.3	28.2 - 53.8	43	40.8	36.7 - 45.1	291
c. No	8.1	4.9 - 13.2	110	32.5	26.8 - 38.8	138	2.6	0.6 - 10.8	43	19.3	16.2 - 22.9	291

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.9	86.8 - 95.1	110	67.5	61.2 - 73.2	138	97.4	89.2 - 99.4	43	80.7	77.1 - 83.8	291

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	97.4	93.9 - 98.9	113	90.2	85.5 - 93.4	140	84.1	74.4 - 90.6	44	92.0	89.3 - 94.1	297
b. Cafeteria during lunch	97.4	93.9 - 98.9	114	94.4	90.7 - 96.7	140	89.0	79.4 - 94.4	44	94.8	92.4 - 96.4	298
c. Gymnasium or other indoor physical activity facilities	97.4	93.9 - 98.9	113	94.1	90.8 - 96.3	137	91.4	82.4 - 96.0	44	94.9	92.8 - 96.5	294
d. Outdoor physical activity facilities and sports fields	88.5	83.4 - 92.2	112	71.1	65.0 - 76.5	133	92.8	83.6 - 97.0	43	80.8	77.3 - 83.9	288
e. Hallways throughout the school	99.1	96.0 - 99.8	115	97.9	95.1 - 99.1	139	100.0	†	45	98.6	97.2 - 99.4	299

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
68.8	61.8 - 75.0	112	62.4	56.1 - 68.4	137	70.2	62.5 - 76.9	45	65.9	61.8 - 69.8	294

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	2.6	1.1 - 6.0	115	0.7	0.2 - 3.1	138	2.0	0.4 - 8.5	45	1.6	0.8 - 3.1	298
b. HIV treatment	2.6	1.1 - 6.0	115	0.7	0.2 - 3.1	138	4.0	1.4 - 11.0	45	1.9	1.0 - 3.5	298
c. STD testing	2.6	1.1 - 6.0	115	0.7	0.2 - 3.1	138	2.0	0.4 - 8.5	45	1.6	0.8 - 3.1	298
d. STD treatment	2.6	1.1 - 6.0	115	0.7	0.2 - 3.1	138	6.0	2.5 - 13.7	45	2.2	1.2 - 3.8	298
e. Pregnancy testing	5.1	2.8 - 9.3	115	1.5	0.5 - 4.1	138	4.0	1.4 - 11.0	45	3.2	2.0 - 5.1	298
f. Provision of condoms	0.8	0.2 - 3.6	114	0.7	0.2 - 3.1	138	2.5	0.6 - 10.4	45	1.0	0.4 - 2.4	297
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	114	0.7	0.2 - 3.1	138	0.0	†	45	0.3	0.1 - 1.5	297
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	114	0.7	0.2 - 3.2	137	0.0	†	45	0.3	0.1 - 1.5	296
i. Prenatal care	15.7	11.0 - 22.0	115	0.7	0.2 - 3.1	138	12.9	6.9 - 23.0	45	8.2	6.0 - 10.9	298
j. Human papillomavirus (HPV) vaccine administration	0.9	0.2 - 3.7	115	0.7	0.2 - 3.1	138	0.0	†	45	0.7	0.2 - 1.9	298

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	56.0	50.0 - 61.8	114	40.9	34.6 - 47.4	137	66.2	56.8 - 74.4	45	50.2	46.2 - 54.2	296
b. HIV treatment	55.2	49.3 - 60.9	114	39.4	33.2 - 45.9	137	63.7	53.6 - 72.7	45	48.9	44.9 - 52.9	296
c. STD testing	56.0	50.0 - 61.9	114	43.0	36.7 - 49.6	137	66.2	55.2 - 75.6	45	51.3	47.2 - 55.4	296
d. STD treatment	55.2	49.3 - 61.0	114	40.8	34.4 - 47.5	137	66.2	55.2 - 75.6	45	49.9	45.8 - 54.0	296
e. Pregnancy testing	64.1	58.0 - 69.6	114	45.9	39.3 - 52.6	137	66.6	55.4 - 76.2	45	55.7	51.6 - 59.8	296
f. Provision of condoms	38.9	33.0 - 45.0	113	21.8	16.8 - 27.7	137	49.2	38.3 - 60.2	45	32.2	28.5 - 36.1	295
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	36.3	30.9 - 42.1	113	21.1	16.2 - 26.9	137	49.2	38.3 - 60.2	45	30.9	27.3 - 34.7	295
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	42.5	36.6 - 48.6	113	22.6	17.7 - 28.4	137	50.2	38.9 - 61.5	44	34.0	30.3 - 37.9	294
i. Prenatal care	64.9	58.4 - 70.9	114	41.4	34.9 - 48.2	138	68.6	56.8 - 78.4	45	54.2	49.9 - 58.4	297
j. Human papillomavirus (HPV) vaccine administration	52.2	45.9 - 58.5	113	38.7	32.3 - 45.6	137	66.2	53.9 - 76.6	45	47.8	43.5 - 52.1	295

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.7	57.9 - 71.0	108	55.2	48.8 - 61.4	134	54.5	43.4 - 65.1	43	58.6	54.4 - 62.8	285

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	98.3	95.3 - 99.4	115	97.1	94.0 - 98.6	140	96.0	89.0 - 98.6	45	97.4	95.6 - 98.5	300
b. Food allergies	98.3	95.3 - 99.4	115	97.1	94.0 - 98.6	140	96.0	89.0 - 98.6	45	97.4	95.6 - 98.5	300
c. Diabetes	98.3	95.3 - 99.4	115	97.9	95.0 - 99.1	140	96.0	89.0 - 98.6	45	97.8	96.1 - 98.7	300
d. Epilepsy or seizure disorder	97.4	94.0 - 98.9	115	96.4	93.1 - 98.2	140	96.0	89.0 - 98.6	45	96.7	94.8 - 98.0	300
e. Obesity	41.9	34.6 - 49.5	114	37.3	31.6 - 43.4	139	45.8	36.3 - 55.6	45	40.2	36.1 - 44.5	298
f. Hypertension/high blood pressure	80.8	74.7 - 85.6	115	71.8	65.9 - 77.0	139	80.3	70.0 - 87.7	45	76.4	72.6 - 79.8	299

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	55.7	49.9 - 61.4	113	51.0	44.1 - 58.0	137	61.7	51.2 - 71.1	45	54.3	50.1 - 58.5	295
b. Food allergies	53.9	48.2 - 59.6	113	51.0	44.1 - 58.0	137	56.7	46.5 - 66.4	45	53.0	48.7 - 57.2	295
c. Diabetes	55.6	49.9 - 61.3	113	52.5	45.5 - 59.4	137	61.7	51.2 - 71.1	45	55.0	50.7 - 59.2	295
d. Epilepsy or seizure disorder	53.9	47.8 - 59.9	113	50.4	43.4 - 57.4	137	61.7	51.2 - 71.1	45	53.4	49.0 - 57.7	295
e. Obesity	42.2	36.2 - 48.4	113	37.3	30.9 - 44.2	137	48.3	38.6 - 58.1	45	40.8	36.6 - 45.0	295
f. Hypertension/high blood pressure	53.0	46.7 - 59.1	113	44.6	37.5 - 51.9	137	59.2	48.2 - 69.4	45	49.9	45.4 - 54.3	295

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	21.2	15.9 - 27.7	112	36.2	30.2 - 42.6	139	14.5	8.8 - 22.9	45	27.5	23.8 - 31.5	296
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	53.0	45.9 - 60.0	113	62.4	55.7 - 68.7	138	47.1	36.6 - 57.8	45	56.7	52.2 - 61.0	296
c. Involved parents as school volunteers in the delivery of health education activities and services	24.9	19.0 - 32.0	112	27.2	21.7 - 33.4	139	32.2	24.0 - 41.5	45	27.1	23.3 - 31.2	296
d. Linked parents and families to health services and programs in the community	74.6	67.9 - 80.3	114	80.5	74.9 - 85.1	139	74.9	63.6 - 83.6	45	77.5	73.6 - 81.0	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.6	84.3 - 93.3	114	86.2	81.6 - 89.8	139	79.4	67.3 - 87.8	45	86.5	83.3 - 89.2	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
46.4	39.3 - 53.6	114	46.2	39.9 - 52.5	139	28.6	19.9 - 39.4	45	43.7	39.5 - 48.1	298

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.1	78.1 - 88.7	113	64.9	58.5 - 70.9	139	63.9	51.5 - 74.8	45	71.9	67.8 - 75.7	297

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.7	90.4 - 97.1	113	79.8	74.9 - 84.0	138	84.6	78.2 - 89.4	45	86.1	83.2 - 88.5	296

INDIANA

2014 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.8	38.6 - 51.3	114	31.6	26.0 - 37.6	139	26.3	18.5 - 36.0	44	35.8	32.0 - 39.8	297