

INDIANA

2022 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 31, 2023



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 01: PRE-DIABETES CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 1: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8059	4,135,690	5676	64.0	62.6-65.4	829	10.6	09.8-11.4	264	3.9	03.3-04.5	248	3.6	03.0-04.2	154	2.4	02.0-02.8	888	15.5	14.3-16.7
Male	3619	1,964,168	2449	60.6	58.6-62.6	365	10.3	09.1-11.5	143	4.5	03.7-05.3	130	4.1	03.3-04.9	79	2.8	02.0-03.6	453	17.6	15.8-19.4
Female	4440	2,171,522	3227	67.1	65.3-68.9	464	10.9	09.7-12.1	121	3.3	02.5-04.1	118	3.0	02.4-03.6	75	2.0	01.4-02.6	435	13.6	12.0-15.2
White/Non-Hisp	6116	3,111,745	4342	65.3	63.7-66.9	613	10.6	09.6-11.6	205	4.0	03.4-04.6	187	3.5	02.9-04.1	109	2.1	01.7-02.5	660	14.6	13.4-15.8
Black or Afr. Am./Non-Hisp	929	355,514	703	63.8	58.7-68.9	93	9.6	07.1-12.1	20	3.2	01.2-05.2	19	2.9	01.3-04.5	12	2.6	01.0-04.2	82	17.9	13.4-22.4
Oth. Race/Non-Hisp.	163	137,198	93	57.9	48.1-67.7	22	9.9	05.2-14.6	8	4.7	00.8-08.6	5	2.8	00.1-05.5	4	3.1	00.0-07.0	31	21.4	13.0-29.8
MultiRacial/Non-Hisp.	141	118,186	91	60.0	50.4-69.6	15	11.1	05.2-17.0	4	2.0	00.0-04.5	5	3.2	00.3-06.1	4	3.0	00.0-06.1	22	20.8	12.4-29.2
Hispanic	475	300,356	275	54.0	48.5-59.5	65	13.8	10.1-17.5	22	4.7	02.3-07.1	24	5.2	02.8-07.6	18	4.2	02.0-06.4	71	18.1	13.4-22.8
18-24	478	522,659	186	39.0	33.9-44.1	52	10.4	07.3-13.5	25	5.2	03.0-07.4	35	6.0	03.8-08.2	15	3.2	01.4-05.0	165	36.1	31.0-41.2
25-34	858	731,381	398	46.1	42.4-49.8	117	13.6	11.1-16.1	52	5.9	04.1-07.7	54	6.0	04.2-07.8	35	3.4	02.2-04.6	202	25.0	21.7-28.3
35-44	1170	729,318	703	59.4	56.3-62.5	151	12.0	10.0-14.0	69	5.7	04.3-07.1	50	4.2	03.0-05.4	41	3.9	02.5-05.3	156	14.7	12.3-17.1
45-54	1346	641,410	958	70.6	67.9-73.3	147	10.8	08.8-12.8	50	3.5	02.3-04.7	32	2.5	01.5-03.5	25	1.8	01.0-02.6	134	10.8	08.8-12.8
55-64	1533	659,966	1196	77.4	74.9-79.9	149	10.2	08.4-12.0	35	2.4	01.4-03.4	35	1.9	01.1-02.7	20	1.6	00.8-02.4	98	6.7	05.1-08.3
65+	2674	850,956	2235	83.2	81.4-85.0	213	7.3	06.1-08.5	33	1.2	00.6-01.8	42	1.5	00.9-02.1	18	0.9	00.3-01.5	133	5.9	04.7-07.1
Less Than H.S.	445	417,242	264	52.6	47.1-58.1	56	12.9	09.2-16.6	13	2.9	01.1-04.7	17	3.6	01.6-05.6	17	4.6	02.2-07.0	78	23.3	18.2-28.4
H.S. or G.E.D.	2297	1,349,689	1603	64.0	61.5-66.5	192	8.2	06.8-09.6	74	3.5	02.5-04.5	90	4.3	03.3-05.3	48	2.5	01.7-03.3	290	17.4	15.2-19.6
Some Post-H.S.	2201	1,270,513	1553	63.9	61.4-66.4	236	11.7	09.9-13.5	75	4.6	03.4-05.8	59	3.5	02.5-04.5	43	2.2	01.6-02.8	235	14.1	12.1-16.1
College Graduate	3083	1,085,263	2232	68.4	66.4-70.4	339	11.5	10.1-12.9	101	3.9	03.1-04.7	82	2.7	02.1-03.3	46	1.8	01.2-02.4	283	11.8	10.2-13.4
Less than \$15,000	335	168,791	219	58.3	51.4-65.2	31	8.4	05.1-11.7	15	5.6	02.5-08.7	15	5.2	02.5-07.9	7	2.0	00.4-03.6	48	20.6	14.3-26.9
\$15,000- 24,999	629	311,499	450	65.3	60.4-70.2	57	9.4	06.5-12.3	20	4.0	01.8-06.2	21	3.2	01.4-05.0	21	4.8	02.4-07.2	60	13.3	09.6-17.0
\$25,000- 34,999	724	346,017	522	67.4	63.1-71.7	74	11.0	08.1-13.9	16	3.1	01.5-04.7	18	2.3	00.9-03.7	14	2.2	00.8-03.6	80	14.0	10.7-17.3
\$35,000- 49,999	890	465,884	629	63.4	59.1-67.7	82	8.8	06.4-11.2	21	2.8	01.4-04.2	32	4.2	02.4-06.0	23	3.0	01.6-04.4	103	17.7	14.0-21.4
\$50,000- 99,999	1918	987,019	1318	62.9	60.2-65.6	220	11.7	09.9-13.5	63	3.8	02.8-04.8	59	3.4	02.4-04.4	41	2.8	01.8-03.8	217	15.4	13.0-17.8
\$100,000- 199,999	1291	662,554	917	66.8	63.7-69.9	144	11.8	09.6-14.0	60	4.5	03.3-05.7	35	3.0	01.8-04.2	18	1.6	00.8-02.4	117	12.3	09.9-14.7
\$200,000+	306	150,703	213	62.3	55.4-69.2	35	11.3	07.2-15.4	14	4.7	02.0-07.4	9	3.9	01.0-06.8	1	0.4	00.0-01.2	34	17.4	10.9-23.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 2: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3619	1,964,168	2449	60.6	58.6-62.6	365	10.3	09.1-11.5	143	4.5	03.7-05.3	130	4.1	03.3-04.9	79	2.8	02.0-03.6	453	17.6	15.8-19.4
White/Non-Hisp	2784	1,450,357	1920	62.2	60.0-64.4	275	10.4	09.0-11.8	104	4.4	03.4-05.4	94	3.9	02.9-04.9	55	2.5	01.7-03.3	336	16.7	14.7-18.7
Black or Afr. Am./Non-Hisp	310	164,340	226	61.5	53.5-69.5	25	7.7	04.2-11.2	10	3.8	00.9-06.7	10	4.2	01.3-07.1	7	3.9	00.8-07.0	32	18.9	11.5-26.3
Oth. Race/Non-Hisp.	98	78,760	54	56.1	43.4-68.8	15	11.0	04.7-17.3	5	6.0	00.0-12.1	5	5.0	00.3-09.7	4	5.5	00.0-12.2	15	16.5	06.9-26.1
MultiRacial/Non-Hisp.	74	67,841	45	57.3	44.2-70.4	10	12.2	04.4-20.0	2	0.7	00.0-02.1	2	3.2	00.0-07.7	2	3.1	00.0-07.6	13	23.4	11.2-35.6
Hispanic	225	134,515	109	43.0	35.7-50.3	32	13.9	09.0-18.8	17	8.2	03.7-12.7	16	7.3	03.4-11.2	9	4.1	01.0-07.2	42	23.5	16.8-30.2
18-24	267	266,202	98	37.2	30.1-44.3	25	8.7	04.4-13.0	17	6.4	03.1-09.7	24	8.0	04.7-11.3	12	5.0	02.1-07.9	91	34.7	27.8-41.6
25-34	409	362,379	153	37.0	31.7-42.3	56	13.2	09.7-16.7	28	6.2	03.7-08.7	30	6.7	04.2-09.2	21	4.3	02.3-06.3	121	32.7	27.4-38.0
35-44	552	356,150	321	57.4	52.7-62.1	74	11.9	09.2-14.6	37	6.7	04.3-09.1	25	4.2	02.4-06.0	18	3.9	01.7-06.1	77	16.0	12.3-19.7
45-54	637	320,390	448	69.5	65.4-73.6	68	10.8	08.1-13.5	26	4.0	02.2-05.8	19	3.0	01.4-04.6	11	1.6	00.6-02.6	65	11.1	08.2-14.0
55-64	698	312,209	546	76.6	72.9-80.3	68	10.3	07.8-12.8	15	2.5	01.1-03.9	15	1.9	00.9-02.9	9	1.7	00.5-02.9	45	7.0	04.6-09.4
65+	1056	346,837	883	83.6	80.9-86.3	74	6.5	04.7-08.3	20	1.4	00.6-02.2	17	1.5	00.7-02.3	8	0.8	00.2-01.4	54	6.2	04.2-08.2
Less Than H.S.	213	211,174	110	45.5	37.7-53.3	27	11.8	07.1-16.5	8	2.8	00.8-04.8	9	3.0	00.8-05.2	8	5.4	01.5-09.3	51	31.5	23.7-39.3
H.S. or G.E.D.	1057	668,602	715	62.0	58.5-65.5	82	7.8	06.0-09.6	38	3.7	02.3-05.1	51	5.2	03.6-06.8	22	2.7	01.5-03.9	149	18.7	15.6-21.8
Some Post-H.S.	956	587,965	634	59.2	55.5-62.9	104	11.6	09.1-14.1	43	6.1	04.1-08.1	30	4.4	02.8-06.0	24	2.7	01.5-03.9	121	16.0	13.1-18.9
College Graduate	1380	490,607	982	67.0	64.1-69.9	150	11.5	09.5-13.5	53	4.6	03.2-06.0	40	2.9	01.9-03.9	25	2.1	01.1-03.1	130	11.9	09.7-14.1
Less than \$15,000	143	78,372	82	46.7	36.9-56.5	9	6.3	01.8-10.8	10	7.4	02.7-12.1	11	8.5	03.4-13.6	1	1.2	00.0-03.6	30	29.9	19.5-40.3
\$15,000- 24,999	214	117,132	147	63.8	55.8-71.8	15	7.4	03.3-11.5	8	4.2	00.5-07.9	8	3.4	00.5-06.3	14	7.7	03.2-12.2	22	13.6	07.5-19.7
\$25,000- 34,999	277	141,195	193	63.6	56.5-70.7	27	9.3	05.2-13.4	6	3.3	00.6-06.0	10	3.8	01.1-06.5	5	2.6	00.1-05.1	36	17.4	11.5-23.3
\$35,000- 49,999	377	200,239	267	62.5	56.2-68.8	29	7.1	04.0-10.2	9	2.4	00.4-04.4	13	4.4	01.9-06.9	11	3.4	01.0-05.8	48	20.3	14.8-25.8
\$50,000- 99,999	928	507,731	614	60.4	56.3-64.5	109	12.2	09.7-14.7	35	4.4	02.8-06.0	29	3.3	01.9-04.7	25	3.5	01.9-05.1	116	16.3	13.0-19.6
\$100,000- 199,999	678	355,289	474	64.6	60.3-68.9	76	12.6	09.5-15.7	35	5.2	03.2-07.2	20	3.1	01.5-04.7	10	1.8	00.6-03.0	63	12.6	09.5-15.7
\$200,000+	167	80,311	115	59.8	50.4-69.2	23	14.1	07.8-20.4	7	5.3	01.2-09.4	6	5.6	00.7-10.5				16	15.3	07.1-23.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 3: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4440	2,171,522	3227	67.1	65.3-68.9	464	10.9	09.7-12.1	121	3.3	02.5-04.1	118	3.0	02.4-03.6	75	2.0	01.4-02.6	435	13.6	12.0-15.2
White/Non-Hisp	3332	1,661,387	2422	67.9	65.9-69.9	338	10.7	09.3-12.1	101	3.6	02.8-04.4	93	3.1	02.3-03.9	54	1.8	01.2-02.4	324	12.7	11.1-14.3
Black or Afr. Am./Non-Hisp	619	191,174	477	65.8	59.7-71.9	68	11.2	07.5-14.9	10	2.7	00.2-05.2	9	1.7	00.1-03.3	5	1.5	00.0-03.1	50	17.0	11.7-22.3
Oth. Race/Non-Hisp.	65	58,438	39	60.3	45.0-75.6	7	8.6	01.7-15.5	3	3.0	00.0-07.5							16	28.1	13.4-42.8
MultiRacial/Non-Hisp.	67	50,344	46	63.6	49.9-77.3	5	9.6	00.6-18.6	2	3.7	00.0-09.4	3	3.0	00.0-06.5	2	2.8	00.0-06.7	9	17.2	06.0-28.4
Hispanic	250	165,841	166	62.9	55.3-70.5	33	13.7	08.2-19.2	5	1.9	00.1-03.7	8	3.5	00.8-06.2	9	4.3	01.4-07.2	29	13.7	07.4-20.0
18-24	211	256,457	88	40.9	33.5-48.3	27	12.1	07.4-16.8	8	4.1	01.2-07.0	11	4.0	01.3-06.7	3	1.4	00.0-03.0	74	37.6	30.0-45.2
25-34	449	369,002	245	55.1	50.0-60.2	61	13.9	10.2-17.6	24	5.6	03.2-08.0	24	5.3	03.1-07.5	14	2.6	01.2-04.0	81	17.6	13.7-21.5
35-44	618	373,168	382	61.4	57.1-65.7	77	12.2	09.3-15.1	32	4.8	03.0-06.6	25	4.2	02.4-06.0	23	3.9	02.1-05.7	79	13.5	10.4-16.6
45-54	709	321,019	510	71.8	67.9-75.7	79	10.8	08.3-13.3	24	3.0	01.6-04.4	13	1.9	00.7-03.1	14	1.9	00.7-03.1	69	10.6	07.9-13.3
55-64	835	347,757	650	78.0	74.7-81.3	81	10.0	07.3-12.7	20	2.3	01.3-03.3	20	1.9	00.9-02.9	11	1.4	00.6-02.2	53	6.4	04.4-08.4
65+	1618	504,119	1352	82.8	80.3-85.3	139	7.9	06.1-09.7	13	1.1	00.3-01.9	25	1.5	00.7-02.3	10	1.0	00.2-01.8	79	5.6	04.0-07.2
Less Than H.S.	232	206,068	154	59.9	52.3-67.5	29	14.0	08.3-19.7	5	3.1	00.0-06.2	8	4.2	01.1-07.3	9	3.8	01.1-06.5	27	15.0	08.9-21.1
H.S. or G.E.D.	1240	681,087	888	66.0	62.5-69.5	110	8.7	06.7-10.7	36	3.4	02.2-04.6	39	3.4	02.2-04.6	26	2.4	01.4-03.4	141	16.1	13.0-19.2
Some Post-H.S.	1245	682,548	919	67.9	64.6-71.2	132	11.8	09.4-14.2	32	3.4	02.0-04.8	29	2.8	01.6-04.0	19	1.7	00.9-02.5	114	12.5	10.0-15.0
College Graduate	1703	594,656	1250	69.5	66.8-72.2	189	11.4	09.6-13.2	48	3.3	02.3-04.3	42	2.6	01.6-03.6	21	1.5	00.7-02.3	153	11.8	09.6-14.0
Less than \$15,000	192	90,419	137	68.3	59.5-77.1	22	10.2	05.1-15.3	5	4.0	00.0-08.3	4	2.3	00.0-04.7	6	2.8	00.4-05.2	18	12.4	05.5-19.3
\$15,000- 24,999	415	194,367	303	66.2	59.9-72.5	42	10.7	06.6-14.8	12	3.9	01.2-06.6	13	3.1	00.9-05.3	7	3.0	00.6-05.4	38	13.1	08.4-17.8
\$25,000- 34,999	447	204,822	329	70.0	64.5-75.5	47	12.1	08.2-16.0	10	3.0	01.0-05.0	8	1.3	00.1-02.5	9	1.9	00.5-03.3	44	11.7	07.8-15.6
\$35,000- 49,999	513	265,645	362	64.1	58.4-69.8	53	10.1	07.0-13.2	12	3.1	01.1-05.1	19	4.1	01.9-06.3	12	2.7	00.9-04.5	55	15.8	10.5-21.1
\$50,000- 99,999	990	479,287	704	65.5	61.6-69.4	111	11.2	08.8-13.6	28	3.2	01.8-04.6	30	3.5	02.1-04.9	16	2.0	01.0-03.0	101	14.6	11.3-17.9
\$100,000- 199,999	613	307,265	443	69.4	64.9-73.9	68	10.9	08.0-13.8	25	3.6	02.0-05.2	15	2.9	01.3-04.5	8	1.4	00.2-02.6	54	11.9	08.6-15.2
\$200,000+	139	70,392	98	65.2	55.0-75.4	12	8.1	03.0-13.2	7	4.1	00.8-07.4	3	2.0	00.0-04.2	1	0.9	00.0-02.7	18	19.7	09.7-29.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8505	4,433,396	1209	12.4	11.6-13.2	77	0.9	00.7-01.1	7219	86.7	85.9-87.5
Male	3833	2,123,383	560	12.5	11.3-13.7				3273	87.5	86.3-88.7
Female	4672	2,310,012	649	12.3	11.1-13.5	77	1.8	01.2-02.4	3946	85.9	84.7-87.1
White/Non-Hisp	6469	3,331,340	876	11.9	10.9-12.9	49	0.7	00.5-00.9	5544	87.3	86.3-88.3
Black or Afr. Am./Non-Hisp	954	377,122	179	16.3	13.0-19.6	11	1.0	00.2-01.8	764	82.8	79.5-86.1
Oth. Race/Non-Hisp.	171	145,102	23	12.1	06.2-18.0	1	1.3	00.0-03.8	147	86.6	80.3-92.9
MultiRacial/Non-Hisp.	147	132,078	16	10.9	05.0-16.8	4	2.0	00.0-04.2	127	87.1	80.8-93.4
Hispanic	509	327,978	75	11.9	08.8-15.0	10	2.3	00.5-04.1	424	85.8	82.3-89.3
18-24	553	606,163	26	4.3	02.5-06.1	3	0.4	00.0-01.0	524	95.2	93.2-97.2
25-34	950	815,468	52	5.8	04.0-07.6	10	1.3	00.5-02.1	888	92.9	90.9-94.9
35-44	1250	779,196	140	11.0	09.0-13.0	21	1.6	00.8-02.4	1089	87.4	85.2-89.6
45-54	1406	670,074	215	15.7	13.5-17.9	19	1.4	00.6-02.2	1172	82.9	80.5-85.3
55-64	1574	676,798	298	20.0	17.6-22.4	12	0.6	00.2-01.0	1264	79.4	77.0-81.8
65+	2772	885,698	478	16.9	15.1-18.7	12	0.3	00.1-00.5	2282	82.8	81.0-84.6
Less Than H.S.	480	462,363	58	10.4	07.5-13.3	6	1.2	00.0-02.4	416	88.4	85.3-91.5
H.S. or G.E.D.	2456	1,462,804	352	12.2	10.6-13.8	16	0.5	00.1-00.9	2088	87.3	85.7-88.9
Some Post-H.S.	2307	1,346,943	335	13.1	11.5-14.7	30	1.4	00.8-02.0	1942	85.6	83.8-87.4
College Graduate	3224	1,145,233	461	12.7	11.3-14.1	25	0.9	00.5-01.3	2738	86.4	85.0-87.8
Less than \$15,000	361	186,596	53	12.1	08.2-16.0	2	1.2	00.0-03.2	306	86.7	82.4-91.0
\$15,000- 24,999	654	326,916	94	13.3	10.0-16.6	10	1.0	00.2-01.8	550	85.8	82.3-89.3
\$25,000- 34,999	757	369,247	129	14.6	11.7-17.5	10	1.9	00.5-03.3	618	83.4	80.3-86.5
\$35,000- 49,999	925	484,473	161	15.0	12.3-17.7	10	1.1	00.3-01.9	754	83.8	81.1-86.5
\$50,000- 99,999	2019	1,062,145	286	12.7	10.9-14.5	11	0.5	00.1-00.9	1722	86.8	85.0-88.6
\$100,000- 199,999	1359	703,816	187	11.8	09.8-13.8	11	0.8	00.2-01.4	1161	87.4	85.4-89.4
\$200,000+	316	156,597	25	7.1	03.8-10.4	3	0.9	00.0-01.9	288	92.0	88.7-95.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3833	2,123,383	560	12.5	11.3-13.7	3273	87.5	86.3-88.7
White/Non-Hisp	2953	1,571,541	418	11.7	10.3-13.1	2535	88.3	86.9-89.7
Black or Afr. Am./Non-Hisp	319	173,659	62	17.9	12.4-23.4	257	82.1	76.6-87.6
Oth. Race/Non-Hisp.	102	82,312	14	13.6	05.6-21.6	88	86.4	78.4-94.4
MultiRacial/Non-Hisp.	76	70,615	12	15.4	06.0-24.8	64	84.6	75.2-94.0
Hispanic	246	152,983	29	9.3	05.6-13.0	217	90.7	87.0-94.4
18-24	313	312,328	10	3.0	01.0-05.0	303	97.0	95.0-99.0
25-34	459	414,054	17	3.7	01.7-05.7	442	96.3	94.3-98.3
35-44	592	382,886	73	12.4	09.3-15.5	519	87.6	84.5-90.7
45-54	660	333,362	115	18.0	14.5-21.5	545	82.0	78.5-85.5
55-64	721	321,506	141	20.5	16.8-24.2	580	79.5	75.8-83.2
65+	1088	359,247	204	18.8	15.9-21.7	884	81.2	78.3-84.1
Less Than H.S.	228	231,250	22	8.9	05.0-12.8	206	91.1	87.2-95.0
H.S. or G.E.D.	1147	740,226	161	12.1	09.9-14.3	986	87.9	85.7-90.1
Some Post-H.S.	1007	628,996	159	14.1	11.6-16.6	848	85.9	83.4-88.4
College Graduate	1435	514,964	217	13.0	11.0-15.0	1218	87.0	85.0-89.0
Less than \$15,000	159	89,405	18	9.0	04.3-13.7	141	91.0	86.3-95.7
\$15,000- 24,999	229	126,992	32	13.3	08.2-18.4	197	86.7	81.6-91.8
\$25,000- 34,999	291	150,789	55	15.4	10.7-20.1	236	84.6	79.9-89.3
\$35,000- 49,999	389	208,327	76	15.6	11.7-19.5	313	84.4	80.5-88.3
\$50,000- 99,999	979	555,661	146	13.4	10.9-15.9	833	86.6	84.1-89.1
\$100,000- 199,999	712	379,385	106	12.7	10.2-15.2	606	87.3	84.8-89.8
\$200,000+	172	84,088	16	9.0	03.7-14.3	156	91.0	85.7-96.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)**  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4672	2,310,012	649	12.3	11.1-13.5	77	1.8	01.2-02.4	3946	85.9	84.7-87.1
White/Non-Hisp	3516	1,759,799	458	12.1	10.7-13.5	49	1.4	01.0-01.8	3009	86.5	85.1-87.9
Black or Afr. Am./Non-Hisp	635	203,463	117	14.9	11.2-18.6	11	1.8	00.4-03.2	507	83.4	79.5-87.3
Oth. Race/Non-Hisp.	69	62,791	9	10.1	01.7-18.5	1	3.0	00.0-08.7	59	86.9	77.1-96.7
MultiRacial/Non-Hisp.	71	61,464	4	5.7	00.0-11.8	4	4.3	00.0-09.0	63	89.9	82.3-97.5
Hispanic	263	174,995	46	14.2	09.1-19.3	10	4.3	01.2-07.4	207	81.4	75.7-87.1
18-24	240	293,835	16	5.8	02.7-08.9	3	0.9	00.0-01.9	221	93.3	90.0-96.6
25-34	491	401,413	35	8.0	05.1-10.9	10	2.6	00.8-04.4	446	89.4	86.1-92.7
35-44	658	396,310	67	9.7	07.3-12.1	21	3.1	01.5-04.7	570	87.1	84.4-89.8
45-54	746	336,712	100	13.4	10.7-16.1	19	2.9	01.5-04.3	627	83.8	80.9-86.7
55-64	853	355,292	157	19.4	16.3-22.5	12	1.1	00.3-01.9	684	79.4	76.3-82.5
65+	1684	526,451	274	15.6	13.2-18.0	12	0.5	00.1-00.9	1398	83.9	81.5-86.3
Less Than H.S.	252	231,113	36	12.0	07.5-16.5	6	2.5	00.3-04.7	210	85.6	80.7-90.5
H.S. or G.E.D.	1309	722,578	191	12.3	10.1-14.5	16	1.0	00.4-01.6	1102	86.7	84.5-88.9
Some Post-H.S.	1300	717,948	176	12.2	10.0-14.4	30	2.6	01.6-03.6	1094	85.2	82.8-87.6
College Graduate	1789	630,269	244	12.5	10.7-14.3	25	1.7	00.9-02.5	1520	85.9	83.9-87.9
Less than \$15,000	202	97,191	35	14.9	08.8-21.0	2	2.3	00.0-06.0	165	82.7	75.8-89.6
\$15,000- 24,999	425	199,924	62	13.3	08.8-17.8	10	1.6	00.2-03.0	353	85.1	80.6-89.6
\$25,000- 34,999	466	218,458	74	14.1	10.4-17.8	10	3.2	01.0-05.4	382	82.6	78.5-86.7
\$35,000- 49,999	536	276,147	85	14.5	11.0-18.0	10	2.0	00.4-03.6	441	83.4	79.5-87.3
\$50,000- 99,999	1040	506,484	140	11.9	09.5-14.3	11	1.1	00.3-01.9	889	87.0	84.5-89.5
\$100,000- 199,999	647	324,431	81	10.8	08.3-13.3	11	1.7	00.5-02.9	555	87.5	84.8-90.2
\$200,000+	144	72,509	9	4.9	01.6-08.2	3	2.0	00.0-04.4	132	93.1	89.0-97.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 2: DIABETES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 1: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1506	597,812	133	11.2	08.8-13.6	1373	88.8	86.4-91.2
Male	729	315,705	75	11.6	08.7-14.5	654	88.4	85.5-91.3
Female	777	282,107	58	10.8	06.9-14.7	719	89.2	85.3-93.1
White/Non-Hisp	1066	453,944	89	10.9	08.2-13.6	977	89.1	86.4-91.8
Black or Afr. Am./Non-Hisp	293	71,334	22	8.1	03.2-13.0	271	91.9	87.0-96.8
Hispanic	54	31,343	8	11.2	00.8-21.6	46	88.8	78.4-99.2
35-44	71	39,698	17	24.6	13.4-35.8	54	75.4	64.2-86.6
45-54	217	110,080	25	12.0	06.3-17.7	192	88.0	82.3-93.7
55-64	361	148,294	29	9.0	05.5-12.5	332	91.0	87.5-94.5
65+	826	265,507	51	6.2	04.2-08.2	775	93.8	91.8-95.8
Less Than H.S.	127	84,832	15	13.5	05.7-21.3	112	86.5	78.7-94.3
H.S. or G.E.D.	516	211,250	48	11.2	06.7-15.7	468	88.8	84.3-93.3
Some Post-H.S.	401	178,274	33	10.3	06.2-14.4	368	89.7	85.6-93.8
College Graduate	453	120,421	35	10.6	06.9-14.3	418	89.4	85.7-93.1
Less than \$15,000	133	50,920	13	6.7	02.4-11.0	120	93.3	89.0-97.6
\$15,000- 24,999	173	62,569	19	13.0	06.9-19.1	154	87.0	80.9-93.1
\$25,000- 34,999	208	80,855	18	11.9	05.8-18.0	190	88.1	82.0-94.2
\$35,000- 49,999	175	66,163	12	7.9	02.8-13.0	163	92.1	87.0-97.2
\$50,000- 99,999	341	143,081	35	12.6	07.5-17.7	306	87.4	82.3-92.5
\$100,000- 199,999	146	60,689	13	13.3	04.3-22.3	133	86.7	77.7-95.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 2: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	729	315,705	75	11.6	08.7-14.5	654	88.4	85.5-91.3
White/Non-Hisp	551	240,240	57	12.1	08.6-15.6	494	87.9	84.4-91.4
Black or Afr. Am./Non-Hisp	92	34,999	6	4.8	00.0-11.3	86	95.2	88.7-0100
45-54	95	53,258	17	15.2	07.9-22.5	78	84.8	77.5-92.1
55-64	184	78,199	13	8.9	03.6-14.2	171	91.1	85.8-96.4
65+	402	149,769	29	6.9	04.2-09.6	373	93.1	90.4-95.8
Less Than H.S.	58	39,777	9	15.0	03.8-26.2	49	85.0	73.8-96.2
H.S. or G.E.D.	241	112,945	27	10.5	06.4-14.6	214	89.5	85.4-93.6
Some Post-H.S.	188	91,829	17	10.6	04.1-17.1	171	89.4	82.9-95.9
College Graduate	236	68,639	20	12.5	07.0-18.0	216	87.5	82.0-93.0
Less than \$15,000	53	21,808	5	6.6	00.3-12.9	48	93.4	87.1-99.7
\$15,000- 24,999	69	26,411	12	19.4	08.8-30.0	57	80.6	70.0-91.2
\$25,000- 34,999	95	42,015	10	14.8	04.6-25.0	85	85.2	75.0-95.4
\$35,000- 49,999	88	40,560	8	8.1	01.2-15.0	80	91.9	85.0-98.8
\$50,000- 99,999	200	89,278	24	15.7	08.6-22.8	176	84.3	77.2-91.4
\$100,000- 199,999	90	36,701	7	7.9	02.0-13.8	83	92.1	86.2-98.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 3: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	777	282,107	58	10.8	06.9-14.7	719	89.2	85.3-93.1
White/Non-Hisp	515	213,704	32	9.5	05.0-14.0	483	90.5	86.0-95.0
Black or Afr. Am./Non-Hisp	201	36,336	16	11.2	03.9-18.5	185	88.8	81.5-96.1
45-54	122	56,822	8	9.0	00.0-18.0	114	91.0	82.0-100.0
55-64	177	70,095	16	9.2	04.3-14.1	161	90.8	85.9-95.7
65+	424	115,739	22	5.3	02.6-08.0	402	94.7	92.0-97.4
Less Than H.S.	69	45,055	6	12.2	01.0-23.4	63	87.8	76.6-99.0
H.S. or G.E.D.	275	98,305	21	12.1	03.7-20.5	254	87.9	79.5-96.3
Some Post-H.S.	213	86,444	16	10.1	05.0-15.2	197	89.9	84.8-95.0
College Graduate	217	51,782	15	8.1	03.4-12.8	202	91.9	87.2-96.6
Less than \$15,000	80	29,113	8	6.7	00.8-12.6	72	93.3	87.4-99.2
\$15,000- 24,999	104	36,157	7	8.4	01.5-15.3	97	91.6	84.7-98.5
\$25,000- 34,999	113	38,841	8	8.7	02.6-14.8	105	91.3	85.2-97.4
\$35,000- 49,999	87	25,603	4	7.5	00.0-15.3	83	92.5	84.7-100.0
\$50,000- 99,999	141	53,803	11	7.4	01.5-13.3	130	92.6	86.7-98.5
\$100,000- 199,999	56	23,988	6	21.6	02.4-40.8	50	78.4	59.2-97.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1637	650,177	545	36.0	32.9-39.1	1092	64.0	60.9-67.1
Male	795	344,585	276	35.1	31.0-39.2	519	64.9	60.8-69.0
Female	842	305,592	269	37.0	32.3-41.7	573	63.0	58.3-67.7
White/Non-Hisp	1145	486,656	379	35.7	32.2-39.2	766	64.3	60.8-67.8
Black or Afr. Am./Non-Hisp	320	77,557	105	34.3	25.5-43.1	215	65.7	56.9-74.5
Hispanic	65	36,413	24	45.5	28.4-62.6	41	54.5	37.4-71.6
35-44	77	43,587	30	44.0	31.7-56.3	47	56.0	43.7-68.3
45-54	236	118,580	75	35.0	27.6-42.4	161	65.0	57.6-72.4
55-64	389	161,015	142	34.6	28.9-40.3	247	65.4	59.7-71.1
65+	903	290,992	280	33.3	29.2-37.4	623	66.7	62.6-70.8
Less Than H.S.	152	96,955	65	47.1	37.1-57.1	87	52.9	42.9-62.9
H.S. or G.E.D.	571	234,175	191	34.5	29.4-39.6	380	65.5	60.4-70.6
Some Post-H.S.	431	189,380	153	36.5	30.8-42.2	278	63.5	57.8-69.2
College Graduate	473	126,165	133	29.9	25.0-34.8	340	70.1	65.2-75.0
Less than \$15,000	146	55,087	52	36.4	26.6-46.2	94	63.6	53.8-73.4
\$15,000- 24,999	193	69,357	69	36.9	28.1-45.7	124	63.1	54.3-71.9
\$25,000- 34,999	224	85,949	75	35.5	27.5-43.5	149	64.5	56.5-72.5
\$35,000- 49,999	187	71,358	62	35.1	26.7-43.5	125	64.9	56.5-73.3
\$50,000- 99,999	352	149,192	117	39.2	32.5-45.9	235	60.8	54.1-67.5
\$100,000- 199,999	160	69,168	44	26.5	18.9-34.1	116	73.5	65.9-81.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	795	344,585	276	35.1	31.0-39.2	519	64.9	60.8-69.0
White/Non-Hisp	595	259,519	206	35.0	30.5-39.5	389	65.0	60.5-69.5
Black or Afr. Am./Non-Hisp	101	37,932	38	39.6	25.3-53.9	63	60.4	46.1-74.7
45-54	102	56,720	34	36.8	25.6-48.0	68	63.2	52.0-74.4
55-64	201	85,956	76	33.6	26.3-40.9	125	66.4	59.1-73.7
65+	440	163,760	144	34.0	28.5-39.5	296	66.0	60.5-71.5
Less Than H.S.	70	46,707	24	36.6	22.9-50.3	46	63.4	49.7-77.1
H.S. or G.E.D.	268	123,938	98	36.2	29.3-43.1	170	63.8	56.9-70.7
Some Post-H.S.	202	98,682	69	33.5	25.7-41.3	133	66.5	58.7-74.3
College Graduate	248	72,277	83	35.2	28.3-42.1	165	64.8	57.9-71.7
Less than \$15,000	56	22,722	17	27.0	12.9-41.1	39	73.0	58.9-87.1
\$15,000- 24,999	77	30,335	30	34.5	22.5-46.5	47	65.5	53.5-77.5
\$25,000- 34,999	104	45,249	39	38.0	26.4-49.6	65	62.0	50.4-73.6
\$35,000- 49,999	95	43,808	30	31.9	21.1-42.7	65	68.1	57.3-78.9
\$50,000- 99,999	205	92,118	78	42.9	34.1-51.7	127	57.1	48.3-65.9
\$100,000- 199,999	102	43,306	28	26.2	16.8-35.6	74	73.8	64.4-83.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	842	305,592	269	37.0	32.3-41.7	573	63.0	58.3-67.7
White/Non-Hisp	550	227,137	173	36.4	31.3-41.5	377	63.6	58.5-68.7
Black or Afr. Am./Non-Hisp	219	39,625	67	29.2	18.8-39.6	152	70.8	60.4-81.2
45-54	134	61,860	41	33.4	23.2-43.6	93	66.6	56.4-76.8
55-64	188	75,059	66	35.7	27.3-44.1	122	64.3	55.9-72.7
65+	463	127,231	136	32.3	26.4-38.2	327	67.7	61.8-73.6
Less Than H.S.	82	50,248	41	56.9	43.4-70.4	41	43.1	29.6-56.6
H.S. or G.E.D.	303	110,238	93	32.6	25.2-40.0	210	67.4	60.0-74.8
Some Post-H.S.	229	90,698	84	39.7	31.7-47.7	145	60.3	52.3-68.3
College Graduate	225	53,887	50	22.8	16.1-29.5	175	77.2	70.5-83.9
Less than \$15,000	90	32,365	35	43.0	29.9-56.1	55	57.0	43.9-70.1
\$15,000- 24,999	116	39,022	39	38.8	26.3-51.3	77	61.2	48.7-73.7
\$25,000- 34,999	120	40,700	36	32.7	21.7-43.7	84	67.3	56.3-78.3
\$35,000- 49,999	92	27,550	32	40.3	27.2-53.4	60	59.7	46.6-72.8
\$50,000- 99,999	147	57,073	39	33.2	23.0-43.4	108	66.8	56.6-77.0
\$100,000- 199,999	58	25,861	16	26.9	13.6-40.2	42	73.1	59.8-86.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1542	616,472	820	51.7	48.6-54.8	523	33.9	30.8-37.0	62	3.2	02.2-04.2	25	2.0	00.8-03.2	101	8.3	06.1-10.5	11	1.0	00.4-01.6
Male	760	330,762	412	51.4	47.1-55.7	245	32.9	28.8-37.0	31	2.9	01.5-04.3	8	1.6	00.0-03.4	57	9.9	06.8-13.0	7	1.3	00.3-02.3
Female	782	285,710	408	52.0	47.3-56.7	278	35.0	30.3-39.7	31	3.4	02.0-04.8	17	2.6	00.8-04.4	44	6.4	03.9-08.9	4	0.6	00.0-01.4
White/Non-Hisp	1088	462,521	607	54.5	51.0-58.0	364	34.3	30.8-37.8	44	3.7	02.5-04.9	14	1.5	00.3-02.7	52	5.3	03.5-07.1	7	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	296	74,424	147	51.6	41.8-61.4	109	34.4	25.4-43.4	11	1.2	00.0-02.4	8	3.5	00.0-07.0	20	8.1	01.4-14.8	1	1.1	00.0-03.3
Hispanic	61	34,681	21	26.0	12.3-39.7	22	33.8	16.9-50.7	1	1.2	00.0-03.6	1	6.2	00.0-17.8	14	28.7	13.2-44.2	2	4.1	00.0-09.8
35-44	72	40,285	36	51.6	38.9-64.3	25	35.5	23.2-47.8	3	3.4	00.0-07.5	1	0.2	00.0-00.6	6	7.3	01.2-13.4	1	2.0	00.0-05.9
45-54	229	115,206	130	55.4	47.6-63.2	70	30.1	22.8-37.4	8	2.7	00.7-04.7	5	1.4	00.2-02.6	16	10.4	04.5-16.3			
55-64	366	151,003	182	48.0	41.9-54.1	144	38.4	32.7-44.1	11	2.5	00.7-04.3	5	1.7	00.0-04.4	22	8.5	04.6-12.4	2	0.9	00.0-02.3
65+	844	274,514	459	54.5	50.0-59.0	273	30.9	26.8-35.0	40	4.1	02.3-05.9	11	1.7	00.5-02.9	54	7.7	04.8-10.6	7	1.1	00.1-02.1
Less Than H.S.	133	87,590	50	35.1	25.5-44.7	44	33.6	23.4-43.8	7	4.5	00.6-08.4	1	2.5	00.0-07.2	26	20.9	12.5-29.3	5	3.4	00.0-06.9
H.S. or G.E.D.	533	223,069	279	51.6	46.1-57.1	183	34.4	29.1-39.7	16	1.8	00.6-03.0	11	1.9	00.5-03.3	40	9.5	05.4-13.6	4	0.8	00.0-01.8
Some Post-H.S.	400	178,034	226	57.0	50.9-63.1	134	33.3	27.6-39.0	16	3.2	01.4-05.0	6	2.2	00.0-05.1	17	3.8	01.8-05.8	1	0.4	00.0-01.2
College Graduate	466	124,276	260	56.0	50.5-61.5	158	33.9	28.6-39.2	22	4.4	02.2-06.6	7	1.6	00.4-02.8	18	3.8	01.6-06.0	1	0.3	00.0-00.9
Less than \$15,000	137	51,755	67	52.1	41.9-62.3	41	31.1	21.3-40.9	6	2.6	00.2-05.0	3	0.9	00.0-02.1	19	13.0	06.3-19.7	1	0.2	00.0-00.6
\$15,000- 24,999	177	63,319	79	41.2	32.2-50.2	65	42.6	33.4-51.8	11	4.4	01.1-07.7	5	4.8	00.0-11.5	15	6.7	02.2-11.2	2	0.4	00.0-01.2
\$25,000- 34,999	210	80,148	121	56.9	48.3-65.5	64	28.9	21.1-36.7	6	3.8	00.5-07.1	7	3.0	00.5-05.5	9	5.0	00.5-09.5	3	2.4	00.0-05.1
\$35,000- 49,999	175	68,179	88	52.0	43.0-61.0	66	33.0	24.4-41.6	5	2.2	00.0-04.4	1	1.7	00.0-04.8	12	8.7	03.4-14.0	3	2.5	00.0-05.2
\$50,000- 99,999	345	146,665	190	54.2	47.3-61.1	124	34.1	27.6-40.6	14	2.5	00.9-04.1	4	2.6	00.0-06.1	13	6.7	02.6-10.8			
\$100,000- 199,999	156	66,583	98	62.2	53.2-71.2	50	30.8	22.6-39.0	3	1.7	00.0-03.7	2	1.1	00.0-02.7	2	3.0	00.0-07.7	1	1.2	00.0-03.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	760	330,762	412	51.4	47.1-55.7	245	32.9	28.8-37.0	31	2.9	01.5-04.3	8	1.6	00.0-03.4	57	9.9	06.8-13.0	7	1.3	00.3-02.3
White/Non-Hisp	572	249,879	334	54.5	49.6-59.4	182	33.9	29.4-38.4	24	3.6	01.8-05.4	4	1.5	00.0-03.7	24	5.7	03.2-08.2	4	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	97	37,390	43	47.0	31.9-62.1	35	35.3	21.4-49.2	4	1.0	00.0-02.8	3	3.3	00.0-09.2	11	11.0	00.0-23.0	1	2.2	00.0-06.5
45-54	102	56,782	57	50.8	39.4-62.2	32	31.3	21.1-41.5	3	1.7	00.0-03.7				10	16.1	05.3-26.9			
55-64	190	80,875	95	44.1	36.1-52.1	69	37.3	29.7-44.9	4	2.7	00.0-05.4	1	0.0	00.0-00.0	19	14.1	07.2-21.0	2	1.7	00.0-04.1
65+	420	156,887	240	58.2	52.3-64.1	126	29.5	24.2-34.8	23	4.0	01.6-06.4	5	1.6	00.0-03.4	23	5.9	02.8-09.0	3	0.8	00.0-01.8
Less Than H.S.	63	43,271	19	34.7	20.8-48.6	16	17.1	07.1-27.1	5	8.8	01.0-16.6				20	35.6	21.5-49.7	3	3.8	00.0-08.5
H.S. or G.E.D.	256	120,542	137	51.6	44.3-58.9	85	34.4	27.3-41.5	7	1.3	00.0-02.7	4	1.5	00.0-03.7	20	9.7	04.2-15.2	3	1.6	00.0-03.4
Some Post-H.S.	189	92,607	107	54.0	45.6-62.4	66	37.4	29.2-45.6	4	1.3	00.0-02.7	2	3.0	00.0-08.3	9	3.4	00.9-05.9	1	0.9	00.0-02.7
College Graduate	245	71,360	146	57.7	50.4-65.0	74	33.6	26.5-40.7	15	4.4	01.7-07.1	2	0.8	00.0-02.0	8	3.5	00.6-06.4			
Less than \$15,000	52	21,027	27	49.2	33.1-65.3	15	34.1	18.2-50.0	1	1.4	00.0-04.1				9	15.4	04.0-26.8			
\$15,000- 24,999	69	26,719	31	42.0	28.9-55.1	22	38.5	25.6-51.4	5	5.6	00.0-12.1	1	0.1	00.0-00.3	9	12.9	03.1-22.7	1	0.9	00.0-02.7
\$25,000- 34,999	100	43,148	59	58.2	45.9-70.5	28	25.6	15.0-36.2	4	4.3	00.0-09.0	3	2.0	00.0-04.9	4	6.2	00.0-13.8	2	3.7	00.0-08.6
\$35,000- 49,999	91	42,223	49	53.1	41.1-65.1	30	29.5	18.9-40.1	2	1.7	00.0-04.1	1	2.7	00.0-07.8	6	9.0	01.7-16.3	3	4.0	00.0-08.5
\$50,000- 99,999	200	90,858	110	50.2	41.4-59.0	73	37.7	29.1-46.3	8	1.4	00.0-02.8	1	2.8	00.0-08.3	8	7.9	01.8-14.0			
\$100,000- 199,999	98	40,907	63	59.5	48.1-70.9	31	32.6	22.2-43.0	1	0.9	00.0-02.7				2	4.9	00.0-12.3	1	2.0	00.0-05.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	782	285,710	408	52.0	47.3-56.7	278	35.0	30.3-39.7	31	3.4	02.0-04.8	17	2.6	00.8-04.4	44	6.4	03.9-08.9	4	0.6	00.0-01.4
White/Non-Hisp	516	212,642	273	54.4	49.1-59.7	182	34.8	29.5-40.1	20	3.8	02.0-05.6	10	1.6	00.4-02.8	28	4.8	02.8-06.8	3	0.7	00.0-01.9
Black or Afr. Am./Non-Hisp	199	37,035	104	56.2	44.2-68.2	74	33.4	21.8-45.0	7	1.5	00.0-03.1	5	3.7	00.0-07.4	9	5.2	00.1-10.3			
45-54	127	58,424	73	60.0	49.6-70.4	38	29.0	18.8-39.2	5	3.6	00.5-06.7	5	2.7	00.2-05.2	6	4.8	00.7-08.9			
55-64	176	70,128	87	52.4	43.4-61.4	75	39.7	31.3-48.1	7	2.2	00.2-04.2	4	3.6	00.0-09.5	3	2.1	00.0-04.6			
65+	424	117,627	219	49.5	42.8-56.2	147	32.7	26.4-39.0	17	4.4	02.0-06.8	6	1.9	00.3-03.5	31	10.1	04.8-15.4	4	1.4	00.0-03.6
Less Than H.S.	70	44,319	31	35.6	21.9-49.3	28	49.7	34.4-65.0	2	0.3	00.0-00.7	1	4.9	00.0-14.1	6	6.6	00.7-12.5	2	3.0	00.0-08.3
H.S. or G.E.D.	277	102,527	142	51.6	43.4-59.8	98	34.4	26.6-42.2	9	2.3	00.5-04.1	7	2.4	00.4-04.4	20	9.3	03.4-15.2	1	0.0	00.0-00.0
Some Post-H.S.	211	85,428	119	60.2	52.2-68.2	68	28.8	21.4-36.2	12	5.3	02.0-08.6	4	1.4	00.0-03.6	8	4.3	01.2-07.4			
College Graduate	221	52,916	114	53.7	45.5-61.9	84	34.2	26.2-42.2	7	4.5	01.0-08.0	5	2.8	00.3-05.3	10	4.2	01.1-07.3	1	0.6	00.0-01.8
Less than \$15,000	85	30,728	40	54.2	41.1-67.3	26	29.0	16.5-41.5	5	3.4	00.1-06.7	3	1.6	00.0-03.6	10	11.5	03.3-19.7	1	0.4	00.0-01.2
\$15,000- 24,999	108	36,601	48	40.6	28.4-52.8	43	45.6	32.9-58.3	6	3.5	00.2-06.8	4	8.2	00.0-19.4	6	2.1	00.0-04.6	1	0.1	00.0-00.3
\$25,000- 34,999	110	37,000	62	55.5	43.3-67.7	36	32.6	21.0-44.2	2	3.2	00.0-07.5	4	4.2	00.0-08.5	5	3.7	00.0-07.4	1	0.9	00.0-02.7
\$35,000- 49,999	84	25,956	39	50.1	36.4-63.8	36	38.7	25.0-52.4	3	2.9	00.0-06.8				6	8.3	01.6-15.0			
\$50,000- 99,999	145	55,807	80	60.7	50.7-70.7	51	28.3	19.5-37.1	6	4.1	00.6-07.6	3	2.2	00.0-05.3	5	4.8	00.3-09.3			
\$100,000- 199,999	58	25,677	35	66.4	51.9-80.9	19	27.9	14.2-41.6	2	2.9	00.0-07.2	2	2.7	00.0-06.6						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 10: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1617	639,210	389	22.1	19.6-24.6	745	45.3	42.2-48.4	208	13.7	11.3-16.1	212	14.4	12.2-16.6	63	4.5	03.1-05.9
Male	784	338,161	186	21.7	18.2-25.2	368	47.9	43.6-52.2	96	11.2	08.7-13.7	105	14.6	11.7-17.5	29	4.7	02.5-06.9
Female	833	301,049	203	22.7	19.0-26.4	377	42.4	37.9-46.9	112	16.5	12.6-20.4	107	14.1	11.0-17.2	34	4.3	02.3-06.3
White/Non-Hisp	1136	483,079	263	21.8	18.9-24.7	526	46.0	42.5-49.5	155	14.4	11.7-17.1	152	14.2	11.8-16.6	40	3.6	02.2-05.0
Black or Afr. Am./Non-Hisp	314	75,502	89	22.9	15.5-30.3	152	51.5	41.9-61.1	35	10.1	04.8-15.4	27	9.6	04.5-14.7	11	5.9	00.0-12.2
Hispanic	65	36,413	15	24.9	09.4-40.4	23	27.9	13.8-42.0	5	12.5	00.0-25.8	14	20.7	08.4-33.0	8	13.9	03.7-24.1
35-44	75	42,668	22	28.8	17.6-40.0	23	29.8	18.4-41.2	6	8.6	01.7-15.5	16	22.1	11.9-32.3	8	10.7	02.7-18.7
45-54	233	116,706	37	16.4	10.5-22.3	99	38.8	31.5-46.1	37	18.9	11.8-26.0	40	16.6	11.1-22.1	20	9.3	04.2-14.4
55-64	386	159,424	89	22.4	17.3-27.5	172	43.3	37.4-49.2	51	15.2	10.9-19.5	63	16.8	12.5-21.1	11	2.3	00.7-03.9
65+	891	284,750	237	23.8	20.3-27.3	436	52.3	48.0-56.6	108	10.4	08.0-12.8	90	11.4	08.7-14.1	20	2.0	00.8-03.2
Less Than H.S.	147	95,248	37	25.5	16.5-34.5	65	43.3	33.3-53.3	15	10.0	03.5-16.5	20	15.6	08.5-22.7	10	5.6	01.7-09.5
H.S. or G.E.D.	566	230,654	126	20.8	16.7-24.9	249	42.2	37.1-47.3	86	16.0	11.5-20.5	83	15.9	12.2-19.6	22	5.1	02.4-07.8
Some Post-H.S.	425	185,827	103	20.7	16.0-25.4	193	47.1	41.2-53.0	63	15.9	11.6-20.2	53	12.7	09.2-16.2	13	3.5	01.0-06.0
College Graduate	470	125,079	121	24.2	19.7-28.7	233	49.8	44.3-55.3	43	8.7	05.6-11.8	55	13.3	09.4-17.2	18	4.0	02.0-06.0
Less than \$15,000	144	54,467	30	20.1	12.3-27.9	59	40.6	30.8-50.4	20	12.2	06.1-18.3	28	22.8	14.0-31.6	7	4.4	00.9-07.9
\$15,000- 24,999	190	68,550	46	22.0	14.0-30.0	87	48.2	39.2-57.2	22	10.7	05.4-16.0	26	13.2	07.3-19.1	9	5.9	01.2-10.6
\$25,000- 34,999	220	85,149	52	20.7	14.0-27.4	95	44.1	35.7-52.5	27	12.7	07.2-18.2	35	16.1	10.2-22.0	11	6.4	01.9-10.9
\$35,000- 49,999	187	71,439	43	17.3	11.2-23.4	92	49.9	41.1-58.7	22	13.4	07.3-19.5	23	15.6	08.5-22.7	7	3.9	00.6-07.2
\$50,000- 99,999	348	146,729	97	27.8	21.5-34.1	170	47.8	41.1-54.5	41	11.5	07.6-15.4	31	10.8	06.7-14.9	9	2.1	00.5-03.7
\$100,000- 199,999	156	66,134	40	19.5	12.8-26.2	63	42.4	33.2-51.6	21	16.9	08.1-25.7	25	15.8	09.5-22.1	7	5.4	01.3-09.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 11: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	784	338,161	186	21.7	18.2-25.2	368	47.9	43.6-52.2	96	11.2	08.7-13.7	105	14.6	11.7-17.5	29	4.7	02.5-06.9
White/Non-Hisp	590	257,504	138	21.2	17.5-24.9	281	49.6	44.9-54.3	76	11.9	09.0-14.8	75	13.9	10.8-17.0	20	3.4	01.6-05.2
Black or Afr. Am./Non-Hisp	99	36,150	27	19.8	08.2-31.4	48	49.8	34.5-65.1	10	8.4	01.3-15.5	12	13.5	04.1-22.9	2	8.5	00.0-20.7
45-54	100	55,279	18	21.8	11.6-32.0	47	42.2	31.2-53.2	16	14.5	07.2-21.8	13	11.8	04.5-19.1	6	9.7	00.9-18.5
55-64	198	84,364	41	19.4	13.1-25.7	92	46.4	38.4-54.4	20	11.0	05.9-16.1	37	19.8	13.3-26.3	8	3.4	00.7-06.1
65+	435	161,506	117	22.1	17.8-26.4	210	53.4	47.7-59.1	54	10.6	07.3-13.9	45	11.7	08.2-15.2	9	2.2	00.6-03.8
Less Than H.S.	68	45,575	17	22.6	10.6-34.6	27	44.0	29.9-58.1	5	5.9	00.4-11.4	12	18.4	08.0-28.8	7	9.1	02.0-16.2
H.S. or G.E.D.	267	124,044	56	20.3	14.6-26.0	120	45.0	37.9-52.1	38	12.6	08.1-17.1	41	16.0	10.9-21.1	12	6.1	01.6-10.6
Some Post-H.S.	197	94,799	53	24.2	16.9-31.5	88	49.1	40.7-57.5	27	12.6	07.5-17.7	24	11.6	06.9-16.3	5	2.6	00.2-05.0
College Graduate	246	71,863	60	20.7	15.2-26.2	129	53.6	46.5-60.7	25	9.9	05.6-14.2	27	13.6	08.1-19.1	5	2.2	00.2-04.2
Less than \$15,000	55	22,491	11	18.9	06.4-31.4	21	38.1	23.0-53.2	7	10.3	01.9-18.7	11	24.0	10.1-37.9	5	8.6	00.8-16.4
\$15,000- 24,999	76	29,944	17	18.7	09.1-28.3	40	55.3	42.4-68.2	6	7.9	00.3-15.5	12	17.2	07.0-27.4	1	1.0	00.0-03.0
\$25,000- 34,999	102	44,565	23	21.3	11.7-30.9	39	40.7	28.5-52.9	16	12.2	05.1-19.3	21	22.0	12.4-31.6	3	3.9	00.0-08.4
\$35,000- 49,999	95	43,889	20	16.7	08.7-24.7	44	46.8	35.0-58.6	14	14.4	06.2-22.6	13	18.0	08.0-28.0	4	4.0	00.0-08.1
\$50,000- 99,999	204	91,147	59	28.0	19.8-36.2	101	52.4	43.8-61.0	26	10.7	06.2-15.2	13	7.1	03.2-11.0	5	1.7	00.1-03.3
\$100,000- 199,999	98	40,457	20	14.9	07.5-22.3	45	49.4	38.2-60.6	11	12.1	04.8-19.4	17	16.2	08.6-23.8	5	7.5	01.0-14.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 12: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	833	301,049	203	22.7	19.0-26.4	377	42.4	37.9-46.9	112	16.5	12.6-20.4	107	14.1	11.0-17.2	34	4.3	02.3-06.3
White/Non-Hisp	546	225,575	125	22.4	18.3-26.5	245	42.0	37.1-46.9	79	17.3	12.6-22.0	77	14.4	10.9-17.9	20	3.8	01.8-05.8
Black or Afr. Am./Non-Hisp	215	39,352	62	25.8	16.2-35.4	104	53.1	41.3-64.9	25	11.6	04.0-19.2	15	6.0	01.9-10.1	9	3.5	00.0-07.0
45-54	133	61,427	19	11.5	05.8-17.2	52	35.7	26.3-45.1	21	23.0	11.8-34.2	27	20.9	12.9-28.9	14	9.0	03.9-14.1
55-64	188	75,059	48	25.8	17.6-34.0	80	39.7	31.5-47.9	31	19.9	12.8-27.0	26	13.4	07.7-19.1	3	1.0	00.0-02.2
65+	456	123,244	120	26.1	20.6-31.6	226	50.8	44.3-57.3	54	10.2	06.7-13.7	45	11.0	07.1-14.9	11	1.8	00.0-03.6
Less Than H.S.	79	49,673	20	28.1	15.0-41.2	38	42.7	28.8-56.6	10	13.9	02.9-24.9	8	12.9	03.3-22.5	3	2.4	00.0-05.5
H.S. or G.E.D.	299	106,610	70	21.3	15.6-27.0	129	39.0	31.9-46.1	48	20.0	12.2-27.8	42	15.7	10.4-21.0	10	4.0	01.3-06.7
Some Post-H.S.	228	91,028	50	17.2	11.5-22.9	105	45.1	37.3-52.9	36	19.3	12.6-26.0	29	13.9	08.6-19.2	8	4.5	00.0-09.0
College Graduate	224	53,216	61	29.1	21.7-36.5	104	44.7	36.5-52.9	18	7.2	02.7-11.7	28	12.8	07.3-18.3	13	6.3	02.4-10.2
Less than \$15,000	89	31,976	19	20.9	10.9-30.9	38	42.3	29.6-55.0	13	13.5	05.3-21.7	17	21.9	10.5-33.3	2	1.4	00.0-03.9
\$15,000- 24,999	114	38,606	29	24.6	12.4-36.8	47	42.7	30.5-54.9	16	13.0	05.7-20.3	14	10.1	03.6-16.6	8	9.7	01.7-17.7
\$25,000- 34,999	118	40,584	29	20.1	11.1-29.1	56	47.7	36.5-58.9	11	13.4	04.6-22.2	14	9.6	03.9-15.3	8	9.2	01.4-17.0
\$35,000- 49,999	92	27,550	23	18.1	08.9-27.3	48	54.7	41.8-67.6	8	11.7	03.5-19.9	10	11.9	03.5-20.3	3	3.6	00.0-08.9
\$50,000- 99,999	144	55,582	38	27.3	17.9-36.7	69	40.3	30.3-50.3	15	12.7	05.6-19.8	18	16.8	08.6-25.0	4	2.9	00.0-06.2
\$100,000- 199,999	58	25,677	20	26.7	14.0-39.4	18	31.2	16.5-45.9	10	24.4	06.4-42.4	8	15.4	04.4-26.4	2	2.3	00.0-05.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 13: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1454	582,362	308	19.8	17.3-22.3	656	43.9	40.6-47.2	182	13.6	11.1-16.1	173	13.0	10.8-15.2	135	9.7	07.7-11.7
Male	709	309,364	152	20.9	17.2-24.6	322	44.8	40.3-49.3	80	11.2	08.7-13.7	89	13.8	10.7-16.9	66	9.4	06.9-11.9
Female	745	272,997	156	18.7	15.0-22.4	334	42.8	37.9-47.7	102	16.4	12.1-20.7	84	12.1	09.0-15.2	69	10.1	07.4-12.8
White/Non-Hisp	1008	430,098	208	19.9	17.0-22.8	455	44.3	40.6-48.0	133	14.4	11.5-17.3	130	13.7	11.2-16.2	82	7.7	05.9-09.5
Black or Afr. Am./Non-Hisp	292	72,731	74	21.5	13.9-29.1	139	46.0	36.2-55.8	35	11.4	05.9-16.9	24	9.8	04.3-15.3	20	11.2	03.8-18.6
Hispanic	57	34,584	10	20.9	05.0-36.8	21	29.1	14.0-44.2	4	15.1	00.0-30.2	8	12.3	01.7-22.9	14	22.6	10.3-34.9
35-44	67	37,892	20	31.7	19.0-44.4	22	28.5	17.1-39.9	4	9.0	00.2-17.8	12	17.7	07.9-27.5	9	13.2	04.6-21.8
45-54	212	107,529	33	16.8	10.5-23.1	85	36.6	29.2-44.0	35	18.0	10.9-25.1	32	14.2	08.9-19.5	27	14.4	08.3-20.5
55-64	352	144,853	71	20.7	15.4-26.0	157	44.0	37.9-50.1	43	12.6	08.5-16.7	47	12.9	08.8-17.0	34	9.8	06.3-13.3
65+	795	260,033	182	19.9	16.6-23.2	380	49.5	44.8-54.2	93	11.4	08.7-14.1	78	11.4	08.5-14.3	62	7.8	05.4-10.2
Less Than H.S.	138	89,525	26	20.5	11.9-29.1	61	42.3	32.1-52.5	12	9.0	02.7-15.3	18	15.4	07.8-23.0	21	12.9	07.0-18.8
H.S. or G.E.D.	503	208,854	90	17.3	13.2-21.4	210	39.3	33.8-44.8	77	16.3	11.4-21.2	68	14.8	11.1-18.5	58	12.3	08.6-16.0
Some Post-H.S.	379	166,368	89	20.5	15.4-25.6	169	46.0	39.7-52.3	55	15.8	11.1-20.5	38	9.9	06.4-13.4	28	7.7	04.6-10.8
College Graduate	425	114,579	100	22.0	17.5-26.5	212	50.4	44.7-56.1	38	9.5	06.4-12.6	49	12.5	08.6-16.4	26	5.6	03.1-08.1
Less than \$15,000	131	48,643	22	16.9	09.1-24.7	53	41.9	31.5-52.3	15	9.9	04.4-15.4	17	15.5	06.9-24.1	24	15.8	08.9-22.7
\$15,000- 24,999	177	64,618	37	20.0	11.6-28.4	70	41.4	32.4-50.4	28	15.6	08.7-22.5	26	13.9	07.8-20.0	16	9.1	04.2-14.0
\$25,000- 34,999	195	77,992	37	17.6	11.1-24.1	91	43.1	34.1-52.1	23	14.3	07.4-21.2	23	12.3	06.8-17.8	21	12.7	07.0-18.4
\$35,000- 49,999	166	63,494	38	18.2	11.5-24.9	81	46.5	37.3-55.7	20	14.5	08.0-21.0	16	13.1	06.0-20.2	11	7.6	03.1-12.1
\$50,000- 99,999	315	134,113	74	23.8	17.1-30.5	142	45.4	38.3-52.5	38	10.8	07.3-14.3	38	13.4	08.7-18.1	23	6.6	03.3-09.9
\$100,000- 199,999	137	57,511	34	20.5	13.1-27.9	58	43.8	33.8-53.8	19	17.6	08.0-27.2	16	9.7	04.6-14.8	10	8.4	03.1-13.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 14: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	709	309,364	152	20.9	17.2-24.6	322	44.8	40.3-49.3	80	11.2	08.7-13.7	89	13.8	10.7-16.9	66	9.4	06.7-12.1
White/Non-Hisp	527	230,057	109	20.4	16.3-24.5	245	46.4	41.5-51.3	62	12.1	09.0-15.2	69	13.5	10.2-16.8	42	7.5	05.1-09.9
Black or Afr. Am./Non-Hisp	91	34,744	26	22.4	09.7-35.1	41	43.2	27.7-58.7	11	10.4	02.6-18.2	8	13.8	03.4-24.2	5	10.3	00.0-23.0
45-54	90	50,822	17	24.1	12.9-35.3	39	38.2	26.8-49.6	8	7.5	02.0-13.0	15	15.2	06.8-23.6	11	15.1	05.1-25.1
55-64	180	77,011	36	20.5	13.8-27.2	85	45.9	37.7-54.1	18	10.2	05.1-15.3	25	14.4	08.1-20.7	16	9.1	04.4-13.8
65+	394	148,560	90	18.7	14.4-23.0	182	48.7	42.8-54.6	49	13.1	09.4-16.8	40	11.8	07.9-15.7	33	7.6	04.9-10.3
Less Than H.S.	65	43,170	15	22.2	09.7-34.7	23	40.8	26.5-55.1	5	5.6	00.3-10.9	11	17.0	06.6-27.4	11	14.4	05.8-23.0
H.S. or G.E.D.	238	111,402	41	18.6	12.5-24.7	99	39.2	31.9-46.5	31	12.6	07.7-17.5	37	16.4	10.9-21.9	30	13.3	07.6-19.0
Some Post-H.S.	177	86,697	46	23.5	15.9-31.1	81	49.0	40.0-58.0	23	12.7	07.4-18.0	15	9.0	04.1-13.9	12	5.7	02.2-09.2
College Graduate	223	65,580	49	19.5	13.8-25.2	116	51.2	43.8-58.6	21	10.8	06.5-15.1	26	14.1	08.2-20.0	11	4.4	01.7-07.1
\$15,000- 24,999	71	28,479	13	16.5	06.5-26.5	31	46.6	33.3-59.9	9	12.3	03.1-21.5	11	16.8	06.6-27.0	7	7.8	01.5-14.1
\$25,000- 34,999	90	41,351	18	20.4	10.4-30.4	37	40.2	27.5-52.9	11	10.8	03.0-18.6	12	14.0	05.6-22.4	12	14.6	06.0-23.2
\$35,000- 49,999	88	39,903	17	17.9	08.9-26.9	36	38.1	26.9-49.3	15	17.2	08.2-26.2	12	18.4	07.8-29.0	8	8.4	02.5-14.3
\$50,000- 99,999	187	85,407	45	24.4	15.8-33.0	88	49.0	39.8-58.2	23	10.4	06.1-14.7	20	11.2	05.9-16.5	11	5.1	02.0-08.2
\$100,000- 199,999	86	35,181	18	17.1	08.1-26.1	39	48.4	36.4-60.4	8	11.7	03.7-19.7	14	14.1	06.3-21.9	7	8.7	02.0-15.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 15: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	745	272,997	156	18.7	15.2-22.2	334	42.8	37.9-47.7	102	16.4	12.1-20.7	84	12.1	09.0-15.2	69	10.1	07.4-12.8
White/Non-Hisp	481	200,041	99	19.3	15.2-23.4	210	41.9	36.6-47.2	71	17.1	12.0-22.2	61	13.9	10.0-17.8	40	7.8	05.1-10.5
Black or Afr. Am./Non-Hisp	201	37,987	48	20.8	12.2-29.4	98	48.6	36.4-60.8	24	12.3	04.5-20.1	16	6.3	01.8-10.8	15	12.1	03.9-20.3
45-54	122	56,707	16	10.2	04.5-15.9	46	35.2	25.2-45.2	27	27.5	15.9-39.1	17	13.3	06.6-20.0	16	13.8	06.7-20.9
55-64	172	67,842	35	20.9	12.5-29.3	72	41.8	33.0-50.6	25	15.3	08.8-21.8	22	11.3	06.0-16.6	18	10.7	05.2-16.2
65+	401	111,474	92	21.5	16.2-26.8	198	50.6	43.5-57.7	44	9.2	05.7-12.7	38	10.8	06.7-14.9	29	8.0	04.3-11.7
Less Than H.S.	73	46,355	11	18.8	06.6-31.0	38	43.6	29.1-58.1	7	12.1	00.9-23.3	7	13.9	02.9-24.9	10	11.5	03.7-19.3
H.S. or G.E.D.	265	97,452	49	15.9	10.6-21.2	111	39.3	31.1-47.5	46	20.6	12.2-29.0	31	13.0	08.1-17.9	28	11.2	06.7-15.7
Some Post-H.S.	202	79,671	43	17.3	11.0-23.6	88	42.8	34.4-51.2	32	19.1	11.7-26.5	23	10.9	06.0-15.8	16	9.8	04.7-14.9
College Graduate	202	48,998	51	25.4	18.1-32.7	96	49.3	40.7-57.9	17	7.7	03.6-11.8	23	10.3	05.2-15.4	15	7.3	02.2-12.4
Less than \$15,000	83	28,889	14	16.6	07.0-26.2	33	41.1	27.6-54.6	11	11.9	04.1-19.7	13	18.6	06.8-30.4	12	11.8	04.4-19.2
\$15,000- 24,999	106	36,138	24	22.8	10.1-35.5	39	37.4	25.2-49.6	19	18.1	08.3-27.9	15	11.5	04.4-18.6	9	10.1	02.8-17.4
\$25,000- 34,999	105	36,641	19	14.5	06.5-22.5	54	46.4	33.7-59.1	12	18.2	06.8-29.6	11	10.3	03.6-17.0	9	10.6	03.5-17.7
\$35,000- 49,999	78	23,590	21	18.8	09.0-28.6	45	60.6	47.3-73.9	5	9.9	01.5-18.3	4	4.2	00.0-08.5	3	6.4	00.0-13.8
\$50,000- 99,999	128	48,706	29	22.8	12.8-32.8	54	39.0	28.4-49.6	15	11.7	05.4-18.0	18	17.2	08.6-25.8	12	9.2	02.3-16.1
\$100,000- 199,999	51	22,330	16	25.8	12.5-39.1	19	36.5	19.8-53.2	11	27.0	07.2-46.8	2	2.7	00.0-06.4	3	8.0	00.0-17.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 16: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1570	623,361	167	11.1	08.9-13.3	116	7.7	05.7-09.7	82	4.2	03.0-05.4	124	7.9	06.1-09.7	111	6.6	05.2-08.0	970	62.5	59.4-65.6
Male	768	332,669	70	10.0	07.1-12.9	60	7.9	05.5-10.3	34	4.2	02.4-06.0	53	7.0	04.8-09.2	63	7.1	05.1-09.1	488	63.8	59.7-67.9
Female	802	290,693	97	12.5	09.4-15.6	56	7.5	04.4-10.6	48	4.2	02.6-05.8	71	8.9	06.2-11.6	48	6.0	04.0-08.0	482	60.9	56.2-65.6
White/Non-Hisp	1103	468,305	98	8.9	06.7-11.1	71	7.8	05.4-10.2	48	3.4	02.2-04.6	92	8.8	06.6-11.0	78	6.7	05.1-08.3	716	64.4	60.9-67.9
Black or Afr. Am./Non-Hisp	306	73,321	46	18.7	11.3-26.1	33	9.6	03.7-15.5	26	7.6	01.3-13.9	26	6.4	02.1-10.7	20	7.6	02.7-12.5	155	50.2	40.4-60.0
Hispanic	61	34,495	8	20.7	05.8-35.6	5	5.3	00.0-12.7	1	1.8	00.0-05.3	2	4.1	00.0-09.8	8	5.1	00.2-10.0	37	62.9	46.4-79.4
35-44	74	40,883	8	10.5	03.1-17.9	11	13.6	04.8-22.4	3	4.0	00.0-08.5	4	5.5	00.2-10.8	4	4.3	00.2-08.4	44	62.3	50.3-74.3
45-54	228	114,307	32	15.8	09.9-21.7	20	8.3	04.4-12.2	11	5.9	01.6-10.2	14	7.9	02.6-13.2	16	6.5	03.2-09.8	135	55.6	47.8-63.4
55-64	374	154,869	47	12.7	08.8-16.6	22	6.5	03.4-09.6	23	3.9	01.9-05.9	31	8.2	04.9-11.5	30	7.0	04.3-09.7	221	61.7	55.8-67.6
65+	862	277,760	73	6.5	04.5-08.5	59	6.3	04.1-08.5	45	4.2	02.6-05.8	71	8.0	05.6-10.4	58	6.5	04.5-08.5	556	68.4	64.5-72.3
Less Than H.S.	145	92,287	20	15.2	07.4-23.0	10	8.2	02.5-13.9	2	0.7	00.0-02.1	8	4.1	00.6-07.6	8	5.9	01.8-10.0	97	65.9	56.3-75.5
H.S. or G.E.D.	544	222,056	59	10.9	07.8-14.0	33	7.1	03.4-10.8	26	4.5	02.0-07.0	39	7.2	04.1-10.3	29	4.8	02.6-07.0	358	65.6	60.1-71.1
Some Post-H.S.	415	182,605	34	10.2	06.1-14.3	38	8.2	05.1-11.3	23	4.3	02.1-06.5	38	9.9	06.4-13.4	32	7.0	04.3-09.7	250	60.4	54.5-66.3
College Graduate	456	122,911	54	10.4	07.3-13.5	35	8.1	04.8-11.4	31	6.2	03.8-08.6	39	9.0	05.7-12.3	41	9.8	06.5-13.1	256	56.4	50.9-61.9
Less than \$15,000	141	53,785	18	13.2	06.3-20.1	11	8.0	01.7-14.3	9	4.5	00.6-08.4	6	5.6	00.9-10.3	12	9.8	03.7-15.9	85	58.9	48.9-68.9
\$15,000- 24,999	187	64,856	12	5.3	02.0-08.6	20	10.7	04.2-17.2	11	4.7	01.4-08.0	11	7.4	02.3-12.5	9	4.7	01.4-08.0	124	67.2	58.6-75.8
\$25,000- 34,999	216	82,249	24	9.9	05.6-14.2	15	10.1	04.0-16.2	12	3.7	01.2-06.2	15	7.3	03.0-11.6	13	4.3	01.4-07.2	137	64.7	56.7-72.7
\$35,000- 49,999	179	67,049	12	10.4	03.9-16.9	14	6.4	02.3-10.5	13	4.3	01.6-07.0	16	7.5	03.2-11.8	11	4.3	01.4-07.2	113	67.2	59.0-75.4
\$50,000- 99,999	340	144,790	42	12.9	07.6-18.2	23	5.7	03.0-08.4	17	4.0	01.8-06.2	31	8.8	05.3-12.3	26	7.2	03.9-10.5	201	61.4	54.7-68.1
\$100,000- 199,999	154	67,020	15	9.9	04.2-15.6	16	9.5	04.4-14.6	6	3.1	00.4-05.8	15	11.5	03.3-19.7	15	9.5	04.6-14.4	87	56.4	46.8-66.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 17: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	768	332,669	70	10.0	07.1-12.9	60	7.9	05.5-10.3	34	4.2	02.4-06.0	53	7.0	04.8-09.2	63	7.1	05.1-09.1	488	63.8	59.7-67.9
White/Non-Hisp	576	251,247	50	9.0	06.1-11.9	35	7.1	04.6-09.6	21	2.8	01.6-04.0	44	7.6	05.1-10.1	47	7.4	05.0-09.8	379	66.2	61.7-70.7
Black or Afr. Am./Non-Hisp	98	36,846	13	17.0	05.8-28.2	15	11.9	02.5-21.3	6	8.1	00.0-19.5	4	3.6	00.0-08.5	7	5.2	00.1-10.3	53	54.2	38.7-69.7
45-54	99	54,569	16	19.2	09.4-29.0	9	8.2	02.5-13.9	5	7.4	00.0-15.6	3	2.7	00.0-06.0	7	6.1	01.4-10.8	59	56.4	44.8-68.0
55-64	197	84,437	20	9.2	04.9-13.5	14	7.7	03.0-12.4	12	3.7	01.3-06.1	14	9.6	04.3-14.9	17	6.8	03.5-10.1	120	63.1	55.5-70.7
65+	421	156,772	27	4.9	02.7-07.1	27	6.2	03.3-09.1	15	3.7	01.7-05.7	33	7.7	04.8-10.6	36	7.9	05.0-10.8	283	69.6	64.5-74.7
Less Than H.S.	66	43,731	6	11.9	01.7-22.1	6	9.5	00.3-18.7	1	1.4	00.0-04.1	5	5.5	00.0-11.4	5	6.4	00.7-12.1	43	65.3	51.6-79.0
H.S. or G.E.D.	259	119,013	25	10.0	05.5-14.5	20	8.1	04.2-12.0	8	3.8	00.0-07.7	17	5.9	03.0-08.8	17	5.9	02.6-09.2	172	66.3	59.2-73.4
Some Post-H.S.	194	95,700	16	9.2	03.3-15.1	16	7.7	03.8-11.6	9	3.7	00.8-06.6	16	9.2	04.3-14.1	15	6.9	03.2-10.6	122	63.3	55.1-71.5
College Graduate	242	71,244	23	10.2	05.9-14.5	18	7.3	03.0-11.6	16	7.4	03.9-10.9	15	7.1	03.2-11.0	25	9.8	05.7-13.9	145	58.2	51.1-65.3
Less than \$15,000	54	22,185	7	12.4	00.6-24.2	5	13.7	00.2-27.2	1	2.8	00.0-08.3	2	4.7	00.0-11.6	8	11.2	03.2-19.2	31	55.2	39.3-71.1
\$15,000- 24,999	77	29,974	5	5.1	00.0-10.2	9	13.1	02.7-23.5	2	2.5	00.0-06.0	6	10.6	01.8-19.4	4	5.6	00.0-11.3	51	63.2	50.3-76.1
\$25,000- 34,999	103	44,470	11	10.7	04.0-17.4	9	11.3	02.5-20.1	6	3.3	00.4-06.2	9	7.6	01.7-13.5	6	3.9	00.0-08.2	62	63.2	51.6-74.8
\$35,000- 49,999	90	40,247	8	10.8	03.2-18.4	5	5.6	00.7-10.5	6	4.3	00.4-08.2	9	6.7	01.4-12.0	5	4.3	00.2-08.4	57	68.4	57.8-79.0
\$50,000- 99,999	198	89,614	17	10.7	03.6-17.8	13	5.1	01.8-08.4	11	4.4	01.7-07.1	13	6.8	02.7-10.9	16	6.5	02.8-10.2	128	66.5	58.1-74.9
\$100,000- 199,999	98	42,164	12	14.3	05.7-22.9	11	11.2	04.1-18.3	2	2.3	00.0-05.4	3	3.4	00.0-07.3	8	7.5	02.2-12.8	62	61.4	50.4-72.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 18: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	802	290,693	97	12.5	09.4-15.6	56	7.5	04.4-10.6	48	4.2	02.6-05.8	71	8.9	06.2-11.6	48	6.0	04.0-08.0	482	60.9	56.2-65.6
White/Non-Hisp	527	217,058	48	8.8	06.1-11.5	36	8.6	04.7-12.5	27	4.2	02.2-06.2	48	10.2	06.7-13.7	31	5.9	03.7-08.1	337	62.4	57.1-67.7
Black or Afr. Am./Non-Hisp	208	36,475	33	20.4	10.4-30.4	18	7.2	00.0-14.5	20	7.1	02.0-12.2	22	9.2	02.3-16.1	13	10.0	01.8-18.2	102	46.1	34.3-57.9
45-54	129	59,738	16	12.8	05.7-19.9	11	8.4	03.1-13.7	6	4.5	01.0-08.0	11	12.6	03.4-21.8	9	6.9	02.0-11.8	76	54.8	44.2-65.4
55-64	177	70,432	27	17.1	10.2-24.0	8	5.0	01.1-08.9	11	4.2	01.3-07.1	17	6.5	03.0-10.0	13	7.2	02.7-11.7	101	60.0	51.4-68.6
65+	441	120,988	46	8.6	05.1-12.1	32	6.5	03.0-10.0	30	4.9	02.2-07.6	38	8.4	04.9-11.9	22	4.8	02.3-07.3	273	66.9	60.8-73.0
Less Than H.S.	79	48,556	14	18.1	06.5-29.7	4	6.9	00.0-14.0	1	0.1	00.0-00.3	3	2.8	00.0-06.9	3	5.5	00.0-11.6	54	66.5	52.8-80.2
H.S. or G.E.D.	285	103,044	34	11.9	07.4-16.4	13	5.9	00.0-12.4	18	5.3	02.0-08.6	22	8.7	03.0-14.4	12	3.5	01.0-06.0	186	64.8	56.6-73.0
Some Post-H.S.	221	86,905	18	11.2	05.5-16.9	22	8.7	04.0-13.4	14	5.0	01.9-08.1	22	10.8	05.9-15.7	17	7.0	02.9-11.1	128	57.3	49.1-65.5
College Graduate	214	51,667	31	10.7	06.2-15.2	17	9.3	04.2-14.4	15	4.6	01.7-07.5	24	11.7	05.8-17.6	16	9.8	04.5-15.1	111	53.8	45.4-62.2
Less than \$15,000	87	31,600	11	13.7	05.3-22.1	6	4.0	00.0-08.1	8	5.7	00.4-11.0	4	6.2	00.0-12.5	4	8.8	00.2-17.4	54	61.5	48.8-74.2
\$15,000- 24,999	110	34,882	7	5.5	01.0-10.0	11	8.6	00.6-16.6	9	6.5	01.0-12.0	5	4.7	00.0-10.6	5	4.0	00.1-07.9	73	70.7	59.3-82.1
\$25,000- 34,999	113	37,780	13	9.0	03.7-14.3	6	8.7	00.3-17.1	6	4.2	00.0-08.5	6	7.0	00.9-13.1	7	4.6	00.5-08.7	75	66.5	55.1-77.9
\$35,000- 49,999	89	26,802	4	9.7	00.0-21.5	9	7.6	00.5-14.7	7	4.1	00.2-08.0	7	8.7	01.4-16.0	6	4.4	00.1-08.7	56	65.4	52.1-78.7
\$50,000- 99,999	142	55,175	25	16.5	08.5-24.5	10	6.7	01.6-11.8	6	3.3	00.0-06.8	18	12.1	05.4-18.8	10	8.3	02.2-14.4	73	53.1	42.5-63.7
\$100,000- 199,999	56	24,857	3	2.4	00.0-05.9	5	6.6	00.0-13.3	4	4.6	00.0-09.9	12	25.4	06.8-44.0	7	13.0	03.4-22.6	25	48.0	31.1-64.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 19: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1640	653,294	145	9.5	07.7-11.3	1495	90.5	88.7-92.3
Male	797	346,679	75	9.5	07.1-11.9	722	90.5	88.1-92.9
Female	843	306,616	70	9.5	07.0-12.0	773	90.5	88.0-93.0
White/Non-Hisp	1150	489,657	104	9.3	07.3-11.3	1046	90.7	88.7-92.7
Black or Afr. Am./Non-Hisp	319	77,483	23	10.5	04.4-16.6	296	89.5	83.4-95.6
Hispanic	65	36,413	7	9.1	01.3-16.9	58	90.9	83.1-98.7
35-44	77	43,587	12	15.9	06.7-25.1	65	84.1	74.9-93.3
45-54	237	118,999	27	12.5	07.6-17.4	210	87.5	82.6-92.4
55-64	389	161,192	44	10.6	07.3-13.9	345	89.4	86.1-92.7
65+	904	292,717	59	7.4	05.0-09.8	845	92.6	90.2-95.0
Less Than H.S.	152	96,955	20	12.8	06.5-19.1	132	87.2	80.9-93.5
H.S. or G.E.D.	573	235,951	50	8.5	05.8-11.2	523	91.5	88.8-94.2
Some Post-H.S.	431	190,152	48	12.1	08.4-15.8	383	87.9	84.2-91.6
College Graduate	474	126,734	27	5.3	02.8-07.8	447	94.7	92.2-97.2
Less than \$15,000	146	55,087	21	14.0	07.1-20.9	125	86.0	79.1-92.9
\$15,000- 24,999	195	69,628	29	16.2	09.7-22.7	166	83.8	77.3-90.3
\$25,000- 34,999	224	85,949	22	12.7	07.0-18.4	202	87.3	81.6-93.0
\$35,000- 49,999	188	71,629	17	10.9	05.2-16.6	171	89.1	83.4-94.8
\$50,000- 99,999	352	149,030	20	5.3	02.6-08.0	332	94.7	92.0-97.4
\$100,000- 199,999	160	69,392	6	4.0	00.7-07.3	154	96.0	92.7-99.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 20: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	797	346,679	75	9.5	07.1-11.9	722	90.5	88.1-92.9
White/Non-Hisp	598	261,477	51	8.5	06.0-11.0	547	91.5	89.0-94.0
Black or Afr. Am./Non-Hisp	101	37,879	14	15.7	04.9-26.5	87	84.3	73.5-95.1
45-54	103	57,139	12	13.1	05.3-20.9	91	86.9	79.1-94.7
55-64	201	86,133	20	9.6	04.9-14.3	181	90.4	85.7-95.1
65+	441	165,259	37	8.9	05.6-12.2	404	91.1	87.8-94.4
Less Than H.S.	70	46,707	12	15.5	05.9-25.1	58	84.5	74.9-94.1
H.S. or G.E.D.	270	125,713	24	8.4	04.5-12.3	246	91.6	87.7-95.5
Some Post-H.S.	201	98,658	25	11.9	07.0-16.8	176	88.1	83.2-93.0
College Graduate	249	72,619	14	4.7	01.6-07.8	235	95.3	92.2-98.4
Less than \$15,000	56	22,722	11	18.3	06.0-30.6	45	81.7	69.4-94.0
\$15,000- 24,999	79	30,606	15	19.1	09.3-28.9	64	80.9	71.1-90.7
\$25,000- 34,999	104	45,249	14	14.0	06.2-21.8	90	86.0	78.2-93.8
\$35,000- 49,999	96	44,079	8	10.8	03.0-18.6	88	89.2	81.4-97.0
\$50,000- 99,999	205	91,957	11	4.4	01.5-07.3	194	95.6	92.7-98.5
\$100,000- 199,999	101	43,282	4	3.3	00.0-06.8	97	96.7	93.2-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 21: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	843	306,616	70	9.5	07.0-12.0	773	90.5	88.0-93.0
White/Non-Hisp	552	228,181	53	10.2	07.1-13.3	499	89.8	86.7-92.9
Black or Afr. Am./Non-Hisp	218	39,604	9	5.5	00.0-11.0	209	94.5	89.0-0100
45-54	134	61,860	15	12.0	05.7-18.3	119	88.0	81.7-94.3
55-64	188	75,059	24	11.6	06.7-16.5	164	88.4	83.5-93.3
65+	463	127,459	22	5.5	02.4-08.6	441	94.5	91.4-97.6
Less Than H.S.	82	50,248	8	10.2	02.2-18.2	74	89.8	81.8-97.8
H.S. or G.E.D.	303	110,238	26	8.7	05.2-12.2	277	91.3	87.8-94.8
Some Post-H.S.	230	91,494	23	12.2	06.7-17.7	207	87.8	82.3-93.3
College Graduate	225	54,115	13	6.1	01.8-10.4	212	93.9	89.6-98.2
Less than \$15,000	90	32,365	10	11.0	03.0-19.0	80	89.0	81.0-97.0
\$15,000- 24,999	116	39,022	14	13.9	05.5-22.3	102	86.1	77.7-94.5
\$25,000- 34,999	120	40,700	8	11.2	02.8-19.6	112	88.8	80.4-97.2
\$35,000- 49,999	92	27,550	9	11.0	03.2-18.8	83	89.0	81.2-96.8
\$50,000- 99,999	147	57,073	9	6.9	01.6-12.2	138	93.1	87.8-98.4
\$100,000- 199,999	59	26,109	2	5.1	00.0-12.2	57	94.9	87.8-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
1	MALES AND FEMALES	33
2	MALES ONLY	34
3	FEMALES ONLY	35
	AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4	MALES AND FEMALES	36
5	MALES ONLY	37
6	FEMALES ONLY	38
	WHAT KIND OF CANCER IS IT? (CNCRTYP2)	
7	MALES AND FEMALES	39
8	MALES ONLY	40
9	FEMALES ONLY	41



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER  
TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1326	508,454	1013	77.3	74.6-80.0	262	18.3	15.9-20.7	51	4.4	03.0-05.8
Male	559	217,072	429	78.4	74.5-82.3	115	18.9	15.2-22.6	15	2.7	01.1-04.3
Female	767	291,381	584	76.5	73.0-80.0	147	17.8	14.7-20.9	36	5.7	03.5-07.9
White/Non-Hisp	1137	450,885	850	76.8	74.1-79.5	244	19.1	16.6-21.6	43	4.1	02.7-05.5
Black or Afr. Am./Non-Hisp	107	19,794	100	98.9	97.7-0100	5	0.9	00.0-02.1	2	0.2	00.0-00.6
45-54	128	61,846	101	79.9	72.3-87.5	22	15.6	08.9-22.3	5	4.5	00.2-08.8
55-64	266	114,972	219	80.3	74.8-85.8	41	16.8	11.7-21.9	6	2.8	00.4-05.2
65+	876	291,326	644	73.9	70.4-77.4	194	20.9	17.8-24.0	38	5.2	03.2-07.2
Less Than H.S.	61	42,036	46	77.6	66.2-89.0	12	17.4	07.2-27.6	3	5.0	00.0-10.9
H.S. or G.E.D.	383	167,103	290	74.7	69.4-80.0	72	18.2	13.5-22.9	21	7.1	04.0-10.2
Some Post-H.S.	349	149,549	268	78.9	74.2-83.6	68	17.4	13.1-21.7	13	3.7	01.3-06.1
College Graduate	529	147,045	405	78.3	74.6-82.0	110	19.8	16.3-23.3	14	2.0	00.8-03.2
Less than \$15,000	52	19,299	40	79.2	67.2-91.2	9	13.8	04.4-23.2	3	7.1	00.0-15.3
\$15,000- 24,999	127	43,421	96	74.0	65.2-82.8	21	17.2	10.1-24.3	10	8.8	02.5-15.1
\$25,000- 34,999	161	62,786	114	64.6	55.4-73.8	39	28.0	19.6-36.4	8	7.4	01.9-12.9
\$35,000- 49,999	161	64,490	120	72.3	63.7-80.9	34	23.1	15.1-31.1	7	4.6	00.9-08.3
\$50,000- 99,999	327	118,402	256	82.6	78.1-87.1	65	15.7	11.4-20.0	6	1.7	00.1-03.3
\$100,000- 199,999	191	74,690	157	85.9	81.0-90.8	29	12.5	07.8-17.2	5	1.7	00.0-03.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

**TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	559	217,072	429	78.4	74.5-82.3	115	18.9	15.2-22.6	15	2.7	01.1-04.3
Female	568	214,801	424	74.7	70.4-79.0	112	18.3	14.6-22.0	32	7.0	04.3-09.7
White/Non-Hisp	948	377,925	699	75.8	72.7-78.9	210	19.7	16.8-22.6	39	4.5	02.9-06.1
Black or Afr. Am./Non-Hisp	104	19,709	97	98.9	97.7-0100	5	0.9	00.0-02.1	2	0.2	00.0-00.6
45-54	105	51,093	83	80.1	71.7-88.5	17	14.5	07.2-21.8	5	5.4	00.3-10.5
55-64	234	100,536	189	78.8	72.9-84.7	39	17.9	12.4-23.4	6	3.2	00.5-05.9
65+	740	244,185	540	73.2	69.3-77.1	166	21.3	17.8-24.8	34	5.6	03.4-07.8
Less Than H.S.	59	40,445	44	76.7	64.9-88.5	12	18.1	07.5-28.7	3	5.2	00.0-11.3
H.S. or G.E.D.	332	147,025	250	73.8	68.1-79.5	63	18.5	13.4-23.6	19	7.6	04.3-10.9
Some Post-H.S.	292	119,351	225	78.6	73.3-83.9	55	17.5	12.8-22.2	12	3.9	01.2-06.6
College Graduate	440	122,332	330	77.3	73.0-81.6	97	20.4	16.3-24.5	13	2.4	00.8-04.0
\$15,000- 24,999	110	37,811	83	74.5	64.7-84.3	18	15.4	07.6-23.2	9	10.0	02.9-17.1
\$25,000- 34,999	144	55,886	102	64.6	54.8-74.4	35	28.4	19.4-37.4	7	7.0	01.1-12.9
\$35,000- 49,999	136	54,842	97	68.6	59.0-78.2	32	26.0	16.8-35.2	7	5.4	00.9-09.9
\$50,000- 99,999	276	100,201	214	81.7	76.6-86.8	56	16.3	11.4-21.2	6	2.0	00.2-03.8
\$100,000- 199,999	164	63,778	132	85.0	79.7-90.3	27	13.0	07.9-18.1	5	2.0	00.0-04.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

**TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	401	154,371	301	75.5	70.6-80.4	85	20.7	16.0-25.4	15	3.7	01.5-05.9
Female	767	291,381	584	76.5	73.0-80.0	147	17.8	14.7-20.9	36	5.7	03.5-07.9
White/Non-Hisp	989	393,448	731	75.5	72.4-78.6	215	19.8	17.1-22.5	43	4.7	03.1-06.3
Black or Afr. Am./Non-Hisp	107	19,794	100	98.9	97.7-0100	5	0.9	00.0-02.1	2	0.2	00.0-00.6
45-54	114	54,474	88	77.7	69.3-86.1	21	17.3	09.9-24.7	5	5.1	00.4-09.8
55-64	224	98,224	181	78.2	72.1-84.3	37	18.4	12.7-24.1	6	3.3	00.6-06.0
65+	775	255,315	568	73.2	69.3-77.1	169	20.8	17.3-24.3	38	6.0	03.8-08.2
Less Than H.S.	57	39,505	42	76.1	64.1-88.1	12	18.5	07.7-29.3	3	5.3	00.0-11.6
H.S. or G.E.D.	347	148,858	260	73.1	67.4-78.8	66	18.9	13.8-24.0	21	8.0	04.5-11.5
Some Post-H.S.	309	131,030	236	78.2	73.1-83.3	60	17.5	13.0-22.0	13	4.2	01.5-06.9
College Graduate	452	124,739	344	77.4	73.3-81.5	94	20.3	16.4-24.2	14	2.3	00.9-03.7
\$15,000- 24,999	121	41,157	91	74.3	65.3-83.3	20	16.4	09.5-23.3	10	9.3	02.6-16.0
\$25,000- 34,999	139	53,245	100	63.1	52.9-73.3	31	28.2	18.8-37.6	8	8.7	02.2-15.2
\$35,000- 49,999	146	58,914	108	71.6	62.4-80.8	31	23.4	14.8-32.0	7	5.0	00.9-09.1
\$50,000- 99,999	278	98,454	215	81.4	76.5-86.3	57	16.6	11.9-21.3	6	2.0	00.2-03.8
\$100,000- 199,999	158	62,846	130	85.6	80.1-91.1	23	12.4	07.1-17.7	5	2.0	00.0-04.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER  
TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1247	478,300	16	2.7	00.9-04.5	118	11.9	09.5-14.3	307	26.9	24.0-29.8	460	35.5	32.4-38.6	335	22.5	19.8-25.2	11	0.5	00.1-00.9
Male	531	204,176	7	4.0	00.5-07.5	27	6.4	03.5-09.3	101	21.0	16.9-25.1	226	41.7	36.6-46.8	167	26.6	22.3-30.9	3	0.3	00.0-00.9
Female	716	274,123	9	1.8	00.2-03.4	91	16.0	12.7-19.3	206	31.4	27.3-35.5	234	30.8	26.7-34.9	168	19.4	15.9-22.9	8	0.6	00.0-01.2
White/Non-Hisp	1078	425,659	13	2.8	00.8-04.8	103	11.3	08.9-13.7	256	25.9	22.8-29.0	405	36.5	33.2-39.8	291	23.1	20.2-26.0	10	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	98	17,896	2	5.2	00.0-12.5	2	1.6	00.0-04.5	25	31.6	15.3-47.9	35	34.9	18.2-51.6	34	26.6	11.5-41.7			
45-54	120	56,521	2	1.1	00.0-02.7	24	18.3	11.0-25.6	77	66.1	56.9-75.3	15	13.4	06.3-20.5	2	1.2	00.0-03.0			
55-64	262	114,034	3	1.0	00.0-02.2	28	11.9	07.4-16.4	79	30.9	24.6-37.2	151	55.9	49.2-62.6	1	0.4	00.0-01.2			
65+	811	268,774	3	0.4	00.0-01.0	38	5.0	03.2-06.8	133	17.5	14.0-21.0	294	36.6	32.5-40.7	332	39.6	35.3-43.9	11	0.9	00.1-01.7
Less Than H.S.	53	39,521	1	1.2	00.0-03.6	6	14.5	03.5-25.5	15	30.5	17.2-43.8	19	31.7	18.4-45.0	12	22.1	09.8-34.4			
H.S. or G.E.D.	358	155,929	5	3.3	00.0-06.6	30	10.4	06.1-14.7	70	22.6	17.3-27.9	140	35.0	29.1-40.9	109	28.1	22.4-33.8	4	0.5	00.0-01.1
Some Post-H.S.	324	138,435	4	4.1	00.0-08.4	34	12.1	08.0-16.2	86	29.5	23.4-35.6	109	33.6	27.5-39.7	85	19.7	15.0-24.4	6	1.0	00.0-02.2
College Graduate	509	142,793	6	1.3	00.3-02.3	48	12.8	09.3-16.3	135	28.2	23.7-32.7	191	38.5	33.6-43.4	128	19.1	15.6-22.6	1	0.1	00.0-00.3
Less than \$15,000	50	18,361	1	2.5	00.0-07.4	8	21.4	06.5-36.3	13	33.3	17.6-49.0	22	34.1	19.6-48.6	6	8.7	00.5-16.9			
\$15,000- 24,999	118	40,859	4	4.7	00.0-10.4	8	12.6	04.8-20.4	22	26.0	15.6-36.4	47	34.5	24.3-44.7	35	20.4	12.0-28.8	2	1.7	00.0-04.4
\$25,000- 34,999	150	58,013	1	1.8	00.0-05.1	13	8.7	03.8-13.6	41	29.3	20.3-38.3	53	31.3	22.7-39.9	40	28.7	19.5-37.9	2	0.2	00.0-00.6
\$35,000- 49,999	155	62,221	4	6.4	00.0-13.5	12	9.5	03.2-15.8	41	24.3	16.5-32.1	54	37.6	28.0-47.2	44	22.2	14.9-29.5			
\$50,000- 99,999	312	113,027	4	4.4	00.0-09.5	24	9.8	05.5-14.1	64	22.4	16.7-28.1	121	37.6	31.1-44.1	98	25.3	19.8-30.8	1	0.6	00.0-01.8
\$100,000- 199,999	188	73,327	1	0.5	00.0-01.5	23	12.6	07.1-18.1	64	38.0	30.0-46.0	72	39.6	31.6-47.6	26	9.3	05.4-13.2	2	0.1	00.1-00.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

**TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	531	204,176	7	4.0	00.5-07.5	27	6.4	03.5-09.3	101	21.0	16.9-25.1	226	41.7	36.6-46.8	167	26.6	22.3-30.9	3	0.3	00.0-00.9			
White/Non-Hisp	477	186,995	6	4.1	00.4-07.8	23	6.3	03.2-09.4	88	20.0	15.9-24.1	201	42.3	37.2-47.4	156	26.9	22.4-31.4	3	0.4	00.0-01.0			
55-64	121	50,605	2	1.4	00.0-03.6	8	6.5	02.0-11.0	34	26.7	18.3-35.1	77	65.3	56.3-74.3									
65+	359	121,580	1	0.5	00.0-01.5	10	2.8	00.6-05.0	37	11.5	07.2-15.8	142	40.2	34.1-46.3	166	44.4	38.1-50.7	3	0.6	00.0-01.6			
H.S. or G.E.D.	141	67,462	5	7.7	00.4-15.0	7	7.5	00.8-14.2	21	16.4	09.5-23.3	63	39.6	30.2-49.0	45	28.7	19.9-37.5						
Some Post-H.S.	131	55,423	1	4.6	00.0-13.2	4	2.7	00.0-05.4	22	18.1	10.5-25.7	60	47.7	37.5-57.9	42	25.8	18.0-33.6	2	1.1	00.0-03.1			
College Graduate	234	64,561				14	7.6	03.1-12.1	52	25.9	19.2-32.6	91	39.1	31.8-46.4	76	27.2	21.3-33.1	1	0.2	00.0-00.6			
\$25,000- 34,999	66	25,249				2	2.7	00.0-06.6	13	23.0	10.8-35.2	29	42.1	27.6-56.6	20	31.6	17.3-45.9	2	0.5	00.0-01.5			
\$35,000- 49,999	63	26,445	3	14.4	00.0-29.9	2	1.6	00.0-04.0	13	17.3	07.5-27.1	24	40.7	26.0-55.4	21	26.0	14.8-37.2						
\$50,000- 99,999	164	60,513	1	4.2	00.0-12.2	9	7.9	02.4-13.4	20	13.3	06.8-19.8	68	40.5	31.3-49.7	66	33.9	25.5-42.3						
\$100,000- 199,999	89	32,846				3	3.1	00.0-07.4	27	34.1	22.5-45.7	38	46.4	34.6-58.2	21	16.5	09.1-23.9						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER**

**TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	716	274,123	9	1.8	00.2-03.4	91	16.0	12.7-19.3	206	31.4	27.3-35.5	234	30.8	26.7-34.9	168	19.4	15.9-22.9	8	0.6	00.0-01.2
White/Non-Hisp	601	238,664	7	1.7	00.1-03.3	80	15.2	11.9-18.5	168	30.5	26.2-34.8	204	31.9	27.6-36.2	135	20.1	16.2-24.0	7	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	73	12,575	1	3.0	00.0-08.7	2	2.3	00.0-06.4	20	35.1	15.9-54.3	22	35.3	16.5-54.1	28	24.3	08.6-40.0			
45-54	82	38,353	2	1.6	00.0-04.0	20	23.2	13.2-33.2	51	62.3	50.5-74.1	8	11.7	03.1-20.3	1	1.1	00.0-03.3			
55-64	141	63,429	1	0.6	00.0-01.8	20	16.1	08.8-23.4	45	34.2	25.0-43.4	74	48.4	39.2-57.6	1	0.6	00.0-01.8			
65+	452	147,194	2	0.4	00.0-01.0	28	6.9	04.4-09.4	96	22.5	17.4-27.6	152	33.5	27.8-39.2	166	35.6	29.7-41.5	8	1.1	00.0-02.3
H.S. or G.E.D.	217	88,467				23	12.5	06.8-18.2	49	27.4	19.8-35.0	77	31.5	24.2-38.8	64	27.6	20.2-35.0	4	0.9	00.0-02.1
Some Post-H.S.	193	83,012	3	3.7	00.0-08.2	30	18.5	12.0-25.0	64	37.2	29.0-45.4	49	24.1	17.0-31.2	43	15.6	10.1-21.1	4	1.0	00.0-02.6
College Graduate	275	78,233	6	2.3	00.3-04.3	34	17.1	11.8-22.4	83	30.1	23.8-36.4	100	38.0	31.1-44.9	52	12.5	08.4-16.6			
\$15,000- 24,999	81	26,973	2	1.9	00.0-04.6	7	17.8	06.6-29.0	16	23.9	12.1-35.7	31	32.5	20.3-44.7	24	23.3	12.1-34.5	1	0.6	00.0-01.8
\$25,000- 34,999	84	32,764	1	3.1	00.0-09.2	11	13.3	05.1-21.5	28	34.1	21.2-47.0	24	23.1	13.3-32.9	20	26.5	14.7-38.3			
\$35,000- 49,999	92	35,776	1	0.5	00.0-01.5	10	15.3	04.9-25.7	28	29.4	18.0-40.8	30	35.4	22.7-48.1	23	19.4	10.6-28.2			
\$50,000- 99,999	148	52,514	3	4.6	00.0-10.7	15	11.9	05.2-18.6	44	32.9	23.5-42.3	53	34.1	25.1-43.1	32	15.3	08.8-21.8	1	1.2	00.0-03.6
\$100,000- 199,999	99	40,481	1	0.9	00.0-02.7	20	20.3	11.3-29.3	37	41.1	29.9-52.3	34	34.1	23.5-44.7	5	3.4	00.1-06.7	2	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER  
TABLE 7: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1241	478,661	225	16.8	14.3-19.3	111	9.9	07.7-12.1	98	7.4	05.6-09.2	279	21.4	18.7-24.1	404	33.9	30.8-37.0	124	10.6	08.4-12.8
Male	525	201,750	22	4.8	02.4-07.2	43	8.4	05.7-11.1	45	8.9	05.8-12.0	187	33.5	28.6-38.4	186	36.1	31.2-41.0	42	8.2	05.3-11.1
Female	716	276,912	203	25.6	21.7-29.5	68	10.9	07.8-14.0	53	6.3	04.3-08.3	92	12.5	09.6-15.4	218	32.3	28.0-36.6	82	12.4	09.5-15.3
White/Non-Hisp	1061	423,846	168	15.6	13.1-18.1	85	9.0	06.8-11.2	79	7.3	05.3-09.3	237	21.8	18.9-24.7	382	35.9	32.4-39.4	110	10.5	08.3-12.7
Black or Afr. Am./Non-Hisp	102	19,657	36	28.3	13.2-43.4	18	23.9	08.6-39.2	14	13.9	03.7-24.1	26	27.1	12.2-42.0	2	0.3	00.0-00.7	6	6.5	00.0-13.6
45-54	120	57,804	21	17.0	09.7-24.3	13	10.3	04.4-16.2	7	3.6	00.5-06.7	24	20.3	12.3-28.3	38	33.3	23.9-42.7	17	15.5	08.1-22.9
55-64	254	110,389	36	13.3	08.6-18.0	27	11.5	06.8-16.2	21	8.1	04.4-11.8	53	20.2	14.7-25.7	89	36.8	30.1-43.5	28	10.1	06.2-14.0
65+	813	271,358	161	18.7	15.2-22.2	64	8.3	05.8-10.8	59	6.3	04.3-08.3	192	22.7	19.2-26.2	267	34.6	30.5-38.7	70	9.4	06.9-11.9
Less Than H.S.	59	41,083	12	22.1	09.6-34.6	9	12.7	04.5-20.9	5	6.9	00.8-13.0	11	16.9	06.1-27.7	16	28.5	16.0-41.0	6	13.0	02.8-23.2
H.S. or G.E.D.	350	153,234	66	17.9	12.8-23.0	36	11.8	07.3-16.3	35	8.7	05.2-12.2	83	22.9	17.6-28.2	94	28.6	22.9-34.3	36	10.1	06.2-14.0
Some Post-H.S.	329	141,953	62	13.9	09.8-18.0	38	11.6	07.3-15.9	24	7.7	04.2-11.2	61	18.2	13.3-23.1	107	37.4	30.9-43.9	37	11.3	07.6-15.0
College Graduate	501	141,077	83	16.2	12.3-20.1	28	5.4	03.2-07.6	34	6.0	03.6-08.4	124	24.5	20.2-28.8	187	38.0	33.1-42.9	45	9.9	07.0-12.8
Less than \$15,000	50	18,453	9	11.9	02.9-20.9	7	17.0	03.9-30.1	8	16.7	05.1-28.3	7	14.2	02.0-26.4	12	24.7	11.6-37.8	7	15.6	03.1-28.1
\$15,000- 24,999	121	41,265	26	21.0	11.6-30.4	16	16.4	07.6-25.2	11	8.9	02.0-15.8	26	21.0	12.6-29.4	27	19.9	11.7-28.1	15	12.8	05.2-20.4
\$25,000- 34,999	150	57,279	28	20.8	12.4-29.2	19	12.8	05.9-19.7	13	7.2	02.5-11.9	34	18.2	11.3-25.1	43	30.7	21.7-39.7	13	10.3	04.4-16.2
\$35,000- 49,999	149	61,047	26	13.2	07.1-19.3	21	15.2	07.9-22.5	12	8.9	02.8-15.0	25	18.5	10.7-26.3	52	34.7	25.3-44.1	13	9.4	02.7-16.1
\$50,000- 99,999	307	113,049	46	13.6	09.1-18.1	18	7.3	03.2-11.4	22	5.8	02.7-08.9	85	23.3	17.8-28.8	113	41.7	34.8-48.6	23	8.3	04.6-12.0
\$100,000- 199,999	184	72,186	26	14.8	08.7-20.9	6	2.5	00.1-04.9	15	8.8	03.9-13.7	48	27.4	20.0-34.8	70	36.3	28.5-44.1	19	10.2	05.5-14.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER  
TABLE 8: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	525	201,750	22	4.8	02.4-07.2	43	8.4	05.7-11.1	45	8.9	05.8-12.0	187	33.5	28.6-38.4	186	36.1	31.2-41.0	42	8.2	05.3-11.1
White/Non-Hisp	465	182,270	20	4.7	02.2-07.2	36	7.8	05.1-10.5	38	8.6	05.5-11.7	155	32.9	27.8-38.0	177	37.6	32.3-42.9	39	8.3	05.2-11.4
55-64	117	48,657	2	1.3	00.0-03.1	12	10.3	04.2-16.4	10	9.2	03.3-15.1	32	26.5	17.5-35.5	49	42.7	32.7-52.7	12	10.0	04.1-15.9
65+	356	119,995	17	6.1	02.4-09.8	26	7.2	04.1-10.3	26	6.8	03.7-09.9	141	38.8	32.7-44.9	122	34.3	28.6-40.0	24	6.7	03.8-09.6
H.S. or G.E.D.	137	65,111	6	6.1	00.6-11.6	14	9.7	04.2-15.2	18	11.6	05.1-18.1	49	33.8	24.4-43.2	39	29.9	21.1-38.7	11	8.9	02.4-15.4
Some Post-H.S.	132	56,387	8	5.6	01.1-10.1	11	7.5	02.4-12.6	9	7.3	01.6-13.0	45	32.4	23.2-41.6	48	39.1	28.7-49.5	11	8.1	03.0-13.2
College Graduate	229	63,010	7	2.9	00.4-05.4	13	5.7	02.6-08.8	14	6.8	03.1-10.5	86	36.1	28.8-43.4	90	40.0	32.7-47.3	19	8.6	04.7-12.5
\$25,000- 34,999	67	24,447	3	6.8	00.0-14.6	5	6.6	00.3-12.9	8	9.0	01.4-16.6	25	32.9	20.0-45.8	22	35.7	22.2-49.2	4	8.9	00.0-17.9
\$35,000- 49,999	59	25,288	4	6.8	00.0-14.1	7	14.1	03.3-24.9	2	7.0	00.0-17.8	19	31.7	18.2-45.2	21	28.2	15.7-40.7	6	12.1	00.0-25.4
\$50,000- 99,999	162	59,829	5	3.4	00.0-07.1	10	5.5	02.4-08.6	14	8.2	02.9-13.5	66	35.2	26.4-44.0	59	42.1	32.1-52.1	8	5.5	01.2-09.8
\$100,000- 199,999	87	32,148	3	2.7	00.0-06.0	3	2.5	00.0-05.8	4	4.2	00.0-08.5	30	37.0	24.8-49.2	37	42.9	30.9-54.9	10	10.7	04.0-17.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 9: CANCER SURVIVORSHIP: TYPE OF CANCER  
TABLE 9: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	716	276,912	203	25.6	21.7-29.5	68	10.9	07.8-14.0	53	6.3	04.3-08.3	92	12.5	09.6-15.4	218	32.3	28.0-36.6	82	12.4	09.5-15.3
White/Non-Hisp	596	241,576	148	23.8	19.7-27.9	49	9.8	06.5-13.1	41	6.2	04.0-08.4	82	13.4	10.3-16.5	205	34.6	29.9-39.3	71	12.1	09.2-15.0
Black or Afr. Am./Non-Hisp	74	12,756	35	36.7	18.1-55.3	13	20.9	04.8-37.0	11	18.4	04.1-32.7	7	13.5	00.0-27.2	2	0.4	00.0-01.0	6	10.1	00.0-20.9
45-54	81	38,529	18	21.2	11.6-30.8	9	9.0	02.9-15.1	3	1.5	00.0-04.0	14	18.4	08.4-28.4	25	31.6	20.2-43.0	12	18.3	08.3-28.3
55-64	137	61,732	34	22.8	15.0-30.6	15	12.5	05.6-19.4	11	7.2	02.7-11.7	21	15.2	08.5-21.9	40	32.2	23.2-41.2	16	10.2	05.1-15.3
65+	457	151,363	144	28.6	23.3-33.9	38	9.2	05.3-13.1	33	5.9	03.4-08.4	51	9.9	06.8-13.0	145	34.9	29.0-40.8	46	11.6	07.7-15.5
H.S. or G.E.D.	213	88,123	60	26.7	19.3-34.1	22	13.3	06.6-20.0	17	6.5	03.0-10.0	34	14.8	09.1-20.5	55	27.7	20.3-35.1	25	10.9	06.0-15.8
Some Post-H.S.	197	85,566	54	19.3	13.4-25.2	27	14.3	07.8-20.8	15	7.9	03.4-12.4	16	8.8	04.1-13.5	59	36.2	28.0-44.4	26	13.4	08.1-18.7
College Graduate	272	78,067	76	27.0	20.7-33.3	15	5.1	02.0-08.2	20	5.4	02.5-08.3	38	15.1	10.2-20.0	97	36.4	29.7-43.1	26	11.0	06.5-15.5
\$15,000- 24,999	81	26,345	23	30.1	17.0-43.2	8	8.7	00.9-16.5	6	5.8	00.0-11.7	15	20.1	09.9-30.3	18	20.7	10.7-30.7	11	14.5	04.1-24.9
\$25,000- 34,999	83	32,832	25	31.1	18.2-44.0	14	17.4	06.4-28.4	5	5.8	00.0-11.9	9	7.3	01.0-13.6	21	26.9	15.1-38.7	9	11.4	03.6-19.2
\$35,000- 49,999	90	35,760	22	17.7	08.9-26.5	14	16.0	06.0-26.0	10	10.3	03.2-17.4	6	9.1	00.7-17.5	31	39.3	26.6-52.0	7	7.5	01.6-13.4
\$50,000- 99,999	145	53,220	41	25.0	16.8-33.2	8	9.4	01.8-17.0	8	3.1	00.0-06.2	19	9.9	04.2-15.6	54	41.2	31.6-50.8	15	11.4	05.3-17.5
\$100,000- 199,999	97	40,038	23	24.5	14.5-34.5	3	2.5	00.0-05.8	11	12.5	04.7-20.3	18	19.6	10.8-28.4	33	31.0	21.0-41.0	9	9.9	03.2-16.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 11: Cancer Survivorship: Pain Management CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
1	MALES AND FEMALES	43
2	MALES ONLY	44
3	FEMALES ONLY	45
	WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)	
4	MALES AND FEMALES	46
5	MALES ONLY	47
6	FEMALES ONLY	48

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 11: Cancer Survivorship: Pain Management**

**TABLE 1: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRPAIN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1340	513,295	133	11.4	09.0-13.8	1207	88.6	86.2-91.0
Male	566	218,693	47	11.2	07.5-14.9	519	88.8	85.1-92.5
Female	774	294,602	86	11.5	08.6-14.4	688	88.5	85.6-91.4
White/Non-Hisp	1150	455,542	105	11.2	08.7-13.7	1045	88.8	86.3-91.3
Black or Afr. Am./Non-Hisp	108	20,133	16	11.6	01.0-22.2	92	88.4	77.8-99.0
45-54	127	61,456	27	23.1	14.7-31.5	100	76.9	68.5-85.3
55-64	269	114,960	36	13.6	08.9-18.3	233	86.4	81.7-91.1
65+	885	293,978	56	5.7	03.5-07.9	829	94.3	92.1-96.5
Less Than H.S.	59	40,982	14	27.6	14.9-40.3	45	72.4	59.7-85.1
H.S. or G.E.D.	390	168,762	48	13.7	09.2-18.2	342	86.3	81.8-90.8
Some Post-H.S.	348	150,807	24	7.4	03.3-11.5	324	92.6	88.5-96.7
College Graduate	539	150,023	47	8.6	05.9-11.3	492	91.4	88.7-94.1
Less than \$15,000	53	20,194	15	31.3	16.4-46.2	38	68.7	53.8-83.6
\$15,000- 24,999	129	43,995	17	15.9	07.3-24.5	112	84.1	75.5-92.7
\$25,000- 34,999	162	63,000	16	13.0	06.1-19.9	146	87.0	80.1-93.9
\$35,000- 49,999	158	63,453	16	10.4	03.5-17.3	142	89.6	82.7-96.5
\$50,000- 99,999	331	121,043	26	10.2	04.9-15.5	305	89.8	84.5-95.1
\$100,000- 199,999	195	74,991	17	9.4	04.7-14.1	178	90.6	85.9-95.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 11: Cancer Survivorship: Pain Management**

**TABLE 2: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	566	218,693	47	11.2	07.5-14.9	519	88.8	85.1-92.5
White/Non-Hisp	505	197,920	42	11.7	07.6-15.8	463	88.3	84.2-92.4
55-64	125	51,681	16	13.7	06.8-20.6	109	86.3	79.4-93.2
65+	385	130,965	17	3.9	01.9-05.9	368	96.1	94.1-98.1
H.S. or G.E.D.	156	74,869	19	11.2	05.3-17.1	137	88.8	82.9-94.7
Some Post-H.S.	135	57,675	9	10.1	01.3-18.9	126	89.9	81.1-98.7
College Graduate	247	67,741	10	4.5	01.6-07.4	237	95.5	92.6-98.4
\$25,000- 34,999	73	28,045	8	13.8	03.6-24.0	65	86.2	76.0-96.4
\$35,000- 49,999	62	26,680	4	9.4	00.0-20.4	58	90.6	79.6-100
\$50,000- 99,999	171	63,465	13	12.6	03.8-21.4	158	87.4	78.6-96.2
\$100,000- 199,999	95	34,268	2	2.3	00.0-05.6	93	97.7	94.4-100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 11: Cancer Survivorship: Pain Management**

**TABLE 3: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	774	294,602	86	11.5	08.6-14.4	688	88.5	85.6-91.4
White/Non-Hisp	645	257,622	63	10.9	07.8-14.0	582	89.1	86.0-92.2
Black or Afr. Am./Non-Hisp	80	13,232	13	10.9	00.0-22.3	67	89.1	77.7-0100
45-54	86	40,699	19	22.6	12.6-32.6	67	77.4	67.4-87.4
55-64	144	63,279	20	13.4	06.9-19.9	124	86.6	80.1-93.1
65+	500	163,013	39	7.2	03.9-10.5	461	92.8	89.5-96.1
H.S. or G.E.D.	234	93,892	29	15.7	09.0-22.4	205	84.3	77.6-91.0
Some Post-H.S.	213	93,132	15	5.7	02.4-09.0	198	94.3	91.0-97.6
College Graduate	292	82,282	37	12.1	07.8-16.4	255	87.9	83.6-92.2
\$15,000- 24,999	89	29,012	12	12.9	03.7-22.1	77	87.1	77.9-96.3
\$25,000- 34,999	89	34,955	8	12.4	02.8-22.0	81	87.6	78.0-97.2
\$35,000- 49,999	96	36,773	12	11.1	02.5-19.7	84	88.9	80.3-97.5
\$50,000- 99,999	160	57,578	13	7.4	01.9-12.9	147	92.6	87.1-98.1
\$100,000- 199,999	100	40,724	15	15.3	07.3-23.3	85	84.7	76.7-92.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 11: Cancer Survivorship: Pain Management  
TABLE 4: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	124	54,054	46	35.9	24.5-47.3	42	31.6	22.4-40.8	11	13.5	02.9-24.1	25	19.0	10.8-27.2
Female	80	31,057	35	44.8	30.1-59.5	24	29.6	17.6-41.6	8	12.1	01.9-22.3	13	13.6	05.0-22.2
White/Non-Hisp	99	48,556	37	36.0	24.2-47.8	34	31.3	21.3-41.3	6	12.9	01.5-24.3	22	19.8	11.0-28.6
65+	53	15,786	20	40.8	19.2-62.4	18	23.8	11.3-36.3	4	14.5	00.0-31.4	11	20.8	06.3-35.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 11: Cancer Survivorship: Pain Management  
TABLE 5: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

There is not enough data (less than 50 total observations) to print this table.

**NOTE:**

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 11: Cancer Survivorship: Pain Management**

**TABLE 6: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	80	31,057	35	44.8	30.1-59.5	24	29.6	18.4-40.8	8	12.1	02.5-21.7	13	13.6	05.2-22.0
White/Non-Hisp	60	26,990	28	47.6	32.3-62.9	17	28.8	16.5-41.1	4	10.1	00.5-19.7	11	13.5	04.7-22.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 13: COGNITIVE DECLINE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5977	2,261,183	647	11.0	10.0-12.0	5330	89.0	88.0-90.0
Male	2631	1,060,006	286	10.6	09.2-12.0	2345	89.4	88.0-90.8
Female	3346	1,201,177	361	11.4	10.0-12.8	2985	88.6	87.2-90.0
White/Non-Hisp	4678	1,852,830	494	10.7	09.7-11.7	4184	89.3	88.3-90.3
Black or Afr. Am./Non-Hisp	824	191,972	101	12.9	09.2-16.6	723	87.1	83.4-90.8
Oth. Race/Non-Hisp.	75	40,845	8	11.1	03.5-18.7	67	88.9	81.3-96.5
MultiRacial/Non-Hisp.	75	45,299	13	20.4	09.4-31.4	62	79.6	68.6-90.6
Hispanic	172	75,109	11	6.1	01.6-10.6	161	93.9	89.4-98.4
45-54	1221	577,668	123	10.3	08.3-12.3	1098	89.7	87.7-91.7
55-64	1641	696,140	199	11.9	10.1-13.7	1442	88.1	86.3-89.9
65+	3115	987,375	325	10.8	09.4-12.2	2790	89.2	87.8-90.6
Less Than H.S.	335	217,844	61	15.6	11.3-19.9	274	84.4	80.1-88.7
H.S. or G.E.D.	1779	750,524	232	12.7	10.9-14.5	1547	87.3	85.5-89.1
Some Post-H.S.	1617	682,689	186	10.9	09.1-12.7	1431	89.1	87.3-90.9
College Graduate	2226	603,284	166	7.3	06.1-08.5	2060	92.7	91.5-93.9
Less than \$15,000	333	123,012	75	24.3	18.8-29.8	258	75.7	70.2-81.2
\$15,000- 24,999	575	215,295	94	16.1	12.4-19.8	481	83.9	80.2-87.6
\$25,000- 34,999	647	237,071	91	14.7	11.4-18.0	556	85.3	82.0-88.6
\$35,000- 49,999	746	277,609	82	11.0	08.3-13.7	664	89.0	86.3-91.7
\$50,000- 99,999	1455	558,007	121	8.5	06.7-10.3	1334	91.5	89.7-93.3
\$100,000- 199,999	905	367,801	47	5.8	04.0-07.6	858	94.2	92.4-96.0
\$200,000+	203	78,046	12	6.4	02.7-10.1	191	93.6	89.9-97.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2631	1,060,006	286	10.6	09.2-12.0	2345	89.4	88.0-90.8
White/Non-Hisp	2131	852,634	228	10.4	09.0-11.8	1903	89.6	88.2-91.0
Black or Afr. Am./Non-Hisp	256	86,422	30	10.3	04.8-15.8	226	89.7	84.2-95.2
Hispanic	82	38,651	7	8.3	00.5-16.1	75	91.7	83.9-99.5
45-54	555	282,949	44	8.7	06.2-11.2	511	91.3	88.8-93.8
55-64	777	337,947	91	10.9	08.5-13.3	686	89.1	86.7-91.5
65+	1299	439,110	151	11.5	09.3-13.7	1148	88.5	86.3-90.7
Less Than H.S.	162	110,664	26	13.9	08.0-19.8	136	86.1	80.2-92.0
H.S. or G.E.D.	763	348,450	97	12.2	09.7-14.7	666	87.8	85.3-90.3
Some Post-H.S.	672	304,984	72	10.0	07.5-12.5	600	90.0	87.5-92.5
College Graduate	1024	292,904	90	7.9	06.1-09.7	934	92.1	90.3-93.9
Less than \$15,000	133	56,199	32	23.4	15.4-31.4	101	76.6	68.6-84.6
\$15,000- 24,999	204	87,063	38	18.2	11.7-24.7	166	81.8	75.3-88.3
\$25,000- 34,999	259	104,069	39	13.6	08.7-18.5	220	86.4	81.5-91.3
\$35,000- 49,999	315	126,799	33	9.8	06.1-13.5	282	90.2	86.5-93.9
\$50,000- 99,999	715	286,583	66	9.1	06.6-11.6	649	90.9	88.4-93.4
\$100,000- 199,999	486	198,896	26	6.2	03.5-08.9	460	93.8	91.1-96.5
\$200,000+	115	44,544	9	8.4	02.5-14.3	106	91.6	85.7-97.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3346	1,201,177	361	11.4	10.0-12.8	2985	88.6	87.2-90.0
White/Non-Hisp	2547	1,000,196	266	11.0	09.6-12.4	2281	89.0	87.6-90.4
Black or Afr. Am./Non-Hisp	568	105,550	71	15.1	10.2-20.0	497	84.9	80.0-89.8
Hispanic	90	36,458	4	3.7	00.0-07.8	86	96.3	92.2-0100
45-54	666	294,719	79	11.8	09.1-14.5	587	88.2	85.5-90.9
55-64	864	358,193	108	12.9	10.4-15.4	756	87.1	84.6-89.6
65+	1816	548,265	174	10.2	08.2-12.2	1642	89.8	87.8-91.8
Less Than H.S.	173	107,179	35	17.4	11.1-23.7	138	82.6	76.3-88.9
H.S. or G.E.D.	1016	402,075	135	13.2	10.7-15.7	881	86.8	84.3-89.3
Some Post-H.S.	945	377,705	114	11.7	09.3-14.1	831	88.3	85.9-90.7
College Graduate	1202	310,380	76	6.6	05.0-08.2	1126	93.4	91.8-95.0
Less than \$15,000	200	66,813	43	25.0	17.6-32.4	157	75.0	67.6-82.4
\$15,000- 24,999	371	128,232	56	14.7	10.4-19.0	315	85.3	81.0-89.6
\$25,000- 34,999	388	133,002	52	15.6	10.9-20.3	336	84.4	79.7-89.1
\$35,000- 49,999	431	150,810	49	12.1	08.2-16.0	382	87.9	84.0-91.8
\$50,000- 99,999	740	271,425	55	7.8	05.4-10.2	685	92.2	89.8-94.6
\$100,000- 199,999	419	168,906	21	5.4	02.9-07.9	398	94.6	92.1-97.1
\$200,000+	88	33,502	3	3.6	00.0-07.7	85	96.4	92.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely		Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	634	244,501	28	4.6	02.6-06.6	39	7.8	04.9-10.7	177	27.0	23.1-30.9	112	17.8	14.1-21.5	278	42.8	38.3-47.3	
Male	284	111,477	6	1.5	00.1-02.9	17	8.1	03.8-12.4	63	24.0	18.1-29.9	48	16.5	11.2-21.8	150	50.0	43.1-56.9	
Female	350	133,024	22	7.2	03.7-10.7	22	7.6	03.7-11.5	114	29.4	23.9-34.9	64	18.9	14.0-23.8	128	36.9	30.8-43.0	
White/Non-Hisp	485	196,006	21	4.9	02.5-07.3	30	7.2	04.3-10.1	128	26.2	21.9-30.5	82	17.0	13.1-20.9	224	44.7	39.8-49.6	
Black or Afr. Am./Non-Hisp	98	23,924	5	1.7	00.0-03.9	7	14.6	01.3-27.9	32	25.0	12.5-37.5	21	23.6	11.1-36.1	33	35.1	20.6-49.6	
45-54	121	58,354	6	6.7	01.2-12.2	9	9.5	03.2-15.8	45	34.3	25.1-43.5	15	11.2	05.5-16.9	46	38.3	28.9-47.7	
55-64	194	80,464	8	4.2	00.7-07.7	18	9.1	04.4-13.8	65	33.3	25.7-40.9	30	16.2	09.7-22.7	73	37.2	29.6-44.8	
65+	319	105,683	14	3.7	01.5-05.9	12	5.9	01.6-10.2	67	18.1	13.0-23.2	67	22.6	16.7-28.5	159	49.7	42.8-56.6	
Less Than H.S.	59	33,257	3	3.2	00.0-07.5	9	19.5	06.4-32.6	17	31.9	18.2-45.6	9	16.8	04.6-29.0	21	28.7	16.2-41.2	
H.S. or G.E.D.	226	92,940	11	3.3	00.9-05.7	21	9.0	04.5-13.5	73	27.9	21.4-34.4	42	21.2	14.7-27.7	79	38.7	31.1-46.3	
Some Post-H.S.	184	74,497	11	8.3	03.0-13.6	7	4.2	00.7-07.7	49	23.5	16.6-30.4	34	16.1	10.4-21.8	83	47.9	39.5-56.3	
College Graduate	163	43,006	3	2.0	00.0-04.2	2	2.9	00.0-06.8	37	26.2	18.4-34.0	27	14.6	08.7-20.5	94	54.2	45.4-63.0	
Less than \$15,000	73	29,474	4	6.3	00.0-12.6	8	14.0	04.8-23.2	33	42.9	30.0-55.8	13	18.2	08.0-28.4	15	18.6	08.6-28.6	
\$15,000- 24,999	94	34,738	3	4.1	00.0-09.8	7	7.9	00.5-15.3	32	33.5	22.3-44.7	20	24.7	13.1-36.3	32	29.8	19.2-40.4	
\$25,000- 34,999	90	34,367	6	6.2	00.9-11.5	6	9.5	00.7-18.3	31	34.9	23.5-46.3	21	23.2	12.4-34.0	26	26.1	15.1-37.1	
\$35,000- 49,999	81	30,606	2	1.9	00.0-05.4	2	4.4	00.0-10.3	21	24.5	13.1-35.9	12	10.5	04.4-16.6	44	58.7	46.0-71.4	
\$50,000- 99,999	117	46,062	4	3.5	00.0-07.6	3	4.0	00.0-08.5	21	18.5	10.3-26.7	18	17.2	09.2-25.2	71	56.8	46.2-67.4	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	284	111,477	6	1.5	00.1-02.9	17	8.1	04.0-12.2	63	24.0	18.1-29.9	48	16.5	11.2-21.8	150	50.0	43.1-56.9
White/Non-Hisp	226	88,094	4	1.7	00.0-03.5	14	6.7	03.0-10.4	48	23.9	17.4-30.4	39	17.4	11.5-23.3	121	50.2	42.8-57.6
55-64	90	36,631	2	2.8	00.0-06.7	8	12.4	04.0-20.8	28	30.5	19.9-41.1	18	21.4	10.6-32.2	34	32.9	22.7-43.1
65+	150	50,332	4	1.2	00.0-02.6	6	4.9	00.0-10.4	21	15.7	08.6-22.8	25	16.4	08.8-24.0	94	61.8	52.2-71.4
H.S. or G.E.D.	96	42,458	1	0.5	00.0-01.5	8	7.4	02.1-12.7	28	26.6	17.0-36.2	21	25.1	14.9-35.3	38	40.4	29.2-51.6
Some Post-H.S.	72	30,423	2	1.7	00.0-04.8	4	7.5	00.1-14.9	16	23.1	12.3-33.9	8	4.4	00.7-08.1	42	63.3	50.8-75.8
College Graduate	89	22,976	1	1.3	00.0-03.8				13	18.3	08.5-28.1	16	16.3	08.1-24.5	59	64.2	52.8-75.6
\$50,000- 99,999	65	25,854				1	2.8	00.0-08.3	8	13.7	04.1-23.3	12	19.5	08.3-30.7	44	63.9	50.4-77.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely		Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	350	133,024	22	7.2	03.9-10.5	22	7.6	03.7-11.5	114	29.4	23.9-34.9	64	18.9	13.8-24.0	128	36.9	30.8-43.0	
White/Non-Hisp	259	107,912	17	7.5	03.6-11.4	16	7.7	03.4-12.0	80	28.0	22.1-33.9	43	16.6	11.5-21.7	103	40.2	33.5-46.9	
Black or Afr. Am./Non-Hisp	68	15,032	3	2.1	00.0-05.4	5	7.7	00.0-17.1	25	29.4	12.9-45.9	16	32.5	15.3-49.7	19	28.3	12.2-44.4	
45-54	77	33,840	6	11.6	02.2-21.0	6	10.5	02.3-18.7	31	36.3	24.7-47.9	10	12.6	04.8-20.4	24	29.0	18.0-40.0	
55-64	104	43,833	6	5.4	00.0-10.9	10	6.4	01.3-11.5	37	35.6	25.2-46.0	12	11.9	04.6-19.2	39	40.7	29.9-51.5	
65+	169	55,352	10	5.9	02.2-09.6	6	6.8	00.1-13.5	46	20.3	13.4-27.2	42	28.3	19.7-36.9	65	38.6	29.0-48.2	
H.S. or G.E.D.	130	50,481	10	5.7	01.4-10.0	13	10.3	03.4-17.2	45	29.0	20.4-37.6	21	17.9	09.9-25.9	41	37.2	27.0-47.4	
Some Post-H.S.	112	44,074	9	12.8	04.2-21.4	3	1.9	00.0-04.4	33	23.8	15.4-32.2	26	24.2	15.6-32.8	41	37.3	26.9-47.7	
College Graduate	74	20,030	2	2.8	00.0-06.7	2	6.2	00.0-14.4	24	35.4	22.9-47.9	11	12.7	04.1-21.3	35	42.8	30.3-55.3	
\$15,000- 24,999	56	18,894	3	7.5	00.0-17.7	6	9.3	00.0-19.1	22	36.8	22.9-50.7	11	20.8	07.9-33.7	14	25.6	11.9-39.3	
\$25,000- 34,999	51	20,230	6	10.5	01.5-19.5	1	2.1	00.0-06.2	18	32.5	18.2-46.8	13	29.0	13.1-44.9	13	25.8	10.5-41.1	
\$50,000- 99,999	52	20,209	4	7.9	00.0-16.9	2	5.4	00.0-12.8	13	24.5	10.8-38.2	6	14.3	03.3-25.3	27	47.8	32.5-63.1	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	639	244,392	25	3.4	01.8-05.0	30	5.0	02.8-07.2	155	24.9	21.0-28.8	126	19.7	16.0-23.4	303	47.0	42.5-51.5
Male	285	111,558	7	2.3	00.3-04.3	8	2.5	00.3-04.7	60	22.6	16.5-28.7	55	20.4	14.7-26.1	155	52.1	45.2-59.0
Female	354	132,834	18	4.3	01.8-06.8	22	7.0	03.5-10.5	95	26.8	21.5-32.1	71	19.2	14.3-24.1	148	42.8	36.7-48.9
White/Non-Hisp	490	196,821	16	3.5	01.5-05.5	23	5.2	02.8-07.6	107	22.0	17.9-26.1	101	20.6	16.5-24.7	243	48.7	43.6-53.8
Black or Afr. Am./Non-Hisp	99	23,605	8	5.1	00.0-10.8	5	1.2	00.0-02.6	31	42.3	26.4-58.2	18	13.8	03.8-23.8	37	37.5	23.0-52.0
45-54	119	57,358	4	3.7	00.0-07.6	9	8.2	02.7-13.7	28	23.9	15.5-32.3	20	18.3	10.7-25.9	58	45.9	36.1-55.7
55-64	196	81,491	8	4.0	00.7-07.3	8	4.3	01.0-07.6	56	26.3	19.6-33.0	48	25.7	18.4-33.0	76	39.7	31.9-47.5
65+	324	105,544	13	2.7	00.7-04.7	13	3.7	00.8-06.6	71	24.4	18.3-30.5	58	15.9	11.0-20.8	169	53.3	46.4-60.2
Less Than H.S.	60	33,298	5	8.8	01.2-16.4	5	5.8	00.0-13.2	18	31.6	17.3-45.9	11	21.7	09.2-34.2	21	32.2	18.7-45.7
H.S. or G.E.D.	228	93,175	11	2.5	00.5-04.5	15	6.2	02.7-09.7	61	25.3	18.8-31.8	50	20.9	15.0-26.8	91	45.1	37.5-52.7
Some Post-H.S.	186	74,661	4	2.1	00.0-04.6	4	3.2	00.0-06.7	50	25.1	18.0-32.2	37	19.0	12.3-25.7	91	50.7	42.3-59.1
College Graduate	164	43,062	5	3.4	00.0-06.9	6	4.7	00.6-08.8	26	18.5	11.8-25.2	28	17.2	10.3-24.1	99	56.2	47.6-64.8
Less than \$15,000	73	29,188	8	10.8	02.8-18.8	4	7.0	00.3-13.7	32	43.9	31.2-56.6	9	10.8	03.4-18.2	20	27.5	16.3-38.7
\$15,000- 24,999	94	34,738	2	0.1	00.0-00.3	6	6.9	00.2-13.6	28	30.5	19.5-41.5	23	27.2	15.6-38.8	35	35.3	24.1-46.5
\$25,000- 34,999	90	34,300	3	1.9	00.0-04.4	7	8.6	01.9-15.3	26	30.5	19.1-41.9	19	18.6	09.4-27.8	35	40.4	28.1-52.7
\$35,000- 49,999	82	30,637	3	0.2	00.0-00.4	2	3.1	00.0-07.6	16	23.8	12.2-35.4	18	21.4	11.2-31.6	43	51.5	38.6-64.4
\$50,000- 99,999	119	46,509	4	4.0	00.0-08.1	1	0.0	00.0-00.0	18	15.2	07.8-22.6	23	21.6	12.8-30.4	73	59.2	48.8-69.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	285	111,558	7	2.3	00.3-04.3	8	2.5	00.3-04.7	60	22.6	16.7-28.5	55	20.4	14.7-26.1	155	52.1	45.2-59.0
White/Non-Hisp	228	88,567	6	2.9	00.5-05.3	7	3.1	00.6-05.6	40	18.1	12.4-23.8	49	22.8	16.5-29.1	126	53.2	45.8-60.6
55-64	91	36,885	2	2.2	00.0-05.3	4	5.1	00.0-10.4	24	25.1	15.3-34.9	26	30.2	19.0-41.4	35	37.4	26.2-48.6
65+	151	50,551	4	2.0	00.0-04.4	4	1.9	00.0-04.3	28	21.6	12.8-30.4	20	13.5	06.6-20.4	95	60.9	50.9-70.9
H.S. or G.E.D.	97	42,677	2	0.6	00.0-01.6	3	2.7	00.0-05.8	26	24.7	15.3-34.1	21	22.3	13.1-31.5	45	49.8	38.6-61.0
Some Post-H.S.	72	30,423				2	2.9	00.0-08.2	17	20.7	10.7-30.7	14	17.7	08.1-27.3	39	58.7	46.0-71.4
College Graduate	89	22,838	2	2.9	00.0-07.0	2	3.3	00.0-07.8	10	13.4	04.8-22.0	16	18.7	09.7-27.7	59	61.7	49.9-73.5
\$50,000- 99,999	66	26,107	2	2.5	00.0-06.0				7	10.8	01.6-20.0	13	23.1	10.9-35.3	44	63.5	50.0-77.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	354	132,834	18	4.3	01.8-06.8	22	7.0	03.5-10.5	95	26.8	21.5-32.1	71	19.2	14.3-24.1	148	42.8	36.7-48.9
White/Non-Hisp	262	108,254	10	4.0	01.1-06.9	16	6.9	03.2-10.6	67	25.2	19.5-30.9	52	18.9	13.6-24.2	117	45.0	38.3-51.7
Black or Afr. Am./Non-Hisp	70	15,104	7	7.8	00.0-16.4	4	1.5	00.0-03.5	20	38.1	20.1-56.1	14	12.8	03.0-22.6	25	39.8	22.4-57.2
45-54	76	33,235	3	4.1	00.0-09.2	9	14.2	05.0-23.4	20	26.0	14.8-37.2	11	17.3	07.5-27.1	33	38.4	26.6-50.2
55-64	105	44,606	6	5.5	00.0-11.0	4	3.6	00.0-07.5	32	27.3	18.3-36.3	22	22.0	12.6-31.4	41	41.7	30.9-52.5
65+	173	54,993	9	3.4	00.5-06.3	9	5.4	00.3-10.5	43	26.9	18.7-35.1	38	18.0	11.3-24.7	74	46.3	36.9-55.7
H.S. or G.E.D.	131	50,498	9	4.0	00.3-07.7	12	9.2	03.3-15.1	35	25.9	17.3-34.5	29	19.6	12.2-27.0	46	41.2	30.8-51.6
Some Post-H.S.	114	44,238	4	3.6	00.0-07.9	2	3.3	00.0-08.0	33	28.1	18.7-37.5	23	19.9	10.9-28.9	52	45.2	34.6-55.8
College Graduate	75	20,223	3	4.0	00.0-10.1	4	6.3	00.0-13.6	16	24.2	14.0-34.4	12	15.6	05.4-25.8	40	49.9	37.0-62.8
\$15,000- 24,999	56	18,894	2	0.2	00.0-00.6	6	12.7	01.1-24.3	20	38.4	23.9-52.9	11	19.1	06.6-31.6	17	29.6	16.7-42.5
\$25,000- 34,999	51	20,163	1	1.3	00.0-03.8	5	8.9	00.9-16.9	15	26.7	13.4-40.0	12	23.8	09.9-37.7	18	39.2	22.1-56.3
\$50,000- 99,999	53	20,402	2	6.0	00.0-14.0	1	0.1	00.0-00.3	11	20.8	08.6-33.0	10	19.6	06.5-32.7	29	53.5	38.2-68.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	206	81,023	73	38.1	30.1-46.1	50	24.5	17.2-31.8	50	22.5	15.8-29.2	16	6.4	02.7-10.1	17	8.5	04.0-13.0
Male	73	30,525	29	40.2	26.3-54.1	18	24.9	12.7-37.1	14	22.4	10.4-34.4	5	3.7	00.4-07.0	7	8.9	01.6-16.2
Female	133	50,498	44	36.9	26.9-46.9	32	24.2	15.8-32.6	36	22.6	14.6-30.6	11	8.1	02.6-13.6	10	8.3	02.8-13.8
White/Non-Hisp	145	60,285	52	37.0	28.0-46.0	39	25.7	17.7-33.7	29	21.3	13.9-28.7	12	6.4	02.3-10.5	13	9.6	04.1-15.1
55-64	71	28,082	27	36.0	23.3-48.7	20	28.1	16.9-39.3	11	17.2	06.8-27.6	6	6.7	00.6-12.8	7	11.9	02.9-20.9
65+	94	32,441	36	48.9	35.8-62.0	20	19.5	09.1-29.9	28	25.0	14.8-35.2	5	2.1	00.0-04.6	5	4.6	00.0-09.3
H.S. or G.E.D.	84	31,584	26	35.1	22.4-47.8	25	28.3	17.5-39.1	20	24.1	13.3-34.9	7	7.2	01.1-13.3	6	5.3	00.0-10.6
Some Post-H.S.	58	22,666	25	46.8	31.3-62.3	11	22.0	09.3-34.7	11	13.0	03.4-22.6	5	7.7	00.0-15.7	6	10.6	01.6-19.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes		Rarely		Never				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	73	30,525	29	40.2	27.1-53.3	18	24.9	13.7-36.1	14	22.4	11.0-33.8	5	3.7	00.4-07.0	7	8.9	01.6-16.2
White/Non-Hisp	53	21,290	20	38.8	24.7-52.9	14	24.7	13.9-35.5	9	22.5	08.2-36.8	5	5.2	00.5-09.9	5	8.7	00.3-17.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	133	50,498	44	36.9	26.9-46.9	32	24.2	15.8-32.6	36	22.6	14.8-30.4	11	8.1	02.8-13.4	10	8.3	02.8-13.8
White/Non-Hisp	92	38,995	32	36.0	25.0-47.0	25	26.3	16.9-35.7	20	20.6	12.8-28.4	7	7.0	01.5-12.5	8	10.1	03.0-17.2
65+	59	19,546	21	51.5	35.0-68.0	12	16.5	05.3-27.7	21	26.1	13.8-38.4	2	0.3	00.0-00.7	3	5.5	00.0-12.0
H.S. or G.E.D.	55	19,767	15	28.7	14.4-43.0	14	25.4	13.6-37.2	16	29.4	15.5-43.3	5	8.3	00.1-16.5	5	8.3	00.0-16.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	631	242,715	51	8.2	05.7-10.7	37	6.4	04.0-08.8	119	19.4	15.7-23.1	130	21.1	17.4-24.8	294	44.8	40.1-49.5
Male	281	109,433	13	4.8	01.9-07.7	13	4.8	02.1-07.5	60	21.4	15.5-27.3	56	22.6	16.7-28.5	139	46.4	39.5-53.3
Female	350	133,283	38	11.0	07.1-14.9	24	7.8	04.3-11.3	59	17.8	12.9-22.7	74	19.9	15.0-24.8	155	43.5	37.2-49.8
White/Non-Hisp	487	196,813	35	7.3	04.8-09.8	30	6.7	04.2-09.2	84	17.8	13.9-21.7	104	20.3	16.4-24.2	234	47.9	42.8-53.0
Black or Afr. Am./Non-Hisp	96	22,830	12	16.6	05.0-28.2	6	8.7	00.7-16.7	22	25.5	10.4-40.6	12	13.0	01.4-24.6	44	36.2	21.7-50.7
45-54	118	56,327	12	12.3	05.6-19.0	11	10.1	04.2-16.0	30	25.0	16.6-33.4	18	16.1	08.7-23.5	47	36.5	27.3-45.7
55-64	192	79,998	25	11.9	06.8-17.0	12	6.4	02.7-10.1	43	23.3	16.4-30.2	41	21.2	14.5-27.9	71	37.3	29.5-45.1
65+	321	106,390	14	3.3	01.3-05.3	14	4.5	01.4-07.6	46	13.5	08.4-18.6	71	23.7	17.8-29.6	176	54.9	47.8-62.0
Less Than H.S.	56	32,323	4	6.2	00.0-13.1	6	12.0	01.8-22.2	14	30.2	15.9-44.5	5	12.0	00.6-23.4	27	39.6	25.3-53.9
H.S. or G.E.D.	228	93,372	30	9.8	05.7-13.9	11	4.3	01.6-07.0	45	20.2	14.1-26.3	49	22.4	15.9-28.9	93	43.2	35.6-50.8
Some Post-H.S.	183	73,777	16	11.4	05.9-16.9	10	5.6	01.9-09.3	31	14.5	08.6-20.4	39	21.3	14.4-28.2	87	47.2	38.8-55.6
College Graduate	163	43,046	1	0.7	00.0-02.1	10	8.3	02.8-13.8	29	18.2	11.1-25.3	37	25.0	17.7-32.3	86	47.8	39.2-56.4
Less than \$15,000	72	28,983	16	21.2	10.6-31.8	10	15.2	06.2-24.2	15	20.6	10.4-30.8	6	7.7	01.2-14.2	25	35.3	22.4-48.2
\$15,000- 24,999	91	33,053	12	12.7	04.3-21.1	3	4.6	00.0-10.3	23	25.1	13.7-36.5	17	21.9	12.1-31.7	36	35.8	24.2-47.4
\$25,000- 34,999	90	34,300	7	9.1	02.0-16.2	7	7.9	01.8-14.0	19	21.1	10.7-31.5	23	27.5	16.1-38.9	34	34.3	22.5-46.1
\$35,000- 49,999	81	30,514	2	1.7	00.0-04.8	2	3.1	00.0-07.6	11	15.9	06.5-25.3	16	22.4	11.0-33.8	50	56.9	44.0-69.8
\$50,000- 99,999	119	46,509	1	1.5	00.0-04.4	6	5.0	00.5-09.5	28	22.7	13.9-31.5	23	19.7	11.3-28.1	61	51.1	40.7-61.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	281	109,433	13	4.8	01.9-07.7	13	4.8	02.1-07.5	60	21.4	15.5-27.3	56	22.6	16.7-28.5	139	46.4	39.5-53.3
White/Non-Hisp	225	87,212	12	6.0	02.5-09.5	13	6.0	02.7-09.3	43	19.0	13.1-24.9	45	20.1	14.2-26.0	112	48.8	41.4-56.2
55-64	89	35,830	10	11.8	04.2-19.4	6	6.7	01.2-12.2	22	23.1	13.5-32.7	18	22.8	12.4-33.2	33	35.7	24.3-47.1
65+	150	50,511	2	0.9	00.0-02.1	5	3.9	00.4-07.4	22	13.1	05.7-20.5	33	26.7	17.7-35.7	88	55.5	45.5-65.5
H.S. or G.E.D.	96	41,647	6	4.7	00.4-09.0	5	5.3	00.6-10.0	25	21.7	13.1-30.3	20	26.4	16.0-36.8	40	41.9	30.7-53.1
Some Post-H.S.	71	30,139	7	11.0	02.6-19.4	2	2.7	00.0-06.6	12	10.3	02.9-17.7	14	22.8	11.4-34.2	36	53.1	39.8-66.4
College Graduate	89	22,838	4	5.6	00.1-11.1	4	5.6	00.1-11.1	15	18.7	09.9-27.5	20	23.6	13.8-33.4	50	52.1	40.1-64.1
\$50,000- 99,999	66	26,107	2	2.4	00.0-05.9	12	16.4	06.6-26.2	15	23.7	11.5-35.9	37	57.4	44.1-70.7			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	350	133,283	38	11.0	07.3-14.7	24	7.8	04.3-11.3	59	17.8	12.9-22.7	74	19.9	15.0-24.8	155	43.5	37.2-49.8
White/Non-Hisp	262	109,601	23	8.3	04.8-11.8	17	7.3	03.4-11.2	41	16.8	11.5-22.1	59	20.5	15.2-25.8	122	47.2	40.3-54.1
Black or Afr. Am./Non-Hisp	67	14,329	12	26.4	09.5-43.3	6	13.9	01.6-26.2	11	12.5	00.2-24.8	9	7.2	00.0-14.8	29	39.9	21.7-58.1
45-54	76	33,235	11	19.0	09.0-29.0	9	14.4	05.2-23.6	14	16.8	07.6-26.0	13	18.1	08.3-27.9	29	31.7	20.5-42.9
55-64	103	44,168	15	11.9	04.8-19.0	6	6.3	01.0-11.6	21	23.4	13.8-33.0	23	19.9	11.3-28.5	38	38.6	28.0-49.2
65+	171	55,880	12	5.6	01.9-09.3	9	5.1	00.2-10.0	24	14.0	07.3-20.7	38	21.0	13.6-28.4	88	54.4	45.0-63.8
H.S. or G.E.D.	132	51,726	24	14.0	07.5-20.5	6	3.5	00.2-06.8	20	19.0	10.6-27.4	29	19.3	11.5-27.1	53	44.3	33.9-54.7
Some Post-H.S.	112	43,639	9	11.7	04.3-19.1	8	7.6	02.1-13.1	19	17.4	09.2-25.6	25	20.2	11.6-28.8	51	43.1	32.1-54.1
College Graduate	74	20,207	1	1.6	00.0-04.7	6	11.5	01.7-21.3	14	17.5	06.7-28.3	17	26.6	16.0-37.2	36	42.9	30.4-55.4
\$15,000- 24,999	54	18,239	10	18.1	05.4-30.8	2	5.5	00.0-14.3	14	26.7	11.4-42.0	12	23.8	12.8-34.8	16	25.9	12.2-39.6
\$25,000- 34,999	51	20,163	4	6.4	00.0-13.3	5	9.3	00.7-17.9	6	12.0	03.2-20.8	17	35.6	19.3-51.9	19	36.6	20.5-52.7
\$50,000- 99,999	53	20,402	1	3.4	00.0-10.1	4	8.3	00.0-17.3	16	30.7	16.2-45.2	8	14.6	04.0-25.2	24	42.9	28.6-57.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	634	243,523	300	45.5	41.0-50.0	334	54.5	50.0-59.0
Male	283	110,357	117	39.0	32.3-45.7	166	61.0	54.3-67.7
Female	351	133,166	183	50.9	44.8-57.0	168	49.1	43.0-55.2
White/Non-Hisp	487	196,553	229	45.1	40.2-50.0	258	54.9	50.0-59.8
Black or Afr. Am./Non-Hisp	97	23,169	47	51.9	36.4-67.4	50	48.1	32.6-63.6
45-54	117	56,575	55	43.9	33.9-53.9	62	56.1	46.1-66.1
55-64	195	80,745	96	47.2	39.2-55.2	99	52.8	44.8-60.8
65+	322	106,203	149	45.2	38.3-52.1	173	54.8	47.9-61.7
Less Than H.S.	57	31,913	23	41.9	26.8-57.0	34	58.1	43.0-73.2
H.S. or G.E.D.	227	93,646	106	46.5	39.1-53.9	121	53.5	46.1-60.9
Some Post-H.S.	186	74,661	94	47.6	39.4-55.8	92	52.4	44.2-60.6
College Graduate	162	42,502	76	41.8	33.2-50.4	86	58.2	49.6-66.8
Less than \$15,000	73	29,176	40	54.6	41.7-67.5	33	45.4	32.5-58.3
\$15,000- 24,999	93	34,344	40	42.2	30.2-54.2	53	57.8	45.8-69.8
\$25,000- 34,999	91	34,905	51	55.6	43.1-68.1	40	44.4	31.9-56.9
\$35,000- 49,999	81	30,311	40	53.8	41.1-66.5	41	46.2	33.5-58.9
\$50,000- 99,999	119	46,509	49	39.1	29.1-49.1	70	60.9	50.9-70.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	283	110,357	117	39.0	32.3-45.7	166	61.0	54.3-67.7
White/Non-Hisp	227	88,136	95	39.7	32.4-47.0	132	60.3	53.0-67.6
55-64	90	36,114	43	44.7	33.1-56.3	47	55.3	43.7-66.9
65+	150	50,120	59	37.2	27.6-46.8	91	62.8	53.2-72.4
H.S. or G.E.D.	96	42,247	38	36.6	25.8-47.4	58	63.4	52.6-74.2
Some Post-H.S.	72	30,423	33	43.8	30.9-56.7	39	56.2	43.3-69.1
College Graduate	89	22,838	37	37.3	26.3-48.3	52	62.7	51.7-73.7
\$50,000- 99,999	66	26,107	22	32.4	19.7-45.1	44	67.6	54.9-80.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 13: COGNITIVE DECLINE**

**TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	351	133,166	183	50.9	44.8-57.0	168	49.1	43.0-55.2
White/Non-Hisp	260	108,417	134	49.6	42.9-56.3	126	50.4	43.7-57.1
Black or Afr. Am./Non-Hisp	68	14,668	37	53.2	35.2-71.2	31	46.8	28.8-64.8
45-54	74	32,452	40	51.1	38.6-63.6	34	48.9	36.4-61.4
55-64	105	44,631	53	49.1	38.5-59.7	52	50.9	40.3-61.5
65+	172	56,083	90	52.3	42.7-61.9	82	47.7	38.1-57.3
H.S. or G.E.D.	131	51,399	68	54.6	44.2-65.0	63	45.4	35.0-55.8
Some Post-H.S.	114	44,238	61	50.3	39.7-60.9	53	49.7	39.1-60.3
College Graduate	73	19,664	39	47.1	34.2-60.0	34	52.9	40.0-65.8
\$15,000- 24,999	55	18,499	29	53.3	38.0-68.6	26	46.7	31.4-62.0
\$25,000- 34,999	52	20,767	31	63.3	46.6-80.0	21	36.7	20.0-53.4
\$50,000- 99,999	53	20,402	27	47.7	32.6-62.8	26	52.3	37.2-67.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 16: Social Determinants and Health Equity CONTENTS**

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE	PAGE
IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
1 MALES AND FEMALES	70
2 MALES ONLY	71
3 FEMALES ONLY	72
HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
4 MALES AND FEMALES	73
5 MALES ONLY	74
6 FEMALES ONLY	75
HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)	
7 MALES AND FEMALES	76
8 MALES ONLY	77
9 FEMALES ONLY	78
IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)	
10 MALES AND FEMALES	79
11 MALES ONLY	80
12 FEMALES ONLY	81
DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD? (FOODSTMP)	
13 MALES AND FEMALES	82
14 MALES ONLY	83
15 FEMALES ONLY	84
DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)	
16 MALES AND FEMALES	85
17 MALES ONLY	86
18 FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 16: Social Determinants and Health Equity CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)	
19 MALES AND FEMALES	88
20 MALES ONLY	89
21 FEMALES ONLY	90
DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)	
22 MALES AND FEMALES	91
23 MALES ONLY	92
24 FEMALES ONLY	93
DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)	
25 MALES AND FEMALES	94
26 MALES ONLY	95
27 FEMALES ONLY	96
STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)	
28 MALES AND FEMALES	97
29 MALES ONLY	98
30 FEMALES ONLY	99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 1: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8403	4,122,475	3551	40.4	39.0-41.8	4338	53.1	51.7-54.5	400	5.0	04.4-05.6	114	1.5	01.1-01.9
Male	3822	2,000,754	1628	40.5	38.5-42.5	1943	52.4	50.4-54.4	201	5.7	04.7-06.7	50	1.5	00.9-02.1
Female	4581	2,121,722	1923	40.3	38.5-42.1	2395	53.9	51.9-55.9	199	4.3	03.5-05.1	64	1.5	01.1-01.9
White/Non-Hisp	6392	3,158,239	2803	42.0	40.4-43.6	3208	51.8	50.2-53.4	290	4.7	04.1-05.3	91	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	1047	357,088	372	33.5	29.0-38.0	604	57.4	52.7-62.1	59	7.0	04.6-09.4	12	2.0	00.2-03.8
Oth. Race/Non-Hisp.	148	113,783	54	37.2	27.0-47.4	90	58.6	48.4-68.8	4	4.2	00.0-08.7			
MultiRacial/Non-Hisp.	139	116,333	48	27.4	18.8-36.0	75	60.2	50.4-70.0	12	8.0	03.3-12.7	4	4.4	00.0-08.9
Hispanic	445	279,569	170	37.1	31.6-42.6	250	58.0	52.3-63.7	23	4.5	02.1-06.9	2	0.4	00.0-01.0
18-24	445	492,603	122	28.5	23.6-33.4	279	63.4	58.3-68.5	36	6.7	04.3-09.1	8	1.4	00.4-02.4
25-34	772	657,942	275	36.4	32.7-40.1	439	55.8	51.9-59.7	45	6.2	04.2-08.2	13	1.6	00.6-02.6
35-44	1071	651,152	424	39.9	36.6-43.2	568	53.4	50.1-56.7	63	5.2	03.8-06.6	16	1.6	00.6-02.6
45-54	1326	628,050	552	42.2	39.1-45.3	673	50.0	46.9-53.1	76	5.4	04.0-06.8	25	2.4	01.2-03.6
55-64	1640	692,543	725	44.5	41.8-47.2	808	49.9	47.0-52.8	84	4.2	03.2-05.2	23	1.5	00.7-02.3
65+	3149	1,000,185	1453	45.4	43.0-47.8	1571	50.4	48.0-52.8	96	3.4	02.4-04.4	29	0.9	00.5-01.3
Less Than H.S.	493	433,178	159	35.4	30.1-40.7	296	58.6	53.3-63.9	24	3.5	01.7-05.3	14	2.5	00.9-04.1
H.S. or G.E.D.	2417	1,335,884	900	35.9	33.5-38.3	1322	56.0	53.6-58.4	156	6.2	05.0-07.4	39	1.9	01.1-02.7
Some Post-H.S.	2295	1,269,840	886	38.6	36.2-41.0	1238	53.8	51.3-56.3	138	6.2	05.0-07.4	33	1.4	00.8-02.0
College Graduate	3168	1,072,841	1593	50.1	47.9-52.3	1467	46.6	44.4-48.8	81	2.6	02.0-03.2	27	0.7	00.5-00.9
Less than \$15,000	442	210,416	102	21.4	16.5-26.3	261	61.2	55.3-67.1	61	13.3	09.4-17.2	18	4.1	01.9-06.3
\$15,000- 24,999	744	343,156	211	26.5	22.4-30.6	438	60.6	56.1-65.1	67	8.7	06.3-11.1	28	4.2	02.2-06.2
\$25,000- 34,999	870	402,005	267	30.0	26.3-33.7	516	57.9	53.8-62.0	77	10.6	08.1-13.1	10	1.6	00.6-02.6
\$35,000- 49,999	1023	508,238	352	32.2	28.5-35.9	611	61.5	57.6-65.4	48	5.3	03.5-07.1	12	1.0	00.2-01.8
\$50,000- 99,999	2114	1,067,274	960	44.3	41.6-47.0	1075	51.7	49.0-54.4	64	3.3	02.3-04.3	15	0.8	00.2-01.4
\$100,000- 199,999	1386	701,396	764	53.6	50.5-56.7	594	44.6	41.5-47.7	22	1.3	00.7-01.9	6	0.6	00.0-01.2
\$200,000+	307	150,032	210	66.1	59.6-72.6	93	32.0	25.7-38.3	3	1.5	00.0-03.3	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 2: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3822	2,000,754	1628	40.5	38.5-42.5	1943	52.4	50.4-54.4	201	5.7	04.7-06.7	50	1.5	00.9-02.1
White/Non-Hisp	2965	1,513,237	1296	41.9	39.7-44.1	1481	51.3	49.1-53.5	149	5.5	04.5-06.5	39	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	341	166,489	131	36.2	28.9-43.5	183	52.9	45.5-60.3	22	7.4	03.7-11.1	5	3.5	00.0-07.0
Oth. Race/Non-Hisp.	88	62,767	29	35.3	21.6-49.0	56	60.5	46.8-74.2	3	4.2	00.0-09.1			
MultiRacial/Non-Hisp.	69	56,902	28	34.9	22.0-47.8	33	50.5	36.8-64.2	6	8.5	01.6-15.4	2	6.1	00.0-14.5
Hispanic	229	142,272	83	34.3	27.0-41.6	130	59.9	52.5-67.3	14	5.0	01.9-08.1	2	0.8	00.0-02.0
18-24	253	249,134	65	25.8	19.3-32.3	157	63.1	56.2-70.0	26	9.3	05.6-13.0	5	1.8	00.0-03.6
25-34	379	341,928	137	36.2	30.7-41.7	204	53.1	47.4-58.8	29	8.5	05.2-11.8	9	2.2	00.6-03.8
35-44	501	321,040	184	38.4	33.5-43.3	277	54.7	49.8-59.6	34	5.6	03.6-07.6	6	1.3	00.0-02.7
45-54	613	309,895	264	43.1	38.6-47.6	312	50.6	46.1-55.1	29	4.4	02.8-06.0	8	1.9	00.1-03.7
55-64	775	337,111	358	45.5	41.4-49.6	362	48.5	44.4-52.6	45	4.7	03.1-06.3	10	1.3	00.3-02.3
65+	1301	441,645	620	47.9	44.6-51.2	631	48.2	44.9-51.5	38	3.0	01.8-04.2	12	0.9	00.3-01.5
Less Than H.S.	238	216,675	80	37.7	30.1-45.3	139	57.1	49.5-64.7	12	2.8	00.8-04.8	7	2.4	00.2-04.6
H.S. or G.E.D.	1127	677,098	414	34.8	31.7-37.9	607	55.4	52.1-58.7	85	7.3	05.5-09.1	21	2.6	01.2-04.0
Some Post-H.S.	1020	613,288	409	39.9	36.4-43.4	530	51.8	48.1-55.5	67	7.3	05.3-09.3	14	1.0	00.4-01.6
College Graduate	1424	488,473	721	50.5	47.6-53.4	659	46.5	43.6-49.4	37	2.6	01.6-03.6	7	0.3	00.1-00.5
Less than \$15,000	182	94,944	33	18.2	11.7-24.7	110	60.7	52.1-69.3	33	17.7	10.6-24.8	6	3.4	00.3-06.5
\$15,000- 24,999	272	140,817	81	28.8	22.1-35.5	146	54.8	47.5-62.1	31	11.0	06.9-15.1	14	5.4	01.9-08.9
\$25,000- 34,999	349	174,113	107	27.9	22.2-33.6	204	59.1	52.8-65.4	34	11.5	07.2-15.8	4	1.6	00.0-03.2
\$35,000- 49,999	446	232,807	157	31.7	26.4-37.0	263	60.9	55.2-66.6	23	6.3	03.4-09.2	3	1.2	00.0-02.6
\$50,000- 99,999	1057	570,101	475	44.7	41.0-48.4	536	50.4	46.5-54.3	39	4.1	02.5-05.7	7	0.8	00.0-01.6
\$100,000- 199,999	738	380,653	406	53.3	49.2-57.4	318	45.3	41.2-49.4	13	1.4	00.6-02.2	1	0.1	00.0-00.3
\$200,000+	168	82,244	111	62.4	53.4-71.4	53	34.1	25.3-42.9	3	2.7	00.0-06.0	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 3: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4581	2,121,722	1923	40.3	38.5-42.1	2395	53.9	51.9-55.9	199	4.3	03.5-05.1	64	1.5	01.1-01.9
White/Non-Hisp	3427	1,645,002	1507	42.1	40.1-44.1	1727	52.3	50.3-54.3	141	4.0	03.2-04.8	52	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	706	190,599	241	31.2	25.3-37.1	421	61.4	55.3-67.5	37	6.7	03.8-09.6	7	0.8	00.0-01.6
Oth. Race/Non-Hisp.	60	51,015	25	39.5	24.4-54.6	34	56.3	40.6-72.0	1	4.2	00.0-12.2			
MultiRacial/Non-Hisp.	70	59,431	20	20.2	09.6-30.8	42	69.6	56.9-82.3	6	7.5	01.4-13.6	2	2.7	00.0-06.4
Hispanic	216	137,297	87	40.1	31.9-48.3	120	56.0	47.6-64.4	9	4.0	00.7-07.3			
18-24	192	243,469	57	31.3	23.9-38.7	122	63.7	56.1-71.3	10	4.1	01.4-06.8	3	0.9	00.0-02.1
25-34	393	316,013	138	36.6	31.3-41.9	235	58.8	53.5-64.1	16	3.7	01.7-05.7	4	0.9	00.0-01.9
35-44	570	330,112	240	41.3	36.8-45.8	291	52.1	47.6-56.6	29	4.8	03.0-06.6	10	1.8	00.4-03.2
45-54	713	318,155	288	41.3	37.2-45.4	361	49.3	45.0-53.6	47	6.5	04.5-08.5	17	2.9	01.1-04.7
55-64	865	355,431	367	43.5	39.6-47.4	446	51.1	47.2-55.0	39	3.7	02.3-05.1	13	1.7	00.7-02.7
65+	1848	558,541	833	43.3	40.2-46.4	940	52.1	49.0-55.2	58	3.7	02.5-04.9	17	0.9	00.3-01.5
Less Than H.S.	255	216,503	79	33.0	25.7-40.3	157	60.0	52.6-67.4	12	4.3	01.6-07.0	7	2.7	00.3-05.1
H.S. or G.E.D.	1290	658,786	486	37.2	33.9-40.5	715	56.6	53.1-60.1	71	5.0	03.6-06.4	18	1.2	00.6-01.8
Some Post-H.S.	1275	656,552	477	37.4	34.1-40.7	708	55.7	52.4-59.0	71	5.1	03.7-06.5	19	1.8	00.8-02.8
College Graduate	1744	584,368	872	49.8	46.9-52.7	808	46.6	43.7-49.5	44	2.6	01.6-03.6	20	1.0	00.6-01.4
Less than \$15,000	260	115,472	69	24.1	17.2-31.0	151	61.6	53.8-69.4	28	9.7	05.6-13.8	12	4.6	01.7-07.5
\$15,000- 24,999	472	202,339	130	24.9	19.6-30.2	292	64.6	58.9-70.3	36	7.0	04.3-09.7	14	3.4	01.2-05.6
\$25,000- 34,999	521	227,892	160	31.6	26.5-36.7	312	57.0	51.5-62.5	43	9.8	06.5-13.1	6	1.6	00.2-03.0
\$35,000- 49,999	577	275,431	195	32.7	27.6-37.8	348	62.0	56.7-67.3	25	4.5	02.3-06.7	9	0.9	00.1-01.7
\$50,000- 99,999	1057	497,173	485	43.9	40.2-47.6	539	53.1	49.4-56.8	25	2.3	01.3-03.3	8	0.7	00.1-01.3
\$100,000- 199,999	648	320,742	358	54.0	49.3-58.7	276	43.8	39.3-48.3	9	1.1	00.3-01.9	5	1.1	00.0-02.3
\$200,000+	139	67,788	99	70.6	61.8-79.4	40	29.4	20.6-38.2						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 4: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	8348	4,104,709	4025	46.9	45.5-48.3	2517	29.9	28.7-31.1	1136	14.5	13.5-15.5	340	4.5	03.9-05.1	330	4.2	03.6-04.8
Male	3773	1,983,761	1825	46.9	44.9-48.9	1070	28.1	26.3-29.9	492	13.7	12.3-15.1	178	5.5	04.5-06.5	208	5.8	04.8-06.8
Female	4575	2,120,948	2200	46.8	44.8-48.8	1447	31.6	29.8-33.4	644	15.2	13.6-16.8	162	3.7	03.1-04.3	122	2.7	02.1-03.3
White/Non-Hisp	6357	3,143,069	3065	47.6	46.0-49.2	2050	31.6	30.2-33.0	813	13.7	12.7-14.7	237	3.9	03.3-04.5	192	3.1	02.5-03.7
Black or Afr. Am./Non-Hisp	1038	360,176	530	46.5	41.8-51.2	224	21.7	17.8-25.6	176	17.6	13.9-21.3	48	7.2	04.8-09.6	60	7.0	04.5-09.5
Oth. Race/Non-Hisp.	149	117,000	74	49.1	38.9-59.3	30	19.4	11.6-27.2	28	18.8	10.8-26.8	5	2.6	00.0-05.5	12	10.1	03.2-17.0
MultiRacial/Non-Hisp.	135	112,543	57	38.4	28.6-48.2	44	30.2	21.0-39.4	15	17.1	07.1-27.1	10	9.4	02.9-15.9	9	4.9	01.0-08.8
Hispanic	440	275,914	186	42.6	36.9-48.3	116	26.7	21.6-31.8	68	14.6	10.3-18.9	28	6.1	03.6-08.6	42	10.0	06.7-13.3
18-24	450	499,708	163	34.7	29.6-39.8	148	34.3	29.0-39.6	96	21.9	17.4-26.4	31	5.8	03.6-08.0	12	3.3	01.1-05.5
25-34	772	656,978	327	43.1	39.2-47.0	266	33.3	29.6-37.0	125	16.0	13.1-18.9	36	4.7	03.1-06.3	18	2.9	01.5-04.3
35-44	1069	651,197	440	42.6	39.3-45.9	356	31.1	28.2-34.0	172	15.7	13.3-18.1	60	5.9	04.3-07.5	41	4.8	03.2-06.4
45-54	1317	625,785	605	47.1	44.0-50.2	410	29.4	26.7-32.1	186	13.9	11.7-16.1	71	5.7	04.1-07.3	45	3.9	02.7-05.1
55-64	1632	690,055	808	51.6	48.7-54.5	489	28.9	26.4-31.4	216	11.9	10.1-13.7	60	3.5	02.5-04.5	59	4.1	02.9-05.3
65+	3108	980,985	1682	54.9	52.5-57.3	848	25.8	23.8-27.8	341	11.0	09.4-12.6	82	2.9	02.1-03.7	155	5.4	04.2-06.6
Less Than H.S.	488	433,450	223	45.7	40.2-51.2	81	18.0	13.9-22.1	85	18.6	14.1-23.1	33	5.8	03.6-08.0	66	11.9	08.6-15.2
H.S. or G.E.D.	2390	1,323,136	1190	47.4	44.9-49.9	578	26.7	24.3-29.1	367	15.5	13.5-17.5	137	5.7	04.5-06.9	118	4.6	03.6-05.6
Some Post-H.S.	2282	1,268,658	1096	46.5	44.0-49.0	649	30.2	27.8-32.6	344	14.9	13.1-16.7	108	4.9	03.9-05.9	85	3.3	02.3-04.3
College Graduate	3158	1,068,733	1500	47.0	44.8-49.2	1201	38.4	36.4-40.4	337	11.0	09.6-12.4	61	2.1	01.5-02.7	59	1.6	01.0-02.2
Less than \$15,000	447	212,991	168	36.8	31.1-42.5	82	18.2	13.5-22.9	94	20.0	14.9-25.1	56	13.4	09.5-17.3	47	11.6	07.7-15.5
\$15,000- 24,999	739	342,935	308	40.6	35.9-45.3	168	21.4	17.7-25.1	159	21.8	17.9-25.7	52	9.1	06.4-11.8	52	7.1	04.7-09.5
\$25,000- 34,999	862	398,394	409	47.4	43.3-51.5	214	23.4	19.9-26.9	149	17.2	14.1-20.3	47	6.9	04.7-09.1	43	5.1	03.1-07.1
\$35,000- 49,999	1017	507,781	469	44.5	40.6-48.4	321	31.5	27.8-35.2	121	12.8	10.1-15.5	51	5.8	04.0-07.6	55	5.4	03.6-07.2
\$50,000- 99,999	2104	1,066,987	1037	49.0	46.3-51.7	701	32.2	29.7-34.7	262	13.7	11.7-15.7	50	2.6	01.8-03.4	54	2.5	01.7-03.3
\$100,000- 199,999	1374	694,648	715	52.1	49.0-55.2	502	35.2	32.3-38.1	116	9.5	07.5-11.5	25	1.9	01.1-02.7	16	1.4	00.6-02.2
\$200,000+	307	150,032	164	50.8	44.3-57.3	110	37.1	30.8-43.4	24	9.4	05.3-13.5	2	0.8	00.0-02.0	7	2.0	00.4-03.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 5: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3773	1,983,761	1825	46.9	44.9-48.9	1070	28.1	26.3-29.9	492	13.7	12.3-15.1	178	5.5	04.5-06.5	208	5.8	04.8-06.8
White/Non-Hisp	2929	1,497,430	1442	48.1	45.9-50.3	875	29.7	27.7-31.7	360	13.2	11.6-14.8	122	4.6	03.6-05.6	130	4.4	03.4-05.4
Black or Afr. Am./Non-Hisp	337	168,590	172	48.6	41.3-55.9	65	17.9	12.6-23.2	53	15.7	10.2-21.2	18	7.4	03.7-11.1	29	10.3	05.6-15.0
Oth. Race/Non-Hisp.	88	65,174	38	43.8	30.1-57.5	19	21.3	10.7-31.9	21	20.3	11.1-29.5	4	4.6	00.0-09.7	6	10.0	00.4-19.6
MultiRacial/Non-Hisp.	66	55,821	29	44.0	30.3-57.7	23	29.2	17.2-41.2	4	8.5	00.5-16.5	6	13.2	02.6-23.8	4	5.1	00.0-11.4
Hispanic	226	138,747	83	37.7	30.1-45.3	62	27.8	20.7-34.9	32	13.4	08.5-18.3	20	7.7	04.0-11.4	29	13.4	08.3-18.5
18-24	255	253,315	93	35.8	28.7-42.9	80	33.9	27.0-40.8	51	17.9	12.8-23.0	22	8.0	04.5-11.5	9	4.3	01.0-07.6
25-34	377	340,022	158	43.2	37.5-48.9	126	31.1	26.0-36.2	57	15.4	11.3-19.5	23	6.0	03.5-08.5	13	4.3	01.8-06.8
35-44	500	321,680	199	41.3	36.4-46.2	158	29.8	25.5-34.1	82	15.4	11.9-18.9	35	6.7	04.3-09.1	26	6.9	04.0-09.8
45-54	599	304,760	270	47.0	42.5-51.5	196	29.7	25.8-33.6	76	12.7	09.8-15.6	31	5.7	03.3-08.1	26	4.9	02.9-06.9
55-64	765	332,414	389	52.1	48.0-56.2	216	26.4	22.9-29.9	85	10.9	08.4-13.4	30	4.3	02.7-05.9	45	6.3	04.1-08.5
65+	1277	431,570	716	56.5	53.2-59.8	294	21.4	18.7-24.1	141	11.3	08.9-13.7	37	3.3	01.9-04.7	89	7.4	05.6-09.2
Less Than H.S.	235	217,217	97	46.0	38.4-53.6	37	15.9	10.6-21.2	40	14.9	10.0-19.8	19	6.9	03.4-10.4	42	16.3	10.8-21.8
H.S. or G.E.D.	1102	665,680	538	46.3	42.8-49.8	259	25.8	22.7-28.9	159	15.0	12.5-17.5	73	6.6	04.8-08.4	73	6.3	04.5-08.1
Some Post-H.S.	1011	611,689	486	46.7	43.0-50.4	268	28.7	25.4-32.0	151	14.3	11.8-16.8	55	6.1	04.3-07.9	51	4.3	02.9-05.7
College Graduate	1412	484,295	699	48.6	45.7-51.5	503	36.1	33.2-39.0	140	10.5	08.5-12.5	30	2.4	01.4-03.4	40	2.3	01.5-03.1
Less than \$15,000	183	96,208	57	32.3	23.9-40.7	36	18.9	12.2-25.6	34	16.3	10.4-22.2	30	15.4	09.5-21.3	26	17.2	09.9-24.5
\$15,000- 24,999	268	139,024	98	34.5	27.6-41.4	48	16.8	11.3-22.3	62	23.3	17.0-29.6	26	12.6	07.5-17.7	34	12.8	07.9-17.7
\$25,000- 34,999	338	169,008	165	47.9	41.4-54.4	65	19.5	14.4-24.6	58	17.2	12.3-22.1	24	8.5	04.8-12.2	26	6.8	03.7-09.9
\$35,000- 49,999	442	233,461	206	44.8	39.1-50.5	122	27.2	22.1-32.3	56	13.2	09.3-17.1	27	7.7	04.6-10.8	31	7.1	04.2-10.0
\$50,000- 99,999	1048	568,559	534	50.8	46.9-54.7	316	29.8	26.3-33.3	127	12.7	10.2-15.2	30	3.2	02.0-04.4	41	3.5	02.1-04.9
\$100,000- 199,999	726	374,093	381	51.9	47.8-56.0	265	35.6	31.7-39.5	58	9.0	06.5-11.5	8	1.4	00.2-02.6	14	2.1	00.7-03.5
\$200,000+	168	82,244	94	55.8	46.8-64.8	51	29.0	21.0-37.0	15	11.0	04.9-17.1	2	1.4	00.0-03.4	6	2.8	00.4-05.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 6: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4575	2,120,948	2200	46.8	44.8-48.8	1447	31.6	29.8-33.4	644	15.2	13.8-16.6	162	3.7	03.1-04.3	122	2.7	02.1-03.3
White/Non-Hisp	3428	1,645,639	1623	47.2	45.0-49.4	1175	33.4	31.4-35.4	453	14.2	12.8-15.6	115	3.3	02.5-04.1	62	1.9	01.3-02.5
Black or Afr. Am./Non-Hisp	701	191,587	358	44.6	38.5-50.7	159	25.1	19.6-30.6	123	19.2	14.1-24.3	30	7.0	03.9-10.1	31	4.1	01.6-06.6
Oth. Race/Non-Hisp.	61	51,826	36	55.8	39.9-71.7	11	17.0	05.4-28.6	7	16.8	02.5-31.1	1	0.1	00.0-00.3	6	10.2	01.0-19.4
MultiRacial/Non-Hisp.	69	56,722	28	32.8	19.3-46.3	21	31.3	17.2-45.4	11	25.5	08.8-42.2	4	5.7	00.0-12.8	5	4.6	00.1-09.1
Hispanic	214	137,166	103	47.6	39.2-56.0	54	25.7	18.4-33.0	36	15.8	08.7-22.9	8	4.4	00.9-07.9	13	6.5	02.2-10.8
18-24	195	246,393	70	33.6	26.3-40.9	68	34.6	26.8-42.4	45	26.1	18.5-33.7	9	3.5	01.0-06.0	3	2.3	00.0-04.8
25-34	395	316,956	169	43.0	37.5-48.5	140	35.7	30.4-41.0	68	16.6	12.5-20.7	13	3.4	01.4-05.4	5	1.3	00.0-02.7
35-44	569	329,517	241	43.8	39.3-48.3	198	32.3	28.2-36.4	90	16.0	12.7-19.3	25	5.1	02.9-07.3	15	2.8	01.2-04.4
45-54	718	321,025	335	47.2	42.9-51.5	214	29.0	25.3-32.7	110	15.1	12.2-18.0	40	5.7	03.7-07.7	19	3.0	01.6-04.4
55-64	867	357,642	419	51.2	47.3-55.1	273	31.2	27.7-34.7	131	12.9	10.4-15.4	30	2.7	01.5-03.9	14	2.1	00.9-03.3
65+	1831	549,415	966	53.6	50.5-56.7	554	29.3	26.6-32.0	200	10.7	08.9-12.5	45	2.6	01.6-03.6	66	3.8	02.4-05.2
Less Than H.S.	253	216,234	126	45.4	38.0-52.8	44	20.1	14.0-26.2	45	22.4	15.3-29.5	14	4.6	02.1-07.1	24	7.6	03.9-11.3
H.S. or G.E.D.	1288	657,456	652	48.5	45.0-52.0	319	27.7	24.4-31.0	208	16.0	13.3-18.7	64	4.8	03.4-06.2	45	3.0	01.8-04.2
Some Post-H.S.	1271	656,969	610	46.4	43.1-49.7	381	31.7	28.6-34.8	193	15.5	13.0-18.0	53	3.9	02.7-05.1	34	2.4	01.4-03.4
College Graduate	1746	584,437	801	45.6	42.7-48.5	698	40.3	37.6-43.0	197	11.4	09.6-13.2	31	1.8	01.0-02.6	19	0.9	00.3-01.5
Less than \$15,000	264	116,783	111	40.5	32.7-48.3	46	17.6	11.1-24.1	60	23.1	15.3-30.9	26	11.7	06.4-17.0	21	7.0	03.5-10.5
\$15,000- 24,999	471	203,911	210	44.7	38.8-50.6	120	24.5	19.6-29.4	97	20.7	16.2-25.2	26	6.8	03.9-09.7	18	3.3	01.5-05.1
\$25,000- 34,999	524	229,385	244	47.0	41.7-52.3	149	26.2	21.7-30.7	91	17.2	13.3-21.1	23	5.7	03.0-08.4	17	3.9	01.5-06.3
\$35,000- 49,999	575	274,320	263	44.2	38.7-49.7	199	35.2	29.7-40.7	65	12.5	08.8-16.2	24	4.2	02.2-06.2	24	3.9	01.7-06.1
\$50,000- 99,999	1056	498,428	503	47.0	43.3-50.7	385	35.0	31.5-38.5	135	14.9	11.8-18.0	20	1.8	00.8-02.8	13	1.3	00.5-02.1
\$100,000- 199,999	648	320,555	334	52.3	47.6-57.0	237	34.6	30.3-38.9	58	10.1	07.0-13.2	17	2.5	01.1-03.9	2	0.6	00.0-01.4
\$200,000+	139	67,788	70	44.6	35.2-54.0	59	46.8	37.2-56.4	9	7.5	01.8-13.2				1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 7: HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8375	4,109,804	251	3.6	03.0-04.2	406	5.6	05.0-06.2	1672	21.6	20.4-22.8	2385	28.6	27.4-29.8	3661	40.6	39.2-42.0
Male	3804	1,993,734	122	3.9	03.1-04.7	199	6.0	05.0-07.0	704	19.7	18.1-21.3	1019	26.9	25.1-28.7	1760	43.5	41.5-45.5
Female	4571	2,116,070	129	3.3	02.5-04.1	207	5.2	04.2-06.2	968	23.4	21.6-25.2	1366	30.2	28.4-32.0	1901	37.9	36.1-39.7
White/Non-Hisp	6373	3,144,521	168	2.8	02.2-03.4	295	5.1	04.3-05.9	1228	20.8	19.4-22.2	1954	30.4	29.0-31.8	2728	40.8	39.4-42.2
Black or Afr. Am./Non-Hisp	1042	357,653	38	4.9	02.5-07.3	43	5.8	03.6-08.0	227	27.3	22.8-31.8	210	19.7	16.0-23.4	524	42.2	37.5-46.9
Oth. Race/Non-Hisp.	148	115,934	4	4.4	00.0-09.9	4	2.0	00.0-04.2	38	20.4	12.4-28.4	43	31.1	21.9-40.3	59	42.1	31.7-52.5
MultiRacial/Non-Hisp.	135	115,425	6	6.7	01.2-12.2	11	12.2	03.6-20.8	24	20.6	11.6-29.6	35	23.4	15.4-31.4	59	37.1	27.3-46.9
Hispanic	442	276,172	27	9.1	05.4-12.8	42	8.8	05.9-11.7	101	23.5	18.8-28.2	97	24.4	19.1-29.7	175	34.2	28.9-39.5
18-24	448	493,046	22	4.6	02.4-06.8	42	8.7	05.8-11.6	152	34.4	29.3-39.5	146	33.0	27.9-38.1	86	19.2	14.9-23.5
25-34	773	659,526	24	3.2	01.8-04.6	61	8.8	06.4-11.2	224	27.9	24.4-31.4	240	29.9	26.4-33.4	224	30.2	26.5-33.9
35-44	1069	651,892	46	4.9	03.3-06.5	78	6.8	05.2-08.4	209	19.0	16.5-21.5	355	31.9	28.8-35.0	381	37.3	34.0-40.6
45-54	1319	621,809	47	4.5	02.9-06.1	63	5.0	03.6-06.4	244	18.8	16.4-21.2	410	28.9	26.2-31.6	555	42.9	39.8-46.0
55-64	1634	690,228	49	3.3	02.1-04.5	59	3.2	02.2-04.2	312	18.6	16.4-20.8	435	26.0	23.6-28.4	779	48.9	46.0-51.8
65+	3132	993,302	63	2.3	01.5-03.1	103	3.1	02.3-03.9	531	16.5	14.7-18.3	799	25.0	23.0-27.0	1636	53.1	50.7-55.5
Less Than H.S.	488	433,007	38	8.6	05.5-11.7	39	9.3	05.8-12.8	113	23.7	19.0-28.4	73	16.6	12.5-20.7	225	41.9	36.6-47.2
H.S. or G.E.D.	2415	1,334,767	105	4.5	03.5-05.5	139	5.9	04.7-07.1	483	21.6	19.4-23.8	542	24.4	22.2-26.6	1146	43.6	41.2-46.0
Some Post-H.S.	2285	1,265,171	72	3.2	02.4-04.0	117	5.6	04.4-06.8	476	22.3	20.1-24.5	676	31.5	29.1-33.9	944	37.4	35.0-39.8
College Graduate	3155	1,065,252	33	1.0	00.6-01.4	108	3.7	02.9-04.5	595	19.8	18.0-21.6	1089	35.4	33.4-37.4	1330	40.1	38.1-42.1
Less than \$15,000	441	210,835	43	10.2	06.9-13.5	51	12.0	07.9-16.1	120	29.6	23.7-35.5	79	17.9	13.2-22.6	148	30.3	25.0-35.6
\$15,000- 24,999	745	346,204	43	7.3	04.6-10.0	51	7.4	05.0-09.8	193	26.3	22.2-30.4	163	23.0	19.1-26.9	295	36.0	31.5-40.5
\$25,000- 34,999	865	401,380	39	5.7	03.5-07.9	61	7.1	04.9-09.3	204	25.6	21.9-29.3	195	22.4	19.1-25.7	366	39.3	35.4-43.2
\$35,000- 49,999	1018	502,008	30	3.2	01.8-04.6	54	6.3	04.3-08.3	200	21.4	18.1-24.7	294	28.8	25.3-32.3	440	40.3	36.6-44.0
\$50,000- 99,999	2108	1,064,729	40	2.2	01.4-03.0	76	4.4	03.2-05.6	422	21.9	19.5-24.3	665	31.1	28.6-33.6	905	40.4	37.7-43.1
\$100,000- 199,999	1381	697,787	10	1.1	00.3-01.9	35	2.5	01.5-03.5	223	18.0	15.5-20.5	481	33.8	30.9-36.7	632	44.5	41.4-47.6
\$200,000+	307	150,032	3	1.5	00.0-03.3	8	3.0	00.6-05.4	29	9.5	05.6-13.4	111	35.1	28.8-41.4	156	50.9	44.4-57.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 8: HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3804	1,993,734	122	3.9	03.1-04.7	199	6.0	05.0-07.0	704	19.7	18.1-21.3	1019	26.9	25.1-28.7	1760	43.5	41.5-45.5
White/Non-Hisp	2947	1,506,139	74	2.6	02.0-03.2	142	5.6	04.4-06.8	534	19.6	17.8-21.4	834	28.4	26.4-30.4	1363	43.8	41.6-46.0
Black or Afr. Am./Non-Hisp	339	166,208	18	7.0	02.9-11.1	16	6.4	02.9-09.9	70	24.2	17.5-30.9	63	16.1	11.2-21.0	172	46.3	38.9-53.7
Oth. Race/Non-Hisp.	88	64,699	4	7.8	00.0-17.2	2	2.5	00.0-06.2	22	17.4	09.6-25.2	29	34.1	21.8-46.4	31	38.3	24.4-52.2
MultiRacial/Non-Hisp.	68	56,822	3	9.3	00.0-19.3	4	4.8	00.0-09.7	8	14.1	04.5-23.7	16	25.0	13.2-36.8	37	46.8	33.1-60.5
Hispanic	228	139,718	16	9.2	04.3-14.1	29	11.6	07.3-15.9	47	20.8	14.9-26.7	51	24.5	17.4-31.6	85	33.9	26.6-41.2
18-24	255	253,315	10	4.5	01.4-07.6	27	9.4	05.7-13.1	81	31.5	24.8-38.2	78	32.9	26.0-39.8	59	21.8	15.9-27.7
25-34	378	341,614	14	3.5	01.5-05.5	33	9.7	06.2-13.2	91	22.7	18.2-27.2	129	32.0	26.9-37.1	111	32.1	26.6-37.6
35-44	501	322,640	25	6.3	03.6-09.0	44	7.6	05.2-10.0	95	17.7	14.0-21.4	163	30.5	26.2-34.8	174	37.9	33.0-42.8
45-54	603	302,203	24	5.0	02.6-07.4	25	4.5	02.7-06.3	101	16.8	13.5-20.1	174	25.4	21.7-29.1	279	48.4	43.9-52.9
55-64	768	333,513	23	3.2	01.6-04.8	27	3.3	01.9-04.7	133	17.7	14.4-21.0	192	23.3	20.0-26.6	393	52.5	48.4-56.6
65+	1299	440,449	26	2.0	01.0-03.0	43	3.2	02.0-04.4	203	15.5	13.0-18.0	283	20.7	18.0-23.4	744	58.7	55.4-62.0
Less Than H.S.	235	215,866	24	11.2	06.3-16.1	20	8.0	04.3-11.7	50	19.8	14.1-25.5	28	13.2	07.3-19.1	113	47.8	40.2-55.4
H.S. or G.E.D.	1125	677,860	45	4.0	02.6-05.4	73	7.0	05.2-08.8	222	20.8	17.9-23.7	230	23.4	20.3-26.5	555	44.8	41.5-48.1
Some Post-H.S.	1015	610,166	37	3.5	02.3-04.7	55	6.0	04.0-08.0	194	20.3	17.4-23.2	286	29.9	26.6-33.2	443	40.4	36.9-43.9
College Graduate	1414	484,087	15	1.0	00.4-01.6	51	4.0	02.8-05.2	234	17.1	14.7-19.5	473	34.4	31.5-37.3	641	43.5	40.6-46.4
Less than \$15,000	180	94,200	22	13.8	07.7-19.9	22	12.8	06.5-19.1	51	30.1	21.7-38.5	34	16.0	10.1-21.9	51	27.4	20.0-34.8
\$15,000- 24,999	271	140,890	18	9.1	04.2-14.0	22	9.6	05.5-13.7	70	25.2	18.9-31.5	45	18.4	12.5-24.3	116	37.7	30.8-44.6
\$25,000- 34,999	345	172,062	15	5.5	02.2-08.8	29	8.0	04.7-11.3	76	23.5	17.8-29.2	64	18.7	13.6-23.8	161	44.4	38.1-50.7
\$35,000- 49,999	444	232,379	17	3.9	01.7-06.1	27	7.8	04.5-11.1	84	20.4	15.7-25.1	115	28.2	22.9-33.5	201	39.7	34.0-45.4
\$50,000- 99,999	1054	568,724	22	2.4	01.2-03.6	40	4.6	02.8-06.4	191	20.2	17.1-23.3	309	27.6	24.3-30.9	492	45.2	41.3-49.1
\$100,000- 199,999	734	378,799	5	1.0	00.0-02.0	18	2.5	01.3-03.7	110	15.8	12.7-18.9	247	33.3	29.4-37.2	354	47.3	43.2-51.4
\$200,000+	168	82,244	3	2.7	00.0-05.8	5	3.9	00.2-07.6	12	6.3	02.6-10.0	61	34.9	26.5-43.3	87	52.2	43.2-61.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 9: HOW OFTEN DO YOU FEEL SOCIALLY ISOLATED FROM OTHERS? IS IT... (SDHISOLT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4571	2,116,070	129	3.3	02.5-04.1	207	5.2	04.2-06.2	968	23.4	21.8-25.0	1366	30.2	28.4-32.0	1901	37.9	36.1-39.7
White/Non-Hisp	3426	1,638,382	94	3.0	02.2-03.8	153	4.7	03.7-05.7	694	22.0	20.2-23.8	1120	32.2	30.2-34.2	1365	38.1	36.1-40.1
Black or Afr. Am./Non-Hisp	703	191,444	20	3.1	00.9-05.3	27	5.3	02.6-08.0	157	30.0	24.1-35.9	147	22.9	17.6-28.2	352	38.8	32.9-44.7
Oth. Race/Non-Hisp.	60	51,235				2	1.4	00.0-03.4	16	24.3	09.6-39.0	14	27.2	13.1-41.3	28	47.0	31.1-62.9
MultiRacial/Non-Hisp.	67	58,604	3	4.2	00.0-08.9	7	19.3	03.8-34.8	16	26.9	12.4-41.4	19	21.9	11.1-32.7	22	27.6	14.1-41.1
Hispanic	214	136,454	11	8.9	03.2-14.6	13	6.0	02.3-09.7	54	26.3	18.9-33.7	46	24.3	16.3-32.3	90	34.5	26.9-42.1
18-24	193	239,731	12	4.8	01.9-07.7	15	8.1	03.4-12.8	71	37.5	29.7-45.3	68	33.1	25.7-40.5	27	16.6	10.5-22.7
25-34	395	317,912	10	2.9	00.9-04.9	28	7.8	04.7-10.9	133	33.6	28.5-38.7	111	27.6	22.7-32.5	113	28.1	23.2-33.0
35-44	568	329,253	21	3.6	02.0-05.2	34	6.0	03.8-08.2	114	20.3	16.6-24.0	192	33.4	29.1-37.7	207	36.8	32.5-41.1
45-54	716	319,606	23	4.0	02.0-06.0	38	5.4	03.4-07.4	143	20.7	17.2-24.2	236	32.2	28.3-36.1	276	37.7	33.6-41.8
55-64	866	356,715	26	3.3	01.5-05.1	32	3.1	01.9-04.3	179	19.5	16.4-22.6	243	28.6	25.1-32.1	386	45.5	41.6-49.4
65+	1833	552,854	37	2.5	01.3-03.7	60	3.1	02.1-04.1	328	17.3	14.9-19.7	516	28.4	25.7-31.1	892	48.7	45.6-51.8
Less Than H.S.	253	217,140	14	6.0	02.3-09.7	19	10.6	04.9-16.3	63	27.6	20.5-34.7	45	19.9	13.8-26.0	112	35.9	29.0-42.8
H.S. or G.E.D.	1290	656,907	60	4.9	03.3-06.5	66	4.8	03.4-06.2	261	22.5	19.4-25.6	312	25.5	22.4-28.6	591	42.3	38.8-45.8
Some Post-H.S.	1270	655,005	35	2.9	01.7-04.1	62	5.3	03.7-06.9	282	24.1	21.2-27.0	390	33.0	29.9-36.1	501	34.7	31.6-37.8
College Graduate	1741	581,166	18	1.0	00.4-01.6	57	3.4	02.4-04.4	361	22.1	19.7-24.5	616	36.2	33.5-38.9	689	37.3	34.6-40.0
Less than \$15,000	261	116,635	21	7.3	03.8-10.8	29	11.3	06.2-16.4	69	29.3	21.1-37.5	45	19.4	12.5-26.3	97	32.7	25.3-40.1
\$15,000- 24,999	474	205,314	25	6.0	02.9-09.1	29	5.9	03.4-08.4	123	27.1	21.8-32.4	118	26.2	20.9-31.5	179	34.9	29.4-40.4
\$25,000- 34,999	520	229,318	24	5.8	03.1-08.5	32	6.4	03.7-09.1	128	27.1	22.2-32.0	131	25.2	20.5-29.9	205	35.5	30.4-40.6
\$35,000- 49,999	574	269,629	13	2.6	00.8-04.4	27	4.9	02.5-07.3	116	22.3	17.6-27.0	179	29.4	24.7-34.1	239	40.8	35.7-45.9
\$50,000- 99,999	1054	496,004	18	1.9	00.9-02.9	36	4.2	02.6-05.8	231	23.8	20.5-27.1	356	35.2	31.5-38.9	413	34.9	31.4-38.4
\$100,000- 199,999	647	318,988	5	1.3	00.1-02.5	17	2.4	01.0-03.8	113	20.6	16.5-24.7	234	34.4	30.1-38.7	278	41.3	36.8-45.8
\$200,000+	139	67,788				3	2.0	00.0-04.5	17	13.5	06.4-20.6	50	35.3	26.1-44.5	69	49.2	39.6-58.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 10: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8345	4,108,562	772	11.6	10.6-12.6	7573	88.4	87.4-89.4
Male	3790	1,994,706	367	11.9	10.5-13.3	3423	88.1	86.7-89.5
Female	4555	2,113,856	405	11.3	10.1-12.5	4150	88.7	87.5-89.9
White/Non-Hisp	6360	3,140,348	516	9.7	08.7-10.7	5844	90.3	89.3-91.3
Black or Afr. Am./Non-Hisp	1027	359,943	114	19.3	15.2-23.4	913	80.7	76.6-84.8
Oth. Race/Non-Hisp.	148	116,529	11	9.0	03.3-14.7	137	91.0	85.3-96.7
MultiRacial/Non-Hisp.	136	115,324	16	14.4	07.1-21.7	120	85.6	78.3-92.9
Hispanic	442	278,645	93	23.0	18.1-27.9	349	77.0	72.1-81.9
18-24	445	491,259	100	22.1	17.6-26.6	345	77.9	73.4-82.4
25-34	773	658,413	136	16.9	14.0-19.8	637	83.1	80.2-86.0
35-44	1075	656,008	157	14.9	12.4-17.4	918	85.1	82.6-87.6
45-54	1313	625,492	139	10.6	08.6-12.6	1174	89.4	87.4-91.4
55-64	1626	687,264	154	9.0	07.4-10.6	1472	91.0	89.4-92.6
65+	3113	990,127	86	3.1	02.3-03.9	3027	96.9	96.1-97.7
Less Than H.S.	492	438,719	80	18.3	14.2-22.4	412	81.7	77.6-85.8
H.S. or G.E.D.	2398	1,325,980	253	13.4	11.6-15.2	2145	86.6	84.8-88.4
Some Post-H.S.	2276	1,268,267	205	10.8	09.2-12.4	2071	89.2	87.6-90.8
College Graduate	3152	1,065,642	232	7.5	06.5-08.5	2920	92.5	91.5-93.5
Less than \$15,000	438	211,425	74	22.6	17.1-28.1	364	77.4	71.9-82.9
\$15,000- 24,999	739	344,592	103	18.3	14.6-22.0	636	81.7	78.0-85.4
\$25,000- 34,999	866	400,123	118	17.4	14.1-20.7	748	82.6	79.3-85.9
\$35,000- 49,999	1013	501,660	99	13.1	10.2-16.0	914	86.9	84.0-89.8
\$50,000- 99,999	2107	1,067,067	173	9.9	08.1-11.7	1934	90.1	88.3-91.9
\$100,000- 199,999	1381	698,061	77	6.5	04.7-08.3	1304	93.5	91.7-95.3
\$200,000+	307	150,032	13	3.3	01.3-05.3	294	96.7	94.7-98.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 11: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3790	1,994,706	367	11.9	10.5-13.3	3423	88.1	86.7-89.5
White/Non-Hisp	2940	1,504,279	249	10.1	08.7-11.5	2691	89.9	88.5-91.3
Black or Afr. Am./Non-Hisp	338	168,038	41	19.0	13.1-24.9	297	81.0	75.1-86.9
Oth. Race/Non-Hisp.	89	65,968	5	5.8	00.0-11.7	84	94.2	88.3-0100
MultiRacial/Non-Hisp.	67	56,770	8	14.2	04.0-24.4	59	85.8	75.6-96.0
Hispanic	228	141,671	53	23.4	17.3-29.5	175	76.6	70.5-82.7
18-24	252	251,529	54	21.9	16.0-27.8	198	78.1	72.2-84.0
25-34	377	340,423	61	14.4	10.7-18.1	316	85.6	81.9-89.3
35-44	503	323,945	75	16.8	12.9-20.7	428	83.2	79.3-87.1
45-54	600	306,505	60	10.1	07.4-12.8	540	89.9	87.2-92.6
55-64	769	335,229	74	9.4	07.0-11.8	695	90.6	88.2-93.0
65+	1289	437,075	43	3.7	02.3-05.1	1246	96.3	94.9-97.7
Less Than H.S.	240	221,805	48	21.6	15.5-27.7	192	78.4	72.3-84.5
H.S. or G.E.D.	1114	672,477	132	14.3	11.8-16.8	982	85.7	83.2-88.2
Some Post-H.S.	1012	611,906	91	9.9	07.7-12.1	921	90.1	87.9-92.3
College Graduate	1413	484,107	95	6.5	05.1-07.9	1318	93.5	92.1-94.9
Less than \$15,000	179	94,891	34	23.5	15.3-31.7	145	76.5	68.3-84.7
\$15,000- 24,999	271	140,799	45	19.6	13.9-25.3	226	80.4	74.7-86.1
\$25,000- 34,999	344	171,098	57	20.9	15.4-26.4	287	79.1	73.6-84.6
\$35,000- 49,999	440	232,884	39	12.2	08.3-16.1	401	87.8	83.9-91.7
\$50,000- 99,999	1052	569,174	99	11.0	08.5-13.5	953	89.0	86.5-91.5
\$100,000- 199,999	736	379,612	33	5.4	03.2-07.6	703	94.6	92.4-96.8
\$200,000+	168	82,244	8	3.2	00.8-05.6	160	96.8	94.4-99.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 12: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4555	2,113,856	405	11.3	10.1-12.5	4150	88.7	87.5-89.9
White/Non-Hisp	3420	1,636,068	267	9.2	08.0-10.4	3153	90.8	89.6-92.0
Black or Afr. Am./Non-Hisp	689	191,905	73	19.5	14.4-24.6	616	80.5	75.4-85.6
Oth. Race/Non-Hisp.	59	50,561	6	13.1	02.3-23.9	53	86.9	76.1-97.7
MultiRacial/Non-Hisp.	69	58,554	8	14.6	04.2-25.0	61	85.4	75.0-95.8
Hispanic	214	136,975	40	22.6	14.8-30.4	174	77.4	69.6-85.2
18-24	193	239,731	46	22.3	15.6-29.0	147	77.7	71.0-84.4
25-34	396	317,990	75	19.6	15.3-23.9	321	80.4	76.1-84.7
35-44	572	332,063	82	13.1	10.2-16.0	490	86.9	84.0-89.8
45-54	713	318,987	79	11.0	08.5-13.5	634	89.0	86.5-91.5
55-64	857	352,035	80	8.6	06.4-10.8	777	91.4	89.2-93.6
65+	1824	553,052	43	2.7	01.7-03.7	1781	97.3	96.3-98.3
Less Than H.S.	252	216,914	32	15.0	09.5-20.5	220	85.0	79.5-90.5
H.S. or G.E.D.	1284	653,504	121	12.5	10.0-15.0	1163	87.5	85.0-90.0
Some Post-H.S.	1264	656,361	114	11.6	09.2-14.0	1150	88.4	86.0-90.8
College Graduate	1739	581,535	137	8.3	06.7-09.9	1602	91.7	90.1-93.3
Less than \$15,000	259	116,533	40	21.9	14.5-29.3	219	78.1	70.7-85.5
\$15,000- 24,999	468	203,792	58	17.4	12.5-22.3	410	82.6	77.7-87.5
\$25,000- 34,999	522	229,025	61	14.7	10.8-18.6	461	85.3	81.4-89.2
\$35,000- 49,999	573	268,777	60	13.8	10.1-17.5	513	86.2	82.5-89.9
\$50,000- 99,999	1055	497,893	74	8.6	06.1-11.1	981	91.4	88.9-93.9
\$100,000- 199,999	645	318,450	44	7.9	05.4-10.4	601	92.1	89.6-94.6
\$200,000+	139	67,788	5	3.3	00.2-06.4	134	96.7	93.6-99.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 13: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?  
(FOODSTMP)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8402	4,125,849	628	8.2	07.4-09.0	7774	91.8	91.0-92.6
Male	3824	2,009,860	175	5.2	04.2-06.2	3649	94.8	93.8-95.8
Female	4578	2,115,989	453	11.1	09.9-12.3	4125	88.9	87.7-90.1
White/Non-Hisp	6388	3,150,406	374	6.2	05.4-07.0	6014	93.8	93.0-94.6
Black or Afr. Am./Non-Hisp	1048	362,753	150	18.5	14.8-22.2	898	81.5	77.8-85.2
Oth. Race/Non-Hisp.	151	118,343	8	7.4	00.7-14.1	143	92.6	85.9-99.3
MultiRacial/Non-Hisp.	138	116,252	20	17.9	09.3-26.5	118	82.1	73.5-90.7
Hispanic	443	278,996	51	11.7	08.2-15.2	392	88.3	84.8-91.8
18-24	445	489,424	28	7.5	04.4-10.6	417	92.5	89.4-95.6
25-34	772	658,562	76	9.9	07.5-12.3	696	90.1	87.7-92.5
35-44	1069	652,834	127	12.3	09.9-14.7	942	87.7	85.3-90.1
45-54	1323	630,517	115	9.1	07.1-11.1	1208	90.9	88.9-92.9
55-64	1643	694,350	151	8.3	06.7-09.9	1492	91.7	90.1-93.3
65+	3150	1,000,161	131	4.1	03.1-05.1	3019	95.9	94.9-96.9
Less Than H.S.	498	440,488	118	23.0	18.5-27.5	380	77.0	72.5-81.5
H.S. or G.E.D.	2415	1,329,546	270	9.6	08.2-11.0	2145	90.4	89.0-91.8
Some Post-H.S.	2299	1,276,523	166	6.7	05.5-07.9	2133	93.3	92.1-94.5
College Graduate	3162	1,069,077	73	2.1	01.5-02.7	3089	97.9	97.3-98.5
Less than \$15,000	446	213,883	213	47.5	41.4-53.6	233	52.5	46.4-58.6
\$15,000- 24,999	745	345,802	147	24.2	20.1-28.3	598	75.8	71.7-79.9
\$25,000- 34,999	867	399,761	78	10.1	07.6-12.6	789	89.9	87.4-92.4
\$35,000- 49,999	1019	503,665	50	6.2	04.2-08.2	969	93.8	91.8-95.8
\$50,000- 99,999	2117	1,070,313	31	2.0	01.0-03.0	2086	98.0	97.0-99.0
\$100,000- 199,999	1379	697,393	9	0.5	00.1-00.9	1370	99.5	99.1-99.9
\$200,000+	307	150,032	3	0.8	00.0-01.6	304	99.2	98.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 14: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?  
(FOODSTMP)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3824	2,009,860	175	5.2	04.2-06.2	3649	94.8	93.8-95.8
White/Non-Hisp	2962	1,514,220	96	3.4	02.6-04.2	2866	96.6	95.8-97.4
Black or Afr. Am./Non-Hisp	344	170,180	44	15.5	10.2-20.8	300	84.5	79.2-89.8
Oth. Race/Non-Hisp.	90	66,517	3	2.8	00.0-06.1	87	97.2	93.9-0100
MultiRacial/Non-Hisp.	68	56,822	9	19.1	07.3-30.9	59	80.9	69.1-92.7
Hispanic	229	142,487	13	5.0	01.9-08.1	216	95.0	91.9-98.1
18-24	255	253,147	12	4.8	02.1-07.5	243	95.2	92.5-97.9
25-34	378	342,095	16	4.6	02.2-07.0	362	95.4	93.0-97.8
35-44	500	322,506	28	6.3	03.8-08.8	472	93.7	91.2-96.2
45-54	609	310,918	26	5.8	03.3-08.3	583	94.2	91.7-96.7
55-64	776	337,686	60	7.5	05.3-09.7	716	92.5	90.3-94.7
65+	1306	443,507	33	2.8	01.6-04.0	1273	97.2	96.0-98.4
Less Than H.S.	243	223,239	44	15.9	11.0-20.8	199	84.1	79.2-89.0
H.S. or G.E.D.	1130	679,133	81	6.5	04.7-08.3	1049	93.5	91.7-95.3
Some Post-H.S.	1023	617,746	34	3.1	01.9-04.3	989	96.9	95.7-98.1
College Graduate	1416	485,134	16	1.1	00.5-01.7	1400	98.9	98.3-99.5
Less than \$15,000	182	95,999	73	41.7	32.9-50.5	109	58.3	49.5-67.1
\$15,000- 24,999	273	141,995	38	17.6	11.5-23.7	235	82.4	76.3-88.5
\$25,000- 34,999	348	174,129	16	4.7	02.0-07.4	332	95.3	92.6-98.0
\$35,000- 49,999	445	235,504	13	3.9	01.4-06.4	432	96.1	93.6-98.6
\$50,000- 99,999	1058	570,825	11	0.8	00.2-01.4	1047	99.2	98.6-99.8
\$100,000- 199,999	735	379,314	1	0.2	00.0-00.6	734	99.8	99.4-0100
\$200,000+	168	82,244	1	0.4	00.0-01.2	167	99.6	98.8-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 15: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?  
(FOODSTMP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4578	2,115,989	453	11.1	09.9-12.3	4125	88.9	87.7-90.1
White/Non-Hisp	3426	1,636,186	278	8.9	07.7-10.1	3148	91.1	89.9-92.3
Black or Afr. Am./Non-Hisp	704	192,573	106	21.1	16.2-26.0	598	78.9	74.0-83.8
Oth. Race/Non-Hisp.	61	51,826	5	13.2	00.0-27.3	56	86.8	72.7-0100
MultiRacial/Non-Hisp.	70	59,431	11	16.8	04.5-29.1	59	83.2	70.9-95.5
Hispanic	214	136,509	38	18.6	12.1-25.1	176	81.4	74.9-87.9
18-24	190	236,276	16	10.3	04.8-15.8	174	89.7	84.2-95.2
25-34	394	316,467	60	15.6	11.5-19.7	334	84.4	80.3-88.5
35-44	569	330,328	99	18.2	14.7-21.7	470	81.8	78.3-85.3
45-54	714	319,599	89	12.2	09.5-14.9	625	87.8	85.1-90.5
55-64	867	356,664	91	9.1	06.9-11.3	776	90.9	88.7-93.1
65+	1844	556,654	98	5.1	03.9-06.3	1746	94.9	93.7-96.1
Less Than H.S.	255	217,250	74	30.3	23.2-37.4	181	69.7	62.6-76.8
H.S. or G.E.D.	1285	650,413	189	12.9	10.7-15.1	1096	87.1	84.9-89.3
Some Post-H.S.	1276	658,777	132	10.2	08.2-12.2	1144	89.8	87.8-91.8
College Graduate	1746	583,942	57	2.9	01.9-03.9	1689	97.1	96.1-98.1
Less than \$15,000	264	117,883	140	52.2	43.8-60.6	124	47.8	39.4-56.2
\$15,000- 24,999	472	203,807	109	28.8	23.3-34.3	363	71.2	65.7-76.7
\$25,000- 34,999	519	225,632	62	14.4	10.7-18.1	457	85.6	81.9-89.3
\$35,000- 49,999	574	268,161	37	8.3	05.2-11.4	537	91.7	88.6-94.8
\$50,000- 99,999	1059	499,488	20	3.4	01.4-05.4	1039	96.6	94.6-98.6
\$100,000- 199,999	644	318,079	8	0.9	00.1-01.7	636	99.1	98.3-99.9
\$200,000+	139	67,788	2	1.2	00.0-02.8	137	98.8	97.2-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 16: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	8348	4,096,591	170	2.1	01.7-02.5	155	2.2	01.8-02.6	608	8.2	07.4-09.0	725	9.8	09.0-10.6	6690	77.7	76.5-78.9			
Male	3790	1,993,943	60	2.0	01.4-02.6	55	1.6	01.0-02.2	218	6.5	05.5-07.5	293	8.7	07.5-09.9	3164	81.2	79.6-82.8			
Female	4558	2,102,648	110	2.2	01.6-02.8	100	2.7	02.1-03.3	390	9.7	08.5-10.9	432	10.9	09.7-12.1	3526	74.5	72.7-76.3			
White/Non-Hisp	6343	3,128,207	105	1.7	01.3-02.1	107	1.9	01.5-02.3	320	5.8	05.0-06.6	478	8.6	07.8-09.4	5333	82.0	80.8-83.2			
Black or Afr. Am./Non-Hisp	1044	363,615	43	5.4	03.0-07.8	21	3.4	01.4-05.4	134	15.8	12.3-19.3	130	14.5	11.2-17.8	716	60.9	56.2-65.6			
Oth. Race/Non-Hisp.	152	118,416	2	0.4	00.0-01.2	3	1.3	00.0-02.9	12	6.5	02.6-10.4	17	12.4	06.1-18.7	118	79.4	72.0-86.8			
MultiRacial/Non-Hisp.	136	111,702	7	4.3	01.0-07.6	3	2.9	00.0-06.6	20	12.9	06.2-19.6	18	14.7	06.3-23.1	88	65.2	55.0-75.4			
Hispanic	443	277,667	10	1.9	00.1-03.7	15	3.4	01.4-05.4	89	20.5	16.0-25.0	62	15.0	10.9-19.1	267	59.2	53.7-64.7			
18-24	443	482,589	9	2.0	00.6-03.4	10	2.4	00.8-04.0	52	10.2	07.3-13.1	73	14.4	10.9-17.9	299	70.9	66.2-75.6			
25-34	769	656,766	12	1.3	00.5-02.1	21	3.4	01.8-05.0	79	11.3	08.8-13.8	100	12.9	10.4-15.4	557	71.2	67.7-74.7			
35-44	1067	651,477	34	4.0	02.4-05.6	30	2.9	01.7-04.1	99	9.9	07.7-12.1	100	10.1	08.1-12.1	804	73.2	70.1-76.3			
45-54	1318	626,533	31	2.2	01.4-03.0	27	1.8	01.0-02.6	108	9.0	07.2-10.8	88	7.3	05.5-09.1	1064	79.7	77.2-82.2			
55-64	1632	688,931	41	2.1	01.3-02.9	32	1.8	01.0-02.6	121	6.9	05.5-08.3	147	9.6	07.8-11.4	1291	79.7	77.3-82.1			
65+	3119	990,296	43	1.4	00.8-02.0	35	1.3	00.7-01.9	149	4.3	03.3-05.3	217	7.2	06.0-08.4	2675	85.8	84.0-87.6			
Less Than H.S.	491	432,726	27	5.3	03.1-07.5	24	5.2	02.8-07.6	110	20.8	16.7-24.9	82	15.8	11.9-19.7	248	52.9	47.6-58.2			
H.S. or G.E.D.	2395	1,319,558	78	2.7	01.9-03.5	63	2.7	01.9-03.5	253	10.0	08.6-11.4	272	11.5	09.9-13.1	1729	73.1	70.9-75.3			
Some Post-H.S.	2290	1,271,654	28	1.2	00.6-01.8	44	1.9	01.3-02.5	160	7.0	05.6-08.4	232	10.5	08.9-12.1	1826	79.4	77.4-81.4			
College Graduate	3146	1,063,740	36	1.1	00.7-01.5	24	0.7	00.3-01.1	83	2.1	01.5-02.7	139	4.6	03.8-05.4	2864	91.5	90.3-92.7			
Less than \$15,000	444	210,342	51	10.2	06.9-13.5	31	9.5	05.6-13.4	109	25.5	20.2-30.8	68	14.9	11.0-18.8	185	39.9	34.2-45.6			
\$15,000- 24,999	742	346,045	37	5.3	03.1-07.5	39	6.4	04.0-08.8	155	21.9	18.0-25.8	109	16.8	13.1-20.5	402	49.6	44.9-54.3			
\$25,000- 34,999	865	399,673	18	2.6	01.2-04.0	28	3.4	01.8-05.0	110	14.6	11.7-17.5	123	16.0	12.9-19.1	586	63.3	59.2-67.4			
\$35,000- 49,999	1011	501,379	17	1.6	00.6-02.6	14	1.3	00.5-02.1	62	8.7	06.3-11.1	123	14.5	11.6-17.4	795	74.0	70.5-77.5			
\$50,000- 99,999	2108	1,065,143	13	0.8	00.2-01.4	17	1.1	00.5-01.7	57	3.7	02.5-04.9	141	7.6	06.2-09.0	1880	86.8	84.8-88.8			
\$100,000- 199,999	1377	695,753	7	0.5	00.1-00.9	4	0.3	00.1-00.5	10	1.2	00.4-02.0	30	2.5	01.5-03.5	1326	95.6	94.2-97.0			
\$200,000+	306	149,700	1	0.2	00.0-00.6	2	0.5	00.0-01.3	1	0.2	00.0-00.6	1	0.3	00.0-00.9	301	98.8	97.8-99.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 17: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3790	1,993,943	60	2.0	01.4-02.6	55	1.6	01.0-02.2	218	6.5	05.5-07.5	293	8.7	07.5-09.9	3164	81.2	79.6-82.8
White/Non-Hisp	2939	1,505,066	40	1.6	01.0-02.2	35	1.3	00.7-01.9	117	4.4	03.4-05.4	201	7.7	06.5-08.9	2546	85.0	83.4-86.6
Black or Afr. Am./Non-Hisp	340	169,334	14	7.2	02.9-11.5	7	2.9	00.7-05.1	33	12.7	07.4-18.0	34	13.5	08.8-18.2	252	63.7	56.6-70.8
Oth. Race/Non-Hisp.	90	66,517	1	0.9	00.0-02.7	1	0.9	00.0-02.7	8	6.7	01.6-11.8	9	10.9	03.5-18.3	72	81.4	72.4-90.4
MultiRacial/Non-Hisp.	67	55,871	1	1.4	00.0-04.1	1	1.1	00.0-03.3	9	11.9	03.9-19.9	8	8.4	02.1-14.7	48	77.3	66.9-87.7
Hispanic	228	140,445	4	1.2	00.0-02.6	8	3.8	00.7-06.9	40	18.0	12.5-23.5	28	11.9	07.0-16.8	148	65.1	57.8-72.4
18-24	255	253,935	7	3.2	00.7-05.7	3	1.1	00.0-02.5	24	8.8	05.1-12.5	42	13.0	08.9-17.1	179	73.9	68.0-79.8
25-34	377	340,811	2	0.4	00.0-01.2	8	2.3	00.5-04.1	30	7.7	04.8-10.6	43	11.3	08.0-14.6	294	78.3	73.8-82.8
35-44	501	323,104	18	5.1	02.6-07.6	8	1.8	00.4-03.2	38	7.8	05.1-10.5	40	8.3	05.6-11.0	397	77.1	72.8-81.4
45-54	602	306,073	8	1.3	00.3-02.3	8	1.4	00.4-02.4	36	6.8	04.4-09.2	33	6.0	04.2-07.8	517	84.5	81.4-87.6
55-64	765	331,891	15	2.0	00.8-03.2	13	1.8	00.6-03.0	52	6.6	04.6-08.6	66	9.4	06.9-11.9	619	80.1	76.8-83.4
65+	1290	438,129	10	0.8	00.2-01.4	15	1.3	00.5-02.1	38	3.2	02.0-04.4	69	5.7	03.9-07.5	1158	89.0	86.8-91.2
Less Than H.S.	239	219,969	13	5.4	02.1-08.7	13	5.5	02.2-08.8	47	16.4	11.5-21.3	31	12.2	07.5-16.9	135	60.4	53.1-67.7
H.S. or G.E.D.	1112	672,088	26	2.5	01.3-03.7	25	1.7	00.9-02.5	102	8.7	06.7-10.7	125	11.2	09.0-13.4	834	75.8	72.9-78.7
Some Post-H.S.	1018	615,573	10	1.2	00.4-02.0	10	0.9	00.3-01.5	45	4.6	03.0-06.2	89	8.8	06.8-10.8	864	84.4	81.9-86.9
College Graduate	1411	483,007	11	0.8	00.2-01.4	7	0.6	00.2-01.0	24	1.5	00.9-02.1	48	3.4	02.4-04.4	1321	93.8	92.4-95.2
Less than \$15,000	183	96,430	19	10.7	05.2-16.2	12	7.2	02.3-12.1	44	25.5	17.3-33.7	25	11.4	06.5-16.3	83	45.2	36.6-53.8
\$15,000- 24,999	271	141,696	10	5.2	01.5-08.9	11	4.7	01.8-07.6	52	20.1	14.4-25.8	43	19.1	13.0-25.2	155	50.8	43.5-58.1
\$25,000- 34,999	344	172,936	6	2.3	00.3-04.3	12	4.1	01.2-07.0	36	12.9	08.6-17.2	55	18.2	13.1-23.3	235	62.6	56.3-68.9
\$35,000- 49,999	443	234,836	4	1.5	00.0-03.1	4	0.6	00.0-01.4	24	7.1	04.0-10.2	52	13.4	09.9-16.9	359	77.4	72.7-82.1
\$50,000- 99,999	1053	569,559	7	1.2	00.2-02.2	6	0.6	00.0-01.2	23	2.7	01.3-04.1	64	6.8	04.8-08.8	953	88.8	86.3-91.3
\$100,000- 199,999	733	377,753	3	0.3	00.0-00.7	2	0.3	00.0-00.7	4	1.2	00.0-02.4	14	2.6	01.0-04.2	710	95.6	93.6-97.6
\$200,000+	168	82,244							1	0.4	00.0-01.2	1	0.5	00.0-01.5	166	99.1	97.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 18: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4558	2,102,648	110	2.2	01.6-02.8	100	2.7	02.1-03.3	390	9.7	08.5-10.9	432	10.9	09.7-12.1	3526	74.5	72.7-76.3
White/Non-Hisp	3404	1,623,141	65	1.8	01.2-02.4	72	2.5	01.7-03.3	203	7.0	05.8-08.2	277	9.4	08.2-10.6	2787	79.2	77.4-81.0
Black or Afr. Am./Non-Hisp	704	194,281	29	3.9	01.9-05.9	14	3.9	01.0-06.8	101	18.4	13.7-23.1	96	15.5	11.2-19.8	464	58.3	52.2-64.4
Oth. Race/Non-Hisp.	62	51,899	2	0.9	00.0-02.5	2	1.7	00.0-04.2	4	6.2	00.0-12.5	8	14.4	03.4-25.4	46	76.8	64.5-89.1
MultiRacial/Non-Hisp.	69	55,832	6	7.2	00.9-13.5	2	4.7	00.0-11.8	11	13.9	03.3-24.5	10	21.0	05.9-36.1	40	53.2	37.5-68.9
Hispanic	215	137,221	6	2.7	00.0-05.8	7	2.9	00.5-05.3	49	23.1	16.0-30.2	34	18.1	11.8-24.4	119	53.2	44.8-61.6
18-24	188	228,654	2	0.7	00.0-01.7	7	3.9	01.0-06.8	28	11.9	07.2-16.6	31	16.0	09.9-22.1	120	67.6	60.2-75.0
25-34	392	315,954	10	2.2	00.8-03.6	13	4.6	01.9-07.3	49	15.1	10.8-19.4	57	14.6	10.7-18.5	263	63.5	58.0-69.0
35-44	566	328,373	16	3.0	01.4-04.6	22	4.0	02.2-05.8	61	11.9	08.8-15.0	60	11.8	08.9-14.7	407	69.3	65.0-73.6
45-54	716	320,460	23	3.0	01.6-04.4	19	2.3	01.1-03.5	72	11.2	08.5-13.9	55	8.5	06.1-10.9	547	75.1	71.4-78.8
55-64	867	357,040	26	2.1	00.9-03.3	19	1.7	00.7-02.7	69	7.2	05.0-09.4	81	9.7	07.3-12.1	672	79.2	76.1-82.3
65+	1829	552,167	33	1.8	00.8-02.8	20	1.3	00.5-02.1	111	5.2	04.0-06.4	148	8.3	06.5-10.1	1517	83.3	80.9-85.7
Less Than H.S.	252	212,757	14	5.1	02.2-08.0	11	4.9	01.6-08.2	63	25.3	19.0-31.6	51	19.6	13.5-25.7	113	45.1	37.7-52.5
H.S. or G.E.D.	1283	647,470	52	2.8	01.8-03.8	38	3.6	02.0-05.2	151	11.3	09.1-13.5	147	11.8	09.4-14.2	895	70.4	67.3-73.5
Some Post-H.S.	1272	656,081	18	1.3	00.7-01.9	34	2.8	01.8-03.8	115	9.3	07.3-11.3	143	12.0	09.6-14.4	962	74.7	71.8-77.6
College Graduate	1735	580,733	25	1.4	00.6-02.2	17	0.9	00.5-01.3	59	2.7	01.9-03.5	91	5.6	04.2-07.0	1543	89.5	87.7-91.3
Less than \$15,000	261	113,912	32	9.8	05.9-13.7	19	11.4	05.5-17.3	65	25.6	18.5-32.7	43	17.8	11.9-23.7	102	35.5	27.9-43.1
\$15,000- 24,999	471	204,348	27	5.4	03.0-07.8	28	7.6	04.3-10.9	103	23.1	18.2-28.0	66	15.2	10.5-19.9	247	48.7	42.8-54.6
\$25,000- 34,999	521	226,737	12	2.9	00.9-04.9	16	2.9	01.1-04.7	74	16.0	12.1-19.9	68	14.3	10.4-18.2	351	63.9	58.6-69.2
\$35,000- 49,999	568	266,543	13	1.7	00.5-02.9	10	1.8	00.4-03.2	38	10.1	06.4-13.8	71	15.4	11.5-19.3	436	71.0	65.9-76.1
\$50,000- 99,999	1055	495,584	6	0.5	00.0-01.1	11	1.6	00.6-02.6	34	4.9	02.9-06.9	77	8.6	06.4-10.8	927	84.4	81.5-87.3
\$100,000- 199,999	644	317,999	4	0.7	00.0-01.5	2	0.2	00.0-00.4	6	1.2	00.2-02.2	16	2.4	01.2-03.6	616	95.5	93.7-97.3
\$200,000+	138	67,456	1	0.4	00.0-01.2	2	1.1	00.0-02.7							135	98.5	96.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 19: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8356	4,094,743	712	10.1	09.3-10.9	7644	89.9	89.1-90.7
Male	3798	1,996,192	269	8.8	07.6-10.0	3529	91.2	90.0-92.4
Female	4558	2,098,550	443	11.4	10.2-12.6	4115	88.6	87.4-89.8
White/Non-Hisp	6349	3,125,162	408	7.6	06.8-08.4	5941	92.4	91.6-93.2
Black or Afr. Am./Non-Hisp	1044	360,335	154	20.9	17.0-24.8	890	79.1	75.2-83.0
Oth. Race/Non-Hisp.	152	118,416	12	5.6	02.1-09.1	140	94.4	90.9-97.9
MultiRacial/Non-Hisp.	137	115,095	20	17.1	09.3-24.9	117	82.9	75.1-90.7
Hispanic	442	277,823	89	20.6	16.1-25.1	353	79.4	74.9-83.9
18-24	441	482,713	40	9.2	06.1-12.3	401	90.8	87.7-93.9
25-34	767	655,590	117	15.6	12.7-18.5	650	84.4	81.5-87.3
35-44	1068	651,239	146	15.7	13.2-18.2	922	84.3	81.8-86.8
45-54	1314	625,628	155	12.3	10.1-14.5	1159	87.7	85.5-89.9
55-64	1632	688,811	137	7.9	06.3-09.5	1495	92.1	90.5-93.7
65+	3134	990,762	117	3.5	02.7-04.3	3017	96.5	95.7-97.3
Less Than H.S.	490	436,038	108	22.8	18.3-27.3	382	77.2	72.7-81.7
H.S. or G.E.D.	2400	1,319,500	258	10.9	09.3-12.5	2142	89.1	87.5-90.7
Some Post-H.S.	2288	1,266,283	222	10.3	08.7-11.9	2066	89.7	88.1-91.3
College Graduate	3151	1,062,879	123	3.8	03.0-04.6	3028	96.2	95.4-97.0
Less than \$15,000	442	212,034	138	33.6	27.9-39.3	304	66.4	60.7-72.1
\$15,000- 24,999	740	343,619	169	26.9	22.6-31.2	571	73.1	68.8-77.4
\$25,000- 34,999	866	399,730	109	15.0	12.1-17.9	757	85.0	82.1-87.9
\$35,000- 49,999	1017	501,666	70	8.7	06.3-11.1	947	91.3	88.9-93.7
\$50,000- 99,999	2111	1,064,948	119	7.4	05.8-09.0	1992	92.6	91.0-94.2
\$100,000- 199,999	1375	694,188	17	1.5	00.7-02.3	1358	98.5	97.7-99.3
\$200,000+	307	150,032	2	0.5	00.0-01.3	305	99.5	98.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 20: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3798	1,996,192	269	8.8	07.6-10.0	3529	91.2	90.0-92.4
White/Non-Hisp	2944	1,505,227	151	6.3	05.1-07.5	2793	93.7	92.5-94.9
Black or Afr. Am./Non-Hisp	339	167,899	49	21.2	15.1-27.3	290	78.8	72.7-84.9
Oth. Race/Non-Hisp.	90	66,517	7	5.3	01.2-09.4	83	94.7	90.6-98.8
MultiRacial/Non-Hisp.	67	55,665	4	7.2	00.0-15.4	63	92.8	84.6-0100
Hispanic	229	142,434	44	18.9	13.2-24.6	185	81.1	75.4-86.8
18-24	253	252,143	18	8.2	03.7-12.7	235	91.8	87.3-96.3
25-34	377	341,187	49	12.2	08.7-15.7	328	87.8	84.3-91.3
35-44	502	323,062	55	13.1	09.6-16.6	447	86.9	83.4-90.4
45-54	602	307,520	50	9.7	07.0-12.4	552	90.3	87.6-93.0
55-64	769	333,505	61	8.4	06.0-10.8	708	91.6	89.2-94.0
65+	1295	438,777	36	2.9	01.7-04.1	1259	97.1	95.9-98.3
Less Than H.S.	241	222,637	50	20.1	14.0-26.2	191	79.9	73.8-86.0
H.S. or G.E.D.	1121	674,421	107	10.0	07.8-12.2	1014	90.0	87.8-92.2
Some Post-H.S.	1014	612,052	71	7.8	05.8-09.8	943	92.2	90.2-94.2
College Graduate	1411	482,647	41	3.1	02.1-04.1	1370	96.9	95.9-97.9
Less than \$15,000	181	95,414	51	30.5	22.1-38.9	130	69.5	61.1-77.9
\$15,000- 24,999	272	141,948	58	23.8	17.5-30.1	214	76.2	69.9-82.5
\$25,000- 34,999	344	172,731	40	14.1	09.4-18.8	304	85.9	81.2-90.6
\$35,000- 49,999	444	234,778	23	6.9	04.4-09.4	421	93.1	90.6-95.6
\$50,000- 99,999	1057	570,429	51	6.6	04.4-08.8	1006	93.4	91.2-95.6
\$100,000- 199,999	730	375,940	8	1.4	00.4-02.4	722	98.6	97.6-99.6
\$200,000+	168	82,244				168	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 21: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4558	2,098,550	443	11.4	10.2-12.6	4115	88.6	87.4-89.8
White/Non-Hisp	3405	1,619,935	257	8.7	07.5-09.9	3148	91.3	90.1-92.5
Black or Afr. Am./Non-Hisp	705	192,436	105	20.7	16.0-25.4	600	79.3	74.6-84.0
Oth. Race/Non-Hisp.	62	51,899	5	6.0	00.0-12.1	57	94.0	87.9-0100
MultiRacial/Non-Hisp.	70	59,431	16	26.4	13.3-39.5	54	73.6	60.5-86.7
Hispanic	213	135,389	45	22.4	15.5-29.3	168	77.6	70.7-84.5
18-24	188	230,570	22	10.2	05.7-14.7	166	89.8	85.3-94.3
25-34	390	314,403	68	19.3	14.6-24.0	322	80.7	76.0-85.4
35-44	566	328,178	91	18.2	14.5-21.9	475	81.8	78.1-85.5
45-54	712	318,108	105	14.9	12.0-17.8	607	85.1	82.2-88.0
55-64	863	355,306	76	7.4	05.4-09.4	787	92.6	90.6-94.6
65+	1839	551,985	81	4.0	03.0-05.0	1758	96.0	95.0-97.0
Less Than H.S.	249	213,400	58	25.6	19.1-32.1	191	74.4	67.9-80.9
H.S. or G.E.D.	1279	645,079	151	11.8	09.6-14.0	1128	88.2	86.0-90.4
Some Post-H.S.	1274	654,231	151	12.7	10.3-15.1	1123	87.3	84.9-89.7
College Graduate	1740	580,232	82	4.4	03.2-05.6	1658	95.6	94.4-96.8
Less than \$15,000	261	116,620	87	36.1	28.3-43.9	174	63.9	56.1-71.7
\$15,000- 24,999	468	201,671	111	29.0	23.5-34.5	357	71.0	65.5-76.5
\$25,000- 34,999	522	227,000	69	15.7	11.8-19.6	453	84.3	80.4-88.2
\$35,000- 49,999	573	266,888	47	10.3	07.0-13.6	526	89.7	86.4-93.0
\$50,000- 99,999	1054	494,519	68	8.4	06.0-10.8	986	91.6	89.2-94.0
\$100,000- 199,999	645	318,247	9	1.6	00.6-02.6	636	98.4	97.4-99.4
\$200,000+	139	67,788	2	1.1	00.0-02.7	137	98.9	97.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 22: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8370	4,105,521	580	8.3	07.5-09.1	7790	91.7	90.9-92.5
Male	3802	2,000,406	228	7.2	06.2-08.2	3574	92.8	91.8-93.8
Female	4568	2,105,115	352	9.3	08.1-10.5	4216	90.7	89.5-91.9
White/Non-Hisp	6359	3,132,299	335	6.6	05.8-07.4	6024	93.4	92.6-94.2
Black or Afr. Am./Non-Hisp	1048	363,211	136	16.9	13.6-20.2	912	83.1	79.8-86.4
Oth. Race/Non-Hisp.	151	117,989	5	3.6	00.3-06.9	146	96.4	93.1-99.7
MultiRacial/Non-Hisp.	137	115,484	16	13.8	06.7-20.9	121	86.2	79.1-93.3
Hispanic	441	277,517	63	13.6	10.1-17.1	378	86.4	82.9-89.9
18-24	442	484,082	30	7.2	04.5-09.9	412	92.8	90.1-95.5
25-34	765	654,155	103	14.3	11.6-17.0	662	85.7	83.0-88.4
35-44	1068	651,627	117	11.8	09.6-14.0	951	88.2	86.0-90.4
45-54	1318	629,019	139	10.9	08.9-12.9	1179	89.1	87.1-91.1
55-64	1636	691,964	111	6.5	05.1-07.9	1525	93.5	92.1-94.9
65+	3141	994,674	80	2.3	01.5-03.1	3061	97.7	96.9-98.5
Less Than H.S.	495	439,361	78	15.6	11.9-19.3	417	84.4	80.7-88.1
H.S. or G.E.D.	2409	1,325,199	188	8.7	07.3-10.1	2221	91.3	89.9-92.7
Some Post-H.S.	2290	1,267,095	196	9.3	07.7-10.9	2094	90.7	89.1-92.3
College Graduate	3149	1,063,822	116	3.5	02.7-04.3	3033	96.5	95.7-97.3
Less than \$15,000	445	213,148	90	21.6	16.7-26.5	355	78.4	73.5-83.3
\$15,000- 24,999	742	344,138	122	21.4	17.5-25.3	620	78.6	74.7-82.5
\$25,000- 34,999	869	401,007	89	12.4	09.7-15.1	780	87.6	84.9-90.3
\$35,000- 49,999	1017	502,885	75	8.3	06.1-10.5	942	91.7	89.5-93.9
\$50,000- 99,999	2109	1,063,849	112	6.9	05.5-08.3	1997	93.1	91.7-94.5
\$100,000- 199,999	1377	695,468	25	2.3	01.3-03.3	1352	97.7	96.7-98.7
\$200,000+	307	150,032	4	1.2	00.0-02.4	303	98.8	97.6-100.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 23: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3802	2,000,406	228	7.2	06.2-08.2	3574	92.8	91.8-93.8
White/Non-Hisp	2946	1,507,841	142	5.9	04.7-07.1	2804	94.1	92.9-95.3
Black or Afr. Am./Non-Hisp	342	169,619	38	15.5	10.2-20.8	304	84.5	79.2-89.8
Oth. Race/Non-Hisp.	89	66,090	4	4.6	00.0-09.3	85	95.4	90.7-0100
MultiRacial/Non-Hisp.	67	56,053	4	8.0	00.0-16.2	63	92.0	83.8-0100
Hispanic	227	141,182	30	12.3	07.6-17.0	197	87.7	83.0-92.4
18-24	254	253,402	19	8.0	04.1-11.9	235	92.0	88.1-95.9
25-34	375	339,564	42	10.8	07.5-14.1	333	89.2	85.9-92.5
35-44	501	322,634	46	9.7	06.8-12.6	455	90.3	87.4-93.2
45-54	603	308,617	43	8.0	05.6-10.4	560	92.0	89.6-94.4
55-64	770	335,553	52	6.6	04.6-08.6	718	93.4	91.4-95.4
65+	1299	440,635	26	2.3	01.3-03.3	1273	97.7	96.7-98.7
Less Than H.S.	242	223,192	33	12.1	07.8-16.4	209	87.9	83.6-92.2
H.S. or G.E.D.	1123	676,430	87	8.9	06.7-11.1	1036	91.1	88.9-93.3
Some Post-H.S.	1017	613,819	68	7.2	05.2-09.2	949	92.8	90.8-94.8
College Graduate	1409	482,529	40	2.8	01.8-03.8	1369	97.2	96.2-98.2
Less than \$15,000	183	96,402	33	20.5	13.1-27.9	150	79.5	72.1-86.9
\$15,000- 24,999	272	141,948	39	18.2	12.3-24.1	233	81.8	75.9-87.7
\$25,000- 34,999	347	174,007	34	11.2	07.1-15.3	313	88.8	84.7-92.9
\$35,000- 49,999	443	234,986	25	6.4	03.5-09.3	418	93.6	90.7-96.5
\$50,000- 99,999	1056	569,887	49	6.1	04.1-08.1	1007	93.9	91.9-95.9
\$100,000- 199,999	732	377,220	13	2.5	00.7-04.3	719	97.5	95.7-99.3
\$200,000+	168	82,244	2	1.3	00.0-03.3	166	98.7	96.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 24: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4568	2,105,115	352	9.3	08.1-10.5	4216	90.7	89.5-91.9
White/Non-Hisp	3413	1,624,458	193	7.2	06.0-08.4	3220	92.8	91.6-94.0
Black or Afr. Am./Non-Hisp	706	193,592	98	18.2	13.9-22.5	608	81.8	77.5-86.1
Oth. Race/Non-Hisp.	62	51,899	1	2.4	00.0-07.1	61	97.6	92.9-0100
MultiRacial/Non-Hisp.	70	59,431	12	19.3	07.7-30.9	58	80.7	69.1-92.3
Hispanic	214	136,335	33	15.0	09.5-20.5	181	85.0	79.5-90.5
18-24	188	230,680	11	6.4	02.5-10.3	177	93.6	89.7-97.5
25-34	390	314,591	61	18.0	13.5-22.5	329	82.0	77.5-86.5
35-44	567	328,993	71	13.8	10.5-17.1	496	86.2	82.9-89.5
45-54	715	320,402	96	13.7	10.8-16.6	619	86.3	83.4-89.2
55-64	866	356,410	59	6.4	04.4-08.4	807	93.6	91.6-95.6
65+	1842	554,039	54	2.3	01.5-03.1	1788	97.7	96.9-98.5
Less Than H.S.	253	216,169	45	19.2	13.5-24.9	208	80.8	75.1-86.5
H.S. or G.E.D.	1286	648,769	101	8.6	06.6-10.6	1185	91.4	89.4-93.4
Some Post-H.S.	1273	653,276	128	11.4	09.2-13.6	1145	88.6	86.4-90.8
College Graduate	1740	581,293	76	4.1	02.9-05.3	1664	95.9	94.7-97.1
Less than \$15,000	262	116,746	57	22.6	16.1-29.1	205	77.4	70.9-83.9
\$15,000- 24,999	470	202,189	83	23.6	18.5-28.7	387	76.4	71.3-81.5
\$25,000- 34,999	522	227,000	55	13.4	09.5-17.3	467	86.6	82.7-90.5
\$35,000- 49,999	574	267,899	50	10.0	06.7-13.3	524	90.0	86.7-93.3
\$50,000- 99,999	1053	493,962	63	7.9	05.7-10.1	990	92.1	89.9-94.3
\$100,000- 199,999	645	318,247	12	2.0	00.8-03.2	633	98.0	96.8-99.2
\$200,000+	139	67,788	2	1.1	00.0-02.7	137	98.9	97.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 25: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8359	4,099,804	530	7.3	06.5-08.1	7829	92.7	91.9-93.5
Male	3801	1,997,990	211	7.0	06.0-08.0	3590	93.0	92.0-94.0
Female	4558	2,101,814	319	7.6	06.4-08.8	4239	92.4	91.2-93.6
White/Non-Hisp	6350	3,126,883	327	5.7	04.9-06.5	6023	94.3	93.5-95.1
Black or Afr. Am./Non-Hisp	1044	363,519	100	12.7	09.4-16.0	944	87.3	84.0-90.6
Oth. Race/Non-Hisp.	152	118,416	7	3.0	00.5-05.5	145	97.0	94.5-99.5
MultiRacial/Non-Hisp.	138	116,252	21	17.1	08.7-25.5	117	82.9	74.5-91.3
Hispanic	439	276,440	54	13.1	08.8-17.4	385	86.9	82.6-91.2
18-24	440	483,065	57	13.2	09.5-16.9	383	86.8	83.1-90.5
25-34	765	653,824	64	8.4	06.2-10.6	701	91.6	89.4-93.8
35-44	1071	653,329	94	9.1	07.1-11.1	977	90.9	88.9-92.9
45-54	1319	627,539	89	7.5	05.7-09.3	1230	92.5	90.7-94.3
55-64	1632	689,602	108	5.9	04.7-07.1	1524	94.1	92.9-95.3
65+	3132	992,444	118	3.3	02.5-04.1	3014	96.7	95.9-97.5
Less Than H.S.	494	439,760	86	17.2	13.3-21.1	408	82.8	78.9-86.7
H.S. or G.E.D.	2406	1,322,387	206	9.0	07.4-10.6	2200	91.0	89.4-92.6
Some Post-H.S.	2285	1,265,271	148	6.0	04.8-07.2	2137	94.0	92.8-95.2
College Graduate	3146	1,062,956	88	2.6	02.0-03.2	3058	97.4	96.8-98.0
Less than \$15,000	447	214,170	129	29.4	23.7-35.1	318	70.6	64.9-76.3
\$15,000- 24,999	743	345,581	103	15.6	12.3-18.9	640	84.4	81.1-87.7
\$25,000- 34,999	862	398,631	78	10.2	07.7-12.7	784	89.8	87.3-92.3
\$35,000- 49,999	1016	502,464	58	7.0	05.0-09.0	958	93.0	91.0-95.0
\$50,000- 99,999	2109	1,062,683	52	3.5	02.3-04.7	2057	96.5	95.3-97.7
\$100,000- 199,999	1375	693,796	11	1.4	00.4-02.4	1364	98.6	97.6-99.6
\$200,000+	307	150,032	2	0.5	00.0-01.1	305	99.5	98.9-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 26: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3801	1,997,990	211	7.0	06.0-08.0	3590	93.0	92.0-94.0
White/Non-Hisp	2943	1,504,873	133	5.5	04.5-06.5	2810	94.5	93.5-95.5
Black or Afr. Am./Non-Hisp	340	169,257	28	13.3	07.8-18.8	312	86.7	81.2-92.2
Oth. Race/Non-Hisp.	90	66,517	4	3.8	00.0-07.7	86	96.2	92.3-0100
MultiRacial/Non-Hisp.	68	56,822	11	16.8	06.2-27.4	57	83.2	72.6-93.8
Hispanic	227	141,464	27	11.8	07.1-16.5	200	88.2	83.5-92.9
18-24	252	251,894	28	12.0	07.5-16.5	224	88.0	83.5-92.5
25-34	376	339,786	29	7.2	04.5-09.9	347	92.8	90.1-95.5
35-44	503	323,576	44	10.1	07.0-13.2	459	89.9	86.8-93.0
45-54	605	308,269	29	6.1	03.6-08.6	576	93.9	91.4-96.4
55-64	768	334,007	48	6.4	04.4-08.4	720	93.6	91.6-95.6
65+	1297	440,458	33	2.6	01.4-03.8	1264	97.4	96.2-98.6
Less Than H.S.	241	222,871	43	17.4	12.1-22.7	198	82.6	77.3-87.9
H.S. or G.E.D.	1126	677,514	88	8.9	06.7-11.1	1038	91.1	88.9-93.3
Some Post-H.S.	1013	611,043	54	5.0	03.6-06.4	959	95.0	93.6-96.4
College Graduate	1409	482,739	26	1.9	01.1-02.7	1383	98.1	97.3-98.9
Less than \$15,000	182	96,076	45	26.0	18.4-33.6	137	74.0	66.4-81.6
\$15,000- 24,999	272	141,948	44	18.5	12.8-24.2	228	81.5	75.8-87.2
\$25,000- 34,999	345	173,194	32	12.0	07.5-16.5	313	88.0	83.5-92.5
\$35,000- 49,999	442	234,566	28	8.6	05.3-11.9	414	91.4	88.1-94.7
\$50,000- 99,999	1057	569,719	23	3.0	01.6-04.4	1034	97.0	95.6-98.4
\$100,000- 199,999	731	376,393	5	1.4	00.0-02.8	726	98.6	97.2-0100
\$200,000+	168	82,244	1	0.4	00.0-01.2	167	99.6	98.8-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 27: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4558	2,101,814	319	7.6	06.4-08.8	4239	92.4	91.2-93.6
White/Non-Hisp	3407	1,622,010	194	5.9	04.9-06.9	3213	94.1	93.1-95.1
Black or Afr. Am./Non-Hisp	704	194,262	72	12.3	08.2-16.4	632	87.7	83.6-91.8
Oth. Race/Non-Hisp.	62	51,899	3	2.1	00.0-04.8	59	97.9	95.2-0100
MultiRacial/Non-Hisp.	70	59,431	10	17.3	04.0-30.6	60	82.7	69.4-96.0
Hispanic	212	134,976	27	14.6	07.5-21.7	185	85.4	78.3-92.5
18-24	188	231,171	29	14.5	08.6-20.4	159	85.5	79.6-91.4
25-34	389	314,038	35	9.6	06.1-13.1	354	90.4	86.9-93.9
35-44	568	329,754	50	8.1	05.7-10.5	518	91.9	89.5-94.3
45-54	714	319,270	60	8.8	06.3-11.3	654	91.2	88.7-93.7
55-64	864	355,595	60	5.4	03.8-07.0	804	94.6	93.0-96.2
65+	1835	551,987	85	3.9	02.7-05.1	1750	96.1	94.9-97.3
Less Than H.S.	253	216,889	43	17.0	11.1-22.9	210	83.0	77.1-88.9
H.S. or G.E.D.	1280	644,872	118	9.0	06.8-11.2	1162	91.0	88.8-93.2
Some Post-H.S.	1272	654,229	94	6.9	05.3-08.5	1178	93.1	91.5-94.7
College Graduate	1737	580,217	62	3.2	02.2-04.2	1675	96.8	95.8-97.8
Less than \$15,000	265	118,093	84	32.2	24.2-40.2	181	67.8	59.8-75.8
\$15,000- 24,999	471	203,632	59	13.6	09.5-17.7	412	86.4	82.3-90.5
\$25,000- 34,999	517	225,437	46	8.8	06.1-11.5	471	91.2	88.5-93.9
\$35,000- 49,999	574	267,899	30	5.6	03.2-08.0	544	94.4	92.0-96.8
\$50,000- 99,999	1052	492,964	29	4.0	01.8-06.2	1023	96.0	93.8-98.2
\$100,000- 199,999	644	317,402	6	1.4	00.2-02.6	638	98.6	97.4-99.8
\$200,000+	139	67,788	1	0.5	00.0-01.5	138	99.5	98.5-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 28: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	Always		Usually		Sometimes		Rarely		Never					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8328	4,077,480	400	6.0	05.2-06.8	534	8.0	07.2-08.8	1791	22.9	21.7-24.1	2253	26.1	24.9-27.3	3350	37.0	35.6-38.4
Male	3779	1,983,236	160	5.3	04.3-06.3	201	6.4	05.4-07.4	645	18.9	17.3-20.5	994	26.0	24.2-27.8	1779	43.4	41.4-45.4
Female	4549	2,094,245	240	6.6	05.6-07.6	333	9.5	08.3-10.7	1146	26.7	24.9-28.5	1259	26.2	24.6-27.8	1571	31.0	29.2-32.8
White/Non-Hisp	6320	3,108,407	295	5.5	04.7-06.3	416	7.9	07.1-08.7	1304	22.4	21.0-23.8	1809	27.5	26.1-28.9	2496	36.7	35.3-38.1
Black or Afr. Am./Non-Hisp	1043	361,049	56	9.4	06.5-12.3	46	7.2	04.3-10.1	251	24.9	20.8-29.0	218	19.7	16.0-23.4	472	38.7	34.0-43.4
Oth. Race/Non-Hisp.	151	118,152	3	1.2	00.0-02.6	13	9.0	03.5-14.5	40	27.7	18.7-36.7	35	19.8	12.5-27.1	60	42.3	31.9-52.7
MultiRacial/Non-Hisp.	138	116,252	12	13.5	04.3-22.7	10	8.2	02.3-14.1	25	17.1	09.5-24.7	38	28.7	19.5-37.9	53	32.5	23.3-41.7
Hispanic	438	273,480	23	5.6	03.1-08.1	33	8.1	04.4-11.8	120	26.0	21.3-30.7	98	22.2	17.3-27.1	164	38.0	32.3-43.7
18-24	441	483,796	35	8.9	05.6-12.2	64	14.7	10.8-18.6	126	27.3	22.6-32.0	111	25.7	21.0-30.4	105	23.4	18.9-27.9
25-34	760	647,380	52	7.0	04.8-09.2	89	12.1	09.6-14.6	213	27.1	23.6-30.6	192	24.2	20.9-27.5	214	29.7	26.0-33.4
35-44	1067	650,049	91	9.2	07.0-11.4	108	9.6	07.6-11.6	278	25.5	22.6-28.4	305	27.4	24.5-30.3	285	28.3	25.2-31.4
45-54	1319	626,281	98	7.2	05.6-08.8	99	8.0	06.2-09.8	324	24.7	22.0-27.4	333	23.5	21.0-26.0	465	36.6	33.7-39.5
55-64	1630	688,157	78	4.6	03.4-05.8	99	6.1	04.7-07.5	357	21.2	18.8-23.6	450	26.9	24.4-29.4	646	41.2	38.5-43.9
65+	3111	981,818	46	1.8	01.2-02.4	75	2.2	01.6-02.8	493	16.4	14.6-18.2	862	28.0	26.0-30.0	1635	51.6	49.2-54.0
Less Than H.S.	486	430,722	51	11.5	07.8-15.2	32	7.2	04.5-09.9	143	27.7	22.8-32.6	72	15.1	11.2-19.0	188	38.6	33.3-43.9
H.S. or G.E.D.	2400	1,317,628	143	6.2	05.0-07.4	161	8.8	07.2-10.4	503	21.5	19.3-23.7	578	25.2	23.0-27.4	1015	38.4	36.0-40.8
Some Post-H.S.	2273	1,256,885	119	6.2	04.8-07.6	165	8.5	07.1-09.9	503	23.8	21.6-26.0	612	26.6	24.4-28.8	874	35.0	32.6-37.4
College Graduate	3137	1,060,616	84	3.1	02.3-03.9	175	6.8	05.6-08.0	639	21.9	20.1-23.7	984	31.2	29.2-33.2	1255	37.0	35.0-39.0
Less than \$15,000	444	213,392	74	20.3	15.0-25.6	45	10.6	06.7-14.5	115	24.1	19.2-29.0	73	15.8	11.5-20.1	137	29.2	23.7-34.7
\$15,000- 24,999	740	343,767	73	12.2	09.1-15.3	63	9.2	06.5-11.9	209	29.1	24.8-33.4	174	23.1	19.2-27.0	221	26.3	22.2-30.4
\$25,000- 34,999	861	397,296	61	8.3	05.9-10.7	69	10.6	07.9-13.3	192	23.7	20.2-27.2	184	19.6	16.5-22.7	355	37.8	33.9-41.7
\$35,000- 49,999	1010	496,412	41	5.0	03.2-06.8	71	8.4	06.0-10.8	197	20.5	17.4-23.6	288	27.7	24.4-31.0	413	38.3	34.4-42.2
\$50,000- 99,999	2097	1,056,474	63	3.8	02.6-05.0	128	7.8	06.2-09.4	413	20.7	18.5-22.9	623	28.5	26.1-30.9	870	39.2	36.5-41.9
\$100,000- 199,999	1372	692,943	24	2.0	01.0-03.0	70	6.8	05.0-08.6	303	23.9	21.2-26.6	436	30.0	27.3-32.7	539	37.4	34.5-40.3
\$200,000+	306	149,777	8	2.0	00.6-03.4	10	4.2	01.5-06.9	56	20.1	14.6-25.6	107	33.8	27.7-39.9	125	39.8	33.3-46.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 29: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Usually			Sometimes			Rarely		Never				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3779	1,983,236	160	5.3	04.3-06.3	201	6.4	05.4-07.4	645	18.9	17.3-20.5	994	26.0	24.2-27.8	1779	43.4	41.4-45.4
White/Non-Hisp	2924	1,493,629	105	4.6	03.6-05.6	146	6.1	04.9-07.3	478	18.6	16.8-20.4	815	27.3	25.3-29.3	1380	43.3	41.1-45.5
Black or Afr. Am./Non-Hisp	338	167,432	26	12.0	06.9-17.1	16	4.8	01.9-07.7	65	18.3	12.6-24.0	56	17.6	12.5-22.7	175	47.3	40.0-54.6
Oth. Race/Non-Hisp.	90	66,517	2	1.4	00.0-03.4	6	5.9	01.0-10.8	19	25.9	13.6-38.2	22	19.4	10.6-28.2	41	47.5	34.2-60.8
MultiRacial/Non-Hisp.	68	56,822	5	7.0	00.9-13.1	4	7.3	00.0-15.5	7	9.3	01.9-16.7	21	33.3	20.2-46.4	31	43.1	29.6-56.6
Hispanic	225	138,679	14	5.7	02.6-08.8	18	7.9	03.8-12.0	51	22.8	16.7-28.9	54	24.5	17.4-31.6	88	39.1	31.5-46.7
18-24	253	252,625	16	6.1	03.0-09.2	26	9.8	05.5-14.1	66	26.3	19.8-32.8	73	31.5	24.6-38.4	72	26.3	20.2-32.4
25-34	372	334,800	21	6.8	03.7-09.9	32	8.7	05.6-11.8	85	22.4	17.9-26.9	101	25.0	20.3-29.7	133	37.2	31.5-42.9
35-44	502	322,297	45	9.7	06.6-12.8	48	8.9	06.2-11.6	112	21.4	17.5-25.3	144	27.4	23.1-31.7	153	32.7	28.0-37.4
45-54	604	306,578	27	4.7	02.7-06.7	35	6.9	04.4-09.4	121	19.5	16.0-23.0	161	24.5	21.0-28.0	260	44.4	39.9-48.9
55-64	766	332,779	41	5.2	03.4-07.0	35	4.6	02.8-06.4	110	15.1	12.0-18.2	210	25.8	22.3-29.3	370	49.3	45.2-53.4
65+	1282	434,157	10	0.9	00.1-01.7	25	1.9	00.9-02.9	151	12.4	10.0-14.8	305	24.0	21.1-26.9	791	60.8	57.5-64.1
Less Than H.S.	236	217,347	24	10.4	05.9-14.9	16	7.5	03.8-11.2	61	24.1	17.4-30.8	35	14.3	09.0-19.6	100	43.7	36.1-51.3
H.S. or G.E.D.	1117	671,295	54	5.3	03.7-06.9	68	7.4	05.4-09.4	201	19.5	16.8-22.2	265	25.4	22.3-28.5	529	42.5	39.2-45.8
Some Post-H.S.	1007	607,185	50	5.7	03.9-07.5	60	6.8	05.0-08.6	172	19.2	16.3-22.1	259	26.6	23.3-29.9	466	41.8	38.3-45.3
College Graduate	1404	481,653	31	2.4	01.4-03.4	57	4.3	03.1-05.5	209	15.5	13.3-17.7	433	31.6	28.9-34.3	674	46.2	43.3-49.1
Less than \$15,000	181	95,542	30	19.9	12.3-27.5	16	9.1	03.8-14.4	44	21.5	14.8-28.2	29	13.9	08.4-19.4	62	35.6	27.2-44.0
\$15,000- 24,999	270	141,218	27	11.3	06.8-15.8	26	10.3	05.8-14.8	57	21.4	15.7-27.1	66	27.5	20.8-34.2	94	29.6	22.9-36.3
\$25,000- 34,999	342	171,521	24	8.5	04.8-12.2	23	7.7	04.2-11.2	67	21.3	16.0-26.6	55	16.0	11.3-20.7	173	46.5	40.0-53.0
\$35,000- 49,999	438	229,750	15	3.9	01.7-06.1	28	7.8	04.7-10.9	68	17.4	12.9-21.9	118	27.3	22.4-32.2	209	43.7	38.0-49.4
\$50,000- 99,999	1051	566,810	26	2.9	01.5-04.3	48	5.5	03.5-07.5	164	18.3	15.2-21.4	291	26.8	23.5-30.1	522	46.6	42.7-50.5
\$100,000- 199,999	729	375,951	9	1.9	00.5-03.3	32	5.6	03.4-07.8	115	17.2	13.9-20.5	232	30.9	27.0-34.8	341	44.5	40.4-48.6
\$200,000+	168	82,244	4	2.0	00.0-04.0	3	2.6	00.0-05.7	25	16.1	09.2-23.0	59	33.8	25.4-42.2	77	45.4	36.4-54.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 16: Social Determinants and Health Equity**

**TABLE 30: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Usually		Sometimes		Rarely		Never						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	4549	2,094,245	240	6.6	05.6-07.6	333	9.5	08.3-10.7	1146	26.7	25.1-28.3	1259	26.2	24.6-27.8	1571	31.0	29.2-32.8
White/Non-Hisp	3396	1,614,779	190	6.4	05.4-07.4	270	9.6	08.2-11.0	826	25.8	24.0-27.6	994	27.6	25.8-29.4	1116	30.5	28.7-32.3
Black or Afr. Am./Non-Hisp	705	193,617	30	7.1	04.0-10.2	30	9.4	04.7-14.1	186	30.7	25.0-36.4	162	21.5	16.6-26.4	297	31.3	25.8-36.8
Oth. Race/Non-Hisp.	61	51,635	1	1.1	00.0-03.3	7	13.1	02.5-23.7	21	30.0	16.5-43.5	13	20.3	08.3-32.3	19	35.6	19.5-51.7
MultiRacial/Non-Hisp.	70	59,431	7	19.7	03.4-36.0	6	9.0	00.8-17.2	18	24.6	11.9-37.3	17	24.2	11.5-36.9	22	22.4	11.2-33.6
Hispanic	213	134,800	9	5.5	01.4-09.6	15	8.4	02.1-14.7	69	29.3	21.9-36.7	44	19.9	13.2-26.6	76	36.9	28.7-45.1
18-24	188	231,171	19	12.0	05.9-18.1	38	20.0	13.3-26.7	60	28.3	21.2-35.4	38	19.4	13.3-25.5	33	20.3	13.4-27.2
25-34	388	312,580	31	7.2	04.5-09.9	57	15.6	11.5-19.7	128	32.1	27.0-37.2	91	23.3	18.6-28.0	81	21.7	17.2-26.2
35-44	565	327,752	46	8.7	06.0-11.4	60	10.4	07.7-13.1	166	29.4	25.3-33.5	161	27.4	23.5-31.3	132	24.1	20.2-28.0
45-54	715	319,703	71	9.6	07.2-12.0	64	9.0	06.6-11.4	203	29.7	25.8-33.6	172	22.6	19.3-25.9	205	29.1	25.2-33.0
55-64	864	355,378	37	4.1	02.5-05.7	64	7.6	05.6-09.6	247	26.8	23.5-30.1	240	27.9	24.4-31.4	276	33.6	29.7-37.5
65+	1829	547,660	36	2.5	01.3-03.7	50	2.4	01.6-03.2	342	19.6	17.1-22.1	557	31.1	28.4-33.8	844	44.3	41.2-47.4
Less Than H.S.	250	213,375	27	12.5	06.6-18.4	16	7.0	03.1-10.9	82	31.3	24.6-38.0	37	15.8	10.3-21.3	88	33.4	26.1-40.7
H.S. or G.E.D.	1283	646,333	89	7.2	05.4-09.0	93	10.3	07.8-12.8	302	23.6	20.5-26.7	313	24.9	22.0-27.8	486	34.1	30.8-37.4
Some Post-H.S.	1266	649,700	69	6.7	04.9-08.5	105	10.1	07.9-12.3	331	28.1	25.2-31.0	353	26.6	23.7-29.5	408	28.6	25.7-31.5
College Graduate	1733	578,963	53	3.6	02.4-04.8	118	8.9	07.1-10.7	430	27.2	24.7-29.7	551	30.9	28.4-33.4	581	29.4	26.9-31.9
Less than \$15,000	263	117,849	44	20.6	13.3-27.9	29	11.9	06.2-17.6	71	26.2	19.1-33.3	44	17.3	11.0-23.6	75	24.0	17.1-30.9
\$15,000- 24,999	470	202,549	46	12.9	08.6-17.2	37	8.5	05.2-11.8	152	34.5	29.0-40.0	108	19.9	15.2-24.6	127	24.1	19.2-29.0
\$25,000- 34,999	519	225,776	37	8.1	05.2-11.0	46	12.8	08.9-16.7	125	25.6	21.1-30.1	129	22.3	18.0-26.6	182	31.3	26.2-36.4
\$35,000- 49,999	572	266,662	26	6.1	03.4-08.8	43	8.9	05.8-12.0	129	23.2	18.9-27.5	170	28.1	23.6-32.6	204	33.7	28.6-38.8
\$50,000- 99,999	1046	489,663	37	4.8	03.0-06.6	80	10.4	07.7-13.1	249	23.6	20.5-26.7	332	30.5	27.2-33.8	348	30.7	27.2-34.2
\$100,000- 199,999	643	316,992	15	2.2	01.0-03.4	38	8.2	05.1-11.3	188	31.9	27.6-36.2	204	28.8	24.9-32.7	198	28.9	24.6-33.2
\$200,000+	138	67,533	4	2.2	00.0-04.4	7	6.1	01.2-11.0	31	24.9	16.3-33.5	48	33.9	24.9-42.9	48	32.9	23.9-41.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 17: MARIJUANA USE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1 MALES AND FEMALES	101
2 MALES ONLY	102
3 FEMALES ONLY	103
DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)	
4 MALES AND FEMALES	104
5 MALES ONLY	105
6 FEMALES ONLY	106
...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)	
7 MALES AND FEMALES	107
8 MALES ONLY	108
9 FEMALES ONLY	109
...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)	
10 MALES AND FEMALES	110
11 MALES ONLY	111
12 FEMALES ONLY	112
...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)	
13 MALES AND FEMALES	113
14 MALES ONLY	114
15 FEMALES ONLY	115
...USE IT IN SOME OTHER WAY? (MARJOTHR)	
16 MALES AND FEMALES	116
17 MALES ONLY	117
18 FEMALES ONLY	118
DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)	
19 MALES AND FEMALES	119
20 MALES ONLY	120
21 FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			Data was weighted using _LLCPWT.						6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	1 Day		2-5 Days		6-10 Days		11-20 Days		21-30 Days						
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8409	4,131,037	7558	87.6	86.6-88.6	93	1.3	00.9-01.7	247	3.2	02.8-03.6	86	1.0	00.8-01.2	100	1.5	01.1-01.9	325	5.3	04.7-05.9
Male	3820	2,003,783	3348	85.2	83.8-86.6	45	1.2	00.8-01.6	127	3.7	02.9-04.5	48	1.3	00.9-01.7	59	1.8	01.2-02.4	193	6.9	05.7-08.1
Female	4589	2,127,254	4210	89.9	88.7-91.1	48	1.3	00.9-01.7	120	2.9	02.3-03.5	38	0.8	00.6-01.0	41	1.3	00.7-01.9	132	3.9	03.1-04.7
White/Non-Hisp	6390	3,157,996	5747	88.3	87.3-89.3	69	1.1	00.9-01.3	194	3.3	02.7-03.9	69	1.0	00.8-01.2	74	1.4	01.0-01.8	237	4.9	04.1-05.7
Black or Afr. Am./Non-Hisp	1052	363,403	950	82.4	78.7-86.1	12	2.0	00.6-03.4	27	3.1	01.7-04.5	8	1.6	00.2-03.0	12	1.3	00.3-02.3	43	9.6	06.5-12.7
Oth. Race/Non-Hisp.	149	116,289	135	91.6	86.7-96.5	1	0.4	00.0-01.2	3	2.4	00.0-05.3	1	0.5	00.0-01.5	3	1.5	00.0-03.3	6	3.7	00.2-07.2
MultiRacial/Non-Hisp.	137	115,005	110	79.9	71.9-87.9	4	3.4	00.0-07.5	5	3.8	00.1-07.5	3	1.5	00.0-03.3	2	1.3	00.0-03.1	13	10.2	04.1-16.3
Hispanic	445	279,492	398	87.5	83.2-91.8	5	1.6	00.0-03.2	14	3.8	01.6-06.0	5	0.7	00.1-01.3	6	2.9	00.0-06.0	17	3.5	01.5-05.5
18-24	449	499,207	341	77.7	73.4-82.0	6	1.1	00.1-02.1	34	6.9	04.5-09.3	6	0.9	00.1-01.7	21	4.5	02.1-06.9	41	8.8	05.9-11.7
25-34	777	660,090	629	82.1	79.2-85.0	14	1.6	00.6-02.6	27	2.9	01.7-04.1	14	1.4	00.6-02.2	17	1.8	00.8-02.8	76	10.2	07.8-12.6
35-44	1064	646,275	893	83.5	81.0-86.0	21	1.8	01.0-02.6	36	3.1	01.9-04.3	18	1.4	00.6-02.2	23	2.2	01.2-03.2	73	8.1	06.1-10.1
45-54	1322	629,256	1179	89.2	87.4-91.0	15	1.2	00.6-01.8	58	4.5	03.3-05.7	15	1.2	00.4-02.0	13	1.0	00.4-01.6	42	3.0	02.0-04.0
55-64	1639	693,837	1485	91.0	89.4-92.6	19	1.2	00.6-01.8	46	2.3	01.5-03.1	17	0.8	00.4-01.2	14	0.8	00.4-01.2	58	3.8	02.8-04.8
65+	3158	1,002,373	3031	95.4	94.4-96.4	18	0.8	00.4-01.2	46	1.6	01.0-02.2	16	0.6	00.2-01.0	12	0.3	00.1-00.5	35	1.3	00.7-01.9
Less Than H.S.	496	436,522	428	85.6	82.1-89.1	8	1.9	00.3-03.5	14	3.0	01.2-04.8	5	1.0	00.0-02.0	6	0.6	00.0-01.2	35	8.0	05.3-10.7
H.S. or G.E.D.	2426	1,338,383	2152	86.8	85.0-88.6	23	0.9	00.5-01.3	82	3.3	02.5-04.1	26	1.1	00.7-01.5	29	1.8	01.0-02.6	114	6.0	04.8-07.2
Some Post-H.S.	2298	1,274,382	2032	86.2	84.4-88.0	26	1.3	00.7-01.9	80	3.8	02.8-04.8	22	0.9	00.5-01.3	34	1.9	01.1-02.7	104	5.8	04.6-07.0
College Graduate	3158	1,070,458	2917	91.0	89.8-92.2	36	1.4	00.8-02.0	71	2.5	01.7-03.3	33	1.1	00.7-01.5	31	1.1	00.7-01.5	70	2.9	02.1-03.7
Less than \$15,000	448	214,315	371	79.3	74.4-84.2	3	0.7	00.0-01.7	24	4.8	02.6-07.0	7	1.9	00.3-03.5	8	1.8	00.4-03.2	35	11.5	07.2-15.8
\$15,000- 24,999	750	346,795	649	82.2	78.5-85.9	8	1.6	00.4-02.8	27	4.4	02.4-06.4	11	1.7	00.5-02.9	15	2.7	01.1-04.3	40	7.4	04.9-09.9
\$25,000- 34,999	865	400,329	770	86.5	83.6-89.4	15	2.0	00.8-03.2	28	3.7	02.1-05.3	6	0.7	00.1-01.3	7	0.6	00.0-01.2	39	6.4	04.2-08.6
\$35,000- 49,999	1026	511,377	901	85.6	82.9-88.3	11	1.6	00.6-02.6	30	3.5	02.1-04.9	13	0.9	00.3-01.5	14	1.3	00.5-02.1	57	7.2	05.2-09.2
\$50,000- 99,999	2118	1,067,760	1878	85.8	83.8-87.8	26	1.2	00.8-01.6	68	3.5	02.5-04.5	28	1.3	00.7-01.9	31	2.3	01.3-03.3	87	6.0	04.6-07.4
\$100,000- 199,999	1378	697,401	1271	90.8	88.8-92.8	18	1.1	00.5-01.7	33	2.8	01.6-04.0	10	0.9	00.3-01.5	14	1.4	00.6-02.2	32	3.0	01.8-04.2
\$200,000+	305	148,804	289	94.3	91.4-97.2	4	1.5	00.0-03.1	5	1.3	00.1-02.5	2	0.7	00.0-01.7	1	0.3	00.0-00.9	4	1.8	00.0-03.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3820	2,003,783	3348	85.2	83.8-86.6	45	1.2	0.0-01.6	127	3.7	02.9-04.5	48	1.3	00.9-01.7	59	1.8	01.2-02.4	193	6.9	05.7-08.1
White/Non-Hisp	2963	1,512,934	2608	85.9	84.3-87.5	31	1.0	00.6-01.4	100	3.7	02.9-04.5	38	1.3	00.9-01.7	47	1.9	01.3-02.5	139	6.2	05.0-07.4
Black or Afr. Am./Non-Hisp	341	169,423	291	77.5	71.0-84.0	7	2.8	00.4-05.2	11	3.2	00.8-05.6	5	2.4	00.0-04.8	5	1.2	00.0-02.8	22	12.9	07.4-18.4
Oth. Race/Non-Hisp.	87	64,389	80	91.9	85.4-98.4							1	0.8	00.0-02.4	2	1.4	00.0-03.4	4	5.8	00.0-11.9
MultiRacial/Non-Hisp.	68	56,498	51	77.5	66.3-88.7	2	1.7	00.0-04.1	4	6.5	00.0-13.6	2	1.7	00.0-04.1	1	1.5	00.0-04.4	8	11.1	02.5-19.7
Hispanic	230	141,977	201	86.7	81.8-91.6	3	1.5	00.0-03.3	10	4.9	01.8-08.0	2	0.7	00.0-01.7	1	0.5	00.0-01.5	13	5.7	02.2-09.2
18-24	254	253,016	192	75.7	69.6-81.8	3	0.8	00.0-01.8	21	8.3	04.6-12.0	4	1.1	00.0-02.3	11	3.7	01.3-06.1	23	10.3	05.6-15.0
25-34	379	340,521	294	78.8	74.5-83.1	6	1.1	00.1-02.1	12	3.0	01.2-04.8	8	1.7	00.3-03.1	12	2.8	01.0-04.6	47	12.6	09.1-16.1
35-44	503	322,342	414	81.3	77.4-85.2	8	1.6	00.4-02.8	19	3.1	01.5-04.7	9	1.6	00.4-02.8	10	2.2	00.6-03.8	43	10.2	06.9-13.5
45-54	607	309,547	533	87.4	84.5-90.3	7	1.4	00.2-02.6	28	4.6	02.8-06.4	8	1.7	00.5-02.9	9	1.5	00.5-02.5	22	3.4	01.8-05.0
55-64	772	336,265	694	90.6	88.4-92.8	9	1.2	00.4-02.0	17	1.8	00.8-02.8	9	0.8	00.2-01.4	10	1.2	00.4-02.0	33	4.4	02.8-06.0
65+	1305	442,091	1221	92.6	90.8-94.4	12	1.0	00.2-01.8	30	2.7	01.5-03.9	10	1.0	00.4-01.6	7	0.4	00.0-00.8	25	2.4	01.2-03.6
Less Than H.S.	241	220,737	198	81.2	75.5-86.9	4	1.7	00.0-03.5	7	3.6	00.7-06.5	3	1.2	00.0-02.6	4	0.6	00.0-01.4	25	11.7	07.0-16.4
H.S. or G.E.D.	1135	677,819	975	84.6	82.1-87.1	13	1.0	00.4-01.6	40	3.2	02.0-04.4	19	1.7	00.9-02.5	16	1.8	00.8-02.8	72	7.7	05.7-09.7
Some Post-H.S.	1018	615,096	865	82.6	79.9-85.3	15	1.4	00.6-02.2	49	5.3	03.7-06.9	13	1.1	00.3-01.9	21	2.6	01.4-03.8	55	7.0	05.0-09.0
College Graduate	1412	484,690	1297	91.1	89.3-92.9	13	1.0	00.4-01.6	31	2.3	01.3-03.3	13	0.9	00.3-01.5	18	1.4	00.6-02.2	40	3.3	02.1-04.5
Less than \$15,000	185	97,684	142	73.9	65.9-81.9	1	0.6	00.0-01.8	9	4.0	01.1-06.9	6	3.7	00.2-07.2	7	3.7	00.6-06.8	20	14.1	07.2-21.0
\$15,000- 24,999	273	140,152	226	78.4	72.1-84.7	3	1.3	00.0-02.9	13	5.9	02.4-09.4	6	1.8	00.2-03.4	7	3.8	00.9-06.7	18	8.8	04.3-13.3
\$25,000- 34,999	344	171,885	299	83.5	78.4-88.6	8	2.8	00.4-05.2	10	3.2	01.0-05.4	3	0.9	00.0-01.9	2	0.5	00.0-01.3	22	9.1	05.0-13.2
\$35,000- 49,999	448	236,151	377	81.9	77.6-86.2	7	1.9	00.5-03.3	20	4.8	02.4-07.2	7	0.9	00.1-01.7	8	1.6	00.2-03.0	29	8.7	05.4-12.0
\$50,000- 99,999	1057	567,678	912	83.3	80.4-86.2	12	1.0	00.4-01.6	38	4.1	02.5-05.7	15	1.7	00.7-02.7	17	1.6	00.8-02.4	63	8.4	06.0-10.8
\$100,000- 199,999	734	379,342	672	89.3	86.4-92.2	6	0.7	00.1-01.3	19	3.1	01.5-04.7	6	1.1	00.1-02.1	9	1.9	00.5-03.3	22	3.9	01.9-05.9
\$200,000+	167	81,955	160	95.6	92.3-98.9	2	1.5	00.0-03.5	3	1.5	00.0-03.5				1	0.6	00.0-01.8	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4589	2,127,254	4210	89.9	88.7-91.1	48	1.3	00.9-01.7	120	2.9	02.3-03.5	38	0.8	00.6-01.0	41	1.3	00.7-01.9	132	3.9	03.1-04.7
White/Non-Hisp	3427	1,645,062	3139	90.5	89.3-91.7	38	1.2	00.8-01.6	94	2.8	02.0-03.6	31	0.8	00.4-01.2	27	1.0	00.6-01.4	98	3.7	02.9-04.5
Black or Afr. Am./Non-Hisp	711	193,980	659	86.7	82.8-90.6	5	1.3	00.0-02.7	16	3.1	01.5-04.7	3	0.9	00.0-02.1	7	1.3	00.1-02.5	21	6.7	03.6-09.8
Oth. Race/Non-Hisp.	62	51,899	55	91.2	83.6-98.8	1	0.8	00.0-02.4	3	5.3	00.0-12.0				1	1.6	00.0-04.5	2	1.2	00.0-02.8
MultiRacial/Non-Hisp.	69	58,507	59	82.2	70.6-93.8	2	5.0	00.0-12.8	1	1.2	00.0-03.6	1	1.2	00.0-03.6	1	1.1	00.0-03.3	5	9.2	00.8-17.6
Hispanic	215	137,515	197	88.3	81.4-95.2	2	1.7	00.0-04.4	4	2.7	00.0-05.6	3	0.7	00.0-01.5	5	5.4	00.0-11.3	4	1.2	00.0-02.6
18-24	195	246,191	149	79.7	73.6-85.8	3	1.4	00.0-03.2	13	5.5	02.4-08.6	2	0.7	00.0-01.9	10	5.3	01.4-09.2	18	7.3	03.8-10.8
25-34	398	319,569	335	85.6	81.9-89.3	8	2.2	00.4-04.0	15	2.8	01.0-04.6	6	1.1	00.1-02.1	5	0.8	00.0-01.6	29	7.5	04.8-10.2
35-44	561	323,933	479	85.7	82.6-88.8	13	1.9	00.7-03.1	17	3.0	01.4-04.6	9	1.2	00.4-02.0	13	2.2	00.8-03.6	30	5.9	03.5-08.3
45-54	715	319,708	646	90.9	88.7-93.1	8	1.0	00.4-01.6	30	4.3	02.5-06.1	7	0.8	00.2-01.4	4	0.5	00.1-00.9	20	2.6	01.4-03.8
55-64	867	357,571	791	91.4	89.2-93.6	10	1.2	00.4-02.0	29	2.9	01.7-04.1	8	0.9	00.3-01.5	4	0.4	00.0-01.0	25	3.2	01.8-04.6
65+	1853	560,281	1810	97.7	96.7-98.7	6	0.7	00.1-01.3	16	0.8	00.2-01.4	6	0.2	00.0-00.4	5	0.3	00.1-00.5	10	0.3	00.1-00.5
Less Than H.S.	255	215,785	230	90.0	85.9-94.1	4	2.2	00.0-04.6	7	2.4	00.4-04.4	2	0.7	00.0-01.9	2	0.6	00.0-01.4	10	4.1	01.4-06.8
H.S. or G.E.D.	1291	660,564	1177	89.2	86.8-91.6	10	0.8	00.2-01.4	42	3.5	02.1-04.9	7	0.5	00.1-00.9	13	1.8	00.4-03.2	42	4.2	02.8-05.6
Some Post-H.S.	1280	659,286	1167	89.6	87.4-91.8	11	1.2	00.4-02.0	31	2.5	01.5-03.5	9	0.7	00.1-01.3	13	1.3	00.3-02.3	49	4.7	03.3-06.1
College Graduate	1746	585,768	1620	90.9	89.1-92.7	23	1.7	00.9-02.5	40	2.8	01.8-03.8	20	1.2	00.6-01.8	13	0.8	00.4-01.2	30	2.6	01.6-03.6
Less than \$15,000	263	116,631	229	83.8	77.7-89.9	2	0.9	00.0-02.3	15	5.4	02.5-08.3	1	0.4	00.0-01.2	1	0.3	00.0-00.9	15	9.3	04.0-14.6
\$15,000- 24,999	477	206,643	423	84.8	80.5-89.1	5	1.9	00.1-03.7	14	3.5	01.3-05.7	5	1.6	00.0-03.4	8	1.8	00.4-03.2	22	6.3	03.4-09.2
\$25,000- 34,999	521	228,444	471	88.7	85.4-92.0	7	1.5	00.3-02.7	18	4.0	01.8-06.2	3	0.6	00.0-01.4	5	0.7	00.0-01.5	17	4.5	02.1-06.9
\$35,000- 49,999	578	275,226	524	88.7	85.4-92.0	4	1.3	00.0-02.9	10	2.3	00.5-04.1	6	0.9	00.1-01.7	6	1.0	00.0-02.0	28	5.8	03.4-08.2
\$50,000- 99,999	1061	500,082	966	88.6	85.9-91.3	14	1.4	00.6-02.2	30	2.9	01.5-04.3	13	0.8	00.2-01.4	14	3.0	01.0-05.0	24	3.3	01.9-04.7
\$100,000- 199,999	644	318,058	599	92.7	90.3-95.1	12	1.6	00.6-02.6	14	2.4	00.8-04.0	4	0.6	00.0-01.2	5	0.9	00.0-01.9	10	1.8	00.6-03.0
\$200,000+	138	66,849	129	92.8	87.7-97.9	2	1.5	00.0-03.7	2	1.0	00.0-02.4	2	1.6	00.0-04.0				3	3.1	00.0-06.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	846	510,878	687	83.3	80.4-86.2	159	16.7	13.8-19.6
Male	471	296,879	389	84.7	81.2-88.2	82	15.3	11.8-18.8
Female	375	213,999	298	81.4	76.7-86.1	77	18.6	13.9-23.3
White/Non-Hisp	640	368,973	504	81.8	78.5-85.1	136	18.2	14.9-21.5
Black or Afr. Am./Non-Hisp	100	63,565	91	92.6	87.3-97.9	9	7.4	02.1-12.7
18-24	108	111,322	90	84.8	77.5-92.1	18	15.2	07.9-22.5
25-34	147	117,801	123	84.8	78.3-91.3	24	15.2	08.7-21.7
35-44	170	106,157	140	85.6	79.9-91.3	30	14.4	08.7-20.1
45-54	143	68,081	111	78.9	71.6-86.2	32	21.1	13.8-28.4
55-64	152	61,967	124	81.4	74.7-88.1	28	18.6	11.9-25.3
65+	126	45,550	99	79.7	71.3-88.1	27	20.3	11.9-28.7
Less Than H.S.	68	62,996	65	94.1	86.5-100	3	5.9	00.0-13.5
H.S. or G.E.D.	273	175,919	239	86.9	82.2-91.6	34	13.1	08.4-17.8
Some Post-H.S.	265	174,943	224	83.2	78.1-88.3	41	16.8	11.7-21.9
College Graduate	238	95,582	157	69.6	63.3-75.9	81	30.4	24.1-36.7
Less than \$15,000	77	44,374	70	89.5	79.9-99.1	7	10.5	00.9-20.1
\$15,000- 24,999	101	61,635	95	95.7	91.0-100	6	4.3	00.0-09.0
\$25,000- 34,999	94	53,780	79	82.9	74.1-91.7	15	17.1	08.3-25.9
\$35,000- 49,999	123	72,874	101	82.2	74.6-89.8	22	17.8	10.2-25.4
\$50,000- 99,999	238	151,747	196	86.0	81.1-90.9	42	14.0	09.1-18.9
\$100,000- 199,999	107	63,890	69	70.2	60.8-79.6	38	29.8	20.4-39.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	471	296,879	389	84.7	81.2-88.2	82	15.3	11.8-18.8
White/Non-Hisp	354	213,289	284	82.8	78.5-87.1	70	17.2	12.9-21.5
Black or Afr. Am./Non-Hisp	50	38,182	46	92.4	85.1-99.7	4	7.6	00.3-14.9
18-24	62	61,371	52	86.3	77.7-94.9	10	13.7	05.1-22.3
25-34	85	72,222	73	87.7	80.6-94.8	12	12.3	05.2-19.4
35-44	89	60,322	75	86.7	79.1-94.3	14	13.3	05.7-20.9
45-54	74	39,052	59	80.9	71.5-90.3	15	19.1	09.7-28.5
55-64	78	31,512	65	82.6	73.4-91.8	13	17.4	08.2-26.6
65+	83	32,399	65	77.5	66.7-88.3	18	22.5	11.7-33.3
H.S. or G.E.D.	160	104,577	140	88.0	82.7-93.3	20	12.0	06.7-17.3
Some Post-H.S.	152	106,373	126	82.0	75.1-88.9	26	18.0	11.1-24.9
College Graduate	115	43,239	81	71.1	61.9-80.3	34	28.9	19.7-38.1
\$35,000- 49,999	70	42,308	54	79.4	69.0-89.8	16	20.6	10.2-31.0
\$50,000- 99,999	145	94,968	126	88.6	82.9-94.3	19	11.4	05.7-17.1
\$100,000- 199,999	62	40,658	41	72.0	60.0-84.0	21	28.0	16.0-40.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	375	213,999	298	81.4	76.7-86.1	77	18.6	13.9-23.3
White/Non-Hisp	286	155,684	220	80.5	75.4-85.6	66	19.5	14.4-24.6
Black or Afr. Am./Non-Hisp	50	25,382	45	92.8	85.5-100.0	5	7.2	0.0-14.5
25-34	62	45,579	50	80.2	68.2-92.2	12	19.8	07.8-31.8
35-44	81	45,835	65	84.2	75.8-92.6	16	15.8	07.4-24.2
45-54	69	29,029	52	76.2	65.0-87.4	17	23.8	12.6-35.0
55-64	74	30,456	59	80.3	70.9-89.7	15	19.7	10.3-29.1
H.S. or G.E.D.	113	71,342	99	85.3	76.5-94.1	14	14.7	05.9-23.5
Some Post-H.S.	113	68,570	98	84.9	77.3-92.5	15	15.1	07.5-22.7
College Graduate	123	52,343	76	68.4	59.6-77.2	47	31.6	22.8-40.4
\$15,000- 24,999	54	31,320	50	93.7	85.1-100.0	4	6.3	00.0-14.9
\$35,000- 49,999	53	30,566	47	86.0	74.6-97.4	6	14.0	02.6-25.4
\$50,000- 99,999	93	56,779	70	81.7	72.7-90.7	23	18.3	09.3-27.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 7: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	847	511,752	328	37.3	33.6-41.0	519	62.7	59.0-66.4
Male	471	296,993	180	37.7	32.6-42.8	291	62.3	57.2-67.4
Female	376	214,758	148	36.7	31.0-42.4	228	63.3	57.6-69.0
White/Non-Hisp	641	369,846	262	38.4	34.1-42.7	379	61.6	57.3-65.9
Black or Afr. Am./Non-Hisp	100	63,565	26	30.1	18.9-41.3	74	69.9	58.7-81.1
18-24	108	111,322	39	32.3	22.7-41.9	69	67.7	58.1-77.3
25-34	147	117,801	59	40.2	31.6-48.8	88	59.8	51.2-68.4
35-44	170	106,428	82	44.2	35.8-52.6	88	55.8	47.4-64.2
45-54	143	68,081	58	38.6	30.0-47.2	85	61.4	52.8-70.0
55-64	152	62,204	49	30.8	22.8-38.8	103	69.2	61.2-77.2
65+	127	45,915	41	32.7	23.3-42.1	86	67.3	57.9-76.7
Less Than H.S.	68	62,996	16	29.8	17.1-42.5	52	70.2	57.5-82.9
H.S. or G.E.D.	273	176,156	91	33.6	27.1-40.1	182	66.4	59.9-72.9
Some Post-H.S.	266	175,308	92	33.7	27.2-40.2	174	66.3	59.8-72.8
College Graduate	238	95,853	129	56.0	48.7-63.3	109	44.0	36.7-51.3
Less than \$15,000	76	44,124	20	32.9	19.6-46.2	56	67.1	53.8-80.4
\$15,000- 24,999	100	61,615	24	25.9	15.9-35.9	76	74.1	64.1-84.1
\$25,000- 34,999	95	54,038	30	31.6	20.8-42.4	65	68.4	57.6-79.2
\$35,000- 49,999	125	73,761	50	38.3	28.7-47.9	75	61.7	52.1-71.3
\$50,000- 99,999	238	151,747	99	39.7	32.3-47.1	139	60.3	52.9-67.7
\$100,000- 199,999	107	63,890	58	47.3	36.3-58.3	49	52.7	41.7-63.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 8: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	471	296,993	180	37.7	32.6-42.8	291	62.3	57.2-67.4
White/Non-Hisp	354	213,404	138	37.0	31.3-42.7	216	63.0	57.3-68.7
Black or Afr. Am./Non-Hisp	50	38,182	14	33.4	17.5-49.3	36	66.6	50.7-82.5
18-24	62	61,371	23	33.2	20.5-45.9	39	66.8	54.1-79.5
25-34	85	72,222	33	38.2	27.2-49.2	52	61.8	50.8-72.8
35-44	88	60,072	43	46.1	34.1-58.1	45	53.9	41.9-65.9
45-54	74	39,052	28	38.0	26.0-50.0	46	62.0	50.0-74.0
55-64	78	31,512	25	31.3	19.9-42.7	53	68.7	57.3-80.1
65+	84	32,765	28	35.6	24.0-47.2	56	64.4	52.8-76.0
H.S. or G.E.D.	160	104,577	53	34.2	25.8-42.6	107	65.8	57.4-74.2
Some Post-H.S.	153	106,738	56	37.3	28.7-45.9	97	62.7	54.1-71.3
College Graduate	114	42,989	58	51.9	41.5-62.3	56	48.1	37.7-58.5
\$35,000- 49,999	71	42,673	30	39.2	26.7-51.7	41	60.8	48.3-73.3
\$50,000- 99,999	145	94,968	58	40.9	31.3-50.5	87	59.1	49.5-68.7
\$100,000- 199,999	62	40,658	34	47.0	32.7-61.3	28	53.0	38.7-67.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 9: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	376	214,758	148	36.7	31.0-42.4	228	63.3	57.6-69.0
White/Non-Hisp	287	156,443	124	40.5	34.0-47.0	163	59.5	53.0-66.0
Black or Afr. Am./Non-Hisp	50	25,382	12	25.1	11.0-39.2	38	74.9	60.8-89.0
25-34	62	45,579	26	43.4	29.3-57.5	36	56.6	42.5-70.7
35-44	82	46,357	39	41.7	30.1-53.3	43	58.3	46.7-69.9
45-54	69	29,029	30	39.3	27.1-51.5	39	60.7	48.5-72.9
55-64	74	30,693	24	30.2	19.0-41.4	50	69.8	58.6-81.0
H.S. or G.E.D.	113	71,579	38	32.8	22.4-43.2	75	67.2	56.8-77.6
Some Post-H.S.	113	68,570	36	28.1	19.3-36.9	77	71.9	63.1-80.7
College Graduate	124	52,865	71	59.4	49.4-69.4	53	40.6	30.6-50.6
\$15,000- 24,999	53	31,300	15	32.6	18.1-47.1	38	67.4	52.9-81.9
\$25,000- 34,999	50	25,749	19	38.5	22.8-54.2	31	61.5	45.8-77.2
\$35,000- 49,999	54	31,088	20	37.2	22.9-51.5	34	62.8	48.5-77.1
\$50,000- 99,999	93	56,779	41	37.9	25.9-49.9	52	62.1	50.1-74.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 10: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	849	512,022	220	30.1	26.2-34.0	629	69.9	66.0-73.8
Male	472	297,244	124	29.7	24.6-34.8	348	70.3	65.2-75.4
Female	377	214,779	96	30.7	24.6-36.8	281	69.3	63.2-75.4
White/Non-Hisp	643	370,117	172	30.4	26.1-34.7	471	69.6	65.3-73.9
Black or Afr. Am./Non-Hisp	100	63,565	16	22.0	11.6-32.4	84	78.0	67.6-88.4
18-24	108	111,322	50	50.1	39.3-60.9	58	49.9	39.1-60.7
25-34	147	117,801	51	34.3	25.9-42.7	96	65.7	57.3-74.1
35-44	171	106,679	42	25.1	17.8-32.4	129	74.9	67.6-82.2
45-54	143	68,081	32	20.5	13.4-27.6	111	79.5	72.4-86.6
55-64	153	62,225	24	16.7	10.0-23.4	129	83.3	76.6-90.0
65+	127	45,915	21	15.4	08.1-22.7	106	84.6	77.3-91.9
Less Than H.S.	68	62,996	15	23.6	12.6-34.6	53	76.4	65.4-87.4
H.S. or G.E.D.	274	176,177	82	38.4	31.0-45.8	192	61.6	54.2-69.0
Some Post-H.S.	266	175,308	65	27.4	21.1-33.7	201	72.6	66.3-78.9
College Graduate	239	96,104	57	24.5	18.2-30.8	182	75.5	69.2-81.8
Less than \$15,000	77	44,374	13	19.1	07.7-30.5	64	80.9	69.5-92.3
\$15,000- 24,999	101	61,635	30	38.3	26.9-49.7	71	61.7	50.3-73.1
\$25,000- 34,999	95	54,038	22	29.4	18.2-40.6	73	70.6	59.4-81.8
\$35,000- 49,999	125	73,761	37	33.4	23.6-43.2	88	66.6	56.8-76.4
\$50,000- 99,999	238	151,747	66	33.5	25.5-41.5	172	66.5	58.5-74.5
\$100,000- 199,999	107	63,890	20	16.0	08.6-23.4	87	84.0	76.6-91.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 11: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	472	297,244	124	29.7	24.6-34.8	348	70.3	65.2-75.4
White/Non-Hisp	355	213,654	95	29.1	23.2-35.0	260	70.9	65.0-76.8
Black or Afr. Am./Non-Hisp	50	38,182	9	25.7	10.4-41.0	41	74.3	59.0-89.6
18-24	62	61,371	28	48.8	34.7-62.9	34	51.2	37.1-65.3
25-34	85	72,222	29	36.2	25.0-47.4	56	63.8	52.6-75.0
35-44	89	60,322	22	22.7	13.5-31.9	67	77.3	68.1-86.5
45-54	74	39,052	18	21.9	12.1-31.7	56	78.1	68.3-87.9
55-64	78	31,512	10	13.1	04.9-21.3	68	86.9	78.7-95.1
65+	84	32,765	17	18.2	08.8-27.6	67	81.8	72.4-91.2
H.S. or G.E.D.	160	104,577	47	35.3	26.3-44.3	113	64.7	55.7-73.7
Some Post-H.S.	153	106,738	40	29.2	20.8-37.6	113	70.8	62.4-79.2
College Graduate	115	43,239	26	20.3	12.7-27.9	89	79.7	72.1-87.3
\$35,000- 49,999	71	42,673	21	34.1	21.0-47.2	50	65.9	52.8-79.0
\$50,000- 99,999	145	94,968	41	31.7	21.9-41.5	104	68.3	58.5-78.1
\$100,000- 199,999	62	40,658	13	18.4	08.0-28.8	49	81.6	71.2-92.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 12: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	214,779	96	30.7	24.4-37.0	281	69.3	63.0-75.6
White/Non-Hisp	288	156,463	77	32.1	25.4-38.8	211	67.9	61.2-74.6
Black or Afr. Am./Non-Hisp	50	25,382	7	16.3	04.7-27.9	43	83.7	72.1-95.3
25-34	62	45,579	22	31.2	18.9-43.5	40	68.8	56.5-81.1
35-44	82	46,357	20	28.2	16.6-39.8	62	71.8	60.2-83.4
45-54	69	29,029	14	18.7	08.9-28.5	55	81.3	71.5-91.1
55-64	75	30,713	14	20.4	09.6-31.2	61	79.6	68.8-90.4
H.S. or G.E.D.	114	71,599	35	42.8	30.5-55.1	79	57.2	44.9-69.5
Some Post-H.S.	113	68,570	25	24.7	15.5-33.9	88	75.3	66.1-84.5
College Graduate	124	52,865	31	27.9	18.3-37.5	93	72.1	62.5-81.7
\$15,000- 24,999	54	31,320	17	38.4	23.1-53.7	37	61.6	46.3-76.9
\$25,000- 34,999	50	25,749	11	29.4	13.5-45.3	39	70.6	54.7-86.5
\$35,000- 49,999	54	31,088	16	32.4	17.7-47.1	38	67.6	52.9-82.3
\$50,000- 99,999	93	56,779	25	36.5	22.6-50.4	68	63.5	49.6-77.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 13: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	849	512,022	220	30.1	26.2-34.0	629	69.9	66.0-73.8
Male	472	297,244	124	29.7	24.6-34.8	348	70.3	65.2-75.4
Female	377	214,779	96	30.7	24.6-36.8	281	69.3	63.2-75.4
White/Non-Hisp	643	370,117	172	30.4	26.1-34.7	471	69.6	65.3-73.9
Black or Afr. Am./Non-Hisp	100	63,565	16	22.0	11.6-32.4	84	78.0	67.6-88.4
18-24	108	111,322	50	50.1	39.3-60.9	58	49.9	39.1-60.7
25-34	147	117,801	51	34.3	25.9-42.7	96	65.7	57.3-74.1
35-44	171	106,679	42	25.1	17.8-32.4	129	74.9	67.6-82.2
45-54	143	68,081	32	20.5	13.4-27.6	111	79.5	72.4-86.6
55-64	153	62,225	24	16.7	10.0-23.4	129	83.3	76.6-90.0
65+	127	45,915	21	15.4	08.1-22.7	106	84.6	77.3-91.9
Less Than H.S.	68	62,996	15	23.6	12.6-34.6	53	76.4	65.4-87.4
H.S. or G.E.D.	274	176,177	82	38.4	31.0-45.8	192	61.6	54.2-69.0
Some Post-H.S.	266	175,308	65	27.4	21.1-33.7	201	72.6	66.3-78.9
College Graduate	239	96,104	57	24.5	18.2-30.8	182	75.5	69.2-81.8
Less than \$15,000	77	44,374	13	19.1	07.7-30.5	64	80.9	69.5-92.3
\$15,000- 24,999	101	61,635	30	38.3	26.9-49.7	71	61.7	50.3-73.1
\$25,000- 34,999	95	54,038	22	29.4	18.2-40.6	73	70.6	59.4-81.8
\$35,000- 49,999	125	73,761	37	33.4	23.6-43.2	88	66.6	56.8-76.4
\$50,000- 99,999	238	151,747	66	33.5	25.5-41.5	172	66.5	58.5-74.5
\$100,000- 199,999	107	63,890	20	16.0	08.6-23.4	87	84.0	76.6-91.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 14: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	472	297,244	124	29.7	24.6-34.8	348	70.3	65.2-75.4
White/Non-Hisp	355	213,654	95	29.1	23.2-35.0	260	70.9	65.0-76.8
Black or Afr. Am./Non-Hisp	50	38,182	9	25.7	10.4-41.0	41	74.3	59.0-89.6
18-24	62	61,371	28	48.8	34.7-62.9	34	51.2	37.1-65.3
25-34	85	72,222	29	36.2	25.0-47.4	56	63.8	52.6-75.0
35-44	89	60,322	22	22.7	13.5-31.9	67	77.3	68.1-86.5
45-54	74	39,052	18	21.9	12.1-31.7	56	78.1	68.3-87.9
55-64	78	31,512	10	13.1	04.9-21.3	68	86.9	78.7-95.1
65+	84	32,765	17	18.2	08.8-27.6	67	81.8	72.4-91.2
H.S. or G.E.D.	160	104,577	47	35.3	26.3-44.3	113	64.7	55.7-73.7
Some Post-H.S.	153	106,738	40	29.2	20.8-37.6	113	70.8	62.4-79.2
College Graduate	115	43,239	26	20.3	12.7-27.9	89	79.7	72.1-87.3
\$35,000- 49,999	71	42,673	21	34.1	21.0-47.2	50	65.9	52.8-79.0
\$50,000- 99,999	145	94,968	41	31.7	21.9-41.5	104	68.3	58.5-78.1
\$100,000- 199,999	62	40,658	13	18.4	08.0-28.8	49	81.6	71.2-92.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 15: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	214,779	96	30.7	24.4-37.0	281	69.3	63.0-75.6
White/Non-Hisp	288	156,463	77	32.1	25.4-38.8	211	67.9	61.2-74.6
Black or Afr. Am./Non-Hisp	50	25,382	7	16.3	04.7-27.9	43	83.7	72.1-95.3
25-34	62	45,579	22	31.2	18.9-43.5	40	68.8	56.5-81.1
35-44	82	46,357	20	28.2	16.6-39.8	62	71.8	60.2-83.4
45-54	69	29,029	14	18.7	08.9-28.5	55	81.3	71.5-91.1
55-64	75	30,713	14	20.4	09.6-31.2	61	79.6	68.8-90.4
H.S. or G.E.D.	114	71,599	35	42.8	30.5-55.1	79	57.2	44.9-69.5
Some Post-H.S.	113	68,570	25	24.7	15.5-33.9	88	75.3	66.1-84.5
College Graduate	124	52,865	31	27.9	18.3-37.5	93	72.1	62.5-81.7
\$15,000- 24,999	54	31,320	17	38.4	23.1-53.7	37	61.6	46.3-76.9
\$25,000- 34,999	50	25,749	11	29.4	13.5-45.3	39	70.6	54.7-86.5
\$35,000- 49,999	54	31,088	16	32.4	17.7-47.1	38	67.6	52.9-82.3
\$50,000- 99,999	93	56,779	25	36.5	22.6-50.4	68	63.5	49.6-77.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 16: ...USE IT IN SOME OTHER WAY? (MARJOTHR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	849	512,022	220	30.1	26.2-34.0	629	69.9	66.0-73.8
Male	472	297,244	124	29.7	24.6-34.8	348	70.3	65.2-75.4
Female	377	214,779	96	30.7	24.6-36.8	281	69.3	63.2-75.4
White/Non-Hisp	643	370,117	172	30.4	26.1-34.7	471	69.6	65.3-73.9
Black or Afr. Am./Non-Hisp	100	63,565	16	22.0	11.6-32.4	84	78.0	67.6-88.4
18-24	108	111,322	50	50.1	39.3-60.9	58	49.9	39.1-60.7
25-34	147	117,801	51	34.3	25.9-42.7	96	65.7	57.3-74.1
35-44	171	106,679	42	25.1	17.8-32.4	129	74.9	67.6-82.2
45-54	143	68,081	32	20.5	13.4-27.6	111	79.5	72.4-86.6
55-64	153	62,225	24	16.7	10.0-23.4	129	83.3	76.6-90.0
65+	127	45,915	21	15.4	08.1-22.7	106	84.6	77.3-91.9
Less Than H.S.	68	62,996	15	23.6	12.6-34.6	53	76.4	65.4-87.4
H.S. or G.E.D.	274	176,177	82	38.4	31.0-45.8	192	61.6	54.2-69.0
Some Post-H.S.	266	175,308	65	27.4	21.1-33.7	201	72.6	66.3-78.9
College Graduate	239	96,104	57	24.5	18.2-30.8	182	75.5	69.2-81.8
Less than \$15,000	77	44,374	13	19.1	07.7-30.5	64	80.9	69.5-92.3
\$15,000- 24,999	101	61,635	30	38.3	26.9-49.7	71	61.7	50.3-73.1
\$25,000- 34,999	95	54,038	22	29.4	18.2-40.6	73	70.6	59.4-81.8
\$35,000- 49,999	125	73,761	37	33.4	23.6-43.2	88	66.6	56.8-76.4
\$50,000- 99,999	238	151,747	66	33.5	25.5-41.5	172	66.5	58.5-74.5
\$100,000- 199,999	107	63,890	20	16.0	08.6-23.4	87	84.0	76.6-91.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 17: ...USE IT IN SOME OTHER WAY? (MARJOTHR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	472	297,244	124	29.7	24.6-34.8	348	70.3	65.2-75.4
White/Non-Hisp	355	213,654	95	29.1	23.2-35.0	260	70.9	65.0-76.8
Black or Afr. Am./Non-Hisp	50	38,182	9	25.7	10.4-41.0	41	74.3	59.0-89.6
18-24	62	61,371	28	48.8	34.7-62.9	34	51.2	37.1-65.3
25-34	85	72,222	29	36.2	25.0-47.4	56	63.8	52.6-75.0
35-44	89	60,322	22	22.7	13.5-31.9	67	77.3	68.1-86.5
45-54	74	39,052	18	21.9	12.1-31.7	56	78.1	68.3-87.9
55-64	78	31,512	10	13.1	04.9-21.3	68	86.9	78.7-95.1
65+	84	32,765	17	18.2	08.8-27.6	67	81.8	72.4-91.2
H.S. or G.E.D.	160	104,577	47	35.3	26.3-44.3	113	64.7	55.7-73.7
Some Post-H.S.	153	106,738	40	29.2	20.8-37.6	113	70.8	62.4-79.2
College Graduate	115	43,239	26	20.3	12.7-27.9	89	79.7	72.1-87.3
\$35,000- 49,999	71	42,673	21	34.1	21.0-47.2	50	65.9	52.8-79.0
\$50,000- 99,999	145	94,968	41	31.7	21.9-41.5	104	68.3	58.5-78.1
\$100,000- 199,999	62	40,658	13	18.4	08.0-28.8	49	81.6	71.2-92.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 18: ...USE IT IN SOME OTHER WAY? (MARJOTHR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	214,779	96	30.7	24.4-37.0	281	69.3	63.0-75.6
White/Non-Hisp	288	156,463	77	32.1	25.4-38.8	211	67.9	61.2-74.6
Black or Afr. Am./Non-Hisp	50	25,382	7	16.3	04.7-27.9	43	83.7	72.1-95.3
25-34	62	45,579	22	31.2	18.9-43.5	40	68.8	56.5-81.1
35-44	82	46,357	20	28.2	16.6-39.8	62	71.8	60.2-83.4
45-54	69	29,029	14	18.7	08.9-28.5	55	81.3	71.5-91.1
55-64	75	30,713	14	20.4	09.6-31.2	61	79.6	68.8-90.4
H.S. or G.E.D.	114	71,599	35	42.8	30.5-55.1	79	57.2	44.9-69.5
Some Post-H.S.	113	68,570	25	24.7	15.5-33.9	88	75.3	66.1-84.5
College Graduate	124	52,865	31	27.9	18.3-37.5	93	72.1	62.5-81.7
\$15,000- 24,999	54	31,320	17	38.4	23.1-53.7	37	61.6	46.3-76.9
\$25,000- 34,999	50	25,749	11	29.4	13.5-45.3	39	70.6	54.7-86.5
\$35,000- 49,999	54	31,088	16	32.4	17.7-47.1	38	67.6	52.9-82.3
\$50,000- 99,999	93	56,779	25	36.5	22.6-50.4	68	63.5	49.6-77.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 19: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	344	223,761	215	65.2	59.3-71.1	56	13.5	09.6-17.4	54	15.2	10.9-19.5	17	5.7	02.8-08.6	2	0.4	00.0-01.0
Male	190	129,932	130	72.5	65.4-79.6	23	9.8	05.3-14.3	29	13.2	08.1-18.3	7	4.0	00.7-07.3	1	0.6	00.0-01.8
Female	154	93,829	85	55.2	45.6-64.8	33	18.5	11.8-25.2	25	18.0	10.6-25.4	10	8.1	02.8-13.4	1	0.3	00.0-00.9
White/Non-Hisp	262	160,403	153	59.1	52.2-66.0	46	14.7	10.0-19.4	48	19.6	13.9-25.3	14	6.1	02.6-09.6	1	0.4	00.0-01.2
18-24	63	64,155	33	61.5	48.0-75.0	10	12.0	04.0-20.0	15	21.1	10.5-31.7	5	5.5	00.4-10.6			
25-34	72	58,146	47	65.8	53.8-77.8	5	6.5	00.4-12.6	11	13.9	05.3-22.5	9	13.8	04.8-22.8			
35-44	75	46,549	45	64.8	52.8-76.8	18	19.9	10.1-29.7	10	12.9	04.9-20.9	1	0.8	00.0-02.4	1	1.5	00.0-04.4
45-54	52	23,547	33	67.8	54.5-81.1	10	17.7	06.9-28.5	8	13.1	03.9-22.3	1	1.4	00.0-04.1			
H.S. or G.E.D.	119	87,806	80	68.3	58.7-77.9	15	11.3	05.4-17.2	16	13.5	06.4-20.6	6	5.8	00.9-10.7	2	1.1	00.0-02.9
Some Post-H.S.	101	69,302	62	62.0	51.4-72.6	13	11.7	04.6-18.8	23	23.6	14.4-32.8	3	2.7	00.0-05.8			
College Graduate	98	43,387	49	49.5	38.1-60.9	27	26.3	16.3-36.3	15	13.4	06.1-20.7	7	10.8	02.2-19.4			
\$35,000- 49,999	54	33,388	31	61.0	46.5-75.5	9	10.4	03.3-17.5	12	25.1	12.0-38.2	2	3.5	00.0-08.8			
\$50,000- 99,999	97	70,100	54	62.7	51.1-74.3	15	9.6	04.1-15.1	19	16.5	08.1-24.9	8	10.2	02.8-17.6	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 20: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	190	129,932	130	72.5	65.6-79.4	23	9.8	05.3-14.3	29	13.2	08.1-18.3	7	4.0	00.7-07.3	1	0.6	00.0-01.8
White/Non-Hisp	142	91,189	89	65.7	57.1-74.3	19	11.1	05.6-16.6	28	18.3	11.2-25.4	5	4.1	00.0-08.2	1	0.8	00.0-02.4
H.S. or G.E.D.	65	49,770	46	72.6	60.6-84.6	5	8.0	00.9-15.1	10	12.0	04.2-19.8	3	5.9	00.0-13.0	1	1.4	00.0-04.1
Some Post-H.S.	59	43,523	39	66.2	53.9-78.5	6	9.7	00.7-18.7	12	20.6	09.4-31.8	2	3.5	00.0-08.2			
\$50,000- 99,999	61	44,139	41	75.5	63.7-87.3	9	8.0	02.5-13.5	6	7.0	00.3-13.7	4	7.9	00.0-16.1	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 21: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN4)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	154	93,829	85	55.2	45.6-64.8	33	18.5	11.8-25.2	25	18.0	10.7-25.3	10	8.1	02.8-13.4	1	0.3	00.0-00.9
White/Non-Hisp	120	69,215	64	50.5	40.7-60.3	27	19.4	12.0-26.8	20	21.3	12.3-30.3	9	8.8	02.9-14.7			
H.S. or G.E.D.	54	38,036	34	62.7	46.8-78.6	10	15.5	05.3-25.7	6	15.5	03.2-27.8	3	5.6	00.0-12.1	1	0.7	00.0-02.1
College Graduate	51	25,129	22	39.5	24.2-54.8	16	30.4	16.3-44.5	8	14.2	03.6-24.8	5	15.9	02.2-29.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 18: TOBACCO CESSATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
1	MALES AND FEMALES	123
2	MALES ONLY	124
3	FEMALES ONLY	125
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
4	MALES AND FEMALES	126
5	MALES ONLY	127
6	FEMALES ONLY	128

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 18: TOBACCO CESSATION**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2553	1,122,832	261	14.4	12.6-16.2	387	18.5	16.5-20.5	270	11.8	10.2-13.4	1616	54.6	52.2-57.0	19	0.7	0.3-01.1
Male	1283	607,656	125	14.4	11.9-16.9	196	18.7	16.0-21.4	128	11.3	09.1-13.5	828	55.3	52.0-58.6	6	0.3	0.0-00.7
Female	1270	515,176	136	14.4	11.9-16.9	191	18.3	15.6-21.0	142	12.4	10.0-14.8	788	53.9	50.4-57.4	13	1.1	0.5-01.7
White/Non-Hisp	2030	923,644	201	13.4	11.4-15.4	302	17.9	15.7-20.1	217	11.9	10.1-13.7	1297	56.3	53.8-58.8	13	0.5	0.1-00.9
Black or Afr. Am./Non-Hisp	297	77,607	33	22.2	13.2-31.2	49	27.4	16.8-38.0	25	7.0	01.5-12.5	185	40.9	30.9-50.9	5	2.5	0.0-05.4
Hispanic	82	43,342	11	17.8	06.8-28.8	16	22.6	10.6-34.6	8	15.3	03.9-26.7	46	43.1	29.6-56.6	1	1.1	0.0-03.3
25-34	143	129,310	60	40.3	31.5-49.1	59	41.9	32.9-50.9	18	14.5	08.0-21.0	5	2.9	00.4-05.4	1	0.4	0.0-01.2
35-44	285	174,770	57	20.6	15.5-25.7	82	29.0	23.1-34.9	52	19.8	14.5-25.1	92	29.8	24.1-35.5	2	0.7	0.0-01.7
45-54	354	170,423	51	14.5	10.4-18.6	67	19.8	15.1-24.5	49	14.1	10.2-18.0	184	51.0	45.1-56.9	3	0.7	0.0-01.5
55-64	482	211,946	29	5.9	03.5-08.3	73	14.3	10.8-17.8	63	13.5	10.0-17.0	314	65.6	60.7-70.5	3	0.7	0.0-01.7
65+	1261	406,464	45	3.8	02.4-05.2	98	7.6	05.8-09.4	87	6.3	04.7-07.9	1021	81.6	78.9-84.3	10	0.8	0.2-01.4
Less Than H.S.	138	109,999	22	21.5	13.1-29.9	29	21.2	13.0-29.4	15	12.2	05.7-18.7	72	45.1	35.5-54.7			
H.S. or G.E.D.	855	416,023	93	14.2	11.3-17.1	133	19.3	16.0-22.6	96	11.3	08.8-13.8	531	55.2	51.1-59.3	2	0.1	0.0-00.3
Some Post-H.S.	719	355,713	81	15.5	12.0-19.0	116	18.0	14.5-21.5	92	14.4	11.3-17.5	421	50.6	46.3-54.9	9	1.4	0.4-02.4
College Graduate	830	236,502	65	10.1	07.6-12.6	107	16.6	13.5-19.7	65	8.4	06.2-10.6	585	64.0	60.1-67.9	8	0.8	0.2-01.4
Less than \$15,000	124	50,488	22	21.7	11.7-31.7	29	27.7	17.7-37.7	14	11.9	04.6-19.2	58	38.1	27.7-48.5	1	0.6	0.0-01.8
\$15,000- 24,999	247	106,406	28	17.9	11.0-24.8	44	20.6	14.1-27.1	27	9.5	05.0-14.0	147	52.0	44.0-60.0	1	0.0	0.0-00.0
\$25,000- 34,999	286	117,206	39	20.9	14.4-27.4	35	15.2	09.5-20.9	32	10.9	06.4-15.4	179	52.7	45.3-60.1	1	0.3	0.0-00.9
\$35,000- 49,999	337	147,934	44	16.4	11.3-21.5	46	17.3	11.4-23.2	33	14.1	08.8-19.4	213	51.9	45.2-58.6	1	0.4	0.0-01.2
\$50,000- 99,999	663	316,340	61	13.8	10.1-17.5	103	19.7	15.8-23.6	74	11.9	09.0-14.8	419	53.4	48.7-58.1	6	1.2	0.2-02.2
\$100,000- 199,999	385	183,111	29	9.7	06.0-13.4	68	20.1	15.2-25.0	51	16.2	11.7-20.7	233	53.4	47.5-59.3	4	0.6	0.0-01.2
\$200,000+	75	34,621	5	7.6	00.7-14.5	20	27.9	16.3-39.5	6	9.8	02.2-17.4	44	54.6	41.9-67.3			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 18: TOBACCO CESSATION**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1283	607,656	125	14.4	11.9-16.9	196	18.7	16.0-21.4	128	11.3	09.1-13.5	828	55.3	52.0-58.6	6	0.3	00.0-00.7
White/Non-Hisp	1041	490,214	96	13.6	10.9-16.3	156	17.8	14.9-20.7	106	11.6	09.2-14.0	679	56.9	53.4-60.4	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	106	44,393	15	25.9	12.6-39.2	19	30.2	14.5-45.9	7	7.2	00.0-14.8	63	34.0	20.7-47.3	2	2.7	00.0-07.0
25-34	70	70,518	26	38.6	26.3-50.9	32	44.3	31.6-57.0	10	15.3	05.9-24.7	2	1.8	00.0-04.3			
35-44	156	100,084	28	19.1	12.4-25.8	47	30.1	21.9-38.3	31	21.4	14.1-28.7	50	29.4	21.8-37.0			
45-54	177	89,390	24	14.9	09.0-20.8	32	18.0	11.9-24.1	23	12.8	07.5-18.1	98	54.4	46.4-62.4			
55-64	225	102,884	14	6.1	02.8-09.4	34	14.4	09.3-19.5	27	11.6	07.1-16.1	150	67.9	61.2-74.6			
65+	639	226,411	24	4.6	02.4-06.8	45	6.6	04.2-09.0	36	5.4	03.4-07.4	528	82.4	78.9-85.9	6	0.9	00.0-01.9
Less Than H.S.	78	67,175	15	23.3	12.1-34.5	17	24.9	12.9-36.9	7	10.2	02.2-18.2	39	41.6	29.1-54.1			
H.S. or G.E.D.	441	231,942	49	14.2	10.1-18.3	72	20.5	15.6-25.4	50	11.4	08.1-14.7	269	53.8	48.3-59.3	1	0.1	00.0-00.3
Some Post-H.S.	349	186,640	38	15.9	11.0-20.8	56	17.1	12.6-21.6	38	12.8	08.7-16.9	215	53.5	47.4-59.6	2	0.7	00.0-01.7
College Graduate	411	120,376	23	7.5	04.4-10.6	50	13.9	10.0-17.8	32	9.4	06.1-12.7	303	68.9	63.6-74.2	3	0.3	00.0-00.7
Less than \$15,000	51	23,572	5	11.8	01.0-22.6	14	29.5	14.8-44.2	5	11.1	00.0-22.3	26	46.3	30.4-62.2	1	1.2	00.0-03.7
\$15,000- 24,999	99	45,080	13	20.1	09.3-30.9	18	18.6	09.8-27.4	9	7.5	02.0-13.0	59	53.9	41.7-66.1			
\$25,000- 34,999	129	54,234	14	14.4	06.2-22.6	17	18.1	09.1-27.1	15	10.6	04.7-16.5	82	56.3	45.7-66.9	1	0.6	00.0-01.8
\$35,000- 49,999	163	79,880	21	16.0	08.9-23.1	21	17.3	08.3-26.3	16	14.9	07.1-22.7	105	51.8	42.0-61.6			
\$50,000- 99,999	389	191,986	37	16.2	11.1-21.3	52	18.1	12.8-23.4	37	9.9	06.6-13.2	262	55.3	49.0-61.6	1	0.5	00.0-01.5
\$100,000- 199,999	207	105,282	12	8.7	03.4-14.0	41	21.3	14.8-27.8	29	17.2	10.9-23.5	124	52.5	44.5-60.5	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 18: TOBACCO CESSATION**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1270	515,176	136	14.4	11.9-16.9	191	18.3	15.6-21.0	142	12.4	10.0-14.8	788	53.9	50.6-57.2	13	1.1	00.5-01.7
White/Non-Hisp	989	433,430	105	13.3	10.6-16.0	146	18.0	15.1-20.9	111	12.2	09.7-14.7	618	55.5	52.0-59.0	9	1.0	00.2-01.8
Black or Afr. Am./Non-Hisp	191	33,214	18	17.2	06.2-28.2	30	23.6	11.1-36.1	18	6.7	00.0-14.3	122	50.1	36.0-64.2	3	2.3	00.0-06.4
25-34	73	58,792	34	42.4	30.2-54.6	27	39.1	26.8-51.4	8	13.5	04.7-22.3	3	4.1	00.0-08.8	1	0.8	00.0-02.4
35-44	129	74,686	29	22.6	14.6-30.6	35	27.7	19.1-36.3	21	17.7	10.1-25.3	42	30.4	21.6-39.2	2	1.6	00.0-04.0
45-54	177	81,033	27	14.1	08.6-19.6	35	21.7	14.4-29.0	26	15.5	09.6-21.4	86	47.1	38.7-55.5	3	1.5	00.0-03.3
55-64	257	109,062	15	5.8	02.5-09.1	39	14.3	09.8-18.8	36	15.3	10.0-20.6	164	63.4	56.7-70.1	3	1.3	00.0-03.1
65+	622	180,053	21	2.7	00.9-04.5	53	8.8	05.9-11.7	51	7.3	04.6-10.0	493	80.6	76.5-84.7	4	0.6	00.0-01.4
Less Than H.S.	60	42,825	7	18.7	06.2-31.2	12	15.2	06.2-24.2	8	15.5	04.3-26.7	33	50.6	36.1-65.1			
H.S. or G.E.D.	414	184,081	44	14.1	09.8-18.4	61	17.9	13.2-22.6	46	11.1	07.4-14.8	262	56.9	51.0-62.8	1	0.0	00.0-00.0
Some Post-H.S.	370	169,073	43	15.0	10.3-19.7	60	19.0	13.7-24.3	54	16.2	11.7-20.7	206	47.5	41.4-53.6	7	2.3	00.5-04.1
College Graduate	419	116,127	42	12.9	08.8-17.0	57	19.4	14.7-24.1	33	7.4	04.7-10.1	282	59.0	53.3-64.7	5	1.3	00.0-02.7
Less than \$15,000	73	26,916	17	30.3	15.0-45.6	15	26.1	12.4-39.8	9	12.6	03.0-22.2	32	31.0	18.1-43.9			
\$15,000- 24,999	148	61,326	15	16.3	07.5-25.1	26	22.1	12.9-31.3	18	10.9	04.0-17.8	88	50.7	40.3-61.1	1	0.0	00.0-00.0
\$25,000- 34,999	157	62,972	25	26.5	16.7-36.3	18	12.7	05.8-19.6	17	11.2	04.7-17.7	97	49.5	39.3-59.7			
\$35,000- 49,999	174	68,054	23	16.8	09.7-23.9	25	17.3	10.4-24.2	17	13.1	06.2-20.0	108	52.0	42.8-61.2	1	0.8	00.0-02.4
\$50,000- 99,999	274	124,354	24	10.2	05.7-14.7	51	22.1	15.8-28.4	37	15.0	09.7-20.3	157	50.5	43.2-57.8	5	2.3	00.1-04.5
\$100,000- 199,999	178	77,830	17	11.0	05.5-16.5	27	18.5	11.2-25.8	22	14.8	08.3-21.3	109	54.7	46.3-63.1	3	1.0	00.0-02.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 18: TOBACCO CESSATION**

**TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1339	715,778	681	49.7	46.4-53.0	658	50.3	47.0-53.6
Male	654	368,716	327	48.4	43.7-53.1	327	51.6	46.9-56.3
Female	685	347,062	354	51.2	46.7-55.7	331	48.8	44.3-53.3
White/Non-Hisp	1030	559,586	478	46.3	42.6-50.0	552	53.7	50.0-57.4
Black or Afr. Am./Non-Hisp	161	65,122	113	68.9	58.5-79.3	48	31.1	20.7-41.5
Hispanic	61	34,308	43	69.8	55.9-83.7	18	30.2	16.3-44.1
25-34	141	134,708	74	49.6	40.4-58.8	67	50.4	41.2-59.6
35-44	216	150,101	102	45.2	37.8-52.6	114	54.8	47.4-62.2
45-54	271	141,007	130	50.6	43.5-57.7	141	49.4	42.3-56.5
55-64	358	154,625	184	52.0	45.9-58.1	174	48.0	41.9-54.1
65+	324	109,941	173	49.5	42.2-56.8	151	50.5	43.2-57.8
Less Than H.S.	156	132,106	80	45.4	36.2-54.6	76	54.6	45.4-63.8
H.S. or G.E.D.	541	288,288	275	50.0	44.9-55.1	266	50.0	44.9-55.1
Some Post-H.S.	412	221,434	222	54.0	48.5-59.5	190	46.0	40.5-51.5
College Graduate	227	73,025	104	44.0	36.4-51.6	123	56.0	48.4-63.6
Less than \$15,000	163	79,878	95	57.0	47.8-66.2	68	43.0	33.8-52.2
\$15,000- 24,999	182	88,915	111	58.3	49.7-66.9	71	41.7	33.1-50.3
\$25,000- 34,999	194	97,215	103	51.0	42.6-59.4	91	49.0	40.6-57.4
\$35,000- 49,999	194	107,294	103	51.2	43.0-59.4	91	48.8	40.6-57.0
\$50,000- 99,999	292	168,538	137	45.7	38.6-52.8	155	54.3	47.2-61.4
\$100,000- 199,999	119	70,447	49	42.8	32.4-53.2	70	57.2	46.8-67.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 18: TOBACCO CESSATION**

**TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	654	368,716	327	48.4	43.9-52.9	327	51.6	47.1-56.1
White/Non-Hisp	487	276,255	223	43.8	38.7-48.9	264	56.2	51.1-61.3
Black or Afr. Am./Non-Hisp	74	38,028	51	67.0	52.7-81.3	23	33.0	18.7-47.3
25-34	73	70,998	35	43.5	30.8-56.2	38	56.5	43.8-69.2
35-44	102	75,996	54	47.6	36.6-58.6	48	52.4	41.4-63.4
45-54	128	72,516	62	50.6	41.2-60.0	66	49.4	40.0-58.8
55-64	179	82,130	91	49.8	41.2-58.4	88	50.2	41.6-58.8
65+	158	56,277	77	48.9	39.5-58.3	81	51.1	41.7-60.5
Less Than H.S.	85	76,490	41	40.4	28.4-52.4	44	59.6	47.6-71.6
H.S. or G.E.D.	265	146,809	134	50.4	43.5-57.3	131	49.6	42.7-56.5
Some Post-H.S.	201	112,794	104	51.4	43.8-59.0	97	48.6	41.0-56.2
College Graduate	102	32,256	48	47.8	36.8-58.8	54	52.2	41.2-63.2
Less than \$15,000	76	41,448	49	58.8	44.5-73.1	27	41.2	26.9-55.5
\$15,000- 24,999	80	39,946	45	53.9	41.0-66.8	35	46.1	33.2-59.0
\$25,000- 34,999	91	49,267	45	43.7	31.9-55.5	46	56.3	44.5-68.1
\$35,000- 49,999	87	51,723	47	55.4	43.2-67.6	40	44.6	32.4-56.8
\$50,000- 99,999	165	100,452	78	43.5	34.3-52.7	87	56.5	47.3-65.7
\$100,000- 199,999	67	38,554	27	39.4	26.3-52.5	40	60.6	47.5-73.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 18: TOBACCO CESSATION**

**TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	685	347,062	354	51.2	46.7-55.7	331	48.8	44.3-53.3
White/Non-Hisp	543	283,331	255	48.7	43.8-53.6	288	51.3	46.4-56.2
Black or Afr. Am./Non-Hisp	87	27,094	62	71.5	59.2-83.8	25	28.5	16.2-40.8
25-34	68	63,711	39	56.4	43.7-69.1	29	43.6	30.9-56.3
35-44	114	74,105	48	42.7	32.7-52.7	66	57.3	47.3-67.3
45-54	143	68,490	68	50.6	40.8-60.4	75	49.4	39.6-59.2
55-64	179	72,495	93	54.6	46.2-63.0	86	45.4	37.0-53.8
65+	166	53,664	96	50.2	39.4-61.0	70	49.8	39.0-60.6
Less Than H.S.	71	55,616	39	52.2	38.9-65.5	32	47.8	34.5-61.1
H.S. or G.E.D.	276	141,479	141	49.6	42.2-57.0	135	50.4	43.0-57.8
Some Post-H.S.	211	108,640	118	56.7	49.1-64.3	93	43.3	35.7-50.9
College Graduate	125	40,769	56	41.0	30.4-51.6	69	59.0	48.4-69.6
Less than \$15,000	87	38,430	46	55.0	43.2-66.8	41	45.0	33.2-56.8
\$15,000- 24,999	102	48,968	66	61.9	50.7-73.1	36	38.1	26.9-49.3
\$25,000- 34,999	103	47,948	58	58.4	46.8-70.0	45	41.6	30.0-53.2
\$35,000- 49,999	107	55,572	56	47.2	35.8-58.6	51	52.8	41.4-64.2
\$50,000- 99,999	127	68,086	59	49.1	38.5-59.7	68	50.9	40.3-61.5
\$100,000- 199,999	52	31,892	22	47.0	30.9-63.1	30	53.0	36.9-69.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 19: OTHER TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)	
1	MALES AND FEMALES	130
2	MALES ONLY	131
3	FEMALES ONLY	132
	CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)	
4	MALES AND FEMALES	133
5	MALES ONLY	134
6	FEMALES ONLY	135
	BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)	
7	MALES AND FEMALES	136
8	MALES ONLY	137
9	FEMALES ONLY	138

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 1: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1334	710,850	417	30.4	27.3-33.5	917	69.6	66.5-72.7
Male	654	368,666	178	27.8	23.3-32.3	476	72.2	67.7-76.7
Female	680	342,183	239	33.2	28.9-37.5	441	66.8	62.5-71.1
White/Non-Hisp	1027	556,153	240	23.6	20.5-26.7	787	76.4	73.3-79.5
Black or Afr. Am./Non-Hisp	160	64,385	124	82.0	74.0-90.0	36	18.0	10.0-26.0
Hispanic	60	33,550	25	45.9	30.8-61.0	35	54.1	39.0-69.2
25-34	140	133,520	64	45.0	35.8-54.2	76	55.0	45.8-64.2
35-44	215	148,978	61	28.1	21.4-34.8	154	71.9	65.2-78.6
45-54	270	140,671	55	19.3	13.6-25.0	215	80.7	75.0-86.4
55-64	359	155,274	114	29.2	23.7-34.7	245	70.8	65.3-76.3
65+	324	109,941	107	24.9	19.2-30.6	217	75.1	69.4-80.8
Less Than H.S.	155	130,918	45	30.4	21.4-39.4	110	69.6	60.6-78.6
H.S. or G.E.D.	537	284,294	164	28.3	23.8-32.8	373	71.7	67.2-76.2
Some Post-H.S.	413	221,897	134	32.7	27.2-38.2	279	67.3	61.8-72.8
College Graduate	226	72,816	73	32.1	24.5-39.7	153	67.9	60.3-75.5
Less than \$15,000	163	79,878	56	39.3	29.7-48.9	107	60.7	51.1-70.3
\$15,000- 24,999	181	88,376	69	32.3	24.5-40.1	112	67.7	59.9-75.5
\$25,000- 34,999	194	97,215	54	24.4	17.3-31.5	140	75.6	68.5-82.7
\$35,000- 49,999	191	102,621	64	36.0	28.0-44.0	127	64.0	56.0-72.0
\$50,000- 99,999	293	169,469	78	26.0	19.3-32.7	215	74.0	67.3-80.7
\$100,000- 199,999	118	70,238	29	27.0	17.8-36.2	89	73.0	63.8-82.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 2: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	654	368,666	178	27.8	23.5-32.1	476	72.2	67.9-76.5
White/Non-Hisp	488	276,964	90	20.1	15.2-25.0	398	79.9	75.0-84.8
Black or Afr. Am./Non-Hisp	74	38,028	57	80.2	69.0-91.4	17	19.8	08.6-31.0
25-34	73	70,998	35	51.1	38.0-64.2	38	48.9	35.8-62.0
35-44	102	76,250	23	20.9	11.9-29.9	79	79.1	70.1-88.1
45-54	128	72,516	25	20.9	14.0-27.8	103	79.1	72.2-86.0
55-64	180	82,585	44	21.6	14.7-28.5	136	78.4	71.5-85.3
65+	158	56,277	45	22.4	14.6-30.2	113	77.6	69.8-85.4
Less Than H.S.	85	76,490	22	27.5	14.8-40.2	63	72.5	59.8-85.2
H.S. or G.E.D.	265	146,505	72	25.0	19.1-30.9	193	75.0	69.1-80.9
Some Post-H.S.	202	113,257	58	33.3	25.7-40.9	144	66.7	59.1-74.3
College Graduate	101	32,047	25	21.6	12.8-30.4	76	78.4	69.6-87.2
Less than \$15,000	76	41,448	26	38.7	24.0-53.4	50	61.3	46.6-76.0
\$15,000- 24,999	80	39,946	27	26.9	15.9-37.9	53	73.1	62.1-84.1
\$25,000- 34,999	91	49,267	23	23.1	13.1-33.1	68	76.9	66.9-86.9
\$35,000- 49,999	87	51,427	24	30.7	19.5-41.9	63	69.3	58.1-80.5
\$50,000- 99,999	165	100,452	42	26.6	17.2-36.0	123	73.4	64.0-82.8
\$100,000- 199,999	66	38,346	10	21.9	09.2-34.6	56	78.1	65.4-90.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 3: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	680	342,183	239	33.2	29.1-37.3	441	66.8	62.7-70.9
White/Non-Hisp	539	279,189	150	27.0	22.7-31.3	389	73.0	68.7-77.3
Black or Afr. Am./Non-Hisp	86	26,357	67	84.5	74.1-94.9	19	15.5	05.1-25.9
25-34	67	62,522	29	38.1	25.9-50.3	38	61.9	49.7-74.1
35-44	113	72,727	38	35.7	26.1-45.3	75	64.3	54.7-73.9
45-54	142	68,155	30	17.6	11.3-23.9	112	82.4	76.1-88.7
55-64	179	72,690	70	37.8	29.4-46.2	109	62.2	53.8-70.6
65+	166	53,664	62	27.6	19.2-36.0	104	72.4	64.0-80.8
Less Than H.S.	70	54,428	23	34.4	21.7-47.1	47	65.6	52.9-78.3
H.S. or G.E.D.	272	137,789	92	31.8	25.1-38.5	180	68.2	61.5-74.9
Some Post-H.S.	211	108,640	76	32.1	25.0-39.2	135	67.9	60.8-75.0
College Graduate	125	40,769	48	40.3	29.3-51.3	77	59.7	48.7-70.7
Less than \$15,000	87	38,430	30	40.0	27.7-52.3	57	60.0	47.7-72.3
\$15,000- 24,999	101	48,429	42	36.8	25.6-48.0	59	63.2	52.0-74.4
\$25,000- 34,999	103	47,948	31	25.8	15.8-35.8	72	74.2	64.2-84.2
\$35,000- 49,999	104	51,194	40	41.4	30.0-52.8	64	58.6	47.2-70.0
\$50,000- 99,999	128	69,017	36	25.1	16.1-34.1	92	74.9	65.9-83.9
\$100,000- 199,999	52	31,892	19	33.0	18.9-47.1	33	67.0	52.9-81.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 4: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	346,398	147	31.0	26.1-35.9	337	69.0	64.1-73.9
Male	243	180,131	70	27.4	21.1-33.7	173	72.6	66.3-78.9
Female	241	166,268	77	34.9	27.5-42.3	164	65.1	57.7-72.5
White/Non-Hisp	379	264,389	100	27.6	22.3-32.9	279	72.4	67.1-77.7
18-24	101	109,390	42	37.6	27.2-48.0	59	62.4	52.0-72.8
25-34	107	97,474	34	30.3	20.9-39.7	73	69.7	60.3-79.1
35-44	107	64,867	33	32.4	22.6-42.2	74	67.6	57.8-77.4
45-54	76	36,147	17	21.1	11.5-30.7	59	78.9	69.3-88.5
55-64	53	23,160	11	21.9	10.7-33.1	42	78.1	66.9-89.3
H.S. or G.E.D.	177	130,894	54	32.6	24.6-40.6	123	67.4	59.4-75.4
Some Post-H.S.	174	130,847	54	29.4	22.0-36.8	120	70.6	63.2-78.0
College Graduate	94	37,170	26	32.9	20.6-45.2	68	67.1	54.8-79.4
\$25,000- 34,999	76	54,680	23	33.0	21.4-44.6	53	67.0	55.4-78.6
\$35,000- 49,999	73	55,363	27	39.0	25.9-52.1	46	61.0	47.9-74.1
\$50,000- 99,999	120	89,866	31	25.2	16.4-34.0	89	74.8	66.0-83.6
\$100,000- 199,999	72	44,818	15	21.6	10.8-32.4	57	78.4	67.6-89.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 5: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	243	180,131	70	27.4	21.1-33.7	173	72.6	66.3-78.9
White/Non-Hisp	185	134,286	45	24.8	17.9-31.7	140	75.2	68.3-82.1
18-24	59	58,981	19	27.1	15.7-38.5	40	72.9	61.5-84.3
25-34	60	56,347	20	30.3	17.8-42.8	40	69.7	57.2-82.2
35-44	53	32,106	19	33.7	20.0-47.4	34	66.3	52.6-80.0
H.S. or G.E.D.	96	73,837	30	30.3	20.3-40.3	66	69.7	59.7-79.7
Some Post-H.S.	82	63,908	26	28.5	17.7-39.3	56	71.5	60.7-82.3
\$50,000- 99,999	69	54,337	19	26.7	14.7-38.7	50	73.3	61.3-85.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 6: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	241	166,268	77	34.9	27.5-42.3	164	65.1	57.7-72.5
White/Non-Hisp	194	130,104	55	30.4	22.6-38.2	139	69.6	61.8-77.4
35-44	54	32,762	14	31.1	17.4-44.8	40	68.9	55.2-82.6
H.S. or G.E.D.	81	57,057	24	35.5	22.4-48.6	57	64.5	51.4-77.6
Some Post-H.S.	92	66,939	28	30.1	19.5-40.7	64	69.9	59.3-80.5
\$50,000- 99,999	51	35,529	12	22.8	09.1-36.5	39	77.2	63.5-90.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 7: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1636	938,454	210	12.5	10.5-14.5	1426	87.5	85.5-89.5
Male	811	489,656	132	15.9	13.0-18.8	679	84.1	81.2-87.0
Female	825	448,798	78	8.8	06.4-11.2	747	91.2	88.8-93.6
White/Non-Hisp	1276	738,476	156	12.1	09.9-14.3	1120	87.9	85.7-90.1
Black or Afr. Am./Non-Hisp	176	79,381	19	8.3	02.8-13.8	157	91.7	86.2-97.2
Hispanic	79	47,139	11	15.4	06.0-24.8	68	84.6	75.2-94.0
18-24	112	116,773	17	14.6	07.7-21.5	95	85.4	78.5-92.3
25-34	206	193,163	20	10.2	05.7-14.7	186	89.8	85.3-94.3
35-44	282	187,232	37	12.0	07.9-16.1	245	88.0	83.9-92.1
45-54	310	157,295	34	11.7	07.8-15.6	276	88.3	84.4-92.2
55-64	380	165,234	52	12.8	09.1-16.5	328	87.2	83.5-90.9
65+	346	118,757	50	15.8	10.5-21.1	296	84.2	78.9-89.5
Less Than H.S.	173	155,464	20	10.7	05.6-15.8	153	89.3	84.2-94.4
H.S. or G.E.D.	649	378,002	74	11.5	08.6-14.4	575	88.5	85.6-91.4
Some Post-H.S.	519	304,321	78	13.8	10.5-17.1	441	86.2	82.9-89.5
College Graduate	292	99,743	38	15.6	10.5-20.7	254	84.4	79.3-89.5
Less than \$15,000	173	87,346	22	11.2	05.7-16.7	151	88.8	83.3-94.3
\$15,000- 24,999	207	109,453	28	11.8	06.9-16.7	179	88.2	83.3-93.1
\$25,000- 34,999	243	132,791	29	10.1	06.0-14.2	214	89.9	85.8-94.0
\$35,000- 49,999	236	138,071	31	12.9	07.8-18.0	205	87.1	82.0-92.2
\$50,000- 99,999	375	232,099	50	14.5	10.2-18.8	325	85.5	81.2-89.8
\$100,000- 199,999	173	104,715	23	14.7	08.4-21.0	150	85.3	79.0-91.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 8: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	811	489,656	132	15.9	13.0-18.8	679	84.1	81.2-87.0
White/Non-Hisp	612	370,221	97	15.7	12.4-19.0	515	84.3	81.0-87.6
Black or Afr. Am./Non-Hisp	82	48,914	12	10.5	02.1-18.9	70	89.5	81.1-97.9
Hispanic	54	29,502	7	16.5	04.3-28.7	47	83.5	71.3-95.7
18-24	64	62,206	9	13.6	05.0-22.2	55	86.4	77.8-95.0
25-34	109	105,419	17	16.5	08.9-24.1	92	83.5	75.9-91.1
35-44	141	98,678	24	16.9	10.0-23.8	117	83.1	76.2-90.0
45-54	145	79,581	19	13.7	07.6-19.8	126	86.3	80.2-92.4
55-64	184	83,162	33	15.6	09.9-21.3	151	84.4	78.7-90.1
65+	168	60,611	30	19.1	11.7-26.5	138	80.9	73.5-88.3
Less Than H.S.	95	90,010	14	14.6	06.8-22.4	81	85.4	77.6-93.2
H.S. or G.E.D.	327	198,592	49	14.0	09.7-18.3	278	86.0	81.7-90.3
Some Post-H.S.	251	154,515	49	18.4	13.1-23.7	202	81.6	76.3-86.9
College Graduate	137	46,172	20	19.1	10.9-27.3	117	80.9	72.7-89.1
Less than \$15,000	80	44,179	13	15.7	06.3-25.1	67	84.3	74.9-93.7
\$15,000- 24,999	94	51,693	17	15.5	07.3-23.7	77	84.5	76.3-92.7
\$25,000- 34,999	106	59,593	14	10.6	05.1-16.1	92	89.4	83.9-94.9
\$35,000- 49,999	111	69,786	14	13.6	05.8-21.4	97	86.4	78.6-94.2
\$50,000- 99,999	211	137,344	38	18.5	12.4-24.6	173	81.5	75.4-87.6
\$100,000- 199,999	98	61,697	19	22.4	12.8-32.0	79	77.6	68.0-87.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 19: OTHER TOBACCO USE**

**TABLE 9: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	825	448,798	78	8.8	06.4-11.2	747	91.2	88.8-93.6
White/Non-Hisp	664	368,255	59	8.5	06.0-11.0	605	91.5	89.0-94.0
Black or Afr. Am./Non-Hisp	94	30,467	7	4.9	00.2-09.6	87	95.1	90.4-99.8
25-34	97	87,744	3	2.5	00.0-05.4	94	97.5	94.6-100.0
35-44	141	88,554	13	6.5	02.8-10.2	128	93.5	89.8-97.2
45-54	165	77,715	15	9.6	04.7-14.5	150	90.4	85.5-95.3
55-64	196	82,072	19	10.1	05.0-15.2	177	89.9	84.8-95.0
65+	178	58,146	20	12.3	04.7-19.9	158	87.7	80.1-95.3
Less Than H.S.	78	65,454	6	5.4	00.5-10.3	72	94.6	89.7-99.5
H.S. or G.E.D.	322	179,410	25	8.8	04.9-12.7	297	91.2	87.3-95.1
Some Post-H.S.	268	149,806	29	9.0	04.9-13.1	239	91.0	86.9-95.1
College Graduate	155	53,570	18	12.6	06.7-18.5	137	87.4	81.5-93.3
Less than \$15,000	93	43,167	9	6.6	01.5-11.7	84	93.4	88.3-98.5
\$15,000- 24,999	113	57,760	11	8.4	02.7-14.1	102	91.6	85.9-97.3
\$25,000- 34,999	137	73,198	15	9.6	03.7-15.5	122	90.4	84.5-96.3
\$35,000- 49,999	125	68,285	17	12.2	05.7-18.7	108	87.8	81.3-94.3
\$50,000- 99,999	164	94,754	12	8.8	03.1-14.5	152	91.2	85.5-96.9
\$100,000- 199,999	75	43,018	4	3.7	00.0-07.4	71	96.3	92.6-100.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI) CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
M20.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1 MALES AND FEMALES	140
2 MALES ONLY	141
3 FEMALES ONLY	142
M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4 MALES AND FEMALES	143
5 MALES ONLY	144
6 FEMALES ONLY	145
M20.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7 MALES AND FEMALES	146
8 MALES ONLY	147
9 FEMALES ONLY	148

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 1: M20.01.a Which of the following best represents how you think of yourself? (SOMALE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4489	2,401,198	115	2.4	01.8-03.0	4197	92.7	91.7-93.7	92	2.7	02.1-03.3	85	2.2	01.6-02.8
White/Non-Hisp	3473	1,796,740	82	2.3	01.7-02.9	3270	93.4	92.4-94.4	75	2.9	02.1-03.7	46	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	416	211,052	11	1.8	00.2-03.4	398	96.9	94.9-98.9	4	0.7	00.0-01.5	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	107	82,883	1	0.7	00.0-02.1	98	90.9	83.8-98.0	3	3.6	00.0-08.9	5	4.8	00.1-09.5
MultiRacial/Non-Hisp.	87	77,089	3	4.4	00.0-09.7	76	84.2	75.2-93.2	2	2.6	00.0-06.1	6	8.8	01.7-15.9
Hispanic	261	158,999	15	4.8	02.1-07.5	223	85.4	80.3-90.5	6	2.6	00.4-04.8	17	7.2	03.3-11.1
18-24	315	313,967	22	6.2	03.3-09.1	253	82.1	77.4-86.8	24	7.6	04.5-10.7	16	4.1	01.9-06.3
25-34	457	415,030	11	1.9	00.7-03.1	409	90.4	87.7-93.1	25	4.8	02.8-06.8	12	2.9	01.1-04.7
35-44	621	401,393	16	1.9	00.9-02.9	582	95.2	93.6-96.8	11	1.2	00.4-02.0	12	1.7	00.7-02.7
45-54	732	374,500	17	2.1	00.9-03.3	693	94.3	92.1-96.5	7	0.7	00.1-01.3	15	2.9	01.1-04.7
55-64	899	396,188	22	2.0	01.0-03.0	858	95.5	93.9-97.1	12	1.5	00.5-02.5	7	0.9	00.1-01.7
65+	1465	500,119	27	1.2	00.4-02.0	1402	95.9	94.5-97.3	13	1.3	00.3-02.3	23	1.6	00.8-02.4
Less Than H.S.	276	258,146	3	1.1	00.0-02.5	255	92.7	89.2-96.2	3	1.4	00.0-03.2	15	4.8	01.9-07.7
H.S. or G.E.D.	1378	847,369	22	1.7	00.7-02.7	1292	92.4	90.6-94.2	33	3.6	02.2-05.0	31	2.3	01.5-03.1
Some Post-H.S.	1181	714,494	37	3.2	02.0-04.4	1105	93.2	91.4-95.0	21	2.1	01.1-03.1	18	1.5	00.7-02.3
College Graduate	1638	572,127	53	3.0	02.0-04.0	1530	92.4	90.6-94.2	35	2.6	01.6-03.6	20	1.9	00.7-03.1
Less than \$15,000	208	109,432	6	2.4	00.2-04.6	196	94.3	90.8-97.8	3	2.1	00.0-04.6	3	1.2	00.0-02.6
\$15,000- 24,999	294	150,172	7	1.2	00.0-02.4	267	92.1	88.6-95.6	8	2.3	00.5-04.1	12	4.4	01.7-07.1
\$25,000- 34,999	380	187,889	5	1.3	00.0-02.9	361	92.4	88.5-96.3	8	2.7	00.7-04.7	6	3.6	00.5-06.7
\$35,000- 49,999	473	246,684	18	4.1	01.7-06.5	433	90.6	87.3-93.9	11	3.4	01.2-05.6	11	1.9	00.7-03.1
\$50,000- 99,999	1174	642,797	34	2.5	01.3-03.7	1102	93.4	91.6-95.2	24	2.3	01.3-03.3	14	1.7	00.5-02.9
\$100,000- 199,999	804	416,043	23	2.6	01.4-03.8	764	95.0	93.4-96.6	11	1.6	00.6-02.6	6	0.8	00.2-01.4
\$200,000+	187	89,957	3	1.2	00.0-02.6	179	96.4	93.7-99.1	4	2.0	00.0-04.2	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 2: M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5292	2,505,913	89	2.0	01.4-02.6	4852	88.4	87.0-89.8	213	6.3	05.3-07.3	138	3.3	02.5-04.1
White/Non-Hisp	3942	1,924,834	69	1.9	01.3-02.5	3626	89.9	88.7-91.1	161	5.8	04.8-06.8	86	2.4	01.8-03.0
Black or Afr. Am./Non-Hisp	826	234,475	8	1.5	00.3-02.7	784	89.6	85.3-93.9	18	5.7	02.2-09.2	16	3.2	00.7-05.7
Oth. Race/Non-Hisp.	73	64,551	2	3.9	00.0-09.8	61	76.4	63.1-89.7	7	12.5	01.3-23.7	3	7.1	00.0-14.9
MultiRacial/Non-Hisp.	78	68,106	1	2.1	00.0-06.2	67	77.3	63.4-91.2	6	9.4	01.6-17.2	4	11.1	00.0-23.6
Hispanic	261	168,625	6	2.8	00.4-05.2	217	79.6	72.9-86.3	17	9.5	03.8-15.2	21	8.0	04.3-11.7
18-24	238	294,914	12	4.5	01.8-07.2	149	65.7	58.8-72.6	59	22.2	16.3-28.1	18	7.6	03.5-11.7
25-34	492	401,733	18	3.9	01.9-05.9	379	78.2	74.3-82.1	67	12.2	09.1-15.3	28	5.7	03.3-08.1
35-44	686	406,647	8	1.0	00.2-01.8	632	92.2	89.7-94.7	36	5.3	03.1-07.5	10	1.6	00.6-02.6
45-54	840	378,489	12	1.3	00.5-02.1	784	93.5	91.7-95.3	25	2.5	01.5-03.5	19	2.8	01.4-04.2
55-64	1013	414,611	26	2.2	01.2-03.2	969	95.6	94.0-97.2	8	1.2	00.0-02.4	10	1.0	00.2-01.8
65+	2023	609,518	13	0.6	00.2-01.0	1939	95.6	94.2-97.0	18	1.3	00.5-02.1	53	2.6	01.6-03.6
Less Than H.S.	295	248,602	4	2.5	00.0-05.0	266	84.3	78.2-90.4	7	4.4	01.1-07.7	18	8.9	04.2-13.6
H.S. or G.E.D.	1542	799,920	24	2.1	01.1-03.1	1398	86.4	83.9-88.9	64	7.6	05.4-09.8	56	3.9	02.5-05.3
Some Post-H.S.	1473	783,646	18	1.3	00.5-02.1	1362	90.3	88.3-92.3	64	6.5	04.7-08.3	29	1.9	01.1-02.7
College Graduate	1967	668,868	42	2.5	01.5-03.5	1812	90.2	88.4-92.0	78	5.3	04.1-06.5	35	2.1	01.3-02.9
Less than \$15,000	272	119,582	3	0.6	00.0-01.2	244	88.8	83.7-93.9	12	6.4	02.1-10.7	13	4.2	01.3-07.1
\$15,000- 24,999	519	228,444	14	3.0	01.2-04.8	470	87.3	83.2-91.4	18	6.6	03.1-10.1	17	3.0	01.2-04.8
\$25,000- 34,999	573	251,801	11	2.6	00.8-04.4	510	85.8	82.1-89.5	32	8.1	05.2-11.0	20	3.5	01.7-05.3
\$35,000- 49,999	602	292,817	12	1.5	00.5-02.5	550	88.7	85.2-92.2	21	6.3	03.6-09.0	19	3.5	01.5-05.5
\$50,000- 99,999	1163	551,695	19	2.1	00.9-03.3	1069	88.4	85.7-91.1	56	7.3	04.9-09.7	19	2.2	01.0-03.4
\$100,000- 199,999	700	346,153	13	1.9	00.5-03.3	654	91.6	88.7-94.5	28	5.8	03.1-08.5	5	0.7	00.0-01.5
\$200,000+	149	74,741	1	0.5	00.0-01.5	144	97.1	94.6-99.6	2	1.3	00.0-03.1	2	1.1	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**INDIANA MODULE QUESTIONS DATA REPORT, 2022**  
**MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**  
**TABLE 3: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10039	5,042,879	18	0.2	00.0-00.4	17	0.2	00.0-00.4	23	0.4	00.2-00.6	9981	99.2	99.0-99.4
Male	4586	2,451,104	13	0.3	00.1-00.5	10	0.3	00.1-00.5	12	0.4	00.2-00.6	4551	99.0	98.6-99.4
Female	5453	2,591,774	5	0.1	00.1-00.1	7	0.2	00.0-00.4	11	0.3	00.1-00.5	5430	99.4	99.0-99.8
White/Non-Hisp	7571	3,798,868	12	0.2	00.0-00.4	13	0.2	00.0-00.4	17	0.4	00.2-00.6	7529	99.2	99.0-99.4
Black or Afr. Am./Non-Hisp	1264	454,641				2	0.6	00.0-01.6	1	0.2	00.0-00.6	1261	99.2	98.2-0100
Oth. Race/Non-Hisp.	190	153,059	1	0.2	00.0-00.6	1	0.3	00.0-00.9				188	99.5	98.9-0100
MultiRacial/Non-Hisp.	170	149,012							1	0.5	00.0-01.5	169	99.5	98.5-0100
Hispanic	560	356,026	2	0.3	00.0-00.9				4	0.5	00.1-00.9	554	99.2	98.6-99.8
18-24	561	618,670	3	0.5	00.0-01.1	3	0.5	00.0-01.1	13	1.7	00.7-02.7	542	97.3	95.9-98.7
25-34	971	836,733	5	0.4	00.0-00.8	5	0.7	00.0-01.5	5	0.5	00.1-00.9	956	98.4	97.4-99.4
35-44	1323	821,731	2	0.1	00.0-00.3	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1317	99.7	99.5-99.9
45-54	1615	773,937	3	0.1	00.0-00.3	1	0.0	00.0-00.0				1611	99.8	99.6-0100
55-64	1941	829,340	2	0.1	00.1-00.1	4	0.2	00.0-00.4	2	0.2	00.0-00.4	1933	99.6	99.2-0100
65+	3628	1,162,468	3	0.1	00.0-00.3	2	0.0	00.0-00.0	1	0.0	00.0-00.0	3622	99.8	99.6-0100
Less Than H.S.	620	547,864	1	0.1	00.0-00.3				4	0.9	00.0-01.9	615	99.0	98.0-0100
H.S. or G.E.D.	3008	1,692,179	6	0.2	00.0-00.4	6	0.4	00.0-00.8	8	0.4	00.2-00.6	2988	99.0	98.6-99.4
Some Post-H.S.	2711	1,524,881	8	0.3	00.1-00.5	3	0.1	00.1-00.1	4	0.2	00.0-00.4	2696	99.4	99.0-99.8
College Graduate	3660	1,260,302	3	0.1	00.1-00.1	8	0.3	00.1-00.5	7	0.3	00.1-00.5	3642	99.3	98.9-99.7
Less than \$15,000	499	236,665	4	0.6	00.0-01.2	1	1.0	00.0-02.8	1	0.4	00.0-01.2	493	98.1	95.9-0100
\$15,000- 24,999	843	396,273	1	0.1	00.0-00.3	2	0.2	00.0-00.4	1	0.1	00.0-00.3	839	99.6	99.2-0100
\$25,000- 34,999	981	454,179	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	978	99.7	99.3-0100
\$35,000- 49,999	1107	552,057	3	0.4	00.0-00.8	3	0.2	00.0-00.4	5	0.7	00.1-01.3	1096	98.8	98.0-99.6
\$50,000- 99,999	2363	1,205,174	3	0.1	00.1-00.1	4	0.2	00.0-00.4	5	0.4	00.0-00.8	2351	99.3	98.7-99.9
\$100,000- 199,999	1510	766,963				1	0.0	00.0-00.0				1509	100.0	0100-0100
\$200,000+	337	165,099	1	0.2	00.0-00.6				2	0.5	00.0-01.1	334	99.4	98.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 5: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4586	2,451,104	13	0.3	00.1-00.5	10	0.3	00.1-00.5	12	0.4	00.2-00.6	4551	99.0	98.6-99.4
White/Non-Hisp	3534	1,827,105	9	0.2	00.0-00.4	8	0.3	00.1-00.5	8	0.4	00.2-00.6	3509	99.1	98.7-99.5
Black or Afr. Am./Non-Hisp	421	212,947				1	0.2	00.0-00.6	1	0.4	00.0-01.2	419	99.4	98.4-0100
Oth. Race/Non-Hisp.	113	86,851	1	0.3	00.0-00.9	1	0.5	00.0-01.5				111	99.2	98.0-0100
MultiRacial/Non-Hisp.	88	77,789							1	0.9	00.0-02.7	87	99.1	97.3-0100
Hispanic	272	166,218	2	0.7	00.0-01.9				2	0.4	00.0-01.0	268	98.8	97.6-0100
18-24	318	317,861	3	1.0	00.0-02.2	2	0.4	00.0-01.0	5	1.2	00.0-02.4	308	97.4	95.6-99.2
25-34	468	425,003	3	0.5	00.0-01.1	3	0.8	00.0-01.8	3	0.8	00.0-01.6	459	98.0	96.6-99.4
35-44	628	406,210	1	0.1	00.0-00.3	2	0.2	00.0-00.4	2	0.2	00.0-00.4	623	99.5	99.1-99.9
45-54	748	381,021	2	0.1	00.0-00.3							746	99.9	99.7-0100
55-64	911	403,220	2	0.1	00.0-00.3	2	0.2	00.0-00.6	2	0.4	00.0-01.0	905	99.3	98.7-99.9
65+	1513	517,790	2	0.1	00.0-00.3	1	0.1	00.0-00.3				1510	99.8	99.6-0100
Less Than H.S.	290	269,397							2	0.6	00.0-01.4	288	99.4	98.6-0100
H.S. or G.E.D.	1408	864,596	4	0.2	00.0-00.4	4	0.4	00.0-00.8	5	0.5	00.1-00.9	1395	98.8	98.2-99.4
Some Post-H.S.	1202	723,790	7	0.6	00.0-01.2	1	0.1	00.0-00.3	3	0.3	00.0-00.7	1191	99.0	98.2-99.8
College Graduate	1665	582,326	2	0.1	00.0-00.3	5	0.5	00.0-01.1	2	0.1	00.0-00.3	1656	99.3	98.7-99.9
Less than \$15,000	213	110,573	2	0.5	00.0-01.1				1	0.8	00.0-02.4	210	98.7	96.9-0100
\$15,000- 24,999	305	157,152	1	0.3	00.0-00.9	1	0.3	00.0-00.9				303	99.5	98.7-0100
\$25,000- 34,999	395	195,908										395	100.0	0100-0100
\$35,000- 49,999	480	249,277	1	0.4	00.0-01.2	2	0.3	00.0-00.7	1	0.5	00.0-01.5	476	98.8	97.4-0100
\$50,000- 99,999	1181	643,879	3	0.1	00.0-00.3	3	0.3	00.0-00.7	4	0.5	00.0-01.1	1171	99.0	98.2-99.8
\$100,000- 199,999	808	419,045										808	100.0	0100-0100
\$200,000+	188	90,358	1	0.3	00.0-00.9				1	0.4	00.0-01.2	186	99.3	98.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)  
TABLE 6: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5453	2,591,774	5	0.1	00.1-00.1	7	0.2	00.0-00.4	11	0.3	00.1-00.5	5430	99.4	99.0-99.8
White/Non-Hisp	4037	1,971,763	3	0.1	00.0-00.3	5	0.2	00.0-00.4	9	0.4	00.2-00.6	4020	99.4	99.0-99.8
Black or Afr. Am./Non-Hisp	843	241,694				1	0.9	00.0-02.7				842	99.1	97.3-0100
Oth. Race/Non-Hisp.	77	66,208										77	100.0	0100-0100
MultiRacial/Non-Hisp.	82	71,223										82	100.0	0100-0100
Hispanic	288	189,809							2	0.5	00.0-01.1	286	99.5	98.9-0100
18-24	243	300,808				1	0.5	00.0-01.5	8	2.3	00.5-04.1	234	97.2	95.0-99.4
25-34	503	411,731	2	0.3	00.0-00.7	2	0.7	00.0-01.9	2	0.3	00.0-00.7	497	98.8	97.6-0100
35-44	695	415,521	1	0.1	00.0-00.3							694	99.9	99.7-0100
45-54	867	392,916	1	0.2	00.0-00.6	1	0.1	00.0-00.3				865	99.8	99.4-0100
55-64	1030	426,120				2	0.2	00.0-00.4				1028	99.8	99.6-0100
65+	2115	644,678	1	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3	2112	99.8	99.6-0100
Less Than H.S.	330	278,468	1	0.2	00.0-00.6				2	1.2	00.0-03.0	327	98.6	96.8-0100
H.S. or G.E.D.	1600	827,583	2	0.1	00.0-00.3	2	0.5	00.0-01.1	3	0.2	00.0-00.4	1593	99.2	98.4-0100
Some Post-H.S.	1509	801,091	1	0.1	00.0-00.3	2	0.1	00.0-00.3	1	0.1	00.0-00.3	1505	99.8	99.6-0100
College Graduate	1995	677,976	1	0.0	00.0-00.0	3	0.2	00.0-00.4	5	0.4	00.0-00.8	1986	99.4	99.0-99.8
Less than \$15,000	286	126,092	2	0.7	00.0-01.7	1	1.8	00.0-05.3				283	97.5	94.0-0100
\$15,000- 24,999	538	239,121				1	0.1	00.0-00.3	1	0.2	00.0-00.6	536	99.7	99.3-0100
\$25,000- 34,999	586	258,271	1	0.2	00.0-00.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6	583	99.4	98.8-0100
\$35,000- 49,999	627	302,780	2	0.4	00.0-01.0	1	0.1	00.0-00.3	4	0.8	00.0-01.6	620	98.7	97.7-99.7
\$50,000- 99,999	1182	561,295				1	0.1	00.0-00.3	1	0.4	00.0-01.0	1180	99.6	98.8-0100
\$100,000- 199,999	702	347,919				1	0.1	00.0-00.3				701	99.9	99.7-0100
\$200,000+	149	74,741							1	0.5	00.0-01.5	148	99.5	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 27: Family Planning CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
IN THE PAST 12 MONTHS, DID YOU HAVE SEXUAL INTERCOURSE? (HADSEX)	
1 FEMALES ONLY	150
2 THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	151
3	152
4	
THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR9)	
4 FEMALES ONLY	153
5 THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	154
6	155
4	
WHERE DID YOU GET THE [RESPONSE FROM Q3] YOU USED WHEN YOU LAST HAD SEXUAL INTERCOURSE? (WHEREGET)	
7 FEMALES ONLY	156
8 THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	157
9	158
4	
IF YOU COULD USE ANY BIRTH CONTROL METHOD YOU WANTED, WHAT METHOD WOULD YOU USE? (BCPREFER)	
10 FEMALES ONLY	159
11 THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	160
12	161
4	
17	
13 FEMALES ONLY	162
14 THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	163
15	164
4	
21	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022

MODULE 27: Family Planning CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
16	FEMALES ONLY	165
17	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	166
18	4	167
	25	
19	FEMALES ONLY	168
20	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)	169
21	4	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 27: Family Planning**

**TABLE 1: IN THE PAST 12 MONTHS, DID YOU HAVE SEXUAL INTERCOURSE? (HADSEX)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	1201	845,273	949	75.9	72.8-79.0	252	24.1	21.0-27.2
Female	1201	845,273	949	75.9	72.8-79.0	252	24.1	21.0-27.2
White/Non-Hisp	872	593,714	706	78.8	75.5-82.1	166	21.2	17.9-24.5
Black or Afr. Am./Non-Hisp	131	82,147	98	70.4	59.4-81.4	33	29.6	18.6-40.6
Hispanic	119	92,077	95	78.1	69.5-86.7	24	21.9	13.3-30.5
18-24	169	206,486	108	61.0	52.4-69.6	61	39.0	30.4-47.6
25-34	344	275,141	275	79.5	74.6-84.4	69	20.5	15.6-25.4
35-44	475	270,272	396	81.8	77.9-85.7	79	18.2	14.3-22.1
45-54	213	93,374	170	80.7	74.6-86.8	43	19.3	13.2-25.4
Less Than H.S.	83	99,856	59	66.0	53.5-78.5	24	34.0	21.5-46.5
H.S. or G.E.D.	252	220,741	182	70.6	63.7-77.5	70	29.4	22.5-36.3
Some Post-H.S.	331	265,707	262	78.2	73.1-83.3	69	21.8	16.7-26.9
College Graduate	534	258,586	446	81.9	77.8-86.0	88	18.1	14.0-22.2
Less than \$15,000	65	50,312	49	76.3	63.8-88.8	16	23.7	11.2-36.2
\$15,000- 24,999	94	68,963	72	75.3	64.7-85.9	22	24.7	14.1-35.3
\$25,000- 34,999	122	88,282	85	72.6	64.0-81.2	37	27.4	18.8-36.0
\$35,000- 49,999	143	107,874	111	78.4	71.0-85.8	32	21.6	14.2-29.0
\$50,000- 99,999	323	213,618	260	77.9	72.0-83.8	63	22.1	16.2-28.0
\$100,000- 199,999	255	154,769	235	88.0	81.9-94.1	20	12.0	05.9-18.1
\$200,000+	55	33,821	47	80.4	66.7-94.1	8	19.6	05.9-33.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 27: Family Planning**

**TABLE 2: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	934	630,115	707	75.8	72.7-78.9	227	24.2	21.1-27.3
Female	934	630,115	707	75.8	72.7-78.9	227	24.2	21.1-27.3
White/Non-Hisp	693	457,974	535	76.5	72.8-80.2	158	23.5	19.8-27.2
Black or Afr. Am./Non-Hisp	98	57,797	65	69.7	59.7-79.7	33	30.3	20.3-40.3
Hispanic	94	71,444	67	76.0	66.6-85.4	27	24.0	14.6-33.4
18-24	105	122,513	87	83.1	75.3-90.9	18	16.9	09.1-24.7
25-34	271	215,088	213	76.8	71.1-82.5	58	23.2	17.5-28.9
35-44	391	218,406	291	73.4	68.5-78.3	100	26.6	21.7-31.5
45-54	167	74,108	116	68.3	60.5-76.1	51	31.7	23.9-39.5
Less Than H.S.	57	64,598	37	65.9	52.6-79.2	20	34.1	20.8-47.4
H.S. or G.E.D.	180	152,435	122	71.3	64.0-78.6	58	28.7	21.4-36.0
Some Post-H.S.	259	205,273	192	76.5	70.8-82.2	67	23.5	17.8-29.2
College Graduate	438	207,809	356	81.6	77.7-85.5	82	18.4	14.5-22.3
\$15,000- 24,999	71	50,240	50	73.4	61.8-85.0	21	26.6	15.0-38.2
\$25,000- 34,999	84	63,292	61	75.4	65.4-85.4	23	24.6	14.6-34.6
\$35,000- 49,999	110	82,851	80	75.1	65.9-84.3	30	24.9	15.7-34.1
\$50,000- 99,999	258	165,346	211	81.9	76.6-87.2	47	18.1	12.8-23.4
\$100,000- 199,999	233	135,560	183	77.4	71.3-83.5	50	22.6	16.5-28.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 27: Family Planning**

**TABLE 3: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR9)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (1-4)			Contraceptives (5-8)			Withdrawal, Rhythm, no sex (9-10)			Emergencies (11)			Other Method(12)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	691	468,397	332	43.3	39.0-47.6	272	43.1	38.8-47.4	65	10.3	07.6-13.0	2	0.3	00.0-00.7	20	3.0	01.6-04.4
White/Non-Hisp	522	343,303	283	47.9	43.0-52.8	187	40.5	35.6-45.4	38	8.6	05.5-11.7	1	0.1	00.0-00.3	13	2.8	01.0-04.6
Black or Afr. Am./Non-Hisp	63	38,498	17	24.6	12.8-36.4	34	53.6	39.5-67.7	9	16.5	06.1-26.9				3	5.4	00.0-11.7
Hispanic	66	53,742	23	32.9	20.0-45.8	33	54.5	40.4-68.6	8	10.4	02.8-18.0				2	2.1	00.0-05.0
18-24	86	100,745	15	19.3	09.3-29.3	63	67.7	55.9-79.5	7	11.9	03.3-20.5	1	1.1	00.0-03.3			
25-34	207	161,159	77	38.1	31.0-45.2	96	46.6	39.2-54.0	27	12.0	07.5-16.5				7	3.3	00.8-05.8
35-44	284	156,496	168	58.0	51.7-64.3	75	26.5	21.0-32.0	29	10.5	06.6-14.4	1	0.3	00.0-00.9	11	4.8	01.7-07.9
45-54	114	49,997	72	62.3	52.7-71.9	38	34.4	25.0-43.8	2	1.3	00.0-03.1				2	2.0	00.0-04.9
H.S. or G.E.D.	118	105,355	48	36.5	26.9-46.1	57	52.0	41.8-62.2	9	9.0	02.9-15.1				4	2.6	00.0-05.3
Some Post-H.S.	189	154,381	92	42.2	34.8-49.6	63	38.1	30.3-45.9	27	15.9	09.6-22.2				7	3.8	00.7-06.9
College Graduate	347	166,116	176	48.4	42.7-54.1	136	41.6	35.9-47.3	28	7.9	05.0-10.8	1	0.3	00.0-00.9	6	1.8	00.2-03.4
\$25,000- 34,999	60	46,727	23	33.4	20.9-45.9	24	47.0	33.3-60.7	12	18.7	08.7-28.7				1	0.9	00.0-02.7
\$35,000- 49,999	80	62,200	33	38.1	26.3-49.9	35	46.8	34.1-59.5	9	12.0	04.0-20.0	1	0.7	00.0-02.1	2	2.5	00.0-06.0
\$50,000- 99,999	207	133,100	104	46.1	38.3-53.9	85	44.5	36.5-52.5	13	6.1	02.6-09.6				5	3.4	00.1-06.7
\$100,000- 199,999	179	103,402	102	51.5	43.3-59.7	53	33.4	25.4-41.4	18	11.6	05.3-17.9				6	3.5	00.6-06.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 27: Family Planning**

**TABLE 4: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WHAT ELSE, IF ANYTHING, DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (BRTHCNT4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Nothing Else			Surgical (1-4)			Contraceptives (5-8)			Withdrawl, Rhythm, no sex (9-10)			Emergencies (11)			Other Method(12)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	676	455,049	461	65.0	60.9-69.1	62	7.7	05.7-09.7	87	14.8	11.7-17.9	44	8.7	05.8-11.6	4	0.9	00.0-01.9	18	2.9	01.5-04.3
Female	676	455,049	461	65.0	60.9-69.1	62	7.7	05.7-09.7	87	14.8	11.7-17.9	44	8.7	05.8-11.6	4	0.9	00.0-01.9	18	2.9	01.5-04.3
White/Non-Hisp	507	333,379	358	67.0	62.3-71.7	47	8.0	05.6-10.4	57	13.8	10.3-17.3	32	8.2	05.3-11.1	2	0.8	00.0-01.8	11	2.3	00.9-03.7
Black or Afr. Am./Non-Hisp	63	38,116	41	67.5	54.8-80.2	6	6.7	00.6-12.8	10	13.1	04.9-21.3	6	12.7	03.1-22.3						
Hispanic	67	54,300	38	51.1	36.4-65.8	8	10.9	03.1-18.7	15	23.8	11.8-35.8	3	9.3	00.0-22.8	1	1.2	00.0-03.6	2	3.8	00.0-09.1
18-24	83	95,303	35	43.0	31.0-55.0	3	2.6	00.0-05.7	23	26.0	15.8-36.2	16	21.0	10.2-31.8	3	3.8	00.0-08.1	3	3.6	00.0-07.5
25-34	203	156,850	127	66.1	59.2-73.0	16	7.2	03.7-10.7	35	15.6	10.5-20.7	18	8.1	04.2-12.0				7	3.0	00.6-05.4
35-44	278	153,895	213	74.1	68.4-79.8	28	10.7	06.8-14.6	21	8.8	04.9-12.7	10	4.3	01.6-07.0	1	0.4	00.0-01.2	5	1.7	00.0-03.5
45-54	112	49,000	86	75.5	67.3-83.7	15	10.4	04.9-15.9	8	9.3	04.8-13.8							3	4.8	00.0-10.3
H.S. or G.E.D.	119	106,328	71	56.6	46.6-66.6	11	7.4	02.9-11.9	22	17.0	10.3-23.7	10	13.3	04.3-22.3	2	2.4	00.0-05.7	3	3.3	00.0-07.0
Some Post-H.S.	182	149,090	120	64.4	56.8-72.0	16	6.7	03.4-10.0	24	16.0	09.5-22.5	14	8.8	04.1-13.5	1	0.4	00.0-01.2	7	3.7	01.0-06.4
College Graduate	340	162,832	249	70.5	65.0-76.0	30	8.8	05.5-12.1	35	11.8	07.7-15.9	19	6.7	03.6-09.8				7	2.1	00.3-03.9
\$25,000- 34,999	59	46,251	36	59.4	45.5-73.3	5	6.5	00.2-12.8	10	20.8	08.5-33.1	6	10.3	02.3-18.3	1	1.4	00.0-04.1	1	1.7	00.0-05.0
\$35,000- 49,999	79	61,766	55	64.9	52.6-77.2	7	9.5	02.4-16.6	7	8.8	01.4-16.2	5	10.7	01.3-20.1	2	4.2	00.0-09.9	3	2.1	00.0-04.5
\$50,000- 99,999	201	129,738	150	69.3	61.3-77.3	13	5.2	02.3-08.1	21	12.5	07.6-17.4	14	11.7	04.4-19.0				3	1.3	00.0-02.9
\$100,000- 199,999	176	101,278	124	69.6	62.0-77.2	22	10.9	06.2-15.6	17	10.9	05.4-16.4	9	5.9	02.0-09.8				4	2.7	00.0-05.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 27: Family Planning**

**TABLE 5: WHERE DID YOU GET THE [RESPONSE FROM Q3] YOU USED WHEN YOU LAST HAD SEXUAL INTERCOURSE? (WHEREGET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private doctors office (1)			Community health clinic (2,3)			School or school-based clinic (4)			Hospital outpatient clinic, ER (5,6)			In- store health clinic (7,8)			Website or app, Some other place (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	570	383,134	300	50.1	45.4-54.8	40	8.8	05.7-11.9	1	0.1	00.0-00.3	85	14.0	10.9-17.1	109	19.8	16.1-23.5	35	7.2	04.3-10.1
White/Non-Hisp	443	285,296	254	56.4	51.3-61.5	29	6.9	04.2-09.6				72	14.2	10.9-17.5	64	16.6	12.7-20.5	24	5.9	03.4-08.4
Hispanic	56	47,008	20	31.4	17.9-44.9	8	16.7	04.7-28.7				3	6.6	00.0-13.9	19	28.9	15.2-42.6	6	16.4	00.5-32.3
18-24	73	84,182	34	43.5	30.6-56.4	8	13.6	03.2-24.0				3	6.9	00.0-14.5	22	23.4	13.6-33.2	6	12.6	02.0-23.2
25-34	163	126,525	83	49.0	40.8-57.2	13	8.5	03.6-13.4	1	0.2	00.0-00.6	17	11.1	05.8-16.4	42	27.3	19.7-34.9	7	3.8	00.9-06.7
35-44	230	126,081	129	55.4	48.5-62.3	15	7.5	04.0-11.0				43	18.9	13.4-24.4	29	11.7	07.2-16.2	14	6.5	02.8-10.2
45-54	104	46,347	54	51.0	40.6-61.4	4	4.3	00.2-08.4				22	21.1	12.7-29.5	16	14.9	08.2-21.6	8	8.7	02.8-14.6
H.S. or G.E.D.	97	88,199	35	37.8	26.8-48.8	11	10.1	04.0-16.2				20	17.5	09.5-25.5	21	20.8	12.6-29.0	10	13.8	04.0-23.6
Some Post-H.S.	146	116,872	77	56.5	47.7-65.3	9	7.5	02.2-12.8				28	14.3	09.0-19.6	25	16.9	10.2-23.6	7	4.8	01.1-08.5
College Graduate	297	143,050	180	59.5	53.4-65.6	14	5.7	02.6-08.8	1	0.2	00.0-00.6	32	10.0	06.5-13.5	54	19.4	14.3-24.5	16	5.2	02.7-07.7
\$35,000- 49,999	62	49,081	26	44.4	30.1-58.7	8	14.4	04.0-24.8				10	12.5	04.3-20.7	14	19.5	07.9-31.1	4	9.1	00.1-18.1
\$50,000- 99,999	176	113,388	99	52.8	44.2-61.4	8	6.2	01.5-10.9				27	13.9	08.6-19.2	31	18.5	12.4-24.6	11	8.5	01.2-15.8
\$100,000- 199,999	151	85,588	93	63.6	55.4-71.8	9	6.9	02.0-11.8				19	11.0	06.1-15.9	20	12.5	07.0-18.0	10	5.9	02.2-09.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 27: Family Planning**

**TABLE 6: WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEXUAL INTERCOURSE? (NOBCUSE8)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Didn't think about sex(1,2)			Want to get pregnant Didn't care about pregnancy (3,4,5,8)			Pulling out, Vasectomy Tubes tied, just had baby (9,10,11,12)			Other Reasons (14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	213	145,269	19	9.9	05.2-14.6	112	52.9	45.3-60.5	33	13.5	08.2-18.8	49	23.7	17.2-30.2
White/Non-Hisp	149	102,550	11	7.8	03.1-12.5	85	57.1	47.9-66.3	20	10.6	05.5-15.7	33	24.5	16.5-32.5
25-34	53	46,700	5	12.1	01.9-22.3	30	51.4	36.7-66.1	4	8.8	00.0-19.0	14	27.6	14.1-41.1
35-44	99	57,305	8	10.3	03.0-17.6	53	48.6	38.0-59.2	21	21.6	12.6-30.6	17	19.4	10.8-28.0
H.S. or G.E.D.	52	40,272	1	3.6	00.0-10.5	23	51.6	36.7-66.5	10	12.3	03.9-20.7	18	32.5	18.6-46.4
Some Post-H.S.	66	47,788	10	13.6	04.8-22.4	32	52.1	38.2-66.0	6	6.6	00.9-12.3	18	27.7	15.2-40.2
College Graduate	77	36,417	6	10.0	01.8-18.2	53	72.1	61.5-82.7	10	9.7	03.4-16.0	8	8.1	02.4-13.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 27: Family Planning**

**TABLE 7: IF YOU COULD USE ANY BIRTH CONTROL METHOD YOU WANTED, WHAT METHOD WOULD YOU USE? (BCPREFER)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Women that are pregnant or Age GE 50.**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Female, Male Sterilizaion(1,2)			Contraceptive IUD(3,4)			Various forms Birth Control(5,6,7,8)			Preplanned Sex (9,10,11)			Other Method Using Preferred Method (12,13)			Don't want to use any method (14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	885	601,929	200	19.5	16.8-22.2	151	17.4	14.5-20.3	311	36.8	33.1-40.5	21	3.2	01.6-04.8	99	11.4	08.9-13.9	103	11.8	09.4-14.2
White/Non-Hisp	659	439,044	172	22.2	18.9-25.5	114	17.1	13.8-20.4	208	34.5	30.2-38.8	18	3.4	01.6-05.2	77	11.5	08.8-14.2	70	11.4	08.5-14.3
Black or Afr. Am./Non-Hisp	92	54,635	11	13.4	05.2-21.6	18	17.3	08.9-25.7	41	41.1	29.7-52.5	2	5.1	00.0-13.1	8	9.8	02.9-16.7	12	13.3	05.3-21.3
Hispanic	91	68,603	10	10.4	03.3-17.5	13	12.8	05.5-20.1	43	48.5	36.2-60.8				10	15.0	03.2-26.8	15	13.3	06.0-20.6
18-24	103	122,113	11	8.3	03.2-13.4	18	19.4	10.2-28.6	50	45.7	34.9-56.5	5	6.0	00.3-11.7	11	12.4	04.4-20.4	8	8.2	02.5-13.9
25-34	258	204,216	48	17.8	12.9-22.7	44	18.1	12.8-23.4	97	36.9	30.4-43.4	9	3.7	01.3-06.1	31	11.6	07.5-15.7	29	11.9	07.4-16.4
35-44	370	207,961	98	25.6	20.9-30.3	73	17.8	13.7-21.9	111	32.1	26.8-37.4	7	2.1	00.5-03.7	40	10.4	07.1-13.7	41	12.2	08.5-15.9
45-54	154	67,639	43	25.8	18.5-33.1	16	10.3	05.0-15.6	53	34.5	26.1-42.9				17	12.1	07.0-17.2	25	17.3	10.4-24.2
Less Than H.S.	53	60,142	11	17.7	07.5-27.9	9	19.0	05.1-32.9	23	43.1	28.4-57.8	1	3.8	00.0-11.1	2	3.6	00.0-08.5	7	12.7	03.3-22.1
H.S. or G.E.D.	167	145,449	24	12.0	06.9-17.1	24	16.0	09.5-22.5	66	39.8	31.4-48.2	4	2.9	00.2-05.6	21	15.2	08.3-22.1	28	14.2	08.5-19.9
Some Post-H.S.	249	198,056	56	20.3	15.0-25.6	45	17.9	12.6-23.2	81	33.9	27.2-40.6	5	2.9	00.0-05.8	23	9.5	05.4-13.6	39	15.5	10.6-20.4
College Graduate	416	198,282	109	24.6	20.3-28.9	73	17.4	13.5-21.3	141	35.4	30.3-40.5	11	3.5	01.3-05.7	53	12.9	09.4-16.4	29	6.1	03.7-08.5
\$15,000- 24,999	70	50,977	12	19.3	08.7-29.9	9	9.3	02.8-15.8	27	36.1	22.8-49.4	1	4.7	00.0-13.5	9	11.0	03.6-18.4	12	19.6	08.4-30.8
\$25,000- 34,999	81	61,623	13	14.2	06.0-22.4	11	14.4	06.0-22.8	39	47.9	35.9-59.9	2	2.5	00.0-06.0	5	5.8	00.3-11.3	11	15.2	06.2-24.2
\$35,000- 49,999	106	78,541	19	14.1	07.4-20.8	11	11.7	04.6-18.8	42	41.1	30.1-52.1	3	3.4	00.0-07.5	14	15.7	07.3-24.1	17	14.1	06.8-21.4
\$50,000- 99,999	244	155,629	61	21.0	15.7-26.3	46	18.4	12.7-24.1	77	32.7	25.8-39.6	10	4.5	01.6-07.4	27	13.6	07.7-19.5	23	9.7	05.4-14.0
\$100,000- 199,999	215	126,904	59	26.1	19.6-32.6	41	18.0	12.5-23.5	66	34.1	26.7-41.5	1	0.9	00.0-02.7	25	9.8	05.9-13.7	23	11.0	06.3-15.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 28: REACTIONS TO RACE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)	
1 MALES AND FEMALES	172
2 MALES ONLY	173
3 FEMALES ONLY	174
HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY? (RRCOGNT2)	
4 MALES AND FEMALES	175
5 MALES ONLY	176
6 FEMALES ONLY	177
WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)	
7 MALES AND FEMALES	178
8 MALES ONLY	179
9 FEMALES ONLY	180
WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)	
10 MALES AND FEMALES	181
11 MALES ONLY	182
12 FEMALES ONLY	183
WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)	
13 MALES AND FEMALES	184
14 MALES ONLY	185
15 FEMALES ONLY	186
WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)	
16 MALES AND FEMALES	187
17 MALES ONLY	188
18 FEMALES ONLY	189

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 1: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Hispanic or Latino			Asian			Native Hawaiian or Other Pacific Islander			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	8101	3,969,002	6454	80.6	79.4-81.8	1065	9.8	09.0-10.6	349	5.8	05.0-06.6	102	2.2	01.6-02.8	3	0.0	00.0-00.0	128	1.7	01.3-02.1	
Male	3653	1,920,951	3011	80.6	78.8-82.4	344	9.1	07.9-10.3	173	5.8	04.8-06.8	70	2.8	02.0-03.6				55	1.6	01.0-02.2	
Female	4448	2,048,052	3443	80.5	78.9-82.1	721	10.4	09.2-11.6	176	5.8	04.8-06.8	32	1.6	01.0-02.2	3	0.1	00.1-00.1	73	1.7	01.1-02.3	
White/Non-Hisp	6250	3,070,188	6178	98.7	98.3-99.1	8	0.1	00.1-00.1	24	0.4	00.2-00.6	2	0.1	00.0-00.3				38	0.7	00.5-00.9	
Black or Afr. Am./Non-Hisp	1018	352,920	10	1.6	00.4-02.8	978	94.7	92.5-96.9	4	0.4	00.0-00.8							26	3.3	01.5-05.1	
Oth. Race/Non-Hisp.	147	114,385	26	14.2	08.1-20.3	3	1.2	00.0-03.0	8	5.2	00.9-09.5	93	70.0	61.4-78.6	2	0.7	00.0-01.7	15	8.7	03.4-14.0	
MultiRacial/Non-Hisp.	132	111,716	63	51.4	40.6-62.2	46	36.2	25.8-46.6	7	5.0	01.1-08.9	5	1.9	00.1-03.7				11	5.5	01.4-09.6	
Hispanic	411	257,785	87	18.0	13.7-22.3	11	1.8	00.4-03.2	296	76.0	71.1-80.9							17	4.1	01.9-06.3	
18-24	431	473,151	302	71.0	65.9-76.1	47	10.9	07.4-14.4	50	9.5	06.4-12.6	25	7.2	03.9-10.5				7	1.3	00.3-02.3	
25-34	741	630,835	549	74.8	71.3-78.3	74	9.9	07.4-12.4	74	9.4	07.0-11.8	22	3.0	01.6-04.4				22	2.9	01.5-04.3	
35-44	1048	637,706	801	73.0	69.9-76.1	120	13.2	10.7-15.7	88	9.8	07.6-12.0	20	2.1	00.9-03.3				19	1.9	00.9-02.9	
45-54	1265	598,457	1049	81.6	79.1-84.1	117	9.6	07.6-11.6	54	5.0	03.4-06.6	23	2.2	01.2-03.2	2	0.1	00.0-00.3	20	1.5	00.7-02.3	
55-64	1581	668,447	1332	86.8	84.8-88.8	181	8.7	07.1-10.3	40	2.8	01.6-04.0	6	0.6	00.2-01.0	1	0.0	00.0-00.0	21	1.2	00.6-01.8	
65+	3035	960,406	2421	89.1	87.5-90.7	526	7.7	06.3-09.1	43	1.4	00.8-02.0	6	0.3	00.0-00.7				39	1.4	00.8-02.0	
Less Than H.S.	466	411,727	267	58.6	53.1-64.1	77	12.8	08.9-16.7	103	23.3	18.8-27.8	4	2.3	00.0-04.8				15	3.1	01.3-04.9	
H.S. or G.E.D.	2336	1,284,563	1862	82.9	80.9-84.9	314	9.5	07.9-11.1	100	4.4	03.2-05.6	14	1.2	00.4-02.0	1	0.0	00.0-00.0	45	1.9	01.3-02.5	
Some Post-H.S.	2221	1,229,556	1777	82.8	80.8-84.8	316	9.9	08.3-11.5	78	4.3	03.3-05.3	19	1.8	00.8-02.8				31	1.2	00.6-01.8	
College Graduate	3056	1,035,560	2532	83.8	82.0-85.6	354	8.7	07.5-09.9	68	2.3	01.7-02.9	64	3.8	02.8-04.8	2	0.1	00.0-00.3	36	1.4	00.8-02.0	
Less than \$15,000	431	209,464	267	57.4	51.1-63.7	106	25.0	19.1-30.9	39	13.1	08.8-17.4	4	1.0	00.0-02.2				15	3.5	01.3-05.7	
\$15,000- 24,999	720	335,405	513	75.2	71.1-79.3	139	13.0	09.9-16.1	48	8.5	05.8-11.2	6	1.4	00.0-03.0				14	1.9	00.7-03.1	
\$25,000- 34,999	848	387,971	634	76.6	72.9-80.3	136	10.6	08.1-13.1	53	8.8	06.3-11.3	5	0.7	00.1-01.3	1	0.1	00.0-00.3	19	3.2	01.4-05.0	
\$35,000- 49,999	990	481,884	773	80.6	77.3-83.9	142	9.3	06.8-11.8	45	6.5	04.3-08.7	6	1.0	00.0-02.0				24	2.6	01.2-04.0	
\$50,000- 99,999	2064	1,041,666	1727	83.8	81.4-86.2	224	8.1	06.5-09.7	67	4.5	03.1-05.9	27	2.5	01.1-03.9	2	0.1	00.0-00.3	17	1.0	00.4-01.6	
\$100,000- 199,999	1349	680,488	1193	87.6	85.2-90.0	92	7.0	05.2-08.8	29	2.3	01.3-03.3	26	2.5	01.3-03.7				9	0.5	00.1-00.9	
\$200,000+	301	146,380	264	84.4	79.1-89.7	17	7.1	03.4-10.8	7	2.3	00.5-04.1	9	3.8	00.9-06.7				4	2.3	00.0-04.8	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 2: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Hispanic or Latino			Asian			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3653	1,920,951	3011	80.6	78.8-82.4	344	9.1	07.9-10.3	173	5.8	04.8-06.8	70	2.8	02.0-03.6	55	1.6	01.0-02.2	
White/Non-Hisp	2882	1,468,560	2850	98.7	98.3-99.1	3	0.1	00.0-00.3	10	0.4	00.2-00.6	1	0.0	00.0-00.0	18	0.7	00.3-01.1	
Black or Afr. Am./Non-Hisp	331	164,709	5	2.4	00.0-04.9	318	95.2	91.9-98.5							8	2.3	00.0-04.7	
Oth. Race/Non-Hisp.	89	65,649	13	9.6	03.7-15.5	1	1.4	00.0-04.1	4	3.4	00.1-06.7	64	77.2	67.8-86.6	7	8.4	01.7-15.1	
MultiRacial/Non-Hisp.	66	53,895	37	61.2	47.9-74.5	16	24.2	12.4-36.0	4	5.8	00.1-11.5	3	1.9	00.0-04.4	6	6.9	00.2-13.6	
Hispanic	211	129,778	52	21.8	15.3-28.3	3	0.9	00.0-01.9	149	73.5	66.4-80.6				7	3.8	00.5-07.1	
18-24	249	248,007	175	71.7	65.0-78.4	20	7.6	04.1-11.1	33	10.2	06.3-14.1	17	9.0	03.9-14.1	4	1.5	00.0-03.1	
25-34	362	326,332	272	77.0	72.3-81.7	24	7.7	04.4-11.0	38	8.6	05.9-11.3	16	3.1	01.5-04.7	12	3.6	01.4-05.8	
35-44	491	316,395	385	74.4	69.7-79.1	46	13.2	09.3-17.1	41	8.7	06.0-11.4	12	2.6	00.6-04.6	7	1.1	00.3-01.9	
45-54	566	288,748	477	81.2	77.5-84.9	42	9.6	06.9-12.3	25	5.4	03.0-07.8	15	3.0	01.2-04.8	7	0.9	00.1-01.7	
55-64	744	322,597	634	85.8	82.7-88.9	77	9.1	06.6-11.6	20	3.2	01.4-05.0	6	1.2	00.2-02.2	7	0.8	00.2-01.4	
65+	1241	418,872	1068	89.1	86.7-91.5	135	7.7	05.5-09.9	16	1.1	00.3-01.9	4	0.3	00.0-00.7	18	1.8	00.8-02.8	
Less Than H.S.	226	207,114	140	62.0	54.4-69.6	27	10.5	05.6-15.4	50	21.6	15.5-27.7	3	2.8	00.0-06.5	6	3.1	00.4-05.8	
H.S. or G.E.D.	1087	654,635	891	82.8	80.1-85.5	112	9.2	07.0-11.4	51	4.3	03.1-05.5	12	2.0	00.8-03.2	21	1.8	01.0-02.6	
Some Post-H.S.	979	590,617	811	81.6	78.5-84.7	103	10.2	07.8-12.6	42	4.6	03.0-06.2	11	2.4	00.6-04.2	12	1.3	00.5-02.1	
College Graduate	1353	465,814	1166	84.9	82.5-87.3	99	6.6	04.8-08.4	30	2.5	01.5-03.5	43	4.7	03.3-06.1	15	1.2	00.4-02.0	
Less than \$15,000	179	94,986	120	64.0	55.4-72.6	31	18.4	11.0-25.8	20	12.9	07.0-18.8	4	2.3	00.0-04.7	4	2.4	00.0-05.3	
\$15,000- 24,999	262	136,652	194	72.8	65.9-79.7	35	13.2	07.7-18.7	26	11.3	06.6-16.0	2	0.9	00.0-02.1	5	1.9	00.0-04.1	
\$25,000- 34,999	336	165,870	263	77.2	71.3-83.1	35	8.1	04.4-11.8	25	9.2	05.1-13.3	4	1.3	00.0-02.7	9	4.2	01.1-07.3	
\$35,000- 49,999	430	223,169	349	80.0	75.1-84.9	48	11.3	07.2-15.4	21	6.5	03.6-09.4	4	0.8	00.0-01.6	8	1.4	00.2-02.6	
\$50,000- 99,999	1030	557,198	879	83.8	80.7-86.9	88	7.8	05.6-10.0	38	4.9	03.1-06.7	15	2.5	00.7-04.3	10	1.0	00.4-01.6	
\$100,000- 199,999	713	367,827	633	87.7	84.8-90.6	39	5.8	03.6-08.0	19	3.0	01.6-04.4	21	3.3	01.7-04.9	1	0.2	00.0-00.6	
\$200,000+	165	80,816	146	85.5	78.2-92.8	8	5.5	01.4-09.6	2	0.8	00.0-02.0	6	4.5	00.0-09.0	3	3.7	00.0-08.2	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 3: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Hispanic or Latino			Asian			Native Hawaiian or Other Pacific Islander			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4448	2,048,052	3443	80.5	78.9-82.1	721	10.4	09.2-11.6	176	5.8	04.8-06.8	32	1.6	01.0-02.2	3	0.1	00.1-00.1	73	1.7	01.1-02.3
White/Non-Hisp	3368	1,601,628	3328	98.7	98.3-99.1	5	0.1	00.1-00.1	14	0.4	00.2-00.6	1	0.1	00.0-00.3				20	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	687	188,211	5	0.8	00.0-01.6	660	94.2	91.5-96.9	4	0.8	00.0-01.6							18	4.2	01.7-06.7
Oth. Race/Non-Hisp.	58	48,736	13	20.3	08.7-31.9	2	1.0	00.0-02.8	4	7.6	00.0-16.6	29	60.2	44.9-75.5	2	1.7	00.0-04.1	8	9.1	00.7-17.5
MultiRacial/Non-Hisp.	66	57,822	26	42.2	26.1-58.3	30	47.4	31.3-63.5	3	4.4	00.0-09.7	2	1.8	00.0-04.3				5	4.2	00.0-09.3
Hispanic	200	128,006	35	14.1	08.4-19.8	8	2.8	00.1-05.5	147	78.6	71.9-85.3							10	4.5	01.6-07.4
18-24	182	225,144	127	70.3	62.5-78.1	27	14.6	08.5-20.7	17	8.8	03.9-13.7	8	5.2	01.1-09.3				3	1.2	00.0-02.6
25-34	379	304,503	277	72.4	67.1-77.7	50	12.2	08.5-15.9	36	10.3	06.8-13.8	6	2.9	00.4-05.4				10	2.1	00.7-03.5
35-44	557	321,311	416	71.6	67.3-75.9	74	13.3	10.2-16.4	47	10.8	07.7-13.9	8	1.7	00.3-03.1				12	2.6	01.0-04.2
45-54	699	309,709	572	81.9	78.6-85.2	75	9.7	07.2-12.2	29	4.7	02.7-06.7	8	1.4	00.4-02.4	2	0.3	00.0-00.7	13	2.0	00.6-03.4
55-64	837	345,850	698	87.7	85.0-90.4	104	8.3	06.1-10.5	20	2.4	00.8-04.0				1	0.1	00.0-00.3	14	1.5	00.5-02.5
65+	1794	541,534	1353	89.1	87.1-91.1	391	7.8	06.2-09.4	27	1.7	00.7-02.7	2	0.3	00.0-00.7				21	1.2	00.4-02.0
Less Than H.S.	240	204,613	127	55.0	47.2-62.8	50	15.0	08.9-21.1	53	24.9	18.4-31.4	1	1.8	00.0-05.3				9	3.2	01.0-05.4
H.S. or G.E.D.	1249	629,928	971	83.0	80.1-85.9	202	9.8	07.4-12.2	49	4.6	02.8-06.4	2	0.5	00.0-01.1	1	0.0	00.0-00.0	24	2.1	00.9-03.3
Some Post-H.S.	1242	638,938	966	83.9	81.4-86.4	213	9.7	07.7-11.7	36	4.0	02.4-05.6	8	1.3	00.3-02.3				19	1.1	00.5-01.7
College Graduate	1703	569,745	1366	82.9	80.5-85.3	255	10.3	08.5-12.1	38	2.1	01.3-02.9	21	3.0	01.4-04.6	2	0.1	00.0-00.3	21	1.6	00.8-02.4
Less than \$15,000	252	114,478	147	51.9	43.3-60.5	75	30.4	21.8-39.0	19	13.3	07.0-19.6							11	4.4	01.3-07.5
\$15,000- 24,999	458	198,752	319	76.9	71.6-82.2	104	12.9	09.2-16.6	22	6.6	03.1-10.1	4	1.8	00.0-04.2				9	1.8	00.2-03.4
\$25,000- 34,999	512	222,101	371	76.2	71.3-81.1	101	12.4	08.7-16.1	28	8.5	05.0-12.0	1	0.3	00.0-00.9	1	0.1	00.0-00.3	10	2.4	00.6-04.2
\$35,000- 49,999	560	258,714	424	81.2	76.9-85.5	94	7.6	05.2-10.0	24	6.5	03.4-09.6	2	1.1	00.0-02.7				16	3.6	01.4-05.8
\$50,000- 99,999	1034	484,468	848	83.8	80.5-87.1	136	8.5	06.3-10.7	29	4.0	01.8-06.2	12	2.5	00.5-04.5	2	0.2	00.0-00.4	7	0.9	00.1-01.7
\$100,000- 199,999	636	312,662	560	87.5	84.0-91.0	53	8.3	05.2-11.4	10	1.6	00.6-02.6	5	1.7	00.0-03.5				8	1.0	00.2-01.8
\$200,000+	136	65,564	118	83.1	75.5-90.7	9	9.2	02.9-15.5	5	4.1	00.4-07.8	3	2.9	00.0-06.2				1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 4: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?  
(RRCOGNT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8033	3,950,072	4991	61.6	60.2-63.0	651	8.2	07.4-09.0	802	10.6	09.6-11.6	639	8.0	07.2-08.8	474	5.6	05.0-06.2	476	6.0	05.2-06.8
Male	3646	1,917,467	2257	61.2	59.2-63.2	309	8.2	07.2-09.2	360	10.8	09.4-12.2	299	8.1	06.9-09.3	218	5.6	04.8-06.4	203	6.2	05.2-07.2
Female	4387	2,032,605	2734	62.0	60.2-63.8	342	8.3	07.1-09.5	442	10.4	09.2-11.6	340	7.8	06.8-08.8	256	5.6	04.8-06.4	273	5.8	04.8-06.8
White/Non-Hisp	6164	3,037,181	4183	67.7	66.3-69.1	525	8.6	07.8-09.4	619	10.3	09.3-11.3	476	7.4	06.6-08.2	276	4.2	03.6-04.8	85	1.7	01.3-02.1
Black or Afr. Am./Non-Hisp	971	343,375	382	34.9	30.2-39.6	46	3.8	01.6-06.0	68	7.7	05.2-10.2	83	9.0	06.5-11.5	125	14.5	11.2-17.8	267	30.0	25.5-34.5
Oth. Race/Non-Hisp.	140	108,183	60	46.0	35.2-56.8	19	10.6	05.1-16.1	24	21.0	12.4-29.6	13	7.8	02.7-12.9	13	8.3	03.6-13.0	11	6.3	02.0-10.6
MultiRacial/Non-Hisp.	133	111,702	61	45.9	35.1-56.7	9	6.5	01.8-11.2	16	10.8	04.5-17.1	18	15.7	07.9-23.5	12	8.7	03.6-13.8	17	12.4	05.9-18.9
Hispanic	420	263,253	176	39.5	33.8-45.2	44	11.5	07.6-15.4	54	12.7	09.0-16.4	36	10.2	06.1-14.3	38	7.9	05.2-10.6	72	18.2	13.5-22.9
18-24	430	471,015	187	47.0	41.5-52.5	50	11.1	07.8-14.4	83	19.2	14.9-23.5	50	11.1	07.8-14.4	33	5.6	03.6-07.6	27	6.0	03.3-08.7
25-34	735	627,871	360	52.5	48.6-56.4	67	8.9	06.7-11.1	110	13.2	10.7-15.7	80	10.3	07.8-12.8	60	7.5	05.5-09.5	58	7.5	05.3-09.7
35-44	1035	630,507	536	54.2	50.9-57.5	82	8.0	06.2-09.8	133	11.6	09.4-13.8	120	10.0	08.0-12.0	86	7.5	05.7-09.3	78	8.6	06.4-10.8
45-54	1282	604,023	780	62.1	59.2-65.0	106	7.7	06.1-09.3	122	8.9	07.3-10.5	109	8.1	06.3-09.9	86	6.1	04.7-07.5	79	7.1	05.3-08.9
55-64	1575	668,584	1036	68.9	66.2-71.6	110	6.6	05.2-08.0	145	8.5	06.9-10.1	125	7.1	05.7-08.5	78	4.6	03.4-05.8	81	4.3	02.9-05.7
65+	2976	948,071	2092	74.4	72.4-76.4	236	8.0	06.6-09.4	209	6.5	05.3-07.7	155	4.0	03.2-04.8	131	3.5	02.7-04.3	153	3.6	02.6-04.6
Less Than H.S.	467	411,647	311	65.5	60.2-70.8	34	6.5	04.0-09.0	27	7.0	03.9-10.1	18	4.4	02.0-06.8	14	3.0	01.4-04.6	63	13.7	10.0-17.4
H.S. or G.E.D.	2313	1,277,612	1726	71.6	69.2-74.0	143	6.7	05.3-08.1	144	7.4	06.0-08.8	98	5.3	03.9-06.7	87	3.7	02.7-04.7	115	5.3	03.9-06.7
Some Post-H.S.	2202	1,222,859	1424	61.6	59.1-64.1	181	8.9	07.5-10.3	199	11.1	09.3-12.9	141	7.4	06.0-08.8	127	6.0	04.8-07.2	130	5.0	04.0-06.0
College Graduate	3024	1,028,510	1513	47.6	45.4-49.8	291	10.1	08.7-11.5	432	15.6	14.0-17.2	381	13.5	12.1-14.9	244	8.5	07.3-09.7	163	4.7	03.7-05.7
Less than \$15,000	422	203,331	277	64.5	58.6-70.4	27	6.3	03.4-09.2	27	5.4	03.0-07.8	22	6.1	03.2-09.0	27	6.1	03.2-09.0	42	11.6	07.3-15.9
\$15,000- 24,999	715	333,885	493	66.7	62.0-71.4	38	6.9	04.4-09.4	49	6.7	04.5-08.9	42	6.4	03.9-08.9	32	3.9	02.3-05.5	61	9.3	06.0-12.6
\$25,000- 34,999	844	391,505	575	65.8	61.7-69.9	56	7.3	04.9-09.7	64	8.3	05.9-10.7	36	5.1	03.1-07.1	51	6.9	04.5-09.3	62	6.7	04.5-08.9
\$35,000- 49,999	975	481,346	643	66.1	62.4-69.8	85	9.1	06.7-11.5	73	8.5	06.1-10.9	66	6.5	04.5-08.5	53	4.4	03.0-05.8	55	5.4	03.6-07.2
\$50,000- 99,999	2044	1,038,325	1239	61.6	58.9-64.3	176	8.2	06.8-09.6	228	11.1	09.5-12.7	190	8.8	07.2-10.4	112	5.2	04.0-06.4	99	5.1	03.7-06.5
\$100,000- 199,999	1345	680,605	726	54.4	51.3-57.5	140	9.7	07.9-11.5	178	13.4	11.2-15.6	145	10.5	08.7-12.3	103	7.3	05.7-08.9	53	4.6	03.0-06.2
\$200,000+	299	144,950	154	50.5	43.8-57.2	27	8.6	05.1-12.1	43	15.1	10.0-20.2	41	12.3	08.4-16.2	27	10.5	06.4-14.6	7	3.0	00.5-05.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 5: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?  
(RRCOGNT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3646	1,917,467	2257	61.2	59.2-63.2	309	8.2	07.2-09.2	360	10.8	09.4-12.2	299	8.1	06.9-09.3	218	5.6	04.8-06.4	203	6.2	05.2-07.2
White/Non-Hisp	2849	1,458,828	1929	67.7	65.5-69.9	249	8.4	07.2-09.6	277	10.2	08.6-11.8	226	7.6	06.4-08.8	128	4.1	03.3-04.9	40	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	319	159,835	100	32.7	25.4-40.0	13	2.1	00.0-04.3	22	8.7	04.2-13.2	28	8.7	04.6-12.8	52	14.7	09.8-19.6	104	33.0	25.9-40.1
Oth. Race/Non-Hisp.	83	59,848	37	47.6	33.5-61.7	10	9.6	03.3-15.9	15	21.8	10.4-33.2	6	4.8	00.7-08.9	10	11.8	04.2-19.4	5	4.4	00.1-08.7
MultiRacial/Non-Hisp.	64	52,580	30	44.3	30.2-58.4	6	11.4	02.4-20.4	8	11.4	02.4-20.4	8	15.4	04.0-26.8	7	11.0	02.6-19.4	5	6.4	00.0-13.1
Hispanic	217	134,634	87	37.1	29.5-44.7	25	11.2	06.5-15.9	29	14.2	08.9-19.5	23	11.6	06.5-16.7	15	6.4	02.7-10.1	38	19.3	12.8-25.8
18-24	249	246,761	114	48.2	40.9-55.5	31	10.2	06.5-13.9	44	19.8	13.5-26.1	28	10.8	06.7-14.9	17	5.0	02.5-07.5	15	6.0	02.3-09.7
25-34	357	322,431	191	56.9	51.2-62.6	28	6.8	04.3-09.3	52	13.4	09.7-17.1	37	9.5	06.2-12.8	23	6.4	03.9-08.9	26	7.0	04.3-09.7
35-44	484	312,075	260	55.1	50.2-60.0	41	8.2	05.7-10.7	54	10.3	07.4-13.2	61	11.2	08.3-14.1	35	6.4	04.0-08.8	33	8.8	05.5-12.1
45-54	590	295,620	359	61.2	56.9-65.5	51	8.1	05.7-10.5	52	8.7	06.3-11.1	47	7.6	05.1-10.1	42	6.5	04.5-08.5	39	8.0	05.3-10.7
55-64	739	322,321	480	67.1	63.2-71.0	58	7.1	05.1-09.1	65	8.2	05.7-10.7	61	7.7	05.5-09.9	39	4.9	03.1-06.7	36	4.9	02.9-06.9
65+	1227	418,259	853	72.1	69.0-75.2	100	8.9	06.7-11.1	93	7.2	05.4-09.0	65	3.9	02.7-05.1	62	4.6	03.0-06.2	54	3.3	01.9-04.7
Less Than H.S.	227	206,244	147	64.2	56.8-71.6	15	5.2	02.3-08.1	16	9.0	03.7-14.3	8	3.5	00.8-06.2	9	3.7	01.2-06.2	32	14.3	09.2-19.4
H.S. or G.E.D.	1075	651,839	767	68.4	65.1-71.7	67	6.6	04.8-08.4	79	8.5	06.3-10.7	50	5.8	04.0-07.6	53	4.4	03.0-05.8	59	6.4	04.4-08.4
Some Post-H.S.	978	589,350	616	60.2	56.5-63.9	92	9.7	07.5-11.9	90	11.0	08.5-13.5	75	8.8	06.4-11.2	57	5.7	04.1-07.3	48	4.6	03.0-06.2
College Graduate	1354	466,161	723	51.4	48.3-54.5	133	9.8	08.0-11.6	175	14.5	12.3-16.7	165	12.7	10.7-14.7	98	7.9	06.1-09.7	60	3.8	02.6-05.0
Less than \$15,000	176	93,794	108	61.0	52.2-69.8	13	7.3	02.6-12.0	13	7.2	02.9-11.5	11	6.2	01.9-10.5	12	4.6	01.9-07.3	19	13.6	06.5-20.7
\$15,000- 24,999	257	132,806	174	63.7	56.4-71.0	17	8.7	04.2-13.2	17	6.7	03.2-10.2	11	5.3	01.6-09.0	13	4.6	01.7-07.5	25	11.1	06.0-16.2
\$25,000- 34,999	337	169,543	229	66.0	59.9-72.1	25	8.3	04.8-11.8	27	8.6	04.9-12.3	16	4.8	02.1-07.5	22	6.0	02.9-09.1	18	6.3	03.2-09.4
\$35,000- 49,999	418	218,093	269	64.2	58.5-69.9	38	7.9	05.0-10.8	31	8.6	05.3-11.9	30	7.7	04.6-10.8	22	4.1	01.9-06.3	28	7.5	04.4-10.6
\$50,000- 99,999	1025	558,072	657	64.3	60.6-68.0	81	6.8	05.0-08.6	100	10.2	07.8-12.6	90	8.4	06.4-10.4	54	5.3	03.7-06.9	43	5.0	02.8-07.2
\$100,000- 199,999	719	372,216	404	56.5	52.4-60.6	85	11.1	08.6-13.6	85	11.7	08.8-14.6	75	10.1	07.6-12.6	44	6.0	04.2-07.8	26	4.6	02.6-06.6
\$200,000+	163	78,287	86	53.7	44.5-62.9	15	8.4	03.9-12.9	23	14.2	07.1-21.3	21	11.9	06.6-17.2	15	10.4	04.9-15.9	3	1.5	00.0-03.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 6: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?  
(RRCOGNT2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4387	2,032,605	2734	62.0	60.2-63.8	342	8.3	07.1-09.5	442	10.4	09.2-11.6	340	7.8	06.8-08.8	256	5.6	04.8-06.4	273	5.8	04.8-06.8
White/Non-Hisp	3315	1,578,353	2254	67.7	65.7-69.7	276	8.7	07.5-09.9	342	10.4	09.2-11.6	250	7.3	06.3-08.3	148	4.4	03.6-05.2	45	1.5	01.1-01.9
Black or Afr. Am./Non-Hisp	652	183,541	282	36.8	30.7-42.9	33	5.3	02.0-08.6	46	6.8	03.9-09.7	55	9.3	06.0-12.6	73	14.4	09.9-18.9	163	27.4	21.7-33.1
Oth. Race/Non-Hisp.	57	48,334	23	43.9	27.2-60.6	9	12.0	02.4-21.6	9	20.1	07.0-33.2	7	11.4	01.2-21.6	3	3.9	00.0-08.6	6	8.6	00.8-16.4
MultiRacial/Non-Hisp.	69	59,122	31	47.4	31.3-63.5	3	2.2	00.0-05.1	8	10.2	01.4-19.0	10	16.0	05.2-26.8	5	6.6	00.5-12.7	12	17.7	06.9-28.5
Hispanic	203	128,618	89	41.9	33.3-50.5	19	11.7	05.6-17.8	25	11.2	05.9-16.5	13	8.6	01.9-15.3	23	9.5	05.2-13.8	34	17.1	10.4-23.8
18-24	181	224,254	73	45.7	37.3-54.1	19	12.1	06.4-17.8	39	18.6	12.5-24.7	22	11.5	06.2-16.8	16	6.2	02.9-09.5	12	6.0	02.1-09.9
25-34	378	305,439	169	47.9	42.2-53.6	39	11.1	07.6-14.6	58	13.1	09.6-16.6	43	11.2	07.5-14.9	37	8.7	05.8-11.6	32	8.1	05.2-11.0
35-44	551	318,432	276	53.4	48.7-58.1	41	7.8	05.3-10.3	79	12.8	09.9-15.7	59	8.9	06.5-11.3	51	8.6	06.1-11.1	45	8.5	06.0-11.0
45-54	692	308,404	421	62.9	58.8-67.0	55	7.5	05.3-09.7	70	9.1	06.7-11.5	62	8.5	06.1-10.9	44	5.7	03.7-07.7	40	6.2	03.8-08.6
55-64	836	346,263	556	70.5	67.0-74.0	52	6.1	04.3-07.9	80	8.9	06.7-11.1	64	6.6	04.8-08.4	39	4.3	02.7-05.9	45	3.7	01.9-05.5
65+	1749	529,812	1239	76.3	73.8-78.8	136	7.3	05.7-08.9	116	5.9	04.5-07.3	90	4.1	03.1-05.1	69	2.6	01.8-03.4	99	3.8	02.8-04.8
Less Than H.S.	240	205,403	164	66.7	59.4-74.0	19	7.7	03.6-11.8	11	5.0	01.5-08.5	10	5.3	01.6-09.0	5	2.3	00.1-04.5	31	13.0	08.1-17.9
H.S. or G.E.D.	1238	625,774	959	75.0	71.7-78.3	76	6.8	04.8-08.8	65	6.3	04.5-08.1	48	4.8	02.8-06.8	34	3.0	01.6-04.4	56	4.1	02.5-05.7
Some Post-H.S.	1224	633,509	808	63.0	59.7-66.3	89	8.2	06.2-10.2	109	11.1	08.7-13.5	66	6.0	04.4-07.6	70	6.3	04.5-08.1	82	5.3	03.9-06.7
College Graduate	1670	562,349	790	44.5	41.6-47.4	158	10.4	08.6-12.2	257	16.5	14.3-18.7	216	14.2	12.0-16.4	146	9.0	07.4-10.6	103	5.5	04.1-06.9
Less than \$15,000	246	109,536	169	67.4	59.4-75.4	14	5.5	02.0-09.0	14	3.8	01.4-06.2	11	6.0	01.7-10.3	15	7.4	02.3-12.5	23	9.9	04.8-15.0
\$15,000- 24,999	458	201,078	319	68.7	63.0-74.4	21	5.8	02.5-09.1	32	6.7	04.0-09.4	31	7.2	03.7-10.7	19	3.5	01.5-05.5	36	8.2	04.9-11.5
\$25,000- 34,999	507	221,961	346	65.6	60.3-70.9	31	6.5	03.6-09.4	37	8.1	05.2-11.0	20	5.3	02.8-07.8	29	7.5	04.4-10.6	44	7.0	04.3-09.7
\$35,000- 49,999	557	263,253	374	67.8	62.7-72.9	47	10.1	06.6-13.6	42	8.3	05.0-11.6	36	5.6	03.2-08.0	31	4.6	02.6-06.6	27	3.7	01.7-05.7
\$50,000- 99,999	1019	480,253	582	58.5	54.8-62.2	95	9.8	07.4-12.2	128	12.1	09.7-14.5	100	9.2	06.8-11.6	58	5.1	03.5-06.7	56	5.3	03.5-07.1
\$100,000- 199,999	626	308,389	322	51.8	47.1-56.5	55	8.0	05.6-10.4	93	15.4	11.9-18.9	70	11.1	08.4-13.8	59	9.0	06.5-11.5	27	4.7	02.2-07.2
\$200,000+	136	66,663	68	46.8	37.2-56.4	12	8.8	03.3-14.3	20	16.2	08.8-23.6	20	12.9	06.8-19.0	12	10.6	04.7-16.5	4	4.7	00.0-09.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 7: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7490	3,693,783	559	7.2	06.4-08.0	5232	71.3	69.9-72.7	1590	20.2	19.0-21.4	79	1.0	00.8-01.2	30	0.4	00.2-00.6
Male	3424	1,795,679	261	7.8	06.6-09.0	2486	73.9	72.1-75.7	640	17.4	15.8-19.0	30	0.7	00.3-01.1	7	0.2	00.0-00.4
Female	4066	1,898,104	298	6.6	05.4-07.8	2746	68.8	67.0-70.6	950	22.8	21.2-24.4	49	1.2	00.8-01.6	23	0.5	00.3-00.7
White/Non-Hisp	5786	2,858,264	184	3.5	02.9-04.1	4112	72.1	70.7-73.5	1452	23.7	22.3-25.1	20	0.4	00.2-00.6	18	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	884	316,838	290	33.7	28.8-38.6	513	58.2	53.1-63.3	34	3.0	01.4-04.6	41	5.0	03.0-07.0	6	0.2	00.0-00.6
Oth. Race/Non-Hisp.	132	97,296	12	9.5	03.4-15.6	107	83.2	75.9-90.5	10	5.3	01.8-08.8	3	2.0	00.0-04.7			
MultiRacial/Non-Hisp.	116	99,209	18	17.0	07.8-26.2	80	68.2	57.6-78.8	14	11.6	04.9-18.3	4	3.2	00.1-06.3			
Hispanic	400	251,818	31	9.1	04.8-13.4	302	76.0	70.5-81.5	53	12.3	08.4-16.2	10	1.5	00.3-02.7	4	1.1	00.0-02.3
18-24	413	448,775	31	7.8	04.5-11.1	266	67.0	61.9-72.1	110	24.0	19.5-28.5	5	0.9	00.0-02.1	1	0.2	00.0-00.6
25-34	701	595,605	51	7.6	05.2-10.0	449	67.3	63.6-71.0	188	23.3	20.0-26.6	10	1.4	00.4-02.4	3	0.4	00.0-00.8
35-44	987	600,916	94	10.4	08.0-12.8	611	64.5	61.2-67.8	266	23.3	20.6-26.0	12	1.3	00.5-02.1	4	0.4	00.0-00.8
45-54	1182	555,631	91	8.9	06.9-10.9	805	69.7	66.8-72.6	266	19.8	17.4-22.2	15	1.0	00.4-01.6	5	0.6	00.0-01.2
55-64	1473	625,942	114	6.3	04.9-07.7	1086	76.9	74.5-79.3	256	16.1	14.1-18.1	16	0.7	00.3-01.1	1	0.1	00.0-00.3
65+	2734	866,914	178	3.9	02.9-04.9	2015	77.9	75.9-79.9	504	17.0	15.2-18.8	21	0.7	00.3-01.1	16	0.5	00.1-00.9
Less Than H.S.	416	371,951	31	8.8	05.1-12.5	330	79.7	75.0-84.4	44	9.2	06.1-12.3	4	0.8	00.0-01.6	7	1.4	00.2-02.6
H.S. or G.E.D.	2123	1,181,996	157	8.0	06.4-09.6	1714	79.2	77.0-81.4	230	12.0	10.2-13.8	14	0.6	00.2-01.0	8	0.2	00.0-00.4
Some Post-H.S.	2054	1,147,857	162	6.7	05.5-07.9	1464	70.5	68.1-72.9	393	21.1	18.9-23.3	28	1.3	00.7-01.9	7	0.3	00.1-00.5
College Graduate	2878	985,344	205	6.1	04.9-07.3	1712	59.5	57.3-61.7	920	33.0	31.0-35.0	33	1.1	00.7-01.5	8	0.3	00.1-00.5
Less than \$15,000	394	191,939	63	18.7	12.8-24.6	274	67.4	60.9-73.9	48	11.8	08.1-15.5	8	1.8	00.2-03.4	1	0.3	00.0-00.9
\$15,000- 24,999	644	304,522	65	9.1	06.2-12.0	468	73.4	68.9-77.9	93	14.3	10.8-17.8	16	3.0	01.0-05.0	2	0.3	00.0-00.7
\$25,000- 34,999	780	361,915	62	7.2	05.0-09.4	591	74.6	70.7-78.5	114	16.9	13.6-20.2	8	1.1	00.1-02.1	5	0.2	00.0-00.4
\$35,000- 49,999	911	448,831	65	7.2	04.8-09.6	655	73.3	69.8-76.8	178	18.5	15.4-21.6	11	1.0	00.2-01.8	2	0.0	00.0-00.0
\$50,000- 99,999	1951	984,412	143	6.5	04.9-08.1	1331	70.5	68.0-73.0	453	21.9	19.7-24.1	16	0.7	00.3-01.1	8	0.4	00.0-00.8
\$100,000- 199,999	1287	655,244	64	5.6	04.0-07.2	827	66.3	63.4-69.2	385	27.2	24.5-29.9	9	0.7	00.1-01.3	2	0.3	00.0-00.7
\$200,000+	293	143,225	11	4.6	01.7-07.5	177	64.1	58.0-70.2	102	30.3	24.6-36.0	2	0.8	00.0-02.0	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 8: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3424	1,795,679	261	7.8	06.6-09.0	2486	73.9	72.1-75.7	640	17.4	15.8-19.0	30	0.7	00.3-01.1	7	0.2	00.0-00.4
White/Non-Hisp	2682	1,371,992	113	4.8	03.8-05.8	1977	74.8	72.8-76.8	575	19.8	18.0-21.6	11	0.4	00.2-00.6	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	297	149,121	100	31.3	23.9-38.7	172	60.9	53.3-68.5	10	3.4	00.7-06.1	14	4.3	01.4-07.2	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	80	53,969	9	10.4	03.1-17.7	63	82.4	73.6-91.2	7	6.7	01.4-12.0	1	0.6	00.0-01.8			
MultiRacial/Non-Hisp.	59	47,910	5	10.1	00.7-19.5	47	74.3	60.8-87.8	7	15.6	04.0-27.2						
Hispanic	208	128,743	17	6.6	03.1-10.1	156	77.2	70.3-84.1	31	15.1	09.0-21.2	4	1.0	00.0-02.2			
18-24	238	233,915	14	5.5	02.2-08.8	170	74.5	68.2-80.8	51	19.4	13.9-24.9	3	0.5	00.0-01.1			
25-34	342	305,737	25	7.4	04.5-10.3	240	71.9	66.6-77.2	71	19.3	14.8-23.8	5	1.2	00.0-02.4	1	0.3	00.0-00.9
35-44	456	292,633	55	13.1	09.4-16.8	299	68.2	63.5-72.9	99	17.8	14.3-21.3	2	0.6	00.0-01.4	1	0.3	00.0-00.9
45-54	547	273,739	47	10.4	07.3-13.5	378	69.8	65.5-74.1	113	18.4	14.9-21.9	8	1.3	00.3-02.3	1	0.1	00.0-00.3
55-64	694	299,711	63	8.0	05.6-10.4	521	77.4	73.9-80.9	106	14.1	11.4-16.8	3	0.3	00.0-00.7	1	0.1	00.0-00.3
65+	1147	389,944	57	3.6	02.2-05.0	878	79.5	76.8-82.2	200	16.2	13.7-18.7	9	0.5	00.0-01.1	3	0.3	00.0-00.7
Less Than H.S.	207	186,086	15	6.4	02.5-10.3	164	82.0	76.1-87.9	25	10.5	06.0-15.0	2	0.7	00.0-01.7	1	0.4	00.0-01.2
H.S. or G.E.D.	989	599,228	82	9.6	07.2-12.0	797	78.6	75.5-81.7	101	11.2	08.8-13.6	7	0.6	00.0-01.2	2	0.1	00.0-00.3
Some Post-H.S.	920	556,586	74	7.6	05.6-09.6	680	73.1	69.8-76.4	155	18.3	15.4-21.2	9	0.8	00.2-01.4	2	0.2	00.0-00.6
College Graduate	1301	451,205	88	6.0	04.4-07.6	842	65.6	62.7-68.5	357	27.3	24.6-30.0	12	0.9	00.3-01.5	2	0.2	00.0-00.4
Less than \$15,000	165	88,707	28	16.6	09.3-23.9	107	65.3	56.5-74.1	27	16.4	09.9-22.9	3	1.7	00.0-04.1			
\$15,000- 24,999	243	126,136	21	9.7	05.0-14.4	190	75.7	69.0-82.4	27	12.3	07.2-17.4	5	2.3	00.0-04.7			
\$25,000- 34,999	306	154,020	26	8.6	04.7-12.5	240	76.8	71.1-82.5	37	13.9	09.2-18.6	3	0.8	00.0-01.8			
\$35,000- 49,999	384	197,922	29	7.8	04.3-11.3	282	73.3	67.8-78.8	69	18.1	13.6-22.6	4	0.8	00.0-01.8			
\$50,000- 99,999	980	530,439	72	7.0	05.0-09.0	712	74.7	71.4-78.0	187	17.7	14.8-20.6	7	0.4	00.0-00.8	2	0.2	00.0-00.4
\$100,000- 199,999	689	358,084	39	6.8	04.3-09.3	481	72.3	68.4-76.2	164	20.0	16.7-23.3	4	0.6	00.0-01.2	1	0.2	00.0-00.6
\$200,000+	161	77,325	6	3.6	00.5-06.7	109	72.5	65.1-79.9	45	23.0	16.1-29.9	1	0.9	00.0-02.7			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 9: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4066	1,898,104	298	6.6	05.4-07.8	2746	68.8	67.0-70.6	950	22.8	21.2-24.4	49	1.2	00.8-01.6	23	0.5	00.3-00.7
White/Non-Hisp	3104	1,486,271	71	2.4	01.8-03.0	2135	69.6	67.6-71.6	877	27.3	25.5-29.1	9	0.4	00.0-00.8	12	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	587	167,717	190	35.9	29.6-42.2	341	55.7	49.0-62.4	24	2.5	00.7-04.3	27	5.5	02.8-08.2	5	0.4	00.0-01.0
Oth. Race/Non-Hisp.	52	43,327	3	8.4	00.0-18.8	44	84.2	72.0-96.4	3	3.6	00.0-07.9	2	3.9	00.0-09.8			
MultiRacial/Non-Hisp.	57	51,300	13	23.5	08.4-38.6	33	62.5	46.4-78.6	7	7.8	01.3-14.3	4	6.2	00.1-12.3			
Hispanic	192	123,074	14	11.8	04.2-19.4	146	74.8	66.4-83.2	22	9.3	04.8-13.8	6	1.9	00.0-03.9	4	2.2	00.0-04.6
18-24	175	214,860	17	10.4	04.5-16.3	96	58.7	50.5-66.9	59	29.0	21.7-36.3	2	1.4	00.0-03.6	1	0.5	00.0-01.5
25-34	359	289,868	26	7.9	04.4-11.4	209	62.4	56.9-67.9	117	27.5	22.8-32.2	5	1.6	00.2-03.0	2	0.5	00.0-01.3
35-44	531	308,283	39	7.9	05.4-10.4	312	61.1	56.6-65.6	167	28.5	24.4-32.6	10	2.0	00.6-03.4	3	0.5	00.0-01.1
45-54	635	281,891	44	7.5	05.0-10.0	427	69.6	65.5-73.7	153	21.2	17.9-24.5	7	0.8	00.0-01.6	4	1.0	00.0-02.0
55-64	779	326,231	51	4.7	02.9-06.5	565	76.3	73.0-79.6	150	18.0	15.1-20.9	13	1.0	00.4-01.6			
65+	1587	476,970	121	4.2	02.8-05.6	1137	76.5	74.0-79.0	304	17.7	15.3-20.1	12	0.8	00.2-01.4	13	0.7	00.1-01.3
Less Than H.S.	209	185,865	16	11.1	05.4-16.8	166	77.5	70.4-84.6	19	8.0	03.9-12.1	2	1.0	00.0-02.4	6	2.4	00.4-04.4
H.S. or G.E.D.	1134	582,768	75	6.4	04.2-08.6	917	79.8	76.7-82.9	129	12.9	10.4-15.4	7	0.6	00.0-01.2	6	0.3	00.1-00.5
Some Post-H.S.	1134	591,271	88	5.9	04.3-07.5	784	68.1	64.8-71.4	238	23.8	20.7-26.9	19	1.9	00.7-03.1	5	0.3	00.0-00.7
College Graduate	1577	534,139	117	6.2	04.6-07.8	870	54.4	51.5-57.3	563	37.8	34.9-40.7	21	1.2	00.6-01.8	6	0.5	00.1-00.9
Less than \$15,000	229	103,232	35	20.5	11.5-29.5	167	69.2	60.0-78.4	21	7.8	03.5-12.1	5	1.9	00.0-04.1	1	0.6	00.0-01.8
\$15,000- 24,999	401	178,386	44	8.6	05.5-11.7	278	71.8	66.1-77.5	66	15.7	11.2-20.2	11	3.4	00.3-06.5	2	0.5	00.0-01.3
\$25,000- 34,999	474	207,895	36	6.2	03.7-08.7	351	73.0	67.9-78.1	77	19.1	14.4-23.8	5	1.4	00.0-02.8	5	0.4	00.0-01.0
\$35,000- 49,999	527	250,909	36	6.7	03.8-09.6	373	73.3	68.6-78.0	109	18.9	14.8-23.0	7	1.1	00.0-02.3	2	0.0	00.0-00.0
\$50,000- 99,999	971	453,973	71	5.9	03.5-08.3	619	65.6	61.9-69.3	266	26.8	23.5-30.1	9	1.1	00.3-01.9	6	0.7	00.1-01.3
\$100,000- 199,999	598	297,160	25	4.1	02.3-05.9	346	59.0	54.3-63.7	221	35.8	31.3-40.3	5	0.8	00.0-01.6	1	0.3	00.0-00.9
\$200,000+	132	65,900	5	5.8	00.5-11.1	68	54.2	44.6-63.8	57	38.8	29.6-48.0	1	0.8	00.0-02.4	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 10: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3376	1,894,444	159	4.8	04.0-05.6	2967	87.7	86.3-89.1	208	6.1	05.1-07.1	20	0.7	00.3-01.1	22	0.8	00.4-01.2
Male	1680	990,793	70	4.8	03.6-06.0	1507	88.9	87.1-90.7	93	5.6	04.2-07.0	7	0.5	00.1-00.9	3	0.2	00.0-00.4
Female	1696	903,651	89	4.7	03.5-05.9	1460	86.3	84.3-88.3	115	6.8	05.4-08.2	13	0.9	00.3-01.5	19	1.4	00.6-02.2
White/Non-Hisp	2650	1,461,907	58	2.5	01.7-03.3	2385	89.6	88.2-91.0	178	6.7	05.5-07.9	8	0.4	00.0-00.8	21	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	330	172,443	64	19.4	14.1-24.7	249	75.8	69.9-81.7	9	2.1	00.0-04.3	8	2.7	00.5-04.9			
Oth. Race/Non-Hisp.	72	50,063	5	5.6	00.3-10.9	61	85.0	75.6-94.4	4	3.9	00.0-08.0	1	2.5	00.0-07.4	1	3.0	00.0-08.7
MultiRacial/Non-Hisp.	53	44,411	4	5.5	00.0-11.0	45	87.6	78.4-96.8	3	5.0	00.0-11.7	1	1.9	00.0-05.4			
Hispanic	211	135,697	24	10.3	05.8-14.8	174	82.1	75.6-88.6	12	7.6	02.3-12.9	1	0.0	00.0-00.0			
18-24	235	241,218	10	3.9	01.4-06.4	203	84.7	79.4-90.0	16	8.4	04.1-12.7	3	1.5	00.0-03.5	3	1.5	00.0-03.3
25-34	515	420,303	19	3.4	01.8-05.0	453	89.0	86.3-91.7	39	6.7	04.5-08.9	1	0.3	00.0-00.9	3	0.7	00.0-01.5
35-44	748	448,669	43	6.8	04.6-09.0	644	85.9	83.2-88.6	51	5.8	04.0-07.6	6	1.0	00.0-02.0	4	0.6	00.0-01.2
45-54	812	369,569	42	6.2	04.0-08.4	714	86.6	83.7-89.5	44	5.8	03.8-07.8	4	0.4	00.0-00.8	8	1.1	00.3-01.9
55-64	756	313,402	33	3.4	02.0-04.8	683	91.9	89.7-94.1	34	4.2	02.6-05.8	5	0.4	00.0-01.0	1	0.1	00.0-00.3
65+	310	101,283	12	3.0	00.8-05.2	270	88.0	83.7-92.3	24	7.7	04.2-11.2	1	0.6	00.0-01.8	3	0.7	00.0-01.7
Less Than H.S.	111	118,668	9	8.2	02.7-13.7	94	83.6	75.6-91.6	8	8.3	02.0-14.6						
H.S. or G.E.D.	777	536,485	39	4.8	03.0-06.6	703	90.5	88.1-92.9	27	3.5	01.9-05.1	4	0.6	00.0-01.2	4	0.7	00.0-01.5
Some Post-H.S.	919	609,369	47	4.7	03.1-06.3	805	87.2	84.7-89.7	50	5.7	03.9-07.5	9	1.3	00.3-02.3	8	1.1	00.3-01.9
College Graduate	1562	626,324	64	4.2	03.0-05.4	1359	86.4	84.4-88.4	122	8.4	06.8-10.0	7	0.3	00.1-00.5	10	0.7	00.1-01.3
\$15,000- 24,999	146	90,203	13	7.3	02.8-11.8	123	83.1	75.1-91.1	7	5.7	01.0-10.4	2	4.0	00.0-09.7	1	0.0	00.0-00.0
\$25,000- 34,999	219	130,532	14	6.8	02.7-10.9	184	82.6	76.5-88.7	15	7.7	03.0-12.4	3	1.2	00.0-02.6	3	1.7	00.0-03.9
\$35,000- 49,999	362	223,370	22	6.0	03.1-08.9	319	88.5	84.6-92.4	16	4.1	01.6-06.6	2	0.4	00.0-01.0	3	1.0	00.0-02.4
\$50,000- 99,999	1076	613,901	49	4.0	02.6-05.4	945	88.5	86.3-90.7	69	6.2	04.4-08.0	4	0.3	00.0-00.7	9	0.9	00.1-01.7
\$100,000- 199,999	935	488,665	34	4.2	02.6-05.8	827	88.2	85.8-90.6	68	6.7	04.9-08.5	2	0.1	00.0-00.3	4	0.7	00.0-01.5
\$200,000+	197	93,593	5	3.1	00.2-06.0	176	88.0	82.9-93.1	13	7.4	03.5-11.3	1	0.7	00.0-02.1	2	0.8	00.0-02.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 11: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1680	990,793	70	4.8	03.6-06.0	1507	88.9	87.1-90.7	93	5.6	04.2-07.0	7	0.5	00.1-00.9	3	0.2	00.0-00.4
White/Non-Hisp	1313	759,368	28	2.6	01.4-03.8	1204	91.4	89.6-93.2	74	5.5	04.1-06.9	4	0.3	00.1-00.5	3	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	126	82,536	20	19.2	10.8-27.6	97	73.8	64.2-83.4	6	3.5	00.0-08.0	3	3.4	00.0-07.3			
Hispanic	133	83,079	14	9.2	04.1-14.3	110	80.7	71.9-89.5	9	10.1	02.1-18.1						
18-24	140	134,059	6	4.8	00.7-08.9	127	87.6	80.7-94.5	6	7.2	01.3-13.1	1	0.5	00.0-01.5			
25-34	266	227,668	8	3.1	00.7-05.5	241	90.8	87.1-94.5	15	5.1	02.4-07.8	1	0.5	00.0-01.5	1	0.5	00.0-01.5
35-44	359	226,634	25	7.5	04.4-10.6	307	86.6	82.7-90.5	24	4.9	02.7-07.1	3	1.0	00.0-02.2			
45-54	393	190,122	14	5.3	02.2-08.4	353	87.6	83.5-91.7	22	6.1	03.2-09.0	2	0.5	00.0-01.1	2	0.5	00.0-01.3
55-64	370	161,730	13	3.2	01.2-05.2	338	91.8	88.9-94.7	19	5.0	02.6-07.4						
65+	152	50,580	4	3.6	00.1-07.1	141	90.7	84.6-96.8	7	5.7	00.6-10.8						
Less Than H.S.	73	79,745	4	5.5	00.0-11.4	64	85.8	75.8-95.8	5	8.7	00.3-17.1						
H.S. or G.E.D.	439	310,979	19	5.0	02.6-07.4	400	90.8	87.7-93.9	17	3.6	01.6-05.6	2	0.5	00.0-01.3	1	0.1	00.0-00.3
Some Post-H.S.	455	314,566	24	5.1	02.9-07.3	400	87.8	84.5-91.1	25	5.6	03.2-08.0	4	1.0	00.0-02.0	2	0.6	00.0-01.4
College Graduate	710	283,650	23	4.1	02.1-06.1	640	89.0	86.3-91.7	46	6.8	04.8-08.8	1	0.1	00.0-00.3			
\$15,000- 24,999	56	40,453	5	8.1	00.8-15.4	47	81.3	69.3-93.3	3	7.6	00.0-16.6	1	2.9	00.0-08.6			
\$25,000- 34,999	82	50,772	3	5.0	00.0-10.9	68	83.9	74.9-92.9	8	8.0	01.3-14.7	2	2.5	00.0-05.8	1	0.7	00.0-02.1
\$35,000- 49,999	161	102,054	13	8.3	03.2-13.4	141	87.0	80.7-93.3	7	4.8	00.9-08.7						
\$50,000- 99,999	549	342,964	21	3.6	01.8-05.4	491	89.6	86.7-92.5	36	6.6	04.1-09.1				1	0.2	00.0-00.6
\$100,000- 199,999	500	270,089	16	4.1	01.9-06.3	453	90.4	87.5-93.3	29	5.0	03.0-07.0	1	0.1	00.0-00.3	1	0.4	00.0-01.2
\$200,000+	111	51,103	3	2.9	00.0-06.2	104	92.8	87.5-98.1	3	3.0	00.0-06.3	1	1.3	00.0-03.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 12: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1696	903,651	89	4.7	03.5-05.9	1460	86.3	84.3-88.3	115	6.8	05.4-08.2	13	0.9	00.3-01.5	19	1.4	00.6-02.2
White/Non-Hisp	1337	702,538	30	2.3	01.3-03.3	1181	87.7	85.5-89.9	104	8.0	06.2-09.8	4	0.5	00.0-01.3	18	1.5	00.7-02.3
Black or Afr. Am./Non-Hisp	204	89,906	44	19.6	12.9-26.3	152	77.7	70.8-84.6	3	0.7	00.0-01.7	5	2.0	00.0-04.0			
Hispanic	78	52,618	10	12.0	03.6-20.4	64	84.4	75.2-93.6	3	3.6	00.0-07.7	1	0.0	00.0-00.0			
18-24	95	107,159	4	2.8	00.1-05.5	76	81.1	72.7-89.5	10	9.9	03.6-16.2	2	2.7	00.0-07.0	3	3.4	00.0-07.3
25-34	249	192,635	11	3.6	01.2-06.0	212	86.9	82.6-91.2	24	8.5	05.0-12.0				2	1.0	00.0-02.4
35-44	389	222,035	18	6.0	03.1-08.9	337	85.2	81.1-89.3	27	6.6	04.1-09.1	3	1.0	00.0-02.4	4	1.1	00.0-02.3
45-54	419	179,447	28	7.1	04.2-10.0	361	85.4	81.5-89.3	22	5.4	02.9-07.9	2	0.4	00.0-01.0	6	1.7	00.1-03.3
55-64	386	151,672	20	3.5	01.5-05.5	345	92.1	89.2-95.0	15	3.3	01.5-05.1	5	0.9	00.0-01.9	1	0.2	00.0-00.6
65+	158	50,703	8	2.4	00.0-05.1	129	85.2	78.9-91.5	17	9.7	04.6-14.8	1	1.2	00.0-03.6	3	1.5	00.0-03.5
H.S. or G.E.D.	338	225,506	20	4.5	02.3-06.7	303	90.1	86.4-93.8	10	3.4	01.0-05.8	2	0.6	00.0-01.6	3	1.5	00.0-03.3
Some Post-H.S.	464	294,803	23	4.3	02.3-06.3	405	86.7	83.0-90.4	25	5.8	03.3-08.3	5	1.7	00.0-03.5	6	1.6	00.2-03.0
College Graduate	852	342,674	41	4.2	02.6-05.8	719	84.3	81.6-87.0	76	9.8	07.4-12.2	6	0.4	00.0-00.8	10	1.2	00.2-02.2
\$15,000- 24,999	90	49,749	8	6.6	00.9-12.3	76	84.5	73.9-95.1	4	4.1	00.0-08.4	1	4.8	00.0-13.8	1	0.0	00.0-00.0
\$25,000- 34,999	137	79,760	11	7.9	02.6-13.2	116	81.7	73.5-89.9	7	7.6	01.3-13.9	1	0.4	00.0-01.2	2	2.4	00.0-05.7
\$35,000- 49,999	201	121,316	9	4.1	01.2-07.0	178	89.8	84.9-94.7	9	3.6	00.7-06.5	2	0.7	00.0-01.7	3	1.8	00.0-04.2
\$50,000- 99,999	527	270,937	28	4.6	02.4-06.8	454	87.0	83.7-90.3	33	5.7	03.5-07.9	4	0.8	00.0-01.8	8	1.9	00.3-03.5
\$100,000- 199,999	435	218,576	18	4.4	02.2-06.6	374	85.5	81.8-89.2	39	8.9	06.0-11.8	1	0.2	00.0-00.6	3	1.0	00.0-02.2
\$200,000+	86	42,490	2	3.3	00.0-08.2	72	82.3	73.3-91.3	10	12.6	05.0-20.2				2	1.7	00.0-04.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 13: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7313	3,622,277	213	3.0	02.4-03.6	5999	83.3	82.3-84.3	1057	13.2	12.2-14.2	29	0.3	00.1-00.5	15	0.2	00.0-00.4
Male	3323	1,755,174	83	3.0	02.2-03.8	2809	85.5	84.1-86.9	418	11.1	09.9-12.3	11	0.4	00.2-00.6	2	0.0	00.0-00.0
Female	3990	1,867,103	130	3.0	02.2-03.8	3190	81.2	79.6-82.8	639	15.2	13.8-16.6	18	0.3	00.1-00.5	13	0.3	00.1-00.5
White/Non-Hisp	5579	2,773,131	60	1.3	00.9-01.7	4584	83.5	82.3-84.7	922	15.0	13.8-16.2	6	0.1	00.0-00.3	7	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	912	320,153	107	12.4	09.1-15.7	738	82.5	78.8-86.2	49	3.5	01.9-05.1	15	1.4	00.2-02.6	3	0.2	00.0-00.4
Oth. Race/Non-Hisp.	133	100,932	6	3.6	00.5-06.7	113	87.1	80.6-93.6	14	9.3	03.4-15.2						
MultiRacial/Non-Hisp.	122	101,564	17	15.0	06.6-23.4	90	75.0	65.4-84.6	12	7.5	02.6-12.4	3	2.6	00.0-05.7			
Hispanic	401	252,139	18	3.9	01.7-06.1	333	83.8	79.3-88.3	43	10.9	07.0-14.8	4	0.3	00.0-00.7	3	1.0	00.0-02.4
18-24	414	452,139	10	2.6	00.4-04.8	333	81.7	77.6-85.8	69	15.2	11.5-18.9	1	0.1	00.0-00.3	1	0.3	00.0-00.9
25-34	684	583,956	24	3.8	02.0-05.6	548	81.8	78.7-84.9	106	13.5	10.8-16.2	4	0.8	00.0-01.6	2	0.1	00.0-00.3
35-44	959	585,746	42	5.0	03.2-06.8	747	80.9	78.2-83.6	167	13.9	11.7-16.1	2	0.2	00.0-00.4	1	0.1	00.0-00.3
45-54	1172	552,084	35	3.7	02.3-05.1	986	84.5	82.1-86.9	142	11.1	09.1-13.1	5	0.3	00.0-00.7	4	0.4	00.0-00.8
55-64	1448	614,844	42	2.5	01.5-03.5	1253	87.5	85.5-89.5	147	9.8	08.0-11.6	4	0.2	00.0-00.4	2	0.0	00.0-00.0
65+	2636	833,508	60	1.1	00.7-01.5	2132	83.1	81.3-84.9	426	15.3	13.5-17.1	13	0.3	00.0-00.7	5	0.2	00.0-00.4
Less Than H.S.	426	380,262	17	4.6	01.7-07.5	362	85.3	81.2-89.4	41	8.8	05.9-11.7	2	0.5	00.0-01.1	4	0.8	00.0-01.8
H.S. or G.E.D.	2093	1,162,705	51	2.2	01.4-03.0	1879	89.9	88.3-91.5	155	7.6	06.2-09.0	5	0.2	00.0-00.4	3	0.1	00.0-00.3
Some Post-H.S.	1991	1,117,201	65	3.2	02.2-04.2	1645	82.6	80.6-84.6	266	13.6	11.8-15.4	15	0.6	00.2-01.0			
College Graduate	2790	956,928	80	3.0	02.2-03.8	2100	75.2	73.2-77.2	595	21.4	19.6-23.2	7	0.1	00.0-00.3	8	0.2	00.0-00.4
Less than \$15,000	388	190,137	27	8.0	03.1-12.9	320	83.1	77.6-88.6	37	8.6	05.3-11.9	2	0.0	00.0-00.0	2	0.3	00.0-00.9
\$15,000- 24,999	645	308,138	36	5.2	03.0-07.4	541	85.2	81.7-88.7	59	8.0	05.3-10.7	6	1.2	00.0-02.4	3	0.4	00.0-00.8
\$25,000- 34,999	777	363,959	18	1.9	00.7-03.1	657	84.2	81.1-87.3	98	13.5	10.6-16.4	4	0.4	00.0-00.8			
\$35,000- 49,999	892	441,883	30	2.9	01.5-04.3	735	83.8	80.9-86.7	121	12.9	10.2-15.6	5	0.4	00.0-00.8	1	0.0	00.0-00.0
\$50,000- 99,999	1897	964,366	43	2.7	01.7-03.7	1549	82.7	80.5-84.9	296	14.3	12.3-16.3	6	0.2	00.0-00.4	3	0.1	00.0-00.3
\$100,000- 199,999	1248	633,161	22	2.6	01.4-03.8	981	80.6	78.1-83.1	241	16.4	14.2-18.6	2	0.2	00.0-00.6	2	0.1	00.0-00.3
\$200,000+	287	139,779	6	3.3	00.6-06.0	212	74.1	68.4-79.8	68	21.7	16.6-26.8	1	0.8	00.0-02.4			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 14: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3323	1,755,174	83	3.0	02.2-03.8	2809	85.5	84.1-86.9	418	11.1	09.9-12.3	11	0.4	00.2-00.6	2	0.0	00.0-00.0
White/Non-Hisp	2583	1,330,422	34	1.5	00.9-02.1	2194	86.2	84.6-87.8	351	12.0	10.6-13.4	4	0.2	00.0-00.4			
Black or Afr. Am./Non-Hisp	297	144,727	26	10.2	04.7-15.7	243	82.5	76.2-88.8	22	5.6	02.3-08.9	5	1.7	00.0-03.7	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	80	56,740	3	3.1	00.0-07.0	67	86.9	79.3-94.5	10	9.9	03.2-16.6						
MultiRacial/Non-Hisp.	60	48,343	5	10.7	01.5-19.9	50	80.4	68.6-92.2	4	8.0	00.0-16.2	1	0.9	00.0-02.7			
Hispanic	206	128,336	11	4.8	01.7-07.9	170	82.3	75.8-88.8	24	12.4	06.5-18.3	1	0.5	00.0-01.5			
18-24	238	235,079	6	2.0	00.0-04.0	197	85.0	80.1-89.9	34	12.7	08.2-17.2	1	0.2	00.0-00.6			
25-34	333	297,392	9	3.4	00.9-05.9	291	87.6	83.7-91.5	31	8.4	05.3-11.5	2	0.7	00.0-01.7			
35-44	439	285,690	16	4.6	01.9-07.3	361	84.4	80.7-88.1	62	11.1	08.4-13.8						
45-54	537	270,751	15	3.8	01.6-06.0	470	87.0	83.7-90.3	51	8.8	06.1-11.5	1	0.4	00.0-01.2			
55-64	680	293,716	19	3.0	01.2-04.8	596	87.3	84.4-90.2	62	9.5	07.0-12.0	2	0.3	00.0-00.7	1	0.0	00.0-00.0
65+	1096	372,547	18	1.3	00.5-02.1	894	82.8	80.1-85.5	178	15.4	12.9-17.9	5	0.5	00.0-01.1	1	0.0	00.0-00.0
Less Than H.S.	213	194,794	8	3.6	00.5-06.7	180	86.8	81.7-91.9	24	9.3	05.2-13.4	1	0.3	00.0-00.9			
H.S. or G.E.D.	965	583,259	25	2.9	01.3-04.5	866	89.9	87.5-92.3	71	6.8	05.0-08.6	3	0.3	00.0-00.7			
Some Post-H.S.	882	536,249	26	3.4	01.8-05.0	746	84.0	81.1-86.9	104	11.9	09.4-14.4	6	0.7	00.1-01.3			
College Graduate	1260	439,525	24	2.1	00.9-03.3	1014	81.0	78.5-83.5	219	16.8	14.4-19.2	1	0.0	00.0-00.0	2	0.0	00.0-00.0
Less than \$15,000	159	84,780	9	5.4	00.0-10.9	130	83.0	75.7-90.3	20	11.5	06.0-17.0						
\$15,000- 24,999	245	130,607	16	8.0	03.5-12.5	205	81.8	75.7-87.9	22	8.5	04.6-12.4	2	1.6	00.0-03.8			
\$25,000- 34,999	306	153,840	8	2.1	00.3-03.9	267	88.2	83.9-92.5	30	9.4	05.5-13.3	1	0.3	00.0-00.9			
\$35,000- 49,999	384	199,293	10	2.3	00.3-04.3	322	85.2	80.9-89.5	47	11.7	08.0-15.4	4	0.8	00.0-01.8	1	0.0	00.0-00.0
\$50,000- 99,999	945	514,781	16	2.5	00.9-04.1	798	85.5	82.8-88.2	129	11.8	09.4-14.2	2	0.2	00.0-00.4			
\$100,000- 199,999	661	342,145	9	2.7	00.7-04.7	562	86.9	84.0-89.8	89	10.4	08.0-12.8	1	0.0	00.0-00.0			
\$200,000+	158	76,470	2	1.7	00.0-04.1	126	80.1	73.2-87.0	29	16.7	10.6-22.8	1	1.4	00.0-04.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 15: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3990	1,867,103	130	3.0	02.2-03.8	3190	81.2	79.6-82.8	639	15.2	13.8-16.6	18	0.3	00.1-00.5	13	0.3	00.1-00.5
White/Non-Hisp	2996	1,442,709	26	1.1	00.5-01.7	2390	80.9	79.1-82.7	571	17.8	16.2-19.4	2	0.0	00.0-00.0	7	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	615	175,426	81	14.2	10.1-18.3	495	82.5	78.0-87.0	27	1.8	00.8-02.8	10	1.3	00.0-02.9	2	0.3	00.0-00.9
Oth. Race/Non-Hisp.	53	44,192	3	4.2	00.0-09.3	46	87.4	76.2-98.6	4	8.4	00.0-18.8						
MultiRacial/Non-Hisp.	62	53,222	12	18.8	05.1-32.5	40	70.1	55.2-85.0	8	7.0	01.3-12.7	2	4.1	00.0-10.0			
Hispanic	195	123,803	7	3.0	00.3-05.7	163	85.4	79.1-91.7	19	9.4	04.3-14.5	3	0.2	00.0-00.6	3	2.0	00.0-04.5
18-24	176	217,060	4	3.3	00.0-07.0	136	78.1	71.2-85.0	35	18.0	11.9-24.1				1	0.7	00.0-02.1
25-34	351	286,564	15	4.3	01.8-06.8	257	75.7	70.8-80.6	75	18.9	14.6-23.2	2	0.9	00.0-02.3	2	0.2	00.0-00.4
35-44	520	300,057	26	5.3	03.1-07.5	386	77.6	73.9-81.3	105	16.7	13.4-20.0	2	0.3	00.0-00.7	1	0.1	00.0-00.3
45-54	635	281,333	20	3.6	01.8-05.4	516	82.1	78.8-85.4	91	13.3	10.4-16.2	4	0.3	00.0-00.7	4	0.8	00.0-01.6
55-64	768	321,128	23	2.1	00.9-03.3	657	87.7	85.2-90.2	85	10.2	07.8-12.6	2	0.1	00.0-00.3	1	0.0	00.0-00.0
65+	1540	460,961	42	0.9	00.5-01.3	1238	83.5	81.1-85.9	248	15.2	12.8-17.6	8	0.1	00.0-00.3	4	0.3	00.0-00.7
Less Than H.S.	213	185,468	9	5.7	00.6-10.8	182	83.7	77.0-90.4	17	8.2	03.9-12.5	1	0.6	00.0-01.8	4	1.7	00.0-03.7
H.S. or G.E.D.	1128	579,446	26	1.5	00.7-02.3	1013	89.9	87.5-92.3	84	8.4	06.2-10.6	2	0.1	00.0-00.3	3	0.2	00.0-00.4
Some Post-H.S.	1109	580,952	39	3.0	01.8-04.2	899	81.3	78.6-84.0	162	15.3	12.8-17.8	9	0.5	00.0-01.1			
College Graduate	1530	517,403	56	3.8	02.6-05.0	1086	70.3	67.6-73.0	376	25.3	22.8-27.8	6	0.2	00.0-00.4	6	0.4	00.0-00.8
Less than \$15,000	229	105,357	18	10.0	02.6-17.4	190	83.2	75.2-91.2	17	6.2	02.1-10.3	2	0.0	00.0-00.0	2	0.6	00.0-01.8
\$15,000- 24,999	400	177,531	20	3.1	01.3-04.9	336	87.6	83.5-91.7	37	7.7	04.2-11.2	4	0.9	00.0-02.3	3	0.7	00.0-01.5
\$25,000- 34,999	471	210,119	10	1.8	00.2-03.4	390	81.3	76.8-85.8	68	16.5	12.2-20.8	3	0.5	00.0-01.3			
\$35,000- 49,999	508	242,590	20	3.4	01.2-05.6	413	82.7	78.6-86.8	74	13.8	10.1-17.5	1	0.1	00.0-00.3			
\$50,000- 99,999	952	449,585	27	2.8	01.6-04.0	751	79.6	76.5-82.7	167	17.3	14.4-20.2	4	0.1	00.0-00.3	3	0.2	00.0-00.4
\$100,000- 199,999	587	291,016	13	2.6	01.0-04.2	419	73.1	69.0-77.2	152	23.5	19.6-27.4	1	0.5	00.0-01.5	2	0.3	00.0-00.7
\$200,000+	129	63,309	4	5.3	00.0-10.6	86	66.9	57.9-75.9	39	27.8	19.6-36.0						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 16: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8110	3,967,899	294	3.8	03.2-04.4	7816	96.2	95.6-96.8
Male	3664	1,923,101	112	3.2	02.4-04.0	3552	96.8	96.0-97.6
Female	4446	2,044,798	182	4.3	03.5-05.1	4264	95.7	94.9-96.5
White/Non-Hisp	6196	3,047,947	101	1.8	01.2-02.4	6095	98.2	97.6-98.8
Black or Afr. Am./Non-Hisp	1011	352,079	120	14.1	10.6-17.6	891	85.9	82.4-89.4
Oth. Race/Non-Hisp.	145	113,319	7	5.3	00.4-10.2	138	94.7	89.8-99.6
MultiRacial/Non-Hisp.	128	104,855	12	8.5	03.4-13.6	116	91.5	86.4-96.6
Hispanic	420	264,999	38	8.7	05.8-11.6	382	91.3	88.4-94.2
18-24	427	467,377	18	5.2	02.5-07.9	409	94.8	92.1-97.5
25-34	742	631,775	39	4.9	03.1-06.7	703	95.1	93.3-96.9
35-44	1046	637,719	53	5.3	03.7-06.9	993	94.7	93.1-96.3
45-54	1280	604,982	49	4.1	02.7-05.5	1231	95.9	94.5-97.3
55-64	1581	666,359	56	2.8	01.8-03.8	1525	97.2	96.2-98.2
65+	3034	959,687	79	1.9	01.3-02.5	2955	98.1	97.5-98.7
Less Than H.S.	470	415,474	40	8.6	05.3-11.9	430	91.4	88.1-94.7
H.S. or G.E.D.	2323	1,275,350	86	3.4	02.4-04.4	2237	96.6	95.6-97.6
Some Post-H.S.	2227	1,231,215	79	3.3	02.3-04.3	2148	96.7	95.7-97.7
College Graduate	3065	1,037,553	89	3.0	02.2-03.8	2976	97.0	96.2-97.8
Less than \$15,000	431	205,087	39	9.1	05.6-12.6	392	90.9	87.4-94.4
\$15,000- 24,999	715	334,384	56	10.6	07.3-13.9	659	89.4	86.1-92.7
\$25,000- 34,999	838	386,873	43	5.1	03.3-06.9	795	94.9	93.1-96.7
\$35,000- 49,999	988	480,219	27	2.4	01.2-03.6	961	97.6	96.4-98.8
\$50,000- 99,999	2057	1,039,538	52	2.1	01.3-02.9	2005	97.9	97.1-98.7
\$100,000- 199,999	1353	682,859	20	1.8	00.8-02.8	1333	98.2	97.2-99.2
\$200,000+	300	146,976	8	3.3	00.8-05.8	292	96.7	94.2-99.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 17: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3664	1,923,101	112	3.2	02.4-04.0	3552	96.8	96.0-97.6
White/Non-Hisp	2859	1,459,676	41	1.4	00.8-02.0	2818	98.6	98.0-99.2
Black or Afr. Am./Non-Hisp	327	163,062	38	12.2	07.1-17.3	289	87.8	82.7-92.9
Oth. Race/Non-Hisp.	84	62,535	3	3.0	00.0-07.1	81	97.0	92.9-0100
MultiRacial/Non-Hisp.	64	53,816	3	5.5	00.0-12.0	61	94.5	88.0-0100
Hispanic	214	133,713	22	10.2	05.9-14.5	192	89.8	85.5-94.1
18-24	243	243,005	6	4.0	00.1-07.9	237	96.0	92.1-99.9
25-34	361	324,887	13	3.1	01.3-04.9	348	96.9	95.1-98.7
35-44	490	316,306	25	5.8	03.3-08.3	465	94.2	91.7-96.7
45-54	584	295,854	13	2.5	01.1-03.9	571	97.5	96.1-98.9
55-64	738	319,334	24	2.6	01.2-04.0	714	97.4	96.0-98.8
65+	1248	423,715	31	2.1	01.1-03.1	1217	97.9	96.9-98.9
Less Than H.S.	226	209,128	18	7.6	02.9-12.3	208	92.4	87.7-97.1
H.S. or G.E.D.	1073	647,979	39	3.8	02.2-05.4	1034	96.2	94.6-97.8
Some Post-H.S.	984	592,117	28	2.5	01.3-03.7	956	97.5	96.3-98.7
College Graduate	1371	470,571	27	1.5	00.9-02.1	1344	98.5	97.9-99.1
Less than \$15,000	174	92,070	11	5.2	01.3-09.1	163	94.8	90.9-98.7
\$15,000- 24,999	262	137,153	23	11.5	06.4-16.6	239	88.5	83.4-93.6
\$25,000- 34,999	332	166,359	16	4.6	01.9-07.3	316	95.4	92.7-98.1
\$35,000- 49,999	422	217,888	10	2.3	00.5-04.1	412	97.7	95.9-99.5
\$50,000- 99,999	1031	558,358	22	2.1	00.7-03.5	1009	97.9	96.5-99.3
\$100,000- 199,999	718	369,907	7	1.5	00.1-02.9	711	98.5	97.1-99.9
\$200,000+	163	79,854	3	1.3	00.0-02.9	160	98.7	97.1-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 18: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4446	2,044,798	182	4.3	03.5-05.1	4264	95.7	94.9-96.5
White/Non-Hisp	3337	1,588,271	60	2.2	01.4-03.0	3277	97.8	97.0-98.6
Black or Afr. Am./Non-Hisp	684	189,016	82	15.7	11.0-20.4	602	84.3	79.6-89.0
Oth. Race/Non-Hisp.	61	50,784	4	8.2	00.0-17.6	57	91.8	82.4-0100
MultiRacial/Non-Hisp.	64	51,039	9	11.7	03.9-19.5	55	88.3	80.5-96.1
Hispanic	206	131,286	16	7.2	03.3-11.1	190	92.8	88.9-96.7
18-24	184	224,372	12	6.4	02.5-10.3	172	93.6	89.7-97.5
25-34	381	306,888	26	6.9	04.0-09.8	355	93.1	90.2-96.0
35-44	556	321,413	28	4.8	02.8-06.8	528	95.2	93.2-97.2
45-54	696	309,128	36	5.6	03.4-07.8	660	94.4	92.2-96.6
55-64	843	347,025	32	3.1	01.7-04.5	811	96.9	95.5-98.3
65+	1786	535,972	48	1.8	01.0-02.6	1738	98.2	97.4-99.0
Less Than H.S.	244	206,346	22	9.5	05.0-14.0	222	90.5	86.0-95.0
H.S. or G.E.D.	1250	627,370	47	2.9	01.7-04.1	1203	97.1	95.9-98.3
Some Post-H.S.	1243	639,098	51	4.1	02.7-05.5	1192	95.9	94.5-97.3
College Graduate	1694	566,982	62	4.3	02.9-05.7	1632	95.7	94.3-97.1
Less than \$15,000	257	113,017	28	12.4	06.9-17.9	229	87.6	82.1-93.1
\$15,000- 24,999	453	197,232	33	10.0	05.7-14.3	420	90.0	85.7-94.3
\$25,000- 34,999	506	220,514	27	5.5	03.0-08.0	479	94.5	92.0-97.0
\$35,000- 49,999	566	262,330	17	2.6	01.0-04.2	549	97.4	95.8-99.0
\$50,000- 99,999	1026	481,180	30	2.1	01.1-03.1	996	97.9	96.9-98.9
\$100,000- 199,999	635	312,952	13	2.3	00.9-03.7	622	97.7	96.3-99.1
\$200,000+	137	67,122	5	5.7	00.6-10.8	132	94.3	89.2-99.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2022**

End of Module Data Report