

INDIANA

2013 Calculated Variables Report

Behavioral Risk Factor Surveillance System

September 19, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10206	4,920,221	8071	81.9	80.9-82.9	2135	18.1	17.1-19.1
Male	4236	2,395,643	3417	82.8	81.4-84.2	819	17.2	15.8-18.6
Female	5970	2,524,577	4654	81.1	79.7-82.5	1316	18.9	17.5-20.3
White/Non-Hisp	8872	4,019,889	7090	82.8	81.8-83.8	1782	17.2	16.2-18.2
Black or Afr. Am./Non-Hisp	587	414,442	429	78.0	73.5-82.5	158	22.0	17.5-26.5
Oth. Race/Non-Hisp.	166	102,386	124	78.8	71.0-86.6	42	21.2	13.4-29.0
MultiRacial/Non-Hisp.	113	45,573	73	75.0	65.6-84.4	40	25.0	15.6-34.4
Hispanic	308	260,136	237	77.0	71.5-82.5	71	23.0	17.5-28.5
18-24	536	676,167	495	91.7	89.2-94.2	41	8.3	05.8-10.8
25-34	909	806,064	819	88.9	86.2-91.6	90	11.1	08.4-13.8
35-44	1221	806,010	1048	84.9	82.4-87.4	173	15.1	12.6-17.6
45-54	1760	883,853	1405	78.9	76.5-81.3	355	21.1	18.7-23.5
55-64	2240	806,004	1695	76.8	74.6-79.0	545	23.2	21.0-25.4
65+	3445	911,486	2528	73.2	71.4-75.0	917	26.8	25.0-28.6
Less Than H.S.	917	693,808	538	64.8	60.9-68.7	379	35.2	31.3-39.1
H.S. or G.E.D.	3731	1,705,329	2773	79.8	78.2-81.4	958	20.2	18.6-21.8
Some Post-H.S.	2608	1,493,820	2104	84.8	83.2-86.4	504	15.2	13.6-16.8
College Graduate	2924	1,015,553	2634	92.7	91.7-93.7	290	7.3	06.3-08.3
Less than \$15,000	1068	493,211	574	62.0	57.9-66.1	494	38.0	33.9-42.1
\$15,000- 24,999	1735	807,931	1199	72.1	69.4-74.8	536	27.9	25.2-30.6
\$25,000- 34,999	1115	518,310	858	77.7	74.6-80.8	257	22.3	19.2-25.4
\$35,000- 49,999	1333	644,241	1137	86.9	84.7-89.1	196	13.1	10.9-15.3
\$50,000- 74,999	1338	668,303	1176	89.7	87.7-91.7	162	10.3	08.3-12.3
\$75,000+	2042	1,061,836	1894	93.1	91.7-94.5	148	6.9	05.5-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4236	2,395,643	3417	82.8	81.4-84.2	819	17.2	15.8-18.6
White/Non-Hisp	3659	1,940,342	2974	83.5	81.9-85.1	685	16.5	14.9-18.1
Black or Afr. Am./Non-Hisp	213	196,090	166	82.1	75.8-88.4	47	17.9	11.6-24.2
Oth. Race/Non-Hisp.	83	56,641	67	82.0	71.2-92.8	16	18.0	07.2-28.8
MultiRacial/Non-Hisp.	56	25,600	36	70.3	56.0-84.6	20	29.7	15.4-44.0
Hispanic	138	130,796	109	76.3	68.1-84.5	29	23.7	15.5-31.9
18-24	281	345,493	259	90.6	86.5-94.7	22	9.4	05.3-13.5
25-34	400	401,979	364	89.8	86.1-93.5	36	10.2	06.5-13.9
35-44	512	404,280	453	86.8	83.1-90.5	59	13.2	09.5-16.9
45-54	831	442,894	676	80.5	77.2-83.8	155	19.5	16.2-22.8
55-64	929	397,165	715	76.7	73.4-80.0	214	23.3	20.0-26.6
65+	1254	394,075	924	73.2	70.3-76.1	330	26.8	23.9-29.7
Less Than H.S.	385	354,085	234	64.8	58.9-70.7	151	35.2	29.3-41.1
H.S. or G.E.D.	1496	831,954	1140	82.0	79.8-84.2	356	18.0	15.8-20.2
Some Post-H.S.	1020	690,236	827	85.2	82.7-87.7	193	14.8	12.3-17.3
College Graduate	1319	510,913	1202	93.3	91.7-94.9	117	6.7	05.1-08.3
Less than \$15,000	363	196,211	215	66.4	60.1-72.7	148	33.6	27.3-39.9
\$15,000- 24,999	610	336,332	418	71.3	66.6-76.0	192	28.7	24.0-33.4
\$25,000- 34,999	481	267,319	353	75.1	70.2-80.0	128	24.9	20.0-29.8
\$35,000- 49,999	618	358,416	519	86.1	83.0-89.2	99	13.9	10.8-17.0
\$50,000- 74,999	614	351,221	546	90.7	88.2-93.2	68	9.3	06.8-11.8
\$75,000+	1048	586,681	970	92.7	90.7-94.7	78	7.3	05.3-09.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5970	2,524,577	4654	81.1	79.7-82.5	1316	18.9	17.5-20.3
White/Non-Hisp	5213	2,079,547	4116	82.2	80.8-83.6	1097	17.8	16.4-19.2
Black or Afr. Am./Non-Hisp	374	218,352	263	74.3	68.0-80.6	111	25.7	19.4-32.0
Oth. Race/Non-Hisp.	83	45,744	57	74.9	63.5-86.3	26	25.1	13.7-36.5
MultiRacial/Non-Hisp.	57	19,973	37	81.1	70.3-91.9	20	18.9	08.1-29.7
Hispanic	170	129,340	128	77.7	70.4-85.0	42	22.3	15.0-29.6
18-24	255	330,674	236	92.9	89.6-96.2	19	7.1	03.8-10.4
25-34	509	404,085	455	88.0	84.1-91.9	54	12.0	08.1-15.9
35-44	709	401,730	595	83.0	79.7-86.3	114	17.0	13.7-20.3
45-54	929	440,959	729	77.2	73.9-80.5	200	22.8	19.5-26.1
55-64	1311	408,840	980	76.8	74.1-79.5	331	23.2	20.5-25.9
65+	2191	517,411	1604	73.1	70.7-75.5	587	26.9	24.5-29.3
Less Than H.S.	532	339,722	304	64.9	59.6-70.2	228	35.1	29.8-40.4
H.S. or G.E.D.	2235	873,376	1633	77.8	75.6-80.0	602	22.2	20.0-24.4
Some Post-H.S.	1588	803,584	1277	84.5	82.3-86.7	311	15.5	13.3-17.7
College Graduate	1605	504,639	1432	92.2	90.8-93.6	173	7.8	06.4-09.2
Less than \$15,000	705	297,001	359	59.1	53.8-64.4	346	40.9	35.6-46.2
\$15,000- 24,999	1125	471,599	781	72.8	69.3-76.3	344	27.2	23.7-30.7
\$25,000- 34,999	634	250,991	505	80.5	76.6-84.4	129	19.5	15.6-23.4
\$35,000- 49,999	715	285,825	618	87.8	84.9-90.7	97	12.2	09.3-15.1
\$50,000- 74,999	724	317,082	630	88.5	85.6-91.4	94	11.5	08.6-14.4
\$75,000+	994	475,155	924	93.7	91.9-95.5	70	6.3	04.5-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6704	3,988,872	5562	79.1	77.7-80.5	1142	20.9	19.5-22.3
Male	2957	1,987,452	2435	78.8	76.8-80.8	522	21.2	19.2-23.2
Female	3747	2,001,421	3127	79.5	77.7-81.3	620	20.5	18.7-22.3
White/Non-Hisp	5643	3,184,349	4819	82.7	81.3-84.1	824	17.3	15.9-18.7
Black or Afr. Am./Non-Hisp	458	359,897	349	71.2	65.5-76.9	109	28.8	23.1-34.5
Oth. Race/Non-Hisp.	130	90,899	94	72.8	63.8-81.8	36	27.2	18.2-36.2
MultiRacial/Non-Hisp.	90	40,086	68	70.9	58.0-83.8	22	29.1	16.2-42.0
Hispanic	296	259,948	166	52.3	45.6-59.0	130	47.7	41.0-54.4
18-24	525	660,613	393	73.7	69.4-78.0	132	26.3	22.0-30.6
25-34	914	812,982	685	72.0	68.5-75.5	229	28.0	24.5-31.5
35-44	1234	814,847	1017	79.5	76.6-82.4	217	20.5	17.6-23.4
45-54	1778	892,201	1503	82.5	80.3-84.7	275	17.5	15.3-19.7
55-64	2253	808,230	1964	86.7	84.9-88.5	289	13.3	11.5-15.1
Less Than H.S.	556	550,997	343	56.1	51.0-61.2	213	43.9	38.8-49.0
H.S. or G.E.D.	2210	1,312,796	1766	78.0	75.8-80.2	444	22.0	19.8-24.2
Some Post-H.S.	1844	1,259,630	1517	81.2	79.0-83.4	327	18.8	16.6-21.0
College Graduate	2087	861,396	1932	92.7	91.3-94.1	155	7.3	05.9-08.7
Less than \$15,000	752	426,893	491	58.8	54.1-63.5	261	41.2	36.5-45.9
\$15,000- 24,999	966	611,473	609	57.4	53.3-61.5	357	42.6	38.5-46.7
\$25,000- 34,999	632	388,516	485	71.5	66.8-76.2	147	28.5	23.8-33.2
\$35,000- 49,999	866	509,305	751	83.8	80.5-87.1	115	16.2	12.9-19.5
\$50,000- 74,999	1001	573,779	944	92.9	90.7-95.1	57	7.1	04.9-09.3
\$75,000+	1726	974,963	1677	96.4	95.2-97.6	49	3.6	02.4-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2957	1,987,452	2435	78.8	76.8-80.8	522	21.2	19.2-23.2
White/Non-Hisp	2496	1,579,573	2113	81.9	79.9-83.9	383	18.1	16.1-20.1
Black or Afr. Am./Non-Hisp	168	171,644	132	75.9	67.7-84.1	36	24.1	15.9-32.3
Oth. Race/Non-Hisp.	64	49,241	46	77.9	67.3-88.5	18	22.1	11.5-32.7
Hispanic	135	131,548	69	46.5	37.1-55.9	66	53.5	44.1-62.9
18-24	270	328,815	209	77.3	71.8-82.8	61	22.7	17.2-28.2
25-34	405	408,597	298	70.5	65.4-75.6	107	29.5	24.4-34.6
35-44	516	407,906	411	76.8	72.3-81.3	105	23.2	18.7-27.7
45-54	833	443,443	693	81.0	77.7-84.3	140	19.0	15.7-22.3
55-64	933	398,691	824	88.0	85.3-90.7	109	12.0	09.3-14.7
Less Than H.S.	256	287,486	155	56.5	49.2-63.8	101	43.5	36.2-50.8
H.S. or G.E.D.	1008	674,802	796	77.5	74.4-80.6	212	22.5	19.4-25.6
Some Post-H.S.	759	594,041	628	81.9	78.6-85.2	131	18.1	14.8-21.4
College Graduate	929	428,046	853	91.9	89.7-94.1	76	8.1	05.9-10.3
Less than \$15,000	291	177,778	175	54.5	47.2-61.8	116	45.5	38.2-52.8
\$15,000- 24,999	369	262,237	220	54.2	47.7-60.7	149	45.8	39.3-52.3
\$25,000- 34,999	288	204,274	206	64.8	57.7-71.9	82	35.2	28.1-42.3
\$35,000- 49,999	403	286,886	354	85.2	80.7-89.7	49	14.8	10.3-19.3
\$50,000- 74,999	460	303,132	434	92.8	89.9-95.7	26	7.2	04.3-10.1
\$75,000+	854	530,424	824	95.8	94.0-97.6	30	4.2	02.4-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3747	2,001,421	3127	79.5	77.7-81.3	620	20.5	18.7-22.3
White/Non-Hisp	3147	1,604,776	2706	83.4	81.6-85.2	441	16.6	14.8-18.4
Black or Afr. Am./Non-Hisp	290	188,253	217	66.9	59.3-74.5	73	33.1	25.5-40.7
Oth. Race/Non-Hisp.	66	41,658	48	66.8	52.1-81.5	18	33.2	18.5-47.9
Hispanic	161	128,400	97	58.2	49.2-67.2	64	41.8	32.8-50.8
18-24	255	331,798	184	70.0	63.5-76.5	71	30.0	23.5-36.5
25-34	509	404,384	387	73.5	68.8-78.2	122	26.5	21.8-31.2
35-44	718	406,941	606	82.2	78.7-85.7	112	17.8	14.3-21.3
45-54	945	448,758	810	83.9	80.8-87.0	135	16.1	13.0-19.2
55-64	1320	409,539	1140	85.3	82.9-87.7	180	14.7	12.3-17.1
Less Than H.S.	300	263,511	188	55.8	48.5-63.1	112	44.2	36.9-51.5
H.S. or G.E.D.	1202	637,993	970	78.7	75.8-81.6	232	21.3	18.4-24.2
Some Post-H.S.	1085	665,590	889	80.5	77.6-83.4	196	19.5	16.6-22.4
College Graduate	1158	433,350	1079	93.6	91.8-95.4	79	6.4	04.6-08.2
Less than \$15,000	461	249,114	316	61.9	55.4-68.4	145	38.1	31.6-44.6
\$15,000- 24,999	597	349,236	389	59.8	54.5-65.1	208	40.2	34.9-45.5
\$25,000- 34,999	344	184,243	279	78.9	73.4-84.4	65	21.1	15.6-26.6
\$35,000- 49,999	463	222,419	397	81.9	76.6-87.2	66	18.1	12.8-23.4
\$50,000- 74,999	541	270,647	510	93.1	90.0-96.2	31	6.9	03.8-10.0
\$75,000+	872	444,540	853	97.2	95.6-98.8	19	2.8	01.2-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10298	4,963,439	5867	66.5	65.3-67.7	4431	33.5	32.3-34.7
Male	4261	2,408,763	2436	65.3	63.5-67.1	1825	34.7	32.9-36.5
Female	6037	2,554,675	3431	67.7	66.3-69.1	2606	32.3	30.9-33.7
White/Non-Hisp	8940	4,046,892	5004	65.4	64.2-66.6	3936	34.6	33.4-35.8
Black or Afr. Am./Non-Hisp	592	417,755	314	61.0	55.9-66.1	278	39.0	33.9-44.1
Oth. Race/Non-Hisp.	170	103,762	121	79.5	72.4-86.6	49	20.5	13.4-27.6
MultiRacial/Non-Hisp.	116	46,119	61	62.2	50.8-73.6	55	37.8	26.4-49.2
Hispanic	319	271,196	266	85.5	81.2-89.8	53	14.5	10.2-18.8
18-24	539	680,292	493	91.2	88.5-93.9	46	8.8	06.1-11.5
25-34	917	814,490	808	87.5	85.0-90.0	109	12.5	10.0-15.0
35-44	1234	813,373	982	79.4	76.7-82.1	252	20.6	17.9-23.3
45-54	1778	892,143	1139	64.4	61.7-67.1	639	35.6	32.9-38.3
55-64	2260	810,904	1163	51.0	48.5-53.5	1097	49.0	46.5-51.5
65+	3475	921,471	1228	34.3	32.3-36.3	2247	65.7	63.7-67.7
Less Than H.S.	938	706,928	487	63.8	60.1-67.5	451	36.2	32.5-39.9
H.S. or G.E.D.	3775	1,726,121	1987	64.1	62.1-66.1	1788	35.9	33.9-37.9
Some Post-H.S.	2617	1,496,736	1489	66.8	64.6-69.0	1128	33.2	31.0-35.4
College Graduate	2941	1,021,652	1886	72.3	70.5-74.1	1055	27.7	25.9-29.5
Less than \$15,000	1084	500,844	553	65.6	61.9-69.3	531	34.4	30.7-38.1
\$15,000- 24,999	1759	817,241	881	62.5	59.6-65.4	878	37.5	34.6-40.4
\$25,000- 34,999	1128	525,778	587	62.1	58.6-65.6	541	37.9	34.4-41.4
\$35,000- 49,999	1346	649,481	766	65.0	61.9-68.1	580	35.0	31.9-38.1
\$50,000- 74,999	1343	673,012	809	67.4	64.3-70.5	534	32.6	29.5-35.7
\$75,000+	2057	1,066,518	1396	72.8	70.4-75.2	661	27.2	24.8-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4261	2,408,763	2436	65.3	63.5-67.1	1825	34.7	32.9-36.5
White/Non-Hisp	3678	1,947,682	2068	64.3	62.3-66.3	1610	35.7	33.7-37.7
Black or Afr. Am./Non-Hisp	214	196,616	111	58.4	50.0-66.8	103	41.6	33.2-50.0
Oth. Race/Non-Hisp.	83	56,641	57	76.0	65.4-86.6	26	24.0	13.4-34.6
MultiRacial/Non-Hisp.	56	25,600	30	57.4	40.9-73.9	26	42.6	26.1-59.1
Hispanic	143	136,238	122	84.7	78.0-91.4	21	15.3	08.6-22.0
18-24	282	346,523	252	88.5	84.2-92.8	30	11.5	07.2-15.8
25-34	404	407,120	340	83.6	79.3-87.9	64	16.4	12.1-20.7
35-44	516	406,573	398	77.1	72.8-81.4	118	22.9	18.6-27.2
45-54	832	442,570	505	62.0	58.1-65.9	327	38.0	34.1-41.9
55-64	935	398,359	457	48.3	44.4-52.2	478	51.7	47.8-55.6
65+	1263	397,767	464	34.5	31.4-37.6	799	65.5	62.4-68.6
Less Than H.S.	394	359,755	216	62.7	57.0-68.4	178	37.3	31.6-43.0
H.S. or G.E.D.	1509	841,067	830	65.2	62.3-68.1	679	34.8	31.9-37.7
Some Post-H.S.	1019	687,670	565	64.3	60.8-67.8	454	35.7	32.2-39.2
College Graduate	1322	511,526	816	68.8	65.9-71.7	506	31.2	28.3-34.1
Less than \$15,000	369	198,574	193	63.5	57.4-69.6	176	36.5	30.4-42.6
\$15,000- 24,999	620	341,822	325	61.0	56.1-65.9	295	39.0	34.1-43.9
\$25,000- 34,999	485	270,605	265	65.6	60.5-70.7	220	34.4	29.3-39.5
\$35,000- 49,999	619	357,086	345	64.9	60.4-69.4	274	35.1	30.6-39.6
\$50,000- 74,999	616	354,516	355	64.5	59.8-69.2	261	35.5	30.8-40.2
\$75,000+	1053	588,463	654	67.6	64.1-71.1	399	32.4	28.9-35.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6037	2,554,675	3431	67.7	66.3-69.1	2606	32.3	30.9-33.7
White/Non-Hisp	5262	2,099,210	2936	66.5	64.9-68.1	2326	33.5	31.9-35.1
Black or Afr. Am./Non-Hisp	378	221,139	203	63.4	57.3-69.5	175	36.6	30.5-42.7
Oth. Race/Non-Hisp.	87	47,120	64	83.8	74.8-92.8	23	16.2	07.2-25.2
MultiRacial/Non-Hisp.	60	20,519	31	68.2	54.1-82.3	29	31.8	17.7-45.9
Hispanic	176	134,957	144	86.2	80.7-91.7	32	13.8	08.3-19.3
18-24	257	333,769	241	94.0	90.9-97.1	16	6.0	02.9-09.1
25-34	513	407,370	468	91.4	88.7-94.1	45	8.6	05.9-11.3
35-44	718	406,800	584	81.7	78.4-85.0	134	18.3	15.0-21.6
45-54	946	449,573	634	66.6	62.9-70.3	312	33.4	29.7-37.1
55-64	1325	412,545	706	53.6	50.5-56.7	619	46.4	43.3-49.5
65+	2212	523,704	764	34.1	31.7-36.5	1448	65.9	63.5-68.3
Less Than H.S.	544	347,173	271	65.0	60.1-69.9	273	35.0	30.1-39.9
H.S. or G.E.D.	2266	885,054	1157	63.0	60.5-65.5	1109	37.0	34.5-39.5
Some Post-H.S.	1598	809,066	924	68.9	66.2-71.6	674	31.1	28.4-33.8
College Graduate	1619	510,126	1070	75.8	73.4-78.2	549	24.2	21.8-26.6
Less than \$15,000	715	302,270	360	66.9	62.4-71.4	355	33.1	28.6-37.6
\$15,000- 24,999	1139	475,419	556	63.5	60.0-67.0	583	36.5	33.0-40.0
\$25,000- 34,999	643	255,173	322	58.4	53.5-63.3	321	41.6	36.7-46.5
\$35,000- 49,999	727	292,395	421	65.1	60.6-69.6	306	34.9	30.4-39.4
\$50,000- 74,999	727	318,496	454	70.5	66.6-74.4	273	29.5	25.6-33.4
\$75,000+	1004	478,054	742	79.2	76.3-82.1	262	20.8	17.9-23.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10045	4,811,410	8421	74.5	73.3-75.7	388	4.0	03.4-04.6	1236	21.5	20.3-22.7
Male	4178	2,349,268	3399	72.0	70.0-74.0	170	4.3	03.5-05.1	609	23.7	21.7-25.7
Female	5867	2,462,142	5022	76.8	75.0-78.6	218	3.8	03.2-04.4	627	19.4	17.8-21.0
White/Non-Hisp	8729	3,927,960	7422	76.3	74.9-77.7	343	4.3	03.7-04.9	964	19.5	18.1-20.9
Black or Afr. Am./Non-Hisp	580	403,300	476	72.1	66.6-77.6	15	2.9	01.3-04.5	89	25.1	19.6-30.6
Oth. Race/Non-Hisp.	163	98,362	118	64.6	54.8-74.4	4	1.6	00.0-03.4	41	33.8	24.0-43.6
MultiRacial/Non-Hisp.	113	45,169	92	63.3	50.4-76.2	9	10.9	03.8-18.0	12	25.8	12.9-38.7
Hispanic	310	263,280	194	58.1	51.6-64.6	9	1.8	00.6-03.0	107	40.1	33.6-46.6
18-24	500	630,481	182	36.4	31.7-41.1	6	1.1	00.1-02.1	312	62.5	57.8-67.2
25-34	874	776,863	514	54.8	50.9-58.7	49	4.5	03.1-05.9	311	40.7	36.8-44.6
35-44	1202	795,670	909	73.4	70.3-76.5	77	6.7	04.9-08.5	216	19.9	17.2-22.6
45-54	1755	879,091	1505	84.5	82.3-86.7	92	5.7	04.3-07.1	158	9.8	08.0-11.6
55-64	2237	802,717	2031	90.4	88.8-92.0	94	4.0	03.0-05.0	112	5.5	04.3-06.7
65+	3388	898,090	3207	94.9	93.9-95.9	65	1.7	01.1-02.3	116	3.4	02.6-04.2
Less Than H.S.	897	670,157	659	60.4	56.1-64.7	27	2.7	01.5-03.9	211	36.9	32.6-41.2
H.S. or G.E.D.	3668	1,671,809	3054	74.0	71.8-76.2	130	3.9	03.1-04.7	484	22.1	19.9-24.3
Some Post-H.S.	2561	1,457,689	2125	74.9	72.5-77.3	114	4.4	03.4-05.4	322	20.6	18.2-23.0
College Graduate	2898	1,002,323	2566	83.9	82.1-85.7	116	4.7	03.7-05.7	216	11.4	09.8-13.0
Less than \$15,000	1038	477,171	797	62.8	58.3-67.3	40	4.3	02.5-06.1	201	32.9	28.4-37.4
\$15,000- 24,999	1709	791,403	1368	68.1	64.8-71.4	76	4.2	03.0-05.4	265	27.7	24.4-31.0
\$25,000- 34,999	1112	515,471	910	70.5	66.6-74.4	37	3.1	01.9-04.3	165	26.4	22.5-30.3
\$35,000- 49,999	1325	637,109	1123	77.1	73.8-80.4	62	5.4	03.6-07.2	140	17.5	14.4-20.6
\$50,000- 74,999	1320	659,713	1161	81.8	78.7-84.9	57	4.6	03.2-06.0	102	13.7	10.8-16.6
\$75,000+	2036	1,050,131	1820	84.1	81.7-86.5	61	3.2	02.2-04.2	155	12.7	10.5-14.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4178	2,349,268	3399	72.0	70.0-74.0	170	4.3	03.5-05.1	609	23.7	21.7-25.7
White/Non-Hisp	3613	1,903,056	2982	73.6	71.6-75.6	150	4.6	03.8-05.4	481	21.9	19.9-23.9
Black or Afr. Am./Non-Hisp	210	192,092	169	72.4	64.0-80.8	5	2.6	00.2-05.0	36	25.1	16.9-33.3
Oth. Race/Non-Hisp.	79	53,067	57	69.5	57.0-82.0	2	1.6	00.0-04.1	20	28.8	16.5-41.1
MultiRacial/Non-Hisp.	55	25,403	43	60.4	42.4-78.4	5	11.6	01.6-21.6	7	28.0	09.6-46.4
Hispanic	137	130,804	84	55.6	46.0-65.2	2	1.0	00.0-02.6	51	43.4	33.8-53.0
18-24	264	328,222	96	37.3	30.6-44.0	2	0.9	00.0-02.1	166	61.8	55.1-68.5
25-34	388	389,932	219	52.1	46.4-57.8	23	5.5	03.1-07.9	146	42.4	36.7-48.1
35-44	503	397,602	361	70.2	65.5-74.9	37	6.9	04.4-09.4	105	22.9	18.4-27.4
45-54	825	438,264	679	80.3	76.8-83.8	48	6.4	04.4-08.4	98	13.3	10.2-16.4
55-64	926	393,021	834	90.0	87.6-92.4	38	3.8	02.4-05.2	54	6.2	04.2-08.2
65+	1245	393,058	1187	95.1	93.5-96.7	20	1.5	00.7-02.3	38	3.4	02.0-04.8
Less Than H.S.	372	339,216	253	57.4	50.9-63.9	11	2.3	00.7-03.9	108	40.3	33.8-46.8
H.S. or G.E.D.	1475	819,525	1164	69.9	66.6-73.2	57	4.6	03.2-06.0	254	25.5	22.4-28.6
Some Post-H.S.	1009	679,839	822	73.4	69.7-77.1	42	4.4	02.8-06.0	145	22.2	18.7-25.7
College Graduate	1309	503,685	1150	83.5	81.0-86.0	59	5.0	03.6-06.4	100	11.5	09.1-13.9
Less than \$15,000	353	187,139	254	62.1	55.2-69.0	18	5.2	02.1-08.3	81	32.6	25.9-39.3
\$15,000- 24,999	603	333,910	455	64.2	58.7-69.7	29	5.1	02.7-07.5	119	30.7	25.2-36.2
\$25,000- 34,999	479	265,258	374	66.9	61.0-72.8	20	4.2	02.0-06.4	85	28.9	23.0-34.8
\$35,000- 49,999	612	353,394	505	73.5	68.6-78.4	26	4.6	02.6-06.6	81	21.8	16.9-26.7
\$50,000- 74,999	606	346,366	520	77.9	73.0-82.8	25	4.5	02.5-06.5	61	17.6	12.9-22.3
\$75,000+	1045	581,030	921	82.6	79.5-85.7	31	2.7	01.5-03.9	93	14.7	11.6-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5867	2,462,142	5022	76.8	75.0-78.6	218	3.8	03.2-04.4	627	19.4	17.8-21.0
White/Non-Hisp	5116	2,024,904	4440	78.8	77.0-80.6	193	4.0	03.2-04.8	483	17.2	15.4-19.0
Black or Afr. Am./Non-Hisp	370	211,207	307	71.8	64.5-79.1	10	3.2	01.0-05.4	53	25.1	17.8-32.4
Oth. Race/Non-Hisp.	84	45,294	61	58.8	44.1-73.5	2	1.5	00.0-03.9	21	39.7	24.8-54.6
MultiRacial/Non-Hisp.	58	19,766	49	66.9	49.1-84.7	4	10.1	00.5-19.7	5	23.0	05.8-40.2
Hispanic	173	132,476	110	60.6	51.8-69.4	7	2.5	00.5-04.5	56	36.9	28.1-45.7
18-24	236	302,259	86	35.3	28.4-42.2	4	1.4	00.0-02.8	146	63.3	56.4-70.2
25-34	486	386,931	295	57.6	52.3-62.9	26	3.5	01.9-05.1	165	38.9	33.6-44.2
35-44	699	398,068	548	76.6	72.7-80.5	40	6.5	04.1-08.9	111	16.9	13.6-20.2
45-54	930	440,826	826	88.7	86.3-91.1	44	5.0	03.2-06.8	60	6.3	04.5-08.1
55-64	1311	409,696	1197	90.8	88.8-92.8	56	4.3	02.9-05.7	58	4.9	03.3-06.5
65+	2143	505,032	2020	94.7	93.5-95.9	45	1.8	01.2-02.4	78	3.5	02.5-04.5
Less Than H.S.	525	330,942	406	63.5	57.4-69.6	16	3.0	01.0-05.0	103	33.4	27.3-39.5
H.S. or G.E.D.	2193	852,284	1890	78.0	75.3-80.7	73	3.1	02.1-04.1	230	18.9	16.2-21.6
Some Post-H.S.	1552	777,850	1303	76.3	73.2-79.4	72	4.5	03.1-05.9	177	19.2	16.3-22.1
College Graduate	1589	498,639	1416	84.3	81.8-86.8	57	4.3	02.9-05.7	116	11.3	09.1-13.5
Less than \$15,000	685	290,032	543	63.3	57.4-69.2	22	3.7	01.7-05.7	120	33.1	27.2-39.0
\$15,000- 24,999	1106	457,493	913	70.9	66.6-75.2	47	3.6	02.2-05.0	146	25.5	21.2-29.8
\$25,000- 34,999	633	250,213	536	74.2	68.9-79.5	17	2.0	00.8-03.2	80	23.7	18.4-29.0
\$35,000- 49,999	713	283,716	618	81.5	77.2-85.8	36	6.4	03.5-09.3	59	12.1	08.6-15.6
\$50,000- 74,999	714	313,347	641	86.0	82.5-89.5	32	4.7	02.7-06.7	41	9.3	06.4-12.2
\$75,000+	991	469,101	899	86.0	82.5-89.5	30	3.8	02.2-05.4	62	10.2	07.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8848	3,795,195	4860	60.2	58.8-61.6	3988	39.8	38.4-41.2
Male	3571	1,797,973	1956	59.3	57.3-61.3	1615	40.7	38.7-42.7
Female	5277	1,997,222	2904	61.0	59.2-62.8	2373	39.0	37.2-40.8
White/Non-Hisp	7798	3,179,615	4197	59.0	57.6-60.4	3601	41.0	39.6-42.4
Black or Afr. Am./Non-Hisp	492	302,484	311	65.9	60.2-71.6	181	34.1	28.4-39.8
Oth. Race/Non-Hisp.	124	67,071	82	68.3	58.1-78.5	42	31.7	21.5-41.9
MultiRacial/Non-Hisp.	99	32,679	58	64.5	52.9-76.1	41	35.5	23.9-47.1
Hispanic	206	159,186	131	67.4	60.0-74.8	75	32.6	25.2-40.0
18-24	190	236,869	178	93.6	88.9-98.3	12	6.4	01.7-11.1
25-34	569	465,424	471	82.0	78.3-85.7	98	18.0	14.3-21.7
35-44	992	640,706	729	71.7	68.2-75.2	263	28.3	24.8-31.8
45-54	1602	797,395	966	59.9	57.0-62.8	636	40.1	37.2-43.0
55-64	2117	754,976	1035	48.3	45.8-50.8	1082	51.7	49.2-54.2
65+	3295	874,145	1430	41.6	39.6-43.6	1865	58.4	56.4-60.4
Less Than H.S.	697	431,199	321	53.0	48.3-57.7	376	47.0	42.3-51.7
H.S. or G.E.D.	3200	1,307,188	1696	58.2	56.0-60.4	1504	41.8	39.6-44.0
Some Post-H.S.	2244	1,159,602	1212	60.3	57.8-62.8	1032	39.7	37.2-42.2
College Graduate	2686	889,959	1619	66.3	64.1-68.5	1067	33.7	31.5-35.9
Less than \$15,000	844	324,749	410	57.3	52.8-61.8	434	42.7	38.2-47.2
\$15,000- 24,999	1442	570,724	735	56.7	53.4-60.0	707	43.3	40.0-46.6
\$25,000- 34,999	951	380,233	494	54.6	50.5-58.7	457	45.4	41.3-49.5
\$35,000- 49,999	1186	526,715	628	58.1	54.6-61.6	558	41.9	38.4-45.4
\$50,000- 74,999	1224	572,047	701	61.9	58.4-65.4	523	38.1	34.6-41.6
\$75,000+	1879	915,062	1167	65.0	62.3-67.7	712	35.0	32.3-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3571	1,797,973	1956	59.3	57.3-61.3	1615	40.7	38.7-42.7
White/Non-Hisp	3130	1,490,365	1679	58.3	56.1-60.5	1451	41.7	39.5-43.9
Black or Afr. Am./Non-Hisp	173	143,057	110	63.6	54.0-73.2	63	36.4	26.8-46.0
Oth. Race/Non-Hisp.	60	39,526	41	66.5	52.0-81.0	19	33.5	19.0-48.0
Hispanic	89	75,573	57	65.7	54.5-76.9	32	34.3	23.1-45.5
18-24	100	126,424	93	92.8	85.7-99.9	7	7.2	00.1-14.3
25-34	245	228,028	190	78.5	72.8-84.2	55	21.5	15.8-27.2
35-44	401	309,711	283	68.2	62.7-73.7	118	31.8	26.3-37.3
45-54	724	379,440	423	58.4	54.3-62.5	301	41.6	37.5-45.7
55-64	866	366,192	422	48.0	44.1-51.9	444	52.0	48.1-55.9
65+	1208	379,431	529	40.9	37.6-44.2	679	59.1	55.8-62.4
Less Than H.S.	271	208,697	130	52.9	45.5-60.3	141	47.1	39.7-54.5
H.S. or G.E.D.	1222	614,048	669	59.0	55.5-62.5	553	41.0	37.5-44.5
Some Post-H.S.	858	525,597	462	60.1	56.2-64.0	396	39.9	36.0-43.8
College Graduate	1208	445,458	686	61.4	58.3-64.5	522	38.6	35.5-41.7
Less than \$15,000	274	129,244	145	59.0	51.2-66.8	129	41.0	33.2-48.8
\$15,000- 24,999	481	230,566	252	55.5	49.8-61.2	229	44.5	38.8-50.2
\$25,000- 34,999	394	188,155	215	57.7	51.6-63.8	179	42.3	36.2-48.4
\$35,000- 49,999	529	276,291	276	57.2	52.1-62.3	253	42.8	37.7-47.9
\$50,000- 74,999	546	286,335	294	59.1	53.8-64.4	252	40.9	35.6-46.2
\$75,000+	950	493,565	547	61.1	57.2-65.0	403	38.9	35.0-42.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5277	1,997,222	2904	61.0	59.4-62.6	2373	39.0	37.4-40.6
White/Non-Hisp	4668	1,689,251	2518	59.6	57.8-61.4	2150	40.4	38.6-42.2
Black or Afr. Am./Non-Hisp	319	159,427	201	68.0	61.9-74.1	118	32.0	25.9-38.1
Oth. Race/Non-Hisp.	64	27,546	41	70.9	57.0-84.8	23	29.1	15.2-43.0
MultiRacial/Non-Hisp.	52	15,096	32	73.5	58.6-88.4	20	26.5	11.6-41.4
Hispanic	117	83,613	74	68.9	59.3-78.5	43	31.1	21.5-40.7
18-24	90	110,445	85	94.6	88.5-100.0	5	5.4	00.0-11.5
25-34	324	237,397	281	85.3	80.8-89.8	43	14.7	10.2-19.2
35-44	591	330,995	446	75.0	70.9-79.1	145	25.0	20.9-29.1
45-54	878	417,954	543	61.3	57.4-65.2	335	38.7	34.8-42.6
55-64	1251	388,784	613	48.6	45.3-51.9	638	51.4	48.1-54.7
65+	2087	494,713	901	42.1	39.6-44.6	1186	57.9	55.4-60.4
Less Than H.S.	426	222,501	191	53.1	47.0-59.2	235	46.9	40.8-53.0
H.S. or G.E.D.	1978	693,140	1027	57.5	54.8-60.2	951	42.5	39.8-45.2
Some Post-H.S.	1386	634,005	750	60.6	57.3-63.9	636	39.4	36.1-42.7
College Graduate	1478	444,500	933	71.2	68.7-73.7	545	28.8	26.3-31.3
Less than \$15,000	570	195,505	265	56.1	50.4-61.8	305	43.9	38.2-49.6
\$15,000- 24,999	961	340,158	483	57.6	53.5-61.7	478	42.4	38.3-46.5
\$25,000- 34,999	557	192,078	279	51.6	46.3-56.9	278	48.4	43.1-53.7
\$35,000- 49,999	657	250,424	352	59.2	54.5-63.9	305	40.8	36.1-45.5
\$50,000- 74,999	678	285,712	407	64.8	60.3-69.3	271	35.2	30.7-39.7
\$75,000+	929	421,497	620	69.5	66.0-73.0	309	30.5	27.0-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10305	4,970,935	8820	84.7	83.7-85.7	1485	15.3	14.3-16.3
Male	4271	2,419,238	3797	87.3	85.9-88.7	474	12.7	11.3-14.1
Female	6034	2,551,697	5023	82.2	80.8-83.6	1011	17.8	16.4-19.2
White/Non-Hisp	8946	4,054,312	7689	85.0	84.0-86.0	1257	15.0	14.0-16.0
Black or Afr. Am./Non-Hisp	594	418,466	484	78.9	74.0-83.8	110	21.1	16.2-26.0
Oth. Race/Non-Hisp.	170	103,762	146	83.9	76.5-91.3	24	16.1	08.7-23.5
MultiRacial/Non-Hisp.	115	46,068	80	70.3	59.5-81.1	35	29.7	18.9-40.5
Hispanic	317	269,482	284	91.5	88.2-94.8	33	8.5	05.2-11.8
18-24	539	681,934	446	82.2	78.5-85.9	93	17.8	14.1-21.5
25-34	917	815,450	753	81.5	78.4-84.6	164	18.5	15.4-21.6
35-44	1234	815,035	1064	85.5	83.1-87.9	170	14.5	12.1-16.9
45-54	1775	891,654	1504	84.9	82.9-86.9	271	15.1	13.1-17.1
55-64	2258	810,791	1937	86.7	84.9-88.5	321	13.3	11.5-15.1
65+	3485	924,951	3035	86.7	85.3-88.1	450	13.3	11.9-14.7
Less Than H.S.	937	706,573	745	79.8	76.3-83.3	192	20.2	16.7-23.7
H.S. or G.E.D.	3778	1,728,730	3243	85.4	83.8-87.0	535	14.6	13.0-16.2
Some Post-H.S.	2617	1,499,895	2216	84.2	82.4-86.0	401	15.8	14.0-17.6
College Graduate	2946	1,023,736	2594	87.7	86.1-89.3	352	12.3	10.7-13.9
Less than \$15,000	1077	498,070	812	76.4	72.7-80.1	265	23.6	19.9-27.3
\$15,000- 24,999	1755	813,918	1479	82.2	79.7-84.7	276	17.8	15.3-20.3
\$25,000- 34,999	1132	526,793	993	87.3	84.8-89.8	139	12.7	10.2-15.2
\$35,000- 49,999	1348	652,316	1174	86.9	84.5-89.3	174	13.1	10.7-15.5
\$50,000- 74,999	1347	674,143	1183	87.1	84.6-89.6	164	12.9	10.4-15.4
\$75,000+	2062	1,071,580	1833	87.2	85.2-89.2	229	12.8	10.8-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4271	2,419,238	3797	87.3	85.9-88.7	474	12.7	11.3-14.1
White/Non-Hisp	3689	1,958,948	3297	88.0	86.6-89.4	392	12.0	10.6-13.4
Black or Afr. Am./Non-Hisp	213	196,408	179	78.4	70.4-86.4	34	21.6	13.6-29.6
Oth. Race/Non-Hisp.	83	56,641	74	85.7	74.9-96.5	9	14.3	03.5-25.1
MultiRacial/Non-Hisp.	56	25,600	42	76.0	61.9-90.1	14	24.0	09.9-38.1
Hispanic	141	134,524	130	93.3	89.2-97.4	11	6.7	02.6-10.8
18-24	285	351,432	241	84.0	78.9-89.1	44	16.0	10.9-21.1
25-34	404	408,080	337	82.1	77.6-86.6	67	17.9	13.4-22.4
35-44	515	407,322	461	88.7	85.4-92.0	54	11.3	08.0-14.6
45-54	832	443,199	741	89.0	86.5-91.5	91	11.0	08.5-13.5
55-64	937	399,216	837	89.6	87.2-92.0	100	10.4	08.0-12.8
65+	1268	399,942	1155	90.2	88.0-92.4	113	9.8	07.6-12.0
Less Than H.S.	393	359,990	328	82.2	77.1-87.3	65	17.8	12.7-22.9
H.S. or G.E.D.	1511	843,227	1345	87.6	85.2-90.0	166	12.4	10.0-14.8
Some Post-H.S.	1023	693,387	906	88.3	85.8-90.8	117	11.7	09.2-14.2
College Graduate	1327	513,889	1205	89.3	87.1-91.5	122	10.7	08.5-12.9
Less than \$15,000	368	198,305	295	80.4	74.9-85.9	73	19.6	14.1-25.1
\$15,000- 24,999	618	339,378	552	86.7	82.8-90.6	66	13.3	09.4-17.2
\$25,000- 34,999	487	271,447	437	88.9	85.4-92.4	50	11.1	07.6-14.6
\$35,000- 49,999	621	359,779	558	88.7	85.4-92.0	63	11.3	08.0-14.6
\$50,000- 74,999	619	355,391	561	88.6	84.9-92.3	58	11.4	07.7-15.1
\$75,000+	1057	592,612	966	88.8	86.1-91.5	91	11.2	08.5-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6034	2,551,697	5023	82.2	80.8-83.6	1011	17.8	16.4-19.2
White/Non-Hisp	5257	2,095,364	4392	82.1	80.7-83.5	865	17.9	16.5-19.3
Black or Afr. Am./Non-Hisp	381	222,058	305	79.5	73.6-85.4	76	20.5	14.6-26.4
Oth. Race/Non-Hisp.	87	47,120	72	81.7	71.5-91.9	15	18.3	08.1-28.5
MultiRacial/Non-Hisp.	59	20,468	38	63.2	46.9-79.5	21	36.8	20.5-53.1
Hispanic	176	134,957	154	89.6	84.5-94.7	22	10.4	05.3-15.5
18-24	254	330,502	205	80.2	74.7-85.7	49	19.8	14.3-25.3
25-34	513	407,370	416	80.8	76.5-85.1	97	19.2	14.9-23.5
35-44	719	407,714	603	82.3	79.0-85.6	116	17.7	14.4-21.0
45-54	943	448,455	763	80.9	78.0-83.8	180	19.1	16.2-22.0
55-64	1321	411,576	1100	83.9	81.5-86.3	221	16.1	13.7-18.5
65+	2217	525,009	1880	84.1	82.3-85.9	337	15.9	14.1-17.7
Less Than H.S.	544	346,583	417	77.4	72.5-82.3	127	22.6	17.7-27.5
H.S. or G.E.D.	2267	885,503	1898	83.2	81.0-85.4	369	16.8	14.6-19.0
Some Post-H.S.	1594	806,508	1310	80.7	78.0-83.4	284	19.3	16.6-22.0
College Graduate	1619	509,847	1389	86.1	84.1-88.1	230	13.9	11.9-15.9
Less than \$15,000	709	299,765	517	73.8	68.9-78.7	192	26.2	21.3-31.1
\$15,000- 24,999	1137	474,541	927	79.0	75.5-82.5	210	21.0	17.5-24.5
\$25,000- 34,999	645	255,345	556	85.5	82.0-89.0	89	14.5	11.0-18.0
\$35,000- 49,999	727	292,538	616	84.6	81.3-87.9	111	15.4	12.1-18.7
\$50,000- 74,999	728	318,752	622	85.3	81.8-88.8	106	14.7	11.2-18.2
\$75,000+	1005	478,968	867	85.3	82.6-88.0	138	14.7	12.0-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10255	4,944,676	9204	89.7	88.9-90.5	1051	10.3	09.5-11.1
Male	4252	2,407,216	3956	92.7	91.5-93.9	296	7.3	06.1-08.5
Female	6003	2,537,460	5248	86.8	85.6-88.0	755	13.2	12.0-14.4
White/Non-Hisp	8904	4,035,888	8020	90.0	89.2-90.8	884	10.0	09.2-10.8
Black or Afr. Am./Non-Hisp	592	414,566	511	85.0	80.3-89.7	81	15.0	10.3-19.7
Oth. Race/Non-Hisp.	170	103,762	153	87.3	80.2-94.4	17	12.7	05.6-19.8
MultiRacial/Non-Hisp.	114	45,889	88	79.8	71.0-88.6	26	20.2	11.4-29.0
Hispanic	314	265,903	293	95.4	93.0-97.8	21	4.6	02.2-07.0
18-24	537	679,564	483	89.7	86.8-92.6	54	10.3	07.4-13.2
25-34	908	805,100	811	89.8	87.3-92.3	97	10.2	07.7-12.7
35-44	1228	811,302	1113	90.2	88.2-92.2	115	9.8	07.8-11.8
45-54	1770	888,715	1567	88.6	86.8-90.4	203	11.4	09.6-13.2
55-64	2250	808,052	2004	89.9	88.3-91.5	246	10.1	08.5-11.7
65+	3465	920,825	3141	90.1	88.9-91.3	324	9.9	08.7-11.1
Less Than H.S.	928	700,684	781	84.9	81.8-88.0	147	15.1	12.0-18.2
H.S. or G.E.D.	3760	1,720,776	3382	90.4	89.0-91.8	378	9.6	08.2-11.0
Some Post-H.S.	2606	1,491,178	2318	89.5	88.1-90.9	288	10.5	09.1-11.9
College Graduate	2934	1,020,035	2701	92.2	91.0-93.4	233	7.8	06.6-09.0
Less than \$15,000	1069	496,057	862	82.6	79.3-85.9	207	17.4	14.1-20.7
\$15,000- 24,999	1743	805,647	1533	87.2	85.0-89.4	210	12.8	10.6-15.0
\$25,000- 34,999	1129	525,732	1028	91.2	89.2-93.2	101	8.8	06.8-10.8
\$35,000- 49,999	1343	650,359	1223	91.8	90.0-93.6	120	8.2	06.4-10.0
\$50,000- 74,999	1343	672,257	1236	91.5	89.3-93.7	107	8.5	06.3-10.7
\$75,000+	2056	1,068,965	1912	91.9	90.3-93.5	144	8.1	06.5-09.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,407,216	3956	92.7	91.5-93.9	296	7.3	06.1-08.5
White/Non-Hisp	3672	1,949,094	3428	93.4	92.4-94.4	244	6.6	05.6-07.6
Black or Afr. Am./Non-Hisp	212	194,328	191	85.7	78.1-93.3	21	14.3	06.7-21.9
Oth. Race/Non-Hisp.	83	56,641	78	90.1	80.1-0100	5	9.9	00.0-19.9
MultiRacial/Non-Hisp.	56	25,600	47	87.7	78.7-96.7	9	12.3	03.3-21.3
Hispanic	141	134,524	136	96.3	93.0-99.6	5	3.7	00.4-07.0
18-24	283	349,062	266	93.7	90.2-97.2	17	6.3	02.8-09.8
25-34	399	403,133	365	91.6	88.1-95.1	34	8.4	04.9-11.9
35-44	514	406,968	486	93.9	91.4-96.4	28	6.1	03.6-08.6
45-54	831	441,814	767	92.1	89.9-94.3	64	7.9	05.7-10.1
55-64	932	397,459	863	92.7	90.7-94.7	69	7.3	05.3-09.3
65+	1263	398,734	1184	92.6	90.6-94.6	79	7.4	05.4-09.4
Less Than H.S.	388	355,758	344	87.6	83.1-92.1	44	12.4	07.9-16.9
H.S. or G.E.D.	1504	839,120	1402	93.0	91.2-94.8	102	7.0	05.2-08.8
Some Post-H.S.	1021	691,834	945	93.9	92.3-95.5	76	6.1	04.5-07.7
College Graduate	1322	511,759	1252	94.4	92.8-96.0	70	5.6	04.0-07.2
Less than \$15,000	364	197,726	320	89.7	85.6-93.8	44	10.3	06.2-14.4
\$15,000- 24,999	616	337,568	566	90.2	86.7-93.7	50	9.8	06.3-13.3
\$25,000- 34,999	485	270,686	452	93.8	91.3-96.3	33	6.2	03.7-08.7
\$35,000- 49,999	617	357,944	585	94.6	92.4-96.8	32	5.4	03.2-07.6
\$50,000- 74,999	619	355,391	580	92.8	89.7-95.9	39	7.2	04.1-10.3
\$75,000+	1056	592,278	1007	94.3	92.1-96.5	49	5.7	03.5-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6003	2,537,460	5248	86.8	85.6-88.0	755	13.2	12.0-14.4
White/Non-Hisp	5232	2,086,794	4592	86.8	85.6-88.0	640	13.2	12.0-14.4
Black or Afr. Am./Non-Hisp	380	220,238	320	84.3	78.8-89.8	60	15.7	10.2-21.2
Oth. Race/Non-Hisp.	87	47,120	75	83.8	74.0-93.6	12	16.2	06.4-26.0
MultiRacial/Non-Hisp.	58	20,289	41	69.7	54.2-85.2	17	30.3	14.8-45.8
Hispanic	173	131,379	157	94.5	91.2-97.8	16	5.5	02.2-08.8
18-24	254	330,502	217	85.4	80.5-90.3	37	14.6	09.7-19.5
25-34	509	401,967	446	88.1	84.6-91.6	63	11.9	08.4-15.4
35-44	714	404,334	627	86.6	83.7-89.5	87	13.4	10.5-16.3
45-54	939	446,901	800	85.2	82.5-87.9	139	14.8	12.1-17.5
55-64	1318	410,593	1141	87.2	85.0-89.4	177	12.8	10.6-15.0
65+	2202	522,091	1957	88.1	86.3-89.9	245	11.9	10.1-13.7
Less Than H.S.	540	344,926	437	82.1	77.6-86.6	103	17.9	13.4-22.4
H.S. or G.E.D.	2256	881,656	1980	87.8	86.0-89.6	276	12.2	10.4-14.0
Some Post-H.S.	1585	799,345	1373	85.8	83.4-88.2	212	14.2	11.8-16.6
College Graduate	1612	508,276	1449	90.0	88.2-91.8	163	10.0	08.2-11.8
Less than \$15,000	705	298,331	542	78.0	73.3-82.7	163	22.0	17.3-26.7
\$15,000- 24,999	1127	468,079	967	85.0	82.3-87.7	160	15.0	12.3-17.7
\$25,000- 34,999	644	255,046	576	88.4	85.1-91.7	68	11.6	08.3-14.9
\$35,000- 49,999	726	292,415	638	88.3	85.4-91.2	88	11.7	08.8-14.6
\$50,000- 74,999	724	316,866	656	89.9	86.8-93.0	68	10.1	07.0-13.2
\$75,000+	1000	476,687	905	88.9	86.4-91.4	95	11.1	08.6-13.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10255	4,944,676	1051	10.3	09.5-11.1	384	4.6	04.0-05.2	8820	85.1	84.1-86.1
Male	4252	2,407,216	296	7.3	06.1-08.5	159	4.9	03.9-05.9	3797	87.8	86.4-89.2
Female	6003	2,537,460	755	13.2	12.0-14.4	225	4.2	03.4-05.0	5023	82.6	81.2-84.0
White/Non-Hisp	8904	4,035,888	884	10.0	09.2-10.8	331	4.6	04.0-05.2	7689	85.4	84.4-86.4
Black or Afr. Am./Non-Hisp	592	414,566	81	15.0	10.3-19.7	27	5.3	03.1-07.5	484	79.7	74.8-84.6
Oth. Race/Non-Hisp.	170	103,762	17	12.7	05.6-19.8	7	3.4	00.5-06.3	146	83.9	76.5-91.3
MultiRacial/Non-Hisp.	114	45,889	26	20.2	11.4-29.0	8	9.2	01.6-16.8	80	70.6	59.8-81.4
Hispanic	314	265,903	21	4.6	02.2-07.0	9	2.7	00.7-04.7	284	92.7	89.8-95.6
18-24	537	679,564	54	10.3	07.4-13.2	37	7.2	04.7-09.7	446	82.4	78.7-86.1
25-34	908	805,100	97	10.2	07.7-12.7	58	7.3	05.3-09.3	753	82.5	79.4-85.6
35-44	1228	811,302	115	9.8	07.8-11.8	49	4.3	02.9-05.7	1064	85.9	83.5-88.3
45-54	1770	888,715	203	11.4	09.6-13.2	63	3.4	02.4-04.4	1504	85.2	83.2-87.2
55-64	2250	808,052	246	10.1	08.5-11.7	67	2.9	02.1-03.7	1937	87.0	85.4-88.6
65+	3465	920,825	324	9.9	08.7-11.1	106	2.9	02.3-03.5	3035	87.1	85.7-88.5
Less Than H.S.	928	700,684	147	15.1	12.0-18.2	36	4.4	02.6-06.2	745	80.5	77.0-84.0
H.S. or G.E.D.	3760	1,720,776	378	9.6	08.2-11.0	139	4.6	03.6-05.6	3243	85.8	84.2-87.4
Some Post-H.S.	2606	1,491,178	288	10.5	09.1-11.9	102	4.9	03.7-06.1	2216	84.7	82.9-86.5
College Graduate	2934	1,020,035	233	7.8	06.6-09.0	107	4.2	03.2-05.2	2594	88.0	86.4-89.6
Less than \$15,000	1069	496,057	207	17.4	14.1-20.7	50	5.9	03.9-07.9	812	76.7	73.0-80.4
\$15,000- 24,999	1743	805,647	210	12.8	10.6-15.0	54	4.1	02.5-05.7	1479	83.1	80.6-85.6
\$25,000- 34,999	1129	525,732	101	8.8	06.8-10.8	35	3.7	02.1-05.3	993	87.4	84.9-89.9
\$35,000- 49,999	1343	650,359	120	8.2	06.4-10.0	49	4.7	03.1-06.3	1174	87.1	84.7-89.5
\$50,000- 74,999	1343	672,257	107	8.5	06.3-10.7	53	4.2	02.8-05.6	1183	87.3	84.8-89.8
\$75,000+	2056	1,068,965	144	8.1	06.5-09.7	79	4.4	03.2-05.6	1833	87.4	85.4-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,407,216	296	7.3	06.1-08.5	159	4.9	03.9-05.9	3797	87.8	86.4-89.2
White/Non-Hisp	3672	1,949,094	244	6.6	05.6-07.6	131	4.9	03.9-05.9	3297	88.5	87.1-89.9
Black or Afr. Am./Non-Hisp	212	194,328	21	14.3	06.7-21.9	12	6.5	02.6-10.4	179	79.2	71.2-87.2
Oth. Race/Non-Hisp.	83	56,641	5	9.9	00.0-19.9	4	4.4	00.0-09.5	74	85.7	74.9-96.5
MultiRacial/Non-Hisp.	56	25,600	9	12.3	03.3-21.3	5	11.8	00.0-24.1	42	76.0	61.9-90.1
Hispanic	141	134,524	5	3.7	00.4-07.0	6	2.9	00.4-05.4	130	93.3	89.2-97.4
18-24	283	349,062	17	6.3	02.8-09.8	25	9.1	05.4-12.8	241	84.5	79.6-89.4
25-34	399	403,133	34	8.4	04.9-11.9	28	8.5	05.4-11.6	337	83.1	78.6-87.6
35-44	514	406,968	28	6.1	03.6-08.6	25	5.1	02.7-07.5	461	88.8	85.5-92.1
45-54	831	441,814	64	7.9	05.7-10.1	26	2.9	01.7-04.1	741	89.2	86.7-91.7
55-64	932	397,459	69	7.3	05.3-09.3	26	2.6	01.4-03.8	837	90.0	87.6-92.4
65+	1263	398,734	79	7.4	05.4-09.4	29	2.1	01.1-03.1	1155	90.5	88.3-92.7
Less Than H.S.	388	355,758	44	12.4	07.9-16.9	16	4.4	01.7-07.1	328	83.1	78.0-88.2
H.S. or G.E.D.	1504	839,120	102	7.0	05.2-08.8	57	5.0	03.4-06.6	1345	88.1	85.7-90.5
Some Post-H.S.	1021	691,834	76	6.1	04.5-07.7	39	5.4	03.4-07.4	906	88.5	86.1-90.9
College Graduate	1322	511,759	70	5.6	04.0-07.2	47	4.7	03.1-06.3	1205	89.7	87.5-91.9
Less than \$15,000	364	197,726	44	10.3	06.2-14.4	25	9.0	04.9-13.1	295	80.7	75.2-86.2
\$15,000- 24,999	616	337,568	50	9.8	06.3-13.3	14	3.0	01.2-04.8	552	87.2	83.3-91.1
\$25,000- 34,999	485	270,686	33	6.2	03.7-08.7	15	4.6	01.9-07.3	437	89.2	85.7-92.7
\$35,000- 49,999	617	357,944	32	5.4	03.2-07.6	27	5.4	02.9-07.9	558	89.2	86.1-92.3
\$50,000- 74,999	619	355,391	39	7.2	04.1-10.3	19	4.2	01.8-06.6	561	88.6	84.9-92.3
\$75,000+	1056	592,278	49	5.7	03.5-07.9	41	5.4	03.4-07.4	966	88.8	86.1-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

**Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6003	2,537,460	755	13.2	12.0-14.4	225	4.2	03.4-05.0	5023	82.6	81.2-84.0
White/Non-Hisp	5232	2,086,794	640	13.2	12.0-14.4	200	4.4	03.6-05.2	4392	82.5	81.1-83.9
Black or Afr. Am./Non-Hisp	380	220,238	60	15.7	10.2-21.2	15	4.2	01.8-06.6	305	80.1	74.2-86.0
Oth. Race/Non-Hisp.	87	47,120	12	16.2	06.4-26.0	3	2.2	00.0-04.9	72	81.7	71.5-91.9
MultiRacial/Non-Hisp.	58	20,289	17	30.3	14.8-45.8	3	6.0	00.0-13.6	38	63.7	47.4-80.0
Hispanic	173	131,379	16	5.5	02.2-08.8	3	2.4	00.0-05.1	154	92.0	87.7-96.3
18-24	254	330,502	37	14.6	09.7-19.5	12	5.2	01.9-08.5	205	80.2	74.7-85.7
25-34	509	401,967	63	11.9	08.4-15.4	30	6.1	03.7-08.5	416	81.9	77.8-86.0
35-44	714	404,334	87	13.4	10.5-16.3	24	3.6	02.0-05.2	603	83.0	79.7-86.3
45-54	939	446,901	139	14.8	12.1-17.5	37	4.0	02.4-05.6	763	81.2	78.3-84.1
55-64	1318	410,593	177	12.8	10.6-15.0	41	3.1	01.9-04.3	1100	84.1	81.7-86.5
65+	2202	522,091	245	11.9	10.1-13.7	77	3.5	02.5-04.5	1880	84.6	82.8-86.4
Less Than H.S.	540	344,926	103	17.9	13.4-22.4	20	4.4	01.9-06.9	417	77.8	72.9-82.7
H.S. or G.E.D.	2256	881,656	276	12.2	10.4-14.0	82	4.3	03.1-05.5	1898	83.5	81.3-85.7
Some Post-H.S.	1585	799,345	212	14.2	11.8-16.6	63	4.4	02.8-06.0	1310	81.4	78.9-83.9
College Graduate	1612	508,276	163	10.0	08.2-11.8	60	3.6	02.4-04.8	1389	86.4	84.4-88.4
Less than \$15,000	705	298,331	163	22.0	17.3-26.7	25	3.8	01.8-05.8	517	74.1	69.2-79.0
\$15,000- 24,999	1127	468,079	160	15.0	12.3-17.7	40	4.9	02.5-07.3	927	80.1	76.8-83.4
\$25,000- 34,999	644	255,046	68	11.6	08.3-14.9	20	2.8	01.2-04.4	556	85.6	82.1-89.1
\$35,000- 49,999	726	292,415	88	11.7	08.8-14.6	22	3.7	01.9-05.5	616	84.6	81.3-87.9
\$50,000- 74,999	724	316,866	68	10.1	07.0-13.2	34	4.1	02.5-05.7	622	85.8	82.5-89.1
\$75,000+	1000	476,687	95	11.1	08.6-13.6	38	3.2	02.0-04.4	867	85.7	83.0-88.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10269	4,949,004	3778	28.0	27.0-29.0	6491	72.0	71.0-73.0
Male	4252	2,406,812	1262	23.8	22.2-25.4	2990	76.2	74.6-77.8
Female	6017	2,542,192	2516	32.0	30.6-33.4	3501	68.0	66.6-69.4
White/Non-Hisp	8919	4,040,601	3366	29.3	28.1-30.5	5553	70.7	69.5-71.9
Black or Afr. Am./Non-Hisp	590	415,259	191	25.4	21.1-29.7	399	74.6	70.3-78.9
Oth. Race/Non-Hisp.	169	103,485	53	22.3	15.0-29.6	116	77.7	70.4-85.0
MultiRacial/Non-Hisp.	116	46,119	64	40.2	29.0-51.4	52	59.8	48.6-71.0
Hispanic	318	269,700	50	12.7	08.6-16.8	268	87.3	83.2-91.4
18-24	537	679,959	17	4.2	01.8-06.6	520	95.8	93.4-98.2
25-34	917	814,383	95	10.1	07.9-12.3	822	89.9	87.7-92.1
35-44	1233	812,805	211	17.6	15.1-20.1	1022	82.4	79.9-84.9
45-54	1765	886,559	543	31.4	28.9-33.9	1222	68.6	66.1-71.1
55-64	2251	805,780	964	41.8	39.3-44.3	1287	58.2	55.7-60.7
65+	3469	918,399	1914	54.9	52.9-56.9	1555	45.1	43.1-47.1
Less Than H.S.	930	697,961	416	33.1	29.4-36.8	514	66.9	63.2-70.6
H.S. or G.E.D.	3767	1,723,880	1565	31.3	29.5-33.1	2202	68.7	66.9-70.5
Some Post-H.S.	2607	1,494,656	973	27.4	25.4-29.4	1634	72.6	70.6-74.6
College Graduate	2938	1,020,504	817	19.7	18.1-21.3	2121	80.3	78.7-81.9
Less than \$15,000	1076	494,687	539	35.8	32.1-39.5	537	64.2	60.5-67.9
\$15,000- 24,999	1750	812,224	800	34.3	31.4-37.2	950	65.7	62.8-68.6
\$25,000- 34,999	1128	525,031	456	31.3	28.0-34.6	672	68.7	65.4-72.0
\$35,000- 49,999	1339	648,158	471	27.3	24.6-30.0	868	72.7	70.0-75.4
\$50,000- 74,999	1341	671,925	415	24.6	21.9-27.3	926	75.4	72.7-78.1
\$75,000+	2052	1,066,891	482	20.3	18.1-22.5	1570	79.7	77.5-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 11: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,406,812	1262	23.8	22.2-25.4	2990	76.2	74.6-77.8
White/Non-Hisp	3674	1,951,351	1124	25.0	23.4-26.6	2550	75.0	73.4-76.6
Black or Afr. Am./Non-Hisp	210	193,785	51	20.8	13.9-27.7	159	79.2	72.3-86.1
Oth. Race/Non-Hisp.	83	56,641	17	14.1	05.5-22.7	66	85.9	77.3-94.5
MultiRacial/Non-Hisp.	56	25,600	29	40.3	24.8-55.8	27	59.7	44.2-75.2
Hispanic	143	136,238	18	12.3	05.8-18.8	125	87.7	81.2-94.2
18-24	283	349,189	8	4.8	01.1-08.5	275	95.2	91.5-98.9
25-34	406	409,607	36	8.9	05.8-12.0	370	91.1	88.0-94.2
35-44	516	406,082	73	14.1	10.6-17.6	443	85.9	82.4-89.4
45-54	827	440,613	209	26.1	22.6-29.6	618	73.9	70.4-77.4
55-64	932	395,441	368	41.1	37.4-44.8	564	58.9	55.2-62.6
65+	1258	395,831	562	46.0	42.7-49.3	696	54.0	50.7-57.3
Less Than H.S.	391	354,551	139	29.6	24.1-35.1	252	70.4	64.9-75.9
H.S. or G.E.D.	1504	840,133	495	24.2	21.8-26.6	1009	75.8	73.4-78.2
Some Post-H.S.	1018	691,003	332	25.6	22.5-28.7	686	74.4	71.3-77.5
College Graduate	1322	512,379	292	16.5	14.3-18.7	1030	83.5	81.3-85.7
Less than \$15,000	366	194,930	161	34.8	28.7-40.9	205	65.2	59.1-71.3
\$15,000- 24,999	618	341,100	222	28.0	23.7-32.3	396	72.0	67.7-76.3
\$25,000- 34,999	484	269,779	155	24.9	20.4-29.4	329	75.1	70.6-79.6
\$35,000- 49,999	615	356,810	188	23.4	19.7-27.1	427	76.6	72.9-80.3
\$50,000- 74,999	617	354,722	162	22.4	18.5-26.3	455	77.6	73.7-81.5
\$75,000+	1048	588,388	240	20.9	17.8-24.0	808	79.1	76.0-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6017	2,542,192	2516	32.0	30.6-33.4	3501	68.0	66.6-69.4
White/Non-Hisp	5245	2,089,250	2242	33.3	31.7-34.9	3003	66.7	65.1-68.3
Black or Afr. Am./Non-Hisp	380	221,474	140	29.5	24.0-35.0	240	70.5	65.0-76.0
Oth. Race/Non-Hisp.	86	46,844	36	32.2	19.9-44.5	50	67.8	55.5-80.1
MultiRacial/Non-Hisp.	60	20,519	35	40.0	23.9-56.1	25	60.0	43.9-76.1
Hispanic	175	133,461	32	13.1	07.8-18.4	143	86.9	81.6-92.2
18-24	254	330,770	9	3.6	01.2-06.0	245	96.4	94.0-98.8
25-34	511	404,776	59	11.3	08.2-14.4	452	88.7	85.6-91.8
35-44	717	406,723	138	21.1	17.4-24.8	579	78.9	75.2-82.6
45-54	938	445,946	334	36.7	33.0-40.4	604	63.3	59.6-67.0
55-64	1319	410,339	596	42.5	39.4-45.6	723	57.5	54.4-60.6
65+	2211	522,567	1352	61.6	59.1-64.1	859	38.4	35.9-40.9
Less Than H.S.	539	343,410	277	36.7	31.6-41.8	262	63.3	58.2-68.4
H.S. or G.E.D.	2263	883,747	1070	37.9	35.4-40.4	1193	62.1	59.6-64.6
Some Post-H.S.	1589	803,653	641	29.0	26.5-31.5	948	71.0	68.5-73.5
College Graduate	1616	508,125	525	23.0	20.8-25.2	1091	77.0	74.8-79.2
Less than \$15,000	710	299,757	378	36.4	31.7-41.1	332	63.6	58.9-68.3
\$15,000- 24,999	1132	471,124	578	38.9	35.2-42.6	554	61.1	57.4-64.8
\$25,000- 34,999	644	255,252	301	38.1	33.4-42.8	343	61.9	57.2-66.6
\$35,000- 49,999	724	291,348	283	32.0	27.7-36.3	441	68.0	63.7-72.3
\$50,000- 74,999	724	317,203	253	27.0	23.3-30.7	471	73.0	69.3-76.7
\$75,000+	1004	478,503	242	19.6	16.9-22.3	762	80.4	77.7-83.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	46
11 MALES ONLY	47
12 FEMALES ONLY	48
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	49
14 MALES ONLY	50
15 FEMALES ONLY	51
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	52
17 MALES ONLY	53
18 FEMALES ONLY	54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	55
20 MALES ONLY	56
21 FEMALES ONLY	57
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	58
23 MALES ONLY	59
24 FEMALES ONLY	60
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	61
26 MALES ONLY	62
27 FEMALES ONLY	63
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	64
29 MALES ONLY	65
30 FEMALES ONLY	66
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	67
32 MALES ONLY	68
33 FEMALES ONLY	69
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	70
35 MALES ONLY	71
36 FEMALES ONLY	72
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	73
38 MALES ONLY	74
39 FEMALES ONLY	75

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	76
41	MALES ONLY	77
42	FEMALES ONLY	78
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	79
44	MALES ONLY	80
45	FEMALES ONLY	81
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	82
47	MALES ONLY	83
48	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10161	4,865,135	9295	87.8	86.8-88.8	627	9.1	08.1-10.1	114	1.4	01.0-01.8	77	1.0	00.8-01.2	19	0.3	00.1-00.5	29	0.4	00.2-00.6
Male	4193	2,359,210	3845	87.7	86.1-89.3	229	8.8	07.4-10.2	54	1.6	01.0-02.2	42	1.1	00.7-01.5	8	0.3	00.1-00.5	15	0.5	00.1-00.9
Female	5968	2,505,925	5450	87.9	86.5-89.3	398	9.3	08.1-10.5	60	1.2	00.8-01.6	35	1.0	00.6-01.4	11	0.3	00.1-00.5	14	0.3	00.1-00.5
18-24	525	664,811	447	83.0	79.1-86.9	56	12.9	09.4-16.4	9	1.7	00.5-02.9	8	1.5	00.3-02.7	3	0.6	00.0-01.2	2	0.4	00.0-01.0
25-34	894	791,408	767	84.5	81.4-87.6	80	10.8	08.1-13.5	11	1.4	00.6-02.2	20	1.8	01.0-02.6	7	0.6	00.2-01.0	9	0.8	00.0-01.6
35-44	1201	787,513	1069	86.2	83.7-88.7	90	9.5	07.1-11.9	17	2.0	01.0-03.0	17	1.3	00.5-02.1	3	0.3	00.0-00.7	5	0.7	00.0-01.5
45-54	1755	880,141	1581	88.7	86.9-90.5	131	8.8	07.2-10.4	28	1.5	00.9-02.1	9	0.7	00.1-01.3	3	0.2	00.0-00.4	3	0.2	00.0-00.4
55-64	2245	803,180	2072	90.3	88.5-92.1	135	7.8	06.2-09.4	20	1.1	00.5-01.7	12	0.7	00.3-01.1	2	0.0	00.0-00.0	4	0.1	00.0-00.3
65+	3459	913,024	3287	92.7	91.5-93.9	129	5.8	04.6-07.0	29	1.0	00.6-01.4	8	0.4	00.2-00.6	1	0.0	00.0-00.0	5	0.1	00.0-00.3
Less Than H.S.	898	668,790	765	81.2	77.5-84.9	96	14.0	10.7-17.3	25	2.8	01.4-04.2	4	0.6	00.0-01.2	1	0.3	00.0-00.9	7	1.0	00.0-02.0
H.S. or G.E.D.	3729	1,693,232	3450	88.2	86.4-90.0	215	9.2	07.6-10.8	37	1.4	00.8-02.0	12	0.6	00.2-01.0	7	0.2	00.0-00.4	8	0.4	00.0-00.8
Some Post-H.S.	2590	1,479,515	2352	88.5	86.7-90.3	176	8.7	07.1-10.3	35	1.4	00.8-02.0	10	0.6	00.2-01.0	10	0.5	00.1-00.9	7	0.3	00.1-00.5
College Graduate	2920	1,012,336	2705	90.4	89.0-91.8	139	6.0	04.8-07.2	17	0.6	00.2-01.0	51	2.7	01.9-03.5	1	0.0	00.0-00.0	7	0.2	00.0-00.4
Less than \$15,000	1066	488,610	873	75.1	71.2-79.0	138	18.5	14.8-22.2	31	3.4	01.8-05.0	9	1.1	00.3-01.9	8	1.1	00.1-02.1	7	0.8	00.0-01.6
\$15,000- 24,999	1710	775,943	1502	81.2	78.3-84.1	154	14.1	11.6-16.6	35	2.8	01.6-04.0	10	1.3	00.3-02.3	3	0.1	00.0-00.3	6	0.5	00.0-01.1
\$25,000- 34,999	1121	518,324	1025	87.9	85.2-90.6	68	8.3	05.9-10.7	12	1.4	00.4-02.4	12	1.4	00.4-02.4	1	0.2	00.0-00.6	3	0.6	00.0-01.6
\$35,000- 49,999	1335	643,933	1252	92.4	90.4-94.4	67	5.8	04.2-07.4	9	1.1	00.3-01.9	3	0.2	00.0-00.4	2	0.3	00.0-00.7	2	0.3	00.0-00.7
\$50,000- 74,999	1338	669,506	1261	90.6	87.9-93.3	57	7.4	04.9-09.9	5	0.6	00.0-01.2	10	0.9	00.1-01.7	2	0.3	00.0-00.7	3	0.2	00.0-00.4
\$75,000+	2048	1,063,156	1936	92.7	90.9-94.5	70	5.1	03.5-06.7	10	0.6	00.2-01.0	25	1.3	00.7-01.9	3	0.2	00.0-00.4	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4193	2,359,210	3845	87.7	86.1-89.3	229	8.8	07.4-10.2	54	1.6	01.0-02.2	42	1.1	00.7-01.5	8	0.3	00.1-00.5	15	0.5	00.1-00.9
18-24	276	340,785	237	82.0	76.3-87.7	26	13.3	08.0-18.6	7	2.6	00.4-04.8	4	1.3	00.1-02.5	1	0.4	00.0-01.2	1	0.5	00.0-01.5
25-34	392	393,691	342	86.0	81.7-90.3	27	9.4	05.5-13.3	3	1.0	00.0-02.2	14	2.6	01.0-04.2	3	0.6	00.0-01.4	3	0.4	00.0-01.0
35-44	502	394,229	450	85.8	81.5-90.1	32	9.2	05.5-12.9	7	2.2	00.4-04.0	8	1.3	00.3-02.3	1	0.2	00.0-00.6	4	1.3	00.0-02.7
45-54	821	436,853	748	89.3	86.8-91.8	49	7.8	05.4-10.2	16	1.8	00.8-02.8	4	0.4	00.0-00.8	2	0.4	00.0-01.0	2	0.3	00.0-00.7
55-64	927	394,074	859	89.8	87.1-92.5	51	8.3	05.8-10.8	9	1.0	00.2-01.8	5	0.7	00.1-01.3	1	0.1	00.0-00.3	2	0.1	00.0-00.3
65+	1253	392,183	1188	92.4	90.2-94.6	44	5.6	03.6-07.6	12	1.3	00.5-02.1	6	0.6	00.0-01.2	3	0.1	00.0-00.3	3	0.1	00.0-00.3
Less Than H.S.	373	338,037	315	80.5	75.0-86.0	39	15.2	10.1-20.3	17	3.7	01.5-05.9				2	0.6	00.0-01.6	2	0.6	00.0-01.6
H.S. or G.E.D.	1492	828,675	1389	89.2	86.7-91.7	70	7.8	05.4-10.2	19	1.8	00.8-02.8	3	0.2	00.0-00.4	3	0.3	00.0-00.7	8	0.7	00.0-01.5
Some Post-H.S.	1006	678,519	916	88.3	85.6-91.0	65	9.0	06.5-11.5	12	1.1	00.3-01.9	6	0.8	00.0-01.6	4	0.5	00.0-01.1	3	0.3	00.0-00.7
College Graduate	1307	505,668	1210	89.2	86.8-91.6	55	6.1	04.3-07.9	6	0.5	00.0-01.1	33	4.0	02.4-05.6	1	0.1	00.0-00.3	2	0.2	00.0-00.4
Less than \$15,000	360	192,222	291	75.5	69.4-81.6	39	15.8	10.3-21.3	19	5.6	02.3-08.9	5	1.6	00.0-03.2	4	1.2	00.0-02.4	2	0.3	00.0-00.7
\$15,000- 24,999	595	319,517	521	79.1	74.2-84.0	58	16.7	12.0-21.4	11	3.2	01.0-05.4	4	0.8	00.0-01.6				1	0.1	00.0-00.3
\$25,000- 34,999	483	267,971	443	88.8	84.9-92.7	22	6.1	03.2-09.0	7	1.6	00.2-03.0	8	1.9	00.3-03.5	1	0.4	00.0-01.2	2	1.1	00.0-02.9
\$35,000- 49,999	612	354,039	583	93.3	90.8-95.8	20	4.6	02.4-06.8	5	1.1	00.0-02.3	1	0.1	00.0-00.3	1	0.3	00.0-00.9	2	0.5	00.0-01.3
\$50,000- 74,999	615	352,647	576	88.2	83.7-92.7	25	8.9	04.6-13.2	4	1.2	00.0-02.4	7	1.1	00.3-01.9	1	0.4	00.0-01.2	2	0.3	00.0-00.7
\$75,000+	1049	587,170	990	92.1	89.6-94.6	39	5.7	03.3-08.1	2	0.2	00.0-00.6	14	1.5	00.5-02.5	1	0.2	00.0-00.6	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5968	2,505,925	5450	87.9	86.7-89.1	398	9.3	08.1-10.5	60	1.2	00.8-01.6	35	1.0	00.6-01.4	11	0.3	00.1-00.5	14	0.3	00.1-00.5
18-24	249	324,026	210	84.0	78.7-89.3	30	12.5	07.8-17.2	2	0.8	00.0-02.0	4	1.7	00.0-03.9	2	0.7	00.0-01.9	1	0.3	00.0-00.9
25-34	502	397,717	425	83.1	78.8-87.4	53	12.3	08.4-16.2	8	1.8	00.4-03.2	6	1.1	00.1-02.1	4	0.5	00.0-01.1	6	1.2	00.0-02.6
35-44	699	393,284	619	86.7	83.6-89.8	58	9.8	07.1-12.5	10	1.8	00.6-03.0	9	1.3	00.3-02.3	2	0.4	00.0-01.0	1	0.0	00.0-00.0
45-54	934	443,288	833	88.0	85.3-90.7	82	9.7	07.3-12.1	12	1.2	00.4-02.0	5	1.0	00.0-02.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3
55-64	1318	409,105	1213	90.7	88.7-92.7	84	7.3	05.5-09.1	11	1.1	00.3-01.9	7	0.7	00.1-01.3	1	0.0	00.0-00.0	2	0.1	00.0-00.3
65+	2206	520,841	2099	93.0	91.4-94.6	85	5.9	04.3-07.5	17	0.8	00.4-01.2	2	0.2	00.0-00.6	1	0.0	00.0-00.0	2	0.2	00.0-00.4
Less Than H.S.	525	330,754	450	82.0	77.1-86.9	57	12.9	08.6-17.2	8	1.8	00.4-03.2	4	1.3	00.0-02.7	1	0.6	00.0-01.6	5	1.5	00.0-03.1
H.S. or G.E.D.	2237	864,557	2061	87.3	84.9-89.7	145	10.6	08.4-12.8	18	1.0	00.4-01.6	9	0.9	00.1-01.7	4	0.1	00.0-00.3			
Some Post-H.S.	1584	800,996	1436	88.8	86.6-91.0	111	8.5	06.7-10.3	23	1.6	00.8-02.4	4	0.5	00.0-01.1	6	0.4	00.0-00.8	4	0.2	00.0-00.4
College Graduate	1613	506,668	1495	91.6	89.8-93.4	84	6.0	04.6-07.4	11	0.7	00.1-01.3	18	1.5	00.7-02.3				5	0.2	00.0-00.4
Less than \$15,000	706	296,387	582	74.8	69.5-80.1	99	20.3	15.2-25.4	12	2.0	00.6-03.4	4	0.7	00.0-01.5	4	1.1	00.0-02.5	5	1.2	00.0-02.4
\$15,000- 24,999	1115	456,425	981	82.6	79.1-86.1	96	12.3	09.4-15.2	24	2.6	01.2-04.0	6	1.6	00.0-03.2	3	0.1	00.0-00.3	5	0.8	00.0-01.8
\$25,000- 34,999	638	250,353	582	87.0	83.3-90.7	46	10.8	07.3-14.3	5	1.2	00.0-02.4	4	0.9	00.0-01.9				1	0.1	00.0-00.3
\$35,000- 49,999	723	289,894	669	91.2	88.5-93.9	47	7.4	05.0-09.8	4	1.0	00.0-02.2	2	0.2	00.0-00.6	1	0.3	00.0-00.9			
\$50,000- 74,999	723	316,859	685	93.3	90.6-96.0	32	5.7	03.2-08.2	1	0.0	00.0-00.0	3	0.8	00.0-02.2	1	0.2	00.0-00.6	1	0.1	00.0-00.3
\$75,000+	999	475,986	946	93.4	91.0-95.8	31	4.3	02.1-06.5	8	1.0	00.2-01.8	11	1.0	00.4-01.6	2	0.3	00.0-00.7	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10161	4,865,135	9222	87.3	86.3-88.3	615	8.9	07.9-09.9	98	1.3	00.9-01.7	76	1.0	00.8-01.2	18	0.3	00.1-00.5	132	1.2	01.0-01.4
Male	4193	2,359,210	3811	87.2	85.6-88.8	225	8.7	07.3-10.1	46	1.4	00.8-02.0	41	1.1	00.7-01.5	7	0.3	00.1-00.5	63	1.3	00.9-01.7
Female	5968	2,505,925	5411	87.5	86.1-88.9	390	9.1	07.9-10.3	52	1.1	00.7-01.5	35	1.0	00.6-01.4	11	0.3	00.1-00.5	69	1.0	00.6-01.4
18-24	525	664,811	442	82.2	78.3-86.1	51	12.2	08.7-15.7	9	1.7	00.5-02.9	8	1.5	00.3-02.7	3	0.6	00.0-01.2	12	1.8	00.6-03.0
25-34	894	791,408	765	84.4	81.3-87.5	80	10.8	08.1-13.5	10	1.3	00.5-02.1	20	1.8	01.0-02.6	7	0.6	00.2-01.0	12	1.0	00.2-01.8
35-44	1201	787,513	1062	85.9	83.4-88.4	90	9.5	07.1-11.9	16	1.9	00.9-02.9	17	1.3	00.5-02.1	3	0.3	00.0-00.7	13	1.1	00.3-01.9
45-54	1755	880,141	1564	88.0	86.0-90.0	126	8.6	07.0-10.2	21	1.2	00.6-01.8	9	0.7	00.1-01.3	2	0.1	00.0-00.3	33	1.4	00.8-02.0
55-64	2245	803,180	2049	89.5	87.7-91.3	133	7.6	06.0-09.2	15	0.9	00.3-01.5	11	0.6	00.2-01.0	2	0.0	00.0-00.0	35	1.3	00.7-01.9
65+	3459	913,024	3270	92.4	91.0-93.8	129	5.8	04.6-07.0	27	0.9	00.5-01.3	8	0.4	00.2-00.6	1	0.0	00.0-00.0	24	0.6	00.2-01.0
Less Than H.S.	898	668,790	756	80.7	77.0-84.4	96	14.0	10.7-17.3	21	2.5	01.3-03.7	4	0.6	00.0-01.2	1	0.3	00.0-00.9	20	1.9	00.7-03.1
H.S. or G.E.D.	3729	1,693,232	3427	87.7	85.9-89.5	210	9.0	07.4-10.6	31	1.2	00.6-01.8	12	0.6	00.2-01.0	7	0.2	00.0-00.4	42	1.2	00.6-01.8
Some Post-H.S.	2590	1,479,515	2326	88.1	86.3-89.9	172	8.5	06.9-10.1	32	1.3	00.7-01.9	9	0.6	00.2-01.0	9	0.4	00.0-00.8	42	1.1	00.7-01.5
College Graduate	2920	1,012,336	2690	90.0	88.6-91.4	136	5.9	04.7-07.1	14	0.5	00.1-00.9	51	2.7	01.9-03.5	1	0.0	00.0-00.0	28	0.8	00.4-01.2
Less than \$15,000	1066	488,610	859	74.6	70.7-78.5	137	18.4	14.7-22.1	26	3.0	01.4-04.6	9	1.1	00.3-01.9	7	1.0	00.0-02.0	28	1.8	00.8-02.8
\$15,000- 24,999	1710	775,943	1490	80.8	77.9-83.7	148	13.6	11.1-16.1	31	2.7	01.5-03.9	10	1.3	00.3-02.3	3	0.1	00.0-00.3	28	1.6	00.8-02.4
\$25,000- 34,999	1121	518,324	1016	87.2	84.5-89.9	67	8.2	05.8-10.6	12	1.4	00.4-02.4	12	1.4	00.4-02.4	1	0.2	00.0-00.6	13	1.5	00.3-02.7
\$35,000- 49,999	1335	643,933	1244	91.9	89.9-93.9	65	5.8	04.2-07.4	5	0.7	00.0-01.5	3	0.2	00.0-00.4	2	0.3	00.0-00.7	16	1.2	00.4-02.0
\$50,000- 74,999	1338	669,506	1254	90.1	87.4-92.8	56	7.1	04.6-09.6	3	0.4	00.0-01.0	10	0.9	00.1-01.7	2	0.3	00.0-00.7	13	1.1	00.3-01.9
\$75,000+	2048	1,063,156	1929	92.4	90.6-94.2	69	5.0	03.4-06.6	10	0.6	00.2-01.0	24	1.3	00.7-01.9	3	0.2	00.0-00.4	13	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4193	2,359,210	3811	87.2	85.6-88.8	225	8.7	07.3-10.1	46	1.4	00.8-02.0	41	1.1	00.7-01.5	7	0.3	00.1-00.5	63	1.3	00.9-01.7
18-24	276	340,785	235	81.4	75.7-87.1	25	12.9	07.6-18.2	7	2.6	00.4-04.8	4	1.3	00.1-02.5	1	0.4	00.0-01.2	4	1.5	00.0-03.1
25-34	392	393,691	341	85.9	81.6-90.2	27	9.4	05.5-13.3	3	1.0	00.0-02.2	14	2.6	01.0-04.2	3	0.6	00.0-01.4	4	0.6	00.0-01.2
35-44	502	394,229	448	85.6	81.3-89.9	32	9.2	05.5-12.9	6	1.9	00.3-03.5	8	1.3	00.3-02.3	1	0.2	00.0-00.6	7	1.7	00.1-03.3
45-54	821	436,853	738	88.5	86.0-91.0	47	7.7	05.3-10.1	11	1.3	00.5-02.1	4	0.4	00.0-00.8	1	0.2	00.0-00.6	20	1.8	00.8-02.8
55-64	927	394,074	849	88.9	86.2-91.6	50	8.0	05.5-10.5	8	0.9	00.1-01.7	4	0.6	00.0-01.2	1	0.1	00.0-00.3	15	1.6	00.4-02.8
65+	1253	392,183	1180	91.8	89.6-94.0	44	5.6	03.6-07.6	11	1.1	00.3-01.9	6	0.6	00.0-01.2				12	0.9	00.3-01.5
Less Than H.S.	373	338,037	309	79.5	74.0-85.0	39	15.2	10.1-20.3	15	3.3	01.1-05.5							10	2.0	00.4-03.6
H.S. or G.E.D.	1492	828,675	1376	88.7	86.2-91.2	68	7.6	05.2-10.0	17	1.7	00.7-02.7	3	0.2	00.0-00.4	3	0.3	00.0-00.7	25	1.6	00.8-02.4
Some Post-H.S.	1006	678,519	905	87.8	85.1-90.5	64	8.8	06.3-11.3	9	0.9	00.1-01.7	5	0.8	00.0-01.6	3	0.5	00.0-01.1	20	1.3	00.7-01.9
College Graduate	1307	505,668	1206	88.8	86.4-91.2	54	6.0	04.2-07.8	5	0.5	00.0-01.1	33	4.0	02.4-05.6	1	0.1	00.0-00.3	8	0.7	00.1-01.3
Less than \$15,000	360	192,222	289	75.4	69.3-81.5	38	15.7	10.2-21.2	16	5.2	01.9-08.5	5	1.6	00.0-03.2	3	0.9	00.0-02.1	9	1.3	00.3-02.3
\$15,000- 24,999	595	319,517	515	78.6	73.7-83.5	56	16.0	11.5-20.5	10	2.9	00.7-05.1	4	0.8	00.0-01.6				10	1.7	00.5-02.9
\$25,000- 34,999	483	267,971	435	87.7	83.8-91.6	22	6.1	03.2-09.0	7	1.6	00.2-03.0	8	1.9	00.3-03.5	1	0.4	00.0-01.2	10	2.3	00.3-04.3
\$35,000- 49,999	612	354,039	578	93.0	90.5-95.5	20	4.6	02.4-06.8	3	0.8	00.0-01.8	1	0.1	00.0-00.3	1	0.3	00.0-00.9	9	1.2	00.2-02.2
\$50,000- 74,999	615	352,647	573	87.6	83.1-92.1	25	8.9	04.6-13.2	2	0.8	00.0-02.0	7	1.1	00.3-01.9	1	0.4	00.0-01.2	7	1.3	00.1-02.5
\$75,000+	1049	587,170	986	91.8	89.3-94.3	38	5.6	03.2-08.0	2	0.2	00.0-00.6	13	1.5	00.5-02.5	1	0.2	00.0-00.6	9	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5968	2,505,925	5411	87.5	86.1-88.9	390	9.1	07.9-10.3	52	1.1	00.7-01.5	35	1.0	00.6-01.4	11	0.3	00.1-00.5	69	1.0	00.6-01.4
18-24	249	324,026	207	83.2	77.9-88.5	26	11.4	06.9-15.9	2	0.8	00.0-02.0	4	1.7	00.0-03.9	2	0.7	00.0-01.9	8	2.2	00.6-03.8
25-34	502	397,717	424	82.9	78.6-87.2	53	12.3	08.4-16.2	7	1.6	00.4-02.8	6	1.1	00.1-02.1	4	0.5	00.0-01.1	8	1.5	00.1-02.9
35-44	699	393,284	614	86.2	83.1-89.3	58	9.8	07.1-12.5	10	1.8	00.6-03.0	9	1.3	00.3-02.3	2	0.4	00.0-01.0	6	0.5	00.0-01.1
45-54	934	443,288	826	87.5	84.8-90.2	79	9.4	07.0-11.8	10	1.0	00.2-01.8	5	1.0	00.0-02.2	1	0.1	00.0-00.3	13	1.0	00.4-01.6
55-64	1318	409,105	1200	90.1	87.9-92.3	83	7.3	05.5-09.1	7	0.9	00.1-01.7	7	0.7	00.1-01.3	1	0.0	00.0-00.0	20	1.0	00.4-01.6
65+	2206	520,841	2090	92.8	91.2-94.4	85	5.9	04.3-07.5	16	0.7	00.3-01.1	2	0.2	00.0-00.6	1	0.0	00.0-00.0	12	0.4	00.0-00.8
Less Than H.S.	525	330,754	447	81.8	76.9-86.7	57	12.9	08.6-17.2	6	1.6	00.2-03.0	4	1.3	00.0-02.7	1	0.6	00.0-01.6	10	1.9	00.3-03.5
H.S. or G.E.D.	2237	864,557	2051	86.8	84.4-89.2	142	10.4	08.2-12.6	14	0.8	00.4-01.2	9	0.9	00.1-01.7	4	0.1	00.0-00.3	17	0.9	00.3-01.5
Some Post-H.S.	1584	800,996	1421	88.3	86.1-90.5	108	8.2	06.4-10.0	23	1.6	00.8-02.4	4	0.5	00.0-01.1	6	0.4	00.0-00.8	22	1.0	00.4-01.6
College Graduate	1613	506,668	1484	91.2	89.4-93.0	82	5.8	04.4-07.2	9	0.6	00.0-01.2	18	1.5	00.7-02.3				20	0.8	00.4-01.2
Less than \$15,000	706	296,387	570	74.1	68.8-79.4	99	20.3	15.2-25.4	10	1.6	00.2-03.0	4	0.7	00.0-01.5	4	1.1	00.0-02.5	19	2.2	00.8-03.6
\$15,000- 24,999	1115	456,425	975	82.4	78.9-85.9	92	11.8	08.9-14.7	21	2.5	01.1-03.9	6	1.6	00.0-03.2	3	0.1	00.0-00.3	18	1.5	00.3-02.7
\$25,000- 34,999	638	250,353	581	86.6	82.7-90.5	45	10.5	07.0-14.0	5	1.2	00.0-02.4	4	0.9	00.0-01.9				3	0.7	00.0-01.5
\$35,000- 49,999	723	289,894	666	90.5	87.8-93.2	45	7.2	04.8-09.6	2	0.6	00.0-01.6	2	0.2	00.0-00.6	1	0.3	00.0-00.9	7	1.3	00.3-02.3
\$50,000- 74,999	723	316,859	681	93.0	90.3-95.7	31	5.2	02.8-07.6	1	0.0	00.0-00.0	3	0.8	00.0-02.2	1	0.2	00.0-00.6	6	0.9	00.0-01.9
\$75,000+	999	475,986	943	93.2	90.8-95.6	31	4.3	02.1-06.5	8	1.0	00.2-01.8	11	1.0	00.4-01.6	2	0.3	00.0-00.7	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10174	4,904,196	8974	82.9	81.7-84.1	595	8.5	07.7-09.3	92	1.1	00.9-01.3	73	1.0	00.8-01.2	121	1.0	00.8-01.2	319	5.5	04.9-06.1
Male	4194	2,377,371	3698	82.5	80.7-84.3	214	8.3	06.9-09.7	42	1.3	00.9-01.7	39	1.1	00.7-01.5	58	1.1	00.7-01.5	143	5.7	04.7-06.7
Female	5980	2,526,825	5276	83.2	81.8-84.6	381	8.8	07.6-10.0	50	0.9	00.5-01.3	34	0.9	00.5-01.3	63	0.8	00.6-01.0	176	5.3	04.3-06.3
18-24	538	680,434	413	75.6	71.5-79.7	50	11.6	08.3-14.9	9	1.6	00.4-02.8	8	1.5	00.3-02.7	12	1.8	00.6-03.0	46	8.0	05.6-10.4
25-34	906	805,925	714	76.5	73.2-79.8	75	10.1	07.4-12.8	12	1.3	00.5-02.1	18	1.5	00.7-02.3	9	0.5	00.1-00.9	78	10.0	07.6-12.4
35-44	1217	801,032	1004	79.1	76.2-82.0	84	8.7	06.5-10.9	12	1.2	00.4-02.0	17	1.3	00.5-02.1	10	0.6	00.2-01.0	90	9.1	06.9-11.3
45-54	1759	881,345	1523	84.5	82.3-86.7	125	8.5	06.9-10.1	17	1.0	00.4-01.6	8	0.7	00.1-01.3	32	1.3	00.7-01.9	54	4.1	02.9-05.3
55-64	2237	802,637	2022	87.9	86.1-89.7	130	7.6	06.0-09.2	14	0.7	00.3-01.1	11	0.6	00.2-01.0	32	1.2	00.6-01.8	28	2.0	01.2-02.8
65+	3439	909,011	3231	91.2	89.8-92.6	126	5.7	04.5-06.9	28	0.9	00.5-01.3	8	0.4	00.2-00.6	23	0.6	00.2-01.0	23	1.2	00.6-01.8
Less Than H.S.	906	684,055	675	67.4	63.3-71.5	91	13.1	09.8-16.4	11	1.1	00.1-02.1	3	0.4	00.0-00.8	15	1.2	00.4-02.0	111	16.8	13.7-19.9
H.S. or G.E.D.	3741	1,714,528	3354	83.5	81.5-85.5	207	8.8	07.2-10.4	32	1.2	00.6-01.8	12	0.6	00.2-01.0	37	0.9	00.5-01.3	99	5.1	03.9-06.3
Some Post-H.S.	2593	1,484,980	2289	85.6	83.8-87.4	169	8.2	06.8-09.6	34	1.4	00.8-02.0	8	0.6	00.2-01.0	41	1.1	00.7-01.5	52	3.1	02.1-04.1
College Graduate	2913	1,009,788	2636	88.1	86.5-89.7	127	5.5	04.3-06.7	15	0.6	00.2-01.0	50	2.7	01.9-03.5	28	0.8	00.4-01.2	57	2.4	01.6-03.2
Less than \$15,000	1065	491,601	810	67.8	63.7-71.9	132	17.3	13.6-21.0	29	3.1	01.7-04.5	9	1.1	00.3-01.9	24	1.3	00.5-02.1	61	9.4	06.7-12.1
\$15,000- 24,999	1725	798,470	1433	72.5	69.4-75.6	146	12.8	10.4-15.2	25	1.6	00.6-02.6	10	1.2	00.2-02.2	26	1.2	00.6-01.8	85	10.6	08.2-13.0
\$25,000- 34,999	1130	525,323	990	81.7	78.4-85.0	63	7.8	05.4-10.2	9	1.2	00.4-02.0	12	1.4	00.4-02.4	12	1.0	00.4-01.6	44	6.9	04.5-09.3
\$35,000- 49,999	1333	645,225	1215	88.7	86.3-91.1	62	5.6	04.0-07.2	6	0.9	00.1-01.7	3	0.2	00.0-00.4	14	0.9	00.3-01.5	33	3.8	02.4-05.2
\$50,000- 74,999	1335	668,980	1233	88.3	85.4-91.2	54	6.9	04.4-09.4	5	0.7	00.0-01.5	9	0.8	00.0-01.6	12	1.0	00.2-01.8	22	2.3	01.1-03.5
\$75,000+	2049	1,063,869	1903	90.5	88.5-92.5	68	5.0	03.4-06.6	8	0.4	00.0-00.8	23	1.2	00.6-01.8	13	0.5	00.1-00.9	34	2.3	01.3-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4194	2,377,371	3698	82.5	80.7-84.3	214	8.3	06.9-09.7	42	1.3	00.9-01.7	39	1.1	00.7-01.5	58	1.1	00.7-01.5	143	5.7	04.7-06.7
18-24	283	348,356	221	75.5	69.6-81.4	24	12.2	07.1-17.3	6	2.2	00.2-04.2	4	1.2	00.0-02.4	4	1.4	00.0-03.0	24	7.4	04.3-10.5
25-34	397	401,139	319	77.9	73.0-82.8	25	8.9	05.0-12.8	5	1.3	00.1-02.5	13	2.4	01.0-03.8	4	0.6	00.0-01.2	31	9.0	05.7-12.3
35-44	510	402,348	426	78.4	73.7-83.1	28	8.3	04.8-11.8	4	1.2	00.0-02.6	8	1.3	00.3-02.3	4	0.7	00.0-01.5	40	10.1	06.8-13.4
45-54	820	435,309	719	84.8	81.7-87.9	46	7.6	05.2-10.0	9	1.2	00.4-02.0	3	0.3	00.0-00.7	19	1.6	00.8-02.4	24	4.5	02.3-06.7
55-64	921	393,138	832	87.0	84.1-89.9	48	7.9	05.4-10.4	7	0.6	00.0-01.2	4	0.6	00.0-01.2	14	1.5	00.5-02.5	16	2.3	00.9-03.7
65+	1242	390,184	1162	90.7	88.3-93.1	43	5.5	03.5-07.5	11	1.1	00.3-01.9	6	0.6	00.0-01.2	12	0.9	00.3-01.5	8	1.2	00.2-02.2
Less Than H.S.	375	345,428	272	66.0	59.9-72.1	36	14.5	09.4-19.6	9	1.8	00.2-03.4				10	2.0	00.4-03.6	48	15.8	11.3-20.3
H.S. or G.E.D.	1497	838,440	1343	84.5	81.8-87.2	67	7.4	05.2-09.6	17	1.7	00.7-02.7	3	0.2	00.0-00.4	20	0.9	00.5-01.3	47	5.3	03.7-06.9
Some Post-H.S.	1008	681,684	887	85.0	82.1-87.9	62	8.4	06.0-10.8	10	1.1	00.3-01.9	4	0.7	00.0-01.5	20	1.3	00.7-01.9	25	3.6	02.0-05.2
College Graduate	1301	503,716	1183	86.9	84.4-89.4	49	5.4	03.6-07.2	6	0.6	00.0-01.2	32	3.8	02.4-05.2	8	0.7	00.1-01.3	23	2.6	01.4-03.8
Less than \$15,000	359	192,016	269	66.1	59.4-72.8	36	15.1	09.8-20.4	16	4.7	01.8-07.6	5	1.6	00.0-03.2	8	1.1	00.1-02.1	25	11.4	06.7-16.1
\$15,000- 24,999	602	333,337	485	66.8	61.3-72.3	55	14.9	10.6-19.2	7	1.7	00.1-03.3	4	0.8	00.0-01.6	10	1.6	00.4-02.8	41	14.2	09.9-18.5
\$25,000- 34,999	486	270,267	425	83.2	78.5-87.9	20	5.6	02.7-08.5	5	1.5	00.1-02.9	8	1.9	00.5-03.3	9	1.3	00.3-02.3	19	6.4	03.1-09.7
\$35,000- 49,999	612	355,504	563	90.1	87.2-93.0	19	4.3	02.1-06.5	4	1.1	00.0-02.3	1	0.1	00.0-00.3	7	0.7	00.1-01.3	18	3.6	01.8-05.4
\$50,000- 74,999	614	353,422	566	85.7	81.0-90.4	23	8.4	04.1-12.7	3	1.2	00.0-02.6	6	0.9	00.1-01.7	6	1.0	00.0-02.0	10	2.8	00.8-04.8
\$75,000+	1047	585,641	974	90.3	87.6-93.0	37	5.6	03.2-08.0	1	0.1	00.0-00.3	12	1.4	00.4-02.4	9	0.7	00.1-01.3	14	1.9	00.7-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5980	2,526,825	5276	83.2	81.8-84.6	381	8.8	07.6-10.0	50	0.9	00.5-01.3	34	0.9	00.5-01.3	63	0.8	00.6-01.0	176	5.3	04.3-06.3
18-24	255	332,078	192	75.6	69.7-81.5	26	11.1	06.6-15.6	3	1.0	00.0-02.2	4	1.7	00.0-03.9	8	2.1	00.5-03.7	22	8.5	04.8-12.2
25-34	509	404,786	395	75.1	70.4-79.8	50	11.4	07.5-15.3	7	1.3	00.3-02.3	5	0.7	00.1-01.3	5	0.5	00.1-00.9	47	11.1	07.8-14.4
35-44	707	398,684	578	79.8	76.1-83.5	56	9.0	06.5-11.5	8	1.3	00.3-02.3	9	1.3	00.3-02.3	6	0.5	00.1-00.9	50	8.1	05.6-10.6
45-54	939	446,036	804	84.3	81.4-87.2	79	9.4	07.0-11.8	8	0.7	00.1-01.3	5	1.0	00.0-02.2	13	1.0	00.4-01.6	30	3.7	02.1-05.3
55-64	1316	409,499	1190	88.8	86.6-91.0	82	7.2	05.4-09.0	7	0.8	00.0-01.6	7	0.7	00.1-01.3	18	0.8	00.2-01.4	12	1.6	00.6-02.6
65+	2197	518,827	2069	91.6	89.8-93.4	83	5.8	04.2-07.4	17	0.7	00.3-01.1	2	0.2	00.0-00.6	11	0.4	00.0-00.8	15	1.3	00.5-02.1
Less Than H.S.	531	338,627	403	68.9	63.4-74.4	55	11.7	07.6-15.8	2	0.4	00.0-01.2	3	0.9	00.0-01.9	5	0.4	00.0-00.8	63	17.8	13.3-22.3
H.S. or G.E.D.	2244	876,088	2011	82.5	80.0-85.0	140	10.0	07.8-12.2	15	0.7	00.3-01.1	9	0.9	00.1-01.7	17	0.9	00.3-01.5	52	4.9	03.3-06.5
Some Post-H.S.	1585	803,296	1402	86.2	83.8-88.6	107	8.1	06.3-09.9	24	1.6	00.8-02.4	4	0.5	00.0-01.1	21	1.0	00.4-01.6	27	2.6	01.4-03.8
College Graduate	1612	506,072	1453	89.2	87.4-91.0	78	5.7	04.3-07.1	9	0.6	00.0-01.2	18	1.5	00.7-02.3	20	0.8	00.4-01.2	34	2.1	01.3-02.9
Less than \$15,000	706	299,584	541	68.8	63.5-74.1	96	18.8	13.9-23.7	13	2.1	00.7-03.5	4	0.7	00.0-01.5	16	1.5	00.5-02.5	36	8.2	05.1-11.3
\$15,000- 24,999	1123	465,133	948	76.5	72.8-80.2	91	11.3	08.6-14.0	18	1.6	00.6-02.6	6	1.6	00.0-03.2	16	0.9	00.3-01.5	44	8.0	05.5-10.5
\$25,000- 34,999	644	255,056	565	80.1	75.6-84.6	43	10.1	06.6-13.6	4	0.9	00.0-01.9	4	0.9	00.0-01.9	3	0.7	00.0-01.5	25	7.4	04.1-10.7
\$35,000- 49,999	721	289,721	652	86.8	83.5-90.1	43	7.1	04.7-09.5	2	0.6	00.0-01.6	2	0.2	00.0-00.6	7	1.3	00.3-02.3	15	4.0	01.8-06.2
\$50,000- 74,999	721	315,558	667	91.3	88.4-94.2	31	5.2	02.8-07.6	2	0.2	00.0-00.6	3	0.8	00.0-02.2	6	0.9	00.0-01.9	12	1.7	00.7-02.7
\$75,000+	1002	478,228	929	90.8	88.1-93.5	31	4.3	02.1-06.5	7	0.9	00.1-01.7	11	1.0	00.4-01.6	4	0.2	00.0-00.4	20	2.8	01.2-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10174	4,904,196	8974	82.9	81.7-84.1	1200	17.1	15.9-18.3
Male	4194	2,377,371	3698	82.5	80.7-84.3	496	17.5	15.7-19.3
Female	5980	2,526,825	5276	83.2	81.8-84.6	704	16.8	15.4-18.2
18-24	538	680,434	413	75.6	71.5-79.7	125	24.4	20.3-28.5
25-34	906	805,925	714	76.5	73.2-79.8	192	23.5	20.2-26.8
35-44	1217	801,032	1004	79.1	76.2-82.0	213	20.9	18.0-23.8
45-54	1759	881,345	1523	84.5	82.3-86.7	236	15.5	13.3-17.7
55-64	2237	802,637	2022	87.9	86.1-89.7	215	12.1	10.3-13.9
65+	3439	909,011	3231	91.2	89.8-92.6	208	8.8	07.4-10.2
Less Than H.S.	906	684,055	675	67.4	63.3-71.5	231	32.6	28.5-36.7
H.S. or G.E.D.	3741	1,714,528	3354	83.5	81.5-85.5	387	16.5	14.5-18.5
Some Post-H.S.	2593	1,484,980	2289	85.6	83.8-87.4	304	14.4	12.6-16.2
College Graduate	2913	1,009,788	2636	88.1	86.5-89.7	277	11.9	10.3-13.5
Less than \$15,000	1065	491,601	810	67.8	63.7-71.9	255	32.2	28.1-36.3
\$15,000- 24,999	1725	798,470	1433	72.5	69.4-75.6	292	27.5	24.4-30.6
\$25,000- 34,999	1130	525,323	990	81.7	78.4-85.0	140	18.3	15.0-21.6
\$35,000- 49,999	1333	645,225	1215	88.7	86.3-91.1	118	11.3	08.9-13.7
\$50,000- 74,999	1335	668,980	1233	88.3	85.4-91.2	102	11.7	08.8-14.6
\$75,000+	2049	1,063,869	1903	90.5	88.5-92.5	146	9.5	07.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4194	2,377,371	3698	82.5	80.7-84.3	496	17.5	15.7-19.3
18-24	283	348,356	221	75.5	69.6-81.4	62	24.5	18.6-30.4
25-34	397	401,139	319	77.9	73.0-82.8	78	22.1	17.2-27.0
35-44	510	402,348	426	78.4	73.7-83.1	84	21.6	16.9-26.3
45-54	820	435,309	719	84.8	81.7-87.9	101	15.2	12.1-18.3
55-64	921	393,138	832	87.0	84.1-89.9	89	13.0	10.1-15.9
65+	1242	390,184	1162	90.7	88.3-93.1	80	9.3	06.9-11.7
Less Than H.S.	375	345,428	272	66.0	59.9-72.1	103	34.0	27.9-40.1
H.S. or G.E.D.	1497	838,440	1343	84.5	81.8-87.2	154	15.5	12.8-18.2
Some Post-H.S.	1008	681,684	887	85.0	82.1-87.9	121	15.0	12.1-17.9
College Graduate	1301	503,716	1183	86.9	84.4-89.4	118	13.1	10.6-15.6
Less than \$15,000	359	192,016	269	66.1	59.4-72.8	90	33.9	27.2-40.6
\$15,000- 24,999	602	333,337	485	66.8	61.3-72.3	117	33.2	27.7-38.7
\$25,000- 34,999	486	270,267	425	83.2	78.5-87.9	61	16.8	12.1-21.5
\$35,000- 49,999	612	355,504	563	90.1	87.2-93.0	49	9.9	07.0-12.8
\$50,000- 74,999	614	353,422	566	85.7	81.0-90.4	48	14.3	09.6-19.0
\$75,000+	1047	585,641	974	90.3	87.6-93.0	73	9.7	07.0-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5980	2,526,825	5276	83.2	81.8-84.6	704	16.8	15.4-18.2
18-24	255	332,078	192	75.6	69.7-81.5	63	24.4	18.5-30.3
25-34	509	404,786	395	75.1	70.4-79.8	114	24.9	20.2-29.6
35-44	707	398,684	578	79.8	76.1-83.5	129	20.2	16.5-23.9
45-54	939	446,036	804	84.3	81.4-87.2	135	15.7	12.8-18.6
55-64	1316	409,499	1190	88.8	86.6-91.0	126	11.2	09.0-13.4
65+	2197	518,827	2069	91.6	89.8-93.4	128	8.4	06.6-10.2
Less Than H.S.	531	338,627	403	68.9	63.4-74.4	128	31.1	25.6-36.6
H.S. or G.E.D.	2244	876,088	2011	82.5	80.0-85.0	233	17.5	15.0-20.0
Some Post-H.S.	1585	803,296	1402	86.2	83.8-88.6	183	13.8	11.4-16.2
College Graduate	1612	506,072	1453	89.2	87.4-91.0	159	10.8	09.0-12.6
Less than \$15,000	706	299,584	541	68.8	63.5-74.1	165	31.2	25.9-36.5
\$15,000- 24,999	1123	465,133	948	76.5	72.8-80.2	175	23.5	19.8-27.2
\$25,000- 34,999	644	255,056	565	80.1	75.6-84.6	79	19.9	15.4-24.4
\$35,000- 49,999	721	289,721	652	86.8	83.5-90.1	69	13.2	09.9-16.5
\$50,000- 74,999	721	315,558	667	91.3	88.4-94.2	54	8.7	05.8-11.6
\$75,000+	1002	478,228	929	90.8	88.1-93.5	73	9.2	06.5-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10174	4,904,196	8974	82.9	81.7-84.1	595	8.5	07.7-09.3	170	2.1	01.7-02.5	116	0.9	00.7-01.1	319	5.5	04.9-06.1
Male	4194	2,377,371	3698	82.5	80.7-84.3	214	8.3	06.9-09.7	83	2.4	01.8-03.0	56	1.1	00.7-01.5	143	5.7	04.7-06.7
Female	5980	2,526,825	5276	83.2	81.8-84.6	381	8.8	07.6-10.0	87	1.9	01.3-02.5	60	0.8	00.6-01.0	176	5.3	04.3-06.3
18-24	538	680,434	413	75.6	71.5-79.7	50	11.6	08.3-14.9	17	3.1	01.5-04.7	12	1.8	00.6-03.0	46	8.0	05.6-10.4
25-34	906	805,925	714	76.5	73.2-79.8	75	10.1	07.4-12.8	33	3.0	01.8-04.2	6	0.4	00.0-00.8	78	10.0	07.6-12.4
35-44	1217	801,032	1004	79.1	76.2-82.0	84	8.7	06.5-10.9	29	2.5	01.3-03.7	10	0.6	00.2-01.0	90	9.1	06.9-11.3
45-54	1759	881,345	1523	84.5	82.3-86.7	125	8.5	06.9-10.1	25	1.6	00.8-02.4	32	1.3	00.7-01.9	54	4.1	02.9-05.3
55-64	2237	802,637	2022	87.9	86.1-89.7	130	7.6	06.0-09.2	26	1.4	00.8-02.0	31	1.2	00.6-01.8	28	2.0	01.2-02.8
65+	3439	909,011	3231	91.2	89.8-92.6	126	5.7	04.5-06.9	37	1.3	00.7-01.9	22	0.6	00.2-01.0	23	1.2	00.6-01.8
Less Than H.S.	906	684,055	675	67.4	63.3-71.5	91	13.1	09.8-16.4	14	1.5	00.5-02.5	15	1.2	00.4-02.0	111	16.8	13.7-19.9
H.S. or G.E.D.	3741	1,714,528	3354	83.5	81.5-85.5	207	8.8	07.2-10.4	44	1.7	01.1-02.3	37	0.9	00.5-01.3	99	5.1	03.9-06.3
Some Post-H.S.	2593	1,484,980	2289	85.6	83.8-87.4	169	8.2	06.8-09.6	45	2.0	01.2-02.8	38	1.0	00.6-01.4	52	3.1	02.1-04.1
College Graduate	2913	1,009,788	2636	88.1	86.5-89.7	127	5.5	04.3-06.7	67	3.3	02.3-04.3	26	0.7	00.3-01.1	57	2.4	01.6-03.2
Less than \$15,000	1065	491,601	810	67.8	63.7-71.9	132	17.3	13.6-21.0	39	4.2	02.6-05.8	23	1.3	00.5-02.1	61	9.4	06.7-12.1
\$15,000- 24,999	1725	798,470	1433	72.5	69.4-75.6	146	12.8	10.4-15.2	36	2.9	01.5-04.3	25	1.2	00.6-01.8	85	10.6	08.2-13.0
\$25,000- 34,999	1130	525,323	990	81.7	78.4-85.0	63	7.8	05.4-10.2	23	2.8	01.4-04.2	10	0.9	00.3-01.5	44	6.9	04.5-09.3
\$35,000- 49,999	1333	645,225	1215	88.7	86.3-91.1	62	5.6	04.0-07.2	9	1.0	00.2-01.8	14	0.9	00.3-01.5	33	3.8	02.4-05.2
\$50,000- 74,999	1335	668,980	1233	88.3	85.4-91.2	54	6.9	04.4-09.4	14	1.6	00.6-02.6	12	1.0	00.2-01.8	22	2.3	01.1-03.5
\$75,000+	2049	1,063,869	1903	90.5	88.5-92.5	68	5.0	03.4-06.6	32	1.7	01.1-02.3	12	0.4	00.0-00.8	34	2.3	01.3-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4194	2,377,371	3698	82.5	80.7-84.3	214	8.3	06.9-09.7	83	2.4	01.8-03.0	56	1.1	00.7-01.5	143	5.7	04.7-06.7
18-24	283	348,356	221	75.5	69.6-81.4	24	12.2	07.1-17.3	10	3.5	01.1-05.9	4	1.4	00.0-03.0	24	7.4	04.3-10.5
25-34	397	401,139	319	77.9	73.0-82.8	25	8.9	05.0-12.8	19	3.9	01.9-05.9	3	0.4	00.0-00.8	31	9.0	05.7-12.3
35-44	510	402,348	426	78.4	73.7-83.1	28	8.3	04.8-11.8	12	2.5	00.9-04.1	4	0.7	00.0-01.5	40	10.1	06.8-13.4
45-54	820	435,309	719	84.8	81.7-87.9	46	7.6	05.2-10.0	12	1.5	00.5-02.5	19	1.6	00.8-02.4	24	4.5	02.3-06.7
55-64	921	393,138	832	87.0	84.1-89.9	48	7.9	05.4-10.4	11	1.2	00.4-02.0	14	1.5	00.5-02.5	16	2.3	00.9-03.7
65+	1242	390,184	1162	90.7	88.3-93.1	43	5.5	03.5-07.5	18	1.8	00.8-02.8	11	0.8	00.2-01.4	8	1.2	00.2-02.2
Less Than H.S.	375	345,428	272	66.0	59.9-72.1	36	14.5	09.4-19.6	9	1.8	00.2-03.4	10	2.0	00.4-03.6	48	15.8	11.3-20.3
H.S. or G.E.D.	1497	838,440	1343	84.5	81.8-87.2	67	7.4	05.2-09.6	20	1.8	00.8-02.8	20	0.9	00.5-01.3	47	5.3	03.7-06.9
Some Post-H.S.	1008	681,684	887	85.0	82.1-87.9	62	8.4	06.0-10.8	15	1.9	00.9-02.9	19	1.2	00.6-01.8	25	3.6	02.0-05.2
College Graduate	1301	503,716	1183	86.9	84.4-89.4	49	5.4	03.6-07.2	39	4.5	02.9-06.1	7	0.6	00.0-01.2	23	2.6	01.4-03.8
Less than \$15,000	359	192,016	269	66.1	59.4-72.8	36	15.1	09.8-20.4	21	6.4	03.1-09.7	8	1.1	00.1-02.1	25	11.4	06.7-16.1
\$15,000- 24,999	602	333,337	485	66.8	61.3-72.3	55	14.9	10.6-19.2	11	2.5	00.7-04.3	10	1.6	00.4-02.8	41	14.2	09.9-18.5
\$25,000- 34,999	486	270,267	425	83.2	78.5-87.9	20	5.6	02.7-08.5	14	3.7	01.5-05.9	8	1.1	00.3-01.9	19	6.4	03.1-09.7
\$35,000- 49,999	612	355,504	563	90.1	87.2-93.0	19	4.3	02.1-06.5	5	1.2	00.0-02.4	7	0.7	00.1-01.3	18	3.6	01.8-05.4
\$50,000- 74,999	614	353,422	566	85.7	81.0-90.4	23	8.4	04.1-12.7	9	2.1	00.5-03.7	6	1.0	00.0-02.0	10	2.8	00.8-04.8
\$75,000+	1047	585,641	974	90.3	87.6-93.0	37	5.6	03.2-08.0	14	1.5	00.5-02.5	8	0.6	00.0-01.2	14	1.9	00.7-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5980	2,526,825	5276	83.2	81.8-84.6	381	8.8	07.6-10.0	87	1.9	01.3-02.5	60	0.8	00.6-01.0	176	5.3	04.3-06.3
18-24	255	332,078	192	75.6	69.7-81.5	26	11.1	06.6-15.6	7	2.7	00.3-05.1	8	2.1	00.5-03.7	22	8.5	04.8-12.2
25-34	509	404,786	395	75.1	70.4-79.8	50	11.4	07.5-15.3	14	2.1	00.9-03.3	3	0.3	00.0-00.7	47	11.1	07.8-14.4
35-44	707	398,684	578	79.8	76.1-83.5	56	9.0	06.5-11.5	17	2.6	01.2-04.0	6	0.5	00.1-00.9	50	8.1	05.6-10.6
45-54	939	446,036	804	84.3	81.4-87.2	79	9.4	07.0-11.8	13	1.7	00.5-02.9	13	1.0	00.4-01.6	30	3.7	02.1-05.3
55-64	1316	409,499	1190	88.8	86.6-91.0	82	7.2	05.4-09.0	15	1.5	00.5-02.5	17	0.8	00.2-01.4	12	1.6	00.6-02.6
65+	2197	518,827	2069	91.6	89.8-93.4	83	5.8	04.2-07.4	19	0.9	00.3-01.5	11	0.4	00.0-00.8	15	1.3	00.5-02.1
Less Than H.S.	531	338,627	403	68.9	63.4-74.4	55	11.7	07.6-15.8	5	1.3	00.1-02.5	5	0.4	00.0-00.8	63	17.8	13.3-22.3
H.S. or G.E.D.	2244	876,088	2011	82.5	80.0-85.0	140	10.0	07.8-12.2	24	1.7	00.7-02.7	17	0.9	00.3-01.5	52	4.9	03.3-06.5
Some Post-H.S.	1585	803,296	1402	86.2	83.8-88.6	107	8.1	06.3-09.9	30	2.2	01.2-03.2	19	0.9	00.3-01.5	27	2.6	01.4-03.8
College Graduate	1612	506,072	1453	89.2	87.4-91.0	78	5.7	04.3-07.1	28	2.2	01.2-03.2	19	0.8	00.4-01.2	34	2.1	01.3-02.9
Less than \$15,000	706	299,584	541	68.8	63.5-74.1	96	18.8	13.9-23.7	18	2.9	01.3-04.5	15	1.4	00.4-02.4	36	8.2	05.1-11.3
\$15,000- 24,999	1123	465,133	948	76.5	72.8-80.2	91	11.3	08.6-14.0	25	3.2	01.4-05.0	15	0.9	00.3-01.5	44	8.0	05.5-10.5
\$25,000- 34,999	644	255,056	565	80.1	75.6-84.6	43	10.1	06.6-13.6	9	1.9	00.5-03.3	2	0.6	00.0-01.4	25	7.4	04.1-10.7
\$35,000- 49,999	721	289,721	652	86.8	83.5-90.1	43	7.1	04.7-09.5	4	0.8	00.0-01.8	7	1.3	00.3-02.3	15	4.0	01.8-06.2
\$50,000- 74,999	721	315,558	667	91.3	88.4-94.2	31	5.2	02.8-07.6	5	1.0	00.0-02.4	6	0.9	00.0-01.9	12	1.7	00.7-02.7
\$75,000+	1002	478,228	929	90.8	88.1-93.5	31	4.3	02.1-06.5	18	1.8	00.8-02.8	4	0.2	00.0-00.4	20	2.8	01.2-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10241	4,951,968	968	22.0	20.6-23.4	1048	15.7	14.7-16.7	1465	17.2	16.2-18.2	2139	18.4	17.4-19.4	2194	13.9	13.1-14.7	2427	12.8	12.2-13.4
Male	4254	2,414,484	475	23.0	21.0-25.0	456	16.3	14.7-17.9	639	17.0	15.6-18.4	945	19.0	17.6-20.4	891	13.9	12.9-14.9	848	10.8	10.0-11.6
Female	5987	2,537,484	493	21.0	19.2-22.8	592	15.2	13.8-16.6	826	17.4	16.0-18.8	1194	17.8	16.6-19.0	1303	13.9	12.9-14.9	1579	14.8	14.0-15.6
White/Non-Hisp	8907	4,044,155	742	20.1	18.7-21.5	826	14.8	13.8-15.8	1222	16.8	15.8-17.8	1879	19.2	18.2-20.2	1989	14.9	14.1-15.7	2249	14.1	13.3-14.9
Black or Afr. Am./Non-Hisp	590	416,920	85	30.2	24.5-35.9	79	16.8	12.3-21.3	98	16.3	12.8-19.8	149	18.5	15.0-22.0	96	9.8	07.4-12.2	83	8.4	06.2-10.6
Oth. Race/Non-Hisp.	167	102,566	37	36.2	26.2-46.2	27	14.9	09.0-20.8	26	20.6	12.4-28.8	22	10.2	05.3-15.1	36	13.1	07.8-18.4	19	5.0	02.3-07.7
MultiRacial/Non-Hisp.	113	45,546	14	28.1	15.2-41.0	9	11.3	03.9-18.7	19	15.5	07.9-23.1	32	22.1	12.9-31.3	22	15.3	06.9-23.7	17	7.7	02.8-12.6
Hispanic	319	271,196	80	32.9	26.6-39.2	90	29.9	24.0-35.8	75	20.9	15.8-26.0	35	8.8	05.5-12.1	24	5.4	02.9-07.9	15	2.2	00.8-03.6
Less Than H.S.	937	706,444	95	23.0	18.9-27.1	100	17.8	14.3-21.3	118	16.1	13.0-19.2	163	15.3	12.6-18.0	172	12.2	10.0-14.4	289	15.6	13.4-17.8
H.S. or G.E.D.	3761	1,723,187	328	21.9	19.7-24.1	253	11.7	10.1-13.3	440	15.3	13.7-16.9	793	19.9	18.3-21.5	833	15.0	13.8-16.2	1114	16.2	15.0-17.4
Some Post-H.S.	2601	1,495,458	311	26.1	23.6-28.6	274	15.3	13.3-17.3	392	17.3	15.5-19.1	568	17.9	16.3-19.5	563	13.6	12.2-15.0	493	9.8	08.8-10.8
College Graduate	2922	1,017,283	230	15.3	13.3-17.3	421	21.9	19.9-23.9	514	21.2	19.4-23.0	611	18.5	16.9-20.1	623	13.7	12.5-14.9	523	9.3	08.3-10.3
Less than \$15,000	1082	500,523	149	30.4	26.1-34.7	99	15.4	11.9-18.9	142	15.3	12.4-18.2	234	17.2	14.5-19.9	221	11.5	09.5-13.5	237	10.3	08.5-12.1
\$15,000- 24,999	1752	815,467	175	23.5	20.2-26.8	164	16.2	13.7-18.7	187	14.8	12.4-17.2	274	13.9	11.9-15.9	357	12.9	11.1-14.7	595	18.7	16.7-20.7
\$25,000- 34,999	1129	525,585	121	24.5	20.6-28.4	103	15.4	12.3-18.5	114	12.6	10.1-15.1	179	13.9	11.5-16.3	264	15.4	13.2-17.6	348	18.2	15.8-20.6
\$35,000- 49,999	1347	652,343	113	17.9	14.6-21.2	152	17.7	14.8-20.6	149	13.5	11.1-15.9	308	20.7	18.0-23.4	313	16.4	14.2-18.6	312	13.7	11.9-15.5
\$50,000- 74,999	1341	671,358	92	15.6	12.3-18.9	151	16.2	13.5-18.9	248	22.4	19.5-25.3	328	22.0	19.5-24.5	334	16.0	14.0-18.0	188	7.9	06.5-09.3
\$75,000+	2050	1,067,537	124	15.4	12.7-18.1	296	18.8	16.6-21.0	488	25.3	22.9-27.7	594	24.7	22.5-26.9	387	11.8	10.4-13.2	161	4.0	03.2-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4254	2,414,484	475	23.0	21.0-25.0	456	16.3	14.7-17.9	639	17.0	15.6-18.4	945	19.0	17.6-20.4	891	13.9	12.9-14.9	848	10.8	10.0-11.6
White/Non-Hisp	3679	1,956,096	367	21.1	19.1-23.1	374	16.0	14.2-17.8	529	16.4	14.8-18.0	840	20.0	18.4-21.6	786	14.6	13.4-15.8	783	12.0	11.0-13.0
Black or Afr. Am./Non-Hisp	214	196,616	34	32.0	22.8-41.2	26	16.2	09.3-23.1	38	16.7	11.0-22.4	52	17.7	12.2-23.2	41	11.4	07.3-15.5	23	6.1	03.2-09.0
Oth. Race/Non-Hisp.	82	56,188	23	41.3	28.0-54.6	12	12.7	05.1-20.3	9	16.8	06.0-27.6	11	10.5	03.8-17.2	22	15.9	08.3-23.5	5	2.8	00.1-05.5
MultiRacial/Non-Hisp.	55	25,334	4	19.9	02.7-37.1	5	11.7	01.3-22.1	12	20.0	08.2-31.8	13	20.1	07.8-32.4	13	19.9	06.2-33.6	8	8.4	01.1-15.7
Hispanic	143	136,238	40	32.4	23.6-41.2	32	25.8	17.4-34.2	38	25.4	17.2-33.6	16	9.1	04.0-14.2	11	5.6	01.7-09.5	6	1.8	00.0-03.6
Less Than H.S.	395	360,932	52	24.8	18.7-30.9	36	13.4	08.9-17.9	57	18.3	13.4-23.2	77	17.6	13.3-21.9	79	13.4	09.9-16.9	94	12.5	09.6-15.4
H.S. or G.E.D.	1511	843,345	171	23.7	20.4-27.0	132	14.8	12.1-17.5	207	15.8	13.4-18.2	367	20.4	18.0-22.8	283	12.7	10.9-14.5	351	12.7	11.1-14.3
Some Post-H.S.	1018	692,398	143	27.3	23.4-31.2	123	17.7	14.6-20.8	146	14.7	12.2-17.2	227	17.9	15.4-20.4	224	14.2	12.0-16.4	155	8.2	06.6-09.8
College Graduate	1317	510,595	106	14.9	12.2-17.6	165	19.2	16.5-21.9	228	21.4	18.7-24.1	272	19.1	16.7-21.5	304	15.9	13.9-17.9	242	9.5	08.1-10.9
Less than \$15,000	368	198,467	55	28.1	21.6-34.6	28	11.5	06.8-16.2	52	18.3	12.8-23.8	106	23.0	17.9-28.1	79	12.7	09.2-16.2	48	6.4	04.0-08.8
\$15,000- 24,999	619	341,631	66	21.5	16.6-26.4	59	15.8	11.7-19.9	72	15.7	11.8-19.6	112	16.3	12.8-19.8	125	13.8	10.9-16.7	185	16.9	14.0-19.8
\$25,000- 34,999	487	270,986	69	28.5	22.6-34.4	56	19.4	14.3-24.5	47	9.6	06.5-12.7	80	12.7	09.6-15.8	101	13.6	10.7-16.5	134	16.1	12.8-19.4
\$35,000- 49,999	620	359,807	61	19.0	14.3-23.7	69	17.9	13.8-22.0	76	14.5	11.0-18.0	136	20.2	16.3-24.1	130	14.9	12.0-17.8	148	13.5	11.0-16.0
\$50,000- 74,999	618	355,124	46	16.1	11.2-21.0	72	18.2	13.7-22.7	104	19.3	15.4-23.2	150	22.5	18.6-26.4	154	16.2	13.3-19.1	92	7.8	06.0-09.6
\$75,000+	1050	590,519	75	17.1	13.4-20.8	137	18.1	15.0-21.2	232	23.6	20.5-26.7	294	23.9	21.0-26.8	211	12.4	10.4-14.4	101	4.9	03.7-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5987	2,537,484	493	21.0	19.2-22.8	592	15.2	13.8-16.6	826	17.4	16.0-18.8	1194	17.8	16.6-19.0	1303	13.9	12.9-14.9	1579	14.8	14.0-15.6
White/Non-Hisp	5228	2,088,058	375	19.2	17.4-21.0	452	13.7	12.3-15.1	693	17.3	15.9-18.7	1039	18.4	17.0-19.8	1203	15.2	14.2-16.2	1466	16.2	15.2-17.2
Black or Afr. Am./Non-Hisp	376	220,304	51	28.6	21.5-35.7	53	17.3	11.6-23.0	60	16.0	11.5-20.5	97	19.3	14.8-23.8	55	8.4	05.9-10.9	60	10.4	07.1-13.7
Oth. Race/Non-Hisp.	85	46,378	14	30.1	15.2-45.0	15	17.5	08.1-26.9	17	25.2	12.5-37.9	11	9.8	02.9-16.7	14	9.7	02.8-16.6	14	7.7	02.6-12.8
MultiRacial/Non-Hisp.	58	20,212	10	38.5	19.7-57.3	4	10.9	00.7-21.1	7	9.8	01.2-18.4	19	24.5	10.8-38.2	9	9.5	02.2-16.8	9	6.9	01.0-12.8
Hispanic	176	134,957	40	33.3	24.5-42.1	58	34.0	25.6-42.4	37	16.4	10.5-22.3	19	8.5	04.2-12.8	13	5.2	01.9-08.5	9	2.6	00.6-04.6
Less Than H.S.	542	345,513	43	21.1	15.4-26.8	64	22.4	16.9-27.9	61	13.7	10.0-17.4	86	12.8	09.7-15.9	93	11.0	08.3-13.7	195	19.0	15.7-22.3
H.S. or G.E.D.	2250	879,842	157	20.3	17.4-23.2	121	8.7	07.1-10.3	233	14.9	12.9-16.9	426	19.5	17.3-21.7	550	17.1	15.3-18.9	763	19.5	17.9-21.1
Some Post-H.S.	1583	803,060	168	25.1	21.8-28.4	151	13.3	10.9-15.7	246	19.4	16.9-21.9	341	17.9	15.7-20.1	339	13.1	11.5-14.7	338	11.2	09.8-12.6
College Graduate	1605	506,688	124	15.8	13.1-18.5	256	24.7	22.0-27.4	286	21.0	18.6-23.4	339	17.9	15.7-20.1	319	11.5	10.1-12.9	281	9.2	08.0-10.4
Less than \$15,000	714	302,055	94	32.0	26.5-37.5	71	17.9	13.0-22.8	90	13.3	10.2-16.4	128	13.3	10.4-16.2	142	10.8	08.4-13.2	189	12.8	10.4-15.2
\$15,000- 24,999	1133	473,836	109	24.9	20.6-29.2	105	16.6	13.3-19.9	115	14.1	11.2-17.0	162	12.2	09.8-14.6	232	12.2	10.2-14.2	410	20.1	17.6-22.6
\$25,000- 34,999	642	254,599	52	20.2	14.9-25.5	47	11.1	07.6-14.6	67	15.8	11.9-19.7	99	15.2	11.9-18.5	163	17.3	14.0-20.6	214	20.4	17.1-23.7
\$35,000- 49,999	727	292,536	52	16.6	11.9-21.3	83	17.6	13.7-21.5	73	12.3	09.2-15.4	172	21.4	17.9-24.9	183	18.2	15.1-21.3	164	13.9	11.4-16.4
\$50,000- 74,999	723	316,234	46	14.9	10.6-19.2	79	14.1	11.0-17.2	144	25.9	21.6-30.2	178	21.4	17.9-24.9	180	15.7	13.0-18.4	96	8.1	06.1-10.1
\$75,000+	1000	477,018	49	13.2	09.3-17.1	159	19.6	16.5-22.7	256	27.4	24.1-30.7	300	25.8	22.7-28.9	176	11.1	09.3-12.9	60	2.9	02.1-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10241	4,951,968	6744	81.3	80.5-82.1	3497	18.7	17.9-19.5
Male	4254	2,414,484	2981	83.4	82.4-84.4	1273	16.6	15.6-17.6
Female	5987	2,537,484	3763	79.3	78.3-80.3	2224	20.7	19.7-21.7
White/Non-Hisp	8907	4,044,155	5676	79.5	78.7-80.3	3231	20.5	19.7-21.3
Black or Afr. Am./Non-Hisp	590	416,920	464	87.6	84.9-90.3	126	12.4	09.7-15.1
Oth. Race/Non-Hisp.	167	102,566	130	88.6	84.1-93.1	37	11.4	06.9-15.9
MultiRacial/Non-Hisp.	113	45,546	91	88.3	81.8-94.8	22	11.7	05.2-18.2
Hispanic	319	271,196	296	95.9	93.7-98.1	23	4.1	01.9-06.3
Less Than H.S.	937	706,444	562	79.2	76.7-81.7	375	20.8	18.3-23.3
H.S. or G.E.D.	3761	1,723,187	2229	77.2	75.8-78.6	1532	22.8	21.4-24.2
Some Post-H.S.	2601	1,495,458	1853	84.8	83.4-86.2	748	15.2	13.8-16.6
College Graduate	2922	1,017,283	2091	84.8	83.6-86.0	831	15.2	14.0-16.4
Less than \$15,000	1082	500,523	753	85.4	83.2-87.6	329	14.6	12.4-16.8
\$15,000- 24,999	1752	815,467	969	75.1	72.9-77.3	783	24.9	22.7-27.1
\$25,000- 34,999	1129	525,585	635	74.3	71.6-77.0	494	25.7	23.0-28.4
\$35,000- 49,999	1347	652,343	873	79.2	77.0-81.4	474	20.8	18.6-23.0
\$50,000- 74,999	1341	671,358	1002	85.7	83.9-87.5	339	14.3	12.5-16.1
\$75,000+	2050	1,067,537	1731	91.7	90.7-92.7	319	8.3	07.3-09.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4254	2,414,484	2981	83.4	82.4-84.4	1273	16.6	15.6-17.6
White/Non-Hisp	3679	1,956,096	2517	81.9	80.7-83.1	1162	18.1	16.9-19.3
Black or Afr. Am./Non-Hisp	214	196,616	171	89.1	85.2-93.0	43	10.9	07.0-14.8
Oth. Race/Non-Hisp.	82	56,188	64	87.6	80.9-94.3	18	12.4	05.7-19.1
MultiRacial/Non-Hisp.	55	25,334	44	87.7	78.1-97.3	11	12.3	02.7-21.9
Hispanic	143	136,238	135	96.6	93.7-99.5	8	3.4	00.5-06.3
Less Than H.S.	395	360,932	261	81.7	78.0-85.4	134	18.3	14.6-22.0
H.S. or G.E.D.	1511	843,345	1021	81.7	79.7-83.7	490	18.3	16.3-20.3
Some Post-H.S.	1018	692,398	762	86.3	84.3-88.3	256	13.7	11.7-15.7
College Graduate	1317	510,595	931	83.9	82.1-85.7	386	16.1	14.3-17.9
Less than \$15,000	368	198,467	292	89.8	86.7-92.9	76	10.2	07.1-13.3
\$15,000- 24,999	619	341,631	370	76.8	73.3-80.3	249	23.2	19.7-26.7
\$25,000- 34,999	487	270,986	289	75.7	71.8-79.6	198	24.3	20.4-28.2
\$35,000- 49,999	620	359,807	405	80.7	77.8-83.6	215	19.3	16.4-22.2
\$50,000- 74,999	618	355,124	460	85.4	82.7-88.1	158	14.6	11.9-17.3
\$75,000+	1050	590,519	857	90.3	88.7-91.9	193	9.7	08.1-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5987	2,537,484	3763	79.3	78.3-80.3	2224	20.7	19.7-21.7
White/Non-Hisp	5228	2,088,058	3159	77.2	76.0-78.4	2069	22.8	21.6-24.0
Black or Afr. Am./Non-Hisp	376	220,304	293	86.3	82.6-90.0	83	13.7	10.0-17.4
Oth. Race/Non-Hisp.	85	46,378	66	89.8	83.7-95.9	19	10.2	04.1-16.3
MultiRacial/Non-Hisp.	58	20,212	47	89.0	80.8-97.2	11	11.0	02.8-19.2
Hispanic	176	134,957	161	95.1	92.0-98.2	15	4.9	01.8-08.0
Less Than H.S.	542	345,513	301	76.5	72.8-80.2	241	23.5	19.8-27.2
H.S. or G.E.D.	2250	879,842	1208	72.9	70.9-74.9	1042	27.1	25.1-29.1
Some Post-H.S.	1583	803,060	1091	83.5	81.7-85.3	492	16.5	14.7-18.3
College Graduate	1605	506,688	1160	85.7	84.1-87.3	445	14.3	12.7-15.9
Less than \$15,000	714	302,055	461	82.5	79.6-85.4	253	17.5	14.6-20.4
\$15,000- 24,999	1133	473,836	599	73.9	71.0-76.8	534	26.1	23.2-29.0
\$25,000- 34,999	642	254,599	346	72.8	69.1-76.5	296	27.2	23.5-30.9
\$35,000- 49,999	727	292,536	468	77.3	74.0-80.6	259	22.7	19.4-26.0
\$50,000- 74,999	723	316,234	542	86.0	83.6-88.4	181	14.0	11.6-16.4
\$75,000+	1000	477,018	874	93.4	92.0-94.8	126	6.6	05.2-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10175	4,879,668	580	4.7	04.1-05.3	4612	40.3	39.1-41.5	4109	44.1	42.7-45.5	871	10.9	10.1-11.7	3	0.1	00.0-00.3
Male	4212	2,373,673	7	0.2	00.0-00.4	417	10.4	09.2-11.6	2931	67.2	65.2-69.2	855	22.1	20.5-23.7	2	0.1	00.0-00.3
Female	5963	2,505,995	573	8.9	07.9-09.9	4195	68.7	67.1-70.3	1178	22.2	20.6-23.8	16	0.3	00.1-00.5	1	0.0	00.0-00.0
White/Non-Hisp	8899	4,034,076	494	4.2	03.6-04.8	3997	39.5	38.1-40.9	3633	45.1	43.7-46.5	774	11.1	10.1-12.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	585	414,010	31	4.8	02.6-07.0	288	42.1	36.8-47.4	221	42.1	36.6-47.6	45	11.0	07.1-14.9			
Oth. Race/Non-Hisp.	164	99,496	13	8.4	03.5-13.3	77	43.2	33.4-53.0	59	34.4	25.4-43.4	15	14.0	06.7-21.3			
MultiRacial/Non-Hisp.	114	45,644	5	3.7	00.0-07.4	46	35.5	23.7-47.3	45	37.2	25.6-48.8	17	23.4	11.8-35.0	1	0.2	00.0-00.6
Hispanic	257	210,817	27	10.7	06.2-15.2	135	50.1	42.8-57.4	87	35.8	28.7-42.9	8	3.4	00.9-05.9			
18-24	531	675,771	16	3.1	01.5-04.7	202	36.7	32.2-41.2	237	47.0	42.1-51.9	76	13.2	10.1-16.3			
25-34	885	781,782	37	4.4	02.6-06.2	376	39.1	35.4-42.8	359	41.8	38.1-45.5	113	14.6	11.7-17.5			
35-44	1212	794,684	43	2.8	01.8-03.8	524	39.4	36.1-42.7	510	45.8	42.5-49.1	133	11.6	09.4-13.8	2	0.4	00.0-01.0
45-54	1751	877,207	65	4.1	02.9-05.3	720	39.4	36.7-42.1	790	45.9	43.2-48.6	176	10.6	08.8-12.4			
55-64	2254	808,960	91	3.7	02.7-04.7	995	39.1	36.7-41.5	975	47.1	44.6-49.6	192	10.2	08.6-11.8	1	0.0	00.0-00.0
65+	3465	918,028	320	8.9	07.7-10.1	1756	46.5	44.5-48.5	1216	38.2	36.2-40.2	173	6.3	05.1-07.5			
Less Than H.S.	881	655,429	76	7.6	05.4-09.8	456	43.9	39.6-48.2	295	39.6	35.3-43.9	52	8.5	05.8-11.2	2	0.4	00.0-01.2
H.S. or G.E.D.	3743	1,707,425	277	5.5	04.7-06.3	1780	41.8	39.6-44.0	1421	43.0	40.8-45.2	265	9.7	08.3-11.1			
Some Post-H.S.	2613	1,495,910	135	4.0	03.0-05.0	1202	39.6	37.2-42.0	1044	44.8	42.3-47.3	232	11.6	09.8-13.4			
College Graduate	2919	1,011,715	92	2.5	01.9-03.1	1165	36.7	34.5-38.9	1342	47.5	45.3-49.7	319	13.2	11.6-14.8	1	0.0	00.0-00.0
Less than \$15,000	1055	477,420	95	8.7	06.3-11.1	551	48.4	44.1-52.7	338	34.6	30.5-38.7	70	7.8	05.6-10.0	1	0.5	00.0-01.5
\$15,000- 24,999	1723	785,584	148	7.0	05.6-08.4	860	47.0	43.7-50.3	613	38.4	35.3-41.5	102	7.6	05.8-09.4			
\$25,000- 34,999	1117	517,446	75	6.7	04.5-08.9	517	41.3	37.6-45.0	450	42.9	39.0-46.8	75	9.0	06.5-11.5			
\$35,000- 49,999	1342	649,874	46	2.5	01.5-03.5	589	36.8	33.7-39.9	592	49.8	46.3-53.3	115	10.9	08.5-13.3			
\$50,000- 74,999	1343	672,254	55	3.0	02.0-04.0	541	36.4	33.1-39.7	625	49.2	45.7-52.7	122	11.4	08.9-13.9			
\$75,000+	2052	1,067,866	36	1.6	01.0-02.2	726	31.4	28.9-33.9	1007	51.4	48.7-54.1	282	15.6	13.6-17.6	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4212	2,373,673	7	0.2	00.0-00.4	417	10.4	09.2-11.6	2931	67.2	65.2-69.2	855	22.1	20.5-23.7	2	0.1	00.0-00.3
White/Non-Hisp	3669	1,948,946	4	0.1	00.0-00.3	306	7.9	06.7-09.1	2597	69.3	67.3-71.3	761	22.7	20.9-24.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	211	194,788				34	14.7	09.0-20.4	134	62.3	53.9-70.7	43	22.9	15.3-30.5			
Oth. Race/Non-Hisp.	78	53,251				18	23.7	11.7-35.7	46	50.9	37.4-64.4	14	25.4	13.1-37.7			
MultiRacial/Non-Hisp.	56	25,600				3	5.0	00.0-11.1	36	53.2	36.1-70.3	17	41.8	24.6-59.0			
Hispanic	114	105,736	2	1.5	00.0-04.0	37	35.5	25.3-45.7	67	56.3	45.7-66.9	8	6.8	01.7-11.9			
18-24	279	347,112	1	0.3	00.0-00.9	33	10.4	06.7-14.1	171	64.2	57.9-70.5	74	25.1	19.4-30.8			
25-34	389	392,090	1	0.3	00.0-00.9	49	12.5	08.8-16.2	229	58.3	52.8-63.8	110	28.9	23.6-34.2			
35-44	506	396,641				48	10.4	07.1-13.7	324	65.8	60.9-70.7	132	23.1	19.0-27.2	2	0.7	00.0-01.9
45-54	818	433,964	3	0.4	00.0-00.8	73	9.6	07.1-12.1	569	69.0	65.3-72.7	173	21.1	17.8-24.4			
55-64	934	398,492				64	6.5	04.5-08.5	683	73.2	69.9-76.5	187	20.3	17.2-23.4			
65+	1263	397,898	2	0.3	00.0-00.7	149	13.1	10.7-15.5	941	72.0	68.9-75.1	171	14.5	12.0-17.0			
Less Than H.S.	367	334,956	4	0.9	00.0-01.9	77	20.5	15.4-25.6	235	61.3	55.0-67.6	50	16.4	11.5-21.3	1	0.8	00.0-02.4
H.S. or G.E.D.	1497	831,983	3	0.2	00.0-00.4	171	10.4	08.4-12.4	1061	69.7	66.8-72.6	262	19.7	17.0-22.4			
Some Post-H.S.	1019	690,845				76	7.4	05.4-09.4	715	67.9	64.4-71.4	228	24.8	21.5-28.1			
College Graduate	1318	508,871				91	7.8	06.0-09.6	914	66.2	63.1-69.3	312	26.0	23.1-28.9	1	0.1	00.0-00.3
Less than \$15,000	354	185,321	1	0.5	00.0-01.5	51	14.4	09.5-19.3	231	63.6	56.9-70.3	70	20.1	14.8-25.4	1	1.4	00.0-04.1
\$15,000- 24,999	602	323,634	1	0.2	00.0-00.6	92	18.6	14.1-23.1	412	63.7	58.6-68.8	97	17.4	13.5-21.3			
\$25,000- 34,999	477	264,068				62	14.4	10.5-18.3	341	68.0	62.5-73.5	74	17.6	13.1-22.1			
\$35,000- 49,999	618	358,482	1	0.2	00.0-00.6	53	7.9	05.4-10.4	450	72.4	67.9-76.9	114	19.5	15.6-23.4			
\$50,000- 74,999	618	354,767				52	9.0	06.1-11.9	445	69.4	64.5-74.3	121	21.5	17.0-26.0			
\$75,000+	1052	590,732	1	0.1	00.0-00.3	51	4.4	03.0-05.8	721	67.4	63.9-70.9	278	28.0	24.5-31.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5963	2,505,995	573	8.9	07.9-09.9	4195	68.7	67.1-70.3	1178	22.2	20.6-23.8	16	0.3	00.1-00.5	1	0.0	00.0-00.0
White/Non-Hisp	5230	2,085,130	490	8.0	07.0-09.0	3691	69.1	67.3-70.9	1036	22.6	21.0-24.2	13	0.2	00.0-00.4			
Black or Afr. Am./Non-Hisp	374	219,222	31	9.1	05.0-13.2	254	66.3	59.8-72.8	87	24.1	18.4-29.8	2	0.5	00.0-01.3			
Oth. Race/Non-Hisp.	86	46,245	13	18.1	07.9-28.3	59	65.8	52.7-78.9	13	15.4	05.4-25.4	1	0.8	00.0-02.4			
MultiRacial/Non-Hisp.	58	20,044	5	8.4	00.0-16.8	43	74.5	60.6-88.4	9	16.8	05.0-28.6				1	0.4	00.0-01.2
Hispanic	143	105,081	25	20.0	11.8-28.2	98	64.9	55.1-74.7	20	15.2	07.6-22.8						
18-24	252	328,659	15	6.0	02.9-09.1	169	64.4	57.5-71.3	66	28.9	22.2-35.6	2	0.7	00.0-01.7			
25-34	496	389,692	36	8.6	05.5-11.7	327	65.9	61.0-70.8	130	25.3	20.8-29.8	3	0.3	00.0-00.7			
35-44	706	398,043	43	5.7	03.7-07.7	476	68.3	64.4-72.2	186	25.9	22.2-29.6	1	0.1	00.0-00.3			
45-54	933	443,243	62	7.8	05.6-10.0	647	68.6	64.9-72.3	221	23.3	20.0-26.6	3	0.3	00.0-00.7			
55-64	1320	410,468	91	7.2	05.4-09.0	931	70.7	67.8-73.6	292	21.7	19.0-24.4	5	0.3	00.0-00.7	1	0.0	00.0-00.0
65+	2202	520,129	318	15.5	13.5-17.5	1607	72.1	69.7-74.5	275	12.3	10.7-13.9	2	0.1	00.1-00.1			
Less Than H.S.	514	320,473	72	14.6	10.7-18.5	379	68.4	62.5-74.3	60	16.9	11.6-22.2	2	0.1	00.0-00.3	1	0.0	00.0-00.0
H.S. or G.E.D.	2246	875,442	274	10.5	08.9-12.1	1609	71.6	69.1-74.1	360	17.7	15.5-19.9	3	0.1	00.0-00.3			
Some Post-H.S.	1594	805,064	135	7.4	05.8-09.0	1126	67.2	64.1-70.3	329	25.1	22.2-28.0	4	0.4	00.0-00.8			
College Graduate	1601	502,845	92	4.9	03.7-06.1	1074	66.1	63.2-69.0	428	28.6	25.9-31.3	7	0.4	00.0-00.8			
Less than \$15,000	701	292,099	94	13.8	10.1-17.5	500	70.0	65.1-74.9	107	16.2	12.3-20.1						
\$15,000- 24,999	1121	461,950	147	11.8	09.4-14.2	768	66.9	63.0-70.8	201	20.7	17.2-24.2	5	0.7	00.0-01.5			
\$25,000- 34,999	640	253,378	75	13.7	09.6-17.8	455	69.5	64.6-74.4	109	16.8	13.1-20.5	1	0.1	00.0-00.3			
\$35,000- 49,999	724	291,392	45	5.4	03.4-07.4	536	72.4	67.7-77.1	142	22.0	17.5-26.5	1	0.3	00.0-00.9			
\$50,000- 74,999	725	317,487	55	6.4	04.4-08.4	489	67.0	62.5-71.5	180	26.6	22.3-30.9	1	0.0	00.0-00.0			
\$75,000+	1000	477,134	35	3.4	02.0-04.8	675	64.9	61.0-68.8	286	31.4	27.5-35.3	4	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10219	4,916,451	1	0.0	00.0-00.0	586	4.7	04.1-05.3	4634	40.4	39.2-41.6	4123	44.0	42.6-45.4	872	10.8	10.0-11.6	3	0.1	00.0-00.3
Male	4239	2,398,275				8	0.3	00.1-00.5	429	10.7	09.5-11.9	2944	67.0	65.2-68.8	856	21.9	20.3-23.5	2	0.1	00.0-00.3
Female	5980	2,518,176	1	0.0	00.0-00.0	578	9.0	08.0-10.0	4205	68.7	67.1-70.3	1179	22.1	20.5-23.7	16	0.3	00.1-00.5	1	0.0	00.0-00.0
White/Non-Hisp	8904	4,038,287				494	4.2	03.6-04.8	4000	39.5	38.1-40.9	3635	45.2	43.8-46.6	774	11.1	10.1-12.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	585	414,010				31	4.8	02.6-07.0	288	42.1	36.8-47.4	221	42.1	36.6-47.6	45	11.0	07.1-14.9			
Oth. Race/Non-Hisp.	167	101,529				13	8.2	03.3-13.1	78	43.2	33.6-52.8	61	34.8	25.8-43.8	15	13.7	06.6-20.8			
MultiRacial/Non-Hisp.	114	45,644				5	3.7	00.0-07.4	46	35.5	23.7-47.3	45	37.2	25.6-48.8	17	23.4	11.8-35.0	1	0.2	00.0-00.6
Hispanic	293	241,356	1	0.1	00.0-00.3	33	11.0	06.9-15.1	153	50.3	43.6-57.0	97	35.1	28.6-41.6	9	3.6	01.1-06.1			
18-24	536	680,730				16	3.1	01.5-04.7	205	36.8	32.3-41.3	239	47.0	42.1-51.9	76	13.1	10.0-16.2			
25-34	900	795,655				40	4.7	02.9-06.5	380	38.9	35.2-42.6	366	41.8	38.1-45.5	114	14.6	11.7-17.5			
35-44	1223	806,158				44	2.8	01.8-03.8	532	39.8	36.5-43.1	512	45.5	42.2-48.8	133	11.4	09.2-13.6	2	0.4	00.0-01.0
45-54	1761	881,981				67	4.2	03.0-05.4	726	39.5	36.8-42.2	792	45.8	43.1-48.5	176	10.5	08.7-12.3			
55-64	2255	810,086				91	3.7	02.7-04.7	996	39.2	36.8-41.6	975	47.0	44.5-49.5	192	10.1	08.5-11.7	1	0.0	00.0-00.0
65+	3466	918,153	1	0.0	00.0-00.0	320	8.9	07.7-10.1	1756	46.5	44.5-48.5	1216	38.2	36.2-40.2	173	6.3	05.1-07.5			
Less Than H.S.	906	678,031	1	0.0	00.0-00.0	79	7.8	05.6-10.0	473	44.7	40.4-49.0	298	38.8	34.5-43.1	53	8.4	05.9-10.9	2	0.4	00.0-01.2
H.S. or G.E.D.	3754	1,717,490				278	5.5	04.7-06.3	1783	41.7	39.5-43.9	1428	43.2	41.0-45.4	265	9.6	08.2-11.0			
Some Post-H.S.	2615	1,496,956				136	4.0	03.0-05.0	1202	39.5	37.1-41.9	1045	44.8	42.3-47.3	232	11.6	09.8-13.4			
College Graduate	2925	1,014,784				93	2.5	01.9-03.1	1167	36.7	34.5-38.9	1345	47.6	45.4-49.8	319	13.2	11.6-14.8	1	0.0	00.0-00.0
Less than \$15,000	1071	492,953				98	8.8	06.4-11.2	557	48.1	43.8-52.4	344	34.7	30.6-38.8	71	7.9	05.7-10.1	1	0.5	00.0-01.5
\$15,000- 24,999	1739	798,011	1	0.0	00.0-00.0	151	7.2	05.6-08.8	868	47.1	43.8-50.4	617	38.3	35.2-41.4	102	7.5	05.7-09.3			
\$25,000- 34,999	1124	523,620				75	6.6	04.4-08.8	522	41.6	37.9-45.3	452	42.8	38.9-46.7	75	8.9	06.5-11.3			
\$35,000- 49,999	1345	650,901				46	2.5	01.5-03.5	591	36.8	33.7-39.9	593	49.8	46.3-53.3	115	10.9	08.5-13.3			
\$50,000- 74,999	1343	672,254				55	3.0	02.0-04.0	541	36.4	33.1-39.7	625	49.2	45.7-52.7	122	11.4	08.9-13.9			
\$75,000+	2052	1,067,866				36	1.6	01.0-02.2	726	31.4	28.9-33.9	1007	51.4	48.7-54.1	282	15.6	13.6-17.6	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4239	2,398,275	8	0.3	00.1-00.5	429	10.7	09.5-11.9	2944	67.0	65.2-68.8	856	21.9	20.3-23.5	2	0.1	00.0-00.3
White/Non-Hisp	3672	1,951,348	4	0.1	00.0-00.3	307	7.9	06.7-09.1	2599	69.3	67.3-71.3	761	22.7	20.9-24.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	211	194,788				34	14.7	09.0-20.4	134	62.3	53.9-70.7	43	22.9	15.3-30.5			
Oth. Race/Non-Hisp.	80	54,409				18	23.2	11.6-34.8	48	52.0	38.7-65.3	14	24.9	12.9-36.9			
MultiRacial/Non-Hisp.	56	25,600				3	5.0	00.0-11.1	36	53.2	36.1-70.3	17	41.8	24.6-59.0			
Hispanic	136	126,778	3	1.9	00.0-04.3	48	37.3	27.9-46.7	76	53.8	44.2-63.4	9	6.9	02.0-11.8			
18-24	282	349,622	1	0.3	00.0-00.9	34	10.4	06.7-14.1	173	64.3	58.0-70.6	74	25.0	19.3-30.7			
25-34	398	400,656	1	0.3	00.0-00.9	51	12.6	08.9-16.3	235	58.4	52.9-63.9	111	28.7	23.6-33.8			
35-44	514	406,342				54	11.8	08.3-15.3	326	64.9	60.0-69.8	132	22.6	18.7-26.5	2	0.7	00.0-01.9
45-54	824	437,336	4	0.6	00.0-01.2	76	9.8	07.3-12.3	571	68.7	65.0-72.4	173	20.9	17.6-24.2			
55-64	934	398,492				64	6.5	04.5-08.5	683	73.2	69.9-76.5	187	20.3	17.2-23.4			
65+	1263	397,898	2	0.3	00.0-00.7	149	13.1	10.7-15.5	941	72.0	68.9-75.1	171	14.5	12.0-17.0			
Less Than H.S.	383	350,293	5	1.1	00.0-02.3	88	22.4	17.3-27.5	238	59.6	53.5-65.7	51	16.2	11.3-21.1	1	0.7	00.0-02.1
H.S. or G.E.D.	1504	838,818	3	0.2	00.0-00.4	172	10.4	08.4-12.4	1067	69.8	66.9-72.7	262	19.5	16.8-22.2			
Some Post-H.S.	1020	691,459				76	7.4	05.4-09.4	716	67.9	64.4-71.4	228	24.7	21.4-28.0			
College Graduate	1321	510,686				91	7.7	05.9-09.5	917	66.3	63.2-69.4	312	25.9	23.0-28.8	1	0.1	00.0-00.3
Less than \$15,000	362	194,027	2	0.9	00.0-02.3	52	14.3	09.6-19.0	236	63.4	56.7-70.1	71	20.0	14.7-25.3	1	1.3	00.0-03.8
\$15,000- 24,999	611	332,069	1	0.2	00.0-00.6	97	19.5	15.0-24.0	416	63.3	58.2-68.4	97	17.0	13.3-20.7			
\$25,000- 34,999	484	270,242				67	15.6	11.5-19.7	343	67.3	61.8-72.8	74	17.2	12.7-21.7			
\$35,000- 49,999	620	359,274	1	0.2	00.0-00.6	54	8.0	05.5-10.5	451	72.4	67.9-76.9	114	19.5	15.6-23.4			
\$50,000- 74,999	618	354,767				52	9.0	06.1-11.9	445	69.4	64.5-74.3	121	21.5	17.0-26.0			
\$75,000+	1052	590,732	1	0.1	00.0-00.3	51	4.4	03.0-05.8	721	67.4	63.9-70.9	278	28.0	24.5-31.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5980	2,518,176	1	0.0	00.0-00.0	578	9.0	08.0-10.0	4205	68.7	67.1-70.3	1179	22.1	20.5-23.7	16	0.3	00.1-00.5	1	0.0	00.0-00.0
White/Non-Hisp	5232	2,086,939				490	8.0	07.0-09.0	3693	69.2	67.4-71.0	1036	22.6	21.0-24.2	13	0.2	00.0-00.4			
Black or Afr. Am./Non-Hisp	374	219,222				31	9.1	05.0-13.2	254	66.3	59.8-72.8	87	24.1	18.4-29.8	2	0.5	00.0-01.3			
Oth. Race/Non-Hisp.	87	47,120				13	17.7	07.7-27.7	60	66.4	53.5-79.3	13	15.1	05.3-24.9	1	0.8	00.0-02.4			
MultiRacial/Non-Hisp.	58	20,044				5	8.4	00.0-16.8	43	74.5	60.6-88.4	9	16.8	05.0-28.6				1	0.4	00.0-01.2
Hispanic	157	114,578	1	0.1	00.0-00.3	30	21.0	13.2-28.8	105	64.5	55.3-73.7	21	14.4	07.3-21.5						
18-24	254	331,108				15	6.0	02.9-09.1	171	64.7	57.8-71.6	66	28.6	21.9-35.3	2	0.7	00.0-01.7			
25-34	502	394,999				39	9.1	05.8-12.4	329	65.6	60.7-70.5	131	25.1	20.8-29.4	3	0.3	00.0-00.7			
35-44	709	399,816				44	5.7	03.7-07.7	478	68.4	64.5-72.3	186	25.8	22.1-29.5	1	0.1	00.0-00.3			
45-54	937	444,645				63	7.8	05.6-10.0	650	68.7	65.0-72.4	221	23.2	19.9-26.5	3	0.3	00.0-00.7			
55-64	1321	411,594				91	7.2	05.4-09.0	932	70.8	67.9-73.7	292	21.7	19.2-24.2	5	0.3	00.0-00.7	1	0.0	00.0-00.0
65+	2203	520,255	1	0.0	00.0-00.0	318	15.5	13.5-17.5	1607	72.1	69.7-74.5	275	12.3	10.7-13.9	2	0.1	00.1-00.1			
Less Than H.S.	523	327,738	1	0.0	00.0-00.0	74	14.8	10.9-18.7	385	68.5	62.8-74.2	60	16.5	11.4-21.6	2	0.1	00.0-00.3	1	0.0	00.0-00.0
H.S. or G.E.D.	2250	878,672				275	10.6	09.0-12.2	1611	71.6	69.1-74.1	361	17.7	15.5-19.9	3	0.1	00.0-00.3			
Some Post-H.S.	1595	805,496				136	7.4	05.8-09.0	1126	67.1	64.0-70.2	329	25.0	22.1-27.9	4	0.4	00.0-00.8			
College Graduate	1604	504,098				93	4.9	03.7-06.1	1076	66.1	63.2-69.0	428	28.6	25.9-31.3	7	0.4	00.0-00.8			
Less than \$15,000	709	298,927				96	13.9	10.2-17.6	505	70.1	65.2-75.0	108	16.0	12.1-19.9						
\$15,000- 24,999	1128	465,942	1	0.0	00.0-00.0	150	12.1	09.6-14.6	771	66.7	62.8-70.6	201	20.5	17.0-24.0	5	0.6	00.0-01.2			
\$25,000- 34,999	640	253,378				75	13.7	09.6-17.8	455	69.5	64.6-74.4	109	16.8	13.1-20.5	1	0.1	00.0-00.3			
\$35,000- 49,999	725	291,628				45	5.4	03.4-07.4	537	72.4	67.7-77.1	142	21.9	17.4-26.4	1	0.3	00.0-00.9			
\$50,000- 74,999	725	317,487				55	6.4	04.4-08.4	489	67.0	62.5-71.5	180	26.6	22.3-30.9	1	0.0	00.0-00.0			
\$75,000+	1000	477,134				35	3.4	02.0-04.8	675	64.9	61.0-68.8	286	31.4	27.5-35.3	4	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9873	4,788,648	95	0.9	00.7-01.1	2855	27.3	26.1-28.5	4404	44.5	43.1-45.9	1842	19.2	18.2-20.2	519	6.1	05.5-06.7	158	1.9	01.5-02.3
Male	4234	2,399,966	3	0.1	00.0-00.3	412	11.8	10.4-13.2	2108	48.1	46.1-50.1	1252	28.1	26.3-29.9	350	9.0	07.8-10.2	109	2.9	02.3-03.5
Female	5639	2,388,682	92	1.8	01.2-02.4	2443	43.0	41.2-44.8	2296	40.8	39.0-42.6	590	10.4	09.4-11.4	169	3.2	02.6-03.8	49	0.9	00.5-01.3
White/Non-Hisp	8575	3,908,990	78	0.8	00.6-01.0	2506	27.7	26.5-28.9	3819	44.1	42.7-45.5	1609	19.7	18.5-20.9	432	5.8	05.2-06.4	131	1.9	01.5-02.3
Black or Afr. Am./Non-Hisp	567	400,827	6	0.7	00.1-01.3	115	18.9	14.6-23.2	262	48.4	42.9-53.9	124	20.0	15.9-24.1	49	10.3	06.8-13.8	11	1.8	00.6-03.0
Oth. Race/Non-Hisp.	166	100,757	4	5.5	00.0-12.2	65	36.7	27.5-45.9	60	35.0	26.2-43.8	27	13.2	06.9-19.5	8	8.5	02.4-14.6	2	1.3	00.0-03.1
MultiRacial/Non-Hisp.	114	44,963	4	3.8	00.0-07.7	18	17.2	07.4-27.0	56	45.0	32.7-57.3	20	18.2	09.6-26.8	11	10.3	02.7-17.9	5	5.4	00.3-10.5
Hispanic	309	264,213	2	1.3	00.0-03.1	106	32.2	26.1-38.3	149	48.5	42.0-55.0	41	14.8	10.1-19.5	8	2.0	00.6-03.4	3	1.2	00.0-02.6
18-24	521	659,961	10	2.2	00.6-03.8	195	37.1	32.4-41.8	227	43.9	39.0-48.8	64	12.3	09.2-15.4	17	3.1	01.5-04.7	8	1.4	00.4-02.4
25-34	884	792,183	4	0.5	00.0-01.1	277	29.8	26.5-33.1	377	44.1	40.4-47.8	146	15.6	12.9-18.3	57	7.3	05.1-09.5	23	2.6	01.4-03.8
35-44	1179	783,573	3	0.3	00.0-00.7	320	22.8	20.1-25.5	520	45.8	42.3-49.3	234	21.4	18.7-24.1	81	7.8	06.0-09.6	21	1.8	00.8-02.8
45-54	1695	855,825	11	0.6	00.2-01.0	408	23.7	21.3-26.1	718	41.5	38.8-44.2	413	24.9	22.4-27.4	105	7.1	05.5-08.7	40	2.2	01.4-03.0
55-64	2173	781,448	19	0.9	00.3-01.5	545	23.0	20.8-25.2	965	43.3	40.8-45.8	463	23.6	21.4-25.8	136	6.8	05.4-08.2	45	2.5	01.7-03.3
65+	3363	896,858	47	1.2	00.8-01.6	1084	29.0	27.2-30.8	1583	48.2	46.0-50.4	512	16.4	14.8-18.0	116	4.2	03.2-05.2	21	0.9	00.3-01.5
Less Than H.S.	909	688,228	18	1.7	00.7-02.7	278	29.6	25.7-33.5	397	43.3	39.0-47.6	151	17.7	14.4-21.0	44	5.5	03.5-07.5	21	2.3	01.1-03.5
H.S. or G.E.D.	3603	1,661,699	34	1.0	00.4-01.6	1042	26.1	24.1-28.1	1641	45.6	43.4-47.8	653	19.2	17.4-21.0	170	5.7	04.5-06.9	63	2.4	01.6-03.2
Some Post-H.S.	2509	1,443,614	28	0.9	00.5-01.3	686	26.3	24.1-28.5	1114	44.7	42.2-47.2	461	18.9	16.9-20.9	173	7.6	06.2-09.0	47	1.6	01.0-02.2
College Graduate	2832	985,590	15	0.4	00.2-00.6	841	29.4	27.2-31.6	1246	43.0	40.8-45.2	572	20.9	19.1-22.7	131	5.1	04.1-06.1	27	1.1	00.5-01.7
Less than \$15,000	1042	483,784	19	2.0	00.6-03.4	313	31.5	27.6-35.4	426	39.8	35.5-44.1	198	18.2	15.1-21.3	61	6.2	04.2-08.2	25	2.3	01.3-03.3
\$15,000- 24,999	1686	788,490	22	1.6	00.6-02.6	505	28.2	25.3-31.1	756	45.2	41.9-48.5	276	17.1	14.6-19.6	93	5.7	04.1-07.3	34	2.2	01.2-03.2
\$25,000- 34,999	1091	509,647	7	0.5	00.1-00.9	285	24.4	21.1-27.7	530	49.3	45.4-53.2	202	17.8	15.1-20.5	53	5.9	03.9-07.9	14	2.1	00.9-03.3
\$35,000- 49,999	1308	634,311	4	0.1	00.0-00.3	323	22.1	19.2-25.0	615	46.6	43.1-50.1	259	20.1	17.4-22.8	90	9.6	07.2-12.0	17	1.5	00.7-02.3
\$50,000- 74,999	1306	655,666	9	0.4	00.0-00.8	328	23.5	20.6-26.4	597	45.3	41.8-48.8	273	22.0	19.1-24.9	72	6.6	04.6-08.6	27	2.1	01.1-03.1
\$75,000+	2018	1,053,575	5	0.2	00.0-00.4	541	26.1	23.6-28.6	891	43.9	41.2-46.6	455	23.0	20.6-25.4	106	5.6	04.2-07.0	20	1.2	00.6-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4234	2,399,966	3	0.1	00.0-00.3	412	11.8	10.4-13.2	2108	48.1	46.1-50.1	1252	28.1	26.3-29.9	350	9.0	07.8-10.2	109	2.9	02.3-03.5
White/Non-Hisp	3663	1,948,691	3	0.1	00.0-00.3	337	11.2	09.6-12.8	1824	47.6	45.4-49.8	1114	29.5	27.7-31.3	292	8.7	07.5-09.9	93	2.9	02.1-03.7
Black or Afr. Am./Non-Hisp	212	194,430				20	11.0	05.5-16.5	102	49.5	40.9-58.1	54	22.5	15.6-29.4	29	13.9	07.6-20.2	7	3.0	00.6-05.4
Oth. Race/Non-Hisp.	81	54,228				21	28.2	15.9-40.5	33	39.1	26.6-51.6	20	19.4	09.2-29.6	7	13.4	03.4-23.4			
MultiRacial/Non-Hisp.	56	25,600				3	6.3	00.0-13.7	29	53.5	36.8-70.2	16	22.1	10.1-34.1	6	13.4	01.2-25.6	2	4.7	00.0-11.6
Hispanic	142	134,919				18	13.1	06.8-19.4	84	58.6	49.4-67.8	33	23.8	15.8-31.8	5	2.8	00.3-05.3	2	1.7	00.0-04.1
18-24	281	347,511				77	28.8	22.7-34.9	140	48.9	42.2-55.6	45	15.3	10.6-20.0	13	4.9	02.0-07.8	6	2.1	00.3-03.9
25-34	403	406,681				55	13.5	09.8-17.2	201	50.6	45.1-56.1	95	22.0	17.7-26.3	38	10.6	06.9-14.3	14	3.3	01.5-05.1
35-44	509	403,169				33	6.7	04.0-09.4	252	49.5	44.4-54.6	156	30.8	26.1-35.5	53	10.3	07.4-13.2	15	2.6	01.0-04.2
45-54	827	440,632	1	0.3	00.0-00.9	63	7.8	05.4-10.2	372	42.5	38.6-46.4	289	35.9	32.0-39.8	71	9.7	07.2-12.2	31	3.8	02.4-05.2
55-64	932	396,558	1	0.0	00.0-00.0	67	7.7	05.5-09.9	439	43.8	40.1-47.5	305	34.8	31.1-38.5	90	9.9	07.5-12.3	30	3.8	02.2-05.4
65+	1259	397,969	1	0.2	00.0-00.6	114	8.7	06.7-10.7	700	54.8	51.5-58.1	353	27.3	24.4-30.2	78	7.5	05.5-09.5	13	1.5	00.5-02.5
Less Than H.S.	386	354,715	1	0.2	00.0-00.6	67	18.9	14.0-23.8	185	47.0	40.7-53.3	92	22.6	17.5-27.7	26	7.5	04.4-10.6	15	3.8	01.6-06.0
H.S. or G.E.D.	1500	838,934				149	11.3	09.1-13.5	750	48.4	45.1-51.7	443	28.3	25.6-31.0	112	8.0	06.0-10.0	46	3.9	02.5-05.3
Some Post-H.S.	1018	689,764	1	0.2	00.0-00.6	89	11.5	08.8-14.2	478	46.2	42.5-49.9	303	27.9	24.6-31.2	115	12.1	09.6-14.6	32	2.2	01.4-03.0
College Graduate	1317	509,212	1	0.0	00.0-00.0	104	8.0	06.2-09.8	690	51.2	47.9-54.5	410	31.7	28.8-34.6	96	7.7	05.9-09.5	16	1.4	00.6-02.2
Less than \$15,000	363	195,210				60	22.0	15.9-28.1	169	44.9	38.2-51.6	93	22.2	16.7-27.7	24	6.9	03.6-10.2	17	4.1	01.7-06.5
\$15,000- 24,999	612	338,397	2	0.4	00.0-01.0	76	13.4	09.7-17.1	317	52.0	46.7-57.3	147	22.8	18.5-27.1	51	8.0	05.3-10.7	19	3.5	01.7-05.3
\$25,000- 34,999	485	270,703				53	11.6	07.9-15.3	251	53.2	47.5-58.9	136	23.8	19.3-28.3	34	8.2	05.1-11.3	11	3.2	01.2-05.2
\$35,000- 49,999	619	358,420				47	8.8	05.7-11.9	311	48.2	43.3-53.1	184	27.5	23.2-31.8	66	13.8	10.1-17.5	11	1.7	00.5-02.9
\$50,000- 74,999	616	353,610				55	9.5	06.2-12.8	291	45.8	40.7-50.9	198	32.2	27.5-36.9	56	9.9	06.6-13.2	16	2.5	01.1-03.9
\$75,000+	1056	592,378				57	7.8	05.4-10.2	529	47.6	43.7-51.5	370	34.9	31.4-38.4	84	8.0	05.8-10.2	16	1.8	00.8-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5639	2,388,682	92	1.8	01.2-02.4	2443	43.0	41.2-44.8	2296	40.8	39.0-42.6	590	10.4	09.4-11.4	169	3.2	02.6-03.8	49	0.9	00.5-01.3
White/Non-Hisp	4912	1,960,299	75	1.4	01.0-01.8	2169	44.0	42.0-46.0	1995	40.6	38.6-42.6	495	10.1	08.9-11.3	140	3.0	02.4-03.6	38	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	355	206,398	6	1.3	00.0-02.7	95	26.4	20.1-32.7	160	47.3	40.2-54.4	70	17.7	12.8-22.6	20	6.8	03.5-10.1	4	0.6	00.0-01.2
Oth. Race/Non-Hisp.	85	46,529	4	11.9	00.0-25.4	44	46.6	32.7-60.5	27	30.2	17.7-42.7	7	5.9	00.2-11.6	1	2.7	00.0-08.0	2	2.7	00.0-06.6
MultiRacial/Non-Hisp.	58	19,363	4	8.9	00.1-17.7	15	31.6	13.6-49.6	27	33.9	17.8-50.0	4	13.1	00.2-26.0	5	6.2	00.0-13.1	3	6.3	00.0-13.6
Hispanic	167	129,294	2	2.7	00.0-06.4	88	52.1	43.1-61.1	65	38.1	29.3-46.9	8	5.4	01.1-09.7	3	1.2	00.0-02.6	1	0.6	00.0-01.8
18-24	240	312,450	10	4.7	01.6-07.8	118	46.3	39.2-53.4	87	38.4	31.3-45.5	19	9.0	04.7-13.3	4	1.0	00.0-02.2	2	0.6	00.0-01.4
25-34	481	385,501	4	1.0	00.0-02.2	222	47.0	41.7-52.3	176	37.4	32.1-42.7	51	8.9	06.4-11.4	19	3.8	01.8-05.8	9	1.8	00.6-03.0
35-44	670	380,404	3	0.6	00.0-01.4	287	39.9	35.6-44.2	268	41.9	37.4-46.4	78	11.6	08.7-14.5	28	5.1	02.9-07.3	6	0.9	00.1-01.7
45-54	868	415,193	10	1.0	00.2-01.8	345	40.5	36.6-44.4	346	40.4	36.5-44.3	124	13.2	10.7-15.7	34	4.3	02.5-06.1	9	0.6	00.2-01.0
55-64	1241	384,889	18	1.8	00.8-02.8	478	38.8	35.5-42.1	526	42.8	39.5-46.1	158	12.0	09.8-14.2	46	3.5	02.3-04.7	15	1.1	00.5-01.7
65+	2104	498,889	46	1.9	01.3-02.5	970	45.2	42.7-47.7	883	43.0	40.5-45.5	159	7.8	06.2-09.4	38	1.6	01.0-02.2	8	0.5	00.1-00.9
Less Than H.S.	523	333,513	17	3.2	01.2-05.2	211	41.0	35.3-46.7	212	39.3	33.4-45.2	59	12.4	08.7-16.1	18	3.4	01.4-05.4	6	0.7	00.1-01.3
H.S. or G.E.D.	2103	822,765	34	2.0	00.8-03.2	893	41.2	38.3-44.1	891	42.8	39.9-45.7	210	9.9	08.1-11.7	58	3.3	02.3-04.3	17	0.9	00.5-01.3
Some Post-H.S.	1491	753,849	27	1.5	00.7-02.3	597	39.7	36.4-43.0	636	43.4	40.1-46.7	158	10.7	08.7-12.7	58	3.6	02.4-04.8	15	1.1	00.5-01.7
College Graduate	1515	476,378	14	0.8	00.2-01.4	737	52.4	49.3-55.5	556	34.3	31.4-37.2	162	9.2	07.6-10.8	35	2.4	01.4-03.4	11	0.8	00.2-01.4
Less than \$15,000	679	288,574	19	3.4	01.2-05.6	253	37.9	32.6-43.2	257	36.3	30.8-41.8	105	15.5	11.6-19.4	37	5.8	03.3-08.3	8	1.0	00.2-01.8
\$15,000- 24,999	1074	450,092	20	2.5	00.7-04.3	429	39.3	35.2-43.4	439	40.0	35.9-44.1	129	12.8	09.9-15.7	42	4.0	02.4-05.6	15	1.3	00.5-02.1
\$25,000- 34,999	606	238,944	7	1.1	00.1-02.1	232	38.8	33.5-44.1	279	45.0	39.7-50.3	66	11.0	07.9-14.1	19	3.2	01.2-05.2	3	0.8	00.0-01.8
\$35,000- 49,999	689	275,890	4	0.3	00.0-00.7	276	39.4	34.5-44.3	304	44.5	39.6-49.4	75	10.6	07.9-13.3	24	4.0	02.0-06.0	6	1.3	00.3-02.3
\$50,000- 74,999	690	302,056	9	1.0	00.2-01.8	273	40.0	35.3-44.7	306	44.7	40.0-49.4	75	10.1	07.2-13.0	16	2.7	00.9-04.5	11	1.6	00.4-02.8
\$75,000+	962	461,197	5	0.5	00.0-01.1	484	49.6	45.5-53.7	362	39.1	35.0-43.2	85	7.8	05.8-09.8	22	2.5	01.1-03.9	4	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9770	4,705,163	99	1.1	00.7-01.5	3029	31.8	30.6-33.0	3494	35.4	34.2-36.6	1884	18.5	17.5-19.5	1264	13.2	12.2-14.2
Male	4203	2,377,720	25	0.7	00.3-01.1	1068	27.2	25.4-29.0	1792	41.2	39.2-43.2	828	18.6	17.0-20.2	490	12.2	11.0-13.4
Female	5567	2,327,443	74	1.4	01.0-01.8	1961	36.5	34.7-38.3	1702	29.5	27.9-31.1	1056	18.4	17.0-19.8	774	14.2	13.0-15.4
White/Non-Hisp	8515	3,868,967	82	0.9	00.7-01.1	2679	32.5	31.1-33.9	3093	36.0	34.6-37.4	1602	17.9	16.9-18.9	1059	12.6	11.6-13.6
Black or Afr. Am./Non-Hisp	557	393,650	5	0.9	00.0-01.9	126	25.5	20.2-30.8	169	32.0	26.9-37.1	143	22.4	17.7-27.1	114	19.3	15.2-23.4
Oth. Race/Non-Hisp.	163	99,217	3	4.7	00.0-11.2	71	40.0	30.6-49.4	42	26.2	17.8-34.6	28	16.3	09.4-23.2	19	12.9	06.0-19.8
MultiRacial/Non-Hisp.	111	43,550	3	2.1	00.0-05.0	25	30.0	17.7-42.3	42	30.6	19.2-42.0	20	16.9	08.3-25.5	21	20.4	10.6-30.2
Hispanic	285	234,380	3	1.2	00.0-02.6	80	27.6	21.5-33.7	101	36.3	29.6-43.0	70	24.4	18.5-30.3	31	10.6	06.5-14.7
18-24	507	642,585	14	2.9	01.1-04.7	260	51.6	46.7-56.5	135	25.9	21.6-30.2	61	12.4	09.3-15.5	37	7.3	04.8-09.8
25-34	847	753,882	5	0.6	00.0-01.2	318	37.2	33.5-40.9	270	33.1	29.4-36.8	127	14.6	11.7-17.5	127	14.6	11.9-17.3
35-44	1168	773,106	7	0.5	00.1-00.9	364	27.7	24.8-30.6	431	39.0	35.7-42.3	193	18.1	15.4-20.8	173	14.6	12.2-17.0
45-54	1682	847,247	9	0.5	00.1-00.9	446	25.1	22.7-27.5	606	36.1	33.4-38.8	370	22.4	20.0-24.8	251	15.9	13.7-18.1
55-64	2169	780,408	22	1.1	00.5-01.7	595	25.8	23.6-28.0	766	36.2	33.7-38.7	464	22.4	20.2-24.6	322	14.5	12.7-16.3
65+	3340	889,697	42	1.1	00.7-01.5	1023	28.0	26.2-29.8	1270	40.1	38.1-42.1	657	19.4	17.8-21.0	348	11.3	09.9-12.7
Less Than H.S.	874	650,207	15	1.1	00.3-01.9	248	32.6	28.3-36.9	291	31.2	27.3-35.1	189	20.2	16.7-23.7	131	14.9	12.0-17.8
H.S. or G.E.D.	3570	1,637,586	42	1.4	00.8-02.0	1027	28.7	26.7-30.7	1301	37.1	34.9-39.3	723	18.9	17.3-20.5	477	13.8	12.2-15.4
Some Post-H.S.	2498	1,434,268	25	0.9	00.3-01.5	748	31.4	29.0-33.8	852	34.2	31.8-36.6	510	19.6	17.6-21.6	363	13.9	12.1-15.7
College Graduate	2811	974,784	17	0.6	00.2-01.0	998	36.9	34.7-39.1	1043	37.2	35.0-39.4	460	15.1	13.5-16.7	293	10.2	08.8-11.6
Less than \$15,000	1023	467,284	18	1.9	00.7-03.1	294	31.2	27.1-35.3	301	29.9	26.0-33.8	206	16.9	13.6-20.2	204	20.1	16.6-23.6
\$15,000- 24,999	1659	758,722	21	1.6	00.6-02.6	469	28.4	25.3-31.5	584	35.1	32.0-38.2	315	18.5	16.0-21.0	270	16.4	13.9-18.9
\$25,000- 34,999	1081	504,497	7	0.8	00.2-01.4	312	29.8	26.1-33.5	382	35.7	32.0-39.4	242	20.2	17.3-23.1	138	13.4	10.9-15.9
\$35,000- 49,999	1301	629,901	4	0.3	00.0-00.7	371	27.7	24.4-31.0	490	37.8	34.3-41.3	259	19.7	17.0-22.4	177	14.5	12.0-17.0
\$50,000- 74,999	1302	652,481	8	0.4	00.0-00.8	377	30.3	27.0-33.6	493	36.2	32.9-39.5	257	20.6	17.7-23.5	167	12.5	10.3-14.7
\$75,000+	2009	1,047,588	12	0.8	00.2-01.4	676	34.4	31.7-37.1	773	37.8	35.1-40.5	367	17.7	15.7-19.7	181	9.2	07.6-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4203	2,377,720	25	0.7	00.3-01.1	1068	27.2	25.4-29.0	1792	41.2	39.2-43.2	828	18.6	17.0-20.2	490	12.2	11.0-13.4
White/Non-Hisp	3646	1,941,356	22	0.7	00.3-01.1	927	27.5	25.5-29.5	1583	42.0	40.0-44.0	701	18.0	16.4-19.6	413	11.8	10.4-13.2
Black or Afr. Am./Non-Hisp	209	192,601	1	0.5	00.0-01.5	52	29.6	21.2-38.0	72	35.1	26.9-43.3	52	20.6	13.7-27.5	32	14.3	08.8-19.8
Oth. Race/Non-Hisp.	79	53,190	1	1.8	00.0-05.3	32	40.9	27.8-54.0	22	26.2	14.8-37.6	16	18.6	08.6-28.6	8	12.6	03.0-22.2
MultiRacial/Non-Hisp.	56	25,600	12	26.0	10.3-41.7	24	40.7	24.0-57.4	10	14.0	04.6-23.4	10	19.2	05.7-32.7	10	19.2	05.7-32.7
Hispanic	135	125,459	23	16.2	09.3-23.1	65	47.4	37.8-57.0	34	26.1	17.5-34.7	13	10.2	04.3-16.1			
18-24	279	346,462	5	2.0	00.0-04.0	147	53.6	46.9-60.3	81	27.5	21.6-33.4	29	11.0	06.9-15.1	17	6.0	03.1-08.9
25-34	397	399,437	3	0.7	00.0-01.5	131	32.8	27.5-38.1	155	40.1	34.6-45.6	57	13.7	09.8-17.6	51	12.7	09.0-16.4
35-44	504	397,838	2	0.1	00.0-00.3	118	21.0	17.1-24.9	228	47.2	41.9-52.5	88	18.6	14.5-22.7	68	13.1	09.6-16.6
45-54	819	435,362	4	0.5	00.0-01.1	155	17.1	14.2-20.0	355	42.4	38.5-46.3	197	24.9	21.4-28.4	108	15.1	12.0-18.2
55-64	929	395,660	3	0.2	00.0-00.4	201	20.4	17.3-23.5	390	41.5	37.8-45.2	207	23.4	20.1-26.7	128	14.4	11.7-17.1
65+	1252	395,517	8	0.7	00.1-01.3	311	22.8	20.1-25.5	576	47.1	43.8-50.4	243	18.5	16.0-21.0	114	10.9	08.7-13.1
Less Than H.S.	374	341,447	1	0.4	00.0-01.2	103	32.9	26.6-39.2	151	34.5	28.8-40.2	78	20.8	15.7-25.9	41	11.4	07.7-15.1
H.S. or G.E.D.	1493	835,066	11	0.8	00.2-01.4	367	25.1	22.2-28.0	630	42.9	39.6-46.2	304	18.5	16.0-21.0	181	12.6	10.4-14.8
Some Post-H.S.	1013	686,727	7	0.9	00.0-01.9	239	26.5	23.0-30.0	403	39.3	35.6-43.0	218	19.5	16.8-22.2	146	13.8	11.3-16.3
College Graduate	1312	507,461	6	0.4	00.0-00.8	355	27.8	24.9-30.7	602	45.4	42.1-48.7	227	16.3	13.9-18.7	122	10.1	07.9-12.3
Less than \$15,000	357	189,085	7	1.9	00.1-03.7	102	31.7	25.2-38.2	141	41.3	34.4-48.2	53	9.7	06.6-12.8	54	15.4	10.7-20.1
\$15,000- 24,999	604	329,005	3	0.6	00.0-01.4	158	25.8	21.1-30.5	253	41.7	36.6-46.8	116	19.1	14.8-23.4	74	12.9	09.4-16.4
\$25,000- 34,999	481	269,306	2	0.3	00.0-00.7	133	29.6	23.9-35.3	192	40.3	34.6-46.0	94	16.2	12.3-20.1	60	13.6	09.7-17.5
\$35,000- 49,999	618	358,121	1	0.1	00.0-00.3	147	23.9	19.6-28.2	262	42.1	37.2-47.0	127	19.1	15.2-23.0	81	14.8	11.3-18.3
\$50,000- 74,999	616	353,610	146	24.4	19.9-28.9	268	41.8	36.7-46.9	132	22.6	18.3-26.9	70	11.2	08.3-14.1			
\$75,000+	1052	590,732	7	1.0	00.0-02.0	244	26.4	22.7-30.1	479	42.6	38.9-46.3	223	20.3	17.4-23.2	99	9.7	07.3-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5567	2,327,443	74	1.4	01.0-01.8	1961	36.5	34.7-38.3	1702	29.5	27.9-31.1	1056	18.4	17.0-19.8	774	14.2	13.0-15.4
White/Non-Hisp	4869	1,927,611	60	1.1	00.7-01.5	1752	37.6	35.6-39.6	1510	30.1	28.3-31.9	901	17.7	16.3-19.1	646	13.4	12.0-14.8
Black or Afr. Am./Non-Hisp	348	201,049	4	1.3	00.0-02.9	74	21.5	15.4-27.6	97	29.1	22.8-35.4	91	24.1	17.8-30.4	82	24.0	18.1-29.9
Oth. Race/Non-Hisp.	84	46,027	2	8.0	00.0-20.9	39	38.9	25.8-52.0	20	26.1	13.6-38.6	12	13.6	04.2-23.0	11	13.3	03.5-23.1
MultiRacial/Non-Hisp.	55	17,950	3	5.0	00.0-11.9	13	35.8	16.8-54.8	18	16.2	06.4-26.0	10	21.1	05.6-36.6	11	22.0	07.9-36.1
Hispanic	150	108,921	3	2.6	00.0-05.5	57	40.7	31.1-50.3	36	23.4	15.2-31.6	36	22.3	14.7-29.9	18	11.0	05.3-16.7
18-24	228	296,124	9	3.9	01.0-06.8	113	49.2	41.8-56.6	54	24.0	17.7-30.3	32	14.2	09.1-19.3	20	8.8	04.5-13.1
25-34	450	354,445	2	0.4	00.0-01.0	187	42.1	36.6-47.6	115	25.1	20.4-29.8	70	15.5	11.2-19.8	76	16.8	12.9-20.7
35-44	664	375,268	5	0.9	00.1-01.7	246	34.9	30.8-39.0	203	30.4	26.3-34.5	105	17.6	14.1-21.1	105	16.2	12.9-19.5
45-54	863	411,885	5	0.5	00.0-01.1	291	33.6	29.9-37.3	251	29.4	25.7-33.1	173	19.8	16.7-22.9	143	16.7	13.6-19.8
55-64	1240	384,748	19	1.9	00.9-02.9	394	31.3	28.2-34.4	376	30.8	27.7-33.9	257	21.3	18.4-24.2	194	14.7	12.3-17.1
65+	2088	494,181	34	1.5	00.9-02.1	712	32.2	29.8-34.6	694	34.5	32.0-37.0	414	20.1	17.9-22.3	234	11.7	09.9-13.5
Less Than H.S.	500	308,760	14	1.9	00.5-03.3	145	32.2	26.5-37.9	140	27.5	22.0-33.0	111	19.6	14.7-24.5	90	18.8	14.3-23.3
H.S. or G.E.D.	2077	802,520	31	2.0	01.0-03.0	660	32.5	29.8-35.2	671	31.1	28.6-33.6	419	19.4	17.2-21.6	296	15.0	12.8-17.2
Some Post-H.S.	1485	747,541	18	1.0	00.4-01.6	509	35.9	32.6-39.2	449	29.6	26.7-32.5	292	19.7	17.0-22.4	217	14.0	11.6-16.4
College Graduate	1499	467,323	11	0.9	00.1-01.7	643	46.9	43.8-50.0	441	28.2	25.5-30.9	233	13.8	11.8-15.8	171	10.2	08.4-12.0
Less than \$15,000	666	278,199	11	1.9	00.3-03.5	192	30.8	25.7-35.9	160	22.2	17.9-26.5	153	21.7	16.6-26.8	150	23.4	18.7-28.1
\$15,000- 24,999	1055	429,717	18	2.4	00.6-04.2	311	30.5	26.6-34.4	331	30.1	26.2-34.0	199	18.0	14.9-21.1	196	19.0	15.7-22.3
\$25,000- 34,999	600	235,190	5	1.3	00.0-02.7	179	30.1	25.0-35.2	190	30.5	25.6-35.4	148	24.8	20.1-29.5	78	13.3	09.8-16.8
\$35,000- 49,999	683	271,780	3	0.6	00.0-01.6	224	32.7	27.8-37.6	228	32.2	27.7-36.7	132	20.4	16.5-24.3	96	14.1	11.0-17.2
\$50,000- 74,999	686	298,871	8	1.0	00.2-01.8	231	37.2	32.5-41.9	225	29.5	25.4-33.6	125	18.3	14.6-22.0	97	14.0	10.7-17.3
\$75,000+	957	456,856	5	0.6	00.0-01.2	432	44.9	40.8-49.0	294	31.7	28.0-35.4	144	14.4	11.7-17.1	82	8.5	06.3-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9770	4,705,163	153	1.7	01.3-02.1	2963	31.1	29.9-32.3	3497	35.4	34.2-36.6	3157	31.8	30.6-33.0
Male	4203	2,377,720	40	1.2	00.8-01.6	1044	26.6	24.8-28.4	1792	41.2	39.2-43.2	1327	31.1	29.3-32.9
Female	5567	2,327,443	113	2.2	01.6-02.8	1919	35.6	33.8-37.4	1705	29.6	28.0-31.2	1830	32.6	30.8-34.4
White/Non-Hisp	8515	3,868,967	130	1.5	01.1-01.9	2619	31.8	30.4-33.2	3096	36.0	34.6-37.4	2670	30.6	29.2-32.0
Black or Afr. Am./Non-Hisp	557	393,650	7	1.3	00.1-02.5	124	25.0	19.7-30.3	169	32.0	26.9-37.1	257	41.6	36.1-47.1
Oth. Race/Non-Hisp.	163	99,217	4	5.1	00.0-11.6	70	39.5	30.1-48.9	42	26.2	17.8-34.6	47	29.2	20.4-38.0
MultiRacial/Non-Hisp.	111	43,550	3	2.1	00.0-05.0	25	30.0	17.7-42.3	42	30.6	19.2-42.0	41	37.3	25.5-49.1
Hispanic	285	234,380	5	2.6	00.2-05.0	78	26.3	20.2-32.4	101	36.3	29.6-43.0	101	34.9	28.4-41.4
18-24	507	642,585	22	4.5	02.5-06.5	251	49.9	45.0-54.8	136	25.9	21.6-30.2	98	19.7	15.8-23.6
25-34	847	753,882	12	1.3	00.5-02.1	310	36.3	32.6-40.0	271	33.2	29.5-36.9	254	29.2	25.7-32.7
35-44	1168	773,106	13	0.9	00.3-01.5	355	27.2	24.3-30.1	433	39.1	35.8-42.4	367	32.8	29.5-36.1
45-54	1682	847,247	13	0.9	00.3-01.5	439	24.6	22.2-27.0	604	35.7	33.0-38.4	626	38.8	36.1-41.5
55-64	2169	780,408	26	1.2	00.6-01.8	588	25.4	23.2-27.6	766	36.3	33.8-38.8	789	37.1	34.6-39.6
65+	3340	889,697	66	1.8	01.2-02.4	998	27.4	25.6-29.2	1271	40.1	38.1-42.1	1005	30.7	28.7-32.7
Less Than H.S.	874	650,207	22	1.7	00.7-02.7	239	31.9	27.6-36.2	293	31.3	27.4-35.2	320	35.1	31.0-39.2
H.S. or G.E.D.	3570	1,637,586	60	2.1	01.3-02.9	1006	28.0	26.0-30.0	1300	37.0	34.8-39.2	1204	32.9	30.9-34.9
Some Post-H.S.	2498	1,434,268	37	1.5	00.9-02.1	733	30.7	28.3-33.1	852	34.3	31.9-36.7	876	33.6	31.2-36.0
College Graduate	2811	974,784	34	1.3	00.7-01.9	977	36.1	33.9-38.3	1045	37.3	35.1-39.5	755	25.3	23.3-27.3
Less than \$15,000	1023	467,284	29	3.3	01.7-04.9	282	29.7	25.8-33.6	301	29.9	26.0-33.8	411	37.1	33.0-41.2
\$15,000- 24,999	1659	758,722	28	1.9	00.9-02.9	462	28.2	25.1-31.3	584	35.1	32.0-38.2	585	34.8	31.7-37.9
\$25,000- 34,999	1081	504,497	12	1.5	00.5-02.5	306	29.1	25.4-32.8	383	35.7	32.0-39.4	380	33.7	30.0-37.4
\$35,000- 49,999	1301	629,901	12	0.7	00.1-01.3	363	27.3	24.0-30.6	488	37.6	34.3-40.9	438	34.4	31.1-37.7
\$50,000- 74,999	1302	652,481	15	1.0	00.4-01.6	368	29.6	26.3-32.9	494	36.2	32.9-39.5	425	33.2	29.9-36.5
\$75,000+	2009	1,047,588	16	1.0	00.4-01.6	667	34.0	31.3-36.7	775	37.9	35.2-40.6	551	27.1	24.7-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4203	2,377,720	40	1.2	00.8-01.6	1044	26.6	24.8-28.4	1792	41.2	39.2-43.2	1327	31.1	29.3-32.9
White/Non-Hisp	3646	1,941,356	34	1.1	00.5-01.7	906	26.9	24.9-28.9	1583	41.9	39.9-43.9	1123	30.1	28.1-32.1
Black or Afr. Am./Non-Hisp	209	192,601	3	1.3	00.0-02.9	50	28.7	20.3-37.1	72	35.1	26.9-43.3	84	34.9	26.9-42.9
Oth. Race/Non-Hisp.	79	53,190	1	1.8	00.0-05.3	32	40.9	27.8-54.0	22	26.2	14.8-37.6	24	31.1	18.6-43.6
MultiRacial/Non-Hisp.	56	25,600				12	26.0	10.3-41.7	24	40.7	24.0-57.4	20	33.3	18.0-48.6
Hispanic	135	125,459	1	1.3	00.0-03.8	22	15.0	08.5-21.5	65	47.4	37.8-57.0	47	36.3	26.9-45.7
18-24	279	346,462	10	3.8	01.3-06.3	141	51.7	45.0-58.4	82	27.6	21.7-33.5	46	16.9	12.0-21.8
25-34	397	399,437	5	1.1	00.0-02.3	129	32.4	27.1-37.7	155	40.1	34.6-45.6	108	26.4	21.5-31.3
35-44	504	397,838	2	0.1	00.0-00.3	115	20.6	16.7-24.5	230	47.4	42.1-52.7	157	31.8	26.9-36.7
45-54	819	435,362	5	0.8	00.0-01.6	151	16.6	13.7-19.5	353	41.8	37.9-45.7	310	40.9	36.8-45.0
55-64	929	395,660	6	0.5	00.1-00.9	196	19.9	17.0-22.8	389	41.5	37.8-45.2	338	38.1	34.4-41.8
65+	1252	395,517	12	1.0	00.4-01.6	307	22.6	19.9-25.3	576	47.1	43.8-50.4	357	29.4	26.3-32.5
Less Than H.S.	374	341,447	4	1.1	00.0-02.3	98	32.0	25.7-38.3	153	34.7	29.0-40.4	119	32.2	26.3-38.1
H.S. or G.E.D.	1493	835,066	18	1.7	00.7-02.7	358	24.1	21.4-26.8	628	42.7	39.4-46.0	489	31.5	28.6-34.4
Some Post-H.S.	1013	686,727	10	1.1	00.1-02.1	234	26.1	22.6-29.6	402	39.3	35.6-43.0	367	33.5	30.0-37.0
College Graduate	1312	507,461	8	0.4	00.0-00.8	350	27.5	24.6-30.4	603	45.5	42.2-48.8	351	26.6	23.7-29.5
Less than \$15,000	357	189,085	11	3.8	00.9-06.7	97	29.6	23.3-35.9	141	41.2	34.3-48.1	108	25.3	19.8-30.8
\$15,000- 24,999	604	329,005	4	0.7	00.0-01.5	157	25.7	21.0-30.4	253	41.7	36.6-46.8	190	31.9	27.0-36.8
\$25,000- 34,999	481	269,306	4	0.9	00.0-01.9	131	29.0	23.5-34.5	192	40.3	34.6-46.0	154	29.8	24.7-34.9
\$35,000- 49,999	618	358,121	4	0.4	00.0-01.0	144	23.5	19.2-27.8	260	41.7	36.8-46.6	210	34.3	29.6-39.0
\$50,000- 74,999	616	353,610	3	0.4	00.0-01.2	141	23.8	19.3-28.3	269	41.9	36.8-47.0	203	33.9	29.0-38.8
\$75,000+	1052	590,732	7	1.0	00.0-02.0	240	26.0	22.5-29.5	480	42.6	38.9-46.3	325	30.4	26.9-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5567	2,327,443	113	2.2	01.6-02.8	1919	35.6	33.8-37.4	1705	29.6	28.0-31.2	1830	32.6	30.8-34.4
White/Non-Hisp	4869	1,927,611	96	1.9	01.3-02.5	1713	36.8	34.8-38.8	1513	30.1	28.3-31.9	1547	31.2	29.4-33.0
Black or Afr. Am./Non-Hisp	348	201,049	4	1.3	00.0-02.9	74	21.5	15.4-27.6	97	29.1	22.8-35.4	173	48.1	41.0-55.2
Oth. Race/Non-Hisp.	84	46,027	3	9.0	00.0-21.9	38	37.9	25.0-50.8	20	26.1	13.6-38.6	23	27.0	14.5-39.5
MultiRacial/Non-Hisp.	55	17,950	3	5.0	00.0-11.9	13	35.8	16.8-54.8	18	16.2	06.4-26.0	21	43.1	25.1-61.1
Hispanic	150	108,921	4	4.0	00.1-07.9	56	39.3	29.7-48.9	36	23.4	15.2-31.6	54	33.3	24.5-42.1
18-24	228	296,124	12	5.3	02.0-08.6	110	47.8	40.4-55.2	54	24.0	17.7-30.3	52	22.9	16.8-29.0
25-34	450	354,445	7	1.6	00.4-02.8	181	40.7	35.4-46.0	116	25.4	20.7-30.1	146	32.3	27.0-37.6
35-44	664	375,268	11	1.6	00.6-02.6	240	34.2	30.1-38.3	203	30.4	26.3-34.5	210	33.8	29.5-38.1
45-54	863	411,885	8	1.0	00.2-01.8	288	33.1	29.4-36.8	251	29.4	25.7-33.1	316	36.5	32.6-40.4
55-64	1240	384,748	20	2.0	01.0-03.0	392	31.1	28.0-34.2	377	30.9	27.8-34.0	451	36.0	32.7-39.3
65+	2088	494,181	54	2.4	01.6-03.2	691	31.3	28.9-33.7	695	34.6	32.1-37.1	648	31.8	29.3-34.3
Less Than H.S.	500	308,760	18	2.3	00.9-03.7	141	31.8	26.1-37.5	140	27.5	22.0-33.0	201	38.4	32.5-44.3
H.S. or G.E.D.	2077	802,520	42	2.5	01.3-03.7	648	32.0	29.3-34.7	672	31.1	28.6-33.6	715	34.4	31.7-37.1
Some Post-H.S.	1485	747,541	27	1.8	01.0-02.6	499	34.9	31.6-38.2	450	29.6	26.7-32.5	509	33.6	30.5-36.7
College Graduate	1499	467,323	26	2.2	01.0-03.4	627	45.4	42.3-48.5	442	28.4	25.7-31.1	404	24.0	21.5-26.5
Less than \$15,000	666	278,199	18	2.9	01.1-04.7	185	29.8	24.7-34.9	160	22.2	17.9-26.5	303	45.1	39.4-50.8
\$15,000- 24,999	1055	429,717	24	2.9	01.1-04.7	305	30.0	26.1-33.9	331	30.1	26.2-34.0	395	37.0	32.9-41.1
\$25,000- 34,999	600	235,190	8	2.2	00.4-04.0	175	29.3	24.4-34.2	191	30.5	25.6-35.4	226	38.1	33.0-43.2
\$35,000- 49,999	683	271,780	8	1.2	00.0-02.4	219	32.2	27.3-37.1	228	32.2	27.7-36.7	228	34.5	29.8-39.2
\$50,000- 74,999	686	298,871	12	1.7	00.5-02.9	227	36.5	31.8-41.2	225	29.5	25.4-33.6	222	32.3	27.8-36.8
\$75,000+	957	456,856	9	0.9	00.1-01.7	427	44.3	40.2-48.4	295	31.9	28.2-35.6	226	22.9	19.6-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9770	4,705,163	3116	32.7	31.3-34.1	6654	67.3	65.9-68.7
Male	4203	2,377,720	1084	27.8	26.0-29.6	3119	72.2	70.4-74.0
Female	5567	2,327,443	2032	37.8	36.0-39.6	3535	62.2	60.4-64.0
White/Non-Hisp	8515	3,868,967	2749	33.3	31.9-34.7	5766	66.7	65.3-68.1
Black or Afr. Am./Non-Hisp	557	393,650	131	26.3	21.0-31.6	426	73.7	68.4-79.0
Oth. Race/Non-Hisp.	163	99,217	74	44.6	34.8-54.4	89	55.4	45.6-65.2
MultiRacial/Non-Hisp.	111	43,550	28	32.1	19.8-44.4	83	67.9	55.6-80.2
Hispanic	285	234,380	83	28.8	22.5-35.1	202	71.2	64.9-77.5
18-24	507	642,585	273	54.4	49.5-59.3	234	45.6	40.7-50.5
25-34	847	753,882	322	37.6	33.9-41.3	525	62.4	58.7-66.1
35-44	1168	773,106	368	28.1	25.2-31.0	800	71.9	69.0-74.8
45-54	1682	847,247	452	25.5	23.1-27.9	1230	74.5	72.1-76.9
55-64	2169	780,408	614	26.6	24.4-28.8	1555	73.4	71.2-75.6
65+	3340	889,697	1064	29.2	27.4-31.0	2276	70.8	69.0-72.6
Less Than H.S.	874	650,207	261	33.6	29.3-37.9	613	66.4	62.1-70.7
H.S. or G.E.D.	3570	1,637,586	1066	30.1	28.1-32.1	2504	69.9	67.9-71.9
Some Post-H.S.	2498	1,434,268	770	32.2	29.8-34.6	1728	67.8	65.4-70.2
College Graduate	2811	974,784	1011	37.4	35.2-39.6	1800	62.6	60.4-64.8
Less than \$15,000	1023	467,284	311	33.0	28.9-37.1	712	67.0	62.9-71.1
\$15,000- 24,999	1659	758,722	490	30.1	27.0-33.2	1169	69.9	66.8-73.0
\$25,000- 34,999	1081	504,497	318	30.6	26.9-34.3	763	69.4	65.7-73.1
\$35,000- 49,999	1301	629,901	375	28.0	24.7-31.3	926	72.0	68.7-75.3
\$50,000- 74,999	1302	652,481	383	30.6	27.3-33.9	919	69.4	66.1-72.7
\$75,000+	2009	1,047,588	683	34.9	32.2-37.6	1326	65.1	62.4-67.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4203	2,377,720	1084	27.8	26.0-29.6	3119	72.2	70.4-74.0
White/Non-Hisp	3646	1,941,356	940	28.0	26.0-30.0	2706	72.0	70.0-74.0
Black or Afr. Am./Non-Hisp	209	192,601	53	30.1	21.7-38.5	156	69.9	61.5-78.3
Oth. Race/Non-Hisp.	79	53,190	33	42.7	29.4-56.0	46	57.3	44.0-70.6
MultiRacial/Non-Hisp.	56	25,600	12	26.0	10.3-41.7	44	74.0	58.3-89.7
Hispanic	135	125,459	23	16.2	09.3-23.1	112	83.8	76.9-90.7
18-24	279	346,462	151	55.5	48.8-62.2	128	44.5	37.8-51.2
25-34	397	399,437	134	33.5	28.2-38.8	263	66.5	61.2-71.8
35-44	504	397,838	117	20.8	16.9-24.7	387	79.2	75.3-83.1
45-54	819	435,362	156	17.4	14.5-20.3	663	82.6	79.7-85.5
55-64	929	395,660	202	20.4	17.3-23.5	727	79.6	76.5-82.7
65+	1252	395,517	319	23.6	20.9-26.3	933	76.4	73.7-79.1
Less Than H.S.	374	341,447	102	33.1	26.8-39.4	272	66.9	60.6-73.2
H.S. or G.E.D.	1493	835,066	376	25.8	22.9-28.7	1117	74.2	71.3-77.1
Some Post-H.S.	1013	686,727	244	27.2	23.7-30.7	769	72.8	69.3-76.3
College Graduate	1312	507,461	358	27.9	25.0-30.8	954	72.1	69.2-75.0
Less than \$15,000	357	189,085	108	33.4	26.9-39.9	249	66.6	60.1-73.1
\$15,000- 24,999	604	329,005	161	26.4	21.7-31.1	443	73.6	68.9-78.3
\$25,000- 34,999	481	269,306	135	29.9	24.2-35.6	346	70.1	64.4-75.8
\$35,000- 49,999	618	358,121	148	24.0	19.7-28.3	470	76.0	71.7-80.3
\$50,000- 74,999	616	353,610	144	24.2	19.7-28.7	472	75.8	71.3-80.3
\$75,000+	1052	590,732	247	27.0	23.3-30.7	805	73.0	69.3-76.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5567	2,327,443	2032	37.8	36.0-39.6	3535	62.2	60.4-64.0
White/Non-Hisp	4869	1,927,611	1809	38.7	36.7-40.7	3060	61.3	59.3-63.3
Black or Afr. Am./Non-Hisp	348	201,049	78	22.8	16.5-29.1	270	77.2	70.9-83.5
Oth. Race/Non-Hisp.	84	46,027	41	46.9	32.6-61.2	43	53.1	38.8-67.4
MultiRacial/Non-Hisp.	55	17,950	16	40.8	22.0-59.6	39	59.2	40.4-78.0
Hispanic	150	108,921	60	43.3	33.5-53.1	90	56.7	46.9-66.5
18-24	228	296,124	122	53.1	45.7-60.5	106	46.9	39.5-54.3
25-34	450	354,445	188	42.3	36.8-47.8	262	57.7	52.2-63.2
35-44	664	375,268	251	35.8	31.5-40.1	413	64.2	59.9-68.5
45-54	863	411,885	296	34.1	30.4-37.8	567	65.9	62.2-69.6
55-64	1240	384,748	412	33.1	30.0-36.2	828	66.9	63.8-70.0
65+	2088	494,181	745	33.7	31.3-36.1	1343	66.3	63.9-68.7
Less Than H.S.	500	308,760	159	34.1	28.2-40.0	341	65.9	60.0-71.8
H.S. or G.E.D.	2077	802,520	690	34.5	31.6-37.4	1387	65.5	62.6-68.4
Some Post-H.S.	1485	747,541	526	36.7	33.4-40.0	959	63.3	60.0-66.6
College Graduate	1499	467,323	653	47.6	44.5-50.7	846	52.4	49.3-55.5
Less than \$15,000	666	278,199	203	32.7	27.4-38.0	463	67.3	62.0-72.6
\$15,000- 24,999	1055	429,717	329	32.9	28.8-37.0	726	67.1	63.0-71.2
\$25,000- 34,999	600	235,190	183	31.4	26.3-36.5	417	68.6	63.5-73.7
\$35,000- 49,999	683	271,780	227	33.3	28.4-38.2	456	66.7	61.8-71.6
\$50,000- 74,999	686	298,871	239	38.2	33.5-42.9	447	61.8	57.1-66.5
\$75,000+	957	456,856	436	45.2	41.1-49.3	521	54.8	50.7-58.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10297	4,965,956	7640	63.0	61.6-64.4	1066	14.4	13.4-15.4	981	13.5	12.5-14.5	411	6.1	05.3-06.9	128	1.9	01.5-02.3	71	1.2	00.8-01.6
Male	4261	2,413,772	3166	65.4	63.4-67.4	442	13.7	12.3-15.1	399	11.9	10.5-13.3	180	6.2	05.2-07.2	46	1.6	01.0-02.2	28	1.1	00.7-01.5
Female	6036	2,552,185	4474	60.7	58.9-62.5	624	15.0	13.6-16.4	582	15.0	13.6-16.4	231	6.0	05.0-07.0	82	2.1	01.5-02.7	43	1.2	00.8-01.6
White/Non-Hisp	8945	4,052,442	6786	65.0	63.6-66.4	880	13.9	12.9-14.9	817	12.9	11.9-13.9	325	5.8	05.0-06.6	90	1.4	01.0-01.8	47	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	592	416,842	394	58.3	52.8-63.8	90	18.4	14.1-22.7	56	13.2	09.1-17.3	33	6.1	03.7-08.5	12	2.5	00.7-04.3	7	1.5	00.1-02.9
Oth. Race/Non-Hisp.	170	103,762	127	66.1	56.9-75.3	17	12.8	06.3-19.3	15	11.0	04.9-17.1	6	5.4	00.7-10.1	4	3.8	00.0-07.7	1	1.0	00.0-02.8
MultiRacial/Non-Hisp.	116	46,119	86	64.2	52.0-76.4	12	10.9	03.5-18.3	6	13.4	02.8-24.0	7	5.9	01.4-10.4	3	4.4	00.0-09.7	2	1.1	00.0-02.7
Hispanic	319	271,196	122	35.2	29.1-41.3	56	17.5	12.6-22.4	76	24.7	19.0-30.4	33	10.9	06.8-15.0	19	6.6	03.3-09.9	13	5.1	02.0-08.2
18-24	541	684,507	339	60.0	55.3-64.7	104	19.3	15.6-23.0	62	12.6	09.5-15.7	21	4.8	02.6-07.0	10	1.6	00.6-02.6	5	1.6	00.0-03.2
25-34	914	813,413	346	37.0	33.5-40.5	178	19.6	16.7-22.5	215	23.2	20.1-26.3	121	13.3	10.8-15.8	32	4.2	02.6-05.8	22	2.7	01.5-03.9
35-44	1225	810,014	301	25.3	22.4-28.2	274	23.1	20.4-25.8	384	30.8	27.7-33.9	176	14.2	11.8-16.6	62	4.3	02.9-05.7	28	2.2	01.2-03.2
45-54	1777	892,374	1109	63.2	60.5-65.9	331	18.8	16.6-21.0	247	12.8	11.0-14.6	67	3.8	02.6-05.0	15	0.9	00.3-01.5	8	0.4	00.0-00.8
55-64	2262	811,932	2062	89.9	88.3-91.5	125	5.9	04.7-07.1	46	2.4	01.6-03.2	17	1.1	00.5-01.7	6	0.4	00.0-00.8	6	0.3	00.1-00.5
65+	3491	926,070	3415	96.9	96.1-97.7	46	1.7	01.1-02.3	21	1.0	00.4-01.6	6	0.4	00.0-00.8	3	0.1	00.1-00.1			
Less Than H.S.	940	708,617	676	57.3	53.0-61.6	92	12.6	09.9-15.3	90	15.6	12.1-19.1	49	8.4	05.9-10.9	18	3.0	01.4-04.6	15	3.0	01.2-04.8
H.S. or G.E.D.	3781	1,727,889	3034	67.6	65.4-69.8	344	14.7	12.9-16.5	244	10.4	09.0-11.8	100	4.8	03.8-05.8	40	1.7	01.1-02.3	19	0.8	00.2-01.4
Some Post-H.S.	2616	1,498,520	1908	64.0	61.6-66.4	313	15.0	13.0-17.0	239	12.4	10.6-14.2	98	5.7	04.3-07.1	37	2.0	01.2-02.8	21	0.9	00.5-01.3
College Graduate	2936	1,020,072	2005	57.7	55.5-59.9	311	14.0	12.4-15.6	407	18.9	17.1-20.7	164	7.5	06.3-08.7	33	1.2	00.6-01.8	16	0.8	00.4-01.2
Less than \$15,000	1084	500,659	830	62.2	57.9-66.5	110	15.1	12.0-18.2	83	13.1	09.8-16.4	36	5.5	03.3-07.7	18	3.2	01.4-05.0	7	0.9	00.1-01.7
\$15,000- 24,999	1758	817,081	1346	62.1	58.8-65.4	171	13.8	11.4-16.2	138	13.4	10.9-15.9	64	6.7	04.7-08.7	22	2.2	01.0-03.4	17	1.9	00.9-02.9
\$25,000- 34,999	1132	526,847	894	65.4	61.3-69.5	112	15.6	12.3-18.9	71	9.5	07.0-12.0	31	5.0	03.0-07.0	13	2.5	00.9-04.1	11	2.0	00.6-03.4
\$35,000- 49,999	1349	652,883	1048	67.9	64.4-71.4	132	14.4	11.7-17.1	105	10.3	08.1-12.5	42	5.0	03.2-06.8	16	1.6	00.8-02.4	6	0.9	00.0-02.1
\$50,000- 74,999	1347	674,250	958	61.7	58.2-65.2	156	14.5	12.0-17.0	154	15.2	12.7-17.7	49	5.7	03.7-07.7	21	2.0	01.0-03.0	9	1.0	00.2-01.8
\$75,000+	2055	1,069,297	1256	55.2	52.5-57.9	274	15.9	13.7-18.1	335	18.3	16.1-20.5	147	8.5	06.9-10.1	29	1.4	00.8-02.0	14	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4261	2,413,772	3166	65.4	63.4-67.4	442	13.7	12.3-15.1	399	11.9	10.5-13.3	180	6.2	05.2-07.2	46	1.6	01.0-02.2	28	1.1	00.7-01.5
White/Non-Hisp	3685	1,955,717	2770	66.3	64.3-68.3	375	13.9	12.3-15.5	342	12.0	10.6-13.4	150	6.1	04.9-07.3	32	1.1	00.7-01.5	16	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	211	194,785	149	64.5	56.3-72.7	30	15.3	09.2-21.4	15	10.0	04.7-15.3	9	4.8	01.1-08.5	4	2.7	00.0-05.4	4	2.6	00.0-05.3
Oth. Race/Non-Hisp.	83	56,641	65	70.7	58.2-83.2	6	10.0	01.8-18.2	6	8.7	00.7-16.7	3	6.0	00.0-13.3	3	4.7	00.0-10.2			
MultiRacial/Non-Hisp.	56	25,600	44	72.6	56.9-88.3	5	7.2	00.3-14.1	3	11.1	00.0-24.0	2	3.0	00.0-07.5	2	6.0	00.0-14.8			
Hispanic	143	136,238	69	44.7	35.5-53.9	20	13.1	07.0-19.2	30	18.9	12.0-25.8	11	10.4	04.1-16.7	5	6.7	01.0-12.4	8	6.2	01.3-11.1
18-24	284	350,738	197	68.0	61.7-74.3	49	17.8	12.5-23.1	23	7.8	04.5-11.1	8	3.8	01.1-06.5	5	1.6	00.2-03.0	2	1.1	00.0-02.7
25-34	403	406,981	195	46.8	41.3-52.3	68	17.8	13.7-21.9	70	16.3	12.4-20.2	51	13.3	09.6-17.0	11	3.4	01.2-05.6	8	2.4	00.6-04.2
35-44	512	405,726	158	30.2	25.3-35.1	101	21.0	16.9-25.1	155	29.4	24.7-34.1	70	13.7	10.4-17.0	18	3.2	01.4-05.0	10	2.4	00.6-04.2
45-54	832	442,909	505	60.1	56.2-64.0	155	19.2	16.1-22.3	118	13.9	11.4-16.4	42	5.1	03.3-06.9	8	1.1	00.1-02.1	4	0.5	00.0-01.1
55-64	935	398,995	845	90.6	88.4-92.8	53	5.1	03.5-06.7	21	2.3	01.1-03.5	8	1.0	00.2-01.8	4	0.6	00.0-01.2	4	0.4	00.0-00.8
65+	1271	400,727	1250	98.3	97.5-99.1	14	1.1	00.5-01.7	7	0.6	00.2-01.0									
Less Than H.S.	395	361,250	288	64.1	58.0-70.2	43	13.0	08.7-17.3	30	9.9	06.2-13.6	21	8.1	04.4-11.8	5	2.5	00.3-04.7	8	2.3	00.5-04.1
H.S. or G.E.D.	1509	841,018	1186	68.4	65.3-71.5	158	14.7	12.2-17.2	85	8.4	06.4-10.4	51	5.6	03.8-07.4	19	1.7	00.9-02.5	10	1.3	00.3-02.3
Some Post-H.S.	1018	690,944	748	65.8	62.1-69.5	115	13.7	11.0-16.4	104	13.0	10.5-15.5	30	4.6	02.8-06.4	13	1.9	00.7-03.1	8	1.1	00.3-01.9
College Graduate	1324	512,434	934	60.8	57.5-64.1	122	12.4	10.0-14.8	179	17.9	15.4-20.4	78	8.1	06.1-10.1	9	0.7	00.3-01.1	2	0.1	00.0-00.3
Less than \$15,000	369	198,574	306	73.6	67.1-80.1	25	8.6	04.5-12.7	17	8.8	04.3-13.3	12	5.6	01.9-09.3	5	1.5	00.1-02.9	4	1.9	00.0-03.9
\$15,000- 24,999	617	341,167	485	66.4	61.3-71.5	56	12.2	08.7-15.7	45	11.6	08.1-15.1	18	5.1	02.6-07.6	8	3.0	00.8-05.2	5	1.7	00.1-03.3
\$25,000- 34,999	488	271,639	376	64.9	59.0-70.8	52	15.1	10.4-19.8	33	8.1	05.0-11.2	14	5.7	02.4-09.0	5	2.9	00.4-05.4	8	3.3	00.8-05.8
\$35,000- 49,999	621	360,248	486	70.4	65.7-75.1	65	15.6	11.7-19.5	41	7.9	05.4-10.4	20	4.6	02.4-06.8	7	1.4	00.2-02.6	2	0.2	00.0-00.4
\$50,000- 74,999	619	355,498	450	62.6	57.5-67.7	71	14.6	10.9-18.3	66	14.1	10.6-17.6	25	6.6	03.7-09.5	4	1.2	00.0-02.4	3	0.9	00.0-01.9
\$75,000+	1053	590,995	672	58.0	54.3-61.7	126	14.4	11.7-17.1	164	17.8	14.9-20.7	73	8.2	06.2-10.2	14	1.3	00.5-02.1	4	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6036	2,552,185	4474	60.7	58.9-62.5	624	15.0	13.6-16.4	582	15.0	13.6-16.4	231	6.0	05.0-07.0	82	2.1	01.5-02.7	43	1.2	00.8-01.6
White/Non-Hisp	5260	2,096,725	4016	63.8	62.0-65.6	505	14.0	12.6-15.4	475	13.8	12.4-15.2	175	5.6	04.6-06.6	58	1.8	01.2-02.4	31	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	381	222,058	245	52.9	46.0-59.8	60	21.0	15.1-26.9	41	16.0	09.7-22.3	24	7.2	04.1-10.3	8	2.3	00.1-04.5	3	0.6	00.0-01.4
Oth. Race/Non-Hisp.	87	47,120	62	60.5	46.8-74.2	11	16.1	06.1-26.1	9	13.7	04.5-22.9	3	4.7	00.0-10.4	1	2.8	00.0-08.3	1	2.1	00.0-06.2
MultiRacial/Non-Hisp.	60	20,519	42	53.8	36.0-71.6	7	15.6	01.7-29.5	3	16.3	00.0-33.4	5	9.4	00.8-18.0	1	2.4	00.0-06.9	2	2.5	00.0-06.0
Hispanic	176	134,957	53	25.6	18.3-32.9	36	22.0	14.6-29.4	46	30.5	21.9-39.1	22	11.5	06.2-16.8	14	6.4	02.7-10.1	5	3.9	00.2-07.6
18-24	257	333,769	142	51.7	44.8-58.6	55	20.8	15.3-26.3	39	17.8	12.5-23.1	13	6.0	02.5-09.5	5	1.6	00.0-03.2	3	2.2	00.0-04.7
25-34	511	406,432	151	27.1	22.8-31.4	110	21.5	17.4-25.6	145	30.0	25.1-34.9	70	13.3	09.8-16.8	21	5.1	02.6-07.6	14	3.1	01.1-05.1
35-44	713	404,289	143	20.3	16.8-23.8	173	25.2	21.5-28.9	229	32.2	28.3-36.1	106	14.8	11.7-17.9	44	5.4	03.6-07.2	18	2.1	01.1-03.1
45-54	945	449,466	604	66.1	62.6-69.6	176	18.4	15.5-21.3	129	11.8	09.6-14.0	25	2.6	01.2-04.0	7	0.8	00.0-01.6	4	0.3	00.0-00.7
55-64	1327	412,937	1217	89.2	86.8-91.6	72	6.7	04.9-08.5	25	2.5	01.3-03.7	9	1.2	00.2-02.2	2	0.3	00.0-00.7	2	0.1	00.0-00.3
65+	2220	525,343	2165	95.8	94.4-97.2	32	2.1	01.3-02.9	14	1.4	00.6-02.2	6	0.7	00.1-01.3	3	0.1	00.0-00.3			
Less Than H.S.	545	347,367	388	50.3	44.6-56.0	49	12.2	08.5-15.9	60	21.6	15.9-27.3	28	8.6	05.1-12.1	13	3.4	01.0-05.8	7	3.8	00.9-06.7
H.S. or G.E.D.	2272	886,870	1848	66.8	63.9-69.7	186	14.6	12.2-17.0	159	12.3	10.1-14.5	49	4.0	02.6-05.4	21	1.8	00.8-02.8	9	0.4	00.0-00.8
Some Post-H.S.	1598	807,576	1160	62.4	59.1-65.7	198	16.1	13.6-18.6	135	12.0	09.8-14.2	68	6.7	04.7-08.7	24	2.0	01.0-03.0	13	0.8	00.4-01.2
College Graduate	1612	507,638	1071	54.6	51.5-57.7	189	15.5	13.1-17.9	228	19.9	17.4-22.4	86	6.8	05.2-08.4	24	1.8	00.8-02.8	14	1.5	00.7-02.3
Less than \$15,000	715	302,085	524	54.6	49.1-60.1	85	19.5	15.0-24.0	66	15.9	11.2-20.6	24	5.4	02.9-07.9	13	4.4	01.7-07.1	3	0.2	00.0-00.4
\$15,000- 24,999	1141	475,914	861	59.0	54.7-63.3	115	14.9	11.8-18.0	93	14.7	11.4-18.0	46	7.8	05.1-10.5	14	1.6	00.6-02.6	12	2.1	00.7-03.5
\$25,000- 34,999	644	255,208	518	65.9	60.4-71.4	60	16.1	11.6-20.6	38	10.9	07.0-14.8	17	4.3	01.9-06.7	8	2.1	00.3-03.9	3	0.6	00.0-01.4
\$35,000- 49,999	728	292,636	562	64.8	59.7-69.9	67	12.9	09.2-16.6	64	13.4	09.9-16.9	22	5.4	02.7-08.1	9	1.8	00.6-03.0	4	1.8	00.0-04.3
\$50,000- 74,999	728	318,752	508	60.7	56.0-65.4	85	14.3	11.0-17.6	88	16.4	12.7-20.1	24	4.7	02.5-06.9	17	2.8	01.2-04.4	6	1.1	00.1-02.1
\$75,000+	1002	478,302	584	51.8	47.9-55.7	148	17.9	14.8-21.0	171	18.9	15.8-22.0	74	8.9	06.4-11.4	15	1.4	00.6-02.2	10	1.1	00.3-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10310	4,971,040	941	14.3	13.1-15.5	3789	34.8	33.6-36.0	2629	30.3	29.1-31.5	2951	20.6	19.8-21.4
Male	4266	2,415,742	396	15.0	13.4-16.6	1514	34.9	33.1-36.7	1027	28.8	27.0-30.6	1329	21.3	19.9-22.7
Female	6044	2,555,298	545	13.6	12.2-15.0	2275	34.7	33.1-36.3	1602	31.7	30.1-33.3	1622	20.0	18.8-21.2
White/Non-Hisp	8954	4,054,291	675	11.4	10.4-12.4	3354	35.3	33.9-36.7	2289	31.4	30.0-32.8	2636	21.9	20.9-22.9
Black or Afr. Am./Non-Hisp	594	417,984	91	21.4	16.3-26.5	207	35.9	30.6-41.2	169	29.3	24.6-34.0	127	13.4	10.7-16.1
Oth. Race/Non-Hisp.	170	103,762	14	10.0	03.7-16.3	44	28.8	19.6-38.0	45	29.0	20.2-37.8	67	32.2	24.0-40.4
MultiRacial/Non-Hisp.	116	46,119	15	17.5	07.1-27.9	37	33.7	22.3-45.1	38	33.4	22.0-44.8	26	15.4	07.4-23.4
Hispanic	319	271,196	111	42.4	35.9-48.9	99	32.1	26.2-38.0	52	16.7	12.0-21.4	57	8.8	06.1-11.5
18-24	540	683,476	64	17.0	12.9-21.1	218	38.5	34.0-43.0	180	36.7	32.0-41.4	78	7.9	05.9-09.9
25-34	917	815,090	88	15.1	12.0-18.2	221	25.6	22.3-28.9	247	30.6	27.1-34.1	361	28.7	25.8-31.6
35-44	1237	816,847	105	14.2	11.5-16.9	323	28.9	25.8-32.0	340	30.9	27.8-34.0	469	26.0	23.5-28.5
45-54	1779	892,448	133	11.8	09.6-14.0	629	36.2	33.5-38.9	465	29.7	27.2-32.2	552	22.3	20.3-24.3
55-64	2262	811,451	172	12.1	10.1-14.1	838	36.9	34.5-39.3	621	30.8	28.4-33.2	631	20.2	18.4-22.0
65+	3486	923,060	375	15.9	14.1-17.7	1532	42.6	40.6-44.6	748	24.7	22.9-26.5	831	16.7	15.5-17.9
Less Than H.S.	941	708,951	941	100.0	0100-0100									
H.S. or G.E.D.	3789	1,731,833				3789	100.0	0100-0100						
Some Post-H.S.	2629	1,505,756							2629	100.0	0100-0100			
College Graduate	2951	1,024,500										2951	100.0	0100-0100
Less than \$15,000	1084	500,274	261	34.5	30.2-38.8	477	36.5	32.6-40.4	235	22.5	19.2-25.8	111	6.5	04.9-08.1
\$15,000- 24,999	1758	816,319	254	24.1	21.0-27.2	837	40.2	37.1-43.3	459	27.9	25.0-30.8	208	7.8	06.4-09.2
\$25,000- 34,999	1131	526,585	114	14.5	11.6-17.4	498	44.4	40.5-48.3	315	30.0	26.5-33.5	204	11.1	09.1-13.1
\$35,000- 49,999	1348	652,357	67	9.9	07.2-12.6	559	40.6	37.3-43.9	361	30.8	27.5-34.1	361	18.7	16.3-21.1
\$50,000- 74,999	1347	674,250	31	4.7	02.7-06.7	389	31.8	28.5-35.1	409	36.7	33.4-40.0	518	26.8	24.1-29.5
\$75,000+	2061	1,070,889	28	3.2	01.8-04.6	369	21.3	18.9-23.7	453	31.9	29.2-34.6	1211	43.6	41.1-46.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4266	2,415,742	396	15.0	13.4-16.6	1514	34.9	33.1-36.7	1027	28.8	27.0-30.6	1329	21.3	19.9-22.7
White/Non-Hisp	3685	1,954,172	272	11.7	10.1-13.3	1343	36.3	34.3-38.3	887	29.7	27.7-31.7	1183	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	214	196,616	36	25.5	17.3-33.7	67	31.7	23.5-39.9	62	29.0	21.4-36.6	49	13.8	09.3-18.3
Oth. Race/Non-Hisp.	83	56,641	9	10.8	01.8-19.8	20	27.2	15.2-39.2	15	22.4	11.2-33.6	39	39.6	27.4-51.8
MultiRacial/Non-Hisp.	56	25,600	10	26.4	09.7-43.1	20	30.1	15.8-44.4	19	31.5	16.4-46.6	7	12.0	00.0-24.0
Hispanic	143	136,238	48	40.1	30.7-49.5	47	32.4	23.8-41.0	25	17.8	10.7-24.9	23	9.6	05.3-13.9
18-24	283	349,707	36	18.2	12.5-23.9	122	39.9	33.4-46.4	89	35.2	28.7-41.7	36	6.7	04.3-09.1
25-34	405	408,597	35	13.0	08.7-17.3	108	28.6	23.5-33.7	109	31.2	26.1-36.3	153	27.2	22.9-31.5
35-44	518	409,134	48	15.4	11.1-19.7	151	32.1	27.2-37.0	134	28.2	23.7-32.7	185	24.3	20.6-28.0
45-54	832	442,680	63	13.3	09.8-16.8	324	38.3	34.4-42.2	184	24.9	21.4-28.4	261	23.5	20.6-26.4
55-64	937	399,305	79	14.1	10.8-17.4	316	32.8	29.3-36.3	246	30.4	26.9-33.9	296	22.7	20.0-25.4
65+	1266	397,847	134	16.6	13.7-19.5	490	38.9	35.8-42.0	256	23.9	21.0-26.8	386	20.7	18.5-22.9
Less Than H.S.	396	361,584	396	100.0	0100-0100									
H.S. or G.E.D.	1514	844,192				1514	100.0	0100-0100						
Some Post-H.S.	1027	695,779							1027	100.0	0100-0100			
College Graduate	1329	514,186										1329	100.0	0100-0100
Less than \$15,000	368	197,875	88	36.1	29.2-43.0	154	35.2	28.9-41.5	80	21.2	15.9-26.5	46	7.4	04.7-10.1
\$15,000- 24,999	618	341,283	106	27.8	22.5-33.1	289	40.5	35.6-45.4	131	22.1	18.0-26.2	92	9.6	07.2-12.0
\$25,000- 34,999	487	271,421	62	17.7	12.8-22.6	223	45.3	39.6-51.0	123	26.6	21.5-31.7	79	10.4	07.7-13.1
\$35,000- 49,999	621	359,868	39	11.0	07.1-14.9	281	44.1	39.2-49.0	164	29.5	25.0-34.0	137	15.4	12.3-18.5
\$50,000- 74,999	619	355,498	20	6.4	03.3-09.5	194	34.9	30.0-39.8	186	35.5	30.6-40.4	219	23.2	19.7-26.7
\$75,000+	1057	592,612	19	4.6	02.2-07.0	187	21.5	18.2-24.8	220	30.6	26.9-34.3	631	43.3	39.8-46.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6044	2,555,298	545	13.6	12.2-15.0	2275	34.7	33.1-36.3	1602	31.7	30.1-33.3	1622	20.0	18.8-21.2
White/Non-Hisp	5269	2,100,119	403	11.1	09.7-12.5	2011	34.4	32.6-36.2	1402	33.0	31.2-34.8	1453	21.5	20.1-22.9
Black or Afr. Am./Non-Hisp	380	221,367	55	17.9	11.8-24.0	140	39.6	32.9-46.3	107	29.6	23.7-35.5	78	13.0	09.7-16.3
Oth. Race/Non-Hisp.	87	47,120	5	9.1	00.7-17.5	24	30.8	16.7-44.9	30	36.9	23.2-50.6	28	23.2	13.4-33.0
MultiRacial/Non-Hisp.	60	20,519	5	6.4	00.0-12.9	17	38.3	20.9-55.7	19	35.8	18.6-53.0	19	19.5	08.7-30.3
Hispanic	176	134,957	63	44.7	35.7-53.7	52	31.8	23.6-40.0	27	15.6	09.3-21.9	34	8.0	04.9-11.1
18-24	257	333,769	28	15.6	09.9-21.3	96	37.0	30.5-43.5	91	38.2	31.5-44.9	42	9.1	06.2-12.0
25-34	512	406,493	53	17.3	12.6-22.0	113	22.5	18.4-26.6	138	30.1	25.4-34.8	208	30.1	26.0-34.2
35-44	719	407,714	57	13.1	09.6-16.6	172	25.6	21.9-29.3	206	33.6	29.5-37.7	284	27.7	24.4-31.0
45-54	947	449,767	70	10.3	07.8-12.8	305	34.2	30.5-37.9	281	34.5	30.8-38.2	291	21.1	18.6-23.6
55-64	1325	412,146	93	10.2	07.8-12.6	522	40.8	37.7-43.9	375	31.1	28.0-34.2	335	17.9	15.7-20.1
65+	2220	525,213	241	15.5	13.3-17.7	1042	45.4	42.9-47.9	492	25.3	23.1-27.5	445	13.8	12.4-15.2
Less Than H.S.	545	347,367	545	100.0	0100-0100									
H.S. or G.E.D.	2275	887,641				2275	100.0	0100-0100						
Some Post-H.S.	1602	809,976							1602	100.0	0100-0100			
College Graduate	1622	510,315										1622	100.0	0100-0100
Less than \$15,000	716	302,399	173	33.5	28.0-39.0	323	37.4	32.5-42.3	155	23.3	18.8-27.8	65	5.9	03.9-07.9
\$15,000- 24,999	1140	475,037	148	21.5	17.6-25.4	548	40.0	36.1-43.9	328	32.0	28.1-35.9	116	6.5	04.9-08.1
\$25,000- 34,999	644	255,164	52	11.2	07.7-14.7	275	43.5	38.4-48.6	192	33.5	28.4-38.6	125	11.8	09.1-14.5
\$35,000- 49,999	727	292,489	28	8.6	04.9-12.3	278	36.4	31.9-40.9	197	32.4	27.7-37.1	224	22.6	19.1-26.1
\$50,000- 74,999	728	318,752	11	2.7	00.7-04.7	195	28.5	24.2-32.8	223	38.1	33.4-42.8	299	30.7	26.8-34.6
\$75,000+	1004	478,278	9	1.5	00.3-02.7	182	20.9	17.4-24.4	233	33.6	29.5-37.7	580	44.0	40.3-47.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8740	4,244,785	1086	11.8	10.8-12.8	1761	19.3	18.1-20.5	1133	12.4	11.4-13.4	1350	15.4	14.4-16.4	3410	41.1	39.7-42.5
Male	3776	2,120,691	369	9.4	8.2-10.6	620	16.1	14.5-17.7	488	12.8	11.4-14.2	622	17.0	15.4-18.6	1677	44.7	42.7-46.7
Female	4964	2,124,094	717	14.2	12.8-15.6	1141	22.4	20.8-24.0	645	12.0	10.8-13.2	728	13.8	12.6-15.0	1733	37.6	35.8-39.4
White/Non-Hisp	7584	3,466,955	810	9.6	8.6-10.6	1433	16.7	15.5-17.9	990	12.4	11.4-13.4	1215	16.5	15.3-17.7	3136	44.8	43.2-46.4
Black or Afr. Am./Non-Hisp	525	363,415	132	23.4	18.5-28.3	146	28.1	23.0-33.2	63	11.3	08.0-14.6	62	9.9	07.0-12.8	122	27.3	21.6-33.0
Oth. Race/Non-Hisp.	153	93,484	39	22.2	14.2-30.2	36	24.8	15.2-34.4	23	15.6	08.7-22.5	9	7.1	01.6-12.6	46	30.2	21.2-39.2
MultiRacial/Non-Hisp.	96	37,606	23	16.8	08.2-25.4	25	25.4	13.8-37.0	10	11.9	04.3-19.5	14	16.2	07.0-25.4	24	29.8	17.1-42.5
Hispanic	279	232,006	61	20.0	14.5-25.5	85	36.6	29.7-43.5	44	15.6	10.5-20.7	33	10.5	06.6-14.4	56	17.4	12.3-22.5
18-24	401	505,283	83	18.4	14.5-22.3	98	23.1	18.6-27.6	58	13.2	09.7-16.7	53	12.8	09.1-16.5	109	32.5	27.0-38.0
25-34	824	724,981	117	13.9	11.0-16.8	160	20.6	17.3-23.9	110	14.7	11.8-17.6	134	15.6	12.9-18.3	303	35.2	31.5-38.9
35-44	1143	759,619	111	10.0	07.8-12.2	166	15.6	13.1-18.1	103	8.9	06.9-10.9	151	13.7	11.3-16.1	612	51.9	48.4-55.4
45-54	1592	794,942	180	10.1	08.3-11.9	244	15.8	13.6-18.0	155	9.5	07.9-11.1	211	13.4	11.2-15.6	802	51.2	48.3-54.1
55-64	2003	716,075	262	10.7	09.1-12.3	301	14.4	12.4-16.4	209	10.4	08.8-12.0	324	17.9	15.7-20.1	907	46.6	44.1-49.1
65+	2738	731,913	329	10.0	08.6-11.4	783	27.7	25.5-29.9	494	18.4	16.6-20.2	474	18.6	16.8-20.4	658	25.2	23.2-27.2
Less Than H.S.	755	576,735	261	29.9	25.6-34.2	254	34.1	29.6-38.6	114	13.3	10.4-16.2	67	11.2	08.1-14.3	59	11.4	08.1-14.7
H.S. or G.E.D.	3129	1,452,223	477	12.6	11.0-14.2	837	22.6	20.6-24.6	498	16.1	14.3-17.9	559	18.2	16.4-20.0	758	30.5	28.3-32.7
Some Post-H.S.	2232	1,288,064	235	8.7	07.3-10.1	459	17.7	15.7-19.7	315	12.3	10.5-14.1	361	15.6	13.6-17.6	862	45.8	43.1-48.5
College Graduate	2613	923,653	111	3.5	02.7-04.3	208	6.9	05.7-08.1	204	6.3	05.1-07.5	361	13.2	11.6-14.8	1729	70.1	67.9-72.3
Less than \$15,000	1086	501,054	1086	100.0	0100-0100												
\$15,000- 24,999	1761	817,736				1761	100.0	0100-0100									
\$25,000- 34,999	1133	526,984							1133	100.0	0100-0100						
\$35,000- 49,999	1350	652,995										1350	100.0	0100-0100			
\$50,000- 74,999	1348	674,437													1348	100.0	0100-0100
\$75,000+	2062	1,071,580													2062	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3776	2,120,691	369	9.4	08.2-10.6	620	16.1	14.5-17.7	488	12.8	11.4-14.2	622	17.0	15.4-18.6	1677	44.7	42.7-46.7
White/Non-Hisp	3282	1,726,706	269	7.4	06.2-08.6	485	12.9	11.5-14.3	425	13.0	11.4-14.6	563	18.6	16.8-20.4	1540	48.2	46.0-50.4
Black or Afr. Am./Non-Hisp	190	171,333	36	16.9	10.6-23.2	55	28.9	20.9-36.9	20	8.9	04.2-13.6	19	9.0	04.5-13.5	60	36.3	26.9-45.7
Oth. Race/Non-Hisp.	74	50,911	21	24.0	12.4-35.6	11	16.1	05.1-27.1	14	19.4	09.0-29.8	5	8.5	00.3-16.7	23	32.0	19.3-44.7
Hispanic	127	120,875	25	18.0	10.6-25.4	41	39.3	29.5-49.1	19	14.3	07.0-21.6	18	10.7	05.4-16.0	24	17.7	10.4-25.0
18-24	208	256,882	32	12.5	08.0-17.0	37	15.7	10.4-21.0	36	16.4	10.7-22.1	32	15.1	09.6-20.6	71	40.3	32.5-48.1
25-34	360	361,571	37	9.6	06.3-12.9	62	17.8	13.1-22.5	60	18.3	13.8-22.8	64	17.8	13.5-22.1	137	36.4	30.9-41.9
35-44	482	383,737	37	8.6	05.5-11.7	57	13.0	09.3-16.7	45	8.4	05.5-11.3	67	14.9	11.2-18.6	276	55.1	49.8-60.4
45-54	766	408,425	83	9.6	07.2-12.0	105	14.8	11.7-17.9	75	8.5	06.3-10.7	105	15.2	11.9-18.5	398	52.0	47.9-56.1
55-64	857	361,855	103	10.9	08.4-13.4	109	13.1	10.4-15.8	73	8.3	06.1-10.5	137	18.8	15.5-22.1	435	48.9	45.0-52.8
65+	1089	344,064	76	5.9	04.1-07.7	249	23.0	19.9-26.1	198	19.1	16.4-21.8	215	20.2	17.5-22.9	351	31.8	28.5-35.1
Less Than H.S.	334	303,918	88	23.5	18.0-29.0	106	31.2	24.9-37.5	62	15.8	11.3-20.3	39	13.0	08.3-17.7	39	16.5	10.8-22.2
H.S. or G.E.D.	1328	741,140	154	9.4	07.4-11.4	289	18.7	16.2-21.2	223	16.6	14.1-19.1	281	21.4	18.7-24.1	381	33.9	30.6-37.2
Some Post-H.S.	904	603,175	80	7.0	05.2-08.8	131	12.5	10.0-15.0	123	12.0	09.5-14.5	164	17.6	14.7-20.5	406	51.0	47.1-54.9
College Graduate	1204	470,324	46	3.1	01.9-04.3	92	7.0	05.2-08.8	79	6.0	04.4-07.6	137	11.8	09.4-14.2	850	72.1	69.0-75.2
Less than \$15,000	369	198,574	369	100.0	0100-0100												
\$15,000- 24,999	620	341,822				620	100.0	0100-0100									
\$25,000- 34,999	488	271,639							488	100.0	0100-0100						
\$35,000- 49,999	622	360,359										622	100.0	0100-0100			
\$50,000- 74,999	620	355,685													620	100.0	0100-0100
\$75,000+	1057	592,612													1057	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4964	2,124,094	717	14.2	12.8-15.6	1141	22.4	20.8-24.0	645	12.0	10.8-13.2	728	13.8	12.6-15.0	1733	37.6	35.8-39.4
White/Non-Hisp	4302	1,740,249	541	11.8	10.4-13.2	948	20.5	18.9-22.1	565	11.7	10.5-12.9	652	14.5	13.1-15.9	1596	41.5	39.5-43.5
Black or Afr. Am./Non-Hisp	335	192,082	96	29.2	22.1-36.3	91	27.4	21.1-33.7	43	13.4	08.7-18.1	43	10.7	07.0-14.4	62	19.2	13.1-25.3
Oth. Race/Non-Hisp.	79	42,574	18	20.1	09.5-30.7	25	35.3	20.0-50.6	9	11.2	03.0-19.4	4	5.5	00.0-12.6	23	28.0	15.1-40.9
Hispanic	152	111,131	36	22.0	14.2-29.8	44	33.6	24.4-42.8	25	17.0	09.7-24.3	15	10.4	04.7-16.1	32	17.0	09.9-24.1
18-24	193	248,401	51	24.6	18.1-31.1	61	30.7	23.4-38.0	22	10.0	05.7-14.3	21	10.4	05.5-15.3	38	24.4	17.0-31.8
25-34	464	363,409	80	18.2	13.7-22.7	98	23.3	18.6-28.0	50	11.1	07.8-14.4	70	13.4	10.1-16.7	166	34.1	29.2-39.0
35-44	661	375,882	74	11.5	08.4-14.6	109	18.3	14.8-21.8	58	9.3	06.6-12.0	84	12.4	09.5-15.3	336	48.5	44.0-53.0
45-54	826	386,517	97	10.7	08.2-13.2	139	16.8	13.7-19.9	80	10.6	08.1-13.1	106	11.6	09.1-14.1	404	50.3	46.2-54.4
55-64	1146	354,221	159	10.6	08.6-12.6	192	15.7	13.2-18.2	136	12.5	10.1-14.9	187	17.0	14.5-19.5	472	44.3	40.8-47.8
65+	1649	387,849	253	13.6	11.6-15.6	534	31.9	29.2-34.6	296	17.8	15.6-20.0	259	17.1	14.7-19.5	307	19.5	17.1-21.9
Less Than H.S.	421	272,817	173	37.1	30.8-43.4	148	37.4	31.1-43.7	52	10.4	07.1-13.7	28	9.2	05.1-13.3	20	5.8	02.7-08.9
H.S. or G.E.D.	1801	711,083	323	15.9	13.5-18.3	548	26.7	24.0-29.4	275	15.6	13.4-17.8	278	15.0	13.0-17.0	377	26.8	23.9-29.7
Some Post-H.S.	1328	684,889	155	10.3	08.1-12.5	328	22.2	19.3-25.1	192	12.5	10.3-14.7	197	13.8	11.4-16.2	456	41.2	37.7-44.7
College Graduate	1409	453,330	65	3.9	02.7-05.1	116	6.8	05.2-08.4	125	6.7	05.1-08.3	224	14.6	12.2-17.0	879	68.0	65.1-70.9
Less than \$15,000	717	302,480	717	100.0	0100-0100												
\$15,000- 24,999	1141	475,914				1141	100.0	0100-0100									
\$25,000- 34,999	645	255,345							645	100.0	0100-0100						
\$35,000- 49,999	728	292,636										728	100.0	0100-0100			
\$50,000- 74,999	728	318,752													728	100.0	0100-0100
\$75,000+	1005	478,968													1005	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	86
2	MALES ONLY	87
3	FEMALES ONLY	88
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	89
5	MALES ONLY	90
6	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10068	4,830,524	1403	16.6	15.6-17.6	467	5.3	04.7-05.9	2888	25.2	24.2-26.2	5310	52.9	51.5-54.3
Male	4155	2,333,045	656	17.6	16.0-19.2	195	5.9	04.9-06.9	1420	28.7	27.1-30.3	1884	47.8	45.8-49.8
Female	5913	2,497,478	747	15.7	14.3-17.1	272	4.7	03.9-05.5	1468	21.9	20.5-23.3	3426	57.7	55.9-59.5
White/Non-Hisp	8751	3,949,350	1209	17.1	15.9-18.3	370	5.0	04.4-05.6	2613	27.0	25.8-28.2	4559	50.9	49.5-52.3
Black or Afr. Am./Non-Hisp	579	403,023	91	17.2	12.9-21.5	52	7.6	05.1-10.1	124	15.3	12.0-18.6	312	59.9	54.6-65.2
Oth. Race/Non-Hisp.	164	99,755	24	13.7	07.2-20.2	12	5.8	01.7-09.9	25	9.7	05.2-14.2	103	70.7	62.5-78.9
MultiRacial/Non-Hisp.	111	44,331	35	30.2	19.4-41.0	8	5.9	01.0-10.8	24	19.8	10.0-29.6	44	44.2	31.5-56.9
Hispanic	312	262,812	25	9.4	05.3-13.5	15	5.8	02.7-08.9	53	15.7	11.0-20.4	219	69.1	63.0-75.2
18-24	521	654,929	68	13.4	10.1-16.7	37	6.3	04.1-08.5	40	7.4	04.9-09.9	376	73.0	68.7-77.3
25-34	896	794,215	173	22.0	18.7-25.3	63	7.5	05.3-09.7	162	17.8	14.9-20.7	498	52.7	49.0-56.4
35-44	1196	785,501	242	23.0	20.1-25.9	72	5.6	04.0-07.2	255	20.8	18.1-23.5	627	50.7	47.4-54.0
45-54	1749	875,617	349	20.4	18.0-22.8	90	5.8	04.4-07.2	398	23.8	21.4-26.2	912	50.0	47.3-52.7
55-64	2212	791,201	336	15.0	13.2-16.8	103	4.4	03.4-05.4	711	35.2	32.7-37.7	1062	45.4	42.9-47.9
65+	3406	900,727	230	6.8	05.8-07.8	101	2.8	02.2-03.4	1302	41.0	39.0-43.0	1773	49.4	47.4-51.4
Less Than H.S.	911	678,935	237	29.2	25.3-33.1	65	8.3	05.9-10.7	277	23.2	20.1-26.3	332	39.3	35.0-43.6
H.S. or G.E.D.	3668	1,666,713	630	19.2	17.4-21.0	170	5.1	04.1-06.1	1079	26.4	24.6-28.2	1789	49.3	47.1-51.5
Some Post-H.S.	2567	1,465,596	380	15.7	13.9-17.5	141	5.3	04.1-06.5	786	26.4	24.2-28.6	1260	52.7	50.2-55.2
College Graduate	2897	1,007,778	152	5.4	04.4-06.4	91	3.6	02.6-04.6	739	22.6	20.8-24.4	1915	68.4	66.4-70.4
Less than \$15,000	1060	487,332	268	28.5	24.6-32.4	97	9.8	07.3-12.3	267	18.3	15.4-21.2	428	43.3	39.0-47.6
\$15,000- 24,999	1717	793,373	328	23.9	21.0-26.8	106	8.0	06.0-10.0	512	24.7	22.2-27.2	771	43.4	40.1-46.7
\$25,000- 34,999	1107	514,421	168	19.2	15.9-22.5	52	5.8	03.6-08.0	353	28.2	24.9-31.5	534	46.8	42.9-50.7
\$35,000- 49,999	1320	637,170	189	17.0	14.3-19.7	49	3.4	02.2-04.6	416	29.1	26.2-32.0	666	50.5	47.0-54.0
\$50,000- 74,999	1321	658,741	148	13.9	11.4-16.4	44	4.0	02.6-05.4	389	25.8	22.9-28.7	740	56.2	52.7-59.7
\$75,000+	2019	1,038,385	138	7.6	06.2-09.0	46	2.6	01.6-03.6	574	27.3	24.9-29.7	1261	62.5	60.0-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4155	2,333,045	656	17.6	16.0-19.2	195	5.9	04.9-06.9	1420	28.7	27.1-30.3	1884	47.8	45.8-49.8
White/Non-Hisp	3595	1,897,925	560	17.8	16.0-19.6	157	5.7	04.5-06.9	1286	30.6	28.8-32.4	1592	45.9	43.7-48.1
Black or Afr. Am./Non-Hisp	206	184,687	39	19.2	11.9-26.5	17	7.2	03.3-11.1	44	16.4	10.5-22.3	106	57.2	48.6-65.8
Oth. Race/Non-Hisp.	79	53,765	12	14.2	04.8-23.6	4	3.1	00.0-07.0	14	11.5	04.8-18.2	49	71.2	59.8-82.6
MultiRacial/Non-Hisp.	54	24,712	20	36.4	20.3-52.5	4	4.9	00.0-10.2	13	18.5	06.2-30.8	17	40.1	22.3-57.9
Hispanic	138	129,683	15	12.0	05.1-18.9	9	9.4	03.3-15.5	31	22.1	14.3-29.9	83	56.4	46.8-66.0
18-24	271	330,425	32	12.4	07.9-16.9	23	8.3	04.6-12.0	20	7.1	03.4-10.8	196	72.3	66.2-78.4
25-34	395	397,632	86	23.6	18.7-28.5	31	8.5	05.4-11.6	74	18.9	14.6-23.2	204	49.0	43.5-54.5
35-44	493	385,541	96	21.8	17.5-26.1	27	5.6	03.1-08.1	125	23.6	19.5-27.7	245	48.9	43.8-54.0
45-54	814	432,452	172	21.4	18.1-24.7	42	6.6	04.2-09.0	195	24.6	21.1-28.1	405	47.4	43.3-51.5
55-64	914	388,528	159	16.5	13.6-19.4	41	4.7	02.9-06.5	352	41.7	37.8-45.6	362	37.2	33.5-40.9
65+	1241	389,565	109	8.8	06.8-10.8	31	2.5	01.5-03.5	649	53.5	50.2-56.8	452	35.2	32.1-38.3
Less Than H.S.	377	339,666	108	29.5	23.8-35.2	30	11.2	06.9-15.5	132	26.3	21.2-31.4	107	32.9	26.8-39.0
H.S. or G.E.D.	1465	807,326	294	20.3	17.6-23.0	75	6.0	04.4-07.6	540	30.4	27.7-33.1	556	43.3	40.0-46.6
Some Post-H.S.	997	673,433	169	16.3	13.6-19.0	49	5.1	03.3-06.9	350	30.0	26.7-33.3	429	48.6	44.7-52.5
College Graduate	1300	504,166	83	7.0	05.2-08.8	41	3.6	02.2-05.0	395	25.6	22.9-28.3	781	63.8	60.7-66.9
Less than \$15,000	357	191,301	101	27.3	21.2-33.4	37	11.6	07.1-16.1	88	17.7	13.2-22.2	131	43.4	36.5-50.3
\$15,000- 24,999	601	329,093	146	26.1	21.4-30.8	36	9.7	06.0-13.4	223	30.0	25.5-34.5	196	34.2	29.1-39.3
\$25,000- 34,999	476	262,996	89	22.2	16.9-27.5	21	4.6	02.2-07.0	174	30.6	25.5-35.7	192	42.5	36.6-48.4
\$35,000- 49,999	605	350,055	94	18.9	14.8-23.0	21	3.9	01.9-05.9	245	34.3	29.8-38.8	245	42.9	37.8-48.0
\$50,000- 74,999	601	344,343	84	16.5	12.4-20.6	23	4.9	02.7-07.1	210	27.9	23.6-32.2	284	50.8	45.7-55.9
\$75,000+	1034	570,554	71	7.7	05.7-09.7	29	3.4	01.8-05.0	328	29.9	26.6-33.2	606	59.1	55.4-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5913	2,497,478	747	15.7	14.3-17.1	272	4.7	03.9-05.5	1468	21.9	20.5-23.3	3426	57.7	55.9-59.5
White/Non-Hisp	5156	2,051,425	649	16.4	14.8-18.0	213	4.3	03.5-05.1	1327	23.7	22.1-25.3	2967	55.6	53.8-57.4
Black or Afr. Am./Non-Hisp	373	218,336	52	15.5	10.8-20.2	35	7.9	04.6-11.2	80	14.4	10.5-18.3	206	62.2	55.9-68.5
Oth. Race/Non-Hisp.	85	45,990	12	13.1	04.1-22.1	8	9.0	01.6-16.4	11	7.6	02.1-13.1	54	70.2	58.0-82.4
MultiRacial/Non-Hisp.	57	19,620	15	22.3	09.6-35.0	4	7.0	00.0-16.0	11	21.4	06.1-36.7	27	49.3	31.3-67.3
Hispanic	174	133,128	10	6.8	01.9-11.7	6	2.3	00.1-04.5	22	9.5	04.8-14.2	136	81.4	74.7-88.1
18-24	250	324,504	36	14.4	09.5-19.3	14	4.3	01.9-06.7	20	7.6	04.1-11.1	180	73.7	67.8-79.6
25-34	501	396,583	87	20.3	16.0-24.6	32	6.6	03.9-09.3	88	16.7	13.0-20.4	294	56.4	51.3-61.5
35-44	703	399,960	146	24.1	20.4-27.8	45	5.5	03.7-07.3	130	18.0	14.7-21.3	382	52.3	48.0-56.6
45-54	935	443,165	177	19.5	16.4-22.6	48	5.0	03.4-06.6	203	23.1	19.8-26.4	507	52.5	48.6-56.4
55-64	1298	402,673	177	13.6	11.2-16.0	62	4.1	02.9-05.3	359	29.0	26.1-31.9	700	53.3	50.0-56.6
65+	2165	511,163	121	5.3	04.1-06.5	70	3.1	02.3-03.9	653	31.4	29.0-33.8	1321	60.2	57.7-62.7
Less Than H.S.	534	339,269	129	29.0	23.5-34.5	35	5.4	03.2-07.6	145	20.0	16.1-23.9	225	45.6	39.7-51.5
H.S. or G.E.D.	2203	859,386	336	18.1	15.9-20.3	95	4.3	03.1-05.5	539	22.7	20.5-24.9	1233	54.9	52.2-57.6
Some Post-H.S.	1570	792,163	211	15.1	12.7-17.5	92	5.4	03.8-07.0	436	23.3	20.8-25.8	831	56.2	53.1-59.3
College Graduate	1597	503,612	69	3.8	02.8-04.8	50	3.6	02.4-04.8	344	19.5	17.1-21.9	1134	73.0	70.3-75.7
Less than \$15,000	703	296,031	167	29.3	24.2-34.4	60	8.6	05.9-11.3	179	18.8	15.1-22.5	297	43.3	37.8-48.8
\$15,000- 24,999	1116	464,281	182	22.4	18.7-26.1	70	6.7	04.7-08.7	289	20.9	18.0-23.8	575	50.0	45.9-54.1
\$25,000- 34,999	631	251,425	79	16.0	12.1-19.9	31	7.1	03.8-10.4	179	25.7	21.4-30.0	342	51.3	46.0-56.6
\$35,000- 49,999	715	287,115	95	14.7	11.4-18.0	28	2.8	01.6-04.0	171	22.7	18.8-26.6	421	59.7	55.0-64.4
\$50,000- 74,999	720	314,398	64	11.1	08.2-14.0	21	3.1	01.7-04.5	179	23.6	19.7-27.5	456	62.2	57.7-66.7
\$75,000+	985	467,830	67	7.6	05.4-09.8	17	1.5	00.7-02.3	246	24.1	20.8-27.4	655	66.8	63.1-70.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10068	4,830,524	8198	78.1	76.9-79.3	1870	21.9	20.7-23.1
Male	4155	2,333,045	3304	76.5	74.7-78.3	851	23.5	21.7-25.3
Female	5913	2,497,478	4894	79.6	78.2-81.0	1019	20.4	19.0-21.8
White/Non-Hisp	8751	3,949,350	7172	78.0	76.8-79.2	1579	22.0	20.8-23.2
Black or Afr. Am./Non-Hisp	579	403,023	436	75.2	70.5-79.9	143	24.8	20.1-29.5
Oth. Race/Non-Hisp.	164	99,755	128	80.4	73.0-87.8	36	19.6	12.2-27.0
MultiRacial/Non-Hisp.	111	44,331	68	64.0	52.6-75.4	43	36.0	24.6-47.4
Hispanic	312	262,812	272	84.8	79.7-89.9	40	15.2	10.1-20.3
18-24	521	654,929	416	80.3	76.6-84.0	105	19.7	16.0-23.4
25-34	896	794,215	660	70.5	67.0-74.0	236	29.5	26.0-33.0
35-44	1196	785,501	882	71.4	68.3-74.5	314	28.6	25.5-31.7
45-54	1749	875,617	1310	73.8	71.3-76.3	439	26.2	23.7-28.7
55-64	2212	791,201	1773	80.6	78.6-82.6	439	19.4	17.4-21.4
65+	3406	900,727	3075	90.4	89.2-91.6	331	9.6	08.4-10.8
Less Than H.S.	911	678,935	609	62.4	58.3-66.5	302	37.6	33.5-41.7
H.S. or G.E.D.	3668	1,666,713	2868	75.7	73.7-77.7	800	24.3	22.3-26.3
Some Post-H.S.	2567	1,465,596	2046	79.1	77.1-81.1	521	20.9	18.9-22.9
College Graduate	2897	1,007,778	2654	91.0	89.6-92.4	243	9.0	07.6-10.4
Less than \$15,000	1060	487,332	695	61.7	57.6-65.8	365	38.3	34.2-42.4
\$15,000- 24,999	1717	793,373	1283	68.1	65.0-71.2	434	31.9	28.8-35.0
\$25,000- 34,999	1107	514,421	887	75.0	71.3-78.7	220	25.0	21.3-28.7
\$35,000- 49,999	1320	637,170	1082	79.6	76.7-82.5	238	20.4	17.5-23.3
\$50,000- 74,999	1321	658,741	1129	82.1	79.2-85.0	192	17.9	15.0-20.8
\$75,000+	2019	1,038,385	1835	89.8	88.0-91.6	184	10.2	08.4-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4155	2,333,045	3304	76.5	74.7-78.3	851	23.5	21.7-25.3
White/Non-Hisp	3595	1,897,925	2878	76.5	74.5-78.5	717	23.5	21.5-25.5
Black or Afr. Am./Non-Hisp	206	184,687	150	73.6	65.8-81.4	56	26.4	18.6-34.2
Oth. Race/Non-Hisp.	79	53,765	63	82.7	72.9-92.5	16	17.3	07.5-27.1
MultiRacial/Non-Hisp.	54	24,712	30	58.6	42.1-75.1	24	41.4	24.9-57.9
Hispanic	138	129,683	114	78.5	70.1-86.9	24	21.5	13.1-29.9
18-24	271	330,425	216	79.3	73.8-84.8	55	20.7	15.2-26.2
25-34	395	397,632	278	67.9	62.6-73.2	117	32.1	26.8-37.4
35-44	493	385,541	370	72.5	67.8-77.2	123	27.5	22.8-32.2
45-54	814	432,452	600	72.0	68.3-75.7	214	28.0	24.3-31.7
55-64	914	388,528	714	78.8	75.7-81.9	200	21.2	18.1-24.3
65+	1241	389,565	1101	88.8	86.6-91.0	140	11.2	09.0-13.4
Less Than H.S.	377	339,666	239	59.2	52.9-65.5	138	40.8	34.5-47.1
H.S. or G.E.D.	1465	807,326	1096	73.7	70.8-76.6	369	26.3	23.4-29.2
Some Post-H.S.	997	673,433	779	78.6	75.5-81.7	218	21.4	18.3-24.5
College Graduate	1300	504,166	1176	89.5	87.3-91.7	124	10.5	08.3-12.7
Less than \$15,000	357	191,301	219	61.1	54.4-67.8	138	38.9	32.2-45.6
\$15,000- 24,999	601	329,093	419	64.1	58.8-69.4	182	35.9	30.6-41.2
\$25,000- 34,999	476	262,996	366	73.1	67.6-78.6	110	26.9	21.4-32.4
\$35,000- 49,999	605	350,055	490	77.2	72.7-81.7	115	22.8	18.3-27.3
\$50,000- 74,999	601	344,343	494	78.6	74.1-83.1	107	21.4	16.9-25.9
\$75,000+	1034	570,554	934	88.9	86.5-91.3	100	11.1	08.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5913	2,497,478	4894	79.6	78.2-81.0	1019	20.4	19.0-21.8
White/Non-Hisp	5156	2,051,425	4294	79.3	77.7-80.9	862	20.7	19.1-22.3
Black or Afr. Am./Non-Hisp	373	218,336	286	76.6	71.1-82.1	87	23.4	17.9-28.9
Oth. Race/Non-Hisp.	85	45,990	65	77.8	66.6-89.0	20	22.2	11.0-33.4
MultiRacial/Non-Hisp.	57	19,620	38	70.7	55.8-85.6	19	29.3	14.4-44.2
Hispanic	174	133,128	158	90.9	85.6-96.2	16	9.1	03.8-14.4
18-24	250	324,504	200	81.3	76.0-86.6	50	18.7	13.4-24.0
25-34	501	396,583	382	73.1	68.2-78.0	119	26.9	22.0-31.8
35-44	703	399,960	512	70.4	66.5-74.3	191	29.6	25.7-33.5
45-54	935	443,165	710	75.5	72.2-78.8	225	24.5	21.2-27.8
55-64	1298	402,673	1059	82.3	79.8-84.8	239	17.7	15.2-20.2
65+	2165	511,163	1974	91.6	90.2-93.0	191	8.4	07.0-09.8
Less Than H.S.	534	339,269	370	65.6	60.1-71.1	164	34.4	28.9-39.9
H.S. or G.E.D.	2203	859,386	1772	77.6	75.2-80.0	431	22.4	20.0-24.8
Some Post-H.S.	1570	792,163	1267	79.5	77.0-82.0	303	20.5	18.0-23.0
College Graduate	1597	503,612	1478	92.6	91.0-94.2	119	7.4	05.8-09.0
Less than \$15,000	703	296,031	476	62.0	56.7-67.3	227	38.0	32.7-43.3
\$15,000- 24,999	1116	464,281	864	70.9	67.0-74.8	252	29.1	25.2-33.0
\$25,000- 34,999	631	251,425	521	77.0	72.3-81.7	110	23.0	18.3-27.7
\$35,000- 49,999	715	287,115	592	82.5	79.0-86.0	123	17.5	14.0-21.0
\$50,000- 74,999	720	314,398	635	85.8	82.5-89.1	85	14.2	10.9-17.5
\$75,000+	985	467,830	901	90.9	88.7-93.1	84	9.1	06.9-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	94
2 MALES ONLY	95
3 FEMALES ONLY	96
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	97
5 MALES ONLY	98
6 FEMALES ONLY	99
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	100
8 MALES ONLY	101
9 FEMALES ONLY	102
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10 MALES AND FEMALES	103
11 MALES ONLY	104
12 FEMALES ONLY	105
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13 MALES AND FEMALES	106
14 MALES ONLY	107
15 FEMALES ONLY	108
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16 MALES AND FEMALES	109
17 MALES ONLY	110
18 FEMALES ONLY	111

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
19	ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4) MALES ONLY	112
20	ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4) FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9996	4,785,832	4508	48.5	47.1-49.9	5488	51.5	50.1-52.9
Male	4117	2,310,571	2218	55.2	53.2-57.2	1899	44.8	42.8-46.8
Female	5879	2,475,261	2290	42.2	40.4-44.0	3589	57.8	56.0-59.6
White/Non-Hisp	8689	3,910,062	3981	49.6	48.2-51.0	4708	50.4	49.0-51.8
Black or Afr. Am./Non-Hisp	574	399,839	228	43.4	37.9-48.9	346	56.6	51.1-62.1
Oth. Race/Non-Hisp.	162	98,810	67	41.4	31.8-51.0	95	58.6	49.0-68.2
MultiRacial/Non-Hisp.	110	44,227	37	36.0	23.8-48.2	73	64.0	51.8-76.2
Hispanic	308	259,174	137	46.1	39.4-52.8	171	53.9	47.2-60.6
18-24	516	646,059	250	46.4	41.5-51.3	266	53.6	48.7-58.5
25-34	885	782,514	537	60.3	56.6-64.0	348	39.7	36.0-43.4
35-44	1189	781,611	678	57.2	53.9-60.5	511	42.8	39.5-46.1
45-54	1733	867,676	905	51.2	48.5-53.9	828	48.8	46.1-51.5
55-64	2198	785,768	977	45.3	42.8-47.8	1221	54.7	52.2-57.2
65+	3387	893,623	1127	32.7	30.7-34.7	2260	67.3	65.3-69.3
Less Than H.S.	903	668,746	232	32.4	28.3-36.5	671	67.6	63.5-71.7
H.S. or G.E.D.	3641	1,654,051	1313	41.9	39.7-44.1	2328	58.1	55.9-60.3
Some Post-H.S.	2550	1,450,640	1181	51.1	48.6-53.6	1369	48.9	46.4-51.4
College Graduate	2878	1,002,419	1776	66.6	64.6-68.6	1102	33.4	31.4-35.4
Less than \$15,000	1052	483,263	302	35.0	30.9-39.1	750	65.0	60.9-69.1
\$15,000- 24,999	1707	786,364	551	38.1	34.8-41.4	1156	61.9	58.6-65.2
\$25,000- 34,999	1104	512,453	433	44.4	40.5-48.3	671	55.6	51.7-59.5
\$35,000- 49,999	1310	632,759	667	54.7	51.2-58.2	643	45.3	41.8-48.8
\$50,000- 74,999	1315	657,557	698	53.4	49.9-56.9	617	46.6	43.1-50.1
\$75,000+	2006	1,024,928	1344	66.3	63.8-68.8	662	33.7	31.2-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4117	2,310,571	2218	55.2	53.2-57.2	1899	44.8	42.8-46.8
White/Non-Hisp	3560	1,876,677	1938	55.5	53.3-57.7	1622	44.5	42.3-46.7
Black or Afr. Am./Non-Hisp	204	183,716	105	54.7	46.1-63.3	99	45.3	36.7-53.9
Oth. Race/Non-Hisp.	78	53,261	39	47.0	33.7-60.3	39	53.0	39.7-66.3
MultiRacial/Non-Hisp.	55	25,073	21	38.9	22.2-55.6	34	61.1	44.4-77.8
Hispanic	136	127,311	78	59.8	50.4-69.2	58	40.2	30.8-49.6
18-24	270	327,653	138	47.7	41.0-54.4	132	52.3	45.6-59.0
25-34	390	392,707	260	66.3	61.0-71.6	130	33.7	28.4-39.0
35-44	493	385,342	322	65.3	60.4-70.2	171	34.7	29.8-39.6
45-54	806	427,430	467	56.4	52.3-60.5	339	43.6	39.5-47.7
55-64	903	383,372	494	54.1	50.2-58.0	409	45.9	42.0-49.8
65+	1229	385,404	523	40.1	37.0-43.2	706	59.9	56.8-63.0
Less Than H.S.	373	335,555	136	40.4	34.1-46.7	237	59.6	53.3-65.9
H.S. or G.E.D.	1450	800,811	668	50.3	47.0-53.6	782	49.7	46.4-53.0
Some Post-H.S.	990	666,490	530	56.1	52.4-59.8	460	43.9	40.2-47.6
College Graduate	1290	500,995	879	72.1	69.2-75.0	411	27.9	25.0-30.8
Less than \$15,000	356	192,261	130	41.2	34.3-48.1	226	58.8	51.9-65.7
\$15,000- 24,999	600	327,275	249	46.4	41.1-51.7	351	53.6	48.3-58.9
\$25,000- 34,999	475	263,571	208	47.3	41.4-53.2	267	52.7	46.8-58.6
\$35,000- 49,999	599	346,962	340	59.9	55.0-64.8	259	40.1	35.2-45.0
\$50,000- 74,999	598	344,301	346	56.0	50.9-61.1	252	44.0	38.9-49.1
\$75,000+	1024	560,331	735	70.8	67.3-74.3	289	29.2	25.7-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5879	2,475,261	2290	42.2	40.4-44.0	3589	57.8	56.0-59.6
White/Non-Hisp	5129	2,033,385	2043	44.1	42.3-45.9	3086	55.9	54.1-57.7
Black or Afr. Am./Non-Hisp	370	216,123	123	33.7	27.4-40.0	247	66.3	60.0-72.6
Oth. Race/Non-Hisp.	84	45,549	28	34.7	20.2-49.2	56	65.3	50.8-79.8
MultiRacial/Non-Hisp.	55	19,154	16	32.3	14.9-49.7	39	67.7	50.3-85.1
Hispanic	172	131,863	59	32.8	24.4-41.2	113	67.2	58.8-75.6
18-24	246	318,405	112	45.0	37.9-52.1	134	55.0	47.9-62.1
25-34	495	389,808	277	54.2	48.9-59.5	218	45.8	40.5-51.1
35-44	696	396,269	356	49.3	45.0-53.6	340	50.7	46.4-55.0
45-54	927	440,246	438	46.1	42.2-50.0	489	53.9	50.0-57.8
55-64	1295	402,396	483	37.0	33.9-40.1	812	63.0	59.9-66.1
65+	2158	508,219	604	27.2	25.0-29.4	1554	72.8	70.6-75.0
Less Than H.S.	530	333,191	96	24.4	18.9-29.9	434	75.6	70.1-81.1
H.S. or G.E.D.	2191	853,240	645	34.0	31.3-36.7	1546	66.0	63.3-68.7
Some Post-H.S.	1560	784,150	651	46.9	43.6-50.2	909	53.1	49.8-56.4
College Graduate	1588	501,424	897	61.2	58.3-64.1	691	38.8	35.9-41.7
Less than \$15,000	696	291,001	172	30.9	25.8-36.0	524	69.1	64.0-74.2
\$15,000- 24,999	1107	459,090	302	32.2	28.1-36.3	805	67.8	63.7-71.9
\$25,000- 34,999	629	248,881	225	41.2	35.9-46.5	404	58.8	53.5-64.1
\$35,000- 49,999	711	285,798	327	48.4	43.5-53.3	384	51.6	46.7-56.5
\$50,000- 74,999	717	313,256	352	50.7	46.0-55.4	365	49.3	44.6-54.0
\$75,000+	982	464,597	609	60.9	57.0-64.8	373	39.1	35.2-43.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9996	4,785,832	2779	31.1	29.9-32.3	887	9.6	08.8-10.4	345	3.4	03.0-03.8	497	4.4	03.8-05.0	5488	51.5	50.1-52.9
Male	4117	2,310,571	1204	32.3	30.3-34.3	490	11.9	10.7-13.1	206	4.7	03.9-05.5	318	6.3	05.5-07.1	1899	44.8	42.8-46.8
Female	5879	2,475,261	1575	29.9	28.3-31.5	397	7.5	06.5-08.5	139	2.2	01.6-02.8	179	2.6	02.0-03.2	3589	57.8	56.0-59.6
White/Non-Hisp	8689	3,910,062	2413	31.2	29.8-32.6	799	10.2	09.4-11.0	313	3.6	03.0-04.2	456	4.6	04.0-05.2	4708	50.4	49.0-51.8
Black or Afr. Am./Non-Hisp	574	399,839	161	30.1	24.8-35.4	42	9.2	05.9-12.5	13	2.0	00.8-03.2	12	2.1	00.7-03.5	346	56.6	51.1-62.1
Oth. Race/Non-Hisp.	162	98,810	40	24.4	16.4-32.4	12	6.0	02.3-09.7	6	6.3	00.0-13.2	9	4.7	01.0-08.4	95	58.6	49.0-68.2
MultiRacial/Non-Hisp.	110	44,227	27	27.2	15.6-38.8	4	3.5	00.0-07.2	3	3.0	00.0-06.7	3	2.4	00.0-05.7	73	64.0	51.8-76.2
Hispanic	308	259,174	102	34.7	28.4-41.0	20	6.0	03.1-08.9	6	2.2	00.2-04.2	9	3.2	00.5-05.9	171	53.9	47.2-60.6
18-24	516	646,059	154	30.2	25.7-34.7	62	10.1	07.4-12.8	18	3.0	01.4-04.6	16	3.1	01.3-04.9	266	53.6	48.7-58.5
25-34	885	782,514	365	41.8	38.1-45.5	109	11.2	09.0-13.4	36	4.3	02.7-05.9	27	3.1	01.9-04.3	348	39.7	36.0-43.4
35-44	1189	781,611	455	37.5	34.2-40.8	142	12.2	10.0-14.4	38	3.0	01.8-04.2	43	4.4	02.8-06.0	511	42.8	39.5-46.1
45-54	1733	867,676	570	33.3	30.6-36.0	196	10.8	09.2-12.4	64	3.4	02.4-04.4	75	3.7	02.7-04.7	828	48.8	46.1-51.5
55-64	2198	785,768	583	26.8	24.6-29.0	181	8.4	07.0-09.8	88	4.3	03.3-05.3	125	5.9	04.7-07.1	1221	54.7	52.2-57.2
65+	3387	893,623	628	18.4	16.8-20.0	192	5.8	04.8-06.8	100	2.7	02.1-03.3	207	5.8	04.8-06.8	2260	67.3	65.3-69.3
Less Than H.S.	903	668,746	145	21.4	17.7-25.1	41	5.5	03.5-07.5	13	1.2	00.4-02.0	33	4.4	02.4-06.4	671	67.6	63.5-71.7
H.S. or G.E.D.	3641	1,654,051	845	27.1	25.1-29.1	223	7.4	06.2-08.6	74	3.0	02.2-03.8	171	4.4	03.6-05.2	2328	58.1	55.9-60.3
Some Post-H.S.	2550	1,450,640	786	34.9	32.5-37.3	197	8.9	07.3-10.5	95	3.7	02.7-04.7	103	3.6	02.8-04.4	1369	48.9	46.4-51.4
College Graduate	2878	1,002,419	999	38.6	36.4-40.8	425	17.3	15.5-19.1	162	5.3	04.3-06.3	190	5.5	04.5-06.5	1102	33.4	31.4-35.4
Less than \$15,000	1052	483,263	198	23.4	19.7-27.1	46	4.6	02.8-06.4	21	2.4	01.2-03.6	37	4.6	02.6-06.6	750	65.0	60.9-69.1
\$15,000- 24,999	1707	786,364	378	26.2	23.1-29.3	83	6.9	05.1-08.7	32	2.3	01.1-03.5	58	2.7	01.7-03.7	1156	61.9	58.6-65.2
\$25,000- 34,999	1104	512,453	284	30.7	27.0-34.4	69	6.8	04.8-08.8	30	2.9	01.5-04.3	50	4.0	02.6-05.4	671	55.6	51.7-59.5
\$35,000- 49,999	1310	632,759	428	36.1	32.6-39.6	123	9.6	07.6-11.6	52	4.1	02.7-05.5	64	4.9	03.3-06.5	643	45.3	41.8-48.8
\$50,000- 74,999	1315	657,557	428	35.3	31.8-38.8	133	9.6	07.6-11.6	57	3.5	02.3-04.7	80	5.0	03.4-06.6	617	46.6	43.1-50.1
\$75,000+	2006	1,024,928	742	38.2	35.5-40.9	332	16.9	14.9-18.9	123	5.8	04.6-07.0	147	5.4	04.2-06.6	662	33.7	31.2-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4117	2,310,571	1204	32.3	30.3-34.3	490	11.9	10.7-13.1	206	4.7	03.9-05.5	318	6.3	05.3-07.3	1899	44.8	42.8-46.8
White/Non-Hisp	3560	1,876,677	1021	31.1	29.1-33.1	444	12.7	11.3-14.1	184	5.1	04.1-06.1	289	6.7	05.7-07.7	1622	44.5	42.3-46.7
Black or Afr. Am./Non-Hisp	204	183,716	68	36.2	27.4-45.0	21	12.1	06.0-18.2	8	2.7	00.5-04.9	8	3.7	00.8-06.6	99	45.3	36.7-53.9
Oth. Race/Non-Hisp.	78	53,261	22	28.6	17.0-40.2	6	6.1	00.4-11.8	4	5.3	00.0-11.2	7	7.1	00.8-13.4	39	53.0	39.7-66.3
MultiRacial/Non-Hisp.	55	25,073	16	31.2	14.9-47.5	1	1.7	00.0-05.0	2	4.5	00.0-10.8	2	1.5	00.0-03.9	34	61.1	44.4-77.8
Hispanic	136	127,311	57	47.6	38.0-57.2	11	7.1	02.4-11.8	5	3.3	00.0-06.6	5	1.8	00.0-03.6	58	40.2	30.8-49.6
18-24	270	327,653	75	26.6	20.7-32.5	38	13.2	08.7-17.7	14	4.1	01.9-06.3	11	3.8	01.3-06.3	132	52.3	45.6-59.0
25-34	390	392,707	166	44.4	38.7-50.1	51	11.7	08.4-15.0	25	6.0	03.5-08.5	18	4.3	02.1-06.5	130	33.7	28.4-39.0
35-44	493	385,342	190	38.9	33.8-44.0	82	15.4	11.7-19.1	23	4.5	02.5-06.5	27	6.5	03.8-09.2	171	34.7	29.8-39.6
45-54	806	427,430	269	34.1	30.2-38.0	115	13.0	10.5-15.5	33	4.1	02.5-05.7	50	5.3	03.7-06.9	339	43.6	39.5-47.7
55-64	903	383,372	255	29.0	25.5-32.5	97	10.2	08.0-12.4	57	6.4	04.4-08.4	85	8.6	06.4-10.8	409	45.9	42.0-49.8
65+	1229	385,404	240	19.5	17.0-22.0	104	8.4	06.6-10.2	54	3.5	02.5-04.5	125	8.7	06.9-10.5	706	59.9	56.8-63.0
Less Than H.S.	373	335,555	76	24.7	19.0-30.4	26	7.4	04.1-10.7	8	1.3	00.3-02.3	26	7.0	03.7-10.3	237	59.6	53.3-65.9
H.S. or G.E.D.	1450	800,811	368	29.6	26.5-32.7	135	9.8	07.8-11.8	53	4.4	03.0-05.8	112	6.6	05.2-08.0	782	49.7	46.4-53.0
Some Post-H.S.	990	666,490	310	34.6	30.9-38.3	105	11.3	08.8-13.8	55	5.5	03.7-07.3	60	4.7	03.3-06.1	460	43.9	40.2-47.6
College Graduate	1290	500,995	447	38.9	35.6-42.2	223	19.3	16.8-21.8	89	6.5	04.9-08.1	120	7.4	05.8-09.0	411	27.9	25.0-30.8
Less than \$15,000	356	192,261	73	25.6	19.3-31.9	22	5.1	02.2-08.0	13	3.8	01.4-06.2	22	6.8	02.9-10.7	226	58.8	51.9-65.7
\$15,000- 24,999	600	327,275	145	28.6	23.7-33.5	44	9.7	06.4-13.0	21	3.2	01.4-05.0	39	4.9	02.9-06.9	351	53.6	48.3-58.9
\$25,000- 34,999	475	263,571	124	31.3	25.8-36.8	38	7.9	04.8-11.0	14	3.0	01.0-05.0	32	5.2	03.0-07.4	267	52.7	46.8-58.6
\$35,000- 49,999	599	346,962	192	35.6	30.7-40.5	68	11.1	08.2-14.0	32	5.9	03.4-08.4	48	7.3	04.8-09.8	259	40.1	35.2-45.0
\$50,000- 74,999	598	344,301	188	33.3	28.2-38.4	72	11.1	08.2-14.0	36	4.9	02.9-06.9	50	6.6	04.1-09.1	252	44.0	38.9-49.1
\$75,000+	1024	560,331	370	37.7	34.0-41.4	197	19.5	16.6-22.4	71	6.8	05.0-08.6	97	6.7	05.1-08.3	289	29.2	25.7-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5879	2,475,261	1575	29.9	28.3-31.5	397	7.5	06.5-08.5	139	2.2	01.6-02.8	179	2.6	02.0-03.2	3589	57.8	56.0-59.6
White/Non-Hisp	5129	2,033,385	1392	31.3	29.5-33.1	355	7.8	06.8-08.8	129	2.3	01.7-02.9	167	2.7	02.1-03.3	3086	55.9	54.1-57.7
Black or Afr. Am./Non-Hisp	370	216,123	93	24.9	19.2-30.6	21	6.7	03.2-10.2	5	1.3	00.0-02.7	4	0.8	00.0-01.6	247	66.3	60.0-72.6
Oth. Race/Non-Hisp.	84	45,549	18	19.4	08.8-30.0	6	5.8	00.9-10.7	2	7.5	00.0-20.4	2	2.0	00.0-04.7	56	65.3	50.8-79.8
MultiRacial/Non-Hisp.	55	19,154	11	21.9	05.6-38.2	3	5.8	00.0-13.1	1	1.0	00.0-03.0	1	3.6	00.0-10.5	39	67.7	50.3-85.1
Hispanic	172	131,863	45	22.2	15.1-29.3	9	4.9	01.4-08.4	1	1.1	00.0-03.3	4	4.6	00.0-09.5	113	67.2	58.8-75.6
18-24	246	318,405	79	33.9	27.0-40.8	24	6.9	04.0-09.8	4	1.9	00.0-04.1	5	2.3	00.1-04.5	134	55.0	47.9-62.1
25-34	495	389,808	199	39.2	34.3-44.1	58	10.7	07.8-13.6	11	2.6	00.6-04.6	9	1.8	00.4-03.2	218	45.8	40.5-51.1
35-44	696	396,269	265	36.2	32.1-40.3	60	9.1	06.6-11.6	15	1.6	00.6-02.6	16	2.4	01.2-03.6	340	50.7	46.4-55.0
45-54	927	440,246	301	32.5	28.8-36.2	81	8.6	06.4-10.8	31	2.7	01.5-03.9	25	2.2	01.2-03.2	489	53.9	50.0-57.8
55-64	1295	402,396	328	24.7	22.0-27.4	84	6.7	05.1-08.3	31	2.3	01.3-03.3	40	3.3	02.1-04.5	812	63.0	59.9-66.1
65+	2158	508,219	388	17.5	15.5-19.5	88	3.9	02.9-04.9	46	2.1	01.3-02.9	82	3.6	02.6-04.6	1554	72.8	70.6-75.0
Less Than H.S.	530	333,191	69	18.1	13.0-23.2	15	3.5	01.3-05.7	5	1.1	00.0-02.3	7	1.7	00.1-03.3	434	75.6	70.1-81.1
H.S. or G.E.D.	2191	853,240	477	24.8	22.3-27.3	88	5.2	03.8-06.6	21	1.7	00.5-02.9	59	2.3	01.5-03.1	1546	66.0	63.3-68.7
Some Post-H.S.	1560	784,150	476	35.2	32.1-38.3	92	6.8	05.2-08.4	40	2.1	01.3-02.9	43	2.7	01.7-03.7	909	53.1	49.8-56.4
College Graduate	1588	501,424	552	38.3	35.4-41.2	202	15.2	12.8-17.6	73	4.0	03.0-05.0	70	3.6	02.6-04.6	691	38.8	35.9-41.7
Less than \$15,000	696	291,001	125	22.0	17.5-26.5	24	4.3	02.1-06.5	8	1.5	00.3-02.7	15	3.1	00.9-05.3	524	69.1	64.0-74.2
\$15,000- 24,999	1107	459,090	233	24.5	20.6-28.4	39	4.8	02.8-06.8	11	1.6	00.0-03.2	19	1.2	00.6-01.8	805	67.8	63.7-71.9
\$25,000- 34,999	629	248,881	160	30.0	24.9-35.1	31	5.7	03.3-08.1	16	2.7	00.9-04.5	18	2.8	01.2-04.4	404	58.8	53.5-64.1
\$35,000- 49,999	711	285,798	236	36.8	31.9-41.7	55	7.7	05.2-10.2	20	2.0	01.0-03.0	16	1.9	00.7-03.1	384	51.6	46.7-56.5
\$50,000- 74,999	717	313,256	240	37.5	32.8-42.2	61	8.0	05.6-10.4	21	2.0	01.0-03.0	30	3.1	01.7-04.5	365	49.3	44.6-54.0
\$75,000+	982	464,597	372	38.9	35.0-42.8	135	13.7	11.2-16.2	52	4.5	02.9-06.1	50	3.9	02.3-05.5	373	39.1	35.2-43.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9910	4,736,838	8816	85.0	84.0-86.0	1094	15.0	14.0-16.0
Male	4063	2,275,244	3403	79.8	78.2-81.4	660	20.2	18.6-21.8
Female	5847	2,461,594	5413	89.7	88.5-90.9	434	10.3	09.1-11.5
White/Non-Hisp	8621	3,877,148	7680	85.0	83.8-86.2	941	15.0	13.8-16.2
Black or Afr. Am./Non-Hisp	566	394,564	507	87.4	83.7-91.1	59	12.6	08.9-16.3
Oth. Race/Non-Hisp.	159	97,176	140	83.8	75.4-92.2	19	16.2	07.8-24.6
MultiRacial/Non-Hisp.	110	44,227	97	85.7	76.5-94.9	13	14.3	05.1-23.5
Hispanic	302	252,542	249	78.9	73.2-84.6	53	21.1	15.4-26.8
18-24	510	638,451	383	76.6	72.5-80.7	127	23.4	19.3-27.5
25-34	878	775,541	673	76.2	73.1-79.3	205	23.8	20.7-26.9
35-44	1175	773,061	950	78.9	76.0-81.8	225	21.1	18.2-24.0
45-54	1717	858,770	1469	86.5	84.5-88.5	248	13.5	11.5-15.5
55-64	2173	774,736	1992	91.0	89.4-92.6	181	9.0	07.4-10.6
65+	3369	887,698	3267	96.9	96.1-97.7	102	3.1	02.3-03.9
Less Than H.S.	889	657,092	805	87.0	83.9-90.1	84	13.0	09.9-16.1
H.S. or G.E.D.	3603	1,634,336	3255	86.1	84.5-87.7	348	13.9	12.3-15.5
Some Post-H.S.	2530	1,439,456	2228	84.0	82.0-86.0	302	16.0	14.0-18.0
College Graduate	2864	995,977	2506	83.1	81.3-84.9	358	16.9	15.1-18.7
Less than \$15,000	1045	478,126	935	84.5	81.4-87.6	110	15.5	12.4-18.6
\$15,000- 24,999	1694	781,313	1563	88.2	85.8-90.6	131	11.8	09.4-14.2
\$25,000- 34,999	1090	503,236	987	86.1	83.0-89.2	103	13.9	10.8-17.0
\$35,000- 49,999	1300	625,244	1134	83.2	80.3-86.1	166	16.8	13.9-19.7
\$50,000- 74,999	1306	653,534	1144	85.1	82.6-87.6	162	14.9	12.4-17.4
\$75,000+	1997	1,021,026	1670	80.4	78.0-82.8	327	19.6	17.2-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4063	2,275,244	3403	79.8	78.2-81.4	660	20.2	18.6-21.8
White/Non-Hisp	3520	1,855,471	2948	79.5	77.7-81.3	572	20.5	18.7-22.3
Black or Afr. Am./Non-Hisp	198	179,744	172	85.4	79.3-91.5	26	14.6	08.5-20.7
Oth. Race/Non-Hisp.	76	51,933	64	83.3	73.5-93.1	12	16.7	06.9-26.5
MultiRacial/Non-Hisp.	55	25,073	46	80.1	65.4-94.8	9	19.9	05.2-34.6
Hispanic	131	121,030	97	70.9	61.7-80.1	34	29.1	19.9-38.3
18-24	265	321,429	184	71.5	65.4-77.6	81	28.5	22.4-34.6
25-34	388	389,403	275	71.8	66.9-76.7	113	28.2	23.3-33.1
35-44	486	379,029	364	72.0	67.3-76.7	122	28.0	23.3-32.7
45-54	795	420,588	635	80.7	77.4-84.0	160	19.3	16.0-22.6
55-64	887	375,218	770	86.7	84.0-89.4	117	13.3	10.6-16.0
65+	1216	380,915	1153	94.9	93.3-96.5	63	5.1	03.5-06.7
Less Than H.S.	360	324,070	306	82.3	77.2-87.4	54	17.7	12.6-22.8
H.S. or G.E.D.	1428	788,613	1197	79.8	77.1-82.5	231	20.2	17.5-22.9
Some Post-H.S.	978	658,018	811	78.7	75.4-82.0	167	21.3	18.0-24.6
College Graduate	1283	497,824	1077	79.7	77.0-82.4	206	20.3	17.6-23.0
Less than \$15,000	350	187,372	298	80.2	74.5-85.9	52	19.8	14.1-25.5
\$15,000- 24,999	593	324,180	521	83.9	79.8-88.0	72	16.1	12.0-20.2
\$25,000- 34,999	468	258,788	407	82.7	78.0-87.4	61	17.3	12.6-22.0
\$35,000- 49,999	593	341,524	486	77.1	72.6-81.6	107	22.9	18.4-27.4
\$50,000- 74,999	592	341,507	488	80.9	76.8-85.0	104	19.1	15.0-23.2
\$75,000+	1020	558,244	815	75.8	72.5-79.1	205	24.2	20.9-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5847	2,461,594	5413	89.7	88.5-90.9	434	10.3	09.1-11.5
White/Non-Hisp	5101	2,021,676	4732	90.0	88.8-91.2	369	10.0	08.8-11.2
Black or Afr. Am./Non-Hisp	368	214,821	335	89.1	84.6-93.6	33	10.9	06.4-15.4
Oth. Race/Non-Hisp.	83	45,243	76	84.3	70.2-98.4	7	15.7	01.6-29.8
MultiRacial/Non-Hisp.	55	19,154	51	93.2	85.8-0100	4	6.8	00.0-14.2
Hispanic	171	131,512	152	86.3	79.6-93.0	19	13.7	07.0-20.4
18-24	245	317,022	199	81.8	76.5-87.1	46	18.2	12.9-23.5
25-34	490	386,138	398	80.7	76.6-84.8	92	19.3	15.2-23.4
35-44	689	394,033	586	85.5	82.6-88.4	103	14.5	11.6-17.4
45-54	922	438,181	834	92.0	90.0-94.0	88	8.0	06.0-10.0
55-64	1286	399,518	1222	95.0	93.6-96.4	64	5.0	03.6-06.4
65+	2153	506,783	2114	98.4	97.8-99.0	39	1.6	01.0-02.2
Less Than H.S.	529	333,022	499	91.7	88.0-95.4	30	8.3	04.6-12.0
H.S. or G.E.D.	2175	845,723	2058	92.1	90.3-93.9	117	7.9	06.1-09.7
Some Post-H.S.	1552	781,438	1417	88.4	86.2-90.6	135	11.6	09.4-13.8
College Graduate	1581	498,153	1429	86.5	84.1-88.9	152	13.5	11.1-15.9
Less than \$15,000	695	290,755	637	87.3	83.6-91.0	58	12.7	09.0-16.4
\$15,000- 24,999	1101	457,133	1042	91.2	88.5-93.9	59	8.8	06.1-11.5
\$25,000- 34,999	622	244,448	580	89.6	85.7-93.5	42	10.4	06.5-14.3
\$35,000- 49,999	707	283,720	648	90.6	87.9-93.3	59	9.4	06.7-12.1
\$50,000- 74,999	714	312,027	656	89.8	86.7-92.9	58	10.2	07.1-13.3
\$75,000+	977	462,782	855	85.9	83.0-88.8	122	14.1	11.2-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9894	4,730,529	3415	37.0	35.6-38.4	690	7.2	06.6-07.8	232	2.6	02.2-03.0	57	0.9	00.5-01.3	12	0.2	00.0-00.4	5488	52.1	50.7-53.5
Male	4065	2,275,012	1485	37.8	35.8-39.8	454	10.6	09.4-11.8	173	4.2	03.4-05.0	42	1.4	00.8-02.0	12	0.5	00.1-00.9	1899	45.5	43.5-47.5
Female	5829	2,455,516	1930	36.2	34.4-38.0	236	3.9	03.3-04.5	59	1.2	00.8-01.6	15	0.4	00.0-00.8				3589	58.2	56.4-60.0
White/Non-Hisp	8613	3,874,295	3010	37.8	36.4-39.2	632	7.6	06.8-08.4	206	2.7	02.3-03.1	49	0.9	00.5-01.3	8	0.2	00.0-00.4	4708	50.9	49.5-52.3
Black or Afr. Am./Non-Hisp	562	390,566	183	34.3	29.0-39.6	21	4.8	02.3-07.3	10	2.1	00.1-04.1	1	0.5	00.0-01.5	1	0.3	00.0-00.9	346	58.0	52.5-63.5
Oth. Race/Non-Hisp.	159	97,247	46	28.9	19.9-37.9	13	8.7	03.2-14.2	3	1.3	00.0-02.9	1	1.4	00.0-04.1	1	0.1	00.0-00.3	95	59.6	50.0-69.2
MultiRacial/Non-Hisp.	109	43,794	29	26.9	15.7-38.1	5	7.8	00.2-15.4				2	0.7	00.0-01.7				73	64.6	52.4-76.8
Hispanic	299	251,008	104	35.0	28.5-41.5	13	4.3	01.8-06.8	7	3.4	00.7-06.1	3	1.5	00.0-03.5	1	0.1	00.0-00.3	171	55.7	49.0-62.4
18-24	510	640,903	175	33.3	28.6-38.0	41	7.5	05.0-10.0	20	3.3	01.7-04.9	7	1.7	00.3-03.1	1	0.2	00.0-00.6	266	54.1	49.2-59.0
25-34	874	771,593	426	47.9	44.0-51.8	68	7.6	05.6-09.6	22	2.5	01.3-03.7	8	1.4	00.4-02.4	2	0.3	00.0-00.7	348	40.3	36.6-44.0
35-44	1170	768,163	529	43.3	40.0-46.6	81	7.1	05.3-08.9	36	4.1	02.5-05.7	10	1.4	00.4-02.4	3	0.5	00.0-01.1	511	43.6	40.3-46.9
45-54	1722	861,334	699	40.6	37.9-43.3	140	7.4	06.0-08.8	43	2.1	01.3-02.9	10	0.4	00.0-00.8	2	0.3	00.0-00.7	828	49.2	46.5-51.9
55-64	2174	773,187	717	32.9	30.5-35.3	159	8.2	06.8-09.6	62	2.7	01.9-03.5	12	0.5	00.1-00.9	3	0.1	00.0-00.3	1221	55.6	53.1-58.1
65+	3358	886,917	841	24.8	23.0-26.6	197	5.6	04.8-06.4	49	1.4	01.0-01.8	10	0.4	00.2-00.6	1	0.0	00.0-00.0	2260	67.8	65.8-69.8
Less Than H.S.	888	654,083	150	20.9	17.2-24.6	33	4.0	02.2-05.8	15	2.5	00.9-04.1	13	2.4	00.8-04.0	6	1.0	00.0-02.0	671	69.1	64.8-73.4
H.S. or G.E.D.	3601	1,634,803	957	30.9	28.7-33.1	200	6.4	05.4-07.4	91	2.8	02.0-03.6	22	0.8	00.4-01.2	3	0.2	00.0-00.4	2328	58.8	56.6-61.0
Some Post-H.S.	2528	1,434,896	919	40.1	37.6-42.6	170	7.3	05.9-08.7	56	2.4	01.6-03.2	12	0.7	00.3-01.1	2	0.1	00.1-00.1	1369	49.4	46.9-51.9
College Graduate	2854	996,872	1385	53.2	51.0-55.4	286	10.2	08.8-11.6	70	2.7	01.9-03.5	10	0.4	00.0-00.8	1	0.0	00.0-00.0	1102	33.5	31.3-35.7
Less than \$15,000	1040	475,838	214	24.7	21.0-28.4	40	4.9	03.1-06.7	27	3.0	01.4-04.6	5	0.6	00.0-01.4	4	0.9	00.0-02.1	750	66.0	61.9-70.1
\$15,000- 24,999	1697	779,435	433	29.8	26.7-32.9	65	4.2	02.8-05.6	28	2.1	00.9-03.3	15	1.5	00.5-02.5				1156	62.4	59.1-65.7
\$25,000- 34,999	1092	506,319	332	34.7	30.8-38.6	56	5.7	03.9-07.5	24	2.1	01.1-03.1	5	0.5	00.0-01.3	4	0.7	00.0-01.5	671	56.3	52.4-60.2
\$35,000- 49,999	1292	621,220	493	40.4	36.9-43.9	114	9.0	07.0-11.0	34	3.5	02.1-04.9	7	0.9	00.1-01.7	1	0.2	00.0-00.6	643	46.1	42.6-49.6
\$50,000- 74,999	1309	654,943	536	42.7	39.2-46.2	109	6.9	05.3-08.5	38	2.6	01.6-03.6	7	0.9	00.0-01.9	2	0.1	00.0-00.3	617	46.7	43.2-50.2
\$75,000+	1990	1,017,697	1021	50.7	48.0-53.4	234	11.2	09.4-13.0	63	3.2	02.2-04.2	10	0.9	00.3-01.5				662	33.9	31.4-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4065	2,275,012	1485	37.8	35.8-39.8	454	10.6	09.4-11.8	173	4.2	03.4-05.0	42	1.4	00.8-02.0	12	0.5	00.1-00.9	1899	45.5	43.5-47.5
White/Non-Hisp	3524	1,854,561	1287	37.4	35.4-39.4	411	11.3	09.9-12.7	158	4.4	03.6-05.2	38	1.5	00.9-02.1	8	0.3	00.1-00.5	1622	45.0	42.8-47.2
Black or Afr. Am./Non-Hisp	197	178,297	77	41.0	32.0-50.0	16	8.1	03.4-12.8	4	3.5	00.0-07.4				1	0.7	00.0-02.1	99	46.7	37.9-55.5
Oth. Race/Non-Hisp.	77	52,065	25	29.9	18.3-41.5	8	10.6	02.6-18.6	3	2.4	00.0-05.1	1	2.7	00.0-07.8	1	0.3	00.0-00.9	39	54.2	40.9-67.5
MultiRacial/Non-Hisp.	54	24,640	15	26.3	11.4-41.2	4	11.0	00.0-23.2				1	0.4	00.0-01.4				34	62.2	45.3-79.1
Hispanic	130	121,019	56	46.9	36.9-56.9	10	6.5	02.2-10.8	4	2.7	00.0-05.8	1	1.4	00.0-04.1	1	0.3	00.0-00.9	58	42.3	32.7-51.9
18-24	266	323,534	81	29.0	22.9-35.1	33	11.3	07.0-15.6	14	4.0	01.8-06.2	5	2.4	00.0-04.8	1	0.3	00.0-00.9	132	53.0	46.1-59.9
25-34	388	390,103	185	48.3	42.6-54.0	50	11.3	08.0-14.6	15	3.8	01.8-05.8	6	2.0	00.4-03.6	2	0.7	00.0-01.7	130	33.9	28.6-39.2
35-44	481	373,821	222	44.0	38.7-49.3	50	10.0	07.1-12.9	28	6.9	04.0-09.8	7	2.3	00.3-04.3	3	1.0	00.0-02.4	171	35.7	30.8-40.6
45-54	798	422,284	325	40.8	36.7-44.9	91	10.4	08.0-12.8	35	3.7	02.3-05.1	6	0.5	00.0-01.1	2	0.5	00.0-01.3	339	44.1	40.0-48.2
55-64	888	373,882	314	35.1	31.4-38.8	109	12.6	10.1-15.1	42	4.0	02.6-05.4	11	1.0	00.4-01.6	3	0.2	00.0-00.4	409	47.1	43.2-51.0
65+	1219	382,828	347	27.7	24.8-30.6	119	8.4	06.6-10.2	39	2.8	01.8-03.8	7	0.7	00.1-01.3	1	0.1	00.0-00.3	706	60.3	57.2-63.4
Less Than H.S.	362	325,580	77	24.6	18.9-30.3	21	4.8	02.4-07.2	12	4.0	01.3-06.7	9	3.0	00.5-05.5	6	2.1	00.1-04.1	237	61.5	55.2-67.8
H.S. or G.E.D.	1429	787,545	417	32.9	29.8-36.0	141	10.1	08.1-12.1	70	4.8	03.4-06.2	16	1.4	00.6-02.2	3	0.3	00.0-00.7	782	50.5	47.2-53.8
Some Post-H.S.	979	656,030	357	38.5	34.8-42.2	107	11.7	09.2-14.2	42	3.7	02.3-05.1	11	1.4	00.4-02.4	2	0.1	00.0-00.3	460	44.6	40.7-48.5
College Graduate	1282	499,238	631	53.5	50.2-56.8	184	13.9	11.7-16.1	49	4.1	02.7-05.5	6	0.5	00.0-01.1	1	0.1	00.0-00.3	411	28.0	25.1-30.9
Less than \$15,000	350	188,254	79	25.9	19.6-32.2	24	8.5	04.8-12.2	14	2.9	00.7-05.1	3	0.4	00.0-00.8	4	2.2	00.0-05.1	226	60.0	53.1-66.9
\$15,000- 24,999	595	324,087	165	31.7	26.6-36.8	47	7.7	05.0-10.4	21	4.0	01.6-06.4	11	2.5	00.7-04.3				351	54.1	48.8-59.4
\$25,000- 34,999	469	260,014	146	34.4	28.7-40.1	32	6.9	04.0-09.8	18	3.3	01.5-05.1	2	0.7	00.0-02.1	4	1.3	00.0-02.9	267	53.4	47.5-59.3
\$35,000- 49,999	591	338,882	220	39.2	34.3-44.1	77	12.3	09.2-15.4	29	5.9	03.4-08.4	5	1.2	00.0-02.4	1	0.3	00.0-00.9	259	41.1	36.2-46.0
\$50,000- 74,999	595	342,234	232	39.7	34.6-44.8	76	10.4	07.7-13.1	26	3.6	02.0-05.2	7	1.8	00.0-03.8	2	0.3	00.0-00.7	252	44.3	39.2-49.4
\$75,000+	1016	556,302	512	49.7	46.0-53.4	157	14.9	12.2-17.6	49	4.6	03.0-06.2	9	1.4	00.4-02.4				289	29.4	25.9-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5829	2,455,516	1930	36.2	34.4-38.0	236	3.9	03.3-04.5	59	1.2	00.8-01.6	15	0.4	00.0-00.8	3589	58.2	56.4-60.0
White/Non-Hisp	5089	2,019,734	1723	38.2	36.4-40.0	221	4.2	03.4-05.0	48	1.0	00.6-01.4	11	0.3	00.1-00.5	3086	56.3	54.5-58.1
Black or Afr. Am./Non-Hisp	365	212,269	106	28.6	22.7-34.5	5	2.0	00.0-04.2	6	1.0	00.0-02.0	1	0.9	00.0-02.7	247	67.5	61.2-73.8
Oth. Race/Non-Hisp.	82	45,182	21	27.7	13.6-41.8	5	6.5	00.0-13.6							56	65.8	51.3-80.3
MultiRacial/Non-Hisp.	55	19,154	14	27.7	10.8-44.6	1	3.6	00.0-10.5				1	1.0	00.0-03.0	39	67.7	50.3-85.1
Hispanic	169	129,989	48	23.9	16.6-31.2	3	2.3	00.0-05.2	3	4.0	00.0-08.5	2	1.6	00.0-04.3	113	68.2	59.8-76.6
18-24	244	317,369	94	37.7	30.8-44.6	8	3.6	00.9-06.3	6	2.6	00.4-04.8	2	1.1	00.0-02.7	134	55.1	48.0-62.2
25-34	486	381,490	241	47.4	42.1-52.7	18	3.9	01.7-06.1	7	1.2	00.2-02.2	2	0.8	00.0-02.0	218	46.8	41.5-52.1
35-44	689	394,342	307	42.7	38.4-47.0	31	4.3	02.5-06.1	8	1.4	00.4-02.4	3	0.6	00.0-01.4	340	51.0	46.7-55.3
45-54	924	439,050	374	40.5	36.8-44.2	49	4.5	03.1-05.9	8	0.6	00.2-01.0	4	0.3	00.0-00.7	489	54.1	50.2-58.0
55-64	1286	399,305	403	30.7	27.8-33.6	50	4.2	02.8-05.6	20	1.6	00.8-02.4	1	0.0	00.0-00.0	812	63.5	60.4-66.6
65+	2139	504,089	494	22.7	20.5-24.9	78	3.4	02.6-04.2	10	0.4	00.2-00.6	3	0.1	00.0-00.3	1554	73.4	71.2-75.6
Less Than H.S.	526	328,502	73	17.2	12.5-21.9	12	3.2	00.7-05.7	3	1.0	00.0-02.4	4	1.9	00.0-03.9	434	76.7	71.2-82.2
H.S. or G.E.D.	2172	847,257	540	29.1	26.6-31.6	59	3.1	02.1-04.1	21	1.1	00.5-01.7	6	0.3	00.0-00.7	1546	66.5	63.8-69.2
Some Post-H.S.	1549	778,866	562	41.5	38.2-44.8	63	3.6	02.4-04.8	14	1.3	00.5-02.1	1	0.2	00.0-00.6	909	53.5	50.2-56.8
College Graduate	1572	497,634	754	52.8	49.7-55.9	102	6.5	04.9-08.1	21	1.3	00.7-01.9	4	0.2	00.0-00.4	691	39.1	36.2-42.0
Less than \$15,000	690	287,584	135	23.9	19.4-28.4	16	2.5	01.1-03.9	13	3.0	00.8-05.2	2	0.7	00.0-02.1	524	70.0	64.9-75.1
\$15,000- 24,999	1102	455,348	268	28.4	24.3-32.5	18	1.7	00.5-02.9	7	0.7	00.0-01.5	4	0.9	00.0-02.1	805	68.3	64.2-72.4
\$25,000- 34,999	623	246,305	186	35.1	29.8-40.4	24	4.3	02.1-06.5	6	0.9	00.0-01.9	3	0.3	00.0-00.7	404	59.4	54.1-64.7
\$35,000- 49,999	701	282,338	273	41.7	36.8-46.6	37	5.0	03.0-07.0	5	0.6	00.0-01.2	2	0.5	00.0-01.5	384	52.2	47.3-57.1
\$50,000- 74,999	714	312,710	304	46.0	41.3-50.7	33	3.1	01.7-04.5	12	1.5	00.5-02.5				365	49.4	44.7-54.1
\$75,000+	974	461,395	509	52.0	48.1-55.9	77	6.9	04.9-08.9	14	1.5	00.3-02.7	1	0.2	00.0-00.6	373	39.4	35.5-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9894	4,730,529	1829	19.0	18.0-20.0	988	11.5	10.7-12.3	794	8.2	07.4-09.0	494	5.5	04.9-06.1	301	3.8	03.2-04.4	5488	52.1	50.7-53.5
Male	4065	2,275,012	680	16.6	15.2-18.0	475	13.2	11.8-14.6	445	10.2	09.0-11.4	339	8.4	07.2-09.6	227	6.1	05.1-07.1	1899	45.5	43.5-47.5
Female	5829	2,455,516	1149	21.2	19.8-22.6	513	9.9	08.9-10.9	349	6.3	05.5-07.1	155	2.8	02.2-03.4	74	1.6	01.0-02.2	3589	58.2	56.4-60.0
White/Non-Hisp	8613	3,874,295	1603	19.4	18.2-20.6	874	11.9	10.9-12.9	714	8.3	07.5-09.1	451	5.8	05.2-06.4	263	3.7	03.1-04.3	4708	50.9	49.5-52.3
Black or Afr. Am./Non-Hisp	562	390,566	103	17.8	13.5-22.1	49	9.3	06.0-12.6	35	8.0	04.7-11.3	17	4.1	01.7-06.5	12	3.0	00.8-05.2	346	58.0	52.5-63.5
Oth. Race/Non-Hisp.	159	97,247	25	14.1	08.0-20.2	11	7.1	02.6-11.6	13	10.0	02.7-17.3	10	6.4	01.9-10.9	5	2.9	00.0-06.0	95	59.6	50.0-69.2
MultiRacial/Non-Hisp.	109	43,794	20	18.7	08.9-28.5	4	1.5	00.0-03.3	7	10.7	01.9-19.5	3	3.8	00.0-08.1	2	0.7	00.0-01.7	73	64.6	52.4-76.8
Hispanic	299	251,008	52	16.8	11.9-21.7	37	12.5	08.2-16.8	18	6.5	03.2-09.8	10	3.6	01.2-06.0	11	5.0	01.7-08.3	171	55.7	49.0-62.4
18-24	510	640,903	77	16.2	12.5-19.9	60	10.9	08.0-13.8	45	7.8	05.3-10.3	34	5.9	03.7-08.1	28	5.2	03.0-07.4	266	54.1	49.2-59.0
25-34	874	771,593	204	23.3	20.2-26.4	148	16.0	13.3-18.7	85	9.7	07.3-12.1	57	6.6	04.6-08.6	32	4.2	02.6-05.8	348	40.3	36.6-44.0
35-44	1170	768,163	255	19.9	17.4-22.4	175	15.1	12.6-17.6	120	9.9	07.9-11.9	60	5.6	04.0-07.2	49	6.0	04.0-08.0	511	43.6	40.3-46.9
45-54	1722	861,334	355	20.6	18.2-23.0	218	13.0	11.0-15.0	159	8.7	07.1-10.3	107	5.7	04.5-06.9	55	2.8	02.0-03.6	828	49.2	46.5-51.9
55-64	2174	773,187	402	18.7	16.7-20.7	209	9.6	08.2-11.0	150	6.7	05.5-07.9	115	6.1	04.7-07.5	77	3.3	02.5-04.1	1221	55.6	53.1-58.1
65+	3358	886,917	517	15.2	13.8-16.6	173	5.2	04.2-06.2	228	6.4	05.4-07.4	120	3.6	02.8-04.4	60	1.8	01.2-02.4	2260	67.8	65.8-69.8
Less Than H.S.	888	654,083	79	11.5	08.6-14.4	52	6.8	04.4-09.2	22	3.2	01.4-05.0	30	3.4	02.0-04.8	34	6.0	03.6-08.4	671	69.1	64.8-73.4
H.S. or G.E.D.	3601	1,634,803	537	16.0	14.4-17.6	281	9.5	08.1-10.9	201	6.8	05.6-08.0	138	5.0	04.0-06.0	116	3.8	03.0-04.6	2328	58.8	56.6-61.0
Some Post-H.S.	2528	1,434,896	535	22.4	20.2-24.6	244	11.6	09.8-13.4	191	7.8	06.4-09.2	119	5.5	04.3-06.7	70	3.2	02.2-04.2	1369	49.4	46.9-51.9
College Graduate	2854	996,872	676	24.1	22.1-26.1	409	17.6	15.8-19.4	380	14.2	12.6-15.8	206	7.5	06.3-08.7	81	3.1	02.3-03.9	1102	33.5	31.3-35.7
Less than \$15,000	1040	475,838	127	15.9	12.8-19.0	57	5.8	03.8-07.8	38	3.7	02.1-05.3	32	4.1	02.5-05.7	36	4.4	02.4-06.4	750	66.0	61.9-70.1
\$15,000- 24,999	1697	779,435	240	15.5	13.0-18.0	129	9.2	07.2-11.2	83	5.8	04.2-07.4	46	3.3	02.1-04.5	43	3.6	02.2-05.0	1156	62.4	59.1-65.7
\$25,000- 34,999	1092	506,319	196	19.7	16.4-23.0	81	9.0	06.6-11.4	72	7.5	05.3-09.7	39	4.2	02.6-05.8	33	3.3	01.9-04.7	671	56.3	52.4-60.2
\$35,000- 49,999	1292	621,220	281	21.8	18.9-24.7	146	13.4	10.9-15.9	97	6.9	05.1-08.7	83	7.1	05.3-08.9	42	4.6	03.0-06.2	643	46.1	42.6-49.6
\$50,000- 74,999	1309	654,943	283	20.7	18.0-23.4	150	13.3	10.8-15.8	132	10.5	08.1-12.9	80	5.2	03.8-06.6	47	3.6	02.2-05.0	617	46.7	43.2-50.2
\$75,000+	1990	1,017,697	467	22.8	20.4-25.2	331	17.4	15.2-19.6	285	13.1	11.3-14.9	172	8.8	07.2-10.4	73	4.1	02.9-05.3	662	33.9	31.4-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4065	2,275,012	680	16.6	15.2-18.0	475	13.2	11.8-14.6	445	10.2	09.0-11.4	339	8.4	07.2-09.6	227	6.1	05.1-07.1	1899	45.5	43.5-47.5
White/Non-Hisp	3524	1,854,561	582	16.2	14.6-17.8	415	13.3	11.7-14.9	391	10.1	08.9-11.3	310	9.0	07.8-10.2	204	6.3	05.3-07.3	1622	45.0	42.8-47.2
Black or Afr. Am./Non-Hisp	197	178,297	37	18.6	11.3-25.9	23	12.4	05.9-18.9	21	11.6	05.5-17.7	12	6.5	02.2-10.8	5	4.2	00.1-08.3	99	46.7	37.9-55.5
Oth. Race/Non-Hisp.	77	52,065	14	18.1	08.3-27.9	5	6.2	00.1-12.3	8	9.2	01.9-16.5	6	7.0	00.9-13.1	5	5.3	00.0-11.2	39	54.2	40.9-67.5
MultiRacial/Non-Hisp.	54	24,640	10	16.9	04.7-29.1	3	1.9	00.0-04.4	4	14.5	00.2-28.8	2	4.0	00.0-09.7	1	0.4	00.0-01.4	34	62.2	45.3-79.1
Hispanic	130	121,019	24	19.5	11.5-27.5	21	17.7	10.1-25.3	14	11.2	04.9-17.5	7	5.0	01.1-08.9	6	4.4	00.3-08.5	58	42.3	32.7-51.9
18-24	266	323,534	28	10.6	06.3-14.9	32	12.1	07.8-16.4	26	7.9	04.8-11.0	28	9.6	05.7-13.5	20	6.7	03.6-09.8	132	53.0	46.1-59.9
25-34	388	390,103	74	19.8	15.3-24.3	64	16.7	12.6-20.8	54	13.1	09.2-17.0	43	10.0	06.9-13.1	23	6.5	03.8-09.2	130	33.9	28.6-39.2
35-44	481	373,821	84	16.8	13.1-20.5	87	17.4	13.3-21.5	63	11.8	08.5-15.1	38	8.1	05.4-10.8	38	10.3	06.8-13.8	171	35.7	30.8-40.6
45-54	798	422,284	144	18.1	15.0-21.2	113	14.8	11.7-17.9	94	10.8	08.4-13.2	65	7.4	05.4-09.4	43	4.7	03.1-06.3	339	44.1	40.0-48.2
55-64	888	373,882	157	18.1	15.2-21.0	99	11.2	08.8-13.6	84	8.5	06.5-10.5	83	9.8	07.4-12.2	56	5.2	03.6-06.8	409	47.1	43.2-51.0
65+	1219	382,828	188	15.2	12.8-17.6	76	6.5	04.9-08.1	120	8.6	06.8-10.4	82	5.9	04.5-07.3	47	3.6	02.4-04.8	706	60.3	57.2-63.4
Less Than H.S.	362	325,580	36	12.1	07.6-16.6	28	8.6	04.9-12.3	15	4.1	01.6-06.6	19	4.7	02.3-07.1	27	9.1	05.0-13.2	237	61.5	55.2-67.8
H.S. or G.E.D.	1429	787,545	195	14.2	11.8-16.6	137	11.5	09.1-13.9	120	9.1	06.9-11.3	106	8.2	06.4-10.0	89	6.5	04.9-08.1	782	50.5	47.2-53.8
Some Post-H.S.	979	656,030	171	17.6	14.7-20.5	118	14.6	11.7-17.5	97	9.0	07.0-11.0	78	9.0	06.6-11.4	55	5.2	03.6-06.8	460	44.6	40.7-48.5
College Graduate	1282	499,238	277	22.4	19.7-25.1	190	17.0	14.5-19.5	213	17.8	15.3-20.3	135	10.2	08.2-12.2	56	4.7	03.3-06.1	411	28.0	25.1-30.9
Less than \$15,000	350	188,254	37	14.9	09.6-20.2	25	7.6	03.5-11.7	20	4.8	02.1-07.5	21	7.1	03.8-10.4	21	5.5	02.0-09.0	226	60.0	53.1-66.9
\$15,000- 24,999	595	324,087	81	15.5	11.2-19.8	51	9.8	06.7-12.9	44	7.6	04.9-10.3	36	6.4	03.9-08.9	32	6.5	03.6-09.4	351	54.1	48.8-59.4
\$25,000- 34,999	469	260,014	75	16.2	12.1-20.3	39	10.6	06.7-14.5	42	9.3	05.8-12.8	22	5.1	02.6-07.6	24	5.3	02.8-07.8	267	53.4	47.5-59.3
\$35,000- 49,999	591	338,882	107	17.2	13.5-20.9	73	15.5	11.6-19.4	59	8.7	06.0-11.4	58	10.1	07.2-13.0	35	7.4	04.7-10.1	259	41.1	36.2-46.0
\$50,000- 74,999	595	342,234	107	16.5	12.8-20.2	73	13.4	09.5-17.3	70	12.2	08.5-15.9	58	7.9	05.5-10.3	35	5.6	03.1-08.1	252	44.3	39.2-49.4
\$75,000+	1016	556,302	202	19.0	16.1-21.9	180	18.3	15.4-21.2	172	15.8	13.3-18.3	115	11.4	08.9-13.9	58	6.1	04.3-07.9	289	29.4	25.9-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5829	2,455,516	1149	21.2	19.8-22.6	513	9.9	08.9-10.9	349	6.3	05.5-07.1	155	2.8	02.2-03.4	74	1.6	01.0-02.2	3589	58.2	56.4-60.0
White/Non-Hisp	5089	2,019,734	1021	22.3	20.7-23.9	459	10.6	09.4-11.8	323	6.7	05.7-07.7	141	2.8	02.2-03.4	59	1.3	00.9-01.7	3086	56.3	54.5-58.1
Black or Afr. Am./Non-Hisp	365	212,269	66	17.1	12.2-22.0	26	6.6	03.9-09.3	14	4.9	01.8-08.0	5	2.0	00.0-04.2	7	1.9	00.0-03.9	247	67.5	61.2-73.8
Oth. Race/Non-Hisp.	82	45,182	11	9.4	02.7-16.1	6	8.0	01.1-14.9	5	11.0	00.0-24.1	4	5.7	00.0-12.6				56	65.8	51.3-80.3
MultiRacial/Non-Hisp.	55	19,154	10	20.9	04.6-37.2	1	1.0	00.0-03.0	3	5.8	00.0-13.1	1	3.6	00.0-10.5	1	1.0	00.0-03.0	39	67.7	50.3-85.1
Hispanic	169	129,989	28	14.3	08.4-20.2	16	7.6	03.5-11.7	4	2.1	00.0-04.3	3	2.3	00.0-05.2	5	5.6	00.3-10.9	113	68.2	59.8-76.6
18-24	244	317,369	49	21.8	15.7-27.9	28	9.6	05.7-13.5	19	7.8	03.9-11.7	6	2.1	00.3-03.9	8	3.6	01.1-06.1	134	55.1	48.0-62.2
25-34	486	381,490	130	26.8	22.3-31.3	84	15.2	11.9-18.5	31	6.2	03.8-08.6	14	3.1	00.9-05.3	9	2.0	00.4-03.6	218	46.8	41.5-52.1
35-44	689	394,342	171	22.8	19.3-26.3	88	12.9	10.0-15.8	57	8.2	05.8-10.6	22	3.2	01.6-04.8	11	2.0	00.6-03.4	340	51.0	46.7-55.3
45-54	924	439,050	211	23.1	19.8-26.4	105	11.3	08.9-13.7	65	6.6	04.8-08.4	42	3.9	02.5-05.3	12	1.0	00.4-01.6	489	54.1	50.2-58.0
55-64	1286	399,305	245	19.2	16.7-21.7	110	8.1	06.3-09.9	66	5.0	03.6-06.4	32	2.6	01.6-03.6	21	1.6	00.8-02.4	812	63.5	60.4-66.6
65+	2139	504,089	329	15.3	13.5-17.1	97	4.2	03.2-05.2	108	4.7	03.7-05.7	38	1.9	01.3-02.5	13	0.5	00.1-00.9	1554	73.4	71.2-75.6
Less Than H.S.	526	328,502	43	11.0	07.1-14.9	24	4.9	02.2-07.6	7	2.4	00.0-04.9	11	2.1	00.7-03.5	7	2.9	00.5-05.3	434	76.7	71.2-82.2
H.S. or G.E.D.	2172	847,257	342	17.6	15.4-19.8	144	7.7	06.1-09.3	81	4.8	03.4-06.2	32	2.0	01.0-03.0	27	1.4	00.8-02.0	1546	66.5	63.8-69.2
Some Post-H.S.	1549	778,866	364	26.5	23.6-29.4	126	9.1	07.1-11.1	94	6.8	05.2-08.4	41	2.6	01.6-03.6	15	1.5	00.5-02.5	909	53.5	50.2-56.8
College Graduate	1572	497,634	399	25.7	23.0-28.4	219	18.2	15.7-20.7	167	10.6	08.8-12.4	71	4.8	03.4-06.2	25	1.5	00.7-02.3	691	39.1	36.2-42.0
Less than \$15,000	690	287,584	90	16.6	12.5-20.7	32	4.6	02.4-06.8	18	3.1	01.3-04.9	11	2.1	00.7-03.5	15	3.7	01.3-06.1	524	70.0	64.9-75.1
\$15,000- 24,999	1102	455,348	159	15.5	12.4-18.6	78	8.8	06.3-11.3	39	4.6	02.4-06.8	10	1.1	00.1-02.1	11	1.6	00.2-03.0	805	68.3	64.2-72.4
\$25,000- 34,999	623	246,305	121	23.4	18.5-28.3	42	7.2	04.7-09.7	30	5.6	03.2-08.0	17	3.2	01.4-05.0	9	1.2	00.2-02.2	404	59.4	54.1-64.7
\$35,000- 49,999	701	282,338	174	27.4	22.7-32.1	73	11.0	07.9-14.1	38	4.8	02.8-06.8	25	3.5	01.7-05.3	7	1.1	00.0-02.3	384	52.2	47.3-57.1
\$50,000- 74,999	714	312,710	176	25.3	21.2-29.4	77	13.1	09.8-16.4	62	8.6	05.9-11.3	22	2.2	01.0-03.4	12	1.5	00.5-02.5	365	49.4	44.7-54.1
\$75,000+	974	461,395	265	27.3	23.8-30.8	151	16.2	13.3-19.1	113	9.7	07.5-11.9	57	5.7	03.7-07.7	15	1.7	00.5-02.9	373	39.4	35.5-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9894	4,730,529	9438	94.8	94.2-95.4	456	5.2	04.6-05.8
Male	4065	2,275,012	3838	93.9	92.9-94.9	227	6.1	05.1-07.1
Female	5829	2,455,516	5600	95.6	94.8-96.4	229	4.4	03.6-05.2
White/Non-Hisp	8613	3,874,295	8209	94.8	94.2-95.4	404	5.2	04.6-05.8
Black or Afr. Am./Non-Hisp	562	390,566	545	95.9	93.4-98.4	17	4.1	01.6-06.6
Oth. Race/Non-Hisp.	159	97,247	150	94.5	90.0-99.0	9	5.5	01.0-10.0
MultiRacial/Non-Hisp.	109	43,794	106	97.7	94.6-0100	3	2.3	00.0-05.4
Hispanic	299	251,008	285	93.8	90.1-97.5	14	6.2	02.5-09.9
18-24	510	640,903	476	93.8	91.6-96.0	34	6.2	04.0-08.4
25-34	874	771,593	828	94.2	92.4-96.0	46	5.8	04.0-07.6
35-44	1170	768,163	1099	92.4	90.4-94.4	71	7.6	05.6-09.6
45-54	1722	861,334	1625	95.2	94.0-96.4	97	4.8	03.6-06.0
55-64	2174	773,187	2065	95.3	94.3-96.3	109	4.7	03.7-05.7
65+	3358	886,917	3260	97.1	96.5-97.7	98	2.9	02.3-03.5
Less Than H.S.	888	654,083	843	93.0	90.5-95.5	45	7.0	04.5-09.5
H.S. or G.E.D.	3601	1,634,803	3453	95.1	94.1-96.1	148	4.9	03.9-05.9
Some Post-H.S.	2528	1,434,896	2417	95.4	94.4-96.4	111	4.6	03.6-05.6
College Graduate	2854	996,872	2702	94.5	93.5-95.5	152	5.5	04.5-06.5
Less than \$15,000	1040	475,838	993	94.3	92.1-96.5	47	5.7	03.5-07.9
\$15,000- 24,999	1697	779,435	1644	95.7	94.1-97.3	53	4.3	02.7-05.9
\$25,000- 34,999	1092	506,319	1042	95.1	93.5-96.7	50	4.9	03.3-06.5
\$35,000- 49,999	1292	621,220	1225	93.8	92.0-95.6	67	6.2	04.4-08.0
\$50,000- 74,999	1309	654,943	1240	95.3	93.7-96.9	69	4.7	03.1-06.3
\$75,000+	1990	1,017,697	1860	93.3	91.9-94.7	130	6.7	05.3-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4065	2,275,012	3838	93.9	92.9-94.9	227	6.1	05.1-07.1
White/Non-Hisp	3524	1,854,561	3320	93.7	92.7-94.7	204	6.3	05.3-07.3
Black or Afr. Am./Non-Hisp	197	178,297	192	95.8	91.7-99.9	5	4.2	00.1-08.3
Oth. Race/Non-Hisp.	77	52,065	72	94.7	88.8-0100	5	5.3	00.0-11.2
MultiRacial/Non-Hisp.	54	24,640	53	99.6	98.6-0100	1	0.4	00.0-01.4
Hispanic	130	121,019	124	95.6	91.5-99.7	6	4.4	00.3-08.5
18-24	266	323,534	246	93.3	90.2-96.4	20	6.7	03.6-09.8
25-34	388	390,103	365	93.5	90.8-96.2	23	6.5	03.8-09.2
35-44	481	373,821	443	89.7	86.2-93.2	38	10.3	06.8-13.8
45-54	798	422,284	755	95.3	93.7-96.9	43	4.7	03.1-06.3
55-64	888	373,882	832	94.8	93.2-96.4	56	5.2	03.6-06.8
65+	1219	382,828	1172	96.4	95.2-97.6	47	3.6	02.4-04.8
Less Than H.S.	362	325,580	335	90.9	86.8-95.0	27	9.1	05.0-13.2
H.S. or G.E.D.	1429	787,545	1340	93.5	91.9-95.1	89	6.5	04.9-08.1
Some Post-H.S.	979	656,030	924	94.8	93.2-96.4	55	5.2	03.6-06.8
College Graduate	1282	499,238	1226	95.3	93.9-96.7	56	4.7	03.3-06.1
Less than \$15,000	350	188,254	329	94.5	91.0-98.0	21	5.5	02.0-09.0
\$15,000- 24,999	595	324,087	563	93.5	90.6-96.4	32	6.5	03.6-09.4
\$25,000- 34,999	469	260,014	445	94.7	92.2-97.2	24	5.3	02.8-07.8
\$35,000- 49,999	591	338,882	556	92.6	89.9-95.3	35	7.4	04.7-10.1
\$50,000- 74,999	595	342,234	560	94.4	91.9-96.9	35	5.6	03.1-08.1
\$75,000+	1016	556,302	958	93.9	92.1-95.7	58	6.1	04.3-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5829	2,455,516	5600	95.6	94.8-96.4	229	4.4	03.6-05.2
White/Non-Hisp	5089	2,019,734	4889	95.8	95.0-96.6	200	4.2	03.4-05.0
Black or Afr. Am./Non-Hisp	365	212,269	353	96.1	93.2-99.0	12	3.9	01.0-06.8
Oth. Race/Non-Hisp.	82	45,182	78	94.3	87.4-0100	4	5.7	00.0-12.6
MultiRacial/Non-Hisp.	55	19,154	53	95.4	88.3-0100	2	4.6	00.0-11.7
Hispanic	169	129,989	161	92.1	86.2-98.0	8	7.9	02.0-13.8
18-24	244	317,369	230	94.2	91.1-97.3	14	5.8	02.7-08.9
25-34	486	381,490	463	95.0	92.5-97.5	23	5.0	02.5-07.5
35-44	689	394,342	656	94.8	92.8-96.8	33	5.2	03.2-07.2
45-54	924	439,050	870	95.1	93.5-96.7	54	4.9	03.3-06.5
55-64	1286	399,305	1233	95.8	94.4-97.2	53	4.2	02.8-05.6
65+	2139	504,089	2088	97.6	96.8-98.4	51	2.4	01.6-03.2
Less Than H.S.	526	328,502	508	95.0	92.3-97.7	18	5.0	02.3-07.7
H.S. or G.E.D.	2172	847,257	2113	96.6	95.4-97.8	59	3.4	02.2-04.6
Some Post-H.S.	1549	778,866	1493	96.0	94.6-97.4	56	4.0	02.6-05.4
College Graduate	1572	497,634	1476	93.7	92.1-95.3	96	6.3	04.7-07.9
Less than \$15,000	690	287,584	664	94.2	91.5-96.9	26	5.8	03.1-08.5
\$15,000- 24,999	1102	455,348	1081	97.3	95.7-98.9	21	2.7	01.1-04.3
\$25,000- 34,999	623	246,305	597	95.6	93.4-97.8	26	4.4	02.2-06.6
\$35,000- 49,999	701	282,338	669	95.4	93.4-97.4	32	4.6	02.6-06.6
\$50,000- 74,999	714	312,710	680	96.4	95.0-97.8	34	3.6	02.2-05.0
\$75,000+	974	461,395	902	92.6	90.4-94.8	72	7.4	05.2-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 19: ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4065	2,275,012	3838	93.9	92.9-94.9	227	6.1	05.1-07.1
White/Non-Hisp	3524	1,854,561	3320	93.7	92.7-94.7	204	6.3	05.3-07.3
Black or Afr. Am./Non-Hisp	197	178,297	192	95.8	91.7-99.9	5	4.2	00.1-08.3
Oth. Race/Non-Hisp.	77	52,065	72	94.7	88.8-0100	5	5.3	00.0-11.2
MultiRacial/Non-Hisp.	54	24,640	53	99.6	98.6-0100	1	0.4	00.0-01.4
Hispanic	130	121,019	124	95.6	91.5-99.7	6	4.4	00.3-08.5
18-24	266	323,534	246	93.3	90.2-96.4	20	6.7	03.6-09.8
25-34	388	390,103	365	93.5	90.8-96.2	23	6.5	03.8-09.2
35-44	481	373,821	443	89.7	86.2-93.2	38	10.3	06.8-13.8
45-54	798	422,284	755	95.3	93.7-96.9	43	4.7	03.1-06.3
55-64	888	373,882	832	94.8	93.2-96.4	56	5.2	03.6-06.8
65+	1219	382,828	1172	96.4	95.2-97.6	47	3.6	02.4-04.8
Less Than H.S.	362	325,580	335	90.9	86.8-95.0	27	9.1	05.0-13.2
H.S. or G.E.D.	1429	787,545	1340	93.5	91.9-95.1	89	6.5	04.9-08.1
Some Post-H.S.	979	656,030	924	94.8	93.2-96.4	55	5.2	03.6-06.8
College Graduate	1282	499,238	1226	95.3	93.9-96.7	56	4.7	03.3-06.1
Less than \$15,000	350	188,254	329	94.5	91.0-98.0	21	5.5	02.0-09.0
\$15,000- 24,999	595	324,087	563	93.5	90.6-96.4	32	6.5	03.6-09.4
\$25,000- 34,999	469	260,014	445	94.7	92.2-97.2	24	5.3	02.8-07.8
\$35,000- 49,999	591	338,882	556	92.6	89.9-95.3	35	7.4	04.7-10.1
\$50,000- 74,999	595	342,234	560	94.4	91.9-96.9	35	5.6	03.1-08.1
\$75,000+	1016	556,302	958	93.9	92.1-95.7	58	6.1	04.3-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 20: ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5829	2,455,516	5600	95.6	94.8-96.4	229	4.4	03.6-05.2
White/Non-Hisp	5089	2,019,734	4889	95.8	95.0-96.6	200	4.2	03.4-05.0
Black or Afr. Am./Non-Hisp	365	212,269	353	96.1	93.2-99.0	12	3.9	01.0-06.8
Oth. Race/Non-Hisp.	82	45,182	78	94.3	87.4-0100	4	5.7	00.0-12.6
MultiRacial/Non-Hisp.	55	19,154	53	95.4	88.3-0100	2	4.6	00.0-11.7
Hispanic	169	129,989	161	92.1	86.2-98.0	8	7.9	02.0-13.8
18-24	244	317,369	230	94.2	91.1-97.3	14	5.8	02.7-08.9
25-34	486	381,490	463	95.0	92.5-97.5	23	5.0	02.5-07.5
35-44	689	394,342	656	94.8	92.8-96.8	33	5.2	03.2-07.2
45-54	924	439,050	870	95.1	93.5-96.7	54	4.9	03.3-06.5
55-64	1286	399,305	1233	95.8	94.4-97.2	53	4.2	02.8-05.6
65+	2139	504,089	2088	97.6	96.8-98.4	51	2.4	01.6-03.2
Less Than H.S.	526	328,502	508	95.0	92.3-97.7	18	5.0	02.3-07.7
H.S. or G.E.D.	2172	847,257	2113	96.6	95.4-97.8	59	3.4	02.2-04.6
Some Post-H.S.	1549	778,866	1493	96.0	94.6-97.4	56	4.0	02.6-05.4
College Graduate	1572	497,634	1476	93.7	92.1-95.3	96	6.3	04.7-07.9
Less than \$15,000	690	287,584	664	94.2	91.5-96.9	26	5.8	03.1-08.5
\$15,000- 24,999	1102	455,348	1081	97.3	95.7-98.9	21	2.7	01.1-04.3
\$25,000- 34,999	623	246,305	597	95.6	93.4-97.8	26	4.4	02.2-06.6
\$35,000- 49,999	701	282,338	669	95.4	93.4-97.4	32	4.6	02.6-06.6
\$50,000- 74,999	714	312,710	680	96.4	95.0-97.8	34	3.6	02.2-05.0
\$75,000+	974	461,395	902	92.6	90.4-94.8	72	7.4	05.2-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	116
2 MALES ONLY	117
3 FEMALES ONLY	118
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	119
5 MALES ONLY	120
6 FEMALES ONLY	121
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	122
8 MALES ONLY	123
9 FEMALES ONLY	124
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
10 MALES AND FEMALES	125
11 MALES ONLY	126
12 FEMALES ONLY	127
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	128
14 MALES ONLY	129
15 FEMALES ONLY	130
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	131
17 MALES ONLY	132
18 FEMALES ONLY	133

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19 MALES AND FEMALES	134
20 MALES ONLY	135
21 FEMALES ONLY	136
TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22 MALES AND FEMALES	137
23 MALES ONLY	138
24 FEMALES ONLY	139
CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)	
25 MALES AND FEMALES	140
26 MALES ONLY	141
27 FEMALES ONLY	142
CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGL1)	
28 MALES AND FEMALES	143
29 MALES ONLY	144
30 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9548	4,554,935	3646	41.2	39.8-42.6	1889	17.9	16.9-18.9	88	1.3	0.9-01.7	48	0.7	0.5-00.9	3	0.0	0.0-00.0	3874	39.0	37.6-40.4
Male	3926	2,193,862	1626	44.5	42.5-46.5	811	18.1	16.5-19.7	38	1.4	0.8-02.0	24	0.8	0.4-01.2	2	0.0	0.0-00.0	1425	35.1	33.1-37.1
Female	5622	2,361,074	2020	38.0	36.2-39.8	1078	17.7	16.3-19.1	50	1.2	0.8-01.6	24	0.5	0.3-00.7	1	0.0	0.0-00.0	2449	42.6	40.8-44.4
White/Non-Hisp	8327	3,731,624	3141	41.1	39.7-42.5	1619	16.9	15.9-17.9	54	0.8	0.6-01.0	36	0.6	0.4-00.8	3	0.0	0.0-00.0	3474	40.6	39.2-42.0
Black or Afr. Am./Non-Hisp	536	376,497	207	36.8	31.3-42.3	140	28.2	22.9-33.5	17	2.7	0.1-04.3	9	2.1	0.3-03.9				163	30.2	24.9-35.5
Oth. Race/Non-Hisp.	155	92,667	68	45.4	35.4-55.4	32	18.7	11.4-26.0	2	2.9	0.0-07.8	2	1.0	0.0-02.8				51	32.0	22.4-41.6
MultiRacial/Non-Hisp.	106	42,133	41	40.0	27.3-52.7	22	17.3	0.8-26.3	5	5.6	0.0-11.5							38	37.1	24.6-49.6
Hispanic	293	247,601	144	47.8	41.1-54.5	52	17.2	12.1-22.3	8	4.6	0.1-08.1							89	30.3	24.2-36.4
18-24	484	606,118	252	50.5	45.4-55.6	76	16.1	12.4-19.8	6	1.7	0.3-03.1	7	1.3	0.3-02.3				143	30.5	25.8-35.2
25-34	838	742,737	412	48.3	44.4-52.2	117	15.0	12.1-17.9	16	2.2	0.1-03.4	9	1.1	0.3-01.9	1	0.1	0.0-00.3	283	33.2	29.5-36.9
35-44	1139	746,559	508	43.7	40.4-47.0	170	14.9	12.5-17.3	12	1.4	0.4-02.4	5	0.5	0.0-01.1	1	0.1	0.0-00.3	443	39.3	36.0-42.6
45-54	1664	828,445	682	40.2	37.5-42.9	263	15.3	13.3-17.3	21	1.2	0.6-01.8	9	0.5	0.1-00.9				689	42.7	39.8-45.6
55-64	2121	753,789	796	37.5	35.0-40.0	353	17.4	15.4-19.4	12	0.5	0.1-00.9	12	0.6	0.0-01.2				948	43.9	41.4-46.4
65+	3221	851,584	969	30.4	28.4-32.4	891	26.9	25.1-28.7	20	0.6	0.2-01.0	6	0.1	0.0-00.3	1	0.0	0.0-00.0	1334	41.9	39.7-44.1
Less Than H.S.	838	628,254	272	34.9	30.6-39.2	157	17.9	14.6-21.2	19	3.2	0.1-05.0	4	0.6	0.0-01.2				386	43.4	38.9-47.9
H.S. or G.E.D.	3437	1,561,224	1189	39.2	37.0-41.4	687	18.2	16.4-20.0	32	1.2	0.6-01.8	15	0.7	0.3-01.1				1514	40.7	38.5-42.9
Some Post-H.S.	2450	1,385,718	971	43.1	40.6-45.6	476	17.6	15.6-19.6	21	0.9	0.5-01.3	13	0.6	0.2-01.0	1	0.1	0.0-00.3	968	37.7	35.2-40.2
College Graduate	2801	969,655	1206	45.6	43.2-48.0	563	17.7	15.9-19.5	16	0.6	0.2-01.0	16	0.6	0.2-01.0	2	0.1	0.0-00.3	998	35.4	33.2-37.6
Less than \$15,000	1000	459,351	348	35.1	31.0-39.2	194	18.5	15.2-21.8	23	3.1	0.1-04.9	7	0.7	0.1-01.3				428	42.5	38.0-47.0
\$15,000- 24,999	1622	740,827	560	38.9	35.6-42.2	330	19.4	16.7-22.1	15	1.8	0.6-03.0	17	1.7	0.7-02.7	1	0.1	0.0-00.3	699	38.0	34.9-41.1
\$25,000- 34,999	1053	491,105	399	41.2	37.1-45.3	200	16.4	13.7-19.1	9	1.3	0.3-02.3	8	0.8	0.0-01.6				437	40.4	36.5-44.3
\$35,000- 49,999	1261	603,812	489	42.5	39.0-46.0	258	17.6	15.1-20.1	9	1.0	0.2-01.8							505	39.0	35.5-42.5
\$50,000- 74,999	1271	628,431	527	41.9	38.4-45.4	216	16.3	13.6-19.0	8	0.6	0.2-01.0	5	0.4	0.0-00.8	1	0.0	0.0-00.0	514	40.8	37.3-44.3
\$75,000+	1957	1,003,058	856	44.9	42.2-47.6	359	16.8	14.6-19.0	10	0.7	0.1-01.3	7	0.4	0.0-00.8				725	37.1	34.4-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3926	2,193,862	1626	44.5	42.5-46.5	811	18.1	16.5-19.7	38	1.4	0.8-02.0	24	0.8	0.4-01.2	2	0.0	0.0-00.0	1425	35.1	33.1-37.1
White/Non-Hisp	3411	1,787,897	1396	44.5	42.3-46.7	694	17.1	15.5-18.7	23	0.8	0.4-01.2	18	0.7	0.3-01.1	2	0.0	0.0-00.0	1278	36.9	34.7-39.1
Black or Afr. Am./Non-Hisp	189	172,084	79	40.3	31.3-49.3	49	28.0	19.8-36.2	6	2.9	0.4-05.4	4	2.8	0.0-05.9				51	26.1	18.3-33.9
Oth. Race/Non-Hisp.	74	50,830	36	50.9	37.2-64.6	17	17.7	08.5-26.9	2	5.3	0.0-14.1	1	1.7	0.0-04.8				18	24.5	12.7-36.3
MultiRacial/Non-Hisp.	51	23,812	21	41.6	24.0-59.2	9	14.4	02.4-26.4	3	7.1	0.0-16.7							18	36.9	19.8-54.0
Hispanic	128	119,684	66	50.0	40.0-60.0	26	20.8	12.6-29.0	3	5.0	0.0-10.5							33	24.1	15.9-32.3
18-24	257	313,551	137	52.1	45.2-59.0	43	16.4	11.3-21.5	3	1.6	0.0-03.4	6	2.0	0.2-03.8				68	27.9	21.4-34.4
25-34	364	365,772	185	51.5	45.6-57.4	46	13.5	09.2-17.8	9	2.5	0.7-04.3	3	1.3	0.0-02.7	1	0.1	0.0-00.3	120	31.0	25.7-36.3
35-44	468	363,517	227	47.8	42.5-53.1	79	16.5	12.6-20.4	5	1.7	0.1-03.3	2	0.3	0.0-00.7				155	33.7	28.6-38.8
45-54	772	406,405	344	44.7	40.6-48.8	123	15.3	12.4-18.2	10	1.4	0.4-02.4	5	0.6	0.0-01.2				290	38.0	33.9-42.1
55-64	874	367,933	358	41.3	37.4-45.2	162	18.6	15.5-21.7	5	0.5	0.1-00.9	5	0.8	0.0-01.8				344	38.9	35.0-42.8
65+	1164	368,170	366	31.2	28.1-34.3	351	28.5	25.6-31.4	6	0.6	0.0-01.2	3	0.2	0.0-00.4	1	0.0	0.0-00.0	437	39.4	36.1-42.7
Less Than H.S.	345	316,916	126	38.4	31.9-44.9	64	17.3	12.6-22.0	7	2.7	0.3-05.1	3	1.0	0.0-02.2				145	40.6	34.1-47.1
H.S. or G.E.D.	1361	750,052	516	42.5	39.2-45.8	262	16.8	14.3-19.3	13	1.4	0.4-02.4	8	1.1	0.3-01.9				562	38.1	35.0-41.2
Some Post-H.S.	949	633,105	419	47.5	43.6-51.4	182	17.8	14.9-20.7	12	1.2	0.4-02.0	5	0.5	0.0-01.1				331	33.1	29.4-36.8
College Graduate	1257	486,062	561	47.9	44.6-51.2	298	21.0	18.5-23.5	6	0.7	0.1-01.3	8	0.8	0.2-01.4	2	0.1	0.0-00.3	382	29.5	26.6-32.4
Less than \$15,000	336	181,177	114	32.9	26.4-39.4	65	18.7	13.2-24.2	9	2.8	0.3-05.3	2	1.0	0.0-02.4				146	44.6	37.5-51.7
\$15,000- 24,999	565	305,502	206	42.6	37.1-48.1	116	17.8	13.9-21.7	7	3.1	0.6-05.6	9	2.6	0.6-04.6				227	33.9	29.0-38.8
\$25,000- 34,999	450	254,108	178	41.6	35.7-47.5	95	18.2	13.9-22.5	4	1.3	0.0-02.9	6	1.2	0.0-02.6				167	37.6	31.7-43.5
\$35,000- 49,999	572	328,315	230	45.2	40.1-50.3	123	16.5	13.0-20.0	5	1.4	0.0-02.8							214	36.8	31.7-41.9
\$50,000- 74,999	574	326,949	253	45.9	40.6-51.2	110	17.8	13.7-21.9	3	0.5	0.0-01.1	1	0.1	0.0-00.3	1	0.0	0.0-00.0	206	35.7	30.6-40.8
\$75,000+	1001	550,516	473	48.7	44.8-52.6	198	17.7	14.8-20.6	7	0.9	0.1-01.7	4	0.6	0.0-01.2				319	32.1	28.6-35.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5622	2,361,074	2020	38.0	36.2-39.8	1078	17.7	16.3-19.1	50	1.2	0.8-01.6	24	0.5	0.3-00.7	1	0.0	0.0-00.0	2449	42.6	40.8-44.4
White/Non-Hisp	4916	1,943,728	1745	38.0	36.2-39.8	925	16.7	15.3-18.1	31	0.8	0.4-01.2	18	0.4	0.2-00.6	1	0.0	0.0-00.0	2196	44.0	42.0-46.0
Black or Afr. Am./Non-Hisp	347	204,414	128	33.9	27.6-40.2	91	28.4	21.7-35.1	11	2.5	0.7-04.3	5	1.6	0.0-03.4				112	33.6	26.5-40.7
Oth. Race/Non-Hisp.	81	41,837	32	38.8	24.9-52.7	15	20.1	08.7-31.5				1	0.2	0.0-00.6				33	41.0	26.3-55.7
MultiRacial/Non-Hisp.	55	18,321	20	37.8	19.6-56.0	13	21.1	07.6-34.6	2	3.7	0.0-08.8							20	37.4	19.2-55.6
Hispanic	165	127,916	78	45.8	36.6-55.0	26	13.9	07.8-20.0	5	4.2	0.0-08.9							56	36.1	27.3-44.9
18-24	227	292,567	115	48.7	41.4-56.0	33	15.8	10.1-21.5	3	1.8	0.0-03.8	1	0.5	0.0-01.5				75	33.2	26.3-40.1
25-34	474	376,965	227	45.2	39.9-50.5	71	16.5	12.2-20.8	7	1.9	0.3-03.5	6	1.0	0.2-01.8				163	35.4	30.3-40.5
35-44	671	383,042	281	39.8	35.5-44.1	91	13.5	10.4-16.6	7	1.2	0.0-02.4	3	0.7	0.0-01.5	1	0.2	0.0-00.6	288	44.6	40.1-49.1
45-54	892	422,040	338	36.0	32.3-39.7	140	15.3	12.4-18.2	11	1.0	0.2-01.8	4	0.4	0.0-00.8				399	47.3	43.4-51.2
55-64	1247	385,856	438	33.9	30.8-37.0	191	16.4	13.9-18.9	7	0.6	0.2-01.0	7	0.4	0.0-00.8				604	48.7	45.4-52.0
65+	2057	483,414	603	29.8	27.4-32.2	540	25.7	23.3-28.1	14	0.6	0.2-01.0	3	0.1	0.1-00.1				897	43.8	41.3-46.3
Less Than H.S.	493	311,338	146	31.3	25.6-37.0	93	18.5	13.8-23.2	12	3.7	0.1-06.2	1	0.2	0.0-00.6				241	46.3	40.2-52.4
H.S. or G.E.D.	2076	811,172	673	36.1	33.4-38.8	425	19.5	17.1-21.9	19	1.0	0.4-01.6	7	0.4	0.0-00.8				952	43.0	40.1-45.9
Some Post-H.S.	1501	752,613	552	39.4	36.1-42.7	294	17.4	14.9-19.9	9	0.7	0.1-01.3	8	0.7	0.1-01.3	1	0.1	0.0-00.3	637	41.7	38.4-45.0
College Graduate	1544	483,593	645	43.3	40.2-46.4	265	14.4	12.4-16.4	10	0.5	0.1-00.9	8	0.5	0.1-00.9				616	41.3	38.2-44.4
Less than \$15,000	664	278,174	234	36.6	31.3-41.9	129	18.4	14.3-22.5	14	3.4	0.1-05.6	5	0.5	0.0-01.1				282	41.1	35.4-46.8
\$15,000- 24,999	1057	435,325	354	36.3	32.2-40.4	214	20.5	16.8-24.2	8	0.9	0.1-01.7	8	1.1	0.1-02.1	1	0.2	0.0-00.6	472	40.9	36.8-45.0
\$25,000- 34,999	603	236,997	221	40.7	35.4-46.0	105	14.4	11.1-17.7	5	1.2	0.0-02.8	2	0.3	0.0-00.9				270	43.3	38.0-48.6
\$35,000- 49,999	689	275,498	259	39.2	34.3-44.1	135	18.8	14.9-22.7	4	0.4	0.0-01.0							291	41.6	36.7-46.5
\$50,000- 74,999	697	301,482	274	37.6	33.1-42.1	106	14.7	11.6-17.8	5	0.7	0.1-01.3	4	0.7	0.1-01.3				308	46.4	41.7-51.1
\$75,000+	956	452,542	383	40.4	36.5-44.3	161	15.6	12.5-18.7	3	0.6	0.0-01.4	3	0.2	0.0-00.4				406	43.2	39.3-47.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES
TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9614	4,585,353	4531	49.6	48.2-51.0	4001	38.9	37.5-40.3	478	4.5	03.9-05.1	147	1.5	01.1-01.9	7	0.1	00.1-00.1	450	5.4	04.8-06.0
Male	3966	2,213,051	2119	53.8	51.8-55.8	1425	34.3	32.3-36.3	127	3.2	02.4-04.0	45	1.3	00.7-01.9	3	0.1	00.0-00.3	247	7.3	06.1-08.5
Female	5648	2,372,303	2412	45.7	43.9-47.5	2576	43.2	41.4-45.0	351	5.8	05.0-06.6	102	1.7	01.3-02.1	4	0.0	00.0-00.0	203	3.6	03.0-04.2
White/Non-Hisp	8377	3,754,470	3948	49.7	48.3-51.1	3516	39.2	37.8-40.6	408	4.4	03.8-05.0	124	1.5	01.1-01.9	7	0.1	00.1-00.1	374	5.2	04.4-06.0
Black or Afr. Am./Non-Hisp	546	382,122	274	52.4	46.7-58.1	193	34.1	28.8-39.4	32	4.5	02.5-06.5	14	2.9	00.5-05.3				33	6.0	03.6-08.4
Oth. Race/Non-Hisp.	156	94,702	66	47.4	37.4-57.4	67	40.9	31.1-50.7	9	5.0	01.3-08.7	3	1.8	00.0-04.7				11	4.9	01.6-08.2
MultiRacial/Non-Hisp.	107	42,255	51	50.4	37.7-63.1	43	35.8	24.2-47.4	4	2.1	00.0-04.5	1	0.3	00.0-00.9				8	11.4	02.2-20.6
Hispanic	294	246,082	132	45.5	38.8-52.2	127	42.2	35.5-48.9	20	7.8	03.9-11.7	3	0.5	00.0-01.1				12	4.0	01.3-06.7
18-24	491	613,877	246	51.1	46.2-56.0	186	36.9	32.2-41.6	25	5.1	02.9-07.3	7	2.0	00.2-03.8	1	0.2	00.0-00.6	26	4.7	02.7-06.7
25-34	840	745,944	432	53.8	49.9-57.7	328	36.7	33.0-40.4	30	3.4	02.0-04.8	14	1.1	00.5-01.7	1	0.1	00.0-00.3	35	4.9	02.9-06.9
35-44	1140	746,372	551	49.6	46.1-53.1	441	36.6	33.3-39.9	69	5.5	03.9-07.1	27	2.3	01.3-03.3				52	6.0	04.0-08.0
45-54	1677	837,590	844	51.2	48.3-54.1	638	37.2	34.5-39.9	70	3.9	02.7-05.1	27	1.6	01.0-02.2	2	0.1	00.0-00.3	96	6.1	04.7-07.5
55-64	2134	758,182	1031	49.1	46.6-51.6	844	38.9	36.4-41.4	117	5.1	04.1-06.1	31	1.2	00.6-01.8	1	0.0	00.0-00.0	110	5.7	04.3-07.1
65+	3257	859,564	1397	43.9	41.7-46.1	1528	45.6	43.4-47.8	163	4.5	03.7-05.3	40	1.2	00.8-01.6	2	0.0	00.0-00.0	127	4.7	03.7-05.7
Less Than H.S.	843	628,852	432	52.2	47.7-56.7	266	28.8	24.9-32.7	31	4.1	02.3-05.9	9	1.2	00.2-02.2	1	0.2	00.0-00.6	104	13.4	10.3-16.5
H.S. or G.E.D.	3460	1,568,955	1709	51.2	49.0-53.4	1379	37.9	35.7-40.1	131	3.5	02.7-04.3	38	1.2	00.6-01.8	1	0.0	00.0-00.0	202	6.1	05.1-07.1
Some Post-H.S.	2465	1,400,123	1220	51.5	49.0-54.0	979	38.3	35.9-40.7	127	4.8	03.8-05.8	41	1.7	00.9-02.5	2	0.0	00.0-00.0	96	3.7	02.9-04.5
College Graduate	2824	976,938	1162	42.6	40.4-44.8	1366	47.6	45.4-49.8	188	6.3	05.3-07.3	59	2.0	01.4-02.6	3	0.1	00.0-00.3	46	1.4	00.8-02.0
Less than \$15,000	1006	463,598	522	53.2	48.9-57.5	331	30.8	26.9-34.7	39	3.1	01.7-04.5	15	1.3	00.5-02.1	1	0.0	00.0-00.0	98	11.6	08.5-14.7
\$15,000- 24,999	1629	742,486	818	53.0	49.7-56.3	624	33.7	30.6-36.8	65	4.7	03.1-06.3	29	2.1	01.1-03.1	3	0.2	00.0-00.6	90	6.3	04.5-08.1
\$25,000- 34,999	1065	495,654	544	54.5	50.6-58.4	405	35.3	31.6-39.0	49	3.4	02.0-04.8	9	0.6	00.2-01.0				58	6.2	04.2-08.2
\$35,000- 49,999	1275	609,273	609	49.4	45.9-52.9	538	39.8	36.3-43.3	60	4.9	03.3-06.5	18	1.1	00.5-01.7				50	4.8	03.0-06.6
\$50,000- 74,999	1277	635,428	578	50.1	46.6-53.6	569	40.8	37.3-44.3	73	4.1	02.9-05.3	13	1.2	00.0-02.4				44	3.9	02.5-05.3
\$75,000+	1964	1,002,319	863	44.8	42.1-47.5	912	45.5	42.8-48.2	108	5.3	04.1-06.5	39	2.1	01.3-02.9	2	0.1	00.0-00.3	40	2.2	01.4-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3966	2,213,051	2119	53.8	51.8-55.8	1425	34.3	32.3-36.3	127	3.2	02.4-04.0	45	1.3	00.7-01.9	3	0.1	00.0-00.3	247	7.3	06.1-08.5
White/Non-Hisp	3441	1,804,777	1850	53.6	51.4-55.8	1237	34.8	32.8-36.8	108	3.0	02.2-03.8	38	1.2	00.8-01.6	3	0.1	00.0-00.3	205	7.3	06.1-08.5
Black or Afr. Am./Non-Hisp	193	173,854	98	53.1	44.1-62.1	60	28.5	20.9-36.1	11	5.3	01.6-09.0	6	4.9	00.0-09.8				18	8.2	03.9-12.5
Oth. Race/Non-Hisp.	75	51,024	34	53.3	39.8-66.8	33	40.1	26.8-53.4										8	6.6	01.3-11.9
MultiRacial/Non-Hisp.	52	23,935	29	50.2	32.6-67.8	17	31.6	16.3-46.9										6	18.2	03.1-33.3
Hispanic	128	118,792	70	57.6	47.8-67.4	47	34.7	25.3-44.1	6	4.9	00.4-09.4	1	0.1	00.0-00.3				4	2.7	00.0-05.4
18-24	260	316,915	129	49.6	42.7-56.5	92	34.1	27.6-40.6	16	6.8	03.3-10.3	4	2.6	00.0-05.3	1	0.4	00.0-01.2	18	6.6	03.3-09.9
25-34	369	371,203	215	59.1	53.4-64.8	120	32.6	27.3-37.9	5	1.2	00.0-02.4	4	0.6	00.0-01.2	1	0.1	00.0-00.3	24	6.5	03.6-09.4
35-44	471	364,713	251	53.2	47.9-58.5	158	31.5	26.8-36.2	20	3.9	01.9-05.9	10	2.3	00.5-04.1				32	9.0	05.5-12.5
45-54	781	411,532	442	57.2	53.1-61.3	262	32.6	28.9-36.3	16	1.7	00.7-02.7	9	1.0	00.2-01.8	1	0.0	00.0-00.0	51	7.5	05.1-09.9
55-64	880	369,330	493	55.0	51.1-58.9	288	33.4	29.7-37.1	30	2.8	01.6-04.0	8	0.8	00.2-01.4				61	8.1	05.7-10.5
65+	1180	371,368	578	48.1	44.8-51.4	493	41.2	37.9-44.5	39	3.4	02.0-04.8	10	1.1	00.3-01.9				60	6.1	04.3-07.9
Less Than H.S.	349	318,081	189	54.5	48.0-61.0	87	23.6	18.1-29.1	8	2.2	00.4-04.0	3	1.3	00.0-02.9	1	0.4	00.0-01.2	61	18.0	12.9-23.1
H.S. or G.E.D.	1379	756,476	762	56.1	52.8-59.4	470	32.4	29.3-35.5	31	2.5	01.5-03.5	9	0.8	00.2-01.4				107	8.1	06.3-09.9
Some Post-H.S.	958	641,641	531	53.5	49.6-57.4	334	36.0	32.3-39.7	31	3.7	01.9-05.5	10	1.6	00.2-03.0				52	5.2	03.6-06.8
College Graduate	1267	489,416	632	50.4	47.1-53.7	528	41.6	38.3-44.9	57	4.2	02.8-05.6	23	1.8	01.0-02.6	2	0.1	00.0-00.3	25	1.7	00.9-02.5
Less than \$15,000	340	183,137	188	53.2	46.1-60.3	91	25.2	19.3-31.1	8	2.0	00.0-04.0	2	0.4	00.0-01.0				51	19.3	13.2-25.4
\$15,000- 24,999	566	305,114	307	55.7	50.2-61.2	189	30.1	25.2-35.0	13	3.3	01.1-05.5	8	2.2	00.2-04.2	2	0.5	00.0-01.3	47	8.2	05.1-11.3
\$25,000- 34,999	456	255,949	248	54.2	48.3-60.1	152	34.9	29.2-40.6	14	1.8	00.6-03.0	6	0.8	00.0-01.6				36	8.4	05.3-11.5
\$35,000- 49,999	582	332,677	322	54.2	49.1-59.3	201	33.8	28.9-38.7	17	3.6	01.6-05.6	6	0.9	00.1-01.7				36	7.5	04.6-10.4
\$50,000- 74,999	580	332,622	316	57.1	52.0-62.2	217	34.3	29.6-39.0	20	2.2	01.0-03.4	2	1.1	00.0-03.1				25	5.3	02.9-07.7
\$75,000+	1005	550,815	510	50.1	46.2-54.0	415	41.1	37.4-44.8	40	4.3	02.5-06.1	18	2.0	00.8-03.2				22	2.6	01.4-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES
TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5648	2,372,303	2412	45.7	43.9-47.5	2576	43.2	41.4-45.0	351	5.8	05.0-06.6	102	1.7	01.3-02.1	4	0.0	00.0-00.0	203	3.6	03.0-04.2
White/Non-Hisp	4936	1,949,694	2098	46.0	44.0-48.0	2279	43.3	41.5-45.1	300	5.7	04.9-06.5	86	1.7	01.3-02.1	4	0.0	00.0-00.0	169	3.3	02.7-03.9
Black or Afr. Am./Non-Hisp	353	208,268	176	51.8	44.7-58.9	133	38.8	31.9-45.7	21	3.9	01.7-06.1	8	1.3	00.3-02.3				15	4.1	01.4-06.8
Oth. Race/Non-Hisp.	81	43,677	32	40.4	25.5-55.3	34	41.9	27.6-56.2	9	10.9	03.1-18.7	3	3.9	00.0-10.0				3	2.9	00.0-06.8
MultiRacial/Non-Hisp.	55	18,321	22	50.5	32.1-68.9	26	41.4	23.8-59.0	4	4.9	00.0-10.2	1	0.6	00.0-01.8				2	2.6	00.0-06.5
Hispanic	166	127,290	62	34.2	25.8-42.6	80	49.2	40.0-58.4	14	10.5	04.4-16.6	2	0.9	00.0-02.1				8	5.3	00.8-09.8
18-24	231	296,962	117	52.8	45.5-60.1	94	39.9	32.8-47.0	9	3.3	01.1-05.5	3	1.4	00.0-03.2				8	2.7	00.5-04.9
25-34	471	374,741	217	48.7	43.4-54.0	208	40.8	35.7-45.9	25	5.6	02.9-08.3	10	1.5	00.5-02.5				11	3.4	01.0-05.8
35-44	669	381,658	300	46.1	41.6-50.6	283	41.5	37.2-45.8	49	7.0	04.8-09.2	17	2.3	00.9-03.7				20	3.1	01.5-04.7
45-54	896	426,058	402	45.4	41.5-49.3	376	41.6	37.7-45.5	54	6.1	04.1-08.1	18	2.1	00.9-03.3	1	0.1	00.0-00.3	45	4.7	03.1-06.3
55-64	1254	388,852	538	43.5	40.2-46.8	556	44.2	40.9-47.5	87	7.2	05.4-09.0	23	1.7	00.9-02.5	1	0.0	00.0-00.0	49	3.4	02.2-04.6
65+	2077	488,196	819	40.7	38.2-43.2	1035	49.0	46.5-51.5	124	5.3	04.1-06.5	30	1.2	00.6-01.8	2	0.1	00.0-00.3	67	3.7	02.7-04.7
Less Than H.S.	494	310,771	243	49.9	43.8-56.0	179	34.2	28.5-39.9	23	6.0	02.9-09.1	6	1.1	00.1-02.1				43	8.7	05.4-12.0
H.S. or G.E.D.	2081	812,479	947	46.7	43.8-49.6	909	43.0	40.1-45.9	100	4.4	03.2-05.6	29	1.6	00.8-02.4	1	0.0	00.0-00.0	95	4.2	03.0-05.4
Some Post-H.S.	1507	758,482	689	49.8	46.5-53.1	645	40.3	37.2-43.4	96	5.7	04.3-07.1	31	1.7	00.9-02.5	2	0.1	00.0-00.3	44	2.4	01.6-03.2
College Graduate	1557	487,523	530	34.7	31.8-37.6	838	53.7	50.6-56.8	131	8.3	06.5-10.1	36	2.3	01.3-03.3	1	0.1	00.0-00.3	21	1.0	00.4-01.6
Less than \$15,000	666	280,460	334	53.2	47.7-58.7	240	34.5	29.4-39.6	31	3.8	02.0-05.6	13	1.9	00.5-03.3	1	0.0	00.0-00.0	47	6.6	03.5-09.7
\$15,000- 24,999	1063	437,372	511	51.2	46.9-55.5	435	36.2	32.1-40.3	52	5.6	03.4-07.8	21	2.0	01.0-03.0	1	0.0	00.0-00.0	43	5.0	03.2-06.8
\$25,000- 34,999	609	239,705	296	54.8	49.5-60.1	253	35.7	30.8-40.6	35	5.2	02.8-07.6	3	0.4	00.0-00.8				22	3.9	01.7-06.1
\$35,000- 49,999	693	276,595	287	43.6	38.5-48.7	337	47.0	42.1-51.9	43	6.4	04.0-08.8	12	1.5	00.5-02.5				14	1.6	00.6-02.6
\$50,000- 74,999	697	302,806	262	42.3	37.6-47.0	352	47.9	43.2-52.6	53	6.2	04.2-08.2	11	1.2	00.2-02.2				19	2.4	01.2-03.6
\$75,000+	959	451,504	353	38.4	34.5-42.3	497	50.9	47.0-54.8	68	6.6	04.8-08.4	21	2.2	01.2-03.2	2	0.2	00.0-00.4	18	1.8	00.8-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES
TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9519	4,548,793	7225	74.6	73.4-75.8	470	5.6	05.0-06.2	27	0.3	00.1-00.5	13	0.2	00.0-00.4	1	0.0	00.0-00.0	1783	19.3	18.1-20.5
Male	3911	2,192,855	3027	75.9	74.1-77.7	191	5.6	04.6-06.6	13	0.3	00.1-00.5	3	0.1	00.1-00.1				677	18.1	16.5-19.7
Female	5608	2,355,938	4198	73.4	71.8-75.0	279	5.6	04.8-06.4	14	0.3	00.1-00.5	10	0.3	00.1-00.5	1	0.0	00.0-00.0	1106	20.3	18.9-21.7
White/Non-Hisp	8286	3,725,230	6389	76.6	75.4-77.8	348	4.5	03.9-05.1	19	0.2	00.0-00.4	12	0.2	00.0-00.4	1	0.0	00.0-00.0	1517	18.5	17.3-19.7
Black or Afr. Am./Non-Hisp	547	381,125	363	67.0	61.9-72.1	31	4.9	02.4-07.4	3	0.6	00.0-01.4							150	27.5	22.6-32.4
Oth. Race/Non-Hisp.	156	93,923	102	58.5	48.3-68.7	16	10.2	04.1-16.3	1	0.5	00.0-01.5							37	30.7	20.7-40.7
MultiRacial/Non-Hisp.	105	41,960	74	63.3	50.4-76.2	7	5.4	00.7-10.1										24	31.3	18.4-44.2
Hispanic	292	241,709	204	66.6	60.1-73.1	57	20.8	15.1-26.5	3	1.5	00.0-03.3	1	0.8	00.0-02.2				27	10.3	06.0-14.6
18-24	484	606,691	329	66.6	61.9-71.3	24	5.2	02.8-07.6	2	0.3	00.0-00.7	2	0.4	00.0-01.0				127	27.5	23.0-32.0
25-34	840	744,948	626	74.1	70.8-77.4	50	6.9	04.9-08.9	4	0.4	00.0-00.8	2	0.2	00.0-00.4				158	18.5	15.6-21.4
35-44	1136	744,442	872	75.1	72.0-78.2	82	8.1	06.1-10.1	4	0.2	00.0-00.4	3	0.4	00.0-01.0				175	16.2	13.7-18.7
45-54	1669	833,258	1285	76.3	73.8-78.8	68	4.9	03.5-06.3	4	0.4	00.0-00.8							312	18.3	16.1-20.5
55-64	2116	749,513	1626	76.9	74.7-79.1	101	4.8	03.6-06.0	5	0.1	00.0-00.3	1	0.1	00.0-00.3				383	18.1	16.1-20.1
65+	3197	845,373	2428	76.6	74.8-78.4	140	4.1	03.3-04.9	7	0.4	00.0-00.8	5	0.1	00.0-00.3	1	0.0	00.0-00.0	616	18.8	17.0-20.6
Less Than H.S.	836	624,271	567	65.9	61.6-70.2	50	7.2	04.8-09.6	4	0.7	00.0-01.5	2	0.6	00.0-01.4				213	25.7	21.8-29.6
H.S. or G.E.D.	3426	1,554,487	2519	72.9	70.9-74.9	149	4.9	03.9-05.9	9	0.4	00.2-00.6	7	0.2	00.0-00.4				742	21.6	19.8-23.4
Some Post-H.S.	2444	1,390,251	1867	75.8	73.4-78.2	105	5.2	04.0-06.4	4	0.1	00.0-00.3	2	0.1	00.0-00.3	1	0.0	00.0-00.0	465	18.8	16.8-20.8
College Graduate	2791	969,299	2256	81.1	79.3-82.9	166	6.4	05.2-07.6	10	0.3	00.1-00.5	2	0.0	00.0-00.0				357	12.2	10.6-13.8
Less than \$15,000	985	452,762	655	63.7	59.4-68.0	49	5.2	03.2-07.2	5	0.6	00.0-01.4	5	1.1	00.0-02.3				271	29.3	25.2-33.4
\$15,000- 24,999	1630	744,117	1154	69.5	66.4-72.6	93	7.2	05.2-09.2	5	0.2	00.0-00.6	2	0.1	00.0-00.3				376	22.9	20.2-25.6
\$25,000- 34,999	1052	488,583	800	74.6	70.9-78.3	46	5.4	03.4-07.4				1	0.1	00.0-00.3				205	19.9	16.6-23.2
\$35,000- 49,999	1253	601,601	998	79.7	77.0-82.4	51	4.2	02.8-05.6	5	0.3	00.0-00.7	3	0.3	00.0-00.7	1	0.1	00.0-00.3	195	15.4	12.9-17.9
\$50,000- 74,999	1265	631,570	1018	80.6	77.7-83.5	59	5.0	03.2-06.8	4	0.3	00.0-00.7	1	0.1	00.0-00.3				183	14.1	11.6-16.6
\$75,000+	1960	1,003,209	1614	79.9	77.5-82.3	99	5.6	04.2-07.0	3	0.2	00.0-00.4							244	14.3	12.1-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES
TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3911	2,192,855	3027	75.9	74.1-77.7	191	5.6	04.6-06.6	13	0.3	00.1-00.5	3	0.1	00.1-00.1	677	18.1	16.5-19.7
White/Non-Hisp	3389	1,786,630	2659	77.7	75.9-79.5	145	4.6	03.6-05.6	9	0.2	00.0-00.4	3	0.1	00.1-00.1	573	17.4	15.6-19.2
Black or Afr. Am./Non-Hisp	195	175,639	133	67.4	59.0-75.8	12	6.4	01.5-11.3	1	0.7	00.0-02.1				49	25.5	18.1-32.9
Oth. Race/Non-Hisp.	74	50,001	48	64.3	51.0-77.6	11	13.0	04.8-21.2	1	1.0	00.0-03.0				14	21.6	09.4-33.8
MultiRacial/Non-Hisp.	51	23,966	38	64.3	46.1-82.5	1	1.5	00.0-04.4							12	34.3	16.1-52.5
Hispanic	127	116,305	93	71.8	62.6-81.0	19	16.9	08.9-24.9	1	0.7	00.0-02.1				14	10.6	04.3-16.9
18-24	258	315,298	186	69.5	63.0-76.0	13	5.5	02.2-08.8	2	0.5	00.0-01.1				57	24.6	18.5-30.7
25-34	369	370,500	278	76.3	71.4-81.2	20	5.6	02.9-08.3	2	0.3	00.0-00.7	1	0.1	00.0-00.3	68	17.7	13.4-22.0
35-44	468	363,258	365	75.9	71.2-80.6	33	8.6	05.5-11.7	1	0.3	00.0-00.9	1	0.2	00.0-00.6	68	15.1	11.2-19.0
45-54	775	408,730	602	77.0	73.3-80.7	29	5.2	03.0-07.4	1	0.1	00.0-00.3				143	17.8	14.5-21.1
55-64	871	363,506	676	78.0	74.7-81.3	42	4.5	02.9-06.1	2	0.2	00.0-00.4				151	17.3	14.2-20.4
65+	1145	363,572	900	77.7	74.8-80.6	54	4.4	03.0-05.8	5	0.6	00.0-01.4	1	0.0	00.0-00.0	185	17.2	14.5-19.9
Less Than H.S.	343	313,825	243	66.7	60.4-73.0	14	5.3	02.2-08.4	1	0.1	00.0-00.3				85	27.9	22.0-33.8
H.S. or G.E.D.	1357	748,203	1020	74.9	72.0-77.8	60	4.8	03.2-06.4	6	0.5	00.1-00.9	2	0.1	00.0-00.3	269	19.8	17.1-22.5
Some Post-H.S.	950	637,070	743	77.7	74.4-81.0	47	6.3	04.1-08.5	2	0.2	00.0-00.6				158	15.8	12.9-18.7
College Graduate	1248	486,320	1012	81.0	78.3-83.7	70	6.3	04.5-08.1	4	0.4	00.0-00.8	1	0.1	00.0-00.3	161	12.2	10.0-14.4
Less than \$15,000	327	177,066	212	62.0	54.9-69.1	19	5.2	02.3-08.1	2	0.7	00.0-01.7				94	32.2	25.3-39.1
\$15,000- 24,999	570	307,945	423	73.6	68.7-78.5	36	7.8	04.5-11.1	2	0.1	00.0-00.3	1	0.1	00.0-00.3	108	18.4	14.3-22.5
\$25,000- 34,999	448	252,593	347	74.9	69.4-80.4	17	4.5	01.8-07.2				1	0.1	00.0-00.3	83	20.4	15.3-25.5
\$35,000- 49,999	567	326,589	458	81.2	77.3-85.1	21	3.7	01.7-05.7	3	0.4	00.0-00.8	1	0.2	00.0-00.6	84	14.5	11.0-18.0
\$50,000- 74,999	574	330,300	459	79.6	75.3-83.9	25	4.7	02.0-07.4	2	0.2	00.0-00.6				88	15.4	11.7-19.1
\$75,000+	1000	550,988	821	79.6	76.3-82.9	53	6.3	04.3-08.3	2	0.2	00.0-00.6				124	13.9	11.0-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES
TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5608	2,355,938	4198	73.4	71.8-75.0	279	5.6	04.8-06.4	14	0.3	00.1-00.5	10	0.3	00.1-00.5	1	0.0	00.0-00.0	1106	20.3	18.9-21.7
White/Non-Hisp	4897	1,938,600	3730	75.6	73.8-77.4	203	4.4	03.6-05.2	10	0.2	00.0-00.4	9	0.3	00.1-00.5	1	0.0	00.0-00.0	944	19.5	17.9-21.1
Black or Afr. Am./Non-Hisp	352	205,487	230	66.5	60.0-73.0	19	3.7	01.7-05.7	2	0.5	00.0-01.3							101	29.3	23.0-35.6
Oth. Race/Non-Hisp.	82	43,922	54	51.9	37.0-66.8	5	7.1	00.0-16.3										23	41.0	25.7-56.3
MultiRacial/Non-Hisp.	54	17,994	36	62.1	43.7-80.5	6	10.6	00.4-20.8										12	27.3	09.7-44.9
Hispanic	165	125,404	111	61.8	52.8-70.8	38	24.5	16.7-32.3	2	2.2	00.0-05.1	1	1.5	00.0-04.2				13	10.1	04.2-16.0
18-24	226	291,394	143	63.5	56.4-70.6	11	5.0	01.9-08.1				2	0.8	00.0-02.2				70	30.7	24.0-37.4
25-34	471	374,448	348	71.9	67.0-76.8	30	8.1	05.0-11.2	2	0.6	00.0-01.4	1	0.2	00.0-00.6				90	19.2	15.1-23.3
35-44	668	381,184	507	74.3	70.2-78.4	49	7.6	05.1-10.1	3	0.1	00.0-00.3	2	0.7	00.0-01.9				107	17.3	13.8-20.8
45-54	894	424,528	683	75.6	72.3-78.9	39	4.7	02.9-06.5	3	0.8	00.0-01.8							169	18.8	15.7-21.9
55-64	1245	386,006	950	75.9	73.0-78.8	59	5.0	03.4-06.6	3	0.1	00.0-00.3	1	0.1	00.0-00.3				232	18.9	16.2-21.6
65+	2052	481,800	1528	75.7	73.5-77.9	86	3.8	02.8-04.8	2	0.2	00.0-00.6	4	0.2	00.0-00.4	1	0.1	00.0-00.3	431	20.1	17.9-22.3
Less Than H.S.	493	310,446	324	65.1	59.4-70.8	36	9.0	05.5-12.5	3	1.2	00.0-02.6	2	1.3	00.0-03.1				128	23.4	18.5-28.3
H.S. or G.E.D.	2069	806,284	1499	71.2	68.5-73.9	89	5.0	03.6-06.4	3	0.3	00.0-00.7	5	0.3	00.0-00.7				473	23.2	20.7-25.7
Some Post-H.S.	1494	753,181	1124	74.2	71.3-77.1	58	4.2	02.8-05.6	2	0.0	00.0-00.0	2	0.1	00.0-00.3	1	0.0	00.0-00.0	307	21.4	18.7-24.1
College Graduate	1543	482,980	1244	81.1	78.7-83.5	96	6.6	05.0-08.2	6	0.2	00.0-00.4	1	0.0	00.0-00.0				196	12.1	10.1-14.1
Less than \$15,000	658	275,696	443	64.8	59.3-70.3	30	5.2	02.8-07.6	3	0.6	00.0-01.6	5	1.9	00.0-03.9				177	27.5	22.6-32.4
\$15,000- 24,999	1060	436,172	731	66.6	62.5-70.7	57	6.7	04.3-09.1	3	0.3	00.0-00.9	1	0.1	00.0-00.3				268	26.2	22.5-29.9
\$25,000- 34,999	604	235,990	453	74.3	69.6-79.0	29	6.3	03.4-09.2										122	19.5	15.4-23.6
\$35,000- 49,999	686	275,012	540	77.9	73.8-82.0	30	4.8	02.6-07.0	2	0.3	00.0-00.9	2	0.4	00.0-01.0	1	0.1	00.0-00.3	111	16.5	13.0-20.0
\$50,000- 74,999	691	301,269	559	81.7	78.0-85.4	34	5.3	02.9-07.7	2	0.3	00.0-00.9	1	0.2	00.0-00.6				95	12.6	09.7-15.5
\$75,000+	960	452,221	793	80.3	77.0-83.6	46	4.7	02.9-06.5	1	0.1	00.0-00.3							120	14.9	12.0-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9576	4,551,646	6837	71.7	70.5-72.9	1634	16.2	15.2-17.2	71	1.0	0.6-01.4	25	0.3	0.1-00.5	1	0.0	0.0-00.0	1008	10.8	09.8-11.8
Male	3941	2,192,196	2864	72.0	70.0-74.0	527	13.5	12.1-14.9	18	0.7	0.3-01.1	9	0.2	0.0-00.4				523	13.6	12.2-15.0
Female	5635	2,359,450	3973	71.3	69.7-72.9	1107	18.8	17.4-20.2	53	1.3	0.7-01.9	16	0.3	0.1-00.5	1	0.0	0.0-00.0	485	8.2	07.2-09.2
White/Non-Hisp	8355	3,738,771	5998	72.2	70.8-73.6	1389	15.7	14.7-16.7	47	0.7	0.3-01.1	22	0.3	0.1-00.5	1	0.0	0.0-00.0	898	11.1	10.1-12.1
Black or Afr. Am./Non-Hisp	537	372,178	382	71.7	66.6-76.8	101	18.2	13.7-22.7	13	2.0	0.6-03.4	3	0.9	0.0-01.9				38	7.2	04.1-10.3
Oth. Race/Non-Hisp.	155	93,734	92	55.2	45.0-65.4	38	24.1	15.9-32.3	4	6.4	0.0-13.7							21	14.2	06.8-21.6
MultiRacial/Non-Hisp.	103	41,937	63	55.4	42.3-68.5	27	22.2	12.0-32.4	3	4.6	0.0-11.9							10	17.7	05.9-29.5
Hispanic	290	238,023	204	71.6	65.5-77.7	62	19.7	14.4-25.0	1	0.2	0.0-00.6							23	8.4	04.5-12.3
18-24	483	603,533	324	67.5	62.8-72.2	77	14.4	10.9-17.9	12	3.1	0.1-05.1	1	0.2	0.0-00.6				69	14.8	11.1-18.5
25-34	839	741,588	598	71.6	68.1-75.1	143	15.5	12.8-18.2	7	0.9	0.1-01.7	5	0.5	0.0-01.1				86	11.5	09.0-14.0
35-44	1140	747,216	830	72.2	69.1-75.3	213	18.5	15.8-21.2	8	0.6	0.2-01.0	5	0.5	0.1-00.9	1	0.0	0.0-00.0	83	8.3	06.1-10.5
45-54	1665	827,622	1220	73.7	71.2-76.2	262	15.5	13.3-17.7	12	0.7	0.3-01.1	4	0.2	0.0-00.4				167	9.8	08.0-11.6
55-64	2127	751,718	1515	72.1	69.7-74.5	356	16.6	14.6-18.6	13	0.8	0.2-01.4	5	0.3	0.0-00.7				238	10.3	08.7-11.9
65+	3244	855,210	2299	72.1	70.1-74.1	562	16.3	14.7-17.9	19	0.6	0.2-01.0	5	0.1	0.0-00.3				359	11.0	09.6-12.4
Less Than H.S.	841	617,207	561	66.2	61.9-70.5	94	11.3	08.6-14.0	7	1.2	0.0-02.4							179	21.4	17.7-25.1
H.S. or G.E.D.	3444	1,557,192	2432	71.7	69.7-73.7	500	14.5	12.9-16.1	27	1.0	0.4-01.6	5	0.2	0.0-00.4				480	12.5	10.9-14.1
Some Post-H.S.	2452	1,390,619	1803	74.1	71.7-76.5	413	15.9	13.9-17.9	16	1.0	0.4-01.6	9	0.5	0.1-00.9				211	8.6	07.2-10.0
College Graduate	2818	976,223	2030	71.9	69.7-74.1	623	22.6	20.6-24.6	21	1.0	0.4-01.6	11	0.4	0.2-00.6	1	0.0	0.0-00.0	132	4.1	03.1-05.1
Less than \$15,000	995	449,655	649	65.4	61.1-69.7	141	13.8	10.9-16.7	10	1.3	0.3-02.3	2	0.1	0.1-00.1				193	19.5	15.8-23.2
\$15,000- 24,999	1622	736,467	1126	71.6	68.5-74.7	246	13.7	11.3-16.1	13	1.2	0.0-02.4	1	0.0	0.0-00.0				236	13.5	11.1-15.9
\$25,000- 34,999	1064	492,006	771	72.4	68.9-75.9	159	13.6	11.1-16.1	6	1.2	0.0-02.4	4	0.3	0.0-00.7				124	12.5	09.8-15.2
\$35,000- 49,999	1263	604,735	925	70.2	66.7-73.7	210	16.6	13.9-19.3	6	0.8	0.0-01.6	1	0.1	0.0-00.3				121	12.2	09.5-14.9
\$50,000- 74,999	1268	630,561	957	74.9	71.6-78.2	207	16.1	13.4-18.8	10	1.3	0.3-02.3	5	0.4	0.0-00.8				89	7.3	05.3-09.3
\$75,000+	1972	1,007,146	1475	74.8	72.3-77.3	399	19.6	17.4-21.8	13	0.7	0.3-01.1	8	0.5	0.1-00.9	1	0.0	0.0-00.0	76	4.4	03.0-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3941	2,192,196	2864	72.0	70.0-74.0	527	13.5	12.1-14.9	18	0.7	00.3-01.1	9	0.2	00.0-00.4	523	13.6	12.2-15.0
White/Non-Hisp	3424	1,794,035	2501	72.3	70.3-74.3	439	12.7	11.3-14.1	12	0.6	00.2-01.0	8	0.2	00.0-00.4	464	14.2	12.6-15.8
Black or Afr. Am./Non-Hisp	190	169,354	141	75.0	66.8-83.2	30	16.7	09.1-24.3	2	0.5	00.0-01.3	1	0.7	00.0-02.1	16	7.1	03.2-11.0
Oth. Race/Non-Hisp.	73	49,812	47	62.2	48.5-75.9	15	18.5	08.7-28.3	1	2.7	00.0-07.8				10	16.6	04.6-28.6
MultiRacial/Non-Hisp.	52	24,335	32	56.2	38.4-74.0	12	19.9	07.0-32.8	1	0.6	00.0-01.8				7	23.3	05.7-40.9
Hispanic	124	112,733	86	70.2	61.0-79.4	25	20.2	12.0-28.4	1	0.4	00.0-01.2				12	9.1	03.4-14.8
18-24	257	313,020	166	63.6	56.9-70.3	43	16.5	11.2-21.8	5	2.6	00.2-05.0				43	17.3	12.0-22.6
25-34	364	365,030	262	72.0	66.7-77.3	46	11.4	08.1-14.7	2	0.6	00.0-01.4	1	0.1	00.0-00.3	53	16.0	11.5-20.5
35-44	474	367,497	346	71.0	65.9-76.1	76	17.0	12.9-21.1	2	0.2	00.0-00.6	2	0.5	00.0-01.3	48	11.2	07.7-14.7
45-54	769	402,451	588	76.6	72.9-80.3	86	11.1	08.6-13.6	2	0.2	00.0-00.6	1	0.2	00.0-00.6	92	11.9	09.0-14.8
55-64	877	365,610	626	73.1	69.6-76.6	114	12.6	10.1-15.1	4	0.2	00.0-00.4	3	0.5	00.0-01.1	130	13.6	10.9-16.3
65+	1175	370,599	859	74.2	71.3-77.1	158	13.1	10.7-15.5	3	0.5	00.0-01.1	2	0.1	00.0-00.3	153	12.1	09.9-14.3
Less Than H.S.	345	309,056	220	60.4	53.9-66.9	35	11.4	07.3-15.5	2	1.5	00.0-03.7				88	26.7	20.6-32.8
H.S. or G.E.D.	1370	750,121	964	72.0	68.9-75.1	151	11.6	09.2-14.0	11	0.9	00.3-01.5	1	0.1	00.0-00.3	243	15.3	12.9-17.7
Some Post-H.S.	952	635,597	733	76.3	72.8-79.8	113	12.3	09.6-15.0	1	0.2	00.0-00.6	2	0.3	00.0-00.7	103	10.9	08.4-13.4
College Graduate	1261	489,985	942	74.2	71.3-77.1	225	19.1	16.4-21.8	4	0.5	00.0-01.1	6	0.5	00.1-00.9	84	5.7	04.1-07.3
Less than \$15,000	332	175,475	216	63.9	57.0-70.8	37	11.1	06.8-15.4	1	0.1	00.0-00.3				78	24.9	18.4-31.4
\$15,000- 24,999	566	301,276	392	71.1	66.0-76.2	64	11.1	07.6-14.6	2	0.3	00.0-00.7				108	17.6	13.3-21.9
\$25,000- 34,999	457	254,825	326	70.6	65.1-76.1	56	12.2	08.5-15.9	3	1.6	00.0-03.8	2	0.2	00.0-00.6	70	15.4	11.1-19.7
\$35,000- 49,999	575	329,284	425	68.8	63.7-73.9	64	12.9	09.2-16.6	4	1.2	00.0-02.6	1	0.3	00.0-00.9	81	16.9	12.6-21.2
\$50,000- 74,999	574	328,857	438	75.6	70.7-80.5	76	13.5	09.4-17.6	2	0.6	00.0-01.6				58	10.3	07.0-13.6
\$75,000+	1008	553,846	779	77.4	74.1-80.7	167	16.1	13.4-18.8	4	0.4	00.0-00.8	5	0.5	00.1-00.9	53	5.7	03.7-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5635	2,359,450	3973	71.3	69.7-72.9	1107	18.8	17.4-20.2	53	1.3	0.7-01.9	16	0.3	0.01-00.5	1	0.0	0.00-00.0	485	8.2	07.2-09.2
White/Non-Hisp	4931	1,944,736	3497	72.1	70.3-73.9	950	18.5	17.1-19.9	35	0.9	0.5-01.3	14	0.3	0.01-00.5	1	0.0	0.00-00.0	434	8.2	07.2-09.2
Black or Afr. Am./Non-Hisp	347	202,825	241	68.9	62.2-75.6	71	19.4	14.1-24.7	11	3.3	0.9-05.7	2	1.0	0.00-02.4				22	7.3	02.8-11.8
Oth. Race/Non-Hisp.	82	43,922	45	47.2	32.7-61.7	23	30.5	17.2-43.8	3	10.7	0.0-24.6							11	11.6	03.4-19.8
MultiRacial/Non-Hisp.	51	17,603	31	54.4	35.0-73.8	15	25.4	09.5-41.3	2	10.2	0.0-26.5							3	10.1	00.0-21.9
Hispanic	166	125,290	118	73.0	65.0-81.0	37	19.2	12.3-26.1										11	7.8	02.5-13.1
18-24	226	290,512	158	71.8	65.1-78.5	34	12.1	07.6-16.6	7	3.6	0.5-06.7	1	0.4	0.00-01.2				26	12.1	07.2-17.0
25-34	475	376,559	336	71.2	66.3-76.1	97	19.6	15.5-23.7	5	1.3	0.1-02.5	4	0.9	0.00-01.9				33	7.1	04.4-09.8
35-44	666	379,720	484	73.2	69.3-77.1	137	20.0	16.5-23.5	6	0.9	0.1-01.7	3	0.4	0.00-01.0	1	0.1	0.00-00.3	35	5.4	03.0-07.8
45-54	896	425,171	632	71.0	67.3-74.7	176	19.7	16.4-23.0	10	1.2	0.4-02.0	3	0.3	0.00-00.7				75	7.8	05.6-10.0
55-64	1250	386,107	889	71.2	68.1-74.3	242	20.5	17.8-23.2	9	1.2	0.2-02.2	2	0.0	0.00-00.0				108	7.1	05.5-08.7
65+	2069	484,611	1440	70.4	68.0-72.8	404	18.7	16.7-20.7	16	0.7	0.3-01.1	3	0.1	0.00-00.3				206	10.1	08.5-11.7
Less Than H.S.	496	308,151	341	71.9	66.6-77.2	59	11.1	07.6-14.6	5	0.8	0.0-01.8							91	16.1	11.8-20.4
H.S. or G.E.D.	2074	807,072	1468	71.3	68.6-74.0	349	17.3	15.1-19.5	16	1.2	0.2-02.2	4	0.3	0.00-00.7				237	9.9	08.1-11.7
Some Post-H.S.	1500	755,022	1070	72.3	69.4-75.2	300	18.9	16.4-21.4	15	1.6	0.6-02.6	7	0.6	0.00-01.2				108	6.6	05.0-08.2
College Graduate	1557	486,238	1088	69.6	66.7-72.5	398	26.0	23.3-28.7	17	1.5	0.7-02.3	5	0.2	0.00-00.4	1	0.1	0.00-00.3	48	2.6	01.6-03.6
Less than \$15,000	663	274,180	433	66.3	61.0-71.6	104	15.5	11.6-19.4	9	2.2	0.4-04.0	2	0.1	0.00-00.3				115	16.0	11.7-20.3
\$15,000- 24,999	1056	435,191	734	72.0	68.1-75.9	182	15.5	12.4-18.6	11	1.8	0.0-03.6	1	0.0	0.00-00.0				128	10.6	08.2-13.0
\$25,000- 34,999	607	237,181	445	74.3	69.8-78.8	103	15.1	11.6-18.6	3	0.7	0.0-01.7	2	0.4	0.00-01.0				54	9.5	06.6-12.4
\$35,000- 49,999	688	275,451	500	71.8	67.3-76.3	146	21.2	17.3-25.1	2	0.4	0.0-01.0							40	6.6	04.1-09.1
\$50,000- 74,999	694	301,704	519	74.1	69.8-78.4	131	18.9	15.0-22.8	8	2.1	0.3-03.9	5	0.9	0.1-01.7				31	4.0	02.2-05.8
\$75,000+	964	453,300	696	71.6	67.9-75.3	232	23.9	20.6-27.2	9	0.9	0.1-01.7	3	0.5	0.00-01.3	1	0.1	0.00-00.3	23	3.0	01.0-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9552	4,538,615	7180	72.9	71.7-74.1	588	5.6	05.0-06.2	16	0.2	00.0-00.4	9	0.1	00.0-00.3	1759	21.2	20.0-22.4
Male	3930	2,181,294	2904	72.3	70.5-74.1	184	4.5	03.7-05.3	5	0.2	00.0-00.6	4	0.2	00.0-00.4	833	22.7	20.9-24.5
Female	5622	2,357,321	4276	73.4	71.8-75.0	404	6.6	05.8-07.4	11	0.2	00.0-00.4	5	0.1	00.1-00.1	926	19.7	18.1-21.3
White/Non-Hisp	8334	3,733,281	6307	73.3	71.9-74.7	507	5.5	04.9-06.1	15	0.2	00.0-00.4	6	0.1	00.0-00.3	1499	20.8	19.6-22.0
Black or Afr. Am./Non-Hisp	532	365,142	380	70.5	65.6-75.4	26	4.3	02.3-06.3				2	0.3	00.0-00.7	124	24.9	20.2-29.6
Oth. Race/Non-Hisp.	157	94,947	101	65.0	55.6-74.4	14	8.3	03.0-13.6	1	0.9	00.0-02.7				41	25.8	17.2-34.4
MultiRacial/Non-Hisp.	106	42,002	76	67.5	55.0-80.0	9	7.4	00.0-14.8							21	25.1	13.5-36.7
Hispanic	290	239,207	214	73.0	66.9-79.1	24	7.1	03.8-10.4				1	0.4	00.0-01.2	51	19.4	13.9-24.9
18-24	477	597,893	300	62.9	58.0-67.8	32	6.2	03.8-08.6	1	0.6	00.0-01.8	1	0.4	00.0-01.2	143	29.9	25.4-34.4
25-34	832	733,736	596	71.1	67.6-74.6	39	4.3	02.7-05.9	2	0.2	00.0-00.4				195	24.3	21.0-27.6
35-44	1136	744,428	849	74.4	71.5-77.3	70	5.6	04.0-07.2				1	0.0	00.0-00.0	216	19.9	17.2-22.6
45-54	1668	830,112	1236	73.5	71.0-76.0	98	5.3	04.1-06.5	5	0.3	00.1-00.5	2	0.2	00.0-00.4	327	20.7	18.3-23.1
55-64	2121	752,269	1614	75.2	72.8-77.6	129	5.7	04.5-06.9	3	0.1	00.0-00.3				375	19.0	16.8-21.2
65+	3240	855,209	2527	77.5	75.7-79.3	212	6.4	05.4-07.4	5	0.2	00.0-00.4	5	0.2	00.0-00.4	491	15.7	14.1-17.3
Less Than H.S.	839	618,241	531	61.8	57.5-66.1	42	4.6	02.8-06.4	2	0.3	00.0-00.7	3	0.5	00.0-01.3	261	32.8	28.5-37.1
H.S. or G.E.D.	3428	1,551,777	2489	71.3	69.3-73.3	170	4.9	03.9-05.9	5	0.3	00.0-00.7	4	0.1	00.1-00.1	760	23.4	21.4-25.4
Some Post-H.S.	2448	1,382,437	1827	73.6	71.2-76.0	164	5.6	04.6-06.6	4	0.1	00.0-00.3	2	0.1	00.0-00.3	451	20.6	18.4-22.8
College Graduate	2815	975,675	2314	81.3	79.5-83.1	211	7.4	06.2-08.6	5	0.2	00.0-00.4				285	11.1	09.5-12.7
Less than \$15,000	988	447,918	650	63.1	58.8-67.4	56	5.5	03.7-07.3	2	0.2	00.0-00.4	2	0.1	00.0-00.3	278	31.2	27.1-35.3
\$15,000- 24,999	1625	740,316	1175	69.8	66.7-72.9	99	5.0	03.6-06.4	3	0.1	00.0-00.3	3	0.1	00.0-00.3	345	24.9	21.8-28.0
\$25,000- 34,999	1063	491,591	782	68.2	64.3-72.1	58	5.5	03.7-07.3	2	0.9	00.0-02.3	1	0.1	00.0-00.3	220	25.3	21.6-29.0
\$35,000- 49,999	1261	602,377	992	76.2	73.1-79.3	59	4.0	02.6-05.4				1	0.4	00.0-01.2	209	19.4	16.5-22.3
\$50,000- 74,999	1268	630,051	1006	77.5	74.4-80.6	75	5.6	04.0-07.2	2	0.2	00.0-00.4				185	16.7	14.0-19.4
\$75,000+	1963	998,743	1589	78.9	76.5-81.3	119	6.2	04.8-07.6	3	0.1	00.0-00.3	1	0.1	00.0-00.3	251	14.8	12.6-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3930	2,181,294	2904	72.3	70.5-74.1	184	4.5	03.7-05.3	5	0.2	00.0-00.6	4	0.2	00.0-00.4	833	22.7	20.9-24.5
White/Non-Hisp	3419	1,790,798	2538	72.3	70.3-74.3	155	4.5	03.5-05.5	5	0.3	00.0-00.7	2	0.2	00.0-00.4	719	22.8	20.8-24.8
Black or Afr. Am./Non-Hisp	186	162,406	139	75.3	67.9-82.7	5	2.8	00.3-05.3				1	0.5	00.0-01.5	41	21.4	14.3-28.5
Oth. Race/Non-Hisp.	75	51,024	45	57.8	44.3-71.3	8	10.9	02.7-19.1							22	31.3	18.6-44.0
MultiRacial/Non-Hisp.	52	23,896	36	70.1	53.8-86.4	4	3.8	00.0-07.7							12	26.1	10.0-42.2
Hispanic	125	114,859	91	74.5	66.1-82.9	9	5.7	01.8-09.6				1	0.9	00.0-02.7	24	18.9	11.3-26.5
18-24	249	304,523	157	63.7	57.0-70.4	20	7.5	04.0-11.0	1	1.1	00.0-03.3	1	0.7	00.0-02.1	70	27.0	20.9-33.1
25-34	361	362,488	252	70.9	65.6-76.2	13	3.0	01.2-04.8							96	26.1	21.0-31.2
35-44	471	365,354	347	73.9	69.2-78.6	22	4.9	02.7-07.1							102	21.1	16.8-25.4
45-54	769	402,215	570	73.2	69.3-77.1	30	3.3	01.9-04.7	3	0.4	00.0-00.8	1	0.2	00.0-00.6	165	22.9	19.2-26.6
55-64	878	367,867	639	73.4	69.9-76.9	51	5.0	03.4-06.6	1	0.0	00.0-00.0				187	21.6	18.3-24.9
65+	1177	370,857	919	77.0	74.1-79.9	46	4.1	02.7-05.5				2	0.4	00.0-01.0	210	18.6	15.9-21.3
Less Than H.S.	340	305,089	210	59.3	52.6-66.0	15	4.4	01.7-07.1				2	1.0	00.0-02.6	113	35.3	28.8-41.8
H.S. or G.E.D.	1369	749,675	952	69.6	66.5-72.7	54	4.4	03.0-05.8	2	0.6	00.0-01.6	1	0.1	00.0-00.3	360	25.3	22.4-28.2
Some Post-H.S.	953	631,051	709	75.0	71.7-78.3	44	3.8	02.4-05.2	1	0.0	00.0-00.0	1	0.2	00.0-00.6	198	21.1	18.0-24.2
College Graduate	1255	488,042	1022	80.9	78.2-83.6	71	5.8	04.2-07.4	2	0.2	00.0-00.4				160	13.1	10.7-15.5
Less than \$15,000	330	171,906	204	60.7	53.8-67.6	25	6.7	03.6-09.8							101	32.6	25.9-39.3
\$15,000- 24,999	569	304,573	407	70.1	65.0-75.2	29	4.5	02.3-06.7	1	0.0	00.0-00.0	1	0.3	00.0-00.9	131	25.1	20.4-29.8
\$25,000- 34,999	455	254,319	325	67.2	61.3-73.1	20	4.1	01.6-06.6	1	1.4	00.0-04.1	1	0.2	00.0-00.6	108	27.1	21.6-32.6
\$35,000- 49,999	574	327,452	444	74.3	69.6-79.0	19	3.8	01.8-05.8				1	0.7	00.0-02.1	110	21.3	16.8-25.8
\$50,000- 74,999	577	329,444	448	77.6	73.3-81.9	21	3.6	01.8-05.4	1	0.2	00.0-00.6				107	18.6	14.5-22.7
\$75,000+	1003	550,206	791	77.3	74.0-80.6	54	5.1	03.3-06.9	2	0.1	00.0-00.3	1	0.2	00.0-00.6	155	17.3	14.4-20.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5622	2,357,321	4276	73.4	71.8-75.0	404	6.6	05.8-07.4	11	0.2	00.0-00.4	5	0.1	00.1-00.1	926	19.7	18.1-21.3
White/Non-Hisp	4915	1,942,483	3769	74.3	72.5-76.1	352	6.6	05.6-07.6	10	0.2	00.0-00.4	4	0.1	00.1-00.1	780	18.9	17.3-20.5
Black or Afr. Am./Non-Hisp	346	202,735	241	66.7	60.0-73.4	21	5.4	02.5-08.3				1	0.1	00.0-00.3	83	27.8	21.5-34.1
Oth. Race/Non-Hisp.	82	43,922	56	73.3	61.1-85.5	6	5.2	00.0-11.1	1	2.0	00.0-05.9				19	19.4	08.8-30.0
MultiRacial/Non-Hisp.	54	18,106	40	63.9	44.9-82.9	5	12.2	00.0-28.3							9	23.9	07.8-40.0
Hispanic	165	124,348	123	71.6	62.8-80.4	15	8.5	03.2-13.8							27	19.9	11.9-27.9
18-24	228	293,371	143	62.1	55.0-69.2	12	5.0	02.1-07.9							73	32.9	26.0-39.8
25-34	471	371,248	344	71.3	66.4-76.2	26	5.7	03.2-08.2	2	0.4	00.0-01.0				99	22.6	18.1-27.1
35-44	665	379,075	502	74.8	70.9-78.7	48	6.3	04.3-08.3				1	0.0	00.0-00.0	114	18.8	15.1-22.5
45-54	899	427,896	666	73.7	70.2-77.2	68	7.2	05.2-09.2	2	0.2	00.0-00.6	1	0.2	00.0-00.6	162	18.7	15.6-21.8
55-64	1243	384,402	975	76.9	74.0-79.8	78	6.3	04.7-07.9	2	0.2	00.0-00.6				188	16.5	14.0-19.0
65+	2063	484,352	1608	77.8	75.6-80.0	166	8.2	06.6-09.8	5	0.3	00.0-00.7	3	0.1	00.0-00.3	281	13.5	11.7-15.3
Less Than H.S.	499	313,152	321	64.2	58.3-70.1	27	4.8	02.6-07.0	2	0.5	00.0-01.3	1	0.0	00.0-00.0	148	30.5	24.8-36.2
H.S. or G.E.D.	2059	802,102	1537	72.8	70.1-75.5	116	5.4	04.0-06.8	3	0.1	00.0-00.3	3	0.1	00.1-00.1	400	21.6	19.2-24.0
Some Post-H.S.	1495	751,386	1118	72.5	69.4-75.6	120	7.1	05.5-08.7	3	0.2	00.0-00.4	1	0.1	00.0-00.3	253	20.2	17.3-23.1
College Graduate	1560	487,633	1292	81.7	79.3-84.1	140	9.0	07.2-10.8	3	0.2	00.0-00.4				125	9.1	07.3-10.9
Less than \$15,000	658	276,012	446	64.6	59.1-70.1	31	4.7	02.5-06.9	2	0.3	00.0-00.7	2	0.1	00.0-00.3	177	30.3	25.0-35.6
\$15,000- 24,999	1056	435,743	768	69.7	65.6-73.8	70	5.3	03.7-06.9	2	0.1	00.0-00.3	2	0.1	00.1-00.1	214	24.9	21.0-28.8
\$25,000- 34,999	608	237,272	457	69.3	64.0-74.6	38	7.0	04.3-09.7	1	0.4	00.0-01.2				112	23.3	18.4-28.2
\$35,000- 49,999	687	274,926	548	78.5	74.4-82.6	40	4.3	02.7-05.9							99	17.2	13.3-21.1
\$50,000- 74,999	691	300,607	558	77.4	73.1-81.7	54	7.8	05.3-10.3	1	0.2	00.0-00.6				78	14.6	10.7-18.5
\$75,000+	960	448,537	798	80.8	77.5-84.1	65	7.5	05.1-09.9	1	0.1	00.0-00.3				96	11.6	08.9-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9499	4,512,286	5387	58.3	56.9-59.7	3763	37.5	36.1-38.9	140	1.4	0.1-0.1.8	54	0.6	0.0-0.0.8	2	0.1	0.0-0.0.3	153	2.1	0.1-0.2.5
Male	3915	2,173,573	2385	61.7	59.7-63.7	1392	34.1	32.1-36.1	42	1.1	0.0.7-0.1.5	15	0.6	0.0.2-0.1.0				81	2.5	0.1-0.3.3
Female	5584	2,338,713	3002	55.2	53.4-57.0	2371	40.6	38.8-42.4	98	1.7	0.1.3-0.2.1	39	0.7	0.0.5-0.0.9	2	0.2	0.0.0-0.0.4	72	1.7	0.1-0.2.3
White/Non-Hisp	8286	3,710,458	4621	56.8	55.4-58.2	3385	39.4	38.0-40.8	118	1.4	0.1.0-0.1.8	45	0.6	0.0.4-0.0.8	2	0.1	0.0.0-0.0.3	115	1.7	0.1-0.2.1
Black or Afr. Am./Non-Hisp	533	365,318	375	70.0	64.9-75.1	130	25.0	20.1-29.9	8	0.7	0.0.1-0.1.3	2	0.4	0.0.0-0.1.0				18	3.9	0.1-0.6.1
Oth. Race/Non-Hisp.	156	94,612	77	55.9	46.1-65.7	68	37.2	28.0-46.4	3	3.3	0.0.0-0.7.6	3	1.8	0.0.0-0.4.7				5	1.9	0.0-0.3.7
MultiRacial/Non-Hisp.	104	42,137	45	52.3	39.6-65.0	50	39.2	27.2-51.2	6	4.6	0.0.0-0.9.3	1	1.4	0.0.0-0.4.1				2	2.5	0.0-0.6.0
Hispanic	288	237,390	186	64.1	57.4-70.8	87	28.4	22.3-34.5	2	1.2	0.0.0-0.3.0	3	1.5	0.0.0-0.3.5				10	4.9	0.1-0.8.2
18-24	478	595,074	302	64.1	59.2-69.0	147	29.7	25.0-34.4	8	1.3	0.0.3-0.2.3	3	0.8	0.0.0-0.1.8	1	0.6	0.0.0-0.1.8	17	3.6	0.1-0.5.4
25-34	832	735,488	473	57.6	53.7-61.5	315	36.3	32.6-40.0	10	1.6	0.0.4-0.2.8	9	0.8	0.0.0-0.1.6				25	3.6	0.2-0.5.2
35-44	1131	736,781	627	57.9	54.6-61.2	468	39.1	35.8-42.4	15	1.0	0.0.4-0.1.6	11	1.1	0.0.3-0.1.9				10	0.9	0.0-0.1.5
45-54	1660	824,696	965	58.6	55.7-61.5	635	37.4	34.7-40.1	26	1.8	0.1.0-0.2.6	8	0.5	0.0.1-0.0.9				26	1.7	0.0-0.2.5
55-64	2116	749,228	1178	57.3	54.8-59.8	855	39.2	36.7-41.7	41	1.7	0.1.1-0.2.3	11	0.4	0.0.0-0.0.8				31	1.4	0.0-0.2.0
65+	3205	846,454	1799	56.0	53.8-58.2	1311	40.9	38.7-43.1	39	1.1	0.0.7-0.1.5	12	0.3	0.0.1-0.0.5	1	0.0	0.0.0-0.0.0	43	1.7	0.1-0.2.3
Less Than H.S.	819	606,837	534	64.8	60.5-69.1	237	27.4	23.5-31.3	9	1.8	0.0.4-0.3.2	3	0.9	0.0.0-0.1.9	1	0.6	0.0.0-0.1.8	35	4.6	0.2-0.6.6
H.S. or G.E.D.	3403	1,541,518	1990	58.8	56.6-61.0	1287	36.8	34.6-39.0	31	0.9	0.0.5-0.1.3	16	0.5	0.0.1-0.0.9	1	0.0	0.0.0-0.0.0	78	3.0	0.2-0.3.8
Some Post-H.S.	2438	1,376,891	1395	59.4	56.9-61.9	965	37.6	35.2-40.0	39	1.4	0.0.8-0.2.0	15	0.6	0.0.2-0.1.0				24	1.1	0.0-0.1.7
College Graduate	2817	976,556	1454	52.1	49.7-54.5	1266	44.7	42.5-46.9	61	2.0	0.1.4-0.2.6	20	0.7	0.0.3-0.1.1				16	0.5	0.0-0.1.0.9
Less than \$15,000	985	440,709	582	59.3	55.0-63.6	348	32.9	28.8-37.0	16	2.3	0.0.7-0.3.9	6	0.3	0.0.1-0.0.5				33	5.2	0.3-0.7.4
\$15,000- 24,999	1620	737,249	977	62.0	58.7-65.3	579	33.0	29.9-36.1	18	1.3	0.0.3-0.2.3	10	0.7	0.0.1-0.1.3				36	3.1	0.1-0.4.5
\$25,000- 34,999	1057	489,899	651	63.1	59.2-67.0	375	33.1	29.4-36.8	13	0.9	0.0.3-0.1.5	7	1.1	0.0.0-0.2.3				11	1.8	0.0-0.3.2
\$35,000- 49,999	1252	600,577	721	60.5	57.0-64.0	497	36.9	33.6-40.2	12	0.6	0.0.2-0.1.0	7	0.5	0.0.1-0.0.9				15	1.5	0.0-0.2.5
\$50,000- 74,999	1261	626,422	694	56.8	53.3-60.3	535	41.0	37.5-44.5	20	1.4	0.0.6-0.2.2	2	0.1	0.0.0-0.0.3				10	0.6	0.0-0.1.0
\$75,000+	1956	995,448	1039	54.5	51.8-57.2	848	41.6	38.9-44.3	41	1.8	0.1.2-0.2.4	14	0.9	0.0.3-0.1.5				14	1.2	0.0-0.1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3915	2,173,573	2385	61.7	59.7-63.7	1392	34.1	32.1-36.1	42	1.1	00.7-01.5	15	0.6	00.2-01.0	81	2.5	01.7-03.3
White/Non-Hisp	3405	1,783,348	2057	60.4	58.2-62.6	1240	35.8	33.8-37.8	33	1.0	00.6-01.4	13	0.5	00.1-00.9	62	2.3	01.5-03.1
Black or Afr. Am./Non-Hisp	187	163,630	135	71.8	63.6-80.0	40	22.5	14.7-30.3	2	0.5	00.0-01.3	1	0.7	00.0-02.1	9	4.6	00.9-08.3
Oth. Race/Non-Hisp.	75	51,024	41	59.0	45.9-72.1	30	34.6	22.3-46.9	1	3.7	00.0-10.8				3	2.7	00.0-05.8
MultiRacial/Non-Hisp.	51	24,137	25	58.5	41.8-75.2	21	34.1	18.6-49.6	4	5.4	00.0-12.7				1	2.1	00.0-06.2
Hispanic	124	114,626	81	67.1	57.5-76.7	37	26.5	17.7-35.3	1	0.9	00.0-02.7	1	1.6	00.0-04.7	4	4.0	00.0-08.1
18-24	252	306,482	155	61.3	54.4-68.2	81	31.5	25.0-38.0	4	1.3	00.1-02.5	2	1.4	00.0-03.4	10	4.5	01.8-07.2
25-34	363	362,982	210	59.6	53.9-65.3	131	34.0	28.5-39.5	3	1.2	00.0-02.6	4	1.0	00.0-02.2	15	4.2	01.8-06.6
35-44	469	360,879	293	64.8	59.9-69.7	164	33.0	28.1-37.9	2	0.4	00.0-01.0	4	0.9	00.1-01.7	6	0.9	00.1-01.7
45-54	765	400,947	475	63.6	59.5-67.7	267	32.8	28.9-36.7	5	1.1	00.0-02.3	2	0.2	00.0-00.6	16	2.3	00.9-03.7
55-64	875	366,460	519	59.6	55.7-63.5	322	37.2	33.3-41.1	14	1.3	00.5-02.1	1	0.1	00.0-00.3	19	1.8	00.8-02.8
65+	1166	367,833	717	61.2	57.9-64.5	419	35.8	32.5-39.1	13	1.0	00.2-01.8	2	0.1	00.0-00.3	15	1.9	00.7-03.1
Less Than H.S.	341	306,885	223	67.1	61.0-73.2	93	24.4	18.9-29.9	3	1.3	00.0-02.9	2	1.4	00.0-03.4	20	5.8	02.9-08.7
H.S. or G.E.D.	1358	744,091	828	60.6	57.3-63.9	478	34.8	31.5-38.1	6	0.3	00.0-00.7	4	0.5	00.0-01.1	42	3.8	02.4-05.2
Some Post-H.S.	943	625,225	579	63.2	59.5-66.9	336	34.1	30.4-37.8	15	1.5	00.5-02.5	3	0.3	00.0-00.7	10	0.9	00.3-01.5
College Graduate	1260	489,935	748	58.3	55.0-61.6	479	39.0	35.7-42.3	18	1.4	00.6-02.2	6	0.6	00.0-01.2	9	0.7	00.1-01.3
Less than \$15,000	331	170,574	199	59.4	52.5-66.3	109	30.7	24.4-37.0	6	2.9	00.0-06.0	1	0.2	00.0-00.6	16	6.9	03.0-10.8
\$15,000- 24,999	568	304,838	350	66.1	61.0-71.2	192	28.2	23.5-32.9	5	0.7	00.0-01.5	2	0.7	00.0-01.9	19	4.2	01.8-06.6
\$25,000- 34,999	453	253,515	296	64.7	59.0-70.4	141	30.3	25.0-35.6	4	0.6	00.0-01.2	4	1.4	00.0-03.4	8	2.9	00.5-05.3
\$35,000- 49,999	568	326,091	344	62.9	58.0-67.8	208	34.2	29.3-39.1	2	0.2	00.0-00.4	2	0.3	00.0-00.9	12	2.4	00.6-04.2
\$50,000- 74,999	573	327,084	342	61.5	56.4-66.6	221	37.4	32.3-42.5	4	0.4	00.0-00.8				6	0.7	00.1-01.3
\$75,000+	1000	546,599	594	57.7	54.0-61.4	379	38.9	35.2-42.6	15	1.5	00.5-02.5	4	0.7	00.0-01.5	8	1.2	00.2-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5584	2,338,713	3002	55.2	53.4-57.0	2371	40.6	38.8-42.4	98	1.7	0.1-0.2	39	0.7	0.0-0.9	2	0.2	0.0-0.4	72	1.7	0.1-0.2
White/Non-Hisp	4881	1,927,110	2564	53.5	51.5-55.5	2145	42.8	40.8-44.8	85	1.8	0.1-0.2	32	0.6	0.0-0.8	2	0.2	0.0-0.6	53	1.2	0.8-0.1
Black or Afr. Am./Non-Hisp	346	201,688	240	68.6	62.1-75.1	90	27.0	20.7-33.3	6	0.9	0.1-0.1	1	0.1	0.0-0.3				9	3.5	0.8-0.6
Oth. Race/Non-Hisp.	81	43,587	36	52.1	37.4-66.8	38	40.3	26.4-54.2	2	2.8	0.0-0.6	3	3.9	0.0-1.0				2	0.9	0.0-0.2
MultiRacial/Non-Hisp.	53	18,000	20	44.1	24.9-63.3	29	46.0	27.6-64.4	2	3.5	0.0-0.8	1	3.3	0.0-0.9				1	3.1	0.0-0.9
Hispanic	164	122,763	105	61.2	52.0-70.4	50	30.1	21.7-38.5	1	1.5	0.0-0.4	2	1.4	0.0-0.3				6	5.7	0.6-1.0
18-24	226	288,592	147	67.0	60.1-73.9	66	27.8	21.3-34.3	4	1.2	0.0-0.2	1	0.2	0.0-0.6	1	1.2	0.0-0.3	7	2.6	0.4-0.4
25-34	469	372,506	263	55.6	50.3-60.9	184	38.7	33.6-43.8	7	2.0	0.2-0.3	5	0.7	0.0-0.1				10	3.1	0.9-0.5
35-44	662	375,903	334	51.4	46.9-55.9	304	44.9	40.4-49.4	13	1.5	0.5-0.2	7	1.3	0.1-0.2				4	0.9	0.0-0.1
45-54	895	423,749	490	53.9	50.0-57.8	368	41.8	37.9-45.7	21	2.5	0.1-0.3	6	0.7	0.1-0.1				10	1.2	0.4-0.2
55-64	1241	382,768	659	55.1	51.8-58.4	533	41.1	37.8-44.4	27	2.1	0.1-0.3	10	0.8	0.2-0.1				12	1.0	0.4-0.1
65+	2039	478,621	1082	52.0	49.3-54.7	892	44.9	42.4-47.4	26	1.2	0.6-0.1	10	0.4	0.0-0.8	1	0.1	0.0-0.3	28	1.5	0.7-0.2
Less Than H.S.	478	299,952	311	62.4	56.5-68.3	144	30.4	24.9-35.9	6	2.3	0.1-0.4	1	0.3	0.0-0.9	1	1.2	0.0-0.3	15	3.5	0.1-0.5
H.S. or G.E.D.	2045	797,426	1162	57.1	54.2-60.0	809	38.7	36.0-41.4	25	1.4	0.8-0.2	12	0.6	0.2-0.1	1	0.0	0.0-0.0	36	2.2	0.1-0.3
Some Post-H.S.	1495	751,666	816	56.1	52.8-59.4	629	40.4	37.1-43.7	24	1.3	0.7-0.1	12	0.9	0.3-0.1				14	1.2	0.4-0.2
College Graduate	1557	486,621	706	45.9	42.8-49.0	787	50.4	47.3-53.5	43	2.6	0.1-0.3	14	0.7	0.3-0.1				7	0.3	0.0-0.7
Less than \$15,000	654	270,135	383	59.2	53.7-64.7	239	34.4	29.1-39.7	10	1.9	0.3-0.3	5	0.4	0.0-0.8				17	4.2	0.1-0.6
\$15,000- 24,999	1052	432,411	627	59.0	54.7-63.3	387	36.4	32.3-40.5	13	1.7	0.3-0.3	8	0.7	0.0-0.1				17	2.3	0.7-0.3
\$25,000- 34,999	604	236,384	355	61.3	56.2-66.4	234	36.0	31.1-40.9	9	1.3	0.3-0.2	3	0.8	0.0-0.2				3	0.6	0.0-0.1
\$35,000- 49,999	684	274,486	377	57.6	52.7-62.5	289	40.1	35.4-44.8	10	1.2	0.4-0.2	5	0.7	0.0-0.1				3	0.4	0.0-0.8
\$50,000- 74,999	688	299,338	352	51.7	47.0-56.4	314	45.0	40.3-49.7	16	2.5	0.1-0.3	2	0.3	0.0-0.7				4	0.5	0.0-0.1
\$75,000+	956	448,849	445	50.6	46.7-54.5	469	45.0	41.1-48.9	26	2.3	0.1-0.3	10	1.1	0.3-0.1				6	1.1	0.1-0.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9436	4,512,247	3478	39.6	38.2-41.0	3996	39.1	37.7-40.5	1072	11.2	10.4-12.0	543	5.9	05.3-06.5	23	0.2	00.0-00.4	324	4.0	03.4-04.6
Male	3883	2,173,440	1604	42.6	40.6-44.6	1564	37.1	35.1-39.1	351	9.5	08.3-10.7	182	5.3	04.3-06.3	11	0.3	00.1-00.5	171	5.2	04.2-06.2
Female	5553	2,338,807	1874	36.8	35.0-38.6	2432	41.0	39.2-42.8	721	12.7	11.5-13.9	361	6.5	05.5-07.5	12	0.2	00.0-00.4	153	2.9	02.3-03.5
White/Non-Hisp	8230	3,698,184	3044	40.0	38.6-41.4	3538	40.1	38.7-41.5	924	10.8	09.8-11.8	430	5.0	04.4-05.6	18	0.2	00.0-00.4	276	4.0	03.4-04.6
Black or Afr. Am./Non-Hisp	532	373,938	202	40.5	34.8-46.2	176	29.7	24.8-34.6	66	13.3	09.4-17.2	63	12.2	08.1-16.3	3	0.5	00.0-01.3	22	3.8	01.8-05.8
Oth. Race/Non-Hisp.	154	92,422	49	35.9	25.9-45.9	69	42.0	32.2-51.8	22	12.0	06.3-17.7	9	7.2	01.1-13.3	1	0.1	00.0-00.3	4	2.7	00.0-05.6
MultiRacial/Non-Hisp.	105	41,638	39	39.6	26.3-52.9	45	38.5	26.3-50.7	11	15.4	05.6-25.2	7	3.5	00.6-06.4				3	3.1	00.0-06.8
Hispanic	289	243,865	103	34.9	28.6-41.2	111	38.6	31.9-45.3	40	13.2	08.7-17.7	25	10.0	05.5-14.5				10	3.4	00.9-05.9
18-24	481	602,161	192	40.1	35.2-45.0	173	34.5	29.8-39.2	63	13.2	09.9-16.5	34	8.3	05.4-11.2	2	0.4	00.0-01.0	17	3.5	01.7-05.3
25-34	831	737,775	343	43.2	39.3-47.1	318	36.4	32.7-40.1	94	11.0	08.5-13.5	50	6.0	04.0-08.0	3	0.3	00.0-00.7	23	3.1	01.7-04.5
35-44	1128	739,427	449	41.7	38.2-45.2	431	36.0	32.7-39.3	128	10.7	08.5-12.9	83	7.1	05.3-08.9	2	0.2	00.0-00.4	35	4.3	02.7-05.9
45-54	1653	824,035	682	42.9	40.0-45.8	632	36.8	34.1-39.5	176	10.4	08.6-12.2	87	4.9	03.7-06.1	6	0.3	00.1-00.5	70	4.7	03.3-06.1
55-64	2103	747,946	824	39.5	37.0-42.0	854	41.1	38.6-43.6	234	10.4	08.8-12.0	106	4.5	03.5-05.5	4	0.1	00.0-00.3	81	4.4	03.2-05.6
65+	3166	837,241	969	31.3	29.3-33.3	1551	48.0	45.8-50.2	367	11.6	10.2-13.0	178	5.1	04.1-06.1	6	0.1	00.0-00.3	95	3.8	02.8-04.8
Less Than H.S.	818	615,654	347	43.6	39.1-48.1	268	28.6	24.7-32.5	75	10.0	07.3-12.7	48	7.0	04.6-09.4	2	0.3	00.0-00.7	78	10.6	07.9-13.3
H.S. or G.E.D.	3386	1,544,521	1352	42.0	39.8-44.2	1392	37.5	35.3-39.7	317	9.8	08.4-11.2	167	5.7	04.5-06.9	4	0.1	00.0-00.3	154	4.9	03.9-05.9
Some Post-H.S.	2427	1,377,021	936	40.9	38.4-43.4	1006	40.0	37.5-42.5	278	11.2	09.6-12.8	134	5.3	04.1-06.5	8	0.3	00.1-00.5	65	2.4	01.8-03.0
College Graduate	2784	965,257	839	31.5	29.3-33.7	1316	46.9	44.5-49.3	400	14.1	12.5-15.7	194	6.4	05.4-07.4	9	0.3	00.1-00.5	26	0.8	00.4-01.2
Less than \$15,000	984	455,308	422	42.8	38.5-47.1	317	30.5	26.6-34.4	101	9.5	07.1-11.9	69	7.5	05.1-09.9	3	0.3	00.0-00.7	72	9.4	06.5-12.3
\$15,000- 24,999	1596	729,224	655	42.7	39.4-46.0	611	32.5	29.4-35.6	170	11.8	09.6-14.0	88	7.6	05.6-09.6	7	0.5	00.0-01.1	65	5.0	03.4-06.6
\$25,000- 34,999	1049	490,257	412	43.8	39.7-47.9	433	36.9	33.2-40.6	105	9.7	07.3-12.1	51	4.4	02.8-06.0	1	0.0	00.0-00.0	47	5.1	03.3-06.9
\$35,000- 49,999	1256	601,606	466	40.7	37.2-44.2	552	38.9	35.4-42.4	141	12.9	10.4-15.4	60	4.3	02.9-05.7	2	0.2	00.0-00.4	35	3.0	01.8-04.2
\$50,000- 74,999	1263	624,546	453	40.6	37.1-44.1	561	41.7	38.2-45.2	155	10.9	08.5-13.3	62	3.9	02.5-05.3	2	0.1	00.0-00.3	30	2.9	01.7-04.1
\$75,000+	1942	995,347	647	34.4	31.7-37.1	904	45.4	42.7-48.1	243	11.8	10.0-13.6	117	6.5	04.9-08.1	5	0.2	00.0-00.4	26	1.5	00.9-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3883	2,173,440	1604	42.6	40.6-44.6	1564	37.1	35.1-39.1	351	9.5	08.3-10.7	182	5.3	04.3-06.3	11	0.3	00.1-00.5	171	5.2	04.2-06.2
White/Non-Hisp	3374	1,772,699	1406	42.9	40.7-45.1	1380	38.3	36.1-40.5	289	8.7	07.5-09.9	142	4.3	03.3-05.3	9	0.3	00.1-00.5	148	5.4	04.4-06.4
Black or Afr. Am./Non-Hisp	188	170,826	74	40.9	31.7-50.1	54	25.3	17.9-32.7	24	14.8	07.9-21.7	22	12.9	06.4-19.4	2	0.9	00.0-02.5	12	5.2	01.9-08.5
Oth. Race/Non-Hisp.	74	50,830	24	38.5	25.0-52.0	31	39.0	25.9-52.1	13	12.3	04.9-19.7	3	6.8	00.0-16.2				3	3.3	00.0-07.6
MultiRacial/Non-Hisp.	50	23,318	22	44.4	26.0-62.8	21	38.8	21.9-55.7	3	9.7	00.0-21.3	2	2.3	00.0-05.4				2	4.8	00.0-11.5
Hispanic	126	117,750	51	40.8	31.0-50.6	44	35.1	25.5-44.7	20	14.6	07.7-21.5	8	7.8	01.7-13.9				3	1.6	00.0-03.6
18-24	255	311,775	101	39.0	32.1-45.9	90	33.4	26.9-39.9	31	13.2	08.5-17.9	21	9.5	05.2-13.8	2	0.7	00.0-01.7	10	4.2	01.3-07.1
25-34	361	363,256	164	46.0	40.1-51.9	129	35.3	29.8-40.8	36	10.3	06.4-14.2	16	4.3	01.9-06.7	2	0.5	00.0-01.3	14	3.6	01.6-05.6
35-44	464	360,193	205	45.5	40.2-50.8	167	33.1	28.2-38.0	44	9.3	06.4-12.2	27	6.0	03.5-08.5	1	0.2	00.0-00.6	20	5.9	03.0-08.8
45-54	764	403,037	357	47.6	43.3-51.9	278	34.3	30.4-38.2	59	7.6	05.4-09.8	29	4.0	02.2-05.8	3	0.2	00.0-00.6	38	6.3	03.9-08.7
55-64	865	364,161	380	43.8	39.9-47.7	330	38.2	34.3-42.1	78	8.2	06.2-10.2	32	3.6	02.0-05.2	1	0.1	00.0-00.3	44	6.1	03.9-08.3
65+	1149	363,028	391	33.3	30.0-36.6	557	47.9	44.4-51.4	99	9.0	07.0-11.0	56	4.9	03.5-06.3	2	0.2	00.0-00.6	44	4.7	03.1-06.3
Less Than H.S.	339	311,779	147	44.6	37.9-51.3	108	28.2	22.5-33.9	23	7.7	04.0-11.4	16	5.7	02.6-08.8	1	0.4	00.0-01.2	44	13.4	08.9-17.9
H.S. or G.E.D.	1342	741,846	610	46.5	43.2-49.8	500	33.3	30.2-36.4	98	8.8	06.6-11.0	54	4.9	03.3-06.5	1	0.1	00.0-00.3	79	6.3	04.7-07.9
Some Post-H.S.	940	628,939	403	42.2	38.3-46.1	367	39.2	35.3-43.1	89	9.9	07.4-12.4	44	5.3	03.3-07.3	3	0.3	00.0-00.7	34	3.1	01.9-04.3
College Graduate	1249	483,439	440	36.1	33.0-39.2	582	45.7	42.4-49.0	140	11.3	09.1-13.5	68	5.6	04.0-07.2	6	0.5	00.1-00.9	13	0.9	00.3-01.5
Less than \$15,000	330	178,669	144	41.9	35.0-48.8	103	29.8	23.3-36.3	28	7.3	04.0-10.6	18	6.0	02.5-09.5				37	15.0	09.3-20.7
\$15,000- 24,999	553	298,823	244	44.7	39.2-50.2	198	29.3	24.6-34.0	48	9.9	06.4-13.4	27	8.6	04.9-12.3	4	1.1	00.0-02.3	32	6.3	03.4-09.2
\$25,000- 34,999	450	254,108	186	43.1	37.0-49.2	170	36.3	30.6-42.0	39	9.1	05.8-12.4	26	4.9	02.5-07.3	1	0.0	00.0-00.0	28	6.5	03.8-09.2
\$35,000- 49,999	572	328,315	249	44.7	39.6-49.8	230	36.3	31.4-41.2	49	10.6	07.1-14.1	19	3.9	01.9-05.9	1	0.1	00.0-00.3	24	4.5	02.3-06.7
\$50,000- 74,999	568	324,129	246	46.0	40.7-51.3	229	37.2	32.3-42.1	54	9.5	06.2-12.8	21	3.2	00.8-05.6	1	0.0	00.0-00.0	17	4.1	01.7-06.5
\$75,000+	993	547,258	370	37.5	33.8-41.2	459	45.1	41.2-49.0	97	9.8	07.3-12.3	51	5.4	03.4-07.4	2	0.2	00.0-00.6	14	1.8	00.6-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5553	2,338,807	1874	36.8	35.0-38.6	2432	41.0	39.2-42.8	721	12.7	11.5-13.9	361	6.5	05.5-07.5	12	0.2	00.0-00.4	153	2.9	02.3-03.5
White/Non-Hisp	4856	1,925,484	1638	37.3	35.3-39.3	2158	41.7	39.9-43.5	635	12.7	11.5-13.9	288	5.5	04.7-06.3	9	0.1	00.0-00.3	128	2.7	02.1-03.3
Black or Afr. Am./Non-Hisp	344	203,112	128	40.2	32.9-47.5	122	33.3	26.8-39.8	42	12.1	07.8-16.4	41	11.6	06.7-16.5	1	0.2	00.0-00.6	10	2.6	00.4-04.8
Oth. Race/Non-Hisp.	80	41,592	25	32.7	17.8-47.6	38	45.7	31.2-60.2	9	11.8	03.4-20.2	6	7.7	00.3-15.1	1	0.2	00.0-00.6	1	1.9	00.0-05.6
MultiRacial/Non-Hisp.	55	18,321	17	33.5	15.1-51.9	24	38.1	20.9-55.3	8	22.6	06.3-38.9	5	5.0	00.0-10.1	1	0.8	00.0-02.4	1	0.8	00.0-02.4
Hispanic	163	126,115	52	29.4	21.4-37.4	67	41.8	32.6-51.0	20	11.8	05.9-17.7	17	11.9	05.4-18.4				7	5.0	00.7-09.3
18-24	226	290,385	91	41.3	34.0-48.6	83	35.8	28.7-42.9	32	13.2	08.5-17.9	13	7.1	03.0-11.2				7	2.6	00.4-04.8
25-34	470	374,519	179	40.5	35.2-45.8	189	37.4	32.3-42.5	58	11.6	08.5-14.7	34	7.6	04.7-10.5	1	0.1	00.0-00.3	9	2.7	00.5-04.9
35-44	664	379,234	244	38.1	33.8-42.4	264	38.8	34.5-43.1	84	12.0	09.1-14.9	56	8.2	05.8-10.6	1	0.2	00.0-00.6	15	2.7	01.1-04.3
45-54	889	420,998	325	38.5	34.6-42.4	354	39.1	35.2-43.0	117	13.0	10.5-15.5	58	5.8	04.0-07.6	3	0.3	00.0-00.7	32	3.2	01.8-04.6
55-64	1238	383,785	444	35.5	32.4-38.6	524	43.8	40.5-47.1	156	12.5	10.3-14.7	74	5.3	03.9-06.7	3	0.2	00.0-00.4	37	2.8	01.8-03.8
65+	2017	474,213	578	29.8	27.3-32.3	994	48.0	45.3-50.7	268	13.7	11.7-15.7	122	5.3	04.1-06.5	4	0.1	00.0-00.3	51	3.1	02.1-04.1
Less Than H.S.	479	303,875	200	42.7	36.4-49.0	160	29.0	23.7-34.3	52	12.2	08.3-16.1	32	8.2	04.5-11.9	1	0.2	00.0-00.6	34	7.7	04.4-11.0
H.S. or G.E.D.	2044	802,675	742	37.9	35.0-40.8	892	41.4	38.5-44.3	219	10.7	08.9-12.5	113	6.4	04.6-08.2	3	0.1	00.0-00.3	75	3.5	02.5-04.5
Some Post-H.S.	1487	748,082	533	39.7	36.4-43.0	639	40.6	37.3-43.9	189	12.4	10.2-14.6	90	5.3	03.9-06.7	5	0.2	00.0-00.4	31	1.8	01.0-02.6
College Graduate	1535	481,818	399	26.9	24.2-29.6	734	48.1	45.0-51.2	260	16.9	14.5-19.3	126	7.2	05.6-08.8	3	0.2	00.0-00.4	13	0.7	00.3-01.1
Less than \$15,000	654	276,639	278	43.3	37.6-49.0	214	31.0	25.9-36.1	73	11.0	07.7-14.3	51	8.5	05.4-11.6	3	0.4	00.0-01.0	35	5.8	02.7-08.9
\$15,000- 24,999	1043	430,401	411	41.2	36.9-45.5	413	34.7	30.6-38.8	122	13.1	10.2-16.0	61	6.9	04.5-09.3	3	0.1	00.1-00.1	33	4.0	02.4-05.6
\$25,000- 34,999	599	236,148	226	44.5	39.0-50.0	263	37.6	32.7-42.5	66	10.3	07.2-13.4	25	3.9	01.7-06.1				19	3.7	01.5-05.9
\$35,000- 49,999	684	273,291	217	36.0	30.9-41.1	322	42.1	37.4-46.8	92	15.6	11.7-19.5	41	4.8	03.0-06.6	1	0.2	00.0-00.6	11	1.3	00.3-02.3
\$50,000- 74,999	695	300,417	207	34.8	30.1-39.5	332	46.6	41.9-51.3	101	12.3	09.4-15.2	41	4.6	02.8-06.4	1	0.2	00.0-00.6	13	1.5	00.5-02.5
\$75,000+	949	448,088	277	30.6	26.9-34.3	445	45.8	41.9-49.7	146	14.3	11.6-17.0	66	7.9	05.4-10.4	3	0.2	00.0-00.4	12	1.2	00.4-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9251	4,412,208	2210	26.3	25.1-27.5	3916	41.7	40.3-43.1	1914	19.1	18.1-20.1	1137	11.9	11.1-12.7	29	0.4	0.2-0.6	45	0.6	0.4-0.8
Male	3794	2,118,616	1029	29.0	27.0-31.0	1687	42.9	40.9-44.9	692	17.7	16.1-19.3	352	9.3	08.1-10.5	9	0.4	00.0-0.8	25	0.7	00.3-0.1.1
Female	5457	2,293,592	1181	23.9	22.3-25.5	2229	40.5	38.7-42.3	1222	20.4	19.0-21.8	785	14.4	13.2-15.6	20	0.4	00.0-0.8	20	0.5	00.1-0.9
White/Non-Hisp	8069	3,632,497	1849	25.1	23.7-26.5	3478	42.9	41.5-44.3	1717	19.6	18.4-20.8	964	11.4	10.4-12.4	25	0.4	00.2-0.6	36	0.5	00.3-0.7
Black or Afr. Am./Non-Hisp	521	355,646	186	36.7	31.2-42.2	208	39.3	33.6-45.0	67	13.8	09.5-18.1	53	8.6	05.9-11.3	2	0.5	00.0-0.1.3	5	1.2	00.0-0.2.4
Oth. Race/Non-Hisp.	153	92,376	40	30.0	20.4-39.6	51	27.5	19.1-35.9	25	14.7	08.2-21.2	35	27.2	17.4-37.0	1	0.1	00.0-0.3	1	0.6	00.0-0.1.8
MultiRacial/Non-Hisp.	99	40,743	22	31.3	18.0-44.6	35	30.2	18.8-41.6	19	17.7	08.1-27.3	22	19.5	09.3-29.7	1	1.4	00.0-0.4.1	1	1.4	00.0-0.4.1
Hispanic	283	232,133	64	23.2	17.3-29.1	109	37.7	31.0-44.4	59	20.9	15.2-26.6	49	16.9	11.6-22.2	1	0.4	00.0-0.1.2	1	0.8	00.0-0.2.4
18-24	466	584,065	160	35.0	30.1-39.9	173	37.2	32.3-42.1	68	13.8	10.3-17.3	57	11.5	08.4-14.6	4	1.5	00.0-0.3.1	4	1.0	00.0-0.2.0
25-34	816	720,436	208	28.7	25.0-32.4	354	41.2	37.3-45.1	133	15.5	12.8-18.2	110	13.3	10.6-16.0	1	0.0	00.0-0.0.0	10	1.2	00.2-0.2.2
35-44	1118	727,334	245	23.0	20.1-25.9	476	43.3	39.8-46.8	234	20.9	18.0-23.8	158	12.4	10.2-14.6	5	0.4	00.0-0.8			
45-54	1635	811,689	391	25.8	23.3-28.3	725	42.5	39.6-45.4	315	18.9	16.5-21.3	190	11.9	09.9-13.9	6	0.4	00.0-0.8	8	0.5	00.0-0.1.1
55-64	2073	732,436	478	23.9	21.5-26.3	847	41.1	38.6-43.6	459	22.1	19.9-24.3	274	12.3	10.7-13.9	4	0.2	00.0-0.4	11	0.4	00.2-0.0.6
65+	3069	812,387	712	23.9	21.9-25.9	1312	43.6	41.4-45.8	692	21.9	20.1-23.7	333	10.1	08.9-11.3	9	0.2	00.0-0.4	11	0.4	00.2-0.0.6
Less Than H.S.	785	581,068	302	38.2	33.7-42.7	302	38.3	33.8-42.8	108	12.3	09.6-15.0	59	8.2	05.7-10.7	3	1.4	00.0-0.3.0	11	1.5	00.3-0.2.7
H.S. or G.E.D.	3303	1,510,424	954	30.0	27.8-32.2	1412	41.7	39.5-43.9	616	17.4	15.6-19.2	291	9.9	08.3-11.5	6	0.2	00.0-0.4	24	0.9	00.3-0.1.5
Some Post-H.S.	2380	1,349,394	539	24.8	22.4-27.2	1050	43.3	40.8-45.8	495	20.1	17.9-22.3	284	11.3	09.7-12.9	8	0.3	00.1-0.5	4	0.1	00.0-0.3
College Graduate	2762	960,918	409	15.6	13.8-17.4	1145	41.6	39.4-43.8	689	24.2	22.2-26.2	501	18.2	16.4-20.0	12	0.3	00.1-0.5	6	0.1	00.0-0.3
Less than \$15,000	940	424,274	339	36.6	32.3-40.9	336	34.7	30.4-39.0	153	15.7	12.6-18.8	97	10.7	08.0-13.4	4	0.1	00.0-0.3	11	2.1	00.5-0.3.7
\$15,000- 24,999	1580	722,643	445	30.0	26.9-33.1	680	43.2	39.9-46.5	274	15.0	12.6-17.4	165	10.7	08.3-13.1	4	0.1	00.0-0.3	12	1.0	00.2-0.1.8
\$25,000- 34,999	1039	485,199	280	29.0	25.3-32.7	448	43.0	39.1-46.9	203	17.2	14.3-20.1	103	9.4	07.0-11.8	2	0.6	00.0-0.1.6	3	0.8	00.0-0.1.8
\$35,000- 49,999	1225	587,412	277	26.9	23.6-30.2	528	41.0	37.5-44.5	272	21.0	18.1-23.9	140	10.3	08.3-12.3	3	0.6	00.0-0.1.4	5	0.2	00.0-0.4
\$50,000- 74,999	1239	618,411	243	23.5	20.2-26.8	553	42.3	38.8-45.8	282	22.2	19.1-25.3	157	11.8	09.6-14.0	2	0.1	00.0-0.3	2	0.0	00.0-0.0.0
\$75,000+	1937	985,702	299	17.3	15.1-19.5	862	45.3	42.6-48.0	467	22.6	20.2-25.0	300	14.5	12.5-16.5	8	0.4	00.2-0.6	1	0.1	00.0-0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3794	2,118,616	1029	29.0	27.0-31.0	1687	42.9	40.9-44.9	692	17.7	16.1-19.3	352	9.3	08.1-10.5	9	0.4	00.0-00.8	25	0.7	00.3-01.1
White/Non-Hisp	3299	1,740,938	861	27.9	25.9-29.9	1503	44.1	41.9-46.3	615	18.1	16.5-19.7	293	8.9	07.7-10.1	7	0.4	00.0-00.8	20	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	184	159,857	69	34.9	26.3-43.5	74	42.2	33.0-51.4	25	15.6	07.8-23.4	12	5.1	01.8-08.4	1	0.7	00.0-02.1	3	1.4	00.0-03.2
Oth. Race/Non-Hisp.	72	48,789	22	33.0	19.3-46.7	24	32.1	19.2-45.0	12	14.2	05.2-23.2	13	19.7	08.3-31.1				1	1.1	00.0-03.3
Hispanic	122	111,447	33	27.5	18.5-36.5	47	38.4	28.6-48.2	21	17.5	09.7-25.3	20	15.7	08.3-23.1	1	0.9	00.0-02.7			
18-24	246	301,053	77	32.5	25.8-39.2	94	36.9	30.2-43.6	39	15.9	10.6-21.2	33	12.5	08.0-17.0	2	1.5	00.0-03.7	1	0.6	00.0-01.8
25-34	352	353,187	105	33.7	28.0-39.4	143	38.6	32.9-44.3	61	16.5	12.2-20.8	35	9.5	06.2-12.8	1	0.1	00.0-00.3	7	1.6	00.2-03.0
35-44	462	355,572	124	26.9	22.2-31.6	210	44.8	39.5-50.1	79	17.6	13.3-21.9	47	10.2	07.1-13.3	2	0.5	00.0-01.3			
45-54	748	392,638	204	28.7	24.8-32.6	351	45.6	41.5-49.7	132	17.3	14.2-20.4	52	7.0	04.8-09.2	2	0.4	00.0-01.0	7	1.0	00.0-02.0
55-64	853	356,034	221	25.6	22.1-29.1	378	45.6	41.7-49.5	164	19.3	16.2-22.4	81	8.5	06.3-10.7	2	0.3	00.0-00.9	7	0.6	00.0-01.2
65+	1108	352,143	293	27.7	24.6-30.8	498	44.3	40.8-47.8	213	19.2	16.5-21.9	101	8.6	06.6-10.6				3	0.3	00.0-00.7
Less Than H.S.	322	289,815	134	43.7	36.8-50.6	117	35.8	29.3-42.3	47	12.4	08.3-16.5	15	4.5	01.6-07.4	2	1.6	00.0-03.8	7	2.0	00.2-03.8
H.S. or G.E.D.	1315	729,879	409	30.2	27.1-33.3	588	44.8	41.5-48.1	210	15.2	12.7-17.7	95	8.8	06.6-11.0	1	0.1	00.0-00.3	12	0.9	00.1-01.7
Some Post-H.S.	917	611,624	246	28.7	25.0-32.4	421	42.8	38.9-46.7	162	19.1	16.0-22.2	83	9.0	06.6-11.4	2	0.4	00.0-01.0	3	0.2	00.0-00.4
College Graduate	1227	479,861	237	19.1	16.4-21.8	557	44.7	41.4-48.0	268	22.4	19.7-25.1	158	13.3	10.9-15.7	4	0.4	00.0-00.8	3	0.2	00.0-00.4
Less than \$15,000	310	161,687	118	39.8	32.7-46.9	115	35.7	28.8-42.6	46	15.7	10.4-21.0	25	6.5	03.2-09.8				6	2.4	00.0-04.8
\$15,000- 24,999	552	297,149	180	34.5	29.2-39.8	227	42.1	36.6-47.6	87	12.6	09.5-15.7	52	9.6	06.3-12.9				6	1.1	00.0-02.5
\$25,000- 34,999	445	251,447	136	30.7	25.2-36.2	196	43.4	37.5-49.3	75	15.6	11.3-19.9	33	7.6	04.1-11.1	2	1.1	00.0-03.1	3	1.5	00.0-03.5
\$35,000- 49,999	553	317,778	154	31.3	26.2-36.4	241	39.7	34.8-44.6	105	19.6	15.3-23.9	47	8.1	05.4-10.8	2	1.0	00.0-02.4	4	0.3	00.0-00.7
\$50,000- 74,999	555	319,791	131	27.2	22.3-32.1	272	45.1	39.8-50.4	104	19.8	15.1-24.5	48	7.9	05.4-10.4						
\$75,000+	987	541,642	189	19.2	16.1-22.3	473	48.2	44.3-52.1	208	20.7	17.6-23.8	112	11.3	08.9-13.7	4	0.4	00.0-00.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5457	2,293,592	1181	23.9	22.3-25.5	2229	40.5	38.7-42.3	1222	20.4	19.0-21.8	785	14.4	13.2-15.6	20	0.4	0.0-0.8	20	0.5	0.1-0.9
White/Non-Hisp	4770	1,891,559	988	22.5	20.9-24.1	1975	41.9	39.9-43.9	1102	21.0	19.4-22.6	671	13.8	12.4-15.2	18	0.4	0.0-0.8	16	0.3	0.1-0.5
Black or Afr. Am./Non-Hisp	337	195,789	117	38.1	31.0-45.2	134	36.9	29.8-44.0	42	12.3	07.8-16.8	41	11.4	07.3-15.5	1	0.2	0.0-0.6	2	1.0	0.0-0.2.8
Oth. Race/Non-Hisp.	81	43,587	18	26.6	13.7-39.5	27	22.5	12.3-32.7	13	15.3	06.1-24.5	22	35.5	20.0-51.0	1	0.2	0.0-0.6			
MultiRacial/Non-Hisp.	51	17,603	7	14.5	00.4-28.6	17	30.1	13.2-47.0	13	23.3	07.6-39.0	13	29.0	10.8-47.2				1	3.2	0.0-0.9.3
Hispanic	161	120,686	31	19.3	12.0-26.6	62	37.1	28.1-46.1	38	24.1	16.1-32.1	29	18.0	10.6-25.4				1	1.6	0.0-0.4.5
18-24	220	283,012	83	37.8	30.5-45.1	79	37.5	30.2-44.8	29	11.5	06.8-16.2	24	10.4	05.9-14.9	2	1.4	0.0-0.3.8	3	1.5	0.0-0.3.3
25-34	464	367,249	103	23.9	19.2-28.6	211	43.8	38.5-49.1	72	14.5	11.0-18.0	75	17.0	12.9-21.1				3	0.9	0.0-0.2.1
35-44	656	371,762	121	19.3	15.8-22.8	266	41.9	37.4-46.4	155	24.0	20.1-27.9	111	14.5	11.6-17.4	3	0.3	0.0-0.0.7			
45-54	887	419,051	187	23.1	19.8-26.4	374	39.5	35.6-43.4	183	20.4	17.1-23.7	138	16.5	13.6-19.4	4	0.4	0.0-0.0.8	1	0.0	0.0-0.0.0
55-64	1220	376,402	257	22.2	19.3-25.1	469	36.9	33.8-40.0	295	24.8	21.9-27.7	193	15.9	13.4-18.4	2	0.1	0.1-0.0.1	4	0.2	0.0-0.0.4
65+	1961	460,244	419	20.9	18.7-23.1	814	43.1	40.4-45.8	479	24.0	21.6-26.4	232	11.2	09.6-12.8	9	0.4	0.0-0.0.6	8	0.5	0.1-0.0.9
Less Than H.S.	463	291,253	168	32.8	26.9-38.7	185	40.9	34.6-47.2	61	12.3	08.6-16.0	44	11.8	07.7-15.9	1	1.2	0.0-0.3.6	4	1.0	0.0-0.2.4
H.S. or G.E.D.	1988	780,545	545	29.8	27.1-32.5	824	38.7	36.0-41.4	406	19.5	17.3-21.7	196	10.9	08.9-12.9	5	0.2	0.0-0.0.4	12	0.8	0.0-0.1.6
Some Post-H.S.	1463	737,770	293	21.7	19.0-24.4	629	43.7	40.4-47.0	333	20.9	18.2-23.6	201	13.3	11.1-15.5	6	0.3	0.1-0.0.5	1	0.1	0.0-0.0.3
College Graduate	1535	481,056	172	12.1	09.9-14.3	588	38.5	35.6-41.4	421	26.0	23.3-28.7	343	23.1	20.6-25.6	8	0.3	0.1-0.0.5	3	0.1	0.0-0.0.3
Less than \$15,000	630	262,587	221	34.6	29.3-39.9	221	34.1	28.4-39.8	107	15.8	11.9-19.7	72	13.3	09.4-17.2	4	0.2	0.0-0.0.4	5	2.0	0.0-0.4.2
\$15,000- 24,999	1028	425,494	265	26.9	23.0-30.8	453	43.9	39.6-48.2	187	16.6	13.5-19.7	113	11.5	08.4-14.6	4	0.2	0.0-0.0.6	6	0.9	0.1-0.1.7
\$25,000- 34,999	594	233,753	144	27.2	22.1-32.3	252	42.6	37.3-47.9	128	18.9	14.8-23.0	70	11.3	08.0-14.6						
\$35,000- 49,999	672	269,634	123	21.8	17.5-26.1	287	42.5	37.4-47.6	167	22.6	18.5-26.7	93	12.9	09.8-16.0	1	0.1	0.0-0.0.3	1	0.1	0.0-0.0.3
\$50,000- 74,999	684	298,620	112	19.5	15.4-23.6	281	39.3	34.6-44.0	178	24.8	20.9-28.7	109	16.0	12.5-19.5	2	0.3	0.0-0.0.7	2	0.1	0.0-0.0.3
\$75,000+	950	444,060	110	15.0	11.9-18.1	389	41.6	37.7-45.5	259	24.9	21.6-28.2	188	18.3	15.4-21.2	4	0.3	0.1-0.0.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 25: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9436	4,512,247	5634	56.4	55.0-57.8	3802	43.6	42.2-45.0
Male	3883	2,173,440	2108	52.2	50.2-54.2	1775	47.8	45.8-49.8
Female	5553	2,338,807	3526	60.3	58.5-62.1	2027	39.7	37.9-41.5
White/Non-Hisp	8230	3,698,184	4910	56.1	54.7-57.5	3320	43.9	42.5-45.3
Black or Afr. Am./Non-Hisp	532	373,938	308	55.7	50.0-61.4	224	44.3	38.6-50.0
Oth. Race/Non-Hisp.	154	92,422	101	61.4	51.4-71.4	53	38.6	28.6-48.6
MultiRacial/Non-Hisp.	105	41,638	63	57.4	44.3-70.5	42	42.6	29.5-55.7
Hispanic	289	243,865	176	61.7	55.2-68.2	113	38.3	31.8-44.8
18-24	481	602,161	272	56.4	51.3-61.5	209	43.6	38.5-48.7
25-34	831	737,775	465	53.6	49.7-57.5	366	46.4	42.5-50.3
35-44	1128	739,427	644	54.0	50.5-57.5	484	46.0	42.5-49.5
45-54	1653	824,035	901	52.3	49.4-55.2	752	47.7	44.8-50.6
55-64	2103	747,946	1198	56.1	53.6-58.6	905	43.9	41.4-46.4
65+	3166	837,241	2102	64.9	62.9-66.9	1064	35.1	33.1-37.1
Less Than H.S.	818	615,654	393	45.8	41.3-50.3	425	54.2	49.7-58.7
H.S. or G.E.D.	3386	1,544,521	1880	53.1	50.9-55.3	1506	46.9	44.7-49.1
Some Post-H.S.	2427	1,377,021	1426	56.8	54.3-59.3	1001	43.2	40.7-45.7
College Graduate	2784	965,257	1919	67.7	65.5-69.9	865	32.3	30.1-34.5
Less than \$15,000	984	455,308	490	47.8	43.3-52.3	494	52.2	47.7-56.7
\$15,000- 24,999	1596	729,224	876	52.4	49.1-55.7	720	47.6	44.3-50.9
\$25,000- 34,999	1049	490,257	590	51.1	47.0-55.2	459	48.9	44.8-53.0
\$35,000- 49,999	1256	601,606	755	56.2	52.7-59.7	501	43.8	40.3-47.3
\$50,000- 74,999	1263	624,546	780	56.5	53.0-60.0	483	43.5	40.0-47.0
\$75,000+	1942	995,347	1269	64.0	61.3-66.7	673	36.0	33.3-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 26: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3883	2,173,440	2108	52.2	50.2-54.2	1775	47.8	45.8-49.8
White/Non-Hisp	3374	1,772,699	1820	51.7	49.5-53.9	1554	48.3	46.1-50.5
Black or Afr. Am./Non-Hisp	188	170,826	102	53.9	44.7-63.1	86	46.1	36.9-55.3
Oth. Race/Non-Hisp.	74	50,830	47	58.1	44.6-71.6	27	41.9	28.4-55.4
MultiRacial/Non-Hisp.	50	23,318	26	50.8	32.6-69.0	24	49.2	31.0-67.4
Hispanic	126	117,750	72	57.6	47.8-67.4	54	42.4	32.6-52.2
18-24	255	311,775	144	56.8	49.9-63.7	111	43.2	36.3-50.1
25-34	361	363,256	183	50.4	44.5-56.3	178	49.6	43.7-55.5
35-44	464	360,193	239	48.6	43.3-53.9	225	51.4	46.1-56.7
45-54	764	403,037	369	46.1	42.0-50.2	395	53.9	49.8-58.0
55-64	865	364,161	441	50.1	46.2-54.0	424	49.9	46.0-53.8
65+	1149	363,028	714	62.0	58.7-65.3	435	38.0	34.7-41.3
Less Than H.S.	339	311,779	148	42.0	35.5-48.5	191	58.0	51.5-64.5
H.S. or G.E.D.	1342	741,846	653	47.2	43.9-50.5	689	52.8	49.5-56.1
Some Post-H.S.	940	628,939	503	54.7	50.8-58.6	437	45.3	41.4-49.2
College Graduate	1249	483,439	796	63.0	59.7-66.3	453	37.0	33.7-40.3
Less than \$15,000	330	178,669	149	43.1	36.0-50.2	181	56.9	49.8-64.0
\$15,000- 24,999	553	298,823	277	48.9	43.4-54.4	276	51.1	45.6-56.6
\$25,000- 34,999	450	254,108	236	50.3	44.2-56.4	214	49.7	43.6-55.8
\$35,000- 49,999	572	328,315	299	50.8	45.7-55.9	273	49.2	44.1-54.3
\$50,000- 74,999	568	324,129	305	49.9	44.6-55.2	263	50.1	44.8-55.4
\$75,000+	993	547,258	609	60.6	56.9-64.3	384	39.4	35.7-43.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 27: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5553	2,338,807	3526	60.3	58.5-62.1	2027	39.7	37.9-41.5
White/Non-Hisp	4856	1,925,484	3090	60.1	58.1-62.1	1766	39.9	37.9-41.9
Black or Afr. Am./Non-Hisp	344	203,112	206	57.2	49.9-64.5	138	42.8	35.5-50.1
Oth. Race/Non-Hisp.	80	41,592	54	65.4	50.3-80.5	26	34.6	19.5-49.7
MultiRacial/Non-Hisp.	55	18,321	37	65.7	47.3-84.1	18	34.3	15.9-52.7
Hispanic	163	126,115	104	65.6	57.0-74.2	59	34.4	25.8-43.0
18-24	226	290,385	128	56.1	48.8-63.4	98	43.9	36.6-51.2
25-34	470	374,519	282	56.8	51.3-62.3	188	43.2	37.7-48.7
35-44	664	379,234	405	59.2	54.7-63.7	259	40.8	36.3-45.3
45-54	889	420,998	532	58.3	54.4-62.2	357	41.7	37.8-45.6
55-64	1238	383,785	757	61.8	58.5-65.1	481	38.2	34.9-41.5
65+	2017	474,213	1388	67.1	64.6-69.6	629	32.9	30.4-35.4
Less Than H.S.	479	303,875	245	49.7	43.4-56.0	234	50.3	44.0-56.6
H.S. or G.E.D.	2044	802,675	1227	58.7	55.8-61.6	817	41.3	38.4-44.2
Some Post-H.S.	1487	748,082	923	58.5	55.2-61.8	564	41.5	38.2-44.8
College Graduate	1535	481,818	1123	72.4	69.7-75.1	412	27.6	24.9-30.3
Less than \$15,000	654	276,639	341	50.9	45.2-56.6	313	49.1	43.4-54.8
\$15,000- 24,999	1043	430,401	599	54.7	50.4-59.0	444	45.3	41.0-49.6
\$25,000- 34,999	599	236,148	354	51.8	46.5-57.1	245	48.2	42.9-53.5
\$35,000- 49,999	684	273,291	456	62.7	57.6-67.8	228	37.3	32.2-42.4
\$50,000- 74,999	695	300,417	475	63.6	58.9-68.3	220	36.4	31.7-41.1
\$75,000+	949	448,088	660	68.2	64.5-71.9	289	31.8	28.1-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 28: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9251	4,412,208	6996	73.1	71.9-74.3	2255	26.9	25.7-28.1
Male	3794	2,118,616	2740	70.3	68.3-72.3	1054	29.7	27.7-31.7
Female	5457	2,293,592	4256	75.7	74.1-77.3	1201	24.3	22.7-25.9
White/Non-Hisp	8069	3,632,497	6184	74.4	73.0-75.8	1885	25.6	24.2-27.0
Black or Afr. Am./Non-Hisp	521	355,646	330	62.1	56.6-67.6	191	37.9	32.4-43.4
Oth. Race/Non-Hisp.	153	92,376	112	69.5	59.9-79.1	41	30.5	20.9-40.1
MultiRacial/Non-Hisp.	99	40,743	76	67.4	54.1-80.7	23	32.6	19.3-45.9
Hispanic	283	232,133	218	75.9	70.0-81.8	65	24.1	18.2-30.0
18-24	466	584,065	302	63.9	59.0-68.8	164	36.1	31.2-41.0
25-34	816	720,436	598	70.1	66.4-73.8	218	29.9	26.2-33.6
35-44	1118	727,334	873	77.0	74.1-79.9	245	23.0	20.1-25.9
45-54	1635	811,689	1236	73.7	71.2-76.2	399	26.3	23.8-28.8
55-64	2073	732,436	1584	75.7	73.3-78.1	489	24.3	21.9-26.7
65+	3069	812,387	2346	75.8	73.8-77.8	723	24.2	22.2-26.2
Less Than H.S.	785	581,068	472	60.2	55.7-64.7	313	39.8	35.3-44.3
H.S. or G.E.D.	3303	1,510,424	2325	69.1	66.9-71.3	978	30.9	28.7-33.1
Some Post-H.S.	2380	1,349,394	1837	75.0	72.6-77.4	543	25.0	22.6-27.4
College Graduate	2762	960,918	2347	84.3	82.5-86.1	415	15.7	13.9-17.5
Less than \$15,000	940	424,274	590	61.3	57.0-65.6	350	38.7	34.4-43.0
\$15,000- 24,999	1580	722,643	1123	69.0	65.9-72.1	457	31.0	27.9-34.1
\$25,000- 34,999	1039	485,199	756	70.2	66.3-74.1	283	29.8	25.9-33.7
\$35,000- 49,999	1225	587,412	943	72.8	69.5-76.1	282	27.2	23.9-30.5
\$50,000- 74,999	1239	618,411	994	76.5	73.2-79.8	245	23.5	20.2-26.8
\$75,000+	1937	985,702	1637	82.7	80.5-84.9	300	17.3	15.1-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 29: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3794	2,118,616	2740	70.3	68.3-72.3	1054	29.7	27.7-31.7
White/Non-Hisp	3299	1,740,938	2418	71.4	69.4-73.4	881	28.6	26.6-30.6
Black or Afr. Am./Non-Hisp	184	159,857	112	63.6	54.8-72.4	72	36.4	27.6-45.2
Oth. Race/Non-Hisp.	72	48,789	49	66.0	52.3-79.7	23	34.0	20.3-47.7
Hispanic	122	111,447	89	72.5	63.5-81.5	33	27.5	18.5-36.5
18-24	246	301,053	168	66.9	60.2-73.6	78	33.1	26.4-39.8
25-34	352	353,187	240	64.7	59.0-70.4	112	35.3	29.6-41.0
35-44	462	355,572	338	73.1	68.4-77.8	124	26.9	22.2-31.6
45-54	748	392,638	537	70.3	66.2-74.4	211	29.7	25.6-33.8
55-64	853	356,034	625	73.8	70.3-77.3	228	26.2	22.7-29.7
65+	1108	352,143	812	72.1	69.0-75.2	296	27.9	24.8-31.0
Less Than H.S.	322	289,815	181	54.3	47.4-61.2	141	45.7	38.8-52.6
H.S. or G.E.D.	1315	729,879	894	68.9	65.8-72.0	421	31.1	28.0-34.2
Some Post-H.S.	917	611,624	668	71.1	67.4-74.8	249	28.9	25.2-32.6
College Graduate	1227	479,861	987	80.7	78.0-83.4	240	19.3	16.6-22.0
Less than \$15,000	310	161,687	186	57.9	50.6-65.2	124	42.1	34.8-49.4
\$15,000- 24,999	552	297,149	366	64.3	59.0-69.6	186	35.7	30.4-41.0
\$25,000- 34,999	445	251,447	306	67.8	62.1-73.5	139	32.2	26.5-37.9
\$35,000- 49,999	553	317,778	395	68.3	63.2-73.4	158	31.7	26.6-36.8
\$50,000- 74,999	555	319,791	424	72.8	67.9-77.7	131	27.2	22.3-32.1
\$75,000+	987	541,642	797	80.7	77.6-83.8	190	19.3	16.2-22.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 30: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5457	2,293,592	4256	75.7	74.1-77.3	1201	24.3	22.7-25.9
White/Non-Hisp	4770	1,891,559	3766	77.1	75.3-78.9	1004	22.9	21.1-24.7
Black or Afr. Am./Non-Hisp	337	195,789	218	60.9	53.8-68.0	119	39.1	32.0-46.2
Oth. Race/Non-Hisp.	81	43,587	63	73.4	60.5-86.3	18	26.6	13.7-39.5
MultiRacial/Non-Hisp.	51	17,603	43	82.4	67.5-97.3	8	17.6	02.7-32.5
Hispanic	161	120,686	129	79.2	71.6-86.8	32	20.8	13.2-28.4
18-24	220	283,012	134	60.8	53.5-68.1	86	39.2	31.9-46.5
25-34	464	367,249	358	75.3	70.6-80.0	106	24.7	20.0-29.4
35-44	656	371,762	535	80.7	77.2-84.2	121	19.3	15.8-22.8
45-54	887	419,051	699	76.8	73.5-80.1	188	23.2	19.9-26.5
55-64	1220	376,402	959	77.6	74.7-80.5	261	22.4	19.5-25.3
65+	1961	460,244	1534	78.6	76.4-80.8	427	21.4	19.2-23.6
Less Than H.S.	463	291,253	291	66.2	60.3-72.1	172	33.8	27.9-39.7
H.S. or G.E.D.	1988	780,545	1431	69.4	66.7-72.1	557	30.6	27.9-33.3
Some Post-H.S.	1463	737,770	1169	78.3	75.6-81.0	294	21.7	19.0-24.4
College Graduate	1535	481,056	1360	87.8	85.6-90.0	175	12.2	10.0-14.4
Less than \$15,000	630	262,587	404	63.4	57.9-68.9	226	36.6	31.1-42.1
\$15,000- 24,999	1028	425,494	757	72.3	68.4-76.2	271	27.7	23.8-31.6
\$25,000- 34,999	594	233,753	450	72.8	67.7-77.9	144	27.2	22.1-32.3
\$35,000- 49,999	672	269,634	548	78.1	73.8-82.4	124	21.9	17.6-26.2
\$50,000- 74,999	684	298,620	570	80.4	76.3-84.5	114	19.6	15.5-23.7
\$75,000+	950	444,060	840	85.0	81.9-88.1	110	15.0	11.9-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	147
2 MALES ONLY	148
3 FEMALES ONLY	149
PHYSICAL ACTIVITY CATEGORIES (_PACAT1)	
4 MALES AND FEMALES	150
5 MALES ONLY	151
6 FEMALES ONLY	152
PHYSICAL ACTIVITY INDEX (_PAINDX1)	
7 MALES AND FEMALES	153
8 MALES ONLY	154
9 FEMALES ONLY	155
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10 MALES AND FEMALES	156
11 MALES ONLY	157
12 FEMALES ONLY	158
AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)	
13 MALES AND FEMALES	159
14 MALES ONLY	160
15 FEMALES ONLY	161
AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)	
16 MALES AND FEMALES	162
17 MALES ONLY	163
18 FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9584	4,538,311	6497	69.0	67.8-70.2	3087	31.0	29.8-32.2
Male	3940	2,185,519	2772	71.2	69.4-73.0	1168	28.8	27.0-30.6
Female	5644	2,352,791	3725	66.9	65.1-68.7	1919	33.1	31.3-34.9
White/Non-Hisp	8363	3,732,863	5701	69.7	68.3-71.1	2662	30.3	28.9-31.7
Black or Afr. Am./Non-Hisp	533	367,150	355	67.2	61.7-72.7	178	32.8	27.3-38.3
Oth. Race/Non-Hisp.	154	92,951	106	73.4	64.2-82.6	48	26.6	17.4-35.8
MultiRacial/Non-Hisp.	106	42,295	64	55.6	42.7-68.5	42	44.4	31.5-57.3
Hispanic	291	239,160	187	61.6	54.9-68.3	104	38.4	31.7-45.1
18-24	480	594,460	386	79.7	75.6-83.8	94	20.3	16.2-24.4
25-34	838	741,088	598	69.5	65.8-73.2	240	30.5	26.8-34.2
35-44	1128	737,165	840	72.7	69.6-75.8	288	27.3	24.2-30.4
45-54	1652	821,317	1137	67.0	64.3-69.7	515	33.0	30.3-35.7
55-64	2126	753,080	1471	68.0	65.6-70.4	655	32.0	29.6-34.4
65+	3282	866,865	2016	60.8	58.6-63.0	1266	39.2	37.0-41.4
Less Than H.S.	844	620,133	420	53.2	48.7-57.7	424	46.8	42.3-51.3
H.S. or G.E.D.	3443	1,548,561	2072	63.4	61.2-65.6	1371	36.6	34.4-38.8
Some Post-H.S.	2454	1,382,543	1672	71.9	69.7-74.1	782	28.1	25.9-30.3
College Graduate	2821	976,589	2319	83.6	81.8-85.4	502	16.4	14.6-18.2
Less than \$15,000	998	448,794	552	57.4	53.1-61.7	446	42.6	38.3-46.9
\$15,000- 24,999	1628	735,498	912	58.8	55.5-62.1	716	41.2	37.9-44.5
\$25,000- 34,999	1061	489,872	677	63.4	59.5-67.3	384	36.6	32.7-40.5
\$35,000- 49,999	1255	598,169	880	70.1	66.8-73.4	375	29.9	26.6-33.2
\$50,000- 74,999	1270	628,731	933	73.1	70.0-76.2	337	26.9	23.8-30.0
\$75,000+	1957	998,739	1605	81.3	79.1-83.5	352	18.7	16.5-20.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3940	2,185,519	2772	71.2	69.4-73.0	1168	28.8	27.0-30.6
White/Non-Hisp	3427	1,792,616	2413	71.0	69.0-73.0	1014	29.0	27.0-31.0
Black or Afr. Am./Non-Hisp	185	164,194	135	76.5	69.2-83.8	50	23.5	16.2-30.8
Oth. Race/Non-Hisp.	74	50,431	53	77.3	66.3-88.3	21	22.7	11.7-33.7
MultiRacial/Non-Hisp.	52	24,189	35	62.1	44.9-79.3	17	37.9	20.7-55.1
Hispanic	126	115,749	87	66.4	56.8-76.0	39	33.6	24.0-43.2
18-24	255	308,143	217	85.6	80.7-90.5	38	14.4	09.5-19.3
25-34	366	366,889	263	70.5	65.2-75.8	103	29.5	24.2-34.8
35-44	470	362,846	349	73.1	68.4-77.8	121	26.9	22.2-31.6
45-54	764	398,918	510	66.2	62.1-70.3	254	33.8	29.7-37.9
55-64	876	366,812	619	69.0	65.3-72.7	257	31.0	27.3-34.7
65+	1185	374,405	800	65.8	62.5-69.1	385	34.2	30.9-37.5
Less Than H.S.	345	312,668	197	59.2	52.7-65.7	148	40.8	34.3-47.3
H.S. or G.E.D.	1369	746,290	862	67.3	64.2-70.4	507	32.7	29.6-35.8
Some Post-H.S.	949	629,102	666	73.0	69.7-76.3	283	27.0	23.7-30.3
College Graduate	1264	490,021	1039	82.4	79.9-84.9	225	17.6	15.1-20.1
Less than \$15,000	332	174,024	201	63.1	56.2-70.0	131	36.9	30.0-43.8
\$15,000- 24,999	569	304,739	335	62.6	57.5-67.7	234	37.4	32.3-42.5
\$25,000- 34,999	450	252,666	303	67.4	61.7-73.1	147	32.6	26.9-38.3
\$35,000- 49,999	571	324,822	387	69.8	65.1-74.5	184	30.2	25.5-34.9
\$50,000- 74,999	580	329,629	427	71.0	66.3-75.7	153	29.0	24.3-33.7
\$75,000+	1001	548,875	807	80.4	77.5-83.3	194	19.6	16.7-22.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5644	2,352,791	3725	66.9	65.1-68.7	1919	33.1	31.3-34.9
White/Non-Hisp	4936	1,940,247	3288	66.5	66.7-70.3	1648	31.5	29.7-33.3
Black or Afr. Am./Non-Hisp	348	202,956	220	59.8	52.5-67.1	128	40.2	32.9-47.5
Oth. Race/Non-Hisp.	80	42,520	53	66.8	54.1-83.5	27	31.2	16.5-45.9
MultiRacial/Non-Hisp.	54	18,106	29	46.8	28.4-65.2	25	53.2	34.8-71.6
Hispanic	165	123,411	100	57.1	48.1-66.1	65	42.9	33.9-51.9
18-24	225	286,317	169	73.3	66.6-80.0	56	26.7	20.0-33.4
25-34	472	374,199	335	68.6	63.3-73.9	137	31.4	26.1-36.7
35-44	658	374,319	491	72.3	68.2-76.4	167	27.7	23.6-31.8
45-54	888	422,399	627	67.7	64.0-71.4	261	32.3	28.6-36.0
55-64	1250	386,268	852	67.0	63.9-70.1	398	33.0	29.9-36.1
65+	2097	492,460	1216	57.1	54.6-59.6	881	42.9	40.4-45.4
Less Than H.S.	499	307,465	223	47.2	41.1-53.3	276	52.8	46.7-58.9
H.S. or G.E.D.	2074	802,270	1210	59.7	56.8-62.6	864	40.3	37.4-43.2
Some Post-H.S.	1505	753,441	1006	71.0	68.1-73.9	499	29.0	26.1-31.9
College Graduate	1557	486,567	1280	84.8	82.6-87.0	277	15.2	13.0-17.4
Less than \$15,000	666	274,770	351	53.8	48.1-59.5	315	46.2	40.5-51.9
\$15,000- 24,999	1059	430,758	577	56.1	51.8-60.4	482	43.9	39.6-48.2
\$25,000- 34,999	611	237,207	374	59.1	53.8-64.4	237	40.9	35.6-46.2
\$35,000- 49,999	684	273,347	493	70.5	65.8-75.2	191	29.5	24.8-34.2
\$50,000- 74,999	690	299,102	506	75.3	71.4-79.2	184	24.7	20.8-28.6
\$75,000+	956	449,864	798	82.4	79.3-85.5	158	17.6	14.5-20.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9080	4,317,235	2503	26.2	25.0-27.4	1527	17.3	16.3-18.3	1711	20.9	19.7-22.1	3339	35.7	34.3-37.1
Male	3751	2,086,334	1141	28.7	26.7-30.7	646	17.9	16.3-19.5	669	19.8	18.0-21.6	1295	33.5	31.5-35.5
Female	5329	2,230,901	1362	23.8	22.2-25.4	881	16.7	15.3-18.1	1042	21.9	20.3-23.5	2044	37.6	35.8-39.4
White/Non-Hisp	7943	3,563,662	2233	26.8	25.4-28.2	1381	18.2	17.0-19.4	1451	20.4	19.2-21.6	2878	34.7	33.3-36.1
Black or Afr. Am./Non-Hisp	498	346,478	120	25.5	20.2-30.8	70	16.0	11.5-20.5	124	22.3	17.6-27.0	184	36.2	30.5-41.9
Oth. Race/Non-Hisp.	144	85,971	35	24.3	15.1-33.5	25	16.1	08.8-23.4	29	24.7	15.9-33.5	55	34.9	24.7-45.1
MultiRacial/Non-Hisp.	99	40,574	27	24.6	12.6-36.6	8	6.6	00.5-12.7	17	18.9	09.3-28.5	47	49.9	36.6-63.2
Hispanic	276	223,995	59	19.5	14.0-25.0	33	10.5	06.6-14.4	66	24.2	18.1-30.3	118	45.8	38.9-52.7
18-24	464	576,677	129	30.6	25.7-35.5	99	19.7	15.6-23.8	120	24.5	20.2-28.8	116	25.2	20.7-29.7
25-34	810	715,269	170	21.0	17.7-24.3	162	19.9	16.8-23.0	211	24.0	20.7-27.3	267	35.2	31.3-39.1
35-44	1076	698,253	278	25.6	22.5-28.7	213	18.3	15.6-21.0	272	25.0	21.9-28.1	313	31.1	27.8-34.4
45-54	1587	786,397	393	22.6	20.2-25.0	297	18.6	16.2-21.0	342	21.9	19.4-24.4	555	36.9	34.0-39.8
55-64	2043	719,925	547	26.4	24.0-28.8	365	16.7	14.7-18.7	431	20.9	18.7-23.1	700	35.9	33.4-38.4
65+	3071	811,038	986	31.7	29.7-33.7	391	11.9	10.5-13.3	335	11.2	09.8-12.6	1359	45.3	43.1-47.5
Less Than H.S.	777	577,387	149	20.8	16.9-24.7	69	9.7	06.8-12.6	110	16.0	12.5-19.5	449	53.5	48.8-58.2
H.S. or G.E.D.	3260	1,467,753	819	24.6	22.6-26.6	473	15.6	13.8-17.4	496	17.4	15.6-19.2	1472	42.4	40.2-44.6
Some Post-H.S.	2327	1,321,952	622	26.8	24.4-29.2	401	18.5	16.3-20.7	458	22.7	20.5-24.9	846	31.9	29.5-34.3
College Graduate	2697	940,470	907	31.0	28.8-33.2	583	23.0	21.0-25.0	643	26.6	24.4-28.8	564	19.5	17.7-21.3
Less than \$15,000	943	424,251	205	22.3	18.6-26.0	105	12.1	09.0-15.2	162	17.6	14.3-20.9	471	48.1	43.6-52.6
\$15,000- 24,999	1554	704,964	372	24.2	21.1-27.3	191	12.9	10.4-15.4	237	17.5	14.8-20.2	754	45.4	42.1-48.7
\$25,000- 34,999	1011	469,190	273	26.3	22.8-29.8	141	12.6	10.1-15.1	183	19.5	16.2-22.8	414	41.6	37.5-45.7
\$35,000- 49,999	1194	568,482	339	25.4	22.3-28.5	237	19.8	16.9-22.7	205	20.7	17.6-23.8	413	34.1	30.6-37.6
\$50,000- 74,999	1216	605,282	348	26.0	22.9-29.1	233	21.2	17.9-24.5	272	22.8	19.7-25.9	363	30.0	26.7-33.3
\$75,000+	1896	965,336	614	30.3	27.8-32.8	431	22.5	20.1-24.9	452	24.8	22.4-27.2	399	22.5	20.1-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3751	2,086,334	1141	28.7	26.7-30.7	646	17.9	16.3-19.5	669	19.8	18.0-21.6	1295	33.5	31.5-35.5
White/Non-Hisp	3275	1,716,650	1009	28.9	26.9-30.9	576	18.1	16.3-19.9	570	19.6	17.8-21.4	1120	33.4	31.4-35.4
Black or Afr. Am./Non-Hisp	174	156,567	47	29.7	20.7-38.7	32	22.3	13.5-31.1	43	21.9	14.5-29.3	52	26.1	18.3-33.9
Oth. Race/Non-Hisp.	72	49,117	19	27.5	14.4-40.6	11	18.8	07.6-30.0	16	22.5	11.3-33.7	26	31.2	18.7-43.7
Hispanic	117	106,324	31	25.5	16.5-34.5	17	12.1	06.0-18.2	22	19.5	10.9-28.1	47	42.8	32.4-53.2
18-24	248	299,680	79	36.0	28.9-43.1	64	22.7	17.0-28.4	58	23.4	17.3-29.5	47	17.9	12.6-23.2
25-34	355	356,143	76	22.0	16.9-27.1	70	19.9	15.2-24.6	87	23.0	18.3-27.7	122	35.1	29.4-40.8
35-44	447	341,251	121	26.5	21.8-31.2	86	19.2	14.7-23.7	105	22.9	18.4-27.4	135	31.5	26.4-36.6
45-54	739	384,583	193	24.1	20.6-27.6	140	19.2	15.9-22.5	131	19.1	15.6-22.6	275	37.7	33.6-41.8
55-64	839	350,300	243	28.8	25.1-32.5	146	16.1	13.2-19.0	169	20.1	17.0-23.2	281	35.0	31.1-38.9
65+	1113	350,905	429	36.6	33.3-39.9	140	11.2	09.0-13.4	119	11.5	09.1-13.9	425	40.6	37.1-44.1
Less Than H.S.	316	292,749	74	26.6	20.3-32.9	36	10.8	06.7-14.9	46	15.3	10.2-20.4	160	47.3	40.4-54.2
H.S. or G.E.D.	1311	712,700	366	27.3	24.2-30.4	200	17.8	15.1-20.5	184	16.4	13.7-19.1	561	38.5	35.2-41.8
Some Post-H.S.	897	600,906	251	27.1	23.6-30.6	157	18.5	15.4-21.6	176	23.5	20.0-27.0	313	30.9	27.4-34.4
College Graduate	1216	472,831	447	34.1	31.0-37.2	253	21.9	19.2-24.6	260	23.0	20.1-25.9	256	21.0	18.3-23.7
Less than \$15,000	309	162,802	78	25.7	19.2-32.2	39	13.8	08.5-19.1	49	16.8	11.5-22.1	143	43.6	36.3-50.9
\$15,000- 24,999	545	291,928	148	28.2	22.9-33.5	68	13.7	09.8-17.6	81	16.9	12.8-21.0	248	41.1	35.6-46.6
\$25,000- 34,999	427	240,697	124	28.8	23.1-34.5	59	12.2	08.3-16.1	79	20.2	15.1-25.3	165	38.8	32.7-44.9
\$35,000- 49,999	544	308,610	159	27.4	22.7-32.1	106	20.5	16.2-24.8	73	17.2	12.9-21.5	206	34.9	30.0-39.8
\$50,000- 74,999	563	322,843	174	26.8	22.1-31.5	106	20.1	15.4-24.8	116	21.6	17.3-25.9	167	31.5	26.6-36.4
\$75,000+	966	527,213	341	33.1	29.4-36.8	201	22.2	18.9-25.5	203	21.3	18.2-24.4	221	23.4	20.1-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5329	2,230,901	1362	23.8	22.2-25.4	881	16.7	15.3-18.1	1042	21.9	20.3-23.5	2044	37.6	35.8-39.4
White/Non-Hisp	4668	1,847,012	1224	24.8	23.2-26.4	805	18.2	16.6-19.8	881	21.1	19.5-22.7	1758	35.9	34.1-37.7
Black or Afr. Am./Non-Hisp	324	189,911	73	22.1	16.2-28.0	38	10.8	07.1-14.5	81	22.7	16.8-28.6	132	44.5	36.9-52.1
Oth. Race/Non-Hisp.	72	36,853	16	20.2	08.6-31.8	14	12.4	05.1-19.7	13	27.6	13.5-41.7	29	39.8	23.7-55.9
MultiRacial/Non-Hisp.	53	17,913	9	11.9	00.1-23.7	5	4.1	00.2-08.0	11	24.7	08.6-40.8	28	59.3	41.3-77.3
Hispanic	159	117,671	28	14.2	07.9-20.5	16	9.0	03.9-14.1	44	28.4	19.8-37.0	71	48.5	39.1-57.9
18-24	216	276,997	50	24.7	18.2-31.2	35	16.5	10.6-22.4	62	25.7	19.4-32.0	69	33.1	26.0-40.2
25-34	455	359,126	94	19.9	15.8-24.0	92	19.8	15.7-23.9	124	25.1	20.6-29.6	145	35.2	29.7-40.7
35-44	629	357,002	157	24.8	20.9-28.7	127	17.4	14.1-20.7	167	27.1	23.0-31.2	178	30.7	26.4-35.0
45-54	848	401,814	200	21.2	18.1-24.3	157	18.2	15.1-21.3	211	24.6	21.1-28.1	280	36.1	32.2-40.0
55-64	1204	369,625	304	24.2	21.5-26.9	219	17.3	14.8-19.8	262	21.7	19.0-24.4	419	36.8	33.5-40.1
65+	1958	460,133	557	27.9	25.5-30.3	251	12.4	10.6-14.2	216	10.9	09.1-12.7	934	48.8	46.1-51.5
Less Than H.S.	461	284,638	75	14.8	10.5-19.1	33	8.6	04.5-12.7	64	16.8	12.1-21.5	289	59.9	53.6-66.2
H.S. or G.E.D.	1949	755,053	453	22.0	19.6-24.4	273	13.5	11.5-15.5	312	18.5	16.1-20.9	911	46.1	43.2-49.0
Some Post-H.S.	1430	721,046	371	26.6	23.5-29.7	244	18.5	15.8-21.2	282	22.1	19.2-25.0	533	32.8	29.7-35.9
College Graduate	1481	467,640	460	28.0	25.3-30.7	330	24.0	21.3-26.7	383	30.1	27.2-33.0	308	17.9	15.5-20.3
Less than \$15,000	634	261,449	127	20.1	15.6-24.6	66	11.0	07.3-14.7	113	18.1	14.0-22.2	328	50.8	44.9-56.7
\$15,000- 24,999	1009	413,035	224	21.3	17.8-24.8	123	12.4	09.1-15.7	156	18.0	14.5-21.5	506	48.4	44.1-52.7
\$25,000- 34,999	584	228,492	149	23.6	19.3-27.9	82	13.1	09.8-16.4	104	18.7	14.4-23.0	249	44.6	39.1-50.1
\$35,000- 49,999	650	259,872	180	23.1	19.0-27.2	131	19.1	15.4-22.8	132	24.8	20.1-29.5	207	33.0	28.1-37.9
\$50,000- 74,999	653	282,439	174	25.0	20.9-29.1	127	22.5	18.0-27.0	156	24.2	19.9-28.5	196	28.3	24.0-32.6
\$75,000+	930	438,124	273	26.8	23.3-30.3	230	22.9	19.6-26.2	249	28.9	25.2-32.6	178	21.4	17.9-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9177	4,362,594	4127	44.0	42.6-45.4	5050	56.0	54.6-57.4
Male	3793	2,108,359	1829	47.2	45.2-49.2	1964	52.8	50.8-54.8
Female	5384	2,254,234	2298	41.1	39.3-42.9	3086	58.9	57.1-60.7
White/Non-Hisp	8029	3,602,496	3700	45.5	44.1-46.9	4329	54.5	53.1-55.9
Black or Afr. Am./Non-Hisp	502	349,160	194	41.9	36.0-47.8	308	58.1	52.2-64.0
Oth. Race/Non-Hisp.	145	86,058	61	40.5	30.3-50.7	84	59.5	49.3-69.7
MultiRacial/Non-Hisp.	101	40,925	37	31.8	19.5-44.1	64	68.2	55.9-80.5
Hispanic	280	227,399	96	31.1	24.8-37.4	184	68.9	62.6-75.2
18-24	469	582,817	233	50.8	45.7-55.9	236	49.2	44.1-54.3
25-34	815	720,744	337	41.3	37.4-45.2	478	58.7	54.8-62.6
35-44	1087	705,687	502	44.5	41.0-48.0	585	55.5	52.0-59.0
45-54	1602	793,523	705	41.8	38.9-44.7	897	58.2	55.3-61.1
55-64	2066	729,998	935	43.9	41.4-46.4	1131	56.1	53.6-58.6
65+	3109	820,147	1415	44.2	42.0-46.4	1694	55.8	53.6-58.0
Less Than H.S.	789	586,581	230	31.6	27.3-35.9	559	68.4	64.1-72.7
H.S. or G.E.D.	3293	1,486,229	1325	40.9	38.7-43.1	1968	59.1	56.9-61.3
Some Post-H.S.	2351	1,329,852	1047	45.6	43.1-48.1	1304	54.4	51.9-56.9
College Graduate	2725	950,260	1518	54.5	52.1-56.9	1207	45.5	43.1-47.9
Less than \$15,000	951	428,248	318	35.0	30.7-39.3	633	65.0	60.7-69.3
\$15,000- 24,999	1568	712,476	577	37.8	34.3-41.3	991	62.2	58.7-65.7
\$25,000- 34,999	1023	474,315	426	39.6	35.7-43.5	597	60.4	56.5-64.3
\$35,000- 49,999	1209	576,371	591	46.0	42.3-49.7	618	54.0	50.3-57.7
\$50,000- 74,999	1228	610,284	593	47.6	43.9-51.3	635	52.4	48.7-56.1
\$75,000+	1911	973,091	1060	53.1	50.4-55.8	851	46.9	44.2-49.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
TABLE 8: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3793	2,108,359	1829	47.2	45.2-49.2	1964	52.8	50.8-54.8
White/Non-Hisp	3313	1,735,921	1623	47.6	45.4-49.8	1690	52.4	50.2-54.6
Black or Afr. Am./Non-Hisp	175	157,581	80	52.3	42.9-61.7	95	47.7	38.3-57.1
Oth. Race/Non-Hisp.	72	49,117	30	46.3	32.2-60.4	42	53.7	39.6-67.8
Hispanic	118	107,713	49	38.4	28.4-48.4	69	61.6	51.6-71.6
18-24	252	304,654	147	59.4	52.5-66.3	105	40.6	33.7-47.5
25-34	356	356,648	147	42.0	36.1-47.9	209	58.0	52.1-63.9
35-44	452	345,618	212	46.4	40.9-51.9	240	53.6	48.1-59.1
45-54	743	386,735	337	43.6	39.5-47.7	406	56.4	52.3-60.5
55-64	850	355,806	400	45.8	41.9-49.7	450	54.2	50.3-58.1
65+	1130	355,426	586	48.5	45.0-52.0	544	51.5	48.0-55.0
Less Than H.S.	320	295,504	114	38.0	31.3-44.7	206	62.0	55.3-68.7
H.S. or G.E.D.	1326	723,278	581	46.0	42.5-49.5	745	54.0	50.5-57.5
Some Post-H.S.	906	603,601	417	45.8	41.9-49.7	489	54.2	50.3-58.1
College Graduate	1230	478,829	714	56.5	53.2-59.8	516	43.5	40.2-46.8
Less than \$15,000	312	165,785	120	40.7	33.4-48.0	192	59.3	52.0-66.6
\$15,000- 24,999	550	294,428	221	42.4	36.9-47.9	329	57.6	52.1-63.1
\$25,000- 34,999	431	242,394	187	41.4	35.3-47.5	244	58.6	52.5-64.7
\$35,000- 49,999	551	312,541	272	48.5	43.2-53.8	279	51.5	46.2-56.8
\$50,000- 74,999	569	325,176	286	47.3	42.0-52.6	283	52.7	47.4-58.0
\$75,000+	973	530,931	549	55.6	51.7-59.5	424	44.4	40.5-48.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
TABLE 9: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5384	2,254,234	2298	41.1	39.3-42.9	3086	58.9	57.1-60.7
White/Non-Hisp	4716	1,866,575	2077	43.6	41.6-45.6	2639	56.4	54.4-58.4
Black or Afr. Am./Non-Hisp	327	191,578	114	33.4	26.7-40.1	213	66.6	59.9-73.3
Oth. Race/Non-Hisp.	73	36,941	31	32.8	19.5-46.1	42	67.2	53.9-80.5
MultiRacial/Non-Hisp.	53	17,913	14	16.0	03.8-28.2	39	84.0	71.8-96.2
Hispanic	162	119,687	47	24.4	16.8-32.0	115	75.6	68.0-83.2
18-24	217	278,163	86	41.4	34.0-48.8	131	58.6	51.2-66.0
25-34	459	364,096	190	40.6	35.3-45.9	269	59.4	54.1-64.7
35-44	635	360,069	290	42.7	38.2-47.2	345	57.3	52.8-61.8
45-54	859	406,788	368	40.1	36.2-44.0	491	59.9	56.0-63.8
55-64	1216	374,193	535	42.2	38.9-45.5	681	57.8	54.5-61.1
65+	1979	464,721	829	40.8	38.3-43.3	1150	59.2	56.7-61.7
Less Than H.S.	469	291,077	116	25.1	19.6-30.6	353	74.9	69.4-80.4
H.S. or G.E.D.	1967	762,951	744	36.1	33.4-38.8	1223	63.9	61.2-66.6
Some Post-H.S.	1445	726,251	630	45.5	42.2-48.8	815	54.5	51.2-57.8
College Graduate	1495	471,431	804	52.4	49.3-55.5	691	47.6	44.5-50.7
Less than \$15,000	639	262,463	198	31.4	26.1-36.7	441	68.6	63.3-73.9
\$15,000- 24,999	1018	418,048	356	34.5	30.2-38.8	662	65.5	61.2-69.8
\$25,000- 34,999	592	231,921	239	37.6	32.5-42.7	353	62.4	57.3-67.5
\$35,000- 49,999	658	263,830	319	43.0	38.1-47.9	339	57.0	52.1-61.9
\$50,000- 74,999	659	285,108	307	48.0	43.1-52.9	352	52.0	47.1-56.9
\$75,000+	938	442,160	511	50.2	46.1-54.3	427	49.8	45.7-53.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9454	4,484,347	2208	25.6	24.4-26.8	7246	74.4	73.2-75.6
Male	3889	2,159,166	1036	29.3	27.3-31.3	2853	70.7	68.7-72.7
Female	5565	2,325,181	1172	22.1	20.5-23.7	4393	77.9	76.3-79.5
White/Non-Hisp	8250	3,687,881	1879	25.0	23.6-26.4	6371	75.0	73.6-76.4
Black or Afr. Am./Non-Hisp	526	362,583	140	27.7	22.6-32.8	386	72.3	67.2-77.4
Oth. Race/Non-Hisp.	152	93,438	51	40.4	30.2-50.6	101	59.6	49.4-69.8
MultiRacial/Non-Hisp.	104	41,840	29	37.1	23.8-50.4	75	62.9	49.6-76.2
Hispanic	289	236,429	80	25.2	19.3-31.1	209	74.8	68.9-80.7
18-24	477	591,512	215	44.2	39.1-49.3	262	55.8	50.7-60.9
25-34	828	729,554	249	30.2	26.7-33.7	579	69.8	66.3-73.3
35-44	1120	730,690	293	24.5	21.6-27.4	827	75.5	72.6-78.4
45-54	1636	813,652	368	21.1	18.7-23.5	1268	78.9	76.5-81.3
55-64	2106	748,393	443	19.8	17.8-21.8	1663	80.2	78.2-82.2
65+	3214	848,385	613	18.5	16.9-20.1	2601	81.5	79.9-83.1
Less Than H.S.	828	612,063	134	19.2	15.7-22.7	694	80.8	77.3-84.3
H.S. or G.E.D.	3400	1,528,194	613	21.6	19.6-23.6	2787	78.4	76.4-80.4
Some Post-H.S.	2414	1,364,734	575	27.7	25.3-30.1	1839	72.3	69.9-74.7
College Graduate	2793	969,397	881	32.8	30.6-35.0	1912	67.2	65.0-69.4
Less than \$15,000	985	445,081	192	21.7	18.0-25.4	793	78.3	74.6-82.0
\$15,000- 24,999	1596	722,392	328	24.2	21.3-27.1	1268	75.8	72.9-78.7
\$25,000- 34,999	1045	482,031	218	24.4	20.7-28.1	827	75.6	71.9-79.3
\$35,000- 49,999	1240	589,526	271	22.8	19.7-25.9	969	77.2	74.1-80.3
\$50,000- 74,999	1261	625,058	298	25.5	22.2-28.8	963	74.5	71.2-77.8
\$75,000+	1951	994,275	597	31.6	29.1-34.1	1354	68.4	65.9-70.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3889	2,159,166	1036	29.3	27.3-31.3	2853	70.7	68.7-72.7
White/Non-Hisp	3389	1,771,689	869	28.1	26.1-30.1	2520	71.9	69.9-73.9
Black or Afr. Am./Non-Hisp	183	163,781	69	38.3	29.5-47.1	114	61.7	52.9-70.5
Oth. Race/Non-Hisp.	71	49,698	30	50.4	36.5-64.3	41	49.6	35.7-63.5
MultiRacial/Non-Hisp.	50	23,734	15	38.4	20.2-56.6	35	61.6	43.4-79.8
Hispanic	124	113,018	41	30.1	21.1-39.1	83	69.9	60.9-78.9
18-24	254	307,282	135	53.8	46.9-60.7	119	46.2	39.3-53.1
25-34	361	360,421	131	36.1	30.6-41.6	230	63.9	58.4-69.4
35-44	466	357,910	152	29.7	25.0-34.4	314	70.3	65.6-75.0
45-54	758	396,276	177	20.8	17.5-24.1	581	79.2	75.9-82.5
55-64	869	364,819	187	20.0	16.9-23.1	682	80.0	76.9-83.1
65+	1158	365,405	244	19.9	17.2-22.6	914	80.1	77.4-82.8
Less Than H.S.	339	307,648	72	24.3	18.6-30.0	267	75.7	70.0-81.4
H.S. or G.E.D.	1355	739,411	296	26.3	23.2-29.4	1059	73.7	70.6-76.8
Some Post-H.S.	929	617,726	235	29.9	26.0-33.8	694	70.1	66.2-74.0
College Graduate	1255	487,322	428	35.9	32.6-39.2	827	64.1	60.8-67.4
Less than \$15,000	329	173,714	89	30.2	23.5-36.9	240	69.8	63.1-76.5
\$15,000- 24,999	553	296,972	121	25.0	20.1-29.9	432	75.0	70.1-79.9
\$25,000- 34,999	442	248,326	105	28.4	22.5-34.3	337	71.6	65.7-77.5
\$35,000- 49,999	563	319,482	138	26.9	22.2-31.6	425	73.1	68.4-77.8
\$50,000- 74,999	575	327,105	148	27.0	22.1-31.9	427	73.0	68.1-77.9
\$75,000+	999	545,982	323	34.2	30.5-37.9	676	65.8	62.1-69.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5565	2,325,181	1172	22.1	20.5-23.7	4393	77.9	76.3-79.5
White/Non-Hisp	4861	1,916,191	1010	22.2	20.6-23.8	3851	77.8	76.2-79.4
Black or Afr. Am./Non-Hisp	343	198,802	71	19.0	13.7-24.3	272	81.0	75.7-86.3
Oth. Race/Non-Hisp.	81	43,740	21	29.0	15.7-42.3	60	71.0	57.7-84.3
MultiRacial/Non-Hisp.	54	18,106	14	35.5	16.1-54.9	40	64.5	45.1-83.9
Hispanic	165	123,411	39	20.7	13.4-28.0	126	79.3	72.0-86.6
18-24	223	284,230	80	33.8	26.9-40.7	143	66.2	59.3-73.1
25-34	467	369,133	118	24.5	20.0-29.0	349	75.5	71.0-80.0
35-44	654	372,780	141	19.5	16.2-22.8	513	80.5	77.2-83.8
45-54	878	417,376	191	21.4	18.1-24.7	687	78.6	75.3-81.9
55-64	1237	383,574	256	19.7	17.2-22.2	981	80.3	77.8-82.8
65+	2056	482,980	369	17.4	15.4-19.4	1687	82.6	80.6-84.6
Less Than H.S.	489	304,414	62	14.1	09.8-18.4	427	85.9	81.6-90.2
H.S. or G.E.D.	2045	788,783	317	17.1	14.7-19.5	1728	82.9	80.5-85.3
Some Post-H.S.	1485	747,008	340	25.8	22.9-28.7	1145	74.2	71.3-77.1
College Graduate	1538	482,075	453	29.7	27.0-32.4	1085	70.3	67.6-73.0
Less than \$15,000	656	271,368	103	16.3	12.2-20.4	553	83.7	79.6-87.8
\$15,000- 24,999	1043	425,419	207	23.6	19.9-27.3	836	76.4	72.7-80.1
\$25,000- 34,999	603	233,705	113	20.0	15.7-24.3	490	80.0	75.7-84.3
\$35,000- 49,999	677	270,044	133	18.0	14.3-21.7	544	82.0	78.3-85.7
\$50,000- 74,999	686	297,953	150	24.0	19.5-28.5	536	76.0	71.5-80.5
\$75,000+	952	448,293	274	28.4	24.7-32.1	678	71.6	67.9-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9082	4,328,580	1385	16.2	15.2-17.2	2690	27.8	26.6-29.0	720	9.2	08.4-10.0	4287	46.8	45.4-48.2
Male	3756	2,094,370	652	18.6	16.8-20.4	1157	28.6	26.8-30.4	343	10.6	09.2-12.0	1604	42.3	40.3-44.3
Female	5326	2,234,210	733	14.0	12.6-15.4	1533	27.1	25.5-28.7	377	7.8	06.8-08.8	2683	51.0	49.2-52.8
White/Non-Hisp	7942	3,572,422	1207	16.4	15.2-17.6	2443	29.1	27.7-30.5	590	8.6	07.8-09.4	3702	45.9	44.5-47.3
Black or Afr. Am./Non-Hisp	499	346,309	81	17.1	12.8-21.4	113	25.2	19.7-30.7	50	10.2	06.9-13.5	255	47.5	41.6-53.4
Oth. Race/Non-Hisp.	142	85,326	27	23.0	13.6-32.4	33	17.6	10.7-24.5	19	14.7	07.6-21.8	63	44.7	34.1-55.3
MultiRacial/Non-Hisp.	101	40,925	16	18.2	07.2-29.2	21	13.6	05.2-22.0	12	19.3	07.5-31.1	52	48.9	35.8-62.0
Hispanic	280	227,399	44	12.9	08.4-17.4	52	18.1	12.8-23.4	36	13.3	08.6-18.0	148	55.6	48.7-62.5
18-24	468	581,456	137	29.6	24.9-34.3	95	21.1	16.8-25.4	74	14.7	11.2-18.2	162	34.6	29.7-39.5
25-34	810	716,126	141	16.9	14.0-19.8	195	24.5	21.0-28.0	102	13.4	10.7-16.1	372	45.2	41.3-49.1
35-44	1080	701,221	187	16.0	13.5-18.5	311	28.5	25.4-31.6	90	7.8	06.0-09.6	492	47.7	44.2-51.2
45-54	1590	788,375	245	14.5	12.5-16.5	455	27.3	24.8-29.8	116	6.6	05.2-08.0	774	51.6	48.7-54.5
55-64	2048	725,620	299	13.2	11.4-15.0	624	30.5	28.1-32.9	135	6.9	05.5-08.3	990	49.4	46.9-51.9
65+	3060	807,941	376	11.0	09.8-12.2	1010	33.2	31.2-35.2	197	7.0	05.8-08.2	1477	48.8	46.6-51.0
Less Than H.S.	782	582,748	67	10.8	07.7-13.9	160	20.8	17.1-24.5	62	8.7	06.2-11.2	493	59.7	55.2-64.2
H.S. or G.E.D.	3261	1,471,862	367	13.3	11.5-15.1	941	27.5	25.5-29.5	215	8.0	06.6-09.4	1738	51.1	48.7-53.5
Some Post-H.S.	2323	1,319,699	341	17.1	14.9-19.3	691	28.7	26.3-31.1	201	10.0	08.4-11.6	1090	44.3	41.8-46.8
College Graduate	2700	945,124	608	22.9	20.9-24.9	894	31.5	29.3-33.7	240	10.0	08.6-11.4	958	35.6	33.4-37.8
Less than \$15,000	945	425,708	98	12.1	09.2-15.0	219	23.0	19.1-26.9	88	9.7	07.2-12.2	540	55.1	50.6-59.6
\$15,000- 24,999	1545	704,835	191	14.5	12.0-17.0	376	23.3	20.2-26.4	123	9.3	07.3-11.3	855	52.9	49.4-56.4
\$25,000- 34,999	1011	469,073	123	12.7	09.8-15.6	295	26.6	23.1-30.1	84	11.4	08.5-14.3	509	49.4	45.3-53.5
\$35,000- 49,999	1195	570,196	190	15.8	13.1-18.5	393	30.3	27.0-33.6	70	6.8	04.8-08.8	542	47.0	43.3-50.7
\$50,000- 74,999	1217	606,225	204	18.1	15.2-21.0	380	29.5	26.2-32.8	87	7.6	05.4-09.8	546	44.9	41.4-48.4
\$75,000+	1905	970,830	403	21.1	18.7-23.5	652	32.0	29.5-34.5	174	10.1	08.3-11.9	676	36.8	34.1-39.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3756	2,094,370	652	18.6	16.8-20.4	1157	28.6	26.8-30.4	343	10.6	09.2-12.0	1604	42.3	40.3-44.3
White/Non-Hisp	3281	1,723,021	554	18.0	16.2-19.8	1051	29.6	27.6-31.6	280	9.8	08.4-11.2	1396	42.6	40.4-44.8
Black or Afr. Am./Non-Hisp	175	157,581	42	24.0	16.0-32.0	38	28.3	18.7-37.9	23	13.6	07.5-19.7	72	34.1	25.5-42.7
Oth. Race/Non-Hisp.	69	48,385	16	30.5	16.4-44.6	13	16.1	06.9-25.3	14	21.3	09.9-32.7	26	32.1	19.4-44.8
Hispanic	118	107,713	23	17.6	10.0-25.2	26	20.9	12.7-29.1	18	14.0	06.9-21.1	51	47.5	37.1-57.9
18-24	252	304,654	97	39.1	32.2-46.0	50	20.3	14.8-25.8	37	14.9	10.0-19.8	68	25.7	19.6-31.8
25-34	354	355,323	65	17.7	13.2-22.2	82	24.4	19.1-29.7	63	18.4	13.9-22.9	144	39.5	33.8-45.2
35-44	450	343,847	92	18.6	14.7-22.5	120	28.0	22.9-33.1	53	10.2	07.3-13.1	185	43.2	37.7-48.7
45-54	738	384,539	122	14.9	12.0-17.8	212	28.5	24.8-32.2	51	5.9	03.9-07.9	353	50.7	46.4-55.0
55-64	844	353,688	123	13.0	10.5-15.5	273	32.6	28.9-36.3	60	7.1	04.9-09.3	388	47.3	43.4-51.2
65+	1109	349,300	153	11.8	09.8-13.8	420	36.7	33.4-40.0	78	7.7	05.7-09.7	458	43.7	40.2-47.2
Less Than H.S.	320	295,504	35	13.6	08.7-18.5	79	24.4	18.5-30.3	34	10.7	06.6-14.8	172	51.3	44.4-58.2
H.S. or G.E.D.	1314	718,036	176	17.1	14.2-20.0	398	28.8	25.7-31.9	107	8.9	06.9-10.9	633	45.2	41.9-48.5
Some Post-H.S.	894	597,972	137	17.6	14.3-20.9	274	28.5	25.0-32.0	88	12.1	09.2-15.0	395	41.8	37.9-45.7
College Graduate	1219	476,089	302	25.3	22.4-28.2	405	31.2	28.1-34.3	112	10.7	08.5-12.9	400	32.8	29.7-35.9
Less than \$15,000	311	165,708	46	17.4	11.5-23.3	74	23.3	17.0-29.6	39	13.0	08.3-17.7	152	46.3	39.0-53.6
\$15,000- 24,999	539	290,387	75	16.1	11.8-20.4	141	26.4	21.3-31.5	43	8.9	05.8-12.0	280	48.6	42.9-54.3
\$25,000- 34,999	426	241,204	53	14.3	09.4-19.2	130	26.9	21.8-32.0	46	13.6	09.1-18.1	197	45.2	39.1-51.3
\$35,000- 49,999	545	309,769	90	18.2	13.9-22.5	180	30.6	25.9-35.3	43	8.7	05.6-11.8	232	42.5	37.2-47.8
\$50,000- 74,999	563	322,331	107	18.9	14.6-23.2	175	28.5	23.6-33.4	39	8.3	05.0-11.6	242	44.3	39.0-49.6
\$75,000+	971	530,242	216	23.1	19.6-26.6	331	32.4	28.9-35.9	96	10.7	08.2-13.2	328	33.7	30.0-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5326	2,234,210	733	14.0	12.6-15.4	1533	27.1	25.5-28.7	377	7.8	06.8-08.8	2683	51.0	49.2-52.8
White/Non-Hisp	4661	1,849,401	653	14.8	13.4-16.2	1392	28.7	26.9-30.5	310	7.4	06.4-08.4	2306	49.1	47.1-51.1
Black or Afr. Am./Non-Hisp	324	188,728	39	11.2	06.9-15.5	75	22.7	17.0-28.4	27	7.3	03.6-11.0	183	58.8	51.7-65.9
Oth. Race/Non-Hisp.	73	36,941	11	13.2	03.6-22.8	20	19.6	09.6-29.6	5	6.0	00.3-11.7	37	61.2	47.1-75.3
MultiRacial/Non-Hisp.	53	17,913	5	8.3	00.0-18.9	9	7.7	00.8-14.6	8	26.5	07.3-45.7	31	57.5	38.3-76.7
Hispanic	162	119,687	21	8.7	04.0-13.4	26	15.7	09.0-22.4	18	12.6	06.3-18.9	97	62.9	54.1-71.7
18-24	216	276,802	40	19.1	13.2-25.0	45	22.0	15.5-28.5	37	14.4	09.5-19.3	94	44.4	37.0-51.8
25-34	456	360,803	76	16.1	12.2-20.0	113	24.6	20.1-29.1	39	8.6	05.7-11.5	228	50.8	45.3-56.3
35-44	630	357,375	95	13.5	10.6-16.4	191	29.1	25.0-33.2	37	5.4	03.4-07.4	307	52.1	47.6-56.6
45-54	852	403,836	123	14.1	11.4-16.8	243	26.2	22.9-29.5	65	7.2	05.0-09.4	421	52.5	48.4-56.6
55-64	1204	371,932	176	13.4	11.2-15.6	351	28.6	25.7-31.5	75	6.7	04.9-08.5	602	51.4	48.1-54.7
65+	1951	458,641	223	10.3	08.7-11.9	590	30.5	28.0-33.0	119	6.5	05.1-07.9	1019	52.7	50.0-55.4
Less Than H.S.	462	287,244	32	8.0	04.3-11.7	81	17.0	12.1-21.9	28	6.5	03.6-09.4	321	68.5	62.6-74.4
H.S. or G.E.D.	1947	753,826	191	9.8	08.0-11.6	543	26.4	23.9-28.9	108	7.1	05.3-08.9	1105	56.7	53.8-59.6
Some Post-H.S.	1429	721,727	204	16.7	14.0-19.4	417	28.8	25.7-31.9	113	8.2	06.4-10.0	695	46.3	43.0-49.6
College Graduate	1481	469,035	306	20.5	18.0-23.0	489	31.8	28.9-34.7	128	9.2	07.4-11.0	558	38.5	35.4-41.6
Less than \$15,000	634	260,000	52	8.7	05.6-11.8	145	22.9	18.0-27.8	49	7.6	04.5-10.7	388	60.8	55.1-66.5
\$15,000- 24,999	1006	414,447	116	13.4	10.1-16.7	235	21.2	17.5-24.9	80	9.6	07.1-12.1	575	55.8	51.3-60.3
\$25,000- 34,999	585	227,869	70	11.0	07.9-14.1	165	26.2	21.7-30.7	38	9.0	05.5-12.5	312	53.8	48.5-59.1
\$35,000- 49,999	650	260,427	100	13.0	09.9-16.1	213	30.0	25.5-34.5	27	4.5	02.5-06.5	310	52.5	47.4-57.6
\$50,000- 74,999	654	283,894	97	17.1	13.0-21.2	205	30.6	26.1-35.1	48	6.7	04.0-09.4	304	45.5	40.6-50.4
\$75,000+	934	440,588	187	18.7	15.6-21.8	321	31.4	27.7-35.1	78	9.4	06.9-11.9	348	40.5	36.4-44.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9082	4,328,580	1385	16.2	15.2-17.2	7697	83.8	82.8-84.8
Male	3756	2,094,370	652	18.6	16.8-20.4	3104	81.4	79.6-83.2
Female	5326	2,234,210	733	14.0	12.6-15.4	4593	86.0	84.6-87.4
White/Non-Hisp	7942	3,572,422	1207	16.4	15.2-17.6	6735	83.6	82.4-84.8
Black or Afr. Am./Non-Hisp	499	346,309	81	17.1	12.8-21.4	418	82.9	78.6-87.2
Oth. Race/Non-Hisp.	142	85,326	27	23.0	13.6-32.4	115	77.0	67.6-86.4
MultiRacial/Non-Hisp.	101	40,925	16	18.2	07.2-29.2	85	81.8	70.8-92.8
Hispanic	280	227,399	44	12.9	08.4-17.4	236	87.1	82.6-91.6
18-24	468	581,456	137	29.6	24.9-34.3	331	70.4	65.7-75.1
25-34	810	716,126	141	16.9	14.0-19.8	669	83.1	80.2-86.0
35-44	1080	701,221	187	16.0	13.5-18.5	893	84.0	81.5-86.5
45-54	1590	788,375	245	14.5	12.5-16.5	1345	85.5	83.5-87.5
55-64	2048	725,620	299	13.2	11.4-15.0	1749	86.8	85.0-88.6
65+	3060	807,941	376	11.0	09.8-12.2	2684	89.0	87.8-90.2
Less Than H.S.	782	582,748	67	10.8	07.7-13.9	715	89.2	86.1-92.3
H.S. or G.E.D.	3261	1,471,862	367	13.3	11.5-15.1	2894	86.7	84.9-88.5
Some Post-H.S.	2323	1,319,699	341	17.1	14.9-19.3	1982	82.9	80.7-85.1
College Graduate	2700	945,124	608	22.9	20.9-24.9	2092	77.1	75.1-79.1
Less than \$15,000	945	425,708	98	12.1	09.2-15.0	847	87.9	85.0-90.8
\$15,000- 24,999	1545	704,835	191	14.5	12.0-17.0	1354	85.5	83.0-88.0
\$25,000- 34,999	1011	469,073	123	12.7	09.8-15.6	888	87.3	84.4-90.2
\$35,000- 49,999	1195	570,196	190	15.8	13.1-18.5	1005	84.2	81.5-86.9
\$50,000- 74,999	1217	606,225	204	18.1	15.2-21.0	1013	81.9	79.0-84.8
\$75,000+	1905	970,830	403	21.1	18.7-23.5	1502	78.9	76.5-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3756	2,094,370	652	18.6	16.8-20.4	3104	81.4	79.6-83.2
White/Non-Hisp	3281	1,723,021	554	18.0	16.2-19.8	2727	82.0	80.2-83.8
Black or Afr. Am./Non-Hisp	175	157,581	42	24.0	16.0-32.0	133	76.0	68.0-84.0
Oth. Race/Non-Hisp.	69	48,385	16	30.5	16.4-44.6	53	69.5	55.4-83.6
Hispanic	118	107,713	23	17.6	10.0-25.2	95	82.4	74.8-90.0
18-24	252	304,654	97	39.1	32.2-46.0	155	60.9	54.0-67.8
25-34	354	355,323	65	17.7	13.2-22.2	289	82.3	77.8-86.8
35-44	450	343,847	92	18.6	14.7-22.5	358	81.4	77.5-85.3
45-54	738	384,539	122	14.9	12.0-17.8	616	85.1	82.2-88.0
55-64	844	353,688	123	13.0	10.5-15.5	721	87.0	84.5-89.5
65+	1109	349,300	153	11.8	09.8-13.8	956	88.2	86.2-90.2
Less Than H.S.	320	295,504	35	13.6	08.7-18.5	285	86.4	81.5-91.3
H.S. or G.E.D.	1314	718,036	176	17.1	14.2-20.0	1138	82.9	80.0-85.8
Some Post-H.S.	894	597,972	137	17.6	14.3-20.9	757	82.4	79.1-85.7
College Graduate	1219	476,089	302	25.3	22.4-28.2	917	74.7	71.8-77.6
Less than \$15,000	311	165,708	46	17.4	11.5-23.3	265	82.6	76.7-88.5
\$15,000- 24,999	539	290,387	75	16.1	11.8-20.4	464	83.9	79.6-88.2
\$25,000- 34,999	426	241,204	53	14.3	09.4-19.2	373	85.7	80.8-90.6
\$35,000- 49,999	545	309,769	90	18.2	13.9-22.5	455	81.8	77.5-86.1
\$50,000- 74,999	563	322,331	107	18.9	14.6-23.2	456	81.1	76.8-85.4
\$75,000+	971	530,242	216	23.1	19.6-26.6	755	76.9	73.4-80.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5326	2,234,210	733	14.0	12.6-15.4	4593	86.0	84.6-87.4
White/Non-Hisp	4661	1,849,401	653	14.8	13.4-16.2	4008	85.2	83.8-86.6
Black or Afr. Am./Non-Hisp	324	188,728	39	11.2	06.9-15.5	285	88.8	84.5-93.1
Oth. Race/Non-Hisp.	73	36,941	11	13.2	03.6-22.8	62	86.8	77.2-96.4
MultiRacial/Non-Hisp.	53	17,913	5	8.3	00.0-18.9	48	91.7	81.1-0100
Hispanic	162	119,687	21	8.7	04.0-13.4	141	91.3	86.6-96.0
18-24	216	276,802	40	19.1	13.2-25.0	176	80.9	75.0-86.8
25-34	456	360,803	76	16.1	12.2-20.0	380	83.9	80.0-87.8
35-44	630	357,375	95	13.5	10.6-16.4	535	86.5	83.6-89.4
45-54	852	403,836	123	14.1	11.4-16.8	729	85.9	83.2-88.6
55-64	1204	371,932	176	13.4	11.2-15.6	1028	86.6	84.4-88.8
65+	1951	458,641	223	10.3	08.7-11.9	1728	89.7	88.1-91.3
Less Than H.S.	462	287,244	32	8.0	04.3-11.7	430	92.0	88.3-95.7
H.S. or G.E.D.	1947	753,826	191	9.8	08.0-11.6	1756	90.2	88.4-92.0
Some Post-H.S.	1429	721,727	204	16.7	14.0-19.4	1225	83.3	80.6-86.0
College Graduate	1481	469,035	306	20.5	18.0-23.0	1175	79.5	77.0-82.0
Less than \$15,000	634	260,000	52	8.7	05.6-11.8	582	91.3	88.2-94.4
\$15,000- 24,999	1006	414,447	116	13.4	10.1-16.7	890	86.6	83.3-89.9
\$25,000- 34,999	585	227,869	70	11.0	07.9-14.1	515	89.0	85.9-92.1
\$35,000- 49,999	650	260,427	100	13.0	09.9-16.1	550	87.0	83.9-90.1
\$50,000- 74,999	654	283,894	97	17.1	13.0-21.2	557	82.9	78.8-87.0
\$75,000+	934	440,588	187	18.7	15.6-21.8	747	81.3	78.2-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 13: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	166
2	MALES ONLY	167
3	FEMALES ONLY	168
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	169
5	MALES ONLY	170
6	FEMALES ONLY	171
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	172
8	MALES ONLY	173
9	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9973	4,830,670	1719	13.1	12.3-13.9	1763	13.1	12.3-13.9	6491	73.8	72.8-74.8
Male	4142	2,350,095	520	10.3	09.1-11.5	632	11.6	10.4-12.8	2990	78.1	76.5-79.7
Female	5831	2,480,575	1199	15.7	14.5-16.9	1131	14.6	13.6-15.6	3501	69.7	68.3-71.1
White/Non-Hisp	8672	3,950,739	1507	13.3	12.5-14.1	1612	14.4	13.6-15.2	5553	72.3	71.1-73.5
Black or Afr. Am./Non-Hisp	565	398,417	94	12.5	09.6-15.4	72	9.8	07.1-12.5	399	77.7	73.8-81.6
Oth. Race/Non-Hisp.	163	101,059	30	14.7	08.0-21.4	17	5.7	02.4-09.0	116	79.6	72.3-86.9
MultiRacial/Non-Hisp.	108	43,636	38	25.4	16.0-34.8	18	11.3	04.4-18.2	52	63.2	52.0-74.4
Hispanic	312	264,568	25	7.7	04.2-11.2	19	3.3	01.5-05.1	268	89.0	85.1-92.9
18-24	535	675,281	7	1.7	00.3-03.1	8	1.9	00.5-03.3	520	96.5	94.5-98.5
25-34	908	805,969	48	5.1	03.3-06.9	38	4.0	02.6-05.4	822	90.9	88.7-93.1
35-44	1217	801,577	100	8.4	06.6-10.2	95	8.0	06.2-09.8	1022	83.6	81.1-86.1
45-54	1717	859,449	282	16.5	14.3-18.7	213	12.8	10.8-14.8	1222	70.7	68.2-73.2
55-64	2185	781,073	461	20.3	18.1-22.5	437	19.6	17.6-21.6	1287	60.0	57.5-62.5
65+	3319	877,219	805	23.4	21.6-25.2	959	29.3	27.3-31.3	1555	47.2	45.0-49.4
Less Than H.S.	881	661,811	217	18.1	15.2-21.0	150	11.4	09.0-13.8	514	70.5	67.0-74.0
H.S. or G.E.D.	3631	1,680,053	701	14.3	12.9-15.7	728	15.1	13.7-16.5	2202	70.5	68.7-72.3
Some Post-H.S.	2536	1,465,213	449	12.7	11.3-14.1	453	13.2	11.6-14.8	1634	74.0	72.0-76.0
College Graduate	2898	1,011,591	349	8.3	07.3-09.3	428	10.7	09.5-11.9	2121	81.0	79.4-82.6
Less than \$15,000	1019	473,970	327	23.5	20.2-26.8	155	9.5	07.5-11.5	537	67.0	63.3-70.7
\$15,000- 24,999	1687	787,404	409	18.4	16.0-20.8	328	13.9	11.9-15.9	950	67.8	65.1-70.5
\$25,000- 34,999	1098	511,442	202	14.8	12.3-17.3	224	14.7	12.3-17.1	672	70.5	67.2-73.8
\$35,000- 49,999	1312	637,419	196	12.1	10.1-14.1	248	14.0	11.8-16.2	868	74.0	71.3-76.7
\$50,000- 74,999	1321	664,075	160	9.0	07.4-10.6	235	14.7	12.3-17.1	926	76.3	73.6-79.0
\$75,000+	2028	1,050,762	173	7.4	06.0-08.8	285	11.6	10.0-13.2	1570	80.9	78.9-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4142	2,350,095	520	10.3	09.1-11.5	632	11.6	10.4-12.8	2990	78.1	76.5-79.7
White/Non-Hisp	3584	1,910,719	452	10.5	09.3-11.7	582	12.9	11.7-14.1	2550	76.6	75.0-78.2
Black or Afr. Am./Non-Hisp	202	184,472	23	9.2	04.9-13.5	20	7.6	03.7-11.5	159	83.2	77.5-88.9
Oth. Race/Non-Hisp.	80	55,826	8	8.1	00.7-15.5	6	4.8	00.1-09.5	66	87.1	78.5-95.7
MultiRacial/Non-Hisp.	51	23,829	17	27.5	13.4-41.6	7	8.3	01.0-15.6	27	64.1	48.6-79.6
Hispanic	140	132,681	9	7.8	02.3-13.3	6	2.2	00.2-04.2	125	90.0	84.3-95.7
18-24	281	344,511	4	2.1	00.0-04.3	2	1.4	00.0-03.6	275	96.5	93.6-99.4
25-34	402	405,637	20	5.6	02.9-08.3	12	2.4	00.8-04.0	370	92.0	88.9-95.1
35-44	509	400,019	26	5.1	02.7-07.5	40	7.7	05.2-10.2	443	87.2	83.9-90.5
45-54	806	427,938	104	13.3	10.4-16.2	84	10.6	08.1-13.1	618	76.1	72.6-79.6
55-64	908	383,013	163	19.1	16.0-22.2	181	20.1	17.0-23.2	564	60.8	57.1-64.5
65+	1206	378,928	199	16.1	13.6-18.6	311	27.5	24.4-30.6	696	56.4	53.1-59.7
Less Than H.S.	364	330,232	69	16.5	12.0-21.0	43	8.0	05.3-10.7	252	75.5	70.4-80.6
H.S. or G.E.D.	1460	824,512	199	10.0	08.2-11.8	252	12.8	11.0-14.6	1009	77.2	74.8-79.6
Some Post-H.S.	996	677,949	144	11.0	08.8-13.2	166	13.2	10.8-15.6	686	75.8	72.9-78.7
College Graduate	1305	508,656	107	6.2	04.8-07.6	168	9.7	07.9-11.5	1030	84.1	81.9-86.3
Less than \$15,000	344	186,096	97	23.6	17.9-29.3	42	8.1	05.0-11.2	205	68.2	61.9-74.5
\$15,000- 24,999	605	332,346	115	15.9	12.2-19.6	94	10.2	07.8-12.6	396	73.9	69.8-78.0
\$25,000- 34,999	470	263,189	63	10.6	07.5-13.7	78	12.4	09.1-15.7	329	77.0	72.7-81.3
\$35,000- 49,999	600	350,405	75	9.9	07.4-12.4	98	12.2	09.5-14.9	427	78.0	74.3-81.7
\$50,000- 74,999	606	349,851	53	7.2	05.0-09.4	98	14.1	10.8-17.4	455	78.7	74.8-82.6
\$75,000+	1035	576,574	76	6.9	04.9-08.9	151	12.4	10.0-14.8	808	80.7	77.8-83.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5831	2,480,575	1199	15.7	14.5-16.9	1131	14.6	13.6-15.6	3501	69.7	68.3-71.1
White/Non-Hisp	5088	2,040,020	1055	16.0	14.8-17.2	1030	15.7	14.5-16.9	3003	68.3	66.7-69.9
Black or Afr. Am./Non-Hisp	363	213,945	71	15.4	11.3-19.5	52	11.6	07.7-15.5	240	73.0	67.5-78.5
Oth. Race/Non-Hisp.	83	45,233	22	22.9	11.5-34.3	11	6.9	01.8-12.0	50	70.2	58.0-82.4
MultiRacial/Non-Hisp.	57	19,807	21	22.9	10.7-35.1	11	15.0	02.8-27.2	25	62.2	46.1-78.3
Hispanic	172	131,887	16	7.7	03.2-12.2	13	4.3	01.6-07.0	143	87.9	82.6-93.2
18-24	254	330,770	3	1.2	00.0-02.6	6	2.4	00.4-04.4	245	96.4	94.0-98.8
25-34	506	400,332	28	4.7	02.7-06.7	26	5.6	03.2-08.0	452	89.7	86.6-92.8
35-44	708	401,557	74	11.8	08.9-14.7	55	8.3	05.8-10.8	579	79.9	76.4-83.4
45-54	911	431,511	178	19.7	16.6-22.8	129	14.9	12.2-17.6	604	65.4	61.7-69.1
55-64	1277	398,060	298	21.5	18.8-24.2	256	19.2	16.7-21.7	723	59.3	56.2-62.4
65+	2113	498,290	606	29.0	26.6-31.4	648	30.7	28.3-33.1	859	40.3	37.8-42.8
Less Than H.S.	517	331,579	148	19.7	15.8-23.6	107	14.8	11.1-18.5	262	65.5	60.4-70.6
H.S. or G.E.D.	2171	855,541	502	18.5	16.5-20.5	476	17.4	15.4-19.4	1193	64.1	61.6-66.6
Some Post-H.S.	1540	787,264	305	14.3	12.3-16.3	287	13.2	11.2-15.2	948	72.5	70.0-75.0
College Graduate	1593	502,935	242	10.4	08.8-12.0	260	11.8	10.0-13.6	1091	77.8	75.6-80.0
Less than \$15,000	675	287,874	230	23.4	19.5-27.3	113	10.3	07.8-12.8	332	66.3	61.6-71.0
\$15,000- 24,999	1082	455,058	294	20.2	17.3-23.1	234	16.5	13.8-19.2	554	63.3	59.6-67.0
\$25,000- 34,999	628	248,253	139	19.2	15.5-22.9	146	17.2	13.9-20.5	343	63.6	58.9-68.3
\$35,000- 49,999	712	287,013	121	14.7	11.6-17.8	150	16.2	13.1-19.3	441	69.1	64.8-73.4
\$50,000- 74,999	715	314,224	107	10.9	08.5-13.3	137	15.4	12.3-18.5	471	73.7	70.0-77.4
\$75,000+	993	474,188	97	8.1	06.3-09.9	134	10.7	08.5-12.9	762	81.2	78.5-83.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9888	4,801,058	1128	9.5	08.7-10.3	2269	16.3	15.5-17.1	6491	74.2	73.2-75.2
Male	4118	2,338,486	356	7.6	06.6-08.6	772	14.0	12.8-15.2	2990	78.5	77.1-79.9
Female	5770	2,462,572	772	11.3	10.3-12.3	1497	18.5	17.3-19.7	3501	70.2	68.8-71.6
White/Non-Hisp	8599	3,926,163	958	9.3	08.5-10.1	2088	17.9	16.9-18.9	5553	72.8	71.6-74.0
Black or Afr. Am./Non-Hisp	560	395,640	74	10.8	07.9-13.7	87	10.9	08.2-13.6	399	78.3	74.4-82.2
Oth. Race/Non-Hisp.	162	100,797	27	13.3	06.8-19.8	19	7.0	03.1-10.9	116	79.8	72.5-87.1
MultiRacial/Non-Hisp.	108	43,582	31	22.2	13.2-31.2	25	14.5	07.1-21.9	52	63.3	52.1-74.5
Hispanic	310	264,171	22	6.1	03.0-09.2	20	4.8	02.3-07.3	268	89.1	85.2-93.0
18-24	535	675,281	6	1.4	00.2-02.6	9	2.2	00.6-03.8	520	96.5	94.5-98.5
25-34	908	805,231	48	5.3	03.5-07.1	38	3.7	02.3-05.1	822	91.0	88.8-93.2
35-44	1216	801,245	81	7.2	05.4-09.0	113	9.2	07.2-11.2	1022	83.6	81.1-86.1
45-54	1708	854,091	226	13.8	11.8-15.8	260	15.0	13.0-17.0	1222	71.2	68.7-73.7
55-64	2167	776,524	349	15.2	13.4-17.0	531	24.4	22.2-26.6	1287	60.4	57.9-62.9
65+	3264	859,430	410	12.3	10.9-13.7	1299	39.5	37.5-41.5	1555	48.2	46.0-50.4
Less Than H.S.	868	651,798	169	15.2	12.3-18.1	185	13.2	10.8-15.6	514	71.6	68.1-75.1
H.S. or G.E.D.	3582	1,667,134	498	11.2	10.0-12.4	882	17.7	16.3-19.1	2202	71.1	69.3-72.9
Some Post-H.S.	2520	1,459,615	299	8.9	07.7-10.1	587	16.8	15.2-18.4	1634	74.3	72.3-76.3
College Graduate	2891	1,010,510	159	3.8	03.0-04.6	611	15.1	13.7-16.5	2121	81.0	79.4-82.6
Less than \$15,000	1004	467,318	258	19.9	16.8-23.0	209	12.1	09.9-14.3	537	68.0	64.3-71.7
\$15,000- 24,999	1662	779,991	286	15.2	13.0-17.4	426	16.4	14.4-18.4	950	68.4	65.7-71.1
\$25,000- 34,999	1088	508,677	137	11.2	09.0-13.4	279	18.0	15.5-20.5	672	70.9	67.6-74.2
\$35,000- 49,999	1304	635,229	141	9.6	07.6-11.6	295	16.2	14.0-18.4	868	74.2	71.5-76.9
\$50,000- 74,999	1315	661,520	85	5.3	03.9-06.7	304	18.1	15.6-20.6	926	76.6	73.9-79.3
\$75,000+	2029	1,051,227	91	4.4	03.2-05.6	368	14.7	12.9-16.5	1570	80.9	78.9-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4118	2,338,486	356	7.6	06.6-08.6	772	14.0	12.8-15.2	2990	78.5	77.1-79.9
White/Non-Hisp	3564	1,900,205	302	7.5	06.5-08.5	712	15.5	14.1-16.9	2550	77.0	75.4-78.6
Black or Afr. Am./Non-Hisp	201	184,294	19	8.4	03.9-12.9	23	8.3	04.6-12.0	159	83.3	77.6-89.0
Oth. Race/Non-Hisp.	80	55,826	7	7.2	00.0-14.5	7	5.7	00.6-10.8	66	87.1	78.5-95.7
MultiRacial/Non-Hisp.	51	23,829	14	23.9	10.4-37.4	10	11.9	03.5-20.3	27	64.1	48.6-79.6
Hispanic	139	132,412	6	5.3	00.8-09.8	8	4.5	00.8-08.2	125	90.2	84.5-95.9
18-24	281	344,511	3	1.6	00.0-03.6	3	1.9	00.0-04.3	275	96.5	93.6-99.4
25-34	402	404,899	16	4.6	02.2-07.0	16	3.3	01.5-05.1	370	92.2	89.3-95.1
35-44	509	400,019	22	4.7	02.5-06.9	44	8.1	05.6-10.6	443	87.2	83.9-90.5
45-54	804	425,051	90	11.2	08.7-13.7	96	12.2	09.5-14.9	618	76.6	73.1-80.1
55-64	901	380,143	125	14.4	11.7-17.1	212	24.3	21.0-27.6	564	61.2	57.5-64.9
65+	1191	373,814	97	8.3	06.5-10.1	398	34.6	31.3-37.9	696	57.1	53.8-60.4
Less Than H.S.	359	324,729	53	13.2	08.9-17.5	54	10.0	06.9-13.1	252	76.8	71.7-81.9
H.S. or G.E.D.	1449	821,462	157	8.7	07.1-10.3	283	13.8	11.8-15.8	1009	77.5	75.1-79.9
Some Post-H.S.	990	675,622	100	7.4	05.6-09.2	204	16.5	14.0-19.0	686	76.1	73.2-79.0
College Graduate	1303	507,929	44	2.4	01.6-03.2	229	13.3	11.3-15.3	1030	84.3	82.1-86.5
Less than \$15,000	337	182,242	75	19.1	13.8-24.4	57	11.3	07.6-15.0	205	69.7	63.6-75.8
\$15,000- 24,999	599	331,380	85	12.0	08.9-15.1	118	13.9	10.8-17.0	396	74.1	69.8-78.4
\$25,000- 34,999	466	261,082	48	9.1	06.2-12.0	89	13.3	10.0-16.6	329	77.6	73.3-81.9
\$35,000- 49,999	598	349,457	58	8.3	05.9-10.7	113	13.5	10.6-16.4	427	78.2	74.5-81.9
\$50,000- 74,999	602	347,941	36	5.5	03.5-07.5	111	15.4	11.9-18.9	455	79.1	75.2-83.0
\$75,000+	1036	577,162	34	3.7	01.9-05.5	194	15.6	13.1-18.1	808	80.6	77.7-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5770	2,462,572	772	11.3	10.3-12.3	1497	18.5	17.3-19.7	3501	70.2	68.8-71.6
White/Non-Hisp	5035	2,025,959	656	11.1	10.1-12.1	1376	20.2	18.8-21.6	3003	68.8	67.2-70.4
Black or Afr. Am./Non-Hisp	359	211,345	55	12.9	09.0-16.8	64	13.2	09.3-17.1	240	73.9	68.6-79.2
Oth. Race/Non-Hisp.	82	44,970	20	20.8	09.8-31.8	12	8.6	02.3-14.9	50	70.6	58.4-82.8
MultiRacial/Non-Hisp.	57	19,753	17	20.1	08.5-31.7	15	17.6	05.1-30.1	25	62.3	46.2-78.4
Hispanic	171	131,759	16	6.9	02.8-11.0	12	5.1	01.6-08.6	143	88.0	82.7-93.3
18-24	254	330,770	3	1.2	00.0-02.6	6	2.5	00.5-04.5	245	96.4	94.0-98.8
25-34	506	400,332	32	6.1	03.6-08.6	22	4.2	02.2-06.2	452	89.7	86.6-92.8
35-44	707	401,226	59	9.7	07.0-12.4	69	10.3	07.6-13.0	579	80.0	76.5-83.5
45-54	904	429,040	136	16.4	13.5-19.3	164	17.8	14.9-20.7	604	65.8	62.1-69.5
55-64	1266	396,380	224	16.0	13.6-18.4	319	24.5	21.8-27.2	723	59.6	56.5-62.7
65+	2073	485,616	313	15.3	13.3-17.3	901	43.3	40.8-45.8	859	41.3	38.8-43.8
Less Than H.S.	509	327,069	116	17.1	13.2-21.0	131	16.4	12.9-19.9	262	66.4	61.3-71.5
H.S. or G.E.D.	2133	845,672	341	13.6	11.8-15.4	599	21.5	19.3-23.7	1193	64.9	62.4-67.4
Some Post-H.S.	1530	783,994	199	10.1	08.3-11.9	383	17.1	14.9-19.3	948	72.8	70.3-75.3
College Graduate	1588	502,581	115	5.2	04.0-06.4	382	17.0	15.0-19.0	1091	77.8	75.6-80.0
Less than \$15,000	667	285,076	183	20.4	16.7-24.1	152	12.7	10.0-15.4	332	66.9	62.2-71.6
\$15,000- 24,999	1063	448,611	201	17.5	14.6-20.4	308	18.3	15.8-20.8	554	64.2	60.5-67.9
\$25,000- 34,999	622	247,596	89	13.3	10.0-16.6	190	22.9	19.0-26.8	343	63.8	59.1-68.5
\$35,000- 49,999	706	285,772	83	11.2	08.3-14.1	182	19.4	16.1-22.7	441	69.4	65.1-73.7
\$50,000- 74,999	713	313,579	49	5.1	03.3-06.9	193	21.0	17.5-24.5	471	73.8	70.1-77.5
\$75,000+	993	474,065	57	5.2	03.6-06.8	174	13.6	11.2-16.0	762	81.2	78.5-83.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9975	4,832,100	672	5.2	04.6-05.8	854	6.7	06.1-07.3	1958	14.4	13.6-15.2	6491	73.8	72.8-74.8
Male	4141	2,350,217	185	3.7	02.9-04.5	242	4.9	04.1-05.7	724	13.3	12.1-14.5	2990	78.1	76.5-79.7
Female	5834	2,481,883	487	6.5	05.7-07.3	612	8.4	07.6-09.2	1234	15.4	14.4-16.4	3501	69.7	68.3-71.1
White/Non-Hisp	8671	3,951,577	557	5.1	04.5-05.7	758	6.8	06.2-07.4	1803	15.8	14.8-16.8	5553	72.3	71.1-73.5
Black or Afr. Am./Non-Hisp	567	399,223	52	5.8	03.8-07.8	47	6.6	04.4-08.8	69	10.0	07.3-12.7	399	77.6	73.7-81.5
Oth. Race/Non-Hisp.	164	101,253	12	6.7	01.6-11.8	15	7.7	03.0-12.4	21	6.2	02.9-09.5	116	79.4	72.1-86.7
MultiRacial/Non-Hisp.	109	43,706	25	16.0	08.4-23.6	13	9.3	03.6-15.0	19	11.6	04.7-18.5	52	63.1	51.9-74.3
Hispanic	311	264,090	12	2.5	00.7-04.3	11	4.1	01.4-06.8	20	4.2	02.0-06.4	268	89.2	85.3-93.1
18-24	535	675,281	1	0.1	00.0-00.3	8	1.9	00.5-03.3	6	1.5	00.1-02.9	520	96.5	94.5-98.5
25-34	909	806,912	16	2.1	00.9-03.3	34	3.6	02.2-05.0	37	3.6	02.2-05.0	822	90.8	88.6-93.0
35-44	1218	802,093	36	2.7	01.5-03.9	56	4.9	03.5-06.3	104	8.8	06.8-10.8	1022	83.5	81.0-86.0
45-54	1715	858,812	141	9.1	07.3-10.9	111	6.5	05.1-07.9	241	13.6	11.6-15.6	1222	70.8	68.3-73.3
55-64	2187	781,672	193	7.6	06.2-09.0	230	9.8	08.4-11.2	477	22.6	20.4-24.8	1287	60.0	57.5-62.5
65+	3320	877,153	281	8.1	06.9-09.3	409	12.2	10.8-13.6	1075	32.5	30.5-34.5	1555	47.2	45.0-49.4
Less Than H.S.	881	661,223	127	9.8	07.6-12.0	90	7.8	05.6-10.0	150	11.9	09.5-14.3	514	70.6	67.1-74.1
H.S. or G.E.D.	3625	1,679,290	289	5.9	05.1-06.7	386	7.8	06.8-08.8	748	15.7	14.3-17.1	2202	70.6	68.8-72.4
Some Post-H.S.	2538	1,466,397	171	4.4	03.6-05.2	212	6.7	05.7-07.7	521	14.9	13.3-16.5	1634	74.0	72.0-76.0
College Graduate	2904	1,013,189	84	1.9	01.3-02.5	165	4.1	03.3-04.9	534	13.1	11.7-14.5	2121	80.8	79.2-82.4
Less than \$15,000	1023	474,352	194	14.2	11.5-16.9	125	7.7	05.9-09.5	167	11.1	08.7-13.5	537	67.0	63.3-70.7
\$15,000- 24,999	1685	787,281	174	8.3	06.7-09.9	192	9.7	07.9-11.5	369	14.2	12.4-16.0	950	67.8	65.1-70.5
\$25,000- 34,999	1094	511,333	66	5.1	03.5-06.7	134	10.0	07.8-12.2	222	14.4	12.0-16.8	672	70.5	67.2-73.8
\$35,000- 49,999	1311	637,105	73	5.0	03.6-06.4	100	5.5	04.1-06.9	270	15.5	13.3-17.7	868	74.0	71.3-76.7
\$50,000- 74,999	1321	664,161	45	2.8	01.8-03.8	88	4.8	03.6-06.0	262	16.1	13.7-18.5	926	76.3	73.6-79.0
\$75,000+	2030	1,051,885	19	0.7	00.3-01.1	86	4.3	03.1-05.5	355	14.2	12.4-16.0	1570	80.8	78.8-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4141	2,350,217	185	3.7	02.9-04.5	242	4.9	04.1-05.7	724	13.3	12.1-14.5	2990	78.1	76.5-79.7
White/Non-Hisp	3582	1,910,647	152	3.6	02.8-04.4	210	5.0	04.2-05.8	670	14.8	13.4-16.2	2550	76.6	75.0-78.2
Black or Afr. Am./Non-Hisp	202	184,472	10	3.6	00.7-06.5	12	4.7	01.8-07.6	21	8.5	04.4-12.6	159	83.2	77.5-88.9
Oth. Race/Non-Hisp.	81	56,021	4	5.0	00.0-11.9	4	2.1	00.0-04.5	7	6.0	00.7-11.3	66	86.8	78.2-95.4
MultiRacial/Non-Hisp.	51	23,829	9	14.3	03.7-24.9	5	7.8	00.5-15.1	10	13.8	03.8-23.8	27	64.1	48.6-79.6
Hispanic	140	132,681	4	2.9	00.0-06.0	5	4.0	00.0-08.3	6	3.1	00.4-05.8	125	90.0	84.3-95.7
18-24	281	344,511				4	2.1	00.0-04.3	2	1.4	00.0-03.6	275	96.5	93.6-99.4
25-34	403	406,580	10	2.8	00.8-04.8	8	2.3	00.5-04.1	15	3.1	01.3-04.9	370	91.8	88.7-94.9
35-44	509	400,019	7	1.2	00.2-02.2	15	3.0	01.2-04.8	44	8.6	05.9-11.3	443	87.2	83.9-90.5
45-54	804	427,494	45	6.5	04.1-08.9	37	4.8	03.0-06.6	104	12.6	10.1-15.1	618	76.2	72.7-79.7
55-64	908	382,249	67	6.5	04.5-08.5	76	8.5	06.3-10.7	201	24.0	20.7-27.3	564	60.9	57.2-64.6
65+	1207	379,414	56	4.9	03.3-06.5	101	8.5	06.5-10.5	354	30.3	27.2-33.4	696	56.3	53.0-59.6
Less Than H.S.	364	329,748	36	7.7	04.6-10.8	24	5.5	02.8-08.2	52	11.1	07.6-14.6	252	75.6	70.5-80.7
H.S. or G.E.D.	1459	824,349	74	3.6	02.6-04.6	106	5.3	03.9-06.7	270	13.9	11.9-15.9	1009	77.2	74.8-79.6
Some Post-H.S.	994	678,433	57	4.0	02.6-05.4	66	5.7	04.1-07.3	185	14.6	12.1-17.1	686	75.8	72.9-78.7
College Graduate	1307	508,943	18	1.0	00.4-01.6	45	2.7	01.7-03.7	214	12.2	10.4-14.0	1030	84.1	81.9-86.3
Less than \$15,000	345	186,236	54	14.1	09.2-19.0	30	5.1	02.9-07.3	56	12.6	08.3-16.9	205	68.2	61.9-74.5
\$15,000- 24,999	604	332,911	48	6.4	03.9-08.9	62	9.0	06.3-11.7	98	10.8	08.3-13.3	396	73.8	69.5-78.1
\$25,000- 34,999	469	262,920	19	3.6	01.8-05.4	37	7.0	04.3-09.7	84	12.3	09.2-15.4	329	77.1	72.8-81.4
\$35,000- 49,999	598	349,926	29	4.0	02.2-05.8	34	4.4	02.8-06.0	108	13.6	10.7-16.5	427	78.1	74.4-81.8
\$50,000- 74,999	607	350,053	13	1.8	00.8-02.8	26	3.4	01.8-05.0	113	16.1	12.6-19.6	455	78.6	74.7-82.5
\$75,000+	1036	577,162	4	0.2	00.0-00.4	32	3.7	01.9-05.5	192	15.4	12.9-17.9	808	80.6	77.7-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN
TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5834	2,481,883	487	6.5	05.7-07.3	612	8.4	07.6-09.2	1234	15.4	14.4-16.4	3501	69.7	68.3-71.1
White/Non-Hisp	5089	2,040,931	405	6.5	05.7-07.3	548	8.5	07.5-09.5	1133	16.7	15.5-17.9	3003	68.3	66.7-69.9
Black or Afr. Am./Non-Hisp	365	214,750	42	7.7	05.0-10.4	35	8.3	05.0-11.6	48	11.2	07.3-15.1	240	72.7	67.2-78.2
Oth. Race/Non-Hisp.	83	45,233	8	8.7	01.3-16.1	11	14.6	04.8-24.4	14	6.5	02.6-10.4	50	70.2	58.0-82.4
MultiRacial/Non-Hisp.	58	19,877	16	18.0	07.0-29.0	8	11.1	01.9-20.3	9	9.0	00.0-18.6	25	61.9	45.8-78.0
Hispanic	171	131,409	8	2.1	00.3-03.9	6	4.2	00.5-07.9	14	5.4	01.9-08.9	143	88.3	83.2-93.4
18-24	254	330,770	1	0.3	00.0-00.9	4	1.6	00.0-03.2	4	1.7	00.0-03.5	245	96.4	94.0-98.8
25-34	506	400,332	6	1.3	00.1-02.5	26	4.9	02.7-07.1	22	4.1	02.1-06.1	452	89.7	86.6-92.8
35-44	709	402,074	29	4.3	02.3-06.3	41	6.8	04.6-09.0	60	9.1	06.6-11.6	579	79.8	76.3-83.3
45-54	911	431,318	96	11.7	09.2-14.2	74	8.1	05.9-10.3	137	14.7	12.0-17.4	604	65.4	61.7-69.1
55-64	1279	399,423	126	8.6	06.8-10.4	154	11.0	09.0-13.0	276	21.3	18.8-23.8	723	59.1	56.0-62.2
65+	2113	497,740	225	10.4	08.8-12.0	308	15.1	13.1-17.1	721	34.2	31.7-36.7	859	40.3	37.8-42.8
Less Than H.S.	517	331,475	91	11.8	08.7-14.9	66	10.0	06.9-13.1	98	12.6	09.5-15.7	262	65.5	60.4-70.6
H.S. or G.E.D.	2166	854,940	215	8.2	06.8-09.6	280	10.3	08.7-11.9	478	17.4	15.4-19.4	1193	64.2	61.7-66.7
Some Post-H.S.	1544	787,964	114	4.9	03.7-06.1	146	7.5	05.9-09.1	336	15.3	13.3-17.3	948	72.4	69.9-74.9
College Graduate	1597	504,246	66	2.8	02.0-03.6	120	5.6	04.4-06.8	320	14.0	12.2-15.8	1091	77.6	75.4-79.8
Less than \$15,000	678	288,116	140	14.3	11.2-17.4	95	9.4	06.9-11.9	111	10.1	07.6-12.6	332	66.2	61.5-70.9
\$15,000- 24,999	1081	454,369	126	9.7	07.5-11.9	130	10.2	07.8-12.6	271	16.7	14.2-19.2	554	63.4	59.7-67.1
\$25,000- 34,999	625	248,413	47	6.7	04.3-09.1	97	13.2	10.1-16.3	138	16.5	13.2-19.8	343	63.6	58.9-68.3
\$35,000- 49,999	713	287,179	44	6.2	03.8-08.6	66	6.9	04.7-09.1	162	17.9	14.6-21.2	441	69.0	64.7-73.3
\$50,000- 74,999	714	314,107	32	3.9	02.3-05.5	62	6.4	04.4-08.4	149	16.1	13.2-19.0	471	73.7	70.0-77.4
\$75,000+	994	474,723	15	1.2	00.4-02.0	54	4.9	03.3-06.5	163	12.8	10.4-15.2	762	81.1	78.4-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 14: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	176
2	MALES ONLY	177
3	FEMALES ONLY	178
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	179
5	MALES ONLY	180
6	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9481	4,484,579	9001	94.2	93.6-94.8	480	5.8	05.2-06.4
Male	3899	2,155,314	3598	91.8	90.6-93.0	301	8.2	07.0-09.4
Female	5582	2,329,265	5403	96.5	95.7-97.3	179	3.5	02.7-04.3
White/Non-Hisp	8275	3,688,487	7868	94.4	93.6-95.2	407	5.6	04.8-06.4
Black or Afr. Am./Non-Hisp	528	363,809	499	94.1	91.4-96.8	29	5.9	03.2-08.6
Oth. Race/Non-Hisp.	154	93,717	143	91.5	86.0-97.0	11	8.5	03.0-14.0
MultiRacial/Non-Hisp.	102	41,116	92	87.2	78.6-95.8	10	12.8	04.2-21.4
Hispanic	288	235,850	273	93.6	90.1-97.1	15	6.4	02.9-09.9
18-24	475	586,932	431	90.7	87.8-93.6	44	9.3	06.4-12.2
25-34	827	727,617	774	93.2	91.0-95.4	53	6.8	04.6-09.0
35-44	1118	729,929	1077	95.9	94.5-97.3	41	4.1	02.7-05.5
45-54	1635	813,388	1555	94.7	93.3-96.1	80	5.3	03.9-06.7
55-64	2105	747,423	2005	95.0	93.8-96.2	100	5.0	03.8-06.2
65+	3244	854,899	3084	94.9	93.9-95.9	160	5.1	04.1-06.1
Less Than H.S.	836	616,089	752	89.8	87.1-92.5	84	10.2	07.5-12.9
H.S. or G.E.D.	3408	1,530,085	3198	92.9	91.7-94.1	210	7.1	05.9-08.3
Some Post-H.S.	2418	1,359,376	2312	95.6	94.4-96.8	106	4.4	03.2-05.6
College Graduate	2797	968,743	2720	97.3	96.5-98.1	77	2.7	01.9-03.5
Less than \$15,000	989	447,583	912	90.8	88.1-93.5	77	9.2	06.5-11.9
\$15,000- 24,999	1603	723,358	1507	93.7	91.9-95.5	96	6.3	04.5-08.1
\$25,000- 34,999	1048	482,824	992	92.6	90.1-95.1	56	7.4	04.9-09.9
\$35,000- 49,999	1239	588,616	1186	95.5	94.1-96.9	53	4.5	03.1-05.9
\$50,000- 74,999	1259	620,995	1203	95.2	93.6-96.8	56	4.8	03.2-06.4
\$75,000+	1946	991,845	1873	95.4	94.0-96.8	73	4.6	03.2-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3899	2,155,314	3598	91.8	90.6-93.0	301	8.2	07.0-09.4
White/Non-Hisp	3395	1,768,579	3140	91.9	90.7-93.1	255	8.1	06.9-09.3
Black or Afr. Am./Non-Hisp	184	163,921	170	92.4	87.5-97.3	14	7.6	02.7-12.5
Oth. Race/Non-Hisp.	73	49,978	64	87.2	78.2-96.2	9	12.8	03.8-21.8
Hispanic	124	113,018	115	93.2	88.3-98.1	9	6.8	01.9-11.7
18-24	252	302,702	218	87.1	82.4-91.8	34	12.9	08.2-17.6
25-34	359	357,433	325	91.2	88.1-94.3	34	8.8	05.7-11.9
35-44	465	357,576	440	94.0	91.5-96.5	25	6.0	03.5-08.5
45-54	759	396,699	707	92.1	89.7-94.5	52	7.9	05.5-10.3
55-64	871	365,466	806	93.2	91.2-95.2	65	6.8	04.8-08.8
65+	1170	368,002	1080	92.4	90.6-94.2	90	7.6	05.8-09.4
Less Than H.S.	337	306,726	293	88.9	85.0-92.8	44	11.1	07.2-15.0
H.S. or G.E.D.	1357	740,131	1216	89.2	87.0-91.4	141	10.8	08.6-13.0
Some Post-H.S.	932	613,354	867	93.0	91.0-95.0	65	7.0	05.0-09.0
College Graduate	1259	487,622	1211	96.3	95.1-97.5	48	3.7	02.5-04.9
Less than \$15,000	329	173,545	289	86.6	81.9-91.3	40	13.4	08.7-18.1
\$15,000- 24,999	560	297,106	507	92.1	89.4-94.8	53	7.9	05.2-10.6
\$25,000- 34,999	445	248,436	411	90.4	86.7-94.1	34	9.6	05.9-13.3
\$35,000- 49,999	561	318,634	524	93.9	91.5-96.3	37	6.1	03.7-08.5
\$50,000- 74,999	572	322,659	531	92.4	89.7-95.1	41	7.6	04.9-10.3
\$75,000+	997	545,216	940	92.9	90.7-95.1	57	7.1	04.9-09.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5582	2,329,265	5403	96.5	95.7-97.3	179	3.5	02.7-04.3
White/Non-Hisp	4880	1,919,908	4728	96.8	96.0-97.6	152	3.2	02.4-04.0
Black or Afr. Am./Non-Hisp	344	199,889	329	95.5	92.4-98.6	15	4.5	01.4-07.6
Oth. Race/Non-Hisp.	81	43,740	79	96.4	91.5-0100	2	3.6	00.0-08.5
MultiRacial/Non-Hisp.	53	17,981	52	99.4	98.2-0100	1	0.6	00.0-01.8
Hispanic	164	122,831	158	94.0	88.9-99.1	6	6.0	00.9-11.1
18-24	223	284,230	213	94.5	90.8-98.2	10	5.5	01.8-09.2
25-34	468	370,184	449	95.1	92.4-97.8	19	4.9	02.2-07.6
35-44	653	372,353	637	97.8	96.6-99.0	16	2.2	01.0-03.4
45-54	876	416,689	848	97.2	96.0-98.4	28	2.8	01.6-04.0
55-64	1234	381,957	1199	96.8	95.4-98.2	35	3.2	01.8-04.6
65+	2074	486,897	2004	96.9	96.1-97.7	70	3.1	02.3-03.9
Less Than H.S.	499	309,364	459	90.8	86.9-94.7	40	9.2	05.3-13.1
H.S. or G.E.D.	2051	789,954	1982	96.4	95.2-97.6	69	3.6	02.4-04.8
Some Post-H.S.	1486	746,022	1445	97.8	96.6-99.0	41	2.2	01.0-03.4
College Graduate	1538	481,121	1509	98.3	97.5-99.1	29	1.7	00.9-02.5
Less than \$15,000	660	274,038	623	93.5	90.4-96.6	37	6.5	03.4-09.6
\$15,000- 24,999	1043	426,251	1000	94.8	92.4-97.2	43	5.2	02.8-07.6
\$25,000- 34,999	603	234,387	581	94.9	91.6-98.2	22	5.1	01.8-08.4
\$35,000- 49,999	678	269,982	662	97.5	95.9-99.1	16	2.5	00.9-04.1
\$50,000- 74,999	687	298,336	672	98.1	96.9-99.3	15	1.9	00.7-03.1
\$75,000+	949	446,629	933	98.4	97.6-99.2	16	1.6	00.8-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 14: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9481	4,484,579	8330	86.3	85.3-87.3	1151	13.7	12.7-14.7
Male	3899	2,155,314	3221	81.3	79.7-82.9	678	18.7	17.1-20.3
Female	5582	2,329,265	5109	90.9	89.7-92.1	473	9.1	07.9-10.3
White/Non-Hisp	8275	3,688,487	7271	86.5	85.5-87.5	1004	13.5	12.5-14.5
Black or Afr. Am./Non-Hisp	528	363,809	458	84.1	79.4-88.8	70	15.9	11.2-20.6
Oth. Race/Non-Hisp.	154	93,717	134	84.2	76.8-91.6	20	15.8	08.4-23.2
MultiRacial/Non-Hisp.	102	41,116	87	79.1	67.9-90.3	15	20.9	09.7-32.1
Hispanic	288	235,850	259	88.1	83.6-92.6	29	11.9	07.4-16.4
18-24	475	586,932	372	79.2	75.1-83.3	103	20.8	16.7-24.9
25-34	827	727,617	685	82.3	79.2-85.4	142	17.7	14.6-20.8
35-44	1118	729,929	995	88.5	86.1-90.9	123	11.5	09.1-13.9
45-54	1635	813,388	1445	87.5	85.5-89.5	190	12.5	10.5-14.5
55-64	2105	747,423	1877	88.8	87.2-90.4	228	11.2	09.6-12.8
65+	3244	854,899	2882	89.1	87.7-90.5	362	10.9	09.5-12.3
Less Than H.S.	836	616,089	703	83.1	79.6-86.6	133	16.9	13.4-20.4
H.S. or G.E.D.	3408	1,530,085	2946	84.5	82.7-86.3	462	15.5	13.7-17.3
Some Post-H.S.	2418	1,359,376	2145	87.8	86.0-89.6	273	12.2	10.4-14.0
College Graduate	2797	968,743	2520	89.2	87.8-90.6	277	10.8	09.4-12.2
Less than \$15,000	989	447,583	860	84.7	81.4-88.0	129	15.3	12.0-18.6
\$15,000- 24,999	1603	723,358	1422	87.4	84.9-89.9	181	12.6	10.1-15.1
\$25,000- 34,999	1048	482,824	914	84.3	81.2-87.4	134	15.7	12.6-18.8
\$35,000- 49,999	1239	588,616	1077	85.6	83.1-88.1	162	14.4	11.9-16.9
\$50,000- 74,999	1259	620,995	1102	86.1	83.6-88.6	157	13.9	11.4-16.4
\$75,000+	1946	991,845	1736	87.7	85.7-89.7	210	12.3	10.3-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3899	2,155,314	3221	81.3	79.7-82.9	678	18.7	17.1-20.3
White/Non-Hisp	3395	1,768,579	2806	81.5	79.7-83.3	589	18.5	16.7-20.3
Black or Afr. Am./Non-Hisp	184	163,921	147	77.4	69.0-85.8	37	22.6	14.2-31.0
Oth. Race/Non-Hisp.	73	49,978	58	75.6	63.3-87.9	15	24.4	12.1-36.7
Hispanic	124	113,018	107	87.1	80.8-93.4	17	12.9	06.6-19.2
18-24	252	302,702	185	75.0	69.1-80.9	67	25.0	19.1-30.9
25-34	359	357,433	273	76.8	71.9-81.7	86	23.2	18.3-28.1
35-44	465	357,576	398	84.5	80.4-88.6	67	15.5	11.4-19.6
45-54	759	396,699	629	81.1	77.8-84.4	130	18.9	15.6-22.2
55-64	871	365,466	735	84.6	81.7-87.5	136	15.4	12.5-18.3
65+	1170	368,002	980	84.5	82.1-86.9	190	15.5	13.1-17.9
Less Than H.S.	337	306,726	263	78.8	73.3-84.3	74	21.2	15.7-26.7
H.S. or G.E.D.	1357	740,131	1069	77.4	74.5-80.3	288	22.6	19.7-25.5
Some Post-H.S.	932	613,354	780	83.6	80.7-86.5	152	16.4	13.5-19.3
College Graduate	1259	487,622	1101	86.4	84.0-88.8	158	13.6	11.2-16.0
Less than \$15,000	329	173,545	270	80.3	74.6-86.0	59	19.7	14.0-25.4
\$15,000- 24,999	560	297,106	465	83.2	78.9-87.5	95	16.8	12.5-21.1
\$25,000- 34,999	445	248,436	365	79.5	74.6-84.4	80	20.5	15.6-25.4
\$35,000- 49,999	561	318,634	459	81.3	77.4-85.2	102	18.7	14.8-22.6
\$50,000- 74,999	572	322,659	472	80.2	75.7-84.7	100	19.8	15.3-24.3
\$75,000+	997	545,216	836	82.1	79.0-85.2	161	17.9	14.8-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5582	2,329,265	5109	90.9	89.7-92.1	473	9.1	07.9-10.3
White/Non-Hisp	4880	1,919,908	4465	91.1	89.9-92.3	415	8.9	07.7-10.1
Black or Afr. Am./Non-Hisp	344	199,889	311	89.6	85.1-94.1	33	10.4	05.9-14.9
Oth. Race/Non-Hisp.	81	43,740	76	94.1	88.4-99.8	5	5.9	00.2-11.6
MultiRacial/Non-Hisp.	53	17,981	49	92.8	84.2-0100	4	7.2	00.0-15.8
Hispanic	164	122,831	152	89.0	82.5-95.5	12	11.0	04.5-17.5
18-24	223	284,230	187	83.8	78.3-89.3	36	16.2	10.7-21.7
25-34	468	370,184	412	87.6	83.9-91.3	56	12.4	08.7-16.1
35-44	653	372,353	597	92.4	90.2-94.6	56	7.6	05.4-09.8
45-54	876	416,689	816	93.7	91.7-95.7	60	6.3	04.3-08.3
55-64	1234	381,957	1142	92.7	90.9-94.5	92	7.3	05.5-09.1
65+	2074	486,897	1902	92.5	91.1-93.9	172	7.5	06.1-08.9
Less Than H.S.	499	309,364	440	87.4	83.1-91.7	59	12.6	08.3-16.9
H.S. or G.E.D.	2051	789,954	1877	91.2	89.4-93.0	174	8.8	07.0-10.6
Some Post-H.S.	1486	746,022	1365	91.4	89.4-93.4	121	8.6	06.6-10.6
College Graduate	1538	481,121	1419	92.0	90.2-93.8	119	8.0	06.2-09.8
Less than \$15,000	660	274,038	590	87.4	83.5-91.3	70	12.6	08.7-16.5
\$15,000- 24,999	1043	426,251	957	90.3	87.4-93.2	86	9.7	06.8-12.6
\$25,000- 34,999	603	234,387	549	89.4	85.5-93.3	54	10.6	06.7-14.5
\$35,000- 49,999	678	269,982	618	90.7	87.6-93.8	60	9.3	06.2-12.4
\$50,000- 74,999	687	298,336	630	92.5	90.3-94.7	57	7.5	05.3-09.7
\$75,000+	949	446,629	900	94.5	92.7-96.3	49	5.5	03.7-07.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3239	853,803	1889	57.6	55.4-59.8	1350	42.4	40.2-44.6
Male	1166	366,845	695	58.0	54.7-61.3	471	42.0	38.7-45.3
Female	2073	486,958	1194	57.3	54.8-59.8	879	42.7	40.2-45.2
White/Non-Hisp	3000	765,610	1782	59.0	56.8-61.2	1218	41.0	38.8-43.2
Black or Afr. Am./Non-Hisp	114	47,340	42	38.9	27.7-50.1	72	61.1	49.9-72.3
65+	3239	853,803	1889	57.6	55.4-59.8	1350	42.4	40.2-44.6
Less Than H.S.	337	130,322	175	51.7	45.0-58.4	162	48.3	41.6-55.0
H.S. or G.E.D.	1397	358,937	798	57.2	54.1-60.3	599	42.8	39.7-45.9
Some Post-H.S.	707	214,386	407	57.6	53.3-61.9	300	42.4	38.1-46.7
College Graduate	790	146,801	507	64.6	60.7-68.5	283	35.4	31.5-39.3
Less than \$15,000	301	65,433	148	47.0	39.6-54.4	153	53.0	45.6-60.4
\$15,000- 24,999	730	188,174	417	58.0	53.5-62.5	313	42.0	37.5-46.5
\$25,000- 34,999	463	127,352	265	56.1	50.6-61.6	198	43.9	38.4-49.4
\$35,000- 49,999	444	126,147	268	59.0	53.5-64.5	176	41.0	35.5-46.5
\$50,000- 74,999	320	91,421	212	64.4	58.1-70.7	108	35.6	29.3-41.9
\$75,000+	309	86,820	188	61.2	54.9-67.5	121	38.8	32.5-45.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1166	366,845	695	58.0	54.7-61.3	471	42.0	38.7-45.3
White/Non-Hisp	1069	324,563	649	59.4	55.9-62.9	420	40.6	37.1-44.1
65+	1166	366,845	695	58.0	54.7-61.3	471	42.0	38.7-45.3
Less Than H.S.	111	54,497	60	55.9	44.9-66.9	51	44.1	33.1-55.1
H.S. or G.E.D.	446	142,532	260	55.9	50.6-61.2	186	44.1	38.8-49.4
Some Post-H.S.	241	89,241	138	58.6	51.5-65.7	103	41.4	34.3-48.5
College Graduate	363	77,784	235	63.4	57.7-69.1	128	36.6	30.9-42.3
Less than \$15,000	65	16,746	32	40.9	24.8-57.0	33	59.1	43.0-75.2
\$15,000- 24,999	232	73,645	140	60.5	52.9-68.1	92	39.5	31.9-47.1
\$25,000- 34,999	181	61,176	101	56.9	48.3-65.5	80	43.1	34.5-51.7
\$35,000- 49,999	198	63,982	125	61.2	53.4-69.0	73	38.8	31.0-46.6
\$50,000- 74,999	144	48,581	89	59.7	50.5-68.9	55	40.3	31.1-49.5
\$75,000+	186	56,003	113	60.2	52.0-68.4	73	39.8	31.6-48.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	486,958	1194	57.3	54.8-59.8	879	42.7	40.2-45.2
White/Non-Hisp	1931	441,048	1133	58.7	56.0-61.4	798	41.3	38.6-44.0
Black or Afr. Am./Non-Hisp	76	27,807	28	36.9	23.4-50.4	48	63.1	49.6-76.6
65+	2073	486,958	1194	57.3	54.8-59.8	879	42.7	40.2-45.2
Less Than H.S.	226	75,825	115	48.6	40.6-56.6	111	51.4	43.4-59.4
H.S. or G.E.D.	951	216,405	538	58.0	54.3-61.7	413	42.0	38.3-45.7
Some Post-H.S.	466	125,144	269	56.8	51.5-62.1	197	43.2	37.9-48.5
College Graduate	427	69,017	272	66.0	60.9-71.1	155	34.0	28.9-39.1
Less than \$15,000	236	48,687	116	49.1	40.9-57.3	120	50.9	42.7-59.1
\$15,000- 24,999	498	114,529	277	56.3	50.8-61.8	221	43.7	38.2-49.2
\$25,000- 34,999	282	66,176	164	55.3	48.2-62.4	118	44.7	37.6-51.8
\$35,000- 49,999	246	62,165	143	56.7	49.3-64.1	103	43.3	35.9-50.7
\$50,000- 74,999	176	42,840	123	69.8	61.6-78.0	53	30.2	22.0-38.4
\$75,000+	123	30,817	75	63.0	53.4-72.6	48	37.0	27.4-46.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3135	826,658	2197	70.0	68.0-72.0	938	30.0	28.0-32.0
Male	1113	353,398	758	67.7	64.4-71.0	355	32.3	29.0-35.6
Female	2022	473,260	1439	71.7	69.3-74.1	583	28.3	25.9-30.7
White/Non-Hisp	2907	742,262	2050	70.9	68.9-72.9	857	29.1	27.1-31.1
Black or Afr. Am./Non-Hisp	112	46,826	71	64.5	53.7-75.3	41	35.5	24.7-46.3
65+	3135	826,658	2197	70.0	68.0-72.0	938	30.0	28.0-32.0
Less Than H.S.	327	126,172	227	69.3	63.0-75.6	100	30.7	24.4-37.0
H.S. or G.E.D.	1355	348,998	943	69.6	66.7-72.5	412	30.4	27.5-33.3
Some Post-H.S.	688	207,469	477	69.7	65.8-73.6	211	30.3	26.4-34.2
College Graduate	758	140,706	546	71.8	68.1-75.5	212	28.2	24.5-31.9
Less than \$15,000	295	63,120	203	67.9	60.6-75.2	92	32.1	24.8-39.4
\$15,000- 24,999	710	184,312	517	74.1	70.2-78.0	193	25.9	22.0-29.8
\$25,000- 34,999	451	124,209	312	68.0	62.7-73.3	139	32.0	26.7-37.3
\$35,000- 49,999	433	122,280	300	67.9	62.8-73.0	133	32.1	27.0-37.2
\$50,000- 74,999	309	88,315	213	69.1	62.8-75.4	96	30.9	24.6-37.2
\$75,000+	297	83,992	191	65.7	59.4-72.0	106	34.3	28.0-40.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1113	353,398	758	67.7	64.4-71.0	355	32.3	29.0-35.6
White/Non-Hisp	1020	312,194	702	69.4	66.1-72.7	318	30.6	27.3-33.9
65+	1113	353,398	758	67.7	64.4-71.0	355	32.3	29.0-35.6
Less Than H.S.	108	53,672	71	65.0	54.2-75.8	37	35.0	24.2-45.8
H.S. or G.E.D.	428	137,729	292	67.7	62.6-72.8	136	32.3	27.2-37.4
Some Post-H.S.	235	86,379	154	67.4	60.7-74.1	81	32.6	25.9-39.3
College Graduate	338	72,872	238	69.3	63.8-74.8	100	30.7	25.2-36.2
Less than \$15,000	64	16,385	43	60.4	43.3-77.5	21	39.6	22.5-56.7
\$15,000- 24,999	225	72,750	159	71.9	64.8-79.0	66	28.1	21.0-35.2
\$25,000- 34,999	175	59,500	121	68.0	59.8-76.2	54	32.0	23.8-40.2
\$35,000- 49,999	191	61,391	130	68.6	61.2-76.0	61	31.4	24.0-38.8
\$50,000- 74,999	135	46,096	88	64.7	55.1-74.3	47	35.3	25.7-44.9
\$75,000+	174	53,175	115	67.7	59.9-75.5	59	32.3	24.5-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	473,260	1439	71.7	69.3-74.1	583	28.3	25.9-30.7
White/Non-Hisp	1887	430,069	1348	72.0	69.6-74.4	539	28.0	25.6-30.4
Black or Afr. Am./Non-Hisp	74	27,294	48	66.0	52.9-79.1	26	34.0	20.9-47.1
65+	2022	473,260	1439	71.7	69.3-74.1	583	28.3	25.9-30.7
Less Than H.S.	219	72,500	156	72.4	65.3-79.5	63	27.6	20.5-34.7
H.S. or G.E.D.	927	211,268	651	70.8	67.3-74.3	276	29.2	25.7-32.7
Some Post-H.S.	453	121,090	323	71.4	66.5-76.3	130	28.6	23.7-33.5
College Graduate	420	67,834	308	74.5	69.8-79.2	112	25.5	20.8-30.2
Less than \$15,000	231	46,735	160	70.6	63.0-78.2	71	29.4	21.8-37.0
\$15,000- 24,999	485	111,562	358	75.6	71.1-80.1	127	24.4	19.9-28.9
\$25,000- 34,999	276	64,709	191	68.1	61.2-75.0	85	31.9	25.0-38.8
\$35,000- 49,999	242	60,889	170	67.2	59.9-74.5	72	32.8	25.5-40.1
\$50,000- 74,999	174	42,218	125	73.9	66.3-81.5	49	26.1	18.5-33.7
\$75,000+	123	30,817	76	62.2	52.6-71.8	47	37.8	28.2-47.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	190
2	MALES ONLY	191
3	FEMALES ONLY	192

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9158	4,337,003	2228	30.4	29.0-31.8	6930	69.6	68.2-71.0
Male	3761	2,081,301	894	27.4	25.4-29.4	2867	72.6	70.6-74.6
Female	5397	2,255,702	1334	33.2	31.4-35.0	4063	66.8	65.0-68.6
White/Non-Hisp	7996	3,564,683	1705	26.6	25.2-28.0	6291	73.4	72.0-74.8
Black or Afr. Am./Non-Hisp	513	357,788	272	59.0	53.3-64.7	241	41.0	35.3-46.7
Oth. Race/Non-Hisp.	147	89,587	47	32.7	23.3-42.1	100	67.3	57.9-76.7
MultiRacial/Non-Hisp.	102	41,077	55	59.0	46.3-71.7	47	41.0	28.3-53.7
Hispanic	278	226,262	118	39.1	32.4-45.8	160	60.9	54.2-67.6
18-24	461	565,447	132	28.9	24.2-33.6	329	71.1	66.4-75.8
25-34	802	707,038	425	53.1	49.0-57.2	377	46.9	42.8-51.0
35-44	1081	703,978	526	48.2	44.7-51.7	555	51.8	48.3-55.3
45-54	1578	786,939	472	28.7	26.0-31.4	1106	71.3	68.6-74.0
55-64	2034	722,432	403	19.5	17.3-21.7	1631	80.5	78.3-82.7
65+	3128	828,187	257	8.4	07.2-09.6	2871	91.6	90.4-92.8
Less Than H.S.	815	600,958	212	33.4	28.9-37.9	603	66.6	62.1-71.1
H.S. or G.E.D.	3282	1,473,380	619	25.3	23.1-27.5	2663	74.7	72.5-76.9
Some Post-H.S.	2334	1,315,837	629	32.6	30.1-35.1	1705	67.4	64.9-69.9
College Graduate	2706	936,489	763	33.4	31.2-35.6	1943	66.6	64.4-68.8
Less than \$15,000	943	427,899	325	43.2	38.7-47.7	618	56.8	52.3-61.3
\$15,000- 24,999	1561	709,350	402	36.6	33.1-40.1	1159	63.4	59.9-66.9
\$25,000- 34,999	1020	470,981	230	30.2	26.3-34.1	790	69.8	65.9-73.7
\$35,000- 49,999	1208	573,189	247	24.9	21.6-28.2	961	75.1	71.8-78.4
\$50,000- 74,999	1221	605,125	298	30.2	26.7-33.7	923	69.8	66.3-73.3
\$75,000+	1870	949,568	505	29.6	27.1-32.1	1365	70.4	67.9-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3761	2,081,301	894	27.4	25.4-29.4	2867	72.6	70.6-74.6
White/Non-Hisp	3274	1,704,923	691	23.3	21.3-25.3	2583	76.7	74.7-78.7
Black or Afr. Am./Non-Hisp	180	162,294	108	65.8	57.2-74.4	72	34.2	25.6-42.8
Oth. Race/Non-Hisp.	71	49,167	19	28.5	15.8-41.2	52	71.5	58.8-84.2
Hispanic	118	106,311	33	28.3	18.9-37.7	85	71.7	62.3-81.1
18-24	244	289,026	50	21.2	15.1-27.3	194	78.8	72.7-84.9
25-34	350	347,970	145	41.3	35.4-47.2	205	58.7	52.8-64.6
35-44	447	342,915	165	39.2	33.9-44.5	282	60.8	55.5-66.1
45-54	734	386,677	204	27.7	23.8-31.6	530	72.3	68.4-76.2
55-64	840	352,487	193	22.8	19.3-26.3	647	77.2	73.7-80.7
65+	1123	354,788	132	11.8	09.4-14.2	991	88.2	85.8-90.6
Less Than H.S.	329	297,850	86	30.2	23.9-36.5	243	69.8	63.5-76.1
H.S. or G.E.D.	1308	712,619	257	23.6	20.5-26.7	1051	76.4	73.3-79.5
Some Post-H.S.	897	592,582	237	29.0	25.3-32.7	660	71.0	67.3-74.7
College Graduate	1214	470,812	311	29.5	26.4-32.6	903	70.5	67.4-73.6
Less than \$15,000	313	165,689	106	38.6	31.5-45.7	207	61.4	54.3-68.5
\$15,000- 24,999	550	292,942	146	34.7	29.2-40.2	404	65.3	59.8-70.8
\$25,000- 34,999	434	243,091	96	28.3	22.4-34.2	338	71.7	65.8-77.6
\$35,000- 49,999	542	307,771	101	21.8	17.3-26.3	441	78.2	73.7-82.7
\$50,000- 74,999	552	315,860	131	28.3	23.0-33.6	421	71.7	66.4-77.0
\$75,000+	957	520,477	229	24.9	21.6-28.2	728	75.1	71.8-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5397	2,255,702	1334	33.2	31.4-35.0	4063	66.8	65.0-68.6
White/Non-Hisp	4722	1,859,759	1014	29.7	27.7-31.7	3708	70.3	68.3-72.3
Black or Afr. Am./Non-Hisp	333	195,494	164	53.4	46.1-60.7	169	46.6	39.3-53.9
Oth. Race/Non-Hisp.	76	40,420	28	37.8	23.7-51.9	48	62.2	48.1-76.3
MultiRacial/Non-Hisp.	53	18,000	28	54.3	35.7-72.9	25	45.7	27.1-64.3
Hispanic	160	119,951	85	48.7	39.3-58.1	75	51.3	41.9-60.7
18-24	217	276,422	82	36.8	29.7-43.9	135	63.2	56.1-70.3
25-34	452	359,067	280	64.5	59.4-69.6	172	35.5	30.4-40.6
35-44	634	361,063	361	56.9	52.4-61.4	273	43.1	38.6-47.6
45-54	844	400,262	268	29.7	26.0-33.4	576	70.3	66.6-74.0
55-64	1194	369,946	210	16.4	13.9-18.9	984	83.6	81.1-86.1
65+	2005	473,399	125	5.8	04.6-07.0	1880	94.2	93.0-95.4
Less Than H.S.	486	303,109	126	36.6	30.5-42.7	360	63.4	57.3-69.5
H.S. or G.E.D.	1974	760,761	362	27.0	24.3-29.7	1612	73.0	70.3-75.7
Some Post-H.S.	1437	723,255	392	35.5	32.2-38.8	1045	64.5	61.2-67.8
College Graduate	1492	465,677	452	37.3	34.2-40.4	1040	62.7	59.6-65.8
Less than \$15,000	630	262,210	219	46.1	40.2-52.0	411	53.9	48.0-59.8
\$15,000- 24,999	1011	416,409	256	38.0	33.5-42.5	755	62.0	57.5-66.5
\$25,000- 34,999	586	227,890	134	32.3	26.8-37.8	452	67.7	62.2-73.2
\$35,000- 49,999	666	265,418	146	28.6	23.7-33.5	520	71.4	66.5-76.3
\$50,000- 74,999	669	289,265	167	32.2	27.5-36.9	502	67.8	63.1-72.5
\$75,000+	913	429,091	276	35.3	31.4-39.2	637	64.7	60.8-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2013**

End of Calculated Variable Data Report