

INDIANA

2013 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 29, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8356	4,125,339	5291	55.0	53.6-56.4	3065	45.0	43.6-46.4
Male	3411	1,972,090	2049	50.7	48.5-52.9	1362	49.3	47.1-51.5
Female	4945	2,153,249	3242	59.0	57.0-61.0	1703	41.0	39.0-43.0
White/Non-Hisp	7260	3,372,519	4670	56.2	54.6-57.8	2590	43.8	42.2-45.4
Black or Afr. Am./Non-Hisp	469	342,807	299	55.2	49.1-61.3	170	44.8	38.7-50.9
Oth. Race/Non-Hisp.	130	76,203	67	48.4	37.2-59.6	63	51.6	40.4-62.8
MultiRacial/Non-Hisp.	88	34,511	49	45.3	31.6-59.0	39	54.7	41.0-68.4
Hispanic	268	228,609	131	44.4	37.5-51.3	137	55.6	48.7-62.5
18-24	482	607,510	129	27.8	23.3-32.3	353	72.2	67.7-76.7
25-34	839	743,571	397	43.6	39.7-47.5	442	56.4	52.5-60.3
35-44	1092	714,857	589	52.4	48.9-55.9	503	47.6	44.1-51.1
45-54	1493	741,356	973	63.3	60.4-66.2	520	36.7	33.8-39.6
55-64	1808	631,978	1274	69.6	67.1-72.1	534	30.4	27.9-32.9
65+	2563	660,544	1882	72.6	70.4-74.8	681	27.4	25.2-29.6
Less Than H.S.	738	582,336	365	38.7	34.2-43.2	373	61.3	56.8-65.8
H.S. or G.E.D.	3023	1,440,756	1872	55.2	52.8-57.6	1151	44.8	42.4-47.2
Some Post-H.S.	2090	1,225,124	1331	56.6	53.9-59.3	759	43.4	40.7-46.1
College Graduate	2485	868,189	1714	63.6	61.2-66.0	771	36.4	34.0-38.8
Less than \$15,000	827	408,520	451	43.2	38.5-47.9	376	56.8	52.1-61.5
\$15,000- 24,999	1386	671,789	833	51.5	47.8-55.2	553	48.5	44.8-52.2
\$25,000- 34,999	897	432,746	557	52.8	48.5-57.1	340	47.2	42.9-51.5
\$35,000- 49,999	1092	539,586	722	60.2	56.3-64.1	370	39.8	35.9-43.7
\$50,000- 74,999	1116	560,433	752	60.7	56.8-64.6	364	39.3	35.4-43.2
\$75,000+	1773	906,033	1217	61.7	58.8-64.6	556	38.3	35.4-41.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3411	1,972,090	2049	50.7	48.5-52.9	1362	49.3	47.1-51.5
White/Non-Hisp	2949	1,605,953	1803	51.8	49.4-54.2	1146	48.2	45.8-50.6
Black or Afr. Am./Non-Hisp	164	156,208	98	51.8	41.8-61.8	66	48.2	38.2-58.2
Oth. Race/Non-Hisp.	58	36,969	28	48.0	32.1-63.9	30	52.0	36.1-67.9
Hispanic	119	113,101	49	39.0	29.0-49.0	70	61.0	51.0-71.0
18-24	252	306,845	56	22.8	16.9-28.7	196	77.2	71.3-83.1
25-34	368	372,800	139	35.1	29.6-40.6	229	64.9	59.4-70.4
35-44	454	351,654	215	46.9	41.4-52.4	239	53.1	47.6-58.6
45-54	691	356,331	444	61.7	57.4-66.0	247	38.3	34.0-42.6
55-64	733	303,638	532	71.0	66.9-75.1	201	29.0	24.9-33.1
65+	891	273,719	649	71.4	67.9-74.9	242	28.6	25.1-32.1
Less Than H.S.	312	294,270	129	32.3	26.0-38.6	183	67.7	61.4-74.0
H.S. or G.E.D.	1206	701,224	708	52.3	48.6-56.0	498	47.7	44.0-51.4
Some Post-H.S.	791	548,573	470	50.5	46.2-54.8	321	49.5	45.2-53.8
College Graduate	1089	421,910	736	61.5	58.0-65.0	353	38.5	35.0-42.0
Less than \$15,000	284	162,994	140	36.9	30.0-43.8	144	63.1	56.2-70.0
\$15,000- 24,999	484	278,693	254	43.2	37.5-48.9	230	56.8	51.1-62.5
\$25,000- 34,999	373	218,873	205	46.1	39.6-52.6	168	53.9	47.4-60.4
\$35,000- 49,999	491	291,552	318	57.4	51.7-63.1	173	42.6	36.9-48.3
\$50,000- 74,999	501	291,009	323	57.6	51.7-63.5	178	42.4	36.5-48.3
\$75,000+	883	484,006	599	59.3	55.0-63.6	284	40.7	36.4-45.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4945	2,153,249	3242	59.0	57.0-61.0	1703	41.0	39.0-43.0
White/Non-Hisp	4311	1,766,567	2867	60.3	58.3-62.3	1444	39.7	37.7-41.7
Black or Afr. Am./Non-Hisp	305	186,599	201	58.0	50.4-65.6	104	42.0	34.4-49.6
Oth. Race/Non-Hisp.	72	39,233	39	48.7	33.0-64.4	33	51.3	35.6-67.0
Hispanic	149	115,509	82	49.7	40.1-59.3	67	50.3	40.7-59.9
18-24	230	300,666	73	33.0	26.1-39.9	157	67.0	60.1-73.9
25-34	471	370,771	258	52.1	46.8-57.4	213	47.9	42.6-53.2
35-44	638	363,203	374	57.8	53.3-62.3	264	42.2	37.7-46.7
45-54	802	385,026	529	64.7	60.8-68.6	273	35.3	31.4-39.2
55-64	1075	328,340	742	68.3	65.0-71.6	333	31.7	28.4-35.0
65+	1672	386,825	1233	73.4	70.9-75.9	439	26.6	24.1-29.1
Less Than H.S.	426	288,066	236	45.2	38.9-51.5	190	54.8	48.5-61.1
H.S. or G.E.D.	1817	739,532	1164	58.0	54.9-61.1	653	42.0	38.9-45.1
Some Post-H.S.	1299	676,551	861	61.6	58.1-65.1	438	38.4	34.9-41.9
College Graduate	1396	446,279	978	65.5	62.4-68.6	418	34.5	31.4-37.6
Less than \$15,000	543	245,526	311	47.3	41.2-53.4	232	52.7	46.6-58.8
\$15,000- 24,999	902	393,096	579	57.3	52.6-62.0	323	42.7	38.0-47.4
\$25,000- 34,999	524	213,873	352	59.7	54.0-65.4	172	40.3	34.6-46.0
\$35,000- 49,999	601	248,034	404	63.5	58.2-68.8	197	36.5	31.2-41.8
\$50,000- 74,999	615	269,424	429	64.1	59.0-69.2	186	35.9	30.8-41.0
\$75,000+	890	422,027	618	64.4	60.1-68.7	272	35.6	31.3-39.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8670	4,268,226	720	7.1	06.3-07.9	91	1.0	00.8-01.2	7859	92.0	91.2-92.8
Male	3542	2,049,292	279	6.5	05.5-07.5				3263	93.5	92.5-94.5
Female	5128	2,218,934	441	7.6	06.6-08.6	91	1.8	01.4-02.2	4596	90.5	89.5-91.5
White/Non-Hisp	7555	3,500,149	630	7.0	06.2-07.8	76	1.0	00.8-01.2	6849	92.0	91.2-92.8
Black or Afr. Am./Non-Hisp	476	351,229	46	9.5	05.6-13.4	9	1.1	00.3-01.9	421	89.4	85.3-93.5
Oth. Race/Non-Hisp.	132	79,612	8	4.2	00.3-08.1	1	0.3	00.0-00.9	123	95.5	91.6-99.4
MultiRacial/Non-Hisp.	93	36,958	7	7.9	01.2-14.6	1	0.1	00.0-00.3	85	92.0	85.1-98.9
Hispanic	270	227,740	17	5.6	02.7-08.5	4	0.8	00.0-01.8	249	93.6	90.5-96.7
18-24	499	628,301	8	1.7	00.1-03.3	1	0.2	00.0-00.6	490	98.1	96.5-99.7
25-34	857	762,122	36	4.6	02.8-06.4	11	1.0	00.4-01.6	810	94.4	92.4-96.4
35-44	1127	738,112	72	6.1	04.3-07.9	20	1.2	00.6-01.8	1035	92.7	90.9-94.5
45-54	1540	764,767	129	8.9	07.1-10.7	22	1.4	00.6-02.2	1389	89.7	87.7-91.7
55-64	1860	651,948	183	9.5	07.9-11.1	20	1.2	00.6-01.8	1657	89.3	87.5-91.1
65+	2704	696,365	287	11.4	09.8-13.0	17	0.8	00.4-01.2	2400	87.9	86.3-89.5
Less Than H.S.	758	597,902	80	9.0	06.6-11.4	4	0.5	00.0-01.1	674	90.5	88.1-92.9
H.S. or G.E.D.	3135	1,488,652	294	8.0	06.8-09.2	30	1.0	00.6-01.4	2811	91.0	89.6-92.4
Some Post-H.S.	2179	1,270,939	161	5.9	04.7-07.1	31	1.2	00.8-01.6	1987	92.9	91.7-94.1
College Graduate	2575	899,514	184	5.9	04.7-07.1	26	1.0	00.6-01.4	2365	93.1	91.9-94.3
Less than \$15,000	855	418,910	94	8.3	05.9-10.7	12	1.5	00.5-02.5	749	90.2	87.8-92.6
\$15,000- 24,999	1427	685,768	140	8.1	06.3-09.9	16	0.8	00.4-01.2	1271	91.1	89.3-92.9
\$25,000- 34,999	927	443,840	92	8.6	06.4-10.8	11	1.3	00.3-02.3	824	90.1	87.7-92.5
\$35,000- 49,999	1125	554,311	111	8.7	06.7-10.7	9	0.9	00.3-01.5	1005	90.4	88.2-92.6
\$50,000- 74,999	1162	584,858	98	7.9	05.7-10.1	12	1.0	00.4-01.6	1052	91.1	88.7-93.5
\$75,000+	1833	945,076	99	4.7	03.3-06.1	19	0.8	00.4-01.2	1715	94.5	93.1-95.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3542	2,049,292	279	6.5	05.5-07.5	3263	93.5	92.5-94.5
White/Non-Hisp	3067	1,669,734	245	6.6	05.6-07.6	2822	93.4	92.4-94.4
Black or Afr. Am./Non-Hisp	170	163,716	15	8.2	02.3-14.1	155	91.8	85.9-97.7
Oth. Race/Non-Hisp.	60	40,378	3	2.9	00.0-06.6	57	97.1	93.4-0100
Hispanic	119	112,095	5	3.6	00.1-07.1	114	96.4	92.9-99.9
18-24	262	320,989	2	0.7	00.0-01.7	260	99.3	98.3-0100
25-34	379	383,990	11	4.0	01.1-06.9	368	96.0	93.1-98.9
35-44	469	365,315	25	5.2	02.8-07.6	444	94.8	92.4-97.2
45-54	713	368,846	54	7.7	05.2-10.2	659	92.3	89.8-94.8
55-64	760	314,478	80	10.3	07.8-12.8	680	89.7	87.2-92.2
65+	936	287,890	106	12.3	09.8-14.8	830	87.7	85.2-90.2
Less Than H.S.	321	303,166	29	8.4	04.9-11.9	292	91.6	88.1-95.1
H.S. or G.E.D.	1251	728,310	116	7.3	05.5-09.1	1135	92.7	90.9-94.5
Some Post-H.S.	827	573,920	50	5.0	03.2-06.8	777	95.0	93.2-96.8
College Graduate	1128	435,645	84	5.9	04.3-07.5	1044	94.1	92.5-95.7
Less than \$15,000	294	168,102	21	5.4	02.5-08.3	273	94.6	91.7-97.5
\$15,000- 24,999	498	283,130	44	6.7	04.2-09.2	454	93.3	90.8-95.8
\$25,000- 34,999	391	227,317	40	8.4	05.3-11.5	351	91.6	88.5-94.7
\$35,000- 49,999	501	298,281	50	8.0	05.3-10.7	451	92.0	89.3-94.7
\$50,000- 74,999	525	304,856	50	9.3	05.6-13.0	475	90.7	87.0-94.4
\$75,000+	914	506,790	51	4.5	02.9-06.1	863	95.5	93.9-97.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5128	2,218,934	441	7.6	06.6-08.6	91	1.8	01.4-02.2	4596	90.5	89.5-91.5
White/Non-Hisp	4488	1,830,415	385	7.3	06.3-08.3	76	1.9	01.3-02.5	4027	90.8	89.8-91.8
Black or Afr. Am./Non-Hisp	306	187,513	31	10.6	05.3-15.9	9	2.0	00.4-03.6	266	87.4	81.9-92.9
Oth. Race/Non-Hisp.	72	39,233	5	5.5	00.0-12.4	1	0.6	00.0-01.8	66	93.8	86.9-0100
Hispanic	151	115,645	12	7.6	02.9-12.3	4	1.6	00.0-03.6	135	90.8	85.7-95.9
18-24	237	307,312	6	2.8	00.1-05.5	1	0.3	00.0-00.9	230	96.8	93.9-99.7
25-34	478	378,132	25	5.3	03.1-07.5	11	1.9	00.7-03.1	442	92.8	90.3-95.3
35-44	658	372,797	47	7.0	04.6-09.4	20	2.4	01.2-03.6	591	90.6	88.1-93.1
45-54	827	395,921	75	10.0	07.5-12.5	22	2.7	01.3-04.1	730	87.3	84.6-90.0
55-64	1100	337,470	103	8.9	06.7-11.1	20	2.2	01.0-03.4	977	88.9	86.5-91.3
65+	1768	408,475	181	10.8	08.8-12.8	17	1.3	00.5-02.1	1570	87.9	85.9-89.9
Less Than H.S.	437	294,736	51	9.6	06.3-12.9	4	1.0	00.0-02.0	382	89.4	86.1-92.7
H.S. or G.E.D.	1884	760,343	178	8.7	06.9-10.5	30	1.9	01.1-02.7	1676	89.4	87.4-91.4
Some Post-H.S.	1352	697,019	111	6.6	05.0-08.2	31	2.1	01.3-02.9	1210	91.2	89.4-93.0
College Graduate	1447	463,869	100	5.9	04.3-07.5	26	1.9	01.1-02.7	1321	92.2	90.4-94.0
Less than \$15,000	561	250,808	73	10.2	07.1-13.3	12	2.5	00.9-04.1	476	87.3	83.8-90.8
\$15,000- 24,999	929	402,638	96	9.0	06.6-11.4	16	1.4	00.6-02.2	817	89.6	87.1-92.1
\$25,000- 34,999	536	216,523	52	8.9	06.0-11.8	11	2.6	00.8-04.4	473	88.5	85.2-91.8
\$35,000- 49,999	624	256,029	61	9.4	06.7-12.1	9	2.0	00.6-03.4	554	88.5	85.4-91.6
\$50,000- 74,999	637	280,002	48	6.4	04.0-08.8	12	2.1	00.7-03.5	577	91.5	88.8-94.2
\$75,000+	919	438,285	48	5.0	02.8-07.2	19	1.7	00.7-02.7	852	93.3	90.9-95.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1373	512,513	30	3.8	01.8-05.8	99	9.1	06.9-11.3	296	26.2	23.1-29.3	597	41.8	38.5-45.1	351	19.1	16.7-21.5
Male	607	266,930	14	5.2	01.5-08.9	38	7.3	04.8-09.8	122	24.8	20.3-29.3	284	45.5	40.4-50.6	149	17.2	14.1-20.3
Female	766	245,583	16	2.3	00.7-03.9	61	11.1	07.8-14.4	174	27.7	23.4-32.0	313	37.7	33.4-42.0	202	21.2	17.9-24.5
White/Non-Hisp	1190	415,498	25	3.9	01.5-06.3	74	7.6	05.6-09.6	240	23.6	20.5-26.7	526	43.5	40.0-47.0	325	21.4	18.9-23.9
Black or Afr. Am./Non-Hisp	99	54,235	1	0.2	00.0-00.6	15	17.2	07.6-26.8	29	33.1	21.3-44.9	43	40.2	28.4-52.0	11	9.3	03.0-15.6
35-44	63	37,946	4	7.8	00.0-16.0	18	24.5	12.5-36.5	41	67.7	54.2-81.2						
45-54	205	102,873	13	5.1	02.0-08.2	24	9.5	05.0-14.0	105	52.2	43.8-60.6	63	33.1	25.1-41.1			
55-64	367	143,367	5	0.6	00.0-01.2	26	7.0	03.9-10.1	63	19.1	14.0-24.2	245	65.6	59.7-71.5	28	7.7	04.6-10.8
65+	716	206,565	4	1.1	00.0-02.7	20	3.2	01.4-05.0	85	12.9	09.8-16.0	287	41.2	36.7-45.7	320	41.6	37.3-45.9
Less Than H.S.	156	86,678	4	6.2	00.0-13.3	12	7.7	02.8-12.6	36	28.4	18.8-38.0	52	34.7	25.5-43.9	52	23.1	15.8-30.4
H.S. or G.E.D.	560	186,026	9	1.5	00.5-02.5	38	10.3	06.6-14.0	109	24.5	19.8-29.2	245	43.1	38.0-48.2	159	20.6	17.1-24.1
Some Post-H.S.	371	168,062	10	5.6	00.9-10.3	29	8.3	04.6-12.0	91	28.1	22.2-34.0	167	42.5	36.2-48.8	74	15.6	11.7-19.5
College Graduate	285	71,471	7	2.9	00.5-05.3	20	9.8	04.9-14.7	60	23.6	17.5-29.7	132	45.0	38.1-51.9	66	18.8	13.9-23.7
Less than \$15,000	198	62,923	4	1.2	00.0-02.4	19	13.9	06.3-21.5	48	25.7	17.1-34.3	85	41.5	31.7-51.3	42	17.8	10.9-24.7
\$15,000- 24,999	292	105,497	7	2.8	00.6-05.0	25	12.5	07.0-18.0	64	29.9	22.3-37.5	114	35.3	28.4-42.2	82	19.5	14.6-24.4
\$25,000- 34,999	176	63,232				10	7.7	02.2-13.2	40	31.1	21.9-40.3	66	33.3	25.1-41.5	60	27.8	20.4-35.2
\$35,000- 49,999	193	72,317	3	2.4	00.0-06.1	8	4.9	01.2-08.6	39	24.3	16.7-31.9	91	48.0	39.2-56.8	52	20.4	14.1-26.7
\$50,000- 74,999	153	65,054	4	3.8	00.0-08.7	7	5.8	00.9-10.7	33	24.3	16.1-32.5	84	53.1	43.7-62.5	25	13.1	07.4-18.8
\$75,000+	168	71,792	7	10.9	01.7-20.1	13	7.8	02.7-12.9	38	26.4	17.6-35.2	81	43.2	33.8-52.6	29	11.7	07.0-16.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	607	266,930	14	5.2	01.5-08.9	38	7.3	04.8-09.8	122	24.8	20.3-29.3	284	45.5	40.4-50.6	149	17.2	14.1-20.3
White/Non-Hisp	527	212,771	12	5.3	01.0-09.6	27	5.3	02.9-07.7	98	21.3	17.0-25.6	250	47.5	42.0-53.0	140	20.6	16.9-24.3
45-54	98	55,623	5	4.1	00.0-08.4	12	10.3	03.8-16.8	49	52.2	40.6-63.8	32	33.4	22.4-44.4			
55-64	165	79,003	2	0.6	00.0-01.4	10	5.8	01.5-10.1	24	16.4	09.7-23.1	114	68.3	60.1-76.5	15	8.9	04.2-13.6
65+	313	104,800	2	2.0	00.0-05.1	9	3.7	01.0-06.4	33	11.4	07.1-15.7	136	46.0	39.3-52.7	133	36.8	30.5-43.1
Less Than H.S.	65	44,829	3	10.9	00.0-23.8	5	9.0	00.8-17.2	13	27.1	12.4-41.8	25	35.8	21.9-49.7	19	17.3	08.3-26.3
H.S. or G.E.D.	221	85,155	5	2.0	00.0-04.0	14	7.8	03.5-12.1	41	21.2	14.7-27.7	101	48.1	40.3-55.9	60	20.8	15.1-26.5
Some Post-H.S.	169	93,238	4	6.9	00.0-14.5	10	5.4	01.5-09.3	40	28.0	19.6-36.4	81	45.9	36.7-55.1	34	13.8	08.7-18.9
College Graduate	151	43,432	2	2.3	00.0-05.6	9	8.6	02.1-15.1	28	22.7	14.3-31.1	76	49.3	39.9-58.7	36	17.2	11.1-23.3
Less than \$15,000	66	24,873	3	2.4	00.0-05.3	5	11.8	00.2-23.4	11	23.4	07.9-38.9	34	51.7	35.0-68.4	13	10.8	03.9-17.7
\$15,000- 24,999	107	50,445	4	3.9	00.0-07.8	7	8.4	01.5-15.3	26	35.0	22.5-47.5	49	39.3	28.1-50.5	21	13.4	06.7-20.1
\$25,000- 34,999	79	30,787				4	6.7	00.0-13.8	15	28.6	15.3-41.9	28	31.0	19.0-43.0	32	33.8	21.6-46.0
\$35,000- 49,999	101	43,981	1	0.5	00.0-01.5	3	3.3	00.0-07.2	14	18.4	08.6-28.2	52	54.2	42.4-66.0	31	23.6	14.4-32.8
\$50,000- 74,999	81	39,797	1	4.0	00.0-11.6	4	5.4	00.0-11.5	21	28.6	17.0-40.2	43	51.8	39.1-64.5	12	10.1	04.0-16.2
\$75,000+	101	44,591	4	14.1	00.4-27.8	8	6.8	01.3-12.3	20	19.9	10.9-28.9	51	47.4	34.9-59.9	18	11.8	05.7-17.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	766	245,583	16	2.3	00.7-03.9	61	11.1	07.8-14.4	174	27.7	23.4-32.0	313	37.7	33.4-42.0	202	21.2	17.9-24.5
White/Non-Hisp	663	202,727	13	2.3	00.5-04.1	47	10.1	06.8-13.4	142	26.1	21.4-30.8	276	39.4	34.7-44.1	185	22.2	18.7-25.7
Black or Afr. Am./Non-Hisp	61	27,665	1	0.3	00.0-00.9	12	23.4	09.1-37.7	18	30.3	16.0-44.6	22	31.1	16.4-45.8	8	14.9	03.7-26.1
45-54	107	47,250	8	6.3	01.6-11.0	12	8.6	02.7-14.5	56	52.3	40.0-64.6	31	32.8	20.8-44.8			
55-64	202	64,364	3	0.6	00.0-01.2	16	8.6	03.9-13.3	39	22.3	14.5-30.1	131	62.3	53.9-70.7	13	6.2	02.5-09.9
65+	403	101,764	2	0.3	00.0-00.7	11	2.7	00.9-04.5	52	14.4	09.9-18.9	151	36.3	30.6-42.0	187	46.4	40.3-52.5
Less Than H.S.	91	41,849	1	1.1	00.0-03.3	7	6.3	01.4-11.2	23	29.7	17.5-41.9	27	33.5	21.7-45.3	33	29.4	18.8-40.0
H.S. or G.E.D.	339	100,871	4	1.1	00.0-02.3	24	12.4	06.9-17.9	68	27.3	20.6-34.0	144	38.9	32.2-45.6	99	20.4	15.9-24.9
Some Post-H.S.	202	74,824	6	4.0	00.0-08.3	19	11.8	05.1-18.5	51	28.2	19.8-36.6	86	38.2	30.0-46.4	40	17.8	11.7-23.9
College Graduate	134	28,039	5	3.8	00.1-07.5	11	11.6	04.3-18.9	32	24.9	16.3-33.5	56	38.4	28.8-48.0	30	21.3	13.3-29.3
Less than \$15,000	132	38,050	1	0.3	00.0-00.9	14	15.3	05.1-25.5	37	27.2	17.0-37.4	51	34.8	22.8-46.8	29	22.3	12.1-32.5
\$15,000- 24,999	185	55,052	3	1.7	00.0-03.9	18	16.3	08.1-24.5	38	25.2	16.6-33.8	65	31.7	23.3-40.1	61	25.1	18.0-32.2
\$25,000- 34,999	97	32,445				6	8.7	00.5-16.9	25	33.6	21.1-46.1	38	35.6	24.2-47.0	28	22.1	13.3-30.9
\$35,000- 49,999	92	28,336	2	5.3	00.0-14.5	5	7.5	00.1-14.9	25	33.3	21.0-45.6	39	38.5	26.5-50.5	21	15.4	08.3-22.5
\$50,000- 74,999	72	25,257	3	3.4	00.0-07.3	3	6.3	00.0-14.3	12	17.5	06.3-28.7	41	55.0	41.1-68.9	13	17.7	07.1-28.3
\$75,000+	67	27,201	3	5.6	00.0-12.1	5	9.4	00.0-19.4	18	37.0	20.7-53.3	30	36.4	22.5-50.3	11	11.5	03.7-19.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1457	538,603	495	35.0	31.7-38.3	962	65.0	61.7-68.3
Male	635	277,515	228	38.0	33.1-42.9	407	62.0	57.1-66.9
Female	822	261,088	267	31.8	27.7-35.9	555	68.2	64.1-72.3
White/Non-Hisp	1257	433,642	426	35.3	31.8-38.8	831	64.7	61.2-68.2
Black or Afr. Am./Non-Hisp	109	58,069	42	37.7	26.1-49.3	67	62.3	50.7-73.9
35-44	64	39,222	31	45.1	30.2-60.0	33	54.9	40.0-69.8
45-54	212	104,879	65	29.5	21.9-37.1	147	70.5	62.9-78.1
55-64	379	147,638	135	36.6	30.5-42.7	244	63.4	57.3-69.5
65+	772	222,144	257	34.0	29.9-38.1	515	66.0	61.9-70.1
Less Than H.S.	170	92,769	65	41.8	32.2-51.4	105	58.2	48.6-67.8
H.S. or G.E.D.	603	198,101	196	32.8	28.1-37.5	407	67.2	62.5-71.9
Some Post-H.S.	389	174,112	142	35.2	28.9-41.5	247	64.8	58.5-71.1
College Graduate	292	72,919	91	31.8	25.3-38.3	201	68.2	61.7-74.7
Less than \$15,000	210	67,452	91	44.0	34.4-53.6	119	56.0	46.4-65.6
\$15,000- 24,999	306	109,230	110	37.3	30.0-44.6	196	62.7	55.4-70.0
\$25,000- 34,999	183	65,232	57	33.6	25.2-42.0	126	66.4	58.0-74.8
\$35,000- 49,999	199	74,508	65	36.5	28.1-44.9	134	63.5	55.1-71.9
\$50,000- 74,999	157	65,928	50	26.3	18.7-33.9	107	73.7	66.1-81.3
\$75,000+	171	74,596	48	33.3	23.3-43.3	123	66.7	56.7-76.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	635	277,515	228	38.0	32.9-43.1	407	62.0	56.9-67.1
White/Non-Hisp	550	220,046	198	38.3	33.0-43.6	352	61.7	56.4-67.0
45-54	101	56,812	31	28.6	18.0-39.2	70	71.4	60.8-82.0
55-64	166	78,761	64	40.1	31.1-49.1	102	59.9	50.9-68.9
65+	332	111,332	119	37.5	31.2-43.8	213	62.5	56.2-68.8
Less Than H.S.	70	47,868	33	51.9	37.4-66.4	37	48.1	33.6-62.6
H.S. or G.E.D.	233	88,577	78	32.6	25.3-39.9	155	67.4	60.1-74.7
Some Post-H.S.	175	96,482	63	38.3	29.1-47.5	112	61.7	52.5-70.9
College Graduate	155	44,095	53	33.0	24.4-41.6	102	67.0	58.4-75.6
Less than \$15,000	69	27,031	35	54.0	38.1-69.9	34	46.0	30.1-61.9
\$15,000- 24,999	113	52,032	44	40.1	28.3-51.9	69	59.9	48.1-71.7
\$25,000- 34,999	82	30,999	30	40.6	27.5-53.7	52	59.4	46.3-72.5
\$35,000- 49,999	105	45,515	31	31.3	20.3-42.3	74	68.7	57.7-79.7
\$50,000- 74,999	83	40,236	28	27.3	16.9-37.7	55	72.7	62.3-83.1
\$75,000+	104	46,720	32	37.3	24.2-50.4	72	62.7	49.6-75.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	822	261,088	267	31.8	27.7-35.9	555	68.2	64.1-72.3
White/Non-Hisp	707	213,596	228	32.1	27.6-36.6	479	67.9	63.4-72.4
Black or Afr. Am./Non-Hisp	70	30,567	26	33.4	19.5-47.3	44	66.6	52.7-80.5
45-54	111	48,067	34	30.7	19.5-41.9	77	69.3	58.1-80.5
55-64	213	68,877	71	32.6	25.0-40.2	142	67.4	59.8-75.0
65+	440	110,812	138	30.5	25.2-35.8	302	69.5	64.2-74.8
Less Than H.S.	100	44,901	32	31.1	20.3-41.9	68	68.9	58.1-79.7
H.S. or G.E.D.	370	109,523	118	32.9	26.6-39.2	252	67.1	60.8-73.4
Some Post-H.S.	214	77,630	79	31.4	23.6-39.2	135	68.6	60.8-76.4
College Graduate	137	28,825	38	30.0	20.6-39.4	99	70.0	60.6-79.4
Less than \$15,000	141	40,421	56	37.3	26.3-48.3	85	62.7	51.7-73.7
\$15,000- 24,999	193	57,199	66	34.7	26.1-43.3	127	65.3	56.7-73.9
\$25,000- 34,999	101	34,233	27	27.3	16.5-38.1	74	72.7	61.9-83.5
\$35,000- 49,999	94	28,993	34	44.7	32.0-57.4	60	55.3	42.6-68.0
\$50,000- 74,999	74	25,692	22	24.8	14.0-35.6	52	75.2	64.4-86.0
\$75,000+	67	27,875	16	26.6	12.1-41.1	51	73.4	58.9-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1439	533,335	151	10.1	08.1-12.1	339	24.1	21.2-27.0	911	62.7	59.4-66.0	38	3.1	01.7-04.5
Male	625	273,770	70	10.1	07.4-12.8	157	25.1	20.8-29.4	382	61.2	56.3-66.1	16	3.6	01.2-06.0
Female	814	259,565	81	10.2	07.5-12.9	182	23.0	19.3-26.7	529	64.3	60.0-68.6	22	2.5	01.3-03.7
White/Non-Hisp	1242	430,130	134	10.6	08.4-12.8	295	24.2	21.1-27.3	777	61.8	58.3-65.3	36	3.5	01.9-05.1
Black or Afr. Am./Non-Hisp	107	56,945	10	7.4	02.5-12.3	19	18.8	09.8-27.8	78	73.8	64.0-83.6			
35-44	64	39,222	5	6.2	00.1-12.3	17	31.3	17.4-45.2	39	58.3	43.8-72.8	3	4.2	00.0-09.1
45-54	207	103,089	24	10.9	06.0-15.8	45	20.0	13.5-26.5	128	65.7	57.9-73.5	10	3.4	01.0-05.8
55-64	376	146,468	43	9.9	06.4-13.4	96	28.9	23.0-34.8	225	57.9	51.8-64.0	12	3.3	01.1-05.5
65+	762	219,837	76	10.9	08.0-13.8	172	21.4	17.9-24.9	502	66.1	62.0-70.2	12	1.7	00.5-02.9
Less Than H.S.	168	92,390	22	13.1	06.8-19.4	38	19.7	12.6-26.8	102	61.7	52.3-71.1	6	5.6	00.0-11.7
H.S. or G.E.D.	591	194,103	49	7.1	04.7-09.5	133	24.8	20.3-29.3	401	66.9	62.2-71.6	8	1.2	00.2-02.2
Some Post-H.S.	387	173,551	49	11.7	08.0-15.4	85	23.6	18.1-29.1	241	61.4	55.3-67.5	12	3.3	01.1-05.5
College Graduate	290	72,590	31	11.0	06.7-15.3	83	29.0	22.7-35.3	164	55.6	48.7-62.5	12	4.4	01.7-07.1
Less than \$15,000	208	67,182	22	12.2	06.1-18.3	35	15.3	09.0-21.6	148	71.6	63.4-79.8	3	1.0	00.0-02.2
\$15,000- 24,999	301	108,814	27	7.5	04.0-11.0	66	20.5	14.8-26.2	198	68.4	61.7-75.1	10	3.6	01.1-06.1
\$25,000- 34,999	180	64,597	22	9.3	05.0-13.6	34	20.3	12.3-28.3	123	69.4	60.8-78.0	1	0.9	00.0-02.7
\$35,000- 49,999	197	73,198	19	8.0	03.9-12.1	56	28.1	20.3-35.9	117	60.7	52.3-69.1	5	3.3	00.2-06.4
\$50,000- 74,999	156	65,150	19	16.1	08.3-23.9	37	24.0	16.2-31.8	92	56.8	47.4-66.2	8	3.1	00.7-05.5
\$75,000+	170	74,350	20	10.7	05.6-15.8	57	38.0	28.4-47.6	87	43.4	34.0-52.8	6	7.9	00.1-15.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	625	273,770	70	10.1	07.4-12.8	157	25.1	20.8-29.4	382	61.2	56.3-66.1	16	3.6	01.2-06.0
White/Non-Hisp	542	217,378	62	10.6	07.7-13.5	136	25.2	20.7-29.7	329	60.1	54.8-65.4	15	4.1	01.2-07.0
45-54	98	55,371	10	8.5	02.6-14.4	21	20.5	11.3-29.7	64	69.0	58.6-79.4	3	2.0	00.0-04.5
55-64	165	78,122	20	10.6	05.3-15.9	47	31.8	23.2-40.4	92	53.6	44.4-62.8	6	4.1	00.6-07.6
65+	326	109,667	37	12.1	07.4-16.8	76	20.6	15.7-25.5	208	65.3	59.0-71.6	5	2.0	00.0-04.0
Less Than H.S.	68	46,993	8	10.7	02.1-19.3	15	15.6	06.6-24.6	41	64.3	50.0-78.6	4	9.4	00.0-20.8
H.S. or G.E.D.	229	86,553	25	8.4	04.7-12.1	51	27.4	20.1-34.7	152	64.0	56.4-71.6	1	0.2	00.0-00.6
Some Post-H.S.	173	95,973	21	10.8	05.7-15.9	41	24.1	16.3-31.9	105	61.3	52.5-70.1	6	3.8	00.5-07.1
College Graduate	153	43,758	16	11.3	05.4-17.2	50	33.1	24.1-42.1	82	51.8	42.4-61.2	5	3.8	00.3-07.3
Less than \$15,000	68	26,887	8	10.8	01.6-20.0	11	15.6	04.2-27.0	47	72.0	58.3-85.7	2	1.6	00.0-04.0
\$15,000- 24,999	110	51,030	12	10.3	03.8-16.8	21	18.0	09.6-26.4	73	67.1	56.3-77.9	4	4.7	00.0-09.6
\$25,000- 34,999	82	31,237	11	10.8	03.7-17.9	17	19.2	08.4-30.0	53	68.1	55.8-80.4	1	1.9	00.0-05.6
\$35,000- 49,999	103	44,205	9	5.5	01.2-09.8	27	27.9	17.1-38.7	65	64.6	53.4-75.8	2	2.0	00.0-05.1
\$50,000- 74,999	82	39,458	10	16.0	05.6-26.4	23	26.2	15.4-37.0	47	56.6	44.1-69.1	2	1.2	00.0-03.0
\$75,000+	103	46,467	13	11.4	04.5-18.3	39	42.1	29.8-54.4	46	35.4	24.6-46.2	5	11.1	00.0-22.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	814	259,565	81	10.2	07.5-12.9	182	23.0	19.3-26.7	529	64.3	60.0-68.6	22	2.5	01.3-03.7
White/Non-Hisp	700	212,752	72	10.5	07.6-13.4	159	23.1	19.0-27.2	448	63.5	59.0-68.0	21	2.9	01.5-04.3
Black or Afr. Am./Non-Hisp	69	29,941	5	6.4	00.3-12.5	13	19.7	08.5-30.9	51	73.9	61.6-86.2			
45-54	109	47,717	14	13.8	05.6-22.0	24	19.5	10.5-28.5	64	61.8	50.2-73.4	7	4.9	00.8-09.0
55-64	211	68,346	23	9.2	04.9-13.5	49	25.7	18.1-33.3	133	62.8	54.8-70.8	6	2.3	00.3-04.3
65+	436	110,170	39	9.6	06.1-13.1	96	22.1	17.4-26.8	294	66.9	61.4-72.4	7	1.4	00.2-02.6
Less Than H.S.	100	45,397	14	15.5	06.5-24.5	23	23.9	13.1-34.7	61	59.0	47.0-71.0	2	1.6	00.0-04.1
H.S. or G.E.D.	362	107,550	24	6.1	03.0-09.2	82	22.7	17.2-28.2	249	69.3	63.2-75.4	7	1.9	00.1-03.7
Some Post-H.S.	214	77,578	28	12.7	07.4-18.0	44	23.0	15.7-30.3	136	61.6	53.4-69.8	6	2.7	00.2-05.2
College Graduate	137	28,832	15	10.5	04.4-16.6	33	22.7	14.9-30.5	82	61.4	52.0-70.8	7	5.4	01.1-09.7
Less than \$15,000	140	40,296	14	13.0	04.8-21.2	24	15.0	07.9-22.1	101	71.3	60.9-81.7	1	0.6	00.0-01.8
\$15,000- 24,999	191	57,784	15	5.0	02.1-07.9	45	22.8	15.2-30.4	125	69.5	61.3-77.7	6	2.7	00.2-05.2
\$25,000- 34,999	98	33,360	11	7.9	02.6-13.2	17	21.4	09.8-33.0	70	70.7	58.7-82.7			
\$35,000- 49,999	94	28,993	10	11.7	03.9-19.5	29	28.4	17.6-39.2	52	54.7	42.4-67.0	3	5.3	00.0-11.4
\$50,000- 74,999	74	25,692	9	16.3	04.3-28.3	14	20.5	09.7-31.3	45	57.0	43.3-70.7	6	6.1	01.0-11.2
\$75,000+	67	27,882	7	9.7	02.3-17.1	18	31.1	16.4-45.8	41	56.6	41.3-71.9	1	2.7	00.0-07.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1404	519,387	845	59.9	56.6-63.2	266	18.5	16.0-21.0	81	5.6	04.0-07.2	24	2.0	00.6-03.4	174	12.9	10.5-15.3	14	1.0	00.4-01.6
Male	606	264,828	360	60.0	55.1-64.9	110	18.2	14.3-22.1	34	4.9	02.9-06.9	15	2.7	00.5-04.9	80	13.2	09.9-16.5	7	1.0	00.2-01.8
Female	798	254,560	485	59.9	55.4-64.4	156	18.9	15.4-22.4	47	6.4	04.0-08.8	9	1.2	00.0-02.4	94	12.7	09.6-15.8	7	1.0	00.0-02.0
White/Non-Hisp	1211	418,168	720	60.1	56.6-63.6	240	19.1	16.4-21.8	73	5.8	04.2-07.4	19	1.6	00.2-03.0	146	12.3	09.9-14.7	13	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	109	58,069	72	62.8	51.2-74.4	14	15.6	06.0-25.2	5	6.8	00.1-13.5	2	1.9	00.0-04.6	15	11.5	04.6-18.4	1	1.4	00.0-04.1
35-44	63	38,277	35	53.9	38.8-69.0	14	24.0	09.7-38.3	3	3.4	00.0-07.5				11	18.7	06.9-30.5			
45-54	207	103,348	131	63.1	54.9-71.3	36	17.1	10.6-23.6	13	6.0	02.3-09.7	1	1.3	00.0-03.8	22	11.2	06.1-16.3	4	1.3	00.0-02.9
55-64	371	143,822	225	59.0	52.9-65.1	74	20.1	15.2-25.0	21	6.0	03.1-08.9	2	0.4	00.0-01.0	45	13.2	08.7-17.7	4	1.4	00.0-03.0
65+	735	210,458	439	60.5	56.2-64.8	136	17.5	14.2-20.8	43	5.4	03.4-07.4	18	2.2	01.0-03.4	93	13.4	10.3-16.5	6	0.9	00.1-01.7
Less Than H.S.	159	87,379	89	49.8	39.8-59.8	29	20.2	11.6-28.8	10	4.9	01.4-08.4	4	4.0	00.0-10.1	26	20.1	12.1-28.1	1	0.9	00.0-02.7
H.S. or G.E.D.	575	190,512	347	59.4	54.3-64.5	111	19.0	15.1-22.9	26	5.3	02.8-07.8	11	2.1	00.3-03.9	73	12.8	09.3-16.3	7	1.4	00.2-02.6
Some Post-H.S.	382	170,675	232	64.7	58.8-70.6	80	18.9	14.2-23.6	22	5.2	02.7-07.7	4	0.9	00.0-01.9	40	9.5	06.2-12.8	4	0.8	00.0-01.8
College Graduate	287	70,546	176	61.9	55.2-68.6	46	14.4	09.7-19.1	23	8.6	04.7-12.5	5	1.7	00.1-03.3	35	12.8	08.1-17.5	2	0.6	00.0-01.6
Less than \$15,000	204	65,875	130	55.3	45.5-65.1	36	20.4	12.2-28.6	11	8.3	02.2-14.4	2	0.7	00.0-01.9	24	15.0	07.2-22.8	1	0.2	00.0-00.6
\$15,000- 24,999	298	106,010	182	62.4	55.1-69.7	59	21.1	14.4-27.8	10	3.9	01.2-06.6	4	0.7	00.0-01.7	41	11.0	06.9-15.1	2	0.8	00.0-02.0
\$25,000- 34,999	175	62,251	96	51.5	42.3-60.7	39	21.7	14.1-29.3	14	10.6	04.5-16.7	5	1.7	00.1-03.3	19	13.8	06.4-21.2	2	0.7	00.0-01.9
\$35,000- 49,999	192	71,191	117	64.0	55.8-72.2	38	19.8	12.9-26.7	11	2.9	00.7-05.1	2	0.5	00.0-01.1	24	12.9	07.4-18.4			
\$50,000- 74,999	156	65,760	94	61.2	52.0-70.4	25	13.1	07.0-19.2	13	7.0	02.3-11.7	1	1.1	00.0-03.3	18	14.5	07.2-21.8	5	3.1	00.2-06.0
\$75,000+	165	72,060	95	59.6	49.8-69.4	31	17.2	10.3-24.1	12	5.2	01.9-08.5	4	5.6	00.0-13.0	21	11.0	05.9-16.1	2	1.4	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	606	264,828	360	60.0	55.1-64.9	110	18.2	14.3-22.1	34	4.9	02.9-06.9	15	2.7	00.5-04.9	80	13.2	09.9-16.5	7	1.0	00.2-01.8
White/Non-Hisp	526	210,252	309	60.0	54.7-65.3	99	18.3	14.2-22.4	29	4.8	02.8-06.8	13	2.8	00.1-05.5	69	12.7	09.2-16.2	7	1.3	00.3-02.3
45-54	97	55,369	63	67.2	56.2-78.2	14	16.1	06.5-25.7	7	6.5	01.2-11.8				9	7.6	02.5-12.7	4	2.5	00.0-05.4
55-64	160	75,239	98	63.3	54.5-72.1	30	17.1	10.4-23.8	6	3.4	00.3-06.5	2	0.7	00.0-01.7	24	15.4	08.5-22.3			
65+	315	105,583	183	58.5	51.8-65.2	60	19.1	14.0-24.2	19	5.5	02.8-08.2	11	3.2	01.0-05.4	39	12.4	07.7-17.1	3	1.3	00.0-02.7
Less Than H.S.	64	43,631	33	46.9	31.6-62.2	13	23.7	09.4-38.0	5	3.6	00.3-06.9	2	7.0	00.0-18.8	11	18.8	07.2-30.4			
H.S. or G.E.D.	221	85,087	134	61.7	54.1-69.3	41	17.2	11.3-23.1	11	4.7	01.4-08.0	5	2.1	00.0-04.3	25	12.3	06.8-17.8	5	2.0	00.0-04.0
Some Post-H.S.	171	94,262	104	64.9	56.5-73.3	34	17.9	11.4-24.4	6	3.8	00.7-06.9	4	1.6	00.0-03.4	21	10.7	05.4-16.0	2	1.1	00.0-02.9
College Graduate	149	41,572	88	58.7	49.5-67.9	22	14.9	08.2-21.6	12	9.5	03.4-15.6	4	1.9	00.0-04.1	23	15.1	08.2-22.0			
Less than \$15,000	69	27,031	42	53.0	36.9-69.1	11	22.0	06.9-37.1	5	8.4	00.6-16.2				10	16.0	02.7-29.3	1	0.6	00.0-01.8
\$15,000- 24,999	109	49,970	66	60.8	48.8-72.8	23	22.0	10.8-33.2	4	3.5	00.0-07.4	1	1.0	00.0-03.0	14	12.3	05.0-19.6	1	0.5	00.0-01.5
\$25,000- 34,999	76	28,638	41	53.1	39.4-66.8	15	19.5	09.1-29.9	5	8.2	00.6-15.8	3	2.0	00.0-04.4	11	15.8	04.2-27.4	1	1.3	00.0-03.8
\$35,000- 49,999	99	42,326	61	66.7	55.7-77.7	17	16.9	07.9-25.9	6	2.9	00.0-05.8	2	0.8	00.0-02.0	13	12.7	05.3-20.1			
\$50,000- 74,999	83	40,236	53	61.9	49.6-74.2	8	10.0	02.0-18.0	7	6.6	00.9-12.3	1	1.8	00.0-05.3	11	16.2	06.0-26.4	3	3.5	00.0-08.0
\$75,000+	100	45,127	55	54.4	41.7-67.1	22	20.2	10.8-29.6	6	5.6	00.9-10.3	4	8.9	00.0-20.5	13	10.9	04.4-17.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	798	254,560	485	59.9	55.4-64.4	156	18.9	15.4-22.4	47	6.4	04.0-08.8	9	1.2	00.0-02.4	94	12.7	09.6-15.8	7	1.0	00.0-02.0
White/Non-Hisp	685	207,916	411	60.2	55.5-64.9	141	19.9	16.2-23.6	44	6.7	04.3-09.1	6	0.4	00.0-00.8	77	11.9	08.8-15.0	6	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	70	30,567	47	62.4	47.5-77.3	8	11.3	02.3-20.3	2	6.7	00.0-17.1	1	1.3	00.0-03.8	11	15.6	04.6-26.6	1	2.7	00.0-08.0
45-54	110	47,979	68	58.3	46.1-70.5	22	18.2	09.6-26.8	6	5.5	00.2-10.8	1	2.8	00.0-08.1	13	15.3	06.1-24.5			
55-64	211	68,583	127	54.2	45.8-62.6	44	23.3	16.2-30.4	15	8.9	03.8-14.0				21	10.8	05.1-16.5	4	2.9	00.0-06.0
65+	420	104,875	256	62.4	56.7-68.1	76	16.0	11.9-20.1	24	5.3	02.8-07.8	7	1.2	00.2-02.2	54	14.5	10.2-18.8	3	0.6	00.0-01.4
Less Than H.S.	95	43,748	56	52.8	40.1-65.5	16	16.7	07.1-26.3	5	6.2	00.3-12.1	2	1.1	00.0-02.7	15	21.4	10.0-32.8	1	1.9	00.0-05.6
H.S. or G.E.D.	354	105,425	213	57.6	50.9-64.3	70	20.5	15.0-26.0	15	5.7	01.8-09.6	6	2.0	00.0-04.5	48	13.3	09.0-17.6	2	0.9	00.0-02.3
Some Post-H.S.	211	76,413	128	64.5	56.7-72.3	46	20.0	13.5-26.5	16	7.0	02.9-11.1				19	8.0	03.9-12.1	2	0.6	00.0-01.4
College Graduate	138	28,974	88	66.6	57.6-75.6	24	13.6	07.5-19.7	11	7.4	02.9-11.9	1	1.4	00.0-04.1	12	9.7	03.8-15.6	2	1.4	00.0-03.8
Less than \$15,000	135	38,843	88	56.9	44.9-68.9	25	19.2	09.8-28.6	6	8.3	00.0-17.1	2	1.3	00.0-03.3	14	14.4	05.0-23.8			
\$15,000- 24,999	189	56,041	116	63.9	55.3-72.5	36	20.3	12.9-27.7	6	4.3	00.6-08.0	3	0.5	00.0-01.1	27	9.9	05.8-14.0	1	1.1	00.0-03.3
\$25,000- 34,999	99	33,613	55	50.1	37.8-62.4	24	23.6	12.8-34.4	9	12.6	03.6-21.6	2	1.4	00.0-03.4	8	12.1	02.3-21.9	1	0.1	00.0-00.3
\$35,000- 49,999	93	28,865	56	60.1	47.9-72.3	21	24.1	13.5-34.7	5	2.8	00.0-05.7				11	13.1	04.9-21.3			
\$50,000- 74,999	73	25,524	41	60.2	46.9-73.5	17	18.0	08.6-27.4	6	7.6	00.0-15.2				7	11.7	01.9-21.5	2	2.5	00.0-06.0
\$75,000+	65	26,933	40	68.3	54.8-81.8	9	12.2	02.6-21.8	6	4.7	00.6-08.8				8	11.1	02.9-19.3	2	3.7	00.0-09.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1400	521,697	254	18.8	16.1-21.5	305	19.9	17.4-22.4	209	15.3	12.9-17.7	325	23.2	20.3-26.1	140	9.9	07.7-12.1	167	12.9	10.5-15.3
Male	612	268,192	112	19.5	15.6-23.4	134	20.4	16.3-24.5	90	15.9	12.2-19.6	144	23.6	19.3-27.9	57	9.7	06.4-13.0	75	10.9	08.0-13.8
Female	788	253,505	142	18.0	14.5-21.5	171	19.5	16.2-22.8	119	14.7	11.6-17.8	181	22.8	19.1-26.5	83	10.1	07.2-13.0	92	14.9	11.4-18.4
White/Non-Hisp	1217	422,213	229	19.5	16.6-22.4	264	20.4	17.5-23.3	176	14.7	12.2-17.2	298	25.5	22.2-28.8	109	8.2	06.2-10.2	141	11.6	09.4-13.8
Black or Afr. Am./Non-Hisp	101	56,078	16	18.7	09.1-28.3	24	18.0	09.6-26.4	17	15.4	07.8-23.0	14	12.5	05.4-19.6	15	17.3	06.5-28.1	15	18.1	08.7-27.5
35-44	63	38,943	5	10.5	00.9-20.1	15	19.1	08.9-29.3	11	13.2	04.0-22.4	14	23.1	10.6-35.6	6	11.6	00.0-23.8	12	22.5	10.0-35.0
45-54	209	103,018	42	22.5	15.2-29.8	43	16.3	10.8-21.8	36	20.1	12.8-27.4	40	19.6	13.1-26.1	24	10.1	05.0-15.2	24	11.4	06.1-16.7
55-64	370	144,353	61	16.6	12.1-21.1	85	22.7	17.6-27.8	62	17.2	12.5-21.9	85	23.0	17.7-28.3	39	9.4	05.7-13.1	38	11.1	07.0-15.2
65+	733	212,188	141	20.1	16.6-23.6	157	19.4	16.1-22.7	97	12.6	09.9-15.3	181	25.1	21.2-29.0	68	9.9	07.0-12.8	89	12.7	09.8-15.6
Less Than H.S.	154	85,928	22	13.6	07.1-20.1	27	12.9	07.2-18.6	27	19.3	11.5-27.1	32	23.7	14.7-32.7	23	16.3	08.1-24.5	23	14.3	07.6-21.0
H.S. or G.E.D.	575	190,805	113	21.5	17.2-25.8	126	22.9	18.6-27.2	82	13.8	10.3-17.3	144	22.3	18.2-26.4	48	8.1	05.2-11.0	62	11.4	07.9-14.9
Some Post-H.S.	381	172,223	66	18.5	13.4-23.6	79	19.0	13.9-24.1	49	13.3	09.0-17.6	90	24.6	19.1-30.1	45	10.3	06.6-14.0	52	14.2	09.9-18.5
College Graduate	288	72,247	53	18.5	13.0-24.0	73	23.1	17.4-28.8	50	18.9	13.4-24.4	58	21.2	15.5-26.9	24	6.5	03.6-09.4	30	11.9	07.6-16.2
Less than \$15,000	201	64,697	28	14.5	07.1-21.9	30	11.3	06.4-16.2	36	21.7	13.3-30.1	44	20.7	13.1-28.3	39	14.7	08.2-21.2	24	17.2	09.2-25.2
\$15,000- 24,999	291	104,167	62	21.2	15.1-27.3	60	21.9	15.8-28.0	38	12.3	07.8-16.8	69	21.5	15.8-27.2	37	14.1	07.8-20.4	25	8.9	04.4-13.4
\$25,000- 34,999	179	64,902	31	17.5	10.6-24.4	40	18.7	12.0-25.4	23	12.8	06.7-18.9	42	23.4	16.0-30.8	19	11.8	05.7-17.9	24	15.8	08.7-22.9
\$35,000- 49,999	194	72,439	39	20.3	13.6-27.0	43	17.0	10.9-23.1	33	18.3	11.2-25.4	51	29.5	21.3-37.7	6	4.5	00.2-08.8	22	10.3	05.4-15.2
\$50,000- 74,999	154	65,377	28	16.0	09.5-22.5	32	19.0	12.1-25.9	21	15.5	08.6-22.4	41	26.1	17.9-34.3	14	11.3	04.4-18.2	18	12.1	05.6-18.6
\$75,000+	170	74,389	30	23.2	14.6-31.8	41	19.5	12.8-26.2	29	15.2	08.3-22.1	31	21.3	12.3-30.3	14	6.3	02.6-10.0	25	14.3	08.0-20.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	612	268,192	112	19.5	15.6-23.4	134	20.4	16.3-24.5	90	15.9	12.2-19.6	144	23.6	19.3-27.9	57	9.7	06.4-13.0	75	10.9	08.0-13.8
White/Non-Hisp	531	212,167	102	21.4	16.9-25.9	117	20.9	16.4-25.4	73	14.3	10.6-18.0	131	26.4	21.5-31.3	43	7.0	04.6-09.4	65	10.1	07.4-12.8
45-54	99	55,214	20	21.9	12.3-31.5	19	15.5	08.1-22.9	19	22.5	12.3-32.7	21	21.6	12.0-31.2	11	11.8	04.0-19.6	9	6.7	01.6-11.8
55-64	161	76,339	25	15.5	09.0-22.0	44	28.2	20.0-36.4	24	15.6	08.7-22.5	38	22.4	14.6-30.2	15	7.3	03.0-11.6	15	10.8	04.7-16.9
65+	318	106,684	62	22.3	16.6-28.0	65	18.1	13.2-23.0	40	12.3	08.2-16.4	77	25.1	19.4-30.8	30	10.9	06.0-15.8	44	11.4	07.9-14.9
Less Than H.S.	62	42,789	13	18.4	07.4-29.4	6	5.0	00.7-09.3	15	24.7	11.6-37.8	13	25.2	10.5-39.9	8	16.5	03.2-29.8	7	10.3	01.5-19.1
H.S. or G.E.D.	222	85,180	45	22.3	15.8-28.8	51	25.7	18.6-32.8	27	12.0	06.9-17.1	54	21.1	15.0-27.2	17	7.2	03.1-11.3	28	11.8	06.7-16.9
Some Post-H.S.	174	96,055	29	18.4	11.1-25.7	35	19.9	11.9-27.9	25	15.0	08.9-21.1	42	25.8	18.0-33.6	22	11.4	05.9-16.9	21	9.6	04.7-14.5
College Graduate	152	43,674	25	17.7	10.1-25.3	42	26.4	18.2-34.6	22	16.4	09.3-23.5	34	21.8	14.0-29.6	10	4.6	01.3-07.9	19	13.0	06.9-19.1
Less than \$15,000	66	26,033	11	13.4	04.2-22.6	5	7.4	00.0-14.8	11	24.9	09.4-40.4	19	26.6	11.9-41.3	12	12.0	04.0-20.0	8	15.9	02.6-29.2
\$15,000- 24,999	108	48,881	21	23.4	13.0-33.8	24	24.0	14.2-33.8	14	10.2	04.3-16.1	22	16.1	08.3-23.9	16	18.7	07.1-30.3	11	7.6	02.7-12.5
\$25,000- 34,999	82	31,527	15	17.8	08.4-27.2	18	16.4	07.4-25.4	10	16.5	05.5-27.5	19	25.4	13.8-37.0	7	7.9	01.0-14.8	13	15.9	05.7-26.1
\$35,000- 49,999	102	44,132	22	23.0	13.4-32.6	23	16.7	08.5-24.9	17	18.0	08.4-27.6	28	29.4	18.4-40.4	3	4.9	00.0-11.2	9	7.8	02.1-13.5
\$50,000- 74,999	80	39,685	15	17.0	07.8-26.2	15	18.4	09.2-27.6	12	16.5	07.1-25.9	22	27.5	16.1-38.9	7	11.3	01.9-20.7	9	9.3	01.9-16.7
\$75,000+	102	46,364	15	19.6	08.8-30.4	29	24.0	14.6-33.4	18	15.9	07.7-24.1	18	22.0	09.7-34.3	9	7.4	01.9-12.9	13	11.1	04.0-18.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	788	253,505	142	18.0	14.5-21.5	171	19.5	16.2-22.8	119	14.7	11.6-17.8	181	22.8	19.1-26.5	83	10.1	07.2-13.0	92	14.9	11.4-18.4
White/Non-Hisp	686	210,046	127	17.7	14.2-21.2	147	19.9	16.2-23.6	103	15.2	11.7-18.7	167	24.7	20.6-28.8	66	9.4	06.5-12.3	76	13.1	09.6-16.6
Black or Afr. Am./Non-Hisp	62	28,576	10	22.6	07.9-37.3	18	20.5	09.9-31.1	8	11.9	02.9-20.9	8	11.4	02.4-20.4	7	9.8	00.0-21.0	11	23.8	10.3-37.3
45-54	110	47,804	22	23.1	12.1-34.1	24	17.3	09.1-25.5	17	17.3	07.3-27.3	19	17.4	09.0-25.8	13	8.1	02.4-13.8	15	16.7	07.3-26.1
55-64	209	68,014	36	17.9	11.4-24.4	41	16.4	10.9-21.9	38	18.9	12.4-25.4	47	23.6	16.3-30.9	24	11.7	05.6-17.8	23	11.5	06.0-17.0
65+	415	105,504	79	17.9	13.6-22.2	92	20.8	16.1-25.5	57	13.0	09.1-16.9	104	25.2	20.1-30.3	38	9.0	05.5-12.5	45	14.1	09.4-18.8
Less Than H.S.	92	43,139	9	8.8	01.7-15.9	21	20.7	11.1-30.3	12	14.0	05.4-22.6	19	22.2	11.8-32.6	15	16.2	06.6-25.8	16	18.3	08.7-27.9
H.S. or G.E.D.	353	105,625	68	20.9	15.2-26.6	75	20.5	15.2-25.8	55	15.3	10.6-20.0	90	23.3	18.0-28.6	31	8.8	04.7-12.9	34	11.1	06.4-15.8
Some Post-H.S.	207	76,168	37	18.7	11.8-25.6	44	17.9	12.0-23.8	24	11.3	05.4-17.2	48	23.2	15.9-30.5	23	8.9	04.4-13.4	31	20.1	12.7-27.5
College Graduate	136	28,573	28	19.6	12.0-27.2	31	18.0	11.1-24.9	28	22.5	13.7-31.3	24	20.4	12.2-28.6	14	9.3	03.6-15.0	11	10.2	04.1-16.3
Less than \$15,000	135	38,664	17	15.2	04.6-25.8	25	13.9	07.4-20.4	25	19.5	10.3-28.7	25	16.7	09.1-24.3	27	16.5	07.3-25.7	16	18.2	07.8-28.6
\$15,000- 24,999	183	55,286	41	19.3	12.6-26.0	36	20.0	12.6-27.4	24	14.1	07.2-21.0	47	26.4	18.2-34.6	21	10.1	04.6-15.6	14	10.1	02.8-17.4
\$25,000- 34,999	97	33,375	16	17.2	07.2-27.2	22	20.9	11.1-30.7	13	9.2	03.7-14.7	23	21.5	11.9-31.1	12	15.4	05.6-25.2	11	15.8	06.0-25.6
\$35,000- 49,999	92	28,307	17	16.2	08.0-24.4	20	17.3	08.7-25.9	16	18.7	08.7-28.7	23	29.6	17.1-42.1	3	3.9	00.0-09.2	13	14.2	05.6-22.8
\$50,000- 74,999	74	25,692	13	14.5	06.1-22.9	17	19.9	10.1-29.7	9	13.9	03.9-23.9	19	24.0	12.6-35.4	7	11.3	01.7-20.9	9	16.4	04.8-28.0
\$75,000+	68	28,025	15	29.3	14.8-43.8	12	12.1	03.3-20.9	11	14.2	01.9-26.5	13	20.2	08.4-32.0	5	4.7	00.2-09.2	12	19.6	08.2-31.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1352	502,203	647	47.5	44.0-51.0	518	38.1	34.8-41.4	39	3.2	01.8-04.6	21	1.7	00.7-02.7	79	6.3	04.7-07.9	48	3.3	02.1-04.5
Male	595	261,419	297	49.9	44.8-55.0	218	37.6	32.7-42.5	13	2.3	00.5-04.1	10	1.2	00.4-02.0	33	5.4	03.2-07.6	24	3.7	01.9-05.5
Female	757	240,785	350	44.9	40.4-49.4	300	38.7	34.2-43.2	26	4.3	02.1-06.5	11	2.2	00.2-04.2	46	7.2	04.7-09.7	24	2.8	01.2-04.4
White/Non-Hisp	1174	409,006	571	47.9	44.2-51.6	449	39.2	35.7-42.7	32	3.0	01.6-04.4	19	1.4	00.6-02.2	64	5.7	03.9-07.5	39	2.8	01.8-03.8
Black or Afr. Am./Non-Hisp	100	53,321	43	50.7	38.5-62.9	36	25.4	16.2-34.6	1	3.1	00.0-09.0	2	4.6	00.0-11.7	12	10.4	03.9-16.9	6	5.8	00.3-11.3
35-44	62	37,819	29	46.2	31.1-61.3	23	36.7	22.2-51.2	3	7.1	00.0-15.5				6	8.8	01.4-16.2	1	1.0	00.0-03.0
45-54	199	99,132	97	47.0	38.4-55.6	75	38.4	30.0-46.8	4	2.3	00.0-05.2	1	1.9	00.0-05.6	19	8.8	04.5-13.1	3	1.6	00.0-03.4
55-64	364	142,813	181	47.7	41.4-54.0	142	40.0	33.9-46.1	11	3.1	00.7-05.5	6	1.6	00.0-03.2	14	4.2	01.5-06.9	10	3.4	00.7-06.1
65+	700	198,805	324	46.4	41.9-50.9	272	38.3	34.0-42.6	18	2.2	01.0-03.4	14	2.1	00.7-03.5	38	6.2	03.8-08.6	34	4.9	02.9-06.9
Less Than H.S.	139	79,759	53	35.7	25.7-45.7	52	38.1	27.7-48.5	2	3.5	00.0-08.2	1	0.5	00.0-01.5	17	12.6	06.1-19.1	14	9.6	03.7-15.5
H.S. or G.E.D.	554	185,004	277	52.9	47.6-58.2	192	32.2	27.5-36.9	19	4.6	01.9-07.3	11	2.1	00.0-04.3	29	4.9	02.7-07.1	26	3.3	01.7-04.9
Some Post-H.S.	370	165,809	172	47.0	40.5-53.5	153	41.8	35.5-48.1	10	2.3	00.7-03.9	7	2.1	00.3-03.9	23	5.4	02.7-08.1	5	1.4	00.0-02.8
College Graduate	287	71,138	145	48.1	41.2-55.0	119	44.4	37.5-51.3	8	1.6	00.2-03.0	2	0.7	00.0-01.7	10	4.7	01.6-07.8	3	0.5	00.0-01.1
Less than \$15,000	185	58,325	79	35.9	26.9-44.9	74	40.8	30.8-50.8	7	4.3	00.0-09.8	8	6.7	00.0-13.6	11	7.4	02.1-12.7	6	4.9	00.0-09.8
\$15,000- 24,999	279	101,476	133	52.9	45.3-60.5	94	29.3	22.8-35.8	14	5.5	01.8-09.2	2	0.5	00.0-01.5	22	8.1	04.0-12.2	14	3.7	01.2-06.2
\$25,000- 34,999	175	63,256	77	45.2	36.0-54.4	77	43.4	34.2-52.6	3	3.4	00.0-08.1	4	1.0	00.0-02.2	8	4.8	01.5-08.1	6	2.3	00.1-04.5
\$35,000- 49,999	190	71,351	108	53.1	44.3-61.9	68	40.8	32.0-49.6	2	1.0	00.0-02.4	1	0.9	00.0-02.7	7	3.0	00.6-05.4	4	1.2	00.0-02.6
\$50,000- 74,999	154	64,418	75	49.8	40.4-59.2	65	43.1	33.7-52.5	3	0.7	00.0-01.7	1	1.5	00.0-04.2	8	3.5	00.6-06.4	2	1.4	00.0-03.4
\$75,000+	169	74,148	83	43.5	34.1-52.9	72	46.8	37.0-56.6	3	2.2	00.0-04.7	3	1.5	00.0-03.3	7	5.8	01.3-10.3	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	595	261,419	297	49.9	44.8-55.0	218	37.6	32.7-42.5	13	2.3	00.5-04.1	10	1.2	00.4-02.0	33	5.4	03.2-07.6	24	3.7	01.9-05.5
White/Non-Hisp	516	208,631	262	49.8	44.3-55.3	184	37.4	32.1-42.7	11	2.0	00.4-03.6	9	1.2	00.2-02.2	29	5.8	03.3-08.3	21	3.8	01.8-05.8
45-54	94	53,621	46	45.4	33.6-57.2	37	41.4	29.4-53.4	2	3.5	00.0-09.0				9	9.6	02.7-16.5			
55-64	160	76,289	79	48.6	39.4-57.8	63	40.5	31.5-49.5	3	0.7	00.0-01.7	1	0.2	00.0-00.6	7	4.0	00.5-07.5	7	5.9	01.0-10.8
65+	308	103,052	156	52.3	45.4-59.2	106	33.7	27.4-40.0	7	1.9	00.1-03.7	9	2.9	00.7-05.1	13	4.2	01.1-07.3	17	5.0	02.3-07.7
Less Than H.S.	60	42,418	23	34.6	19.5-49.7	21	40.9	25.0-56.8	1	3.4	00.0-09.9				7	9.6	01.2-18.0	8	11.5	02.7-20.3
H.S. or G.E.D.	213	82,456	109	55.1	47.1-63.1	71	31.4	24.1-38.7	5	3.2	00.0-06.9	5	1.4	00.0-03.0	11	4.7	01.8-07.6	12	4.4	01.7-07.1
Some Post-H.S.	168	92,645	85	52.1	42.9-61.3	65	39.0	30.2-47.8	4	1.6	00.0-03.4	3	1.6	00.0-03.4	10	4.8	00.9-08.7	1	0.9	00.0-02.7
College Graduate	152	43,408	80	50.7	41.5-59.9	59	42.5	33.3-51.7	3	0.9	00.0-02.1	2	1.2	00.0-03.0	5	4.1	00.2-08.0	3	0.7	00.0-01.7
Less than \$15,000	63	23,146	32	47.1	30.8-63.4	19	36.5	19.1-53.9	3	3.0	00.0-06.7	3	3.6	00.0-08.7	5	8.7	00.1-17.3	1	1.1	00.0-03.3
\$15,000- 24,999	103	49,152	43	48.4	36.1-60.7	33	28.1	17.9-38.3	6	6.5	00.0-13.0				12	10.7	03.6-17.8	9	6.3	01.4-11.2
\$25,000- 34,999	79	30,606	34	40.0	27.1-52.9	34	46.7	33.2-60.2	2	5.7	00.0-14.7	3	1.9	00.0-04.4	3	3.0	00.0-06.5	3	2.8	00.0-06.1
\$35,000- 49,999	99	43,079	58	55.5	43.5-67.5	36	40.6	28.6-52.6				1	1.4	00.0-04.1	3	2.4	00.0-05.5	1	0.1	00.0-00.3
\$50,000- 74,999	82	39,459	43	54.6	42.1-67.1	34	42.4	30.1-54.7	1	0.2	00.0-00.6				3	1.5	00.0-03.5	1	1.5	00.0-04.4
\$75,000+	102	46,305	53	48.5	36.0-61.0	42	44.6	31.9-57.3				3	2.3	00.0-05.2	3	4.1	00.0-09.2	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	757	240,785	350	44.9	40.4-49.4	300	38.7	34.2-43.2	26	4.3	02.1-06.5	11	2.2	00.2-04.2	46	7.2	04.7-09.7	24	2.8	01.2-04.4
White/Non-Hisp	658	200,374	309	46.0	41.1-50.9	265	41.0	36.1-45.9	21	3.9	01.7-06.1	10	1.6	00.2-03.0	35	5.6	03.4-07.8	18	1.8	00.8-02.8
Black or Afr. Am./Non-Hisp	63	27,567	26	41.3	26.0-56.6	21	21.7	11.1-32.3	1	5.9	00.0-17.1	1	6.9	00.0-19.6	8	12.8	03.0-22.6	6	11.3	00.9-21.7
45-54	105	45,512	51	48.9	36.4-61.4	38	34.8	22.8-46.8	2	0.9	00.0-02.3	1	4.2	00.0-12.2	10	7.8	02.7-12.9	3	3.4	00.0-07.3
55-64	204	66,524	102	46.5	38.3-54.7	79	39.5	31.3-47.7	8	5.9	01.0-10.8	5	3.3	00.0-06.8	7	4.4	00.1-08.7	3	0.4	00.0-01.0
65+	392	95,753	168	40.0	34.1-45.9	166	43.3	37.2-49.4	11	2.5	00.9-04.1	5	1.2	00.0-02.6	25	8.3	04.6-12.0	17	4.8	01.7-07.9
Less Than H.S.	79	37,342	30	36.9	24.6-49.2	31	35.0	22.5-47.5	1	3.5	00.0-10.2	1	1.2	00.0-03.6	10	15.9	05.7-26.1	6	7.5	00.1-14.9
H.S. or G.E.D.	341	102,549	168	51.1	44.2-58.0	121	32.9	26.8-39.0	14	5.8	01.9-09.7	6	2.6	00.0-06.3	18	5.1	02.2-08.0	14	2.5	00.9-04.1
Some Post-H.S.	202	73,164	87	40.4	32.0-48.8	88	45.3	36.5-54.1	6	3.2	00.7-05.7	4	2.9	00.0-06.0	13	6.3	02.4-10.2	4	1.9	00.0-04.1
College Graduate	135	27,730	65	44.1	34.3-53.9	60	47.5	37.7-57.3	5	2.7	00.0-05.6				5	5.6	00.7-10.5			
Less than \$15,000	122	35,179	47	28.5	18.3-38.7	55	43.6	31.6-55.6	4	5.2	00.0-14.0	5	8.7	00.0-19.3	6	6.6	00.0-13.5	5	7.4	00.0-15.4
\$15,000- 24,999	176	52,324	90	57.1	47.9-66.3	61	30.5	22.1-38.9	8	4.5	01.2-07.8	2	1.0	00.0-02.8	10	5.6	01.3-09.9	5	1.4	00.0-03.0
\$25,000- 34,999	96	32,650	43	50.0	37.3-62.7	43	40.3	28.1-52.5	1	1.2	00.0-03.6	1	0.2	00.0-00.6	5	6.5	00.8-12.2	3	1.8	00.0-04.3
\$35,000- 49,999	91	28,271	50	49.6	36.9-62.3	32	41.2	28.3-54.1	2	2.4	00.0-05.7				4	3.9	00.0-07.8	3	2.9	00.0-06.4
\$50,000- 74,999	72	24,959	32	42.3	28.8-55.8	31	44.2	30.5-57.9	2	1.6	00.0-04.1	1	3.8	00.0-11.1	5	6.7	00.0-13.6	1	1.4	00.0-04.1
\$75,000+	67	27,842	30	35.0	21.5-48.5	30	50.5	35.2-65.8	3	5.9	00.0-12.8				4	8.7	00.0-17.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1397	519,243	327	23.8	20.9-26.7	288	19.6	16.9-22.3	131	9.0	07.2-10.8	170	12.5	10.1-14.9	107	7.8	05.8-09.8	374	27.3	24.4-30.2
Male	614	269,632	158	26.0	21.7-30.3	127	20.8	16.7-24.9	52	7.4	05.0-09.8	81	13.0	09.7-16.3	38	6.6	03.9-09.3	158	26.2	21.7-30.7
Female	783	249,611	169	21.5	17.8-25.2	161	18.2	14.9-21.5	79	10.7	08.0-13.4	89	12.0	08.9-15.1	69	9.0	06.1-11.9	216	28.5	24.4-32.6
White/Non-Hisp	1208	420,739	279	23.1	20.2-26.0	246	19.1	16.2-22.0	117	9.9	07.7-12.1	151	12.9	10.4-15.4	82	6.7	04.9-08.5	333	28.3	25.0-31.6
Black or Afr. Am./Non-Hisp	103	54,740	29	30.5	19.5-41.5	23	20.9	11.9-29.9	12	7.4	02.7-12.1	8	8.7	02.0-15.4	12	16.2	04.8-27.6	19	16.3	08.5-24.1
35-44	64	39,222	11	15.7	05.9-25.5	13	18.7	07.9-29.5	5	6.8	00.0-14.4	11	17.7	06.5-28.9	5	10.1	00.0-21.9	19	31.1	17.6-44.6
45-54	205	101,930	51	27.0	19.2-34.8	43	19.3	13.0-25.6	17	8.7	03.8-13.6	23	9.3	04.8-13.8	13	8.0	02.7-13.3	58	27.9	20.5-35.3
55-64	365	142,448	86	23.8	18.5-29.1	77	20.5	15.6-25.4	38	9.8	06.3-13.3	41	14.1	09.0-19.2	28	6.0	03.3-08.7	95	25.8	20.3-31.3
65+	734	211,134	169	23.4	19.7-27.1	151	18.8	15.5-22.1	69	9.6	07.1-12.1	93	12.9	09.8-16.0	59	8.4	05.9-10.9	193	26.8	22.9-30.7
Less Than H.S.	157	87,217	30	20.4	12.4-28.4	21	12.2	06.5-17.9	12	7.0	02.9-11.1	25	14.8	07.9-21.7	18	12.1	04.8-19.4	51	33.6	24.0-43.2
H.S. or G.E.D.	572	189,250	135	25.9	21.4-30.4	115	19.1	15.2-23.0	56	9.5	06.8-12.2	70	10.6	07.7-13.5	38	7.9	04.6-11.2	158	27.0	22.5-31.5
Some Post-H.S.	380	170,762	89	23.5	18.0-29.0	81	22.2	16.5-27.9	35	9.0	05.3-12.7	41	12.9	08.4-17.4	27	5.4	02.9-07.9	107	27.1	21.8-32.4
College Graduate	286	71,520	73	23.4	17.7-29.1	71	23.7	17.8-29.6	27	10.2	06.1-14.3	34	14.3	09.0-19.6	23	7.4	04.1-10.7	58	21.1	15.6-26.6
Less than \$15,000	198	63,469	45	21.8	13.6-30.0	27	10.2	05.5-14.9	18	9.9	04.8-15.0	32	16.5	08.9-24.1	26	16.4	08.2-24.6	50	25.3	17.1-33.5
\$15,000- 24,999	292	104,847	71	26.0	19.3-32.7	54	19.8	13.7-25.9	24	7.1	04.0-10.2	36	11.4	06.9-15.9	29	10.7	05.0-16.4	78	25.1	18.8-31.4
\$25,000- 34,999	178	64,646	35	19.8	12.9-26.7	37	22.4	14.8-30.0	21	10.8	05.7-15.9	19	9.7	04.4-15.0	15	8.0	03.1-12.9	51	29.3	20.7-37.9
\$35,000- 49,999	196	73,388	48	25.6	18.0-33.2	45	19.2	12.7-25.7	19	9.6	04.7-14.5	24	14.9	08.0-21.8	7	3.0	00.5-05.5	53	27.8	20.0-35.6
\$50,000- 74,999	149	63,397	28	18.6	11.2-26.0	36	21.4	13.8-29.0	13	7.6	03.1-12.1	20	15.4	08.1-22.7	5	2.9	00.0-05.8	47	34.1	24.9-43.3
\$75,000+	168	73,145	42	26.6	18.0-35.2	42	21.9	14.3-29.5	19	12.0	05.1-18.9	17	10.5	04.8-16.2	11	5.3	01.8-08.8	37	23.7	14.7-32.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	614	269,632	158	26.0	21.7-30.3	127	20.8	16.7-24.9	52	7.4	05.0-09.8	81	13.0	09.7-16.3	38	6.6	03.9-09.3	158	26.2	21.7-30.7
White/Non-Hisp	531	213,932	136	24.9	20.4-29.4	107	19.4	14.9-23.9	45	8.0	05.3-10.7	72	13.7	10.0-17.4	30	6.0	03.5-08.5	141	27.9	23.0-32.8
45-54	96	55,290	23	28.4	17.2-39.6	23	21.0	11.8-30.2	7	7.6	01.9-13.3	12	8.5	02.6-14.4	4	5.3	00.0-11.2	27	29.1	18.5-39.7
55-64	165	77,718	39	23.4	15.8-31.0	39	22.8	15.4-30.2	12	7.8	02.9-12.7	23	18.8	10.8-26.8	8	2.5	00.5-04.5	44	24.6	17.3-31.9
65+	317	106,015	89	29.1	23.0-35.2	57	17.6	12.7-22.5	30	7.6	04.7-10.5	41	12.3	08.0-16.6	25	10.0	05.7-14.3	75	23.5	17.6-29.4
Less Than H.S.	65	44,898	17	24.5	11.8-37.2	7	8.2	01.5-14.9	3	3.3	00.0-07.4	8	12.3	03.1-21.5	7	15.9	03.2-28.6	23	35.8	20.7-50.9
H.S. or G.E.D.	221	84,829	65	31.9	24.5-39.3	40	17.8	11.9-23.7	20	9.4	04.9-13.9	27	10.5	06.0-15.0	12	5.2	01.9-08.5	57	25.3	18.2-32.4
Some Post-H.S.	173	95,933	37	22.3	14.7-29.9	40	26.5	17.7-35.3	14	6.6	02.7-10.5	23	14.4	07.9-20.9	10	4.5	01.6-07.4	49	25.7	18.3-33.1
College Graduate	153	43,479	39	24.2	16.4-32.0	40	27.4	18.8-36.0	14	9.2	03.9-14.5	23	15.8	08.5-23.1	8	4.1	01.2-07.0	29	19.3	12.0-26.6
Less than \$15,000	66	25,226	26	35.9	20.0-51.8	9	13.2	04.0-22.4	2	4.6	00.0-11.3	11	19.1	04.8-33.4	7	9.6	02.0-17.2	11	17.6	05.4-29.8
\$15,000- 24,999	107	49,828	23	24.3	13.9-34.7	22	23.7	13.5-33.9	9	6.7	01.8-11.6	9	5.4	00.9-09.9	11	13.6	03.0-24.2	33	26.2	16.4-36.0
\$25,000- 34,999	79	30,748	17	23.2	12.4-34.0	14	18.7	08.3-29.1	10	11.2	03.4-19.0	13	17.2	07.0-27.4	4	4.5	00.0-10.0	21	25.2	12.7-37.7
\$35,000- 49,999	104	45,065	27	27.9	17.1-38.7	24	19.2	10.8-27.6	10	9.2	02.5-15.9	16	16.4	07.6-25.2	2	1.6	00.0-03.8	25	25.7	15.3-36.1
\$50,000- 74,999	80	38,812	17	21.2	10.6-31.8	17	18.3	08.7-27.9	5	5.8	00.7-10.9	14	19.0	08.6-29.4	3	3.7	00.0-08.2	24	32.0	20.0-44.0
\$75,000+	103	46,377	24	24.2	13.4-35.0	27	25.2	15.0-35.4	12	9.4	03.1-15.7	10	9.0	02.5-15.5	5	3.8	00.3-07.3	25	28.4	15.9-40.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	783	249,611	169	21.5	17.8-25.2	161	18.2	14.9-21.5	79	10.7	07.8-13.6	89	12.0	08.9-15.1	69	9.0	06.3-11.7	216	28.5	24.4-32.6
White/Non-Hisp	677	206,807	143	21.3	17.4-25.2	139	18.7	15.0-22.4	72	11.8	08.5-15.1	79	12.1	08.8-15.4	52	7.4	04.9-09.9	192	28.6	24.3-32.9
Black or Afr. Am./Non-Hisp	65	28,545	20	27.3	14.4-40.2	14	17.8	07.4-28.2	6	5.9	00.8-11.0	4	8.3	00.0-17.7	8	18.5	03.0-34.0	13	22.3	10.1-34.5
45-54	109	46,640	28	25.2	14.4-36.0	20	17.2	08.8-25.6	10	10.0	01.6-18.4	11	10.1	03.0-17.2	9	11.1	02.1-20.1	31	26.4	16.6-36.2
55-64	200	64,730	47	24.2	17.3-31.1	38	17.8	11.5-24.1	26	12.2	07.1-17.3	18	8.4	03.5-13.3	20	10.1	04.8-15.4	51	27.3	19.1-35.5
65+	417	105,119	80	17.6	13.3-21.9	94	20.1	15.4-24.8	39	11.7	07.8-15.6	52	13.6	09.1-18.1	34	6.9	04.2-09.6	118	30.1	24.6-35.6
Less Than H.S.	92	42,319	13	16.1	06.5-25.7	14	16.5	07.5-25.5	9	10.8	03.5-18.1	17	17.4	07.0-27.8	11	8.1	02.6-13.6	28	31.2	19.4-43.0
H.S. or G.E.D.	351	104,421	70	21.1	15.8-26.4	75	20.1	14.8-25.4	36	9.5	06.2-12.8	43	10.7	07.0-14.4	26	10.1	04.8-15.4	101	28.5	22.4-34.6
Some Post-H.S.	207	74,830	52	24.9	17.3-32.5	41	16.6	10.9-22.3	21	12.0	05.3-18.7	18	11.0	04.9-17.1	17	6.7	02.6-10.8	58	28.8	21.2-36.4
College Graduate	133	28,041	34	22.1	14.5-29.7	31	17.9	11.0-24.8	13	11.8	04.9-18.7	11	11.8	04.2-19.4	15	12.7	06.0-19.4	29	23.7	14.9-32.5
Less than \$15,000	132	38,242	19	12.5	05.4-19.6	18	8.2	03.5-12.9	16	13.3	06.0-20.6	21	14.8	06.4-23.2	19	20.8	08.6-33.0	39	30.4	20.0-40.8
\$15,000- 24,999	185	55,020	48	27.5	18.9-36.1	32	16.3	09.4-23.2	15	7.5	03.2-11.8	27	16.7	09.3-24.1	18	8.0	03.5-12.5	45	24.1	16.1-32.1
\$25,000- 34,999	99	33,898	18	16.7	08.1-25.3	23	25.8	14.6-37.0	11	10.4	03.9-16.9	6	3.0	00.3-05.7	11	11.2	03.4-19.0	30	33.0	21.0-45.0
\$35,000- 49,999	92	28,323	21	21.8	11.6-32.0	21	19.1	09.5-28.7	9	10.2	03.1-17.3	8	12.5	01.7-23.3	5	5.3	00.0-11.0	28	31.0	19.6-42.4
\$50,000- 74,999	69	24,585	11	14.6	05.4-23.8	19	26.3	14.0-38.6	8	10.3	02.5-18.1	6	9.7	00.7-18.7	2	1.8	00.0-04.5	23	37.3	23.2-51.4
\$75,000+	65	26,768	18	30.8	16.5-45.1	15	16.1	05.7-26.5	7	16.6	01.5-31.7	7	13.1	02.5-23.7	6	8.0	00.7-15.3	12	15.5	06.3-24.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1432	529,262	278	18.4	15.9-20.9	701	45.9	42.6-49.2	189	15.1	12.6-17.6	235	17.6	15.1-20.1	29	2.9	0.1-0.5
Male	623	271,198	125	19.8	15.9-23.7	299	44.4	39.5-49.3	84	15.2	11.3-19.1	100	16.4	12.9-19.9	15	4.2	0.1-0.6
Female	809	258,065	153	16.9	13.8-20.0	402	47.6	43.1-52.1	105	15.0	11.7-18.3	135	18.9	15.2-22.6	14	1.6	0.0-0.2
White/Non-Hisp	1239	429,756	240	17.9	15.2-20.6	608	47.5	44.0-51.0	168	14.9	12.4-17.4	198	16.9	14.2-19.6	25	2.7	0.1-0.4
Black or Afr. Am./Non-Hisp	105	55,054	24	21.7	12.1-31.3	47	35.1	24.3-45.9	11	17.2	0.6-28.4	20	21.5	12.1-30.9	3	4.6	0.0-10.1
35-44	62	37,386	12	22.2	09.3-35.1	25	36.3	22.2-50.4	12	17.3	04.6-30.0	13	24.1	11.4-36.8			
45-54	209	103,838	32	15.2	09.3-21.1	90	44.5	36.3-52.7	34	17.9	10.8-25.0	48	20.3	14.0-26.6	5	2.2	0.0-0.4
55-64	372	145,366	54	14.0	09.5-18.5	178	44.2	38.1-50.3	53	13.8	09.7-17.9	75	23.4	17.9-28.9	12	4.6	0.1-0.7
65+	761	218,354	176	22.6	19.1-26.1	400	51.4	47.1-55.7	81	12.8	09.7-15.9	95	12.2	09.3-15.1	9	1.0	0.0-0.1
Less Than H.S.	162	89,254	35	18.6	11.7-25.5	57	30.1	21.7-38.5	23	19.1	10.5-27.7	44	27.5	18.9-36.1	3	4.7	0.0-11.2
H.S. or G.E.D.	588	192,696	98	15.6	11.9-19.3	308	53.5	48.4-58.6	84	14.6	11.1-18.1	84	14.0	10.5-17.5	14	2.3	0.0-0.3
Some Post-H.S.	389	174,140	74	20.6	15.5-25.7	180	43.4	37.1-49.7	58	15.9	11.4-20.4	69	17.3	12.8-21.8	8	2.9	0.0-0.5
College Graduate	291	72,680	70	20.2	15.1-25.3	155	51.5	44.6-58.4	24	9.8	05.3-14.3	38	16.0	10.5-21.5	4	2.5	0.0-0.5
Less than \$15,000	207	66,630	42	24.8	15.8-33.8	84	35.5	26.9-44.1	31	16.2	08.2-24.2	49	23.1	15.3-30.9	1	0.4	0.0-0.1
\$15,000- 24,999	300	106,112	57	18.9	13.2-24.6	132	39.1	32.0-46.2	42	18.3	11.8-24.8	63	21.8	15.7-27.9	6	1.9	0.0-0.4
\$25,000- 34,999	181	64,246	36	17.8	11.3-24.3	90	47.7	38.9-56.5	23	13.6	07.7-19.5	29	18.5	10.9-26.1	3	2.3	0.0-0.5
\$35,000- 49,999	199	74,508	37	16.9	10.6-23.2	108	54.3	45.7-62.9	22	9.6	05.1-14.1	29	16.6	10.3-22.9	3	2.6	0.0-0.6
\$50,000- 74,999	157	65,928	32	17.3	10.6-24.0	88	55.8	46.6-65.0	23	15.7	08.8-22.6	9	7.3	02.2-12.4	5	3.9	0.0-0.8
\$75,000+	170	73,795	33	19.3	11.9-26.7	88	44.8	35.2-54.4	19	12.2	05.5-18.9	27	18.3	11.2-25.4	3	5.4	0.0-12.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	623	271,198	125	19.8	15.9-23.7	299	44.4	39.5-49.3	84	15.2	11.3-19.1	100	16.4	12.9-19.9	15	4.2	01.5-06.9
White/Non-Hisp	543	218,170	108	19.2	15.1-23.3	264	46.0	40.7-51.3	74	14.6	10.7-18.5	86	16.6	12.7-20.5	11	3.5	00.6-06.4
45-54	99	55,944	14	18.3	08.9-27.7	49	47.2	35.6-58.8	12	11.5	03.3-19.7	21	20.0	11.4-28.6	3	3.0	00.0-07.5
55-64	162	77,736	24	16.1	08.8-23.4	70	38.9	30.3-47.5	26	16.2	09.5-22.9	36	23.1	15.5-30.7	6	5.8	00.9-10.7
65+	327	108,371	83	25.0	19.5-30.5	169	51.8	45.3-58.3	37	13.4	08.7-18.1	34	8.6	05.3-11.9	4	1.2	00.0-02.4
Less Than H.S.	63	44,190	10	16.1	05.7-26.5	21	27.5	14.8-40.2	10	22.3	08.0-36.6	20	25.1	13.1-37.1	2	9.1	00.0-21.6
H.S. or G.E.D.	229	85,908	44	17.9	12.2-23.6	123	55.7	48.1-63.3	33	12.6	07.9-17.3	24	11.9	06.6-17.2	5	1.8	00.0-03.6
Some Post-H.S.	175	96,728	38	24.3	16.5-32.1	74	39.8	30.8-48.8	28	16.5	09.8-23.2	30	15.1	09.2-21.0	5	4.2	00.1-08.3
College Graduate	154	43,878	32	17.0	10.7-23.3	80	49.3	39.9-58.7	13	10.4	03.9-16.9	26	19.4	11.6-27.2	3	3.9	00.0-08.2
Less than \$15,000	67	26,314	14	28.2	12.1-44.3	23	27.8	14.5-41.1	12	18.9	05.2-32.6	18	25.1	11.8-38.4			
\$15,000- 24,999	107	48,497	24	22.0	12.4-31.6	45	37.3	26.1-48.5	15	19.6	08.4-30.8	19	17.4	08.8-26.0	4	3.8	00.0-08.5
\$25,000- 34,999	82	30,207	15	17.3	07.5-27.1	42	47.4	34.5-60.3	10	13.5	04.9-22.1	13	19.7	08.5-30.9	2	2.0	00.0-04.7
\$35,000- 49,999	105	45,515	19	18.8	09.8-27.8	63	54.8	43.2-66.4	7	6.2	00.9-11.5	14	16.2	07.6-24.8	2	4.0	00.0-09.7
\$50,000- 74,999	83	40,236	15	15.9	06.9-24.9	48	58.6	46.3-70.9	13	14.1	06.5-21.7	6	8.1	01.4-14.8	1	3.3	00.0-09.6
\$75,000+	104	46,720	23	21.4	11.6-31.2	46	35.6	24.8-46.4	15	16.1	06.3-25.9	18	18.8	09.8-27.8	2	8.1	00.0-19.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	809	258,065	153	16.9	13.6-20.2	402	47.6	43.1-52.1	105	15.0	11.7-18.3	135	18.9	15.2-22.6	14	1.6	00.6-02.6
White/Non-Hisp	696	211,586	132	16.6	13.3-19.9	344	49.1	44.4-53.8	94	15.2	11.7-18.7	112	17.2	13.5-20.9	14	1.9	00.7-03.1
Black or Afr. Am./Non-Hisp	69	30,314	14	20.9	08.0-33.8	33	36.2	22.7-49.7	7	17.0	03.3-30.7	15	25.9	13.0-38.8			
45-54	110	47,894	18	11.5	05.2-17.8	41	41.3	29.7-52.9	22	25.3	13.9-36.7	27	20.7	11.9-29.5	2	1.2	00.0-02.8
55-64	210	67,630	30	11.7	06.8-16.6	108	50.3	42.1-58.5	27	11.0	06.3-15.7	39	23.9	15.9-31.9	6	3.1	00.2-06.0
65+	434	109,983	93	20.3	15.8-24.8	231	51.1	45.2-57.0	44	12.2	08.3-16.1	61	15.7	11.0-20.4	5	0.7	00.0-01.5
Less Than H.S.	99	45,064	25	21.0	12.0-30.0	36	32.7	22.1-43.3	13	16.0	06.4-25.6	24	29.9	17.9-41.9	1	0.3	00.0-00.9
H.S. or G.E.D.	359	106,788	54	13.8	09.1-18.5	185	51.7	45.0-58.4	51	16.1	10.8-21.4	60	15.7	10.8-20.6	9	2.7	00.5-04.9
Some Post-H.S.	214	77,412	36	15.9	09.8-22.0	106	47.9	39.3-56.5	30	15.0	08.9-21.1	39	20.0	13.3-26.7	3	1.2	00.0-03.0
College Graduate	137	28,801	38	25.0	16.8-33.2	75	54.9	45.1-64.7	11	8.9	03.2-14.6	12	10.6	03.7-17.5	1	0.5	00.0-01.5
Less than \$15,000	140	40,316	28	22.6	12.0-33.2	61	40.6	29.6-51.6	19	14.5	04.5-24.5	31	21.8	12.2-31.4	1	0.6	00.0-01.8
\$15,000- 24,999	193	57,615	33	16.3	09.4-23.2	87	40.7	31.9-49.5	27	17.2	09.8-24.6	44	25.4	17.4-33.4	2	0.4	00.0-01.0
\$25,000- 34,999	99	34,039	21	18.3	09.7-26.9	48	48.0	35.7-60.3	13	13.8	06.0-21.6	16	17.5	07.1-27.9	1	2.5	00.0-07.2
\$35,000- 49,999	94	28,993	18	13.8	06.2-21.4	45	53.6	41.3-65.9	15	15.1	07.3-22.9	15	17.3	08.5-26.1	1	0.2	00.0-00.6
\$50,000- 74,999	74	25,692	17	19.5	09.9-29.1	40	51.4	37.7-65.1	10	18.3	06.0-30.6	3	6.0	00.0-13.6	4	4.8	00.0-09.7
\$75,000+	66	27,074	10	15.6	03.8-27.4	42	60.7	45.6-75.8	4	5.5	00.0-11.2	9	17.4	05.8-29.0	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1434	529,703	231	16.9	14.4-19.4	1203	83.1	80.6-85.6
Male	629	273,484	118	19.1	15.2-23.0	511	80.9	77.0-84.8
Female	805	256,218	113	14.5	11.4-17.6	692	85.5	82.4-88.6
White/Non-Hisp	1242	429,696	181	14.3	11.9-16.7	1061	85.7	83.3-88.1
Black or Afr. Am./Non-Hisp	103	55,195	21	19.3	10.5-28.1	82	80.7	71.9-89.5
35-44	64	39,222	11	18.4	06.8-30.0	53	81.6	70.0-93.2
45-54	207	102,286	43	20.7	13.8-27.6	164	79.3	72.4-86.2
55-64	372	145,329	69	18.9	14.0-23.8	303	81.1	76.2-86.0
65+	763	219,107	103	13.3	10.4-16.2	660	86.7	83.8-89.6
Less Than H.S.	167	90,371	36	20.3	12.9-27.7	131	79.7	72.3-87.1
H.S. or G.E.D.	592	194,225	84	14.4	10.9-17.9	508	85.6	82.1-89.1
Some Post-H.S.	384	171,971	66	18.7	13.8-23.6	318	81.3	76.4-86.2
College Graduate	289	72,643	44	14.6	09.9-19.3	245	85.4	80.7-90.1
Less than \$15,000	203	65,724	51	26.0	17.4-34.6	152	74.0	65.4-82.6
\$15,000- 24,999	304	109,241	54	19.9	14.0-25.8	250	80.1	74.2-86.0
\$25,000- 34,999	178	63,223	29	19.8	11.8-27.8	149	80.2	72.2-88.2
\$35,000- 49,999	196	73,467	26	13.4	07.7-19.1	170	86.6	80.9-92.3
\$50,000- 74,999	155	65,616	21	13.4	07.1-19.7	134	86.6	80.3-92.9
\$75,000+	172	74,745	24	15.8	08.9-22.7	148	84.2	77.3-91.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	629	273,484	118	19.1	15.2-23.0	511	80.9	77.0-84.8
White/Non-Hisp	547	218,750	92	15.2	11.9-18.5	455	84.8	81.5-88.1
45-54	100	56,105	24	26.9	16.5-37.3	76	73.1	62.7-83.5
55-64	165	77,766	33	19.0	11.9-26.1	132	81.0	73.9-88.1
65+	328	109,004	56	16.7	12.0-21.4	272	83.3	78.6-88.0
Less Than H.S.	68	46,109	16	22.7	10.7-34.7	52	77.3	65.3-89.3
H.S. or G.E.D.	231	87,385	42	17.9	12.0-23.8	189	82.1	76.2-88.0
Some Post-H.S.	173	95,403	39	22.1	14.8-29.4	134	77.9	70.6-85.2
College Graduate	155	44,095	20	10.8	05.5-16.1	135	89.2	83.9-94.5
Less than \$15,000	68	26,178	23	37.3	21.0-53.6	45	62.7	46.4-79.0
\$15,000- 24,999	111	50,963	24	22.2	13.2-31.2	87	77.8	68.8-86.8
\$25,000- 34,999	82	31,185	20	28.5	15.6-41.4	62	71.5	58.6-84.4
\$35,000- 49,999	103	44,619	16	14.3	06.9-21.7	87	85.7	78.3-93.1
\$50,000- 74,999	83	40,236	12	13.5	04.9-22.1	71	86.5	77.9-95.1
\$75,000+	104	46,720	16	16.5	07.7-25.3	88	83.5	74.7-92.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	805	256,218	113	14.5	11.4-17.6	692	85.5	82.4-88.6
White/Non-Hisp	695	210,946	89	13.4	10.1-16.7	606	86.6	83.3-89.9
Black or Afr. Am./Non-Hisp	65	28,401	12	15.5	05.7-25.3	53	84.5	74.7-94.3
45-54	107	46,182	19	13.2	05.9-20.5	88	86.8	79.5-94.1
55-64	207	67,563	36	18.7	11.8-25.6	171	81.3	74.4-88.2
65+	435	110,103	47	10.0	06.9-13.1	388	90.0	86.9-93.1
Less Than H.S.	99	44,262	20	17.8	09.2-26.4	79	82.2	73.6-90.8
H.S. or G.E.D.	361	106,840	42	11.6	07.3-15.9	319	88.4	84.1-92.7
Some Post-H.S.	211	76,568	27	14.4	07.7-21.1	184	85.6	78.9-92.3
College Graduate	134	28,548	24	20.5	11.9-29.1	110	79.5	70.9-88.1
Less than \$15,000	135	39,546	28	18.5	10.5-26.5	107	81.5	73.5-89.5
\$15,000- 24,999	193	58,278	30	17.9	10.1-25.7	163	82.1	74.3-89.9
\$25,000- 34,999	96	32,038	9	11.5	02.9-20.1	87	88.5	79.9-97.1
\$35,000- 49,999	93	28,848	10	12.0	03.4-20.6	83	88.0	79.4-96.6
\$50,000- 74,999	72	25,380	9	13.2	04.4-22.0	63	86.8	78.0-95.6
\$75,000+	68	28,025	8	14.7	03.5-25.9	60	85.3	74.1-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1451	537,101	873	60.6	57.3-63.9	578	39.4	36.1-42.7
Male	632	275,941	364	60.1	55.2-65.0	268	39.9	35.0-44.8
Female	819	261,159	509	61.1	56.8-65.4	310	38.9	34.6-43.2
White/Non-Hisp	1252	432,902	748	59.8	56.3-63.3	504	40.2	36.7-43.7
Black or Afr. Am./Non-Hisp	108	57,361	75	71.1	60.1-82.1	33	28.9	17.9-39.9
35-44	64	39,222	44	62.0	46.7-77.3	20	38.0	22.7-53.3
45-54	211	104,172	136	63.6	55.6-71.6	75	36.4	28.4-44.4
55-64	379	148,141	227	60.3	54.4-66.2	152	39.7	33.8-45.6
65+	768	221,055	447	58.3	54.0-62.6	321	41.7	37.4-46.0
Less Than H.S.	167	92,372	82	51.7	42.1-61.3	85	48.3	38.7-57.9
H.S. or G.E.D.	599	196,397	331	58.2	53.3-63.1	268	41.8	36.9-46.7
Some Post-H.S.	390	174,770	251	63.1	57.0-69.2	139	36.9	30.8-43.0
College Graduate	293	73,069	207	72.0	65.9-78.1	86	28.0	21.9-34.1
Less than \$15,000	209	67,221	125	64.5	55.9-73.1	84	35.5	26.9-44.1
\$15,000- 24,999	305	109,472	189	61.0	53.7-68.3	116	39.0	31.7-46.3
\$25,000- 34,999	182	65,022	106	58.5	49.5-67.5	76	41.5	32.5-50.5
\$35,000- 49,999	199	74,508	120	60.9	52.5-69.3	79	39.1	30.7-47.5
\$50,000- 74,999	156	65,760	95	58.0	48.8-67.2	61	42.0	32.8-51.2
\$75,000+	172	74,745	119	73.4	65.6-81.2	53	26.6	18.8-34.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	632	275,941	364	60.1	55.2-65.0	268	39.9	35.0-44.8
White/Non-Hisp	548	219,180	313	59.0	53.7-64.3	235	41.0	35.7-46.3
45-54	100	56,105	63	64.7	53.7-75.7	37	35.3	24.3-46.3
55-64	167	79,432	93	59.4	50.8-68.0	74	40.6	32.0-49.2
65+	329	109,795	183	58.3	51.8-64.8	146	41.7	35.2-48.2
Less Than H.S.	68	46,753	32	53.6	38.7-68.5	36	46.4	31.5-61.3
H.S. or G.E.D.	231	87,447	115	56.0	48.6-63.4	116	44.0	36.6-51.4
Some Post-H.S.	176	97,153	104	60.8	52.0-69.6	72	39.2	30.4-48.0
College Graduate	155	44,095	111	72.9	64.5-81.3	44	27.1	18.7-35.5
Less than \$15,000	69	27,031	37	65.0	51.1-78.9	32	35.0	21.1-48.9
\$15,000- 24,999	112	51,324	64	57.5	45.5-69.5	48	42.5	30.5-54.5
\$25,000- 34,999	81	30,788	43	54.9	41.6-68.2	38	45.1	31.8-58.4
\$35,000- 49,999	105	45,515	59	56.9	45.3-68.5	46	43.1	31.5-54.7
\$50,000- 74,999	83	40,236	52	61.4	49.2-73.6	31	38.6	26.4-50.8
\$75,000+	104	46,720	75	78.3	69.5-87.1	29	21.7	12.9-30.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	819	261,159	509	61.1	56.8-65.4	310	38.9	34.6-43.2
White/Non-Hisp	704	213,722	435	60.6	55.9-65.3	269	39.4	34.7-44.1
Black or Afr. Am./Non-Hisp	70	30,567	51	76.4	64.8-88.0	19	23.6	12.0-35.2
45-54	111	48,067	73	62.4	50.4-74.4	38	37.6	25.6-49.6
55-64	212	68,709	134	61.3	53.5-69.1	78	38.7	30.9-46.5
65+	439	111,261	264	58.4	52.7-64.1	175	41.6	35.9-47.3
Less Than H.S.	99	45,618	50	49.8	38.2-61.4	49	50.2	38.6-61.8
H.S. or G.E.D.	368	108,950	216	60.0	53.5-66.5	152	40.0	33.5-46.5
Some Post-H.S.	214	77,617	147	65.9	57.7-74.1	67	34.1	25.9-42.3
College Graduate	138	28,974	96	70.5	61.7-79.3	42	29.5	20.7-38.3
Less than \$15,000	140	40,190	88	64.1	53.5-74.7	52	35.9	25.3-46.5
\$15,000- 24,999	193	58,147	125	64.0	55.2-72.8	68	36.0	27.2-44.8
\$25,000- 34,999	101	34,233	63	61.7	49.7-73.7	38	38.3	26.3-50.3
\$35,000- 49,999	94	28,993	61	67.1	55.5-78.7	33	32.9	21.3-44.5
\$50,000- 74,999	73	25,524	43	52.6	38.9-66.3	30	47.4	33.7-61.1
\$75,000+	68	28,025	44	65.3	51.0-79.6	24	34.7	20.4-49.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	43
2 MALES ONLY	44
3 FEMALES ONLY	45
ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)	
4 MALES AND FEMALES	46
5 MALES ONLY	47
6 FEMALES ONLY	48
OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)	
7 MALES AND FEMALES	49
8 MALES ONLY	50
9 FEMALES ONLY	51
DELAYED GETTING MEDICAL CARE OTHER RESPONSE (DLYOTHER)	
10 MALES AND FEMALES	52
11 MALES ONLY	53
12 FEMALES ONLY	54
IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
13 MALES AND FEMALES	55
14 MALES ONLY	56
15 FEMALES ONLY	57
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
16 MALES AND FEMALES	58
17 MALES ONLY	59
18 FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
19 MALES AND FEMALES	61
20 MALES ONLY	62
21 FEMALES ONLY	63
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
22 MALES AND FEMALES	64
23 MALES ONLY	65
24 FEMALES ONLY	66
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
25 MALES AND FEMALES	67
26 MALES ONLY	68
27 FEMALES ONLY	69
DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)	
28 MALES AND FEMALES	70
29 MALES ONLY	71
30 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9185	4,249,255	3757	26.5	25.5-27.5	5428	73.5	72.5-74.5
Male	3737	2,011,471	1386	25.1	23.5-26.7	2351	74.9	73.3-76.5
Female	5448	2,237,783	2371	27.8	26.4-29.2	3077	72.2	70.8-73.6
White/Non-Hisp	8043	3,513,510	3370	26.9	25.9-27.9	4673	73.1	72.1-74.1
Black or Afr. Am./Non-Hisp	509	343,701	189	27.4	22.7-32.1	320	72.6	67.9-77.3
Oth. Race/Non-Hisp.	133	77,488	49	24.9	16.3-33.5	84	75.1	66.5-83.7
MultiRacial/Non-Hisp.	99	37,923	40	34.3	21.8-46.8	59	65.7	53.2-78.2
Hispanic	269	215,619	40	13.6	08.9-18.3	229	86.4	81.7-91.1
18-24	414	507,889	30	7.8	04.9-10.7	384	92.2	89.3-95.1
25-34	770	677,725	54	7.2	05.0-09.4	716	92.8	90.6-95.0
35-44	1061	681,957	55	4.5	03.1-05.9	1006	95.5	94.1-96.9
45-54	1599	788,597	180	10.8	09.0-12.6	1419	89.2	87.4-91.0
55-64	2066	730,472	314	14.2	12.4-16.0	1752	85.8	84.0-87.6
65+	3202	839,524	3091	96.3	95.5-97.1	111	3.7	02.9-04.5
Less Than H.S.	817	587,275	435	33.7	30.0-37.4	382	66.3	62.6-70.0
H.S. or G.E.D.	3322	1,457,696	1600	31.4	29.6-33.2	1722	68.6	66.8-70.4
Some Post-H.S.	2333	1,286,173	856	23.1	21.1-25.1	1477	76.9	74.9-78.9
College Graduate	2693	909,286	857	18.8	17.4-20.2	1836	81.2	79.8-82.6
Less than \$15,000	955	422,775	489	33.2	29.3-37.1	466	66.8	62.9-70.7
\$15,000- 24,999	1575	699,332	881	36.7	33.8-39.6	694	63.3	60.4-66.2
\$25,000- 34,999	1019	460,134	502	34.5	31.0-38.0	517	65.5	62.0-69.0
\$35,000- 49,999	1207	559,061	478	26.7	24.0-29.4	729	73.3	70.6-76.0
\$50,000- 74,999	1218	591,174	344	18.4	16.0-20.8	874	81.6	79.2-84.0
\$75,000+	1863	923,751	324	11.1	09.5-12.7	1539	88.9	87.3-90.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS
TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3737	2,011,471	1386	25.1	23.5-26.7	2351	74.9	73.3-76.5
White/Non-Hisp	3268	1,661,571	1217	24.6	23.0-26.2	2051	75.4	73.8-77.0
Black or Afr. Am./Non-Hisp	173	150,231	67	29.8	21.6-38.0	106	70.2	62.0-78.4
Oth. Race/Non-Hisp.	60	38,288	25	33.5	19.2-47.8	35	66.5	52.2-80.8
Hispanic	115	104,090	17	12.0	05.7-18.3	98	88.0	81.7-94.3
18-24	213	251,703	19	10.7	05.6-15.8	194	89.3	84.2-94.4
25-34	337	336,147	27	7.8	04.7-10.9	310	92.2	89.1-95.3
35-44	430	322,637	20	3.5	01.7-05.3	410	96.5	94.7-98.3
45-54	736	378,258	83	10.9	08.2-13.6	653	89.1	86.4-91.8
55-64	851	357,265	136	15.7	12.8-18.6	715	84.3	81.4-87.2
65+	1149	358,786	1098	95.6	94.0-97.2	51	4.4	02.8-06.0
Less Than H.S.	327	290,633	155	31.4	25.9-36.9	172	68.6	63.1-74.1
H.S. or G.E.D.	1308	691,899	541	27.6	24.9-30.3	767	72.4	69.7-75.1
Some Post-H.S.	889	573,707	296	22.9	19.8-26.0	593	77.1	74.0-80.2
College Graduate	1200	449,209	389	20.0	17.8-22.2	811	80.0	77.8-82.2
Less than \$15,000	315	163,507	139	31.0	24.7-37.3	176	69.0	62.7-75.3
\$15,000- 24,999	549	291,161	299	36.9	32.0-41.8	250	63.1	58.2-68.0
\$25,000- 34,999	425	230,449	199	34.1	28.6-39.6	226	65.9	60.4-71.4
\$35,000- 49,999	547	300,100	217	25.9	22.0-29.8	330	74.1	70.2-78.0
\$50,000- 74,999	550	306,212	159	19.5	15.8-23.2	391	80.5	76.8-84.2
\$75,000+	942	496,158	190	12.7	10.5-14.9	752	87.3	85.1-89.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS
TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5448	2,237,783	2371	27.8	26.4-29.2	3077	72.2	70.8-73.6
White/Non-Hisp	4775	1,851,939	2153	28.9	27.5-30.3	2622	71.1	69.7-72.5
Black or Afr. Am./Non-Hisp	336	193,469	122	25.4	20.1-30.7	214	74.6	69.3-79.9
Oth. Race/Non-Hisp.	73	39,200	24	16.6	08.0-25.2	49	83.4	74.8-92.0
MultiRacial/Non-Hisp.	52	17,502	17	18.0	07.2-28.8	35	82.0	71.2-92.8
Hispanic	154	111,528	23	15.0	07.9-22.1	131	85.0	77.9-92.1
18-24	201	256,185	11	5.0	01.9-08.1	190	95.0	91.9-98.1
25-34	433	341,578	27	6.6	03.9-09.3	406	93.4	90.7-96.1
35-44	631	359,321	35	5.4	03.4-07.4	596	94.6	92.6-96.6
45-54	863	410,339	97	10.7	08.3-13.1	766	89.3	86.9-91.7
55-64	1215	373,208	178	12.7	10.5-14.9	1037	87.3	85.1-89.5
65+	2053	480,737	1993	96.9	95.9-97.9	60	3.1	02.1-04.1
Less Than H.S.	490	296,642	280	35.9	30.8-41.0	210	64.1	59.0-69.2
H.S. or G.E.D.	2014	765,797	1059	34.7	32.2-37.2	955	65.3	62.8-67.8
Some Post-H.S.	1444	712,466	560	23.3	20.9-25.7	884	76.7	74.3-79.1
College Graduate	1493	460,077	468	17.7	15.7-19.7	1025	82.3	80.3-84.3
Less than \$15,000	640	259,267	350	34.6	29.7-39.5	290	65.4	60.5-70.3
\$15,000- 24,999	1026	408,171	582	36.6	32.9-40.3	444	63.4	59.7-67.1
\$25,000- 34,999	594	229,685	303	34.8	30.1-39.5	291	65.2	60.5-69.9
\$35,000- 49,999	660	258,961	261	27.6	23.7-31.5	399	72.4	68.5-76.3
\$50,000- 74,999	668	284,962	185	17.1	14.2-20.0	483	82.9	80.0-85.8
\$75,000+	921	427,593	134	9.3	07.3-11.3	787	90.7	88.7-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 4: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9094	4,229,891	6678	72.0	70.6-73.4	452	4.2	03.6-04.8	43	0.6	00.4-00.8	6	0.1	00.1-00.1	483	4.3	03.7-04.9	1432	18.9	17.7-20.1
Male	3718	2,008,780	2721	71.6	69.6-73.6	210	4.4	03.6-05.2	26	0.7	00.3-01.1	2	0.1	00.1-00.1	173	4.2	03.4-05.0	586	19.0	17.2-20.8
Female	5376	2,221,111	3957	72.3	70.5-74.1	242	4.0	03.4-04.6	17	0.4	00.2-00.6	4	0.1	00.0-00.3	310	4.4	03.8-05.0	846	18.8	17.2-20.4
White/Non-Hisp	7967	3,496,437	5999	75.1	73.7-76.5	406	4.3	03.7-04.9	34	0.5	00.3-00.7	5	0.1	00.1-00.1	407	4.1	03.5-04.7	1116	16.0	14.8-17.2
Black or Afr. Am./Non-Hisp	502	343,671	324	62.0	56.1-67.9	20	3.9	01.4-06.4	4	0.8	00.0-01.8				35	5.5	03.3-07.7	119	27.8	22.1-33.5
Oth. Race/Non-Hisp.	133	77,764	84	61.9	51.3-72.5	3	2.5	00.0-06.6	1	1.1	00.0-03.3				9	6.5	01.0-12.0	36	28.0	18.4-37.6
MultiRacial/Non-Hisp.	97	37,328	64	64.1	51.0-77.2	5	3.0	00.0-06.3							6	4.2	00.0-08.5	22	28.7	16.0-41.4
Hispanic	268	215,159	135	45.9	38.8-53.0	12	3.3	00.9-05.7	2	0.9	00.0-02.5	1	0.3	00.0-00.9	11	4.6	01.5-07.7	107	44.9	37.8-52.0
18-24	423	523,391	287	66.9	61.8-72.0	14	2.9	01.1-04.7	5	1.0	00.0-02.0	1	0.1	00.0-00.3	19	4.8	02.4-07.2	97	24.3	19.6-29.0
25-34	761	667,346	517	65.1	61.0-69.2	21	2.6	01.2-04.0	3	0.5	00.0-01.1				16	1.8	00.8-02.8	204	30.1	26.2-34.0
35-44	1065	684,768	810	73.5	70.2-76.8	41	3.3	02.1-04.5	4	0.6	00.0-01.2				29	3.2	01.8-04.6	181	19.4	16.5-22.3
45-54	1596	787,751	1238	75.4	72.9-77.9	49	3.2	02.2-04.2	4	0.4	00.0-00.8	1	0.1	00.0-00.3	41	2.4	01.6-03.2	263	18.5	16.1-20.9
55-64	2056	725,575	1585	77.7	75.5-79.9	90	4.6	03.4-05.8	4	0.3	00.1-00.5	1	0.0	00.0-00.0	89	4.1	03.1-05.1	287	13.3	11.5-15.1
65+	3130	820,906	2190	71.0	69.0-73.0	234	7.6	06.4-08.8	23	0.8	00.4-01.2	3	0.1	00.0-00.3	285	9.0	07.8-10.2	395	11.5	10.1-12.9
Less Than H.S.	803	585,546	455	51.1	46.6-55.6	31	3.1	01.7-04.5	8	0.9	00.1-01.7				60	6.2	04.2-08.2	249	38.7	34.2-43.2
H.S. or G.E.D.	3274	1,447,950	2320	70.7	68.5-72.9	164	4.6	03.6-05.6	15	0.6	00.2-01.0	3	0.0	00.0-00.0	196	4.7	03.9-05.5	576	19.3	17.5-21.1
Some Post-H.S.	2318	1,279,615	1710	74.8	72.6-77.0	113	4.0	03.2-04.8	7	0.2	00.0-00.4				124	4.2	03.2-05.2	364	16.8	14.8-18.8
College Graduate	2681	907,966	2182	83.7	81.9-85.5	144	4.6	03.6-05.6	12	0.5	00.1-00.9	3	0.2	00.0-00.6	102	2.6	02.0-03.2	238	8.3	06.9-09.7
Less than \$15,000	949	424,151	529	50.5	46.0-55.0	37	3.4	01.8-05.0	4	0.6	00.0-01.2				66	6.3	04.3-08.3	313	39.1	34.6-43.6
\$15,000- 24,999	1543	692,051	892	54.0	50.5-57.5	77	3.8	02.6-05.0	10	0.7	00.1-01.3	1	0.1	00.0-00.3	118	6.1	04.5-07.7	445	35.3	31.8-38.8
\$25,000- 34,999	1005	455,716	727	68.5	64.6-72.4	44	3.3	02.1-04.5	6	0.7	00.0-01.5	1	0.0	00.0-00.0	47	3.8	02.4-05.2	180	23.6	19.9-27.3
\$35,000- 49,999	1196	553,497	926	76.0	72.7-79.3	68	5.4	03.8-07.0	6	0.5	00.0-01.1	1	0.1	00.0-00.3	61	4.0	02.8-05.2	134	13.9	11.0-16.8
\$50,000- 74,999	1216	589,729	1033	85.7	83.2-88.2	62	4.3	03.1-05.5	6	0.6	00.0-01.2	1	0.0	00.0-00.0	43	3.1	01.9-04.3	71	6.2	04.2-08.2
\$75,000+	1869	928,913	1652	89.4	87.6-91.2	103	4.4	03.4-05.4	3	0.2	00.0-00.6	1	0.1	00.0-00.3	43	2.0	01.2-02.8	67	3.8	02.6-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3718	2,008,780	2721	71.6	69.6-73.6	210	4.4	03.6-05.2	26	0.7	00.3-01.1	2	0.1	00.1-00.1	173	4.2	03.4-05.0	586	19.0	17.2-20.8
White/Non-Hisp	3253	1,657,440	2445	74.5	72.5-76.5	181	4.2	03.4-05.0	22	0.7	00.3-01.1	1	0.0	00.0-00.0	141	4.0	03.2-04.8	463	16.5	14.7-18.3
Black or Afr. Am./Non-Hisp	172	152,597	117	67.9	58.9-76.9	10	5.7	01.2-10.2	1	0.3	00.0-00.9				13	4.5	01.8-07.2	31	21.6	13.4-29.8
Oth. Race/Non-Hisp.	60	38,288	34	54.8	39.1-70.5	2	4.7	00.0-12.9							5	9.4	00.0-19.2	19	31.1	16.6-45.6
Hispanic	115	103,841	54	41.9	31.7-52.1	7	4.3	00.4-08.2	1	0.2	00.0-00.6	1	0.7	00.0-02.1	5	4.7	00.0-09.6	47	48.1	37.5-58.7
18-24	219	260,540	147	67.1	60.0-74.2	9	3.7	01.0-06.4	4	1.7	00.0-03.5	1	0.3	00.0-00.9	14	6.8	02.9-10.7	44	20.5	14.6-26.4
25-34	332	329,752	228	65.4	59.5-71.3	8	1.8	00.4-03.2	1	0.4	00.0-01.2				5	1.3	00.1-02.5	90	31.1	25.2-37.0
35-44	431	323,892	328	72.3	67.0-77.6	13	3.0	01.2-04.8	2	0.5	00.0-01.3				8	2.7	00.5-04.9	80	21.4	16.5-26.3
45-54	740	380,774	567	74.0	70.1-77.9	24	3.3	01.9-04.7	3	0.4	00.0-01.0				19	2.6	01.2-04.0	127	19.7	16.2-23.2
55-64	852	356,069	659	78.3	75.0-81.6	45	5.0	03.2-06.8	3	0.5	00.0-01.1				36	4.4	02.8-06.0	109	11.8	09.1-14.5
65+	1126	351,900	778	70.6	67.5-73.7	110	9.1	07.1-11.1	13	1.1	00.5-01.7	1	0.1	00.0-00.3	90	8.0	06.0-10.0	134	11.0	08.8-13.2
Less Than H.S.	322	286,728	177	50.6	43.9-57.3	11	2.6	00.8-04.4	5	1.0	00.0-02.0				26	6.5	03.4-09.6	103	39.4	32.5-46.3
H.S. or G.E.D.	1298	693,500	914	69.7	66.6-72.8	73	4.8	03.4-06.2	12	1.0	00.2-01.8	1	0.1	00.0-00.3	71	4.5	03.3-05.7	227	19.9	17.0-22.8
Some Post-H.S.	889	572,583	668	75.7	72.2-79.2	50	4.2	02.8-05.6	4	0.4	00.0-00.8				41	4.4	02.6-06.2	126	15.3	12.4-18.2
College Graduate	1197	449,814	955	83.0	80.5-85.5	76	5.3	03.9-06.7	4	0.2	00.0-00.4	1	0.2	00.0-00.6	35	2.1	01.3-02.9	126	9.3	07.3-11.3
Less than \$15,000	314	164,837	161	45.2	37.9-52.5	16	4.3	01.2-07.4	2	0.8	00.0-01.8				19	6.1	02.8-09.4	116	43.7	36.4-51.0
\$15,000- 24,999	540	286,584	300	50.6	44.9-56.3	32	4.5	02.5-06.5	5	0.9	00.1-01.7	1	0.1	00.0-00.3	31	5.4	02.9-07.9	171	38.5	32.8-44.2
\$25,000- 34,999	423	231,446	290	63.8	57.7-69.9	24	3.5	01.9-05.1	4	0.5	00.0-01.1				20	3.8	01.8-05.8	85	28.4	22.3-34.5
\$35,000- 49,999	538	293,914	408	75.9	71.4-80.4	36	5.7	03.5-07.9	5	1.0	00.0-02.0	1	0.2	00.0-00.6	28	4.5	02.5-06.5	60	12.7	08.8-16.6
\$50,000- 74,999	553	307,136	463	84.8	81.1-88.5	31	4.0	02.4-05.6	4	0.7	00.0-01.7				19	3.4	01.4-05.4	36	7.2	04.5-09.9
\$75,000+	949	501,353	829	88.5	86.1-90.9	52	4.4	03.0-05.8	2	0.3	00.0-00.9				25	2.3	01.1-03.5	41	4.4	02.8-06.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5376	2,221,111	3957	72.3	70.5-74.1	242	4.0	03.4-04.6	17	0.4	00.2-00.6	4	0.1	00.0-00.3	310	4.4	03.8-05.0	846	18.8	17.2-20.4
White/Non-Hisp	4714	1,838,997	3554	75.7	73.9-77.5	225	4.4	03.6-05.2	12	0.2	00.0-00.4	4	0.1	00.0-00.3	266	4.2	03.6-04.8	653	15.5	13.9-17.1
Black or Afr. Am./Non-Hisp	330	191,074	207	57.2	49.8-64.6	10	2.5	00.0-05.2	3	1.2	00.0-02.8				22	6.4	03.3-09.5	88	32.7	25.3-40.1
Oth. Race/Non-Hisp.	73	39,476	50	68.7	55.2-82.2	1	0.4	00.0-01.2	1	2.2	00.0-06.5				4	3.6	00.0-08.3	17	25.1	12.6-37.6
MultiRacial/Non-Hisp.	51	17,378	37	68.9	49.9-87.9	1	0.2	00.0-00.6							3	2.1	00.0-04.6	10	28.8	09.6-48.0
Hispanic	153	111,318	81	49.7	40.1-59.3	5	2.3	00.0-04.7	1	1.5	00.0-04.4				6	4.6	00.7-08.5	60	41.9	32.5-51.3
18-24	204	262,851	140	66.8	59.5-74.1	5	2.0	00.0-04.0	1	0.3	00.0-00.9				5	2.8	00.3-05.3	53	28.0	20.9-35.1
25-34	429	337,593	289	64.9	59.4-70.4	13	3.4	01.2-05.6	2	0.5	00.0-01.3				11	2.2	00.8-03.6	114	29.0	23.7-34.3
35-44	634	360,875	482	74.5	70.4-78.6	28	3.7	02.1-05.3	2	0.6	00.0-01.6				21	3.7	01.9-05.5	101	17.6	13.9-21.3
45-54	856	406,977	671	76.7	73.2-80.2	25	3.1	01.5-04.7	1	0.3	00.0-00.9	1	0.3	00.0-00.9	22	2.2	01.0-03.4	136	17.4	14.3-20.5
55-64	1204	369,506	926	77.1	74.2-80.0	45	4.1	02.7-05.5	1	0.1	00.0-00.3	1	0.1	00.0-00.3	53	3.9	02.7-05.1	178	14.7	12.2-17.2
65+	2004	469,006	1412	71.3	68.9-73.7	124	6.5	05.1-07.9	10	0.5	00.1-00.9	2	0.1	00.1-00.1	195	9.7	08.1-11.3	261	12.0	10.4-13.6
Less Than H.S.	481	298,818	278	51.7	45.4-58.0	20	3.6	01.6-05.6	3	0.8	00.0-02.0				34	6.0	03.5-08.5	146	38.0	31.7-44.3
H.S. or G.E.D.	1976	754,450	1406	71.6	68.9-74.3	91	4.4	03.2-05.6	3	0.3	00.0-00.7	2	0.0	00.0-00.0	125	4.9	03.7-06.1	349	18.7	16.3-21.1
Some Post-H.S.	1429	707,033	1042	74.1	71.2-77.0	63	3.7	02.5-04.9	3	0.1	00.0-00.3				83	4.0	02.8-05.2	238	18.0	15.3-20.7
College Graduate	1484	458,152	1227	84.5	82.1-86.9	68	3.9	02.7-05.1	8	0.8	00.2-01.4	2	0.3	00.0-00.9	67	3.1	02.1-04.1	112	7.4	05.6-09.2
Less than \$15,000	635	259,314	368	53.9	48.0-59.8	21	2.9	01.3-04.5	2	0.5	00.0-01.3				47	6.5	04.0-09.0	197	36.3	30.4-42.2
\$15,000- 24,999	1003	405,467	592	56.4	52.1-60.7	45	3.3	02.1-04.5	5	0.7	00.0-01.5				87	6.5	04.5-08.5	274	33.0	28.7-37.3
\$25,000- 34,999	582	224,271	437	73.4	68.5-78.3	20	3.2	01.4-05.0	2	0.9	00.0-02.5	1	0.0	00.0-00.0	27	3.8	02.0-05.6	95	18.7	14.4-23.0
\$35,000- 49,999	658	259,583	518	76.0	71.3-80.7	32	5.2	02.8-07.6	1	0.0	00.0-00.0				33	3.4	02.0-04.8	74	15.3	11.0-19.6
\$50,000- 74,999	663	282,592	570	86.7	83.4-90.0	31	4.7	02.7-06.7	2	0.5	00.0-01.3	1	0.1	00.0-00.3	24	2.8	01.4-04.2	35	5.2	02.7-07.7
\$75,000+	920	427,560	823	90.5	88.1-92.9	51	4.3	02.9-05.7	1	0.2	00.0-00.6	1	0.3	00.0-00.9	18	1.7	00.5-02.9	26	3.1	01.5-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 7: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9090	4,214,961	59	0.8	00.4-01.2	330	4.2	03.6-04.8	142	1.9	01.5-02.3	52	0.6	00.4-00.8	573	7.5	06.7-08.3	7934	85.0	84.0-86.0
Male	3712	2,004,817	15	0.5	00.3-00.7	125	3.6	02.8-04.4	65	2.1	01.5-02.7	22	0.6	00.2-01.0	215	7.1	05.9-08.3	3270	86.1	84.5-87.7
Female	5378	2,210,144	44	1.0	00.4-01.6	205	4.7	03.9-05.5	77	1.6	01.0-02.2	30	0.6	00.4-00.8	358	7.9	06.7-09.1	4664	84.0	82.4-85.6
White/Non-Hisp	7975	3,493,030	48	0.6	00.4-00.8	263	3.8	03.2-04.4	114	1.8	01.4-02.2	44	0.6	00.4-00.8	453	6.6	05.8-07.4	7053	86.6	85.4-87.8
Black or Afr. Am./Non-Hisp	500	344,667	8	2.4	00.0-05.3	26	6.4	03.5-09.3	12	2.1	00.5-03.7	5	0.8	00.0-01.8	52	12.7	08.6-16.8	397	75.7	70.2-81.2
Oth. Race/Non-Hisp.	130	75,890				6	2.5	00.1-04.9	3	1.9	00.0-04.8	1	1.1	00.0-03.3	9	6.5	01.6-11.4	111	88.0	81.5-94.5
MultiRacial/Non-Hisp.	98	37,330				7	7.2	01.5-12.9	2	0.3	00.0-00.7				23	25.4	13.6-37.2	66	67.0	54.7-79.3
Hispanic	256	203,342	3	1.1	00.0-02.5	22	6.9	03.6-10.2	9	3.9	01.0-06.8	1	0.3	00.0-00.9	27	11.9	07.0-16.8	194	76.0	69.9-82.1
18-24	424	525,278	3	0.7	00.0-01.5	19	4.3	02.1-06.5	14	4.0	01.6-06.4	5	0.9	00.1-01.7	47	12.3	08.6-16.0	336	77.9	73.2-82.6
25-34	756	663,499	5	1.2	00.0-02.8	45	5.5	03.7-07.3	20	2.2	01.0-03.4	8	0.9	00.3-01.5	65	10.1	07.4-12.8	613	80.2	76.7-83.7
35-44	1055	676,280	15	1.4	00.6-02.2	55	4.9	03.3-06.5	15	1.3	00.5-02.1	8	0.7	00.1-01.3	82	8.3	06.1-10.5	880	83.3	80.6-86.0
45-54	1576	774,701	13	0.7	00.3-01.1	70	4.5	03.3-05.7	20	1.5	00.7-02.3	10	0.5	00.1-00.9	130	7.8	06.2-09.4	1333	85.0	82.8-87.2
55-64	2048	724,569	14	0.6	00.2-01.0	84	4.6	03.4-05.8	29	1.3	00.7-01.9	11	0.4	00.2-00.6	143	6.3	04.9-07.7	1767	86.8	85.0-88.6
65+	3159	828,990	9	0.2	00.0-00.4	54	1.9	01.3-02.5	42	1.6	01.0-02.2	10	0.3	00.1-00.5	105	2.9	02.1-03.7	2939	93.1	91.9-94.3
Less Than H.S.	796	574,938	8	2.0	00.0-04.0	23	3.3	01.7-04.9	20	2.5	00.9-04.1	3	0.4	00.0-00.8	107	17.5	13.6-21.4	635	74.3	70.0-78.6
H.S. or G.E.D.	3270	1,441,088	24	0.7	00.3-01.1	95	3.7	02.7-04.7	53	2.1	01.3-02.9	16	0.5	00.1-00.9	209	6.6	05.4-07.8	2873	86.3	84.7-87.9
Some Post-H.S.	2313	1,280,890	13	0.5	00.1-00.9	104	5.0	03.8-06.2	34	1.7	00.9-02.5	18	0.8	00.4-01.2	149	6.4	05.0-07.8	1995	85.7	83.7-87.7
College Graduate	2690	909,120	14	0.4	00.2-00.6	106	4.4	03.4-05.4	35	1.4	00.8-02.0	15	0.6	00.2-01.0	106	4.3	03.3-05.3	2414	88.9	87.3-90.5
Less than \$15,000	933	413,854	12	2.5	00.0-05.0	47	5.7	03.7-07.7	19	2.6	01.2-04.0	7	1.0	00.0-02.0	159	18.4	14.7-22.1	689	69.8	65.3-74.3
\$15,000- 24,999	1546	686,603	13	0.8	00.2-01.4	60	5.8	04.0-07.6	37	2.7	01.5-03.9	10	0.6	00.2-01.0	160	13.5	10.8-16.2	1266	76.6	73.5-79.7
\$25,000- 34,999	1003	452,156	9	0.8	00.0-01.6	24	1.9	00.9-02.9	17	2.2	01.0-03.4	5	0.4	00.0-01.0	58	6.7	04.3-09.1	890	88.0	85.1-90.9
\$35,000- 49,999	1199	554,234	3	0.1	00.0-00.3	52	4.6	03.2-06.0	24	1.9	00.9-02.9	11	0.9	00.3-01.5	44	5.1	03.3-06.9	1065	87.4	84.9-89.9
\$50,000- 74,999	1215	588,065	6	0.6	00.0-01.2	57	4.8	03.2-06.4	12	1.9	00.5-03.3	4	0.3	00.0-00.7	35	2.9	01.7-04.1	1101	89.5	87.1-91.9
\$75,000+	1866	926,358	8	0.4	00.0-00.8	61	3.9	02.7-05.1	16	0.9	00.3-01.5	8	0.5	00.1-00.9	47	2.9	01.9-03.9	1726	91.3	89.5-93.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 8: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3712	2,004,817	15	0.5	00.3-00.7	125	3.6	02.8-04.4	65	2.1	01.5-02.7	22	0.6	00.2-01.0	215	7.1	05.9-08.3	3270	86.1	84.5-87.7
White/Non-Hisp	3254	1,658,218	13	0.5	00.1-00.9	100	3.3	02.5-04.1	54	2.1	01.3-02.9	16	0.5	00.1-00.9	169	6.0	04.8-07.2	2902	87.7	86.1-89.3
Black or Afr. Am./Non-Hisp	171	154,089	1	0.5	00.0-01.5	9	6.5	01.6-11.4	2	1.0	00.0-02.4	3	1.2	00.0-03.0	18	14.1	06.7-21.5	138	76.8	68.4-85.2
Oth. Race/Non-Hisp.	57	36,722				2	2.6	00.0-06.3	2	3.2	00.0-09.1	1	2.2	00.0-06.5	6	10.0	01.0-19.0	46	82.0	70.4-93.6
Hispanic	111	98,335	1	0.7	00.0-02.1	8	6.3	01.4-11.2	5	5.2	00.1-10.3	1	0.7	00.0-02.1	9	10.5	03.6-17.4	87	76.6	67.4-85.8
18-24	224	267,354	1	0.6	00.0-01.8	4	0.9	00.1-01.7	6	3.3	00.4-06.2	3	1.0	00.0-02.2	24	12.9	07.4-18.4	186	81.3	75.2-87.4
25-34	331	329,249	1	0.3	00.0-00.9	14	4.6	02.1-07.1	10	3.1	00.9-05.3	4	0.9	00.0-01.9	21	7.4	03.9-10.9	281	83.7	79.0-88.4
35-44	429	320,475	3	0.8	00.0-01.8	19	4.4	02.0-06.8	7	1.9	00.3-03.5	3	0.9	00.0-02.1	36	9.2	05.7-12.7	361	82.8	78.5-87.1
45-54	724	370,075	5	0.5	00.0-01.1	30	4.5	02.7-06.3	7	1.2	00.2-02.2	1	0.1	00.0-00.3	52	6.9	04.7-09.1	629	86.7	83.8-89.6
55-64	849	356,447	3	0.5	00.0-01.1	37	4.8	03.0-06.6	18	1.7	00.7-02.7	6	0.4	00.0-00.8	50	5.1	03.3-06.9	735	87.4	84.7-90.1
65+	1133	354,262	2	0.1	00.0-00.3	18	1.7	00.7-02.7	17	1.9	00.9-02.9	5	0.3	00.0-00.7	31	2.8	01.6-04.0	1060	93.2	91.4-95.0
Less Than H.S.	317	281,360	3	1.3	00.0-02.9	8	3.0	00.5-05.5	9	3.4	00.5-06.3				40	16.3	10.6-22.0	257	75.9	69.6-82.2
H.S. or G.E.D.	1299	692,564	7	0.5	00.1-00.9	49	4.1	02.7-05.5	25	2.1	01.1-03.1	9	0.5	00.1-00.9	80	6.4	04.4-08.4	1129	86.4	83.9-88.9
Some Post-H.S.	886	575,035	3	0.2	00.0-00.6	37	3.9	02.5-05.3	15	2.0	00.8-03.2	9	1.1	00.3-01.9	51	5.5	03.7-07.3	771	87.3	84.8-89.8
College Graduate	1197	449,834	2	0.1	00.0-00.3	30	3.0	01.8-04.2	16	1.6	00.6-02.6	4	0.4	00.0-00.8	43	4.4	02.8-06.0	1102	90.6	88.4-92.8
Less than \$15,000	305	158,300	3	1.2	00.0-03.2	15	4.4	01.5-07.3	9	4.0	01.1-06.9	3	0.7	00.0-01.7	51	16.6	10.7-22.5	224	73.0	66.1-79.9
\$15,000- 24,999	538	283,778	5	1.1	00.1-02.1	24	6.4	03.3-09.5	13	3.3	00.9-05.7	2	0.2	00.0-00.4	63	15.4	10.7-20.1	431	73.7	68.2-79.2
\$25,000- 34,999	422	229,062	3	0.4	00.0-00.8	9	2.0	00.6-03.4	8	2.1	00.3-03.9	3	0.7	00.0-01.7	22	6.7	02.8-10.6	377	88.2	83.7-92.7
\$35,000- 49,999	541	295,720				13	2.5	00.9-04.1	15	2.7	01.1-04.3	5	0.9	00.1-01.7	20	5.7	03.0-08.4	488	88.2	84.7-91.7
\$50,000- 74,999	550	305,993	2	0.4	00.0-01.0	25	4.9	02.5-07.3	8	2.5	00.3-04.7	1	0.1	00.0-00.3	13	2.7	00.9-04.5	501	89.5	86.0-93.0
\$75,000+	947	499,866	1	0.3	00.0-00.9	31	3.8	02.4-05.2	7	1.0	00.0-02.0	4	0.6	00.0-01.4	22	3.0	01.4-04.6	882	91.3	88.9-93.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 9: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5378	2,210,144	44	1.0	00.4-01.6	205	4.7	03.9-05.5	77	1.6	01.0-02.2	30	0.6	00.4-00.8	358	7.9	06.7-09.1	4664	84.0	82.4-85.6
White/Non-Hisp	4721	1,834,812	35	0.8	00.4-01.2	163	4.4	03.6-05.2	60	1.5	00.9-02.1	28	0.7	00.3-01.1	284	7.2	06.0-08.4	4151	85.5	83.9-87.1
Black or Afr. Am./Non-Hisp	329	190,579	7	3.9	00.0-09.2	17	6.4	02.7-10.1	10	2.9	00.4-05.4	2	0.5	00.0-01.1	34	11.6	07.1-16.1	259	74.7	67.6-81.8
Oth. Race/Non-Hisp.	73	39,168				4	2.4	00.0-05.1	1	0.7	00.0-02.1				3	3.3	00.0-07.8	65	93.6	88.1-99.1
MultiRacial/Non-Hisp.	52	17,502				3	7.8	00.0-16.6	2	0.7	00.0-01.7				14	26.7	10.2-43.2	33	64.8	47.2-82.4
Hispanic	145	105,007	2	1.4	00.0-03.6	14	7.3	03.0-11.6	4	2.7	00.0-05.6				18	13.2	06.1-20.3	107	75.3	67.1-83.5
18-24	200	257,924	2	0.8	00.0-02.0	15	7.9	03.6-12.2	8	4.7	01.0-08.4	2	0.8	00.0-02.0	23	11.6	06.5-16.7	150	74.3	67.2-81.4
25-34	425	334,250	4	2.0	00.0-04.9	31	6.4	03.9-08.9	10	1.3	00.3-02.3	4	0.8	00.0-01.8	44	12.7	08.6-16.8	332	76.8	71.5-82.1
35-44	626	355,805	12	2.0	00.6-03.4	36	5.3	03.3-07.3	8	0.8	00.2-01.4	5	0.6	00.0-01.2	46	7.5	05.1-09.9	519	83.8	80.5-87.1
45-54	852	404,627	8	0.8	00.2-01.4	40	4.5	02.7-06.3	13	1.8	00.8-02.8	9	0.9	00.3-01.5	78	8.6	06.4-10.8	704	83.4	80.5-86.3
55-64	1199	368,121	11	0.7	00.1-01.3	47	4.4	03.0-05.8	11	0.8	00.2-01.4	5	0.4	00.0-00.8	93	7.4	05.6-09.2	1032	86.3	83.9-88.7
65+	2026	474,728	7	0.3	00.1-00.5	36	2.0	01.2-02.8	25	1.3	00.7-01.9	5	0.4	00.0-00.8	74	3.0	02.2-03.8	1879	93.1	91.7-94.5
Less Than H.S.	479	293,579	5	2.7	00.0-06.2	15	3.6	01.6-05.6	11	1.6	00.4-02.8	3	0.8	00.0-01.8	67	18.6	13.3-23.9	378	72.7	66.6-78.8
H.S. or G.E.D.	1971	748,524	17	0.9	00.3-01.5	46	3.4	02.2-04.6	28	2.1	01.1-03.1	7	0.5	00.1-00.9	129	6.8	05.4-08.2	1744	86.2	84.0-88.4
Some Post-H.S.	1427	705,855	10	0.7	00.1-01.3	67	5.8	04.0-07.6	19	1.4	00.2-02.6	9	0.5	00.1-00.9	98	7.2	05.4-09.0	1224	84.3	81.6-87.0
College Graduate	1493	459,285	12	0.7	00.3-01.1	76	5.8	04.2-07.4	19	1.3	00.7-01.9	11	0.8	00.2-01.4	63	4.2	03.0-05.4	1312	87.2	85.0-89.4
Less than \$15,000	628	255,554	9	3.3	00.0-07.2	32	6.4	03.7-09.1	10	1.7	00.5-02.9	4	1.2	00.0-02.6	108	19.5	14.8-24.2	465	67.8	61.9-73.7
\$15,000- 24,999	1008	402,825	8	0.6	00.0-01.2	36	5.4	03.2-07.6	24	2.3	01.1-03.5	8	0.8	00.2-01.4	97	12.2	09.1-15.3	835	78.6	74.7-82.5
\$25,000- 34,999	581	223,094	6	1.2	00.0-02.6	15	1.9	00.5-03.3	9	2.2	00.4-04.0	2	0.2	00.0-00.4	36	6.8	04.1-09.5	513	87.7	84.2-91.2
\$35,000- 49,999	658	258,513	3	0.3	00.0-00.7	39	6.9	04.4-09.4	9	0.9	00.1-01.7	6	1.0	00.0-02.0	24	4.4	02.0-06.8	577	86.5	83.0-90.0
\$50,000- 74,999	665	282,072	4	0.7	00.0-01.5	32	4.7	02.9-06.5	4	1.3	00.0-02.9	3	0.6	00.0-01.4	22	3.1	01.5-04.7	600	89.6	86.7-92.5
\$75,000+	919	426,492	7	0.6	00.0-01.2	30	4.0	02.0-06.0	9	0.9	00.1-01.7	4	0.3	00.0-00.7	25	2.9	01.5-04.3	844	91.4	88.9-93.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8117	3,522,390	395	6.5	05.7-07.3	7722	93.5	92.7-94.3
Male	3252	1,645,206	162	6.5	05.3-07.7	3090	93.5	92.3-94.7
Female	4865	1,877,184	233	6.5	05.5-07.5	4632	93.5	92.5-94.5
White/Non-Hisp	7258	3,017,903	317	5.8	05.0-06.6	6941	94.2	93.4-95.0
Black or Afr. Am./Non-Hisp	411	256,400	38	11.5	06.8-16.2	373	88.5	83.8-93.2
Oth. Race/Non-Hisp.	102	55,336	5	6.3	00.0-12.8	97	93.7	87.2-0100
MultiRacial/Non-Hisp.	78	28,472	9	9.4	02.1-16.7	69	90.6	83.3-97.9
Hispanic	159	117,266	22	13.8	07.3-20.3	137	86.2	79.7-92.7
18-24	310	370,314	34	9.8	06.1-13.5	276	90.2	86.5-93.9
25-34	574	482,248	86	13.5	10.4-16.6	488	86.5	83.4-89.6
35-44	876	543,128	63	8.2	05.7-10.7	813	91.8	89.3-94.3
45-54	1367	658,809	88	6.5	04.9-08.1	1279	93.5	91.9-95.1
55-64	1788	628,140	69	4.0	02.8-05.2	1719	96.0	94.8-97.2
65+	3136	819,161	53	1.7	01.1-02.3	3083	98.3	97.7-98.9
Less Than H.S.	608	370,521	48	10.0	06.7-13.3	560	90.0	86.7-93.3
H.S. or G.E.D.	2900	1,207,456	154	7.6	06.0-09.2	2746	92.4	90.8-94.0
Some Post-H.S.	2045	1,084,290	112	6.1	04.7-07.5	1933	93.9	92.5-95.3
College Graduate	2550	856,058	80	4.0	03.0-05.0	2470	96.0	95.0-97.0
Less than \$15,000	715	266,511	66	13.5	09.6-17.4	649	86.5	82.6-90.4
\$15,000- 24,999	1239	476,146	109	11.9	09.2-14.6	1130	88.1	85.4-90.8
\$25,000- 34,999	886	364,600	54	9.4	06.3-12.5	832	90.6	87.5-93.7
\$35,000- 49,999	1097	482,926	54	6.5	04.5-08.5	1043	93.5	91.5-95.5
\$50,000- 74,999	1172	558,943	43	4.7	02.7-06.7	1129	95.3	93.3-97.3
\$75,000+	1820	895,543	26	1.6	01.0-02.2	1794	98.4	97.8-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 14: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3252	1,645,206	162	6.5	05.3-07.7	3090	93.5	92.3-94.7
White/Non-Hisp	2901	1,401,719	134	5.8	04.6-07.0	2767	94.2	93.0-95.4
Black or Afr. Am./Non-Hisp	142	117,890	16	14.5	05.7-23.3	126	85.5	76.7-94.3
Hispanic	60	46,391	5	9.5	00.0-19.9	55	90.5	80.1-0100
18-24	164	190,093	15	7.8	02.9-12.7	149	92.2	87.3-97.1
25-34	246	231,594	28	11.7	07.2-16.2	218	88.3	83.8-92.8
35-44	341	246,144	25	9.5	04.8-14.2	316	90.5	85.8-95.2
45-54	621	310,409	42	6.8	04.4-09.2	579	93.2	90.8-95.6
55-64	751	314,644	35	4.7	02.9-06.5	716	95.3	93.5-97.1
65+	1109	345,530	17	1.6	00.6-02.6	1092	98.4	97.4-99.4
Less Than H.S.	226	174,184	19	9.8	04.9-14.7	207	90.2	85.3-95.1
H.S. or G.E.D.	1110	559,420	67	8.5	06.0-11.0	1043	91.5	89.0-94.0
Some Post-H.S.	780	488,417	40	4.9	02.9-06.9	740	95.1	93.1-97.1
College Graduate	1128	420,453	36	4.1	02.5-05.7	1092	95.9	94.3-97.5
Less than \$15,000	214	92,008	18	8.0	03.3-12.7	196	92.0	87.3-96.7
\$15,000- 24,999	405	183,895	33	11.3	06.8-15.8	372	88.7	84.2-93.2
\$25,000- 34,999	357	172,788	28	11.6	06.1-17.1	329	88.4	82.9-93.9
\$35,000- 49,999	495	259,835	29	7.8	04.7-10.9	466	92.2	89.1-95.3
\$50,000- 74,999	533	292,644	22	6.0	02.5-09.5	511	94.0	90.5-97.5
\$75,000+	914	475,699	17	1.9	00.9-02.9	897	98.1	97.1-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 15: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4865	1,877,184	233	6.5	05.5-07.5	4632	93.5	92.5-94.5
White/Non-Hisp	4357	1,616,185	183	5.8	04.8-06.8	4174	94.2	93.2-95.2
Black or Afr. Am./Non-Hisp	269	138,509	22	8.9	04.8-13.0	247	91.1	87.0-95.2
Oth. Race/Non-Hisp.	56	25,814	3	9.5	00.0-21.1	53	90.5	78.9-0100
Hispanic	99	70,875	17	16.6	08.2-25.0	82	83.4	75.0-91.8
18-24	146	180,222	19	11.9	06.0-17.8	127	88.1	82.2-94.0
25-34	328	250,654	58	15.2	10.7-19.7	270	84.8	80.3-89.3
35-44	535	296,984	38	7.1	04.6-09.6	497	92.9	90.4-95.4
45-54	746	348,400	46	6.3	04.1-08.5	700	93.7	91.5-95.9
55-64	1037	313,496	34	3.3	01.9-04.7	1003	96.7	95.3-98.1
65+	2027	473,631	36	1.8	01.0-02.6	1991	98.2	97.4-99.0
Less Than H.S.	382	196,337	29	10.1	05.6-14.6	353	89.9	85.4-94.4
H.S. or G.E.D.	1790	648,036	87	6.8	05.0-08.6	1703	93.2	91.4-95.0
Some Post-H.S.	1265	595,872	72	7.0	05.0-09.0	1193	93.0	91.0-95.0
College Graduate	1422	435,604	44	3.8	02.4-05.2	1378	96.2	94.8-97.6
Less than \$15,000	501	174,503	48	16.4	10.9-21.9	453	83.6	78.1-89.1
\$15,000- 24,999	834	292,252	76	12.3	09.0-15.6	758	87.7	84.4-91.0
\$25,000- 34,999	529	191,812	26	7.5	04.2-10.8	503	92.5	89.2-95.8
\$35,000- 49,999	602	223,091	25	4.9	02.5-07.3	577	95.1	92.7-97.5
\$50,000- 74,999	639	266,299	21	3.3	01.7-04.9	618	96.7	95.1-98.3
\$75,000+	906	419,845	9	1.2	00.4-02.0	897	98.8	98.0-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 16: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	994	684,781	164	15.7	13.0-18.4	108	12.8	10.1-15.5	212	23.7	20.4-27.0	392	35.5	31.8-39.2	118	12.3	09.6-15.0
Male	456	352,640	73	15.0	11.1-18.9	41	10.1	06.6-13.6	92	21.2	16.5-25.9	189	40.3	34.6-46.0	61	13.5	09.8-17.2
Female	538	332,140	91	16.5	12.6-20.4	67	15.7	11.4-20.0	120	26.3	21.4-31.2	203	30.4	25.7-35.1	57	11.1	07.4-14.8
White/Non-Hisp	725	464,376	125	17.6	14.1-21.1	78	13.2	09.7-16.7	154	23.9	19.8-28.0	303	36.4	32.1-40.7	65	8.9	06.2-11.6
Black or Afr. Am./Non-Hisp	90	82,679	15	10.7	04.0-17.4	15	18.6	09.0-28.2	23	27.4	15.8-39.0	31	38.2	25.5-50.9	6	5.1	00.0-10.8
Hispanic	106	95,988	12	10.4	03.9-16.9	11	9.1	03.2-15.0	23	19.9	11.5-28.3	29	29.4	19.2-39.6	31	31.2	21.0-41.4
18-24	107	142,252	21	18.6	10.8-26.4	21	22.9	13.5-32.3	30	27.3	18.1-36.5	21	18.5	10.5-26.5	14	12.7	05.4-20.0
25-34	187	182,356	29	13.5	08.0-19.0	28	14.7	09.2-20.2	50	25.7	18.6-32.8	60	34.9	26.9-42.9	20	11.2	06.1-16.3
35-44	178	131,959	31	13.4	08.1-18.7	15	7.1	03.0-11.2	41	26.5	18.5-34.5	71	39.8	31.2-48.4	20	13.2	06.7-19.7
45-54	224	123,702	34	19.0	12.1-25.9	20	9.1	04.8-13.4	41	17.4	11.7-23.1	109	45.8	38.0-53.6	20	8.8	04.1-13.5
55-64	253	91,210	36	12.9	07.8-18.0	21	7.8	03.9-11.7	48	21.2	14.5-27.9	119	43.7	36.1-51.3	29	14.4	08.5-20.3
Less Than H.S.	190	201,611	26	12.2	06.9-17.5	19	13.5	07.2-19.8	38	23.1	15.7-30.5	65	28.7	21.1-36.3	42	22.6	15.5-29.7
H.S. or G.E.D.	379	232,022	55	14.6	10.3-18.9	44	13.7	09.4-18.0	75	22.6	17.3-27.9	161	39.3	33.2-45.4	44	9.8	06.3-13.3
Some Post-H.S.	279	195,163	52	19.6	13.7-25.5	29	11.5	06.6-16.4	71	25.3	19.2-31.4	109	38.2	31.3-45.1	18	5.4	02.7-08.1
College Graduate	141	52,826	30	19.9	11.7-28.1	15	10.2	03.7-16.7	28	26.5	17.1-35.9	56	35.6	26.0-45.2	12	7.7	02.6-12.8
Less than \$15,000	234	147,162	36	13.1	07.8-18.4	28	13.2	07.5-18.9	45	21.3	14.6-28.0	97	37.3	29.9-44.7	28	15.1	08.8-21.4
\$15,000- 24,999	309	213,297	49	14.8	09.9-19.7	27	9.9	05.0-14.8	73	24.4	18.5-30.3	129	40.0	32.9-47.1	31	10.8	06.5-15.1
\$25,000- 34,999	129	94,287	17	11.8	04.7-18.9	13	14.0	05.6-22.4	35	28.3	19.1-37.5	49	34.6	24.6-44.6	15	11.2	04.7-17.7
\$35,000- 49,999	97	69,009	19	22.1	11.7-32.5	13	16.9	07.5-26.3	20	21.9	10.5-33.3	33	25.3	15.3-35.3	12	13.7	02.9-24.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	456	352,640	73	15.0	11.1-18.9	41	10.1	06.6-13.6	92	21.2	16.7-25.7	189	40.3	34.6-46.0	61	13.5	09.8-17.2
White/Non-Hisp	340	243,220	61	17.4	12.3-22.5	32	10.7	06.4-15.0	68	20.3	15.0-25.6	147	41.5	35.0-48.0	32	10.0	06.1-13.9
Hispanic	54	56,607	4	7.7	00.0-15.7	3	5.6	00.0-11.9	12	22.4	10.2-34.6	18	35.7	21.2-50.2	17	28.6	15.5-41.7
18-24	54	67,935	10	17.9	07.1-28.7	10	21.6	08.9-34.3	18	29.8	16.9-42.7	9	19.4	07.1-31.7	7	11.4	02.8-20.0
25-34	89	101,202	14	13.9	05.7-22.1	8	8.8	02.7-14.9	17	20.4	10.8-30.0	39	46.2	34.2-58.2	11	10.7	03.8-17.6
35-44	84	71,111	9	9.9	03.0-16.8	4	5.0	00.1-09.9	16	17.6	08.6-26.6	41	50.0	37.5-62.5	14	17.6	07.6-27.6
45-54	114	66,892	18	17.8	08.8-26.8	10	8.3	02.4-14.2	22	17.4	09.6-25.2	52	44.0	32.8-55.2	12	12.5	04.7-20.3
55-64	92	38,133	15	13.8	05.0-22.6	8	7.0	01.7-12.3	17	23.8	11.8-35.8	42	40.7	28.0-53.4	10	14.7	05.5-23.9
Less Than H.S.	90	107,970	12	13.9	05.7-22.1	6	8.4	01.5-15.3	22	21.9	12.1-31.7	29	34.9	22.9-46.9	21	20.9	11.5-30.3
H.S. or G.E.D.	181	125,933	28	13.7	07.8-19.6	20	12.2	06.5-17.9	37	23.3	15.9-30.7	75	39.5	30.9-48.1	21	11.3	05.8-16.8
Some Post-H.S.	112	87,630	21	16.7	08.5-24.9	10	10.5	02.9-18.1	22	18.4	10.2-26.6	51	48.2	37.0-59.4	8	6.2	01.9-10.5
College Graduate	69	28,826	11	19.7	07.0-32.4	5	6.8	00.0-14.6	11	19.8	07.8-31.8	33	40.4	26.5-54.3	9	13.2	04.2-22.2
Less than \$15,000	100	69,786	16	15.0	06.4-23.6	8	6.7	01.2-12.2	19	20.4	11.0-29.8	41	37.7	26.7-48.7	16	20.2	10.4-30.0
\$15,000- 24,999	133	100,872	18	8.2	03.5-12.9	6	3.3	00.0-06.6	24	18.2	10.2-26.2	65	54.2	43.4-65.0	20	16.1	08.5-23.7
\$25,000- 34,999	67	59,158	9	13.4	03.0-23.8	7	13.5	02.3-24.7	19	28.2	16.0-40.4	25	34.9	21.4-48.4	7	9.9	02.1-17.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 18: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	538	332,140	91	16.5	12.6-20.4	67	15.7	11.4-20.0	120	26.3	21.4-31.2	203	30.4	25.7-35.1	57	11.1	07.4-14.8
White/Non-Hisp	385	221,156	64	17.8	12.7-22.9	46	16.0	10.5-21.5	86	27.7	21.6-33.8	156	30.8	25.3-36.3	33	7.7	03.6-11.8
Black or Afr. Am./Non-Hisp	60	46,648	10	11.3	03.3-19.3	10	19.8	07.5-32.1	16	28.8	13.7-43.9	21	38.3	23.0-53.6	3	1.9	00.0-04.4
Hispanic	52	39,381	8	14.4	03.6-25.2	8	14.0	03.4-24.6	11	16.3	06.1-26.5	11	20.3	08.0-32.6	14	35.0	19.1-50.9
18-24	53	74,317	11	19.3	08.1-30.5	11	24.0	10.3-37.7	12	25.0	11.7-38.3	12	17.8	07.4-28.2	7	13.9	02.3-25.5
25-34	98	81,153	15	13.0	05.9-20.1	20	22.1	12.7-31.5	33	32.2	22.2-42.2	21	20.8	11.8-29.8	9	11.9	04.3-19.5
35-44	94	60,848	22	17.5	09.5-25.5	11	9.6	02.7-16.5	25	37.0	24.5-49.5	30	27.8	17.4-38.2	6	8.0	00.7-15.3
45-54	110	56,810	16	20.3	09.7-30.9	10	10.0	03.5-16.5	19	17.4	09.2-25.6	57	47.9	36.5-59.3	8	4.4	01.1-07.7
55-64	161	53,077	21	12.2	05.9-18.5	13	8.3	02.8-13.8	31	19.3	11.7-26.9	77	45.9	36.3-55.5	19	14.3	06.7-21.9
Less Than H.S.	100	93,641	14	10.3	04.0-16.6	13	19.4	08.6-30.2	16	24.4	13.0-35.8	36	21.4	13.4-29.4	21	24.5	13.5-35.5
H.S. or G.E.D.	198	106,089	27	15.7	09.2-22.2	24	15.4	08.7-22.1	38	21.7	14.4-29.0	86	39.1	30.7-47.5	23	8.0	03.9-12.1
Some Post-H.S.	167	107,534	31	22.1	13.7-30.5	19	12.4	06.1-18.7	49	30.9	22.3-39.5	58	30.0	21.6-38.4	10	4.7	01.0-08.4
College Graduate	72	24,000	19	20.1	09.9-30.3	10	14.3	03.7-24.9	17	34.6	19.9-49.3	23	29.9	17.2-42.6	3	1.2	00.0-02.6
Less than \$15,000	134	77,376	20	11.4	05.1-17.7	20	19.1	09.9-28.3	26	22.2	12.8-31.6	56	36.9	26.7-47.1	12	10.5	02.9-18.1
\$15,000- 24,999	176	112,425	31	20.7	12.9-28.5	21	15.9	07.7-24.1	49	30.0	21.6-38.4	64	27.2	19.6-34.8	11	6.1	01.8-10.4
\$25,000- 34,999	62	35,130	8	9.2	02.3-16.1	6	14.7	02.0-27.4	16	28.5	14.8-42.2	24	34.2	20.3-48.1	8	13.4	02.4-24.4
\$35,000- 49,999	54	34,085	11	21.5	07.8-35.2	6	15.9	02.2-29.6	12	23.2	08.3-38.1	19	21.0	09.6-32.4	6	18.4	00.0-37.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 19: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10299	4,969,354	8501	81.3	80.3-82.3	453	4.0	03.4-04.6	100	0.9	00.7-01.1	69	0.6	00.4-00.8	299	2.2	01.8-02.6	877	11.0	10.2-11.8
Male	4267	2,418,070	3461	79.3	77.7-80.9	157	3.1	02.5-03.7	35	0.9	00.5-01.3	36	0.6	00.4-00.8	67	1.3	00.9-01.7	511	14.8	13.4-16.2
Female	6032	2,551,284	5040	83.2	81.8-84.6	296	5.0	04.2-05.8	65	1.0	00.6-01.4	33	0.5	00.3-00.7	232	3.0	02.6-03.4	366	7.4	06.4-08.4
White/Non-Hisp	8945	4,055,339	7421	81.5	80.3-82.7	399	4.3	03.7-04.9	90	1.0	00.8-01.2	60	0.6	00.4-00.8	254	2.2	01.8-02.6	721	10.4	09.4-11.4
Black or Afr. Am./Non-Hisp	589	415,127	493	84.4	80.7-88.1	20	2.2	01.0-03.4	7	0.8	00.2-01.4	2	0.2	00.0-00.6	19	2.0	00.8-03.2	48	10.5	07.0-14.0
Oth. Race/Non-Hisp.	170	103,762	140	85.9	80.2-91.6	6	1.6	00.2-03.0	1	0.5	00.0-01.5	1	0.5	00.0-01.5	4	1.1	00.0-02.5	18	10.4	05.3-15.5
MultiRacial/Non-Hisp.	116	46,119	84	80.1	71.7-88.5	12	5.4	01.5-09.3	1	0.6	00.0-01.8	3	1.7	00.0-03.7	7	4.1	00.6-07.6	9	8.1	01.6-14.6
Hispanic	313	267,306	233	73.4	67.5-79.3	9	3.8	01.1-06.5	1	0.2	00.0-00.6	3	0.6	00.0-01.4	3	0.4	00.0-00.8	64	21.7	16.4-27.0
18-24	542	685,201	445	81.2	77.5-84.9	15	3.5	01.5-05.5	5	0.9	00.1-01.7	1	0.1	00.0-00.3	4	0.5	00.0-01.1	72	13.8	10.5-17.1
25-34	916	814,967	688	74.2	70.9-77.5	40	3.8	02.4-05.2	9	0.9	00.1-01.7	5	0.7	00.1-01.3	14	1.6	00.8-02.4	160	18.9	16.0-21.8
35-44	1236	816,680	1003	81.0	78.5-83.5	41	3.0	01.8-04.2	7	0.8	00.0-01.6	7	0.7	00.1-01.3	19	1.3	00.7-01.9	159	13.3	10.9-15.7
45-54	1779	891,715	1420	81.1	78.9-83.3	89	4.7	03.5-05.9	17	0.8	00.4-01.2	12	0.5	00.1-00.9	36	1.9	01.1-02.7	205	10.9	09.1-12.7
55-64	2258	809,724	1902	84.2	82.4-86.0	106	4.4	03.4-05.4	30	1.3	00.7-01.9	21	1.0	00.6-01.4	46	2.3	01.5-03.1	153	6.9	05.5-08.3
65+	3477	921,402	2972	85.8	84.4-87.2	157	4.6	03.6-05.6	32	1.0	00.6-01.4	23	0.5	00.3-00.7	173	4.6	03.8-05.4	120	3.6	02.8-04.4
Less Than H.S.	934	705,675	715	73.5	69.8-77.2	34	4.0	02.2-05.8	13	1.0	00.2-01.8	4	0.4	00.0-01.0	46	3.5	02.3-04.7	122	17.6	14.3-20.9
H.S. or G.E.D.	3776	1,727,917	3098	81.1	79.3-82.9	152	3.8	03.0-04.6	32	1.0	00.4-01.6	26	0.5	00.3-00.7	134	2.6	02.0-03.2	334	11.0	09.6-12.4
Some Post-H.S.	2619	1,501,580	2181	83.3	81.5-85.1	119	4.3	03.3-05.3	24	0.8	00.4-01.2	23	0.8	00.4-01.2	57	1.4	00.8-02.0	215	9.5	07.9-11.1
College Graduate	2945	1,023,325	2487	84.0	82.4-85.6	147	4.1	03.3-04.9	31	0.9	00.5-01.3	16	0.6	00.2-01.0	60	1.6	01.0-02.2	204	8.7	07.3-10.1
Less than \$15,000	1081	499,781	811	72.6	68.9-76.3	74	6.4	04.4-08.4	18	1.6	00.8-02.4	11	0.7	00.1-01.3	50	4.1	02.5-05.7	117	14.5	11.4-17.6
\$15,000- 24,999	1751	813,637	1422	79.3	76.6-82.0	94	5.0	03.8-06.2	18	0.8	00.4-01.2	8	0.2	00.0-00.4	55	2.5	01.7-03.3	154	12.3	09.9-14.7
\$25,000- 34,999	1128	526,061	924	78.2	74.7-81.7	43	3.0	01.8-04.2	13	1.4	00.4-02.4	6	0.2	00.0-00.4	25	1.7	00.9-02.5	117	15.5	12.4-18.6
\$35,000- 49,999	1348	652,624	1144	83.2	80.5-85.9	48	2.9	01.7-04.1	9	0.4	00.0-00.8	11	1.0	00.2-01.8	21	1.0	00.4-01.6	115	11.5	09.0-14.0
\$50,000- 74,999	1344	672,186	1160	85.5	83.1-87.9	56	3.9	02.7-05.1	7	0.5	00.1-00.9	10	1.0	00.2-01.8	24	1.2	00.6-01.8	87	7.9	05.9-09.9
\$75,000+	2059	1,070,366	1770	86.4	84.6-88.2	81	3.9	02.7-05.1	22	1.3	00.5-02.1	14	0.6	00.2-01.0	19	0.8	00.4-01.2	153	7.1	05.7-08.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4267	2,418,070	3461	79.3	77.7-80.9	157	3.1	02.5-03.7	35	0.9	00.5-01.3	36	0.6	00.4-00.8	67	1.3	00.9-01.7	511	14.8	13.4-16.2
White/Non-Hisp	3685	1,958,235	3010	79.8	78.0-81.6	139	3.1	02.3-03.9	31	1.0	00.6-01.4	30	0.6	00.2-01.0	55	1.3	00.9-01.7	420	14.2	12.6-15.8
Black or Afr. Am./Non-Hisp	212	194,893	177	83.2	76.7-89.7	4	1.1	00.0-02.3	1	0.2	00.0-00.8	1	0.3	00.0-00.9	2	0.8	00.0-02.2	27	14.3	08.0-20.6
Oth. Race/Non-Hisp.	83	56,641	67	84.5	76.5-92.5	2	1.2	00.0-03.0	1	0.9	00.0-02.7	1	0.9	00.0-02.7				12	12.5	05.1-19.9
MultiRacial/Non-Hisp.	56	25,600	39	74.9	61.6-88.2	3	3.4	00.0-07.9	1	1.1	00.0-03.3	3	3.0	00.0-06.7	3	4.8	00.0-10.5	7	12.8	01.6-24.0
Hispanic	140	134,058	95	65.0	55.8-74.2	6	5.6	00.7-10.5	1	0.3	00.0-00.9	1	0.7	00.0-02.1	1	0.4	00.0-01.2	36	28.0	19.6-36.4
18-24	285	351,432	227	79.3	73.8-84.8	4	2.2	00.0-04.6	2	0.8	00.0-02.0				1	0.1	00.0-00.3	51	17.6	12.5-22.7
25-34	406	409,607	291	70.1	65.0-75.2	6	1.7	00.1-03.3	2	0.3	00.0-00.7	2	0.3	00.0-00.9	5	1.1	00.0-02.3	100	26.5	21.6-31.4
35-44	517	408,966	395	78.0	73.9-82.1	8	1.5	00.1-02.9	5	1.4	00.0-02.8	5	1.1	00.0-02.3	5	0.7	00.1-01.3	99	17.4	13.7-21.1
45-54	832	441,947	639	77.7	74.4-81.0	32	4.0	02.4-05.6	5	0.7	00.1-01.3	8	0.7	00.1-01.3	16	1.9	00.5-03.3	132	14.9	12.2-17.6
55-64	935	397,986	788	84.2	81.3-87.1	39	3.8	02.4-05.2	11	1.2	00.4-02.0	13	1.2	00.4-02.0	8	1.3	00.1-02.5	76	8.2	06.0-10.4
65+	1265	399,072	1099	86.9	84.5-89.3	68	5.2	03.6-06.8	10	0.8	00.2-01.4	8	0.4	00.0-00.8	32	2.5	01.5-03.5	48	4.1	02.7-05.5
Less Than H.S.	393	359,646	291	69.5	63.8-75.2	17	5.2	02.3-08.1	4	0.9	00.0-02.3	1	0.5	00.0-01.5	12	2.5	00.9-04.1	68	21.5	16.4-26.6
H.S. or G.E.D.	1510	842,650	1207	78.7	76.0-81.4	55	2.8	02.0-03.6	11	0.9	00.3-01.5	9	0.3	00.1-00.5	31	1.5	00.9-02.1	197	15.8	13.3-18.3
Some Post-H.S.	1022	694,012	836	82.4	79.5-85.3	31	2.3	01.1-03.5	13	1.1	00.5-01.7	17	1.1	00.5-01.7	11	0.7	00.1-01.3	114	12.3	09.8-14.8
College Graduate	1325	513,263	1114	83.0	80.5-85.5	53	2.9	01.9-03.9	7	0.5	00.1-00.9	9	0.7	00.1-01.3	11	0.8	00.2-01.4	131	12.1	09.9-14.3
Less than \$15,000	366	197,751	262	65.7	59.2-72.2	19	4.4	01.7-07.1	2	0.5	00.0-01.1	4	1.1	00.0-02.3	11	3.9	01.0-06.8	68	24.4	18.5-30.3
\$15,000- 24,999	617	339,368	471	73.5	68.8-78.2	35	4.6	02.4-06.8	6	0.8	00.0-01.6	6	0.5	00.1-00.9	16	2.2	00.8-03.6	83	18.4	14.1-22.7
\$25,000- 34,999	486	271,406	381	71.9	66.4-77.4	17	2.4	01.0-03.8	8	2.1	00.3-03.9	2	0.1	00.0-00.3	4	0.6	00.0-01.4	74	22.9	17.6-28.2
\$35,000- 49,999	620	359,988	517	82.4	78.5-86.3	20	1.9	00.9-02.9				6	1.0	00.0-02.0	9	0.9	00.3-01.5	68	13.8	10.3-17.3
\$50,000- 74,999	618	354,949	525	83.6	79.9-87.3	19	2.8	01.2-04.4	4	0.7	00.0-01.5	6	1.2	00.2-02.2	6	0.5	00.1-00.9	58	11.1	07.8-14.4
\$75,000+	1055	592,088	904	86.7	84.2-89.2	32	3.1	01.5-04.7	10	1.2	00.2-02.2	7	0.4	00.2-00.6	5	0.3	00.0-00.7	97	8.4	06.4-10.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6032	2,551,284	5040	83.2	81.8-84.6	296	5.0	04.2-05.8	65	1.0	00.6-01.4	33	0.5	00.3-00.7	232	3.0	02.6-03.4	366	7.4	06.4-08.4
White/Non-Hisp	5260	2,097,103	4411	83.1	81.7-84.5	260	5.4	04.6-06.2	59	1.1	00.7-01.5	30	0.6	00.2-01.0	199	3.0	02.4-03.6	301	6.8	05.8-07.8
Black or Afr. Am./Non-Hisp	377	220,234	316	85.4	81.1-89.7	16	3.1	01.3-04.9	6	1.3	00.1-02.5	1	0.1	00.0-00.3	17	3.1	01.5-04.7	21	7.0	03.5-10.5
Oth. Race/Non-Hisp.	87	47,120	73	87.7	79.9-95.5	4	2.0	00.0-04.2							4	2.5	00.0-05.6	6	7.8	00.9-14.7
MultiRacial/Non-Hisp.	60	20,519	45	86.6	78.2-95.0	9	7.9	01.2-14.6							4	3.3	00.0-06.8	2	2.3	00.0-05.8
Hispanic	173	133,248	138	81.8	75.1-88.5	3	1.9	00.0-04.4				2	0.5	00.0-01.1	2	0.4	00.0-01.0	28	15.4	09.1-21.7
18-24	257	333,769	218	83.1	77.8-88.4	11	4.8	01.9-07.7	3	1.1	00.0-02.3	1	0.2	00.0-00.6	3	0.9	00.0-01.9	21	9.9	05.4-14.4
25-34	510	405,360	397	78.4	74.3-82.5	34	5.9	03.7-08.1	7	1.4	00.0-03.0	3	1.0	00.0-02.2	9	2.1	00.7-03.5	60	11.2	08.1-14.3
35-44	719	407,714	608	84.0	80.9-87.1	33	4.5	02.7-06.3	2	0.2	00.0-00.4	2	0.3	00.0-00.7	14	1.9	00.7-03.1	60	9.2	06.7-11.7
45-54	947	449,767	781	84.4	81.9-86.9	57	5.5	03.9-07.1	12	0.8	00.2-01.4	4	0.3	00.0-00.7	20	1.9	00.9-02.9	73	7.0	05.2-08.8
55-64	1323	411,737	1114	84.1	81.7-86.5	67	4.9	03.5-06.3	19	1.4	00.6-02.2	8	0.8	00.2-01.4	38	3.2	02.0-04.4	77	5.6	04.2-07.0
65+	2212	522,329	1873	84.9	83.1-86.7	89	4.1	03.1-05.1	22	1.1	00.5-01.7	15	0.5	00.3-00.7	141	6.2	05.0-07.4	72	3.2	02.2-04.2
Less Than H.S.	541	346,029	424	77.7	73.0-82.4	17	2.7	01.1-04.3	9	1.2	00.4-02.0	3	0.3	00.0-00.7	34	4.6	02.8-06.4	54	13.6	09.3-17.9
H.S. or G.E.D.	2266	885,267	1891	83.4	81.4-85.4	97	4.7	03.5-05.9	21	1.2	00.4-02.0	17	0.6	00.2-01.0	103	3.6	02.6-04.6	137	6.5	05.1-07.9
Some Post-H.S.	1597	807,568	1345	84.1	81.7-86.5	88	5.9	04.3-07.5	11	0.5	00.1-00.9	6	0.4	00.0-00.8	46	2.0	01.2-02.8	101	7.1	05.5-08.7
College Graduate	1620	510,062	1373	84.9	82.7-87.1	94	5.4	04.0-06.8	24	1.4	00.8-02.0	7	0.6	00.0-01.4	49	2.5	01.5-03.5	73	5.3	03.9-06.7
Less than \$15,000	715	302,030	549	77.2	72.9-81.5	55	7.8	05.1-10.5	16	2.3	00.9-03.7	7	0.5	00.1-00.9	39	4.2	02.4-06.0	49	8.1	05.0-11.2
\$15,000- 24,999	1134	474,268	951	83.4	80.5-86.3	59	5.2	03.6-06.8	12	0.8	00.4-01.2	2	0.0	00.0-00.0	39	2.7	01.5-03.9	71	7.9	05.5-10.3
\$25,000- 34,999	642	254,655	543	85.0	81.3-88.7	26	3.6	01.4-05.8	5	0.7	00.0-01.5	4	0.3	00.0-00.7	21	2.8	01.2-04.4	43	7.7	05.0-10.4
\$35,000- 49,999	728	292,636	627	84.1	80.0-88.2	28	4.1	01.7-06.5	9	0.8	00.0-01.6	5	1.1	00.0-02.3	12	1.2	00.4-02.0	47	8.7	05.4-12.0
\$50,000- 74,999	726	317,237	635	87.6	84.7-90.5	37	5.2	03.2-07.2	3	0.3	00.0-00.7	4	0.8	00.0-01.8	18	1.9	00.9-02.9	29	4.3	02.5-06.1
\$75,000+	1004	478,278	866	86.0	83.3-88.7	49	4.9	03.3-06.5	12	1.4	00.2-02.6	7	0.8	00.2-01.4	14	1.3	00.5-02.1	56	5.5	03.7-07.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 22: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9182	4,246,525	756	9.5	08.7-10.3	7783	81.8	80.6-83.0	643	8.7	07.9-09.5
Male	3746	2,024,405	240	7.4	06.2-08.6	3179	81.8	80.0-83.6	327	10.8	09.4-12.2
Female	5436	2,222,120	516	11.4	10.2-12.6	4604	81.8	80.4-83.2	316	6.8	05.8-07.8
White/Non-Hisp	8042	3,513,705	607	8.8	08.0-09.6	6887	82.8	81.6-84.0	548	8.4	07.6-09.2
Black or Afr. Am./Non-Hisp	507	341,712	79	15.0	10.9-19.1	389	74.4	69.3-79.5	39	10.6	06.7-14.5
Oth. Race/Non-Hisp.	134	76,613	17	12.6	05.3-19.9	102	74.5	65.1-83.9	15	12.9	05.8-20.0
MultiRacial/Non-Hisp.	99	37,643	16	18.3	08.3-28.3	79	74.7	62.7-86.7	4	7.0	00.0-15.2
Hispanic	267	215,323	25	9.1	05.0-13.2	217	81.7	76.2-87.2	25	9.1	05.2-13.0
18-24	429	527,437	35	7.2	04.7-09.7	334	78.6	74.3-82.9	60	14.2	10.5-17.9
25-34	764	666,282	73	11.0	08.3-13.7	612	77.8	74.3-81.3	79	11.1	08.6-13.6
35-44	1063	682,427	126	11.9	09.5-14.3	829	78.0	75.1-80.9	108	10.1	07.9-12.3
45-54	1593	784,088	171	12.2	10.2-14.2	1271	77.8	75.3-80.3	151	10.0	08.2-11.8
55-64	2066	729,107	197	9.4	07.8-11.0	1757	85.0	83.0-87.0	112	5.6	04.4-06.8
65+	3193	835,238	150	5.3	04.3-06.3	2913	90.8	89.4-92.2	130	3.9	03.1-04.7
Less Than H.S.	815	586,973	104	14.7	11.4-18.0	647	74.2	70.1-78.3	64	11.1	08.0-14.2
H.S. or G.E.D.	3314	1,457,015	288	10.0	08.6-11.4	2788	80.9	79.1-82.7	238	9.2	07.8-10.6
Some Post-H.S.	2336	1,283,149	212	9.4	07.8-11.0	1957	82.6	80.6-84.6	167	8.0	06.6-09.4
College Graduate	2696	910,464	151	5.5	04.3-06.7	2373	87.0	85.4-88.6	172	7.4	06.0-08.8
Less than \$15,000	955	418,426	166	20.0	16.5-23.5	724	69.6	65.5-73.7	65	10.4	07.5-13.3
\$15,000- 24,999	1564	694,056	228	17.9	15.2-20.6	1236	74.8	71.7-77.9	100	7.3	05.5-09.1
\$25,000- 34,999	1015	458,480	103	13.1	10.2-16.0	832	76.8	73.1-80.5	80	10.1	07.4-12.8
\$35,000- 49,999	1205	557,012	76	7.4	05.2-09.6	1039	83.6	80.7-86.5	90	9.0	06.8-11.2
\$50,000- 74,999	1221	592,528	63	5.5	03.9-07.1	1067	85.6	83.1-88.1	91	8.8	06.6-11.0
\$75,000+	1866	925,592	52	3.2	02.2-04.2	1696	89.9	88.1-91.7	118	6.9	05.3-08.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 23: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3746	2,024,405	240	7.4	06.2-08.6	3179	81.8	80.0-83.6	327	10.8	09.4-12.2
White/Non-Hisp	3274	1,667,311	193	6.5	05.3-07.7	2809	83.4	81.6-85.2	272	10.2	08.8-11.6
Black or Afr. Am./Non-Hisp	175	156,106	23	15.1	07.8-22.4	132	70.9	62.1-79.7	20	14.0	07.3-20.7
Oth. Race/Non-Hisp.	62	38,784	8	13.5	02.3-24.7	43	65.1	50.2-80.0	11	21.4	08.9-33.9
Hispanic	114	104,005	8	8.4	01.9-14.9	92	78.7	69.9-87.5	14	12.9	06.0-19.8
18-24	227	269,729	12	4.4	01.7-07.1	176	78.4	72.5-84.3	39	17.2	11.7-22.7
25-34	335	333,242	25	8.9	05.0-12.8	265	76.8	71.5-82.1	45	14.3	10.0-18.6
35-44	430	322,632	28	8.1	04.8-11.4	339	77.8	73.1-82.5	63	14.0	10.3-17.7
45-54	737	379,107	65	10.4	07.7-13.1	589	77.7	74.0-81.4	83	11.9	09.2-14.6
55-64	854	357,826	60	7.0	04.8-09.2	747	87.3	84.6-90.0	47	5.7	03.7-07.7
65+	1141	354,915	49	4.8	03.2-06.4	1044	91.3	89.3-93.3	48	3.9	02.5-05.3
Less Than H.S.	326	292,336	38	14.3	09.0-19.6	255	71.9	65.4-78.4	33	13.8	08.9-18.7
H.S. or G.E.D.	1311	698,451	98	8.3	06.3-10.3	1090	79.5	76.6-82.4	123	12.2	09.8-14.6
Some Post-H.S.	896	577,631	51	4.7	03.1-06.3	765	86.1	83.4-88.8	80	9.2	06.8-11.6
College Graduate	1200	449,965	52	4.8	03.2-06.4	1058	86.3	83.8-88.8	90	8.8	06.8-10.8
Less than \$15,000	317	165,475	53	17.3	11.8-22.8	232	67.6	60.7-74.5	32	15.1	09.6-20.6
\$15,000- 24,999	547	288,800	70	14.7	10.4-19.0	432	76.4	71.5-81.3	45	8.9	05.8-12.0
\$25,000- 34,999	424	230,715	36	10.6	06.3-14.9	349	76.6	70.9-82.3	39	12.9	08.2-17.6
\$35,000- 49,999	542	296,384	24	5.9	03.0-08.8	470	83.3	79.0-87.6	48	10.8	07.5-14.1
\$50,000- 74,999	554	307,995	17	3.1	01.3-04.9	487	86.6	83.1-90.1	50	10.3	07.2-13.4
\$75,000+	945	498,204	26	3.5	01.9-05.1	849	88.4	85.7-91.1	70	8.1	05.7-10.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 24: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5436	2,222,120	516	11.4	10.2-12.6	4604	81.8	80.4-83.2	316	6.8	05.8-07.8
White/Non-Hisp	4768	1,846,394	414	10.9	09.7-12.1	4078	82.3	80.7-83.9	276	6.8	05.8-07.8
Black or Afr. Am./Non-Hisp	332	185,607	56	14.9	10.4-19.4	257	77.4	71.5-83.3	19	7.7	03.4-12.0
Oth. Race/Non-Hisp.	72	37,829	9	11.7	02.5-20.9	59	84.1	73.9-94.3	4	4.2	00.0-08.9
MultiRacial/Non-Hisp.	52	17,502	11	26.8	09.9-43.7	40	71.3	54.2-88.4	1	2.0	00.0-05.9
Hispanic	153	111,318	17	9.8	04.5-15.1	125	84.6	78.1-91.1	11	5.6	01.5-09.7
18-24	202	257,708	23	10.1	06.0-14.2	158	78.9	72.8-85.0	21	11.0	06.1-15.9
25-34	429	333,040	48	13.2	09.3-17.1	347	78.8	74.1-83.5	34	7.9	05.0-10.8
35-44	633	359,794	98	15.4	12.1-18.7	490	78.2	74.5-81.9	45	6.5	04.3-08.7
45-54	856	404,981	106	14.0	11.1-16.9	682	77.8	74.5-81.1	68	8.2	06.0-10.4
55-64	1212	371,282	137	11.7	09.3-14.1	1010	82.8	80.3-85.3	65	5.5	03.9-07.1
65+	2052	480,323	101	5.7	04.3-07.1	1869	90.4	88.8-92.0	82	3.9	02.7-05.1
Less Than H.S.	489	294,637	66	15.1	10.8-19.4	392	76.5	71.2-81.8	31	8.5	04.6-12.4
H.S. or G.E.D.	2003	758,564	190	11.5	09.5-13.5	1698	82.1	79.7-84.5	115	6.4	05.0-07.8
Some Post-H.S.	1440	705,518	161	13.2	10.8-15.6	1192	79.7	77.0-82.4	87	7.1	05.3-08.9
College Graduate	1496	460,499	99	6.2	04.8-07.6	1315	87.7	85.7-89.7	82	6.0	04.4-07.6
Less than \$15,000	638	252,951	113	21.8	17.1-26.5	492	70.9	65.6-76.2	33	7.4	04.1-10.7
\$15,000- 24,999	1017	405,255	158	20.2	16.5-23.9	804	73.8	69.9-77.7	55	6.1	03.9-08.3
\$25,000- 34,999	591	227,765	67	15.6	11.5-19.7	483	77.0	72.3-81.7	41	7.4	04.7-10.1
\$35,000- 49,999	663	260,628	52	9.2	06.3-12.1	569	84.0	80.3-87.7	42	6.8	04.3-09.3
\$50,000- 74,999	667	284,533	46	8.2	05.7-10.7	580	84.6	80.9-88.3	41	7.2	04.3-10.1
\$75,000+	921	427,387	26	2.8	01.4-04.2	847	91.6	89.4-93.8	48	5.6	03.8-07.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 25: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9082	4,204,342	6065	62.8	61.4-64.2	2515	29.9	28.7-31.1	291	4.2	03.6-04.8	211	3.1	02.5-03.7
Male	3699	1,996,647	2408	61.4	59.2-63.6	1040	30.0	28.0-32.0	124	4.2	03.2-05.2	127	4.4	03.4-05.4
Female	5383	2,207,696	3657	64.1	62.3-65.9	1475	29.8	28.0-31.6	167	4.1	03.3-04.9	84	2.0	01.4-02.6
White/Non-Hisp	7962	3,485,637	5430	64.8	63.4-66.2	2142	28.9	27.5-30.3	221	3.6	03.0-04.2	169	2.7	02.1-03.3
Black or Afr. Am./Non-Hisp	504	335,928	300	56.4	50.5-62.3	168	34.0	28.5-39.5	26	6.6	03.5-09.7	10	3.0	01.0-05.0
Oth. Race/Non-Hisp.	134	77,656	65	42.4	31.4-53.4	50	43.3	32.1-54.5	12	8.6	02.9-14.3	7	5.7	01.2-10.2
MultiRacial/Non-Hisp.	99	37,942	48	49.3	36.0-62.6	41	39.7	26.6-52.8	6	6.4	00.9-11.9	4	4.6	00.0-09.9
Hispanic	258	209,181	142	51.5	44.2-58.8	83	33.0	26.1-39.9	15	6.8	02.9-10.7	18	8.7	04.4-13.0
18-24	425	521,592	252	60.1	54.8-65.4	131	29.0	24.3-33.7	26	6.7	04.0-09.4	16	4.1	01.7-06.5
25-34	756	662,004	410	52.3	48.2-56.4	280	37.1	33.2-41.0	30	4.6	02.6-06.6	36	6.0	04.0-08.0
35-44	1058	677,812	638	57.9	54.4-61.4	331	32.7	29.4-36.0	50	5.4	03.6-07.2	39	4.0	02.6-05.4
45-54	1583	778,783	988	61.7	58.8-64.6	466	30.1	27.4-32.8	84	5.5	04.1-06.9	45	2.7	01.7-03.7
55-64	2041	720,687	1351	65.7	63.2-68.2	593	29.8	27.4-32.2	53	2.5	01.5-03.5	44	1.9	01.3-02.5
65+	3147	821,858	2376	75.3	73.5-77.1	695	22.3	20.5-24.1	47	1.5	00.9-02.1	29	1.0	00.6-01.4
Less Than H.S.	789	567,747	471	53.4	48.9-57.9	247	33.9	29.6-38.2	48	8.2	05.3-11.1	23	4.5	02.3-06.7
H.S. or G.E.D.	3279	1,445,047	2138	62.3	60.1-64.5	946	30.1	27.9-32.3	109	4.2	03.2-05.2	86	3.4	02.4-04.4
Some Post-H.S.	2318	1,277,945	1505	62.4	59.9-64.9	669	30.3	27.9-32.7	86	4.2	03.2-05.2	58	3.1	02.1-04.1
College Graduate	2676	904,724	1943	70.4	68.2-72.6	644	26.3	24.1-28.5	46	1.7	01.1-02.3	43	1.6	01.0-02.2
Less than \$15,000	944	413,155	503	46.4	42.1-50.7	339	38.5	34.2-42.8	59	8.4	05.9-10.9	43	6.8	04.4-09.2
\$15,000- 24,999	1542	686,977	943	56.7	53.2-60.2	481	33.5	30.2-36.8	79	5.8	04.2-07.4	39	4.0	02.2-05.8
\$25,000- 34,999	1001	452,395	631	56.9	52.8-61.0	305	33.2	29.3-37.1	39	5.8	03.6-08.0	26	4.1	02.1-06.1
\$35,000- 49,999	1191	550,885	808	63.4	59.7-67.1	335	30.3	27.0-33.6	29	5.0	02.6-07.4	19	1.3	00.5-02.1
\$50,000- 74,999	1218	590,520	863	66.8	63.3-70.3	307	28.2	24.9-31.5	30	3.2	01.8-04.6	18	1.8	00.8-02.8
\$75,000+	1856	921,464	1384	73.5	71.0-76.0	427	24.0	21.5-26.5	16	1.1	00.5-01.7	29	1.3	00.7-01.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 26: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3699	1,996,647	2408	61.4	59.4-63.4	1040	30.0	28.0-32.0	124	4.2	03.2-05.2	127	4.4	03.4-05.4
White/Non-Hisp	3243	1,651,137	2161	63.6	61.4-65.8	888	28.9	26.9-30.9	93	3.6	02.6-04.6	101	3.9	02.9-04.9
Black or Afr. Am./Non-Hisp	170	149,095	98	53.0	43.2-62.8	59	37.6	28.0-47.2	7	5.2	00.5-09.9	6	4.2	00.7-07.7
Oth. Race/Non-Hisp.	61	38,488	28	43.3	27.6-59.0	21	38.9	23.8-54.0	9	11.4	03.0-19.8	3	6.3	00.0-13.7
Hispanic	111	101,917	60	48.8	38.2-59.4	33	30.8	20.8-40.8	5	7.0	00.9-13.1	13	13.4	05.8-21.0
18-24	225	265,912	138	62.7	55.4-70.0	69	29.0	22.3-35.7	7	3.5	00.8-06.2	11	4.9	01.6-08.2
25-34	333	331,712	173	49.4	43.3-55.5	119	35.4	29.5-41.3	15	6.0	02.9-09.1	26	9.2	05.7-12.7
35-44	425	317,619	243	56.2	50.5-61.9	130	31.5	26.2-36.8	25	6.3	03.4-09.2	27	6.0	03.5-08.5
45-54	728	372,819	445	59.0	54.7-63.3	212	30.7	26.6-34.8	42	6.2	04.2-08.2	29	4.1	02.3-05.9
55-64	843	352,978	547	63.9	60.0-67.8	259	32.2	28.3-36.1	19	2.4	01.0-03.8	18	1.5	00.7-02.3
65+	1123	348,653	847	76.3	73.4-79.2	246	21.3	18.6-24.0	15	1.2	00.4-02.0	15	1.2	00.4-02.0
Less Than H.S.	314	279,076	172	50.9	44.0-57.8	105	34.0	27.5-40.5	23	9.2	04.9-13.5	14	6.0	02.5-09.5
H.S. or G.E.D.	1294	691,974	805	59.5	56.0-63.0	389	30.8	27.5-34.1	48	4.3	02.9-05.7	52	5.4	03.6-07.2
Some Post-H.S.	887	573,017	573	63.3	59.4-67.2	248	28.9	25.2-32.6	34	3.9	02.3-05.5	32	3.9	02.3-05.5
College Graduate	1192	446,602	855	69.2	66.1-72.3	292	27.1	24.0-30.2	17	1.5	00.5-02.5	28	2.2	01.2-03.2
Less than \$15,000	311	161,176	148	43.8	36.5-51.1	111	36.1	29.0-43.2	26	9.1	05.2-13.0	26	11.0	06.3-15.7
\$15,000- 24,999	540	286,977	309	53.3	47.6-59.0	181	34.1	28.6-39.6	28	5.9	03.2-08.6	22	6.7	03.2-10.2
\$25,000- 34,999	416	225,717	242	50.3	44.0-56.6	138	36.3	30.0-42.6	16	5.9	02.4-09.4	20	7.5	03.8-11.2
\$35,000- 49,999	534	292,740	355	61.0	55.7-66.3	157	33.3	28.4-38.2	12	4.4	01.5-07.3	10	1.3	00.3-02.3
\$50,000- 74,999	552	306,360	378	64.9	59.6-70.2	151	29.5	24.6-34.4	12	2.9	00.9-04.9	11	2.7	00.9-04.5
\$75,000+	939	495,033	704	74.4	70.9-77.9	203	22.4	19.1-25.7	12	1.5	00.5-02.5	20	1.7	00.9-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 27: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5383	2,207,696	3657	64.1	62.3-65.9	1475	29.8	28.0-31.6	167	4.1	03.3-04.9	84	2.0	01.4-02.6
White/Non-Hisp	4719	1,834,500	3269	65.9	63.9-67.9	1254	28.9	27.1-30.7	128	3.5	02.7-04.3	68	1.7	01.1-02.3
Black or Afr. Am./Non-Hisp	334	186,833	202	59.1	52.2-66.0	109	31.2	24.9-37.5	19	7.7	03.6-11.8	4	2.0	00.0-04.2
Oth. Race/Non-Hisp.	73	39,168	37	41.6	26.5-56.7	29	47.5	31.6-63.4	3	5.8	00.0-13.4	4	5.1	00.0-10.6
MultiRacial/Non-Hisp.	52	17,502	29	52.6	33.4-71.8	19	35.0	16.2-53.8	3	7.1	00.0-15.5	1	5.3	00.0-15.3
Hispanic	147	107,264	82	54.1	44.3-63.9	50	35.1	25.7-44.5	10	6.5	01.6-11.4	5	4.2	00.0-08.5
18-24	200	255,680	114	57.4	49.8-65.0	62	29.1	22.2-36.0	19	10.1	05.2-15.0	5	3.3	00.0-06.6
25-34	423	330,292	237	55.3	49.8-60.8	161	38.7	33.2-44.2	15	3.2	01.2-05.2	10	2.8	00.8-04.8
35-44	633	360,193	395	59.4	54.9-63.9	201	33.8	29.5-38.1	25	4.6	02.6-06.6	12	2.1	00.7-03.5
45-54	855	405,964	543	64.2	60.3-68.1	254	29.5	25.8-33.2	42	5.0	03.2-06.8	16	1.4	00.6-02.2
55-64	1198	367,709	804	67.5	64.4-70.6	334	27.6	24.5-30.7	34	2.7	01.7-03.7	26	2.2	01.2-03.2
65+	2024	473,205	1529	74.5	72.1-76.9	449	22.9	20.5-25.3	32	1.8	01.0-02.6	14	0.8	00.4-01.2
Less Than H.S.	475	288,671	299	55.8	49.7-61.9	142	33.8	28.1-39.5	25	7.2	03.5-10.9	9	3.2	00.5-05.9
H.S. or G.E.D.	1985	753,073	1333	64.8	61.9-67.7	557	29.4	26.7-32.1	61	4.2	02.8-05.6	34	1.6	01.0-02.2
Some Post-H.S.	1431	704,928	932	61.7	58.4-65.0	421	31.4	28.3-34.5	52	4.4	03.0-05.8	26	2.5	01.3-03.7
College Graduate	1484	458,122	1088	71.6	68.7-74.5	352	25.5	22.8-28.2	29	1.8	01.0-02.6	15	1.1	00.5-01.7
Less than \$15,000	633	251,979	355	48.1	42.6-53.6	228	40.0	34.5-45.5	33	7.9	04.6-11.2	17	4.1	01.6-06.6
\$15,000- 24,999	1002	400,000	634	59.1	54.8-63.4	300	33.1	29.0-37.2	51	5.8	03.8-07.8	17	2.0	00.6-03.4
\$25,000- 34,999	585	226,678	389	63.5	58.4-68.6	167	30.1	25.2-35.0	23	5.7	03.2-08.2	6	0.7	00.1-01.3
\$35,000- 49,999	657	258,146	453	66.1	61.0-71.2	178	26.8	22.5-31.1	17	5.7	02.0-09.4	9	1.4	00.4-02.4
\$50,000- 74,999	666	284,160	485	68.9	64.2-73.6	156	26.8	22.5-31.1	18	3.5	01.3-05.7	7	0.8	00.0-01.6
\$75,000+	917	426,432	680	72.6	68.9-76.3	224	25.8	22.3-29.3	4	0.7	00.0-01.5	9	0.9	00.3-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 28: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9130	4,207,664	1803	23.4	22.2-24.6	7327	76.6	75.4-77.8
Male	3727	2,002,290	613	19.1	17.3-20.9	3114	80.9	79.1-82.7
Female	5403	2,205,374	1190	27.3	25.7-28.9	4213	72.7	71.1-74.3
White/Non-Hisp	7999	3,483,199	1489	22.2	21.0-23.4	6510	77.8	76.6-79.0
Black or Afr. Am./Non-Hisp	503	336,792	167	36.1	30.4-41.8	336	63.9	58.2-69.6
Oth. Race/Non-Hisp.	135	77,953	28	20.3	11.9-28.7	107	79.7	71.3-88.1
MultiRacial/Non-Hisp.	97	34,693	30	40.1	27.0-53.2	67	59.9	46.8-73.0
Hispanic	267	214,880	60	20.9	15.4-26.4	207	79.1	73.6-84.6
18-24	415	507,413	84	20.8	16.5-25.1	331	79.2	74.9-83.5
25-34	758	660,478	208	26.7	23.2-30.2	550	73.3	69.8-76.8
35-44	1061	681,462	320	31.9	28.6-35.2	741	68.1	64.8-71.4
45-54	1592	785,317	420	29.2	26.5-31.9	1172	70.8	68.1-73.5
55-64	2054	722,556	451	22.1	19.9-24.3	1603	77.9	75.7-80.1
65+	3181	830,502	310	11.1	09.7-12.5	2871	88.9	87.5-90.3
Less Than H.S.	806	573,499	201	26.4	22.5-30.3	605	73.6	69.7-77.5
H.S. or G.E.D.	3295	1,442,417	645	23.1	21.1-25.1	2650	76.9	74.9-78.9
Some Post-H.S.	2321	1,275,243	551	27.2	24.8-29.6	1770	72.8	70.4-75.2
College Graduate	2690	907,886	405	16.9	15.1-18.7	2285	83.1	81.3-84.9
Less than \$15,000	949	418,431	231	25.1	21.4-28.8	718	74.9	71.2-78.6
\$15,000- 24,999	1558	688,825	387	28.6	25.5-31.7	1171	71.4	68.3-74.5
\$25,000- 34,999	1007	453,402	228	26.9	23.2-30.6	779	73.1	69.4-76.8
\$35,000- 49,999	1198	550,156	247	25.2	21.9-28.5	951	74.8	71.5-78.1
\$50,000- 74,999	1221	591,872	249	25.0	21.7-28.3	972	75.0	71.7-78.3
\$75,000+	1863	922,515	270	17.7	15.3-20.1	1593	82.3	79.9-84.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 29: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3727	2,002,290	613	19.1	17.3-20.9	3114	80.9	79.1-82.7
White/Non-Hisp	3262	1,652,697	510	17.9	16.1-19.7	2752	82.1	80.3-83.9
Black or Afr. Am./Non-Hisp	172	151,988	55	37.4	27.8-47.0	117	62.6	53.0-72.2
Oth. Race/Non-Hisp.	62	38,784	8	8.1	01.0-15.2	54	91.9	84.8-99.0
Hispanic	115	104,274	12	10.0	04.1-15.9	103	90.0	84.1-95.9
18-24	220	258,864	32	14.1	08.8-19.4	188	85.9	80.6-91.2
25-34	333	330,489	62	18.9	14.0-23.8	271	81.1	76.2-86.0
35-44	429	321,999	91	24.0	18.9-29.1	338	76.0	70.9-81.1
45-54	736	378,116	167	25.8	21.9-29.7	569	74.2	70.3-78.1
55-64	850	353,296	153	19.6	16.3-22.9	697	80.4	77.1-83.7
65+	1140	353,711	105	10.7	08.3-13.1	1035	89.3	86.9-91.7
Less Than H.S.	319	279,382	80	27.1	21.0-33.2	239	72.9	66.8-79.0
H.S. or G.E.D.	1305	692,152	226	18.8	16.1-21.5	1079	81.2	78.5-83.9
Some Post-H.S.	894	576,207	171	20.6	17.3-23.9	723	79.4	76.1-82.7
College Graduate	1198	448,731	135	12.8	10.4-15.2	1063	87.2	84.8-89.6
Less than \$15,000	315	163,928	71	22.3	16.2-28.4	244	77.7	71.6-83.8
\$15,000- 24,999	547	287,756	125	25.7	20.6-30.8	422	74.3	69.2-79.4
\$25,000- 34,999	423	229,659	84	20.5	15.8-25.2	339	79.5	74.8-84.2
\$35,000- 49,999	538	292,798	73	17.4	13.3-21.5	465	82.6	78.5-86.7
\$50,000- 74,999	554	307,339	87	20.5	15.6-25.4	467	79.5	74.6-84.4
\$75,000+	943	495,332	112	14.4	11.5-17.3	831	85.6	82.7-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 30: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5403	2,205,374	1190	27.3	25.7-28.9	4213	72.7	71.1-74.3
White/Non-Hisp	4737	1,830,502	979	26.1	24.3-27.9	3758	73.9	72.1-75.7
Black or Afr. Am./Non-Hisp	331	184,805	112	34.9	28.2-41.6	219	65.1	58.4-71.8
Oth. Race/Non-Hisp.	73	39,168	20	32.4	17.9-46.9	53	67.6	53.1-82.1
MultiRacial/Non-Hisp.	52	17,502	19	46.5	27.3-65.7	33	53.5	34.3-72.7
Hispanic	152	110,605	48	31.1	22.3-39.9	104	68.9	60.1-77.7
18-24	195	248,549	52	27.8	20.7-34.9	143	72.2	65.1-79.3
25-34	425	329,988	146	34.6	29.3-39.9	279	65.4	60.1-70.7
35-44	632	359,463	229	39.0	34.5-43.5	403	61.0	56.5-65.5
45-54	856	407,201	253	32.4	28.5-36.3	603	67.6	63.7-71.5
55-64	1204	369,260	298	24.5	21.6-27.4	906	75.5	72.6-78.4
65+	2041	476,791	205	11.4	09.6-13.2	1836	88.6	86.8-90.4
Less Than H.S.	487	294,116	121	25.8	20.7-30.9	366	74.2	69.1-79.3
H.S. or G.E.D.	1990	750,265	419	27.0	24.3-29.7	1571	73.0	70.3-75.7
Some Post-H.S.	1427	699,037	380	32.6	29.3-35.9	1047	67.4	64.1-70.7
College Graduate	1492	459,155	270	21.0	18.3-23.7	1222	79.0	76.3-81.7
Less than \$15,000	634	254,504	160	27.0	22.1-31.9	474	73.0	68.1-77.9
\$15,000- 24,999	1011	401,069	262	30.6	26.5-34.7	749	69.4	65.3-73.5
\$25,000- 34,999	584	223,743	144	33.5	28.2-38.8	440	66.5	61.2-71.8
\$35,000- 49,999	660	257,358	174	33.9	29.0-38.8	486	66.1	61.2-71.0
\$50,000- 74,999	667	284,533	162	29.9	25.2-34.6	505	70.1	65.4-74.8
\$75,000+	920	427,183	158	21.5	18.0-25.0	762	78.5	75.0-82.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2013**

End of Module Data Report