


INDIANA

2015 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 1, 2016



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

**MODULE 22: RANDOM CHILD SELECTION CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSEGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 1998-1999			Birthyr 2000-2003			Birthyr 2004-2007			Birthyr 2008-2011			Birthyr 2012-2013			Birthyr 2014-2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	984	1,333,051	179	10.8	08.8-12.8	283	22.7	19.4-26.0	195	20.9	17.6-24.2	173	26.8	22.3-31.3	90	11.1	08.2-14.0	64	7.6	05.4-09.8
Male	371	483,633	63	8.4	05.9-10.9	125	28.8	22.5-35.1	74	23.1	17.2-29.0	51	21.1	14.0-28.2	37	12.6	07.5-17.7	21	6.0	02.9-09.1
Female	613	849,418	116	12.1	09.2-15.0	158	19.3	15.6-23.0	121	19.6	15.5-23.7	122	30.1	24.4-35.8	53	10.3	06.8-13.8	43	8.5	05.4-11.6
White/Non-Hisp	799	973,131	148	11.3	08.9-13.7	227	22.8	19.1-26.5	159	22.4	18.5-26.3	136	24.3	19.8-28.8	75	10.8	07.9-13.7	54	8.4	05.7-11.1
Black or Afr. Am./Non-Hisp	72	137,924	17	15.4	06.2-24.6	23	21.6	10.6-32.6	13	16.3	06.7-25.9	10	22.6	09.7-35.5	7	22.1	07.4-36.8	2	2.0	00.0-04.9
Hispanic	71	154,641	7	5.3	00.4-10.2	21	19.6	08.4-30.8	15	16.8	07.2-26.4	17	47.3	30.2-64.4	6	5.9	00.6-11.2	5	5.2	00.1-10.3
18-24	52	67,063	12	11.2	02.4-20.0	13	16.9	05.7-28.1	2	3.1	00.0-07.4	5	20.5	03.3-37.7	10	25.6	09.7-41.5	10	22.7	08.6-36.8
25-34	186	374,866	8	3.2	00.7-05.7	14	5.8	02.1-09.5	34	16.6	10.3-22.9	67	44.7	35.3-54.1	35	16.2	09.5-22.9	28	13.5	07.6-19.4
35-44	349	514,565	46	9.2	06.1-12.3	107	28.7	22.4-35.0	97	27.7	21.6-33.8	64	22.1	15.6-28.6	22	8.0	03.9-12.1	13	4.4	01.7-07.1
45-54	253	241,600	73	21.0	14.7-27.3	102	35.6	27.4-43.8	41	20.3	13.4-27.2	24	17.7	06.9-28.5	9	3.9	01.2-06.6	4	1.4	00.0-03.0
55-64	91	75,844	31	22.1	12.9-31.3	27	26.4	14.6-38.2	13	12.5	05.1-19.9	7	14.5	03.1-25.9	8	20.0	02.9-37.1	5	4.5	00.2-08.8
65+	50	49,464	9	19.5	03.2-35.8	20	33.0	14.2-51.8	6	16.1	01.8-30.4	6	18.0	01.7-34.3	6	10.0	00.0-20.0	3	3.5	00.0-07.8
Less Than H.S.	80	150,815	6	3.0	00.3-05.7	27	23.4	12.2-34.6	13	16.6	07.2-26.0	16	33.8	18.7-48.9	10	15.4	04.4-26.4	8	7.8	01.5-14.1
H.S. or G.E.D.	231	331,672	51	14.0	08.9-19.1	61	20.0	13.3-26.7	41	18.4	11.9-24.9	41	33.1	22.3-43.9	18	7.3	03.4-11.2	19	7.2	03.5-10.9
Some Post-H.S.	246	323,458	44	11.9	07.4-16.4	67	24.4	17.5-31.3	53	19.1	13.2-25.0	43	22.0	14.7-29.3	26	13.7	07.4-20.0	13	8.8	03.3-14.3
College Graduate	426	525,838	77	10.1	07.2-13.0	128	23.3	18.2-28.4	88	24.9	19.0-30.8	73	23.9	18.0-29.8	36	10.8	06.3-15.3	24	7.0	03.5-10.5
Less than \$15,000	69	131,391	15	11.2	03.4-19.0	10	12.6	03.6-21.6	12	16.1	06.1-26.1	23	48.3	32.8-63.8	6	8.3	01.4-15.2	3	3.5	00.0-08.2
\$15,000- 24,999	109	204,458	13	6.8	02.1-11.5	31	21.0	11.6-30.4	17	12.8	06.1-19.5	22	34.6	18.9-50.3	16	17.1	07.7-26.5	10	7.6	02.1-13.1
\$25,000- 34,999	68	102,387	13	18.0	06.6-29.4	22	23.7	11.2-36.2	12	14.7	05.3-24.1	11	26.6	10.9-42.3	6	11.6	00.0-23.8	4	5.4	00.0-10.9
\$35,000- 49,999	119	191,493	21	7.4	03.7-11.1	27	23.4	13.0-33.8	24	21.2	11.2-31.2	21	26.8	14.8-38.8	15	9.8	03.3-16.3	11	11.4	03.2-19.6
\$50,000- 74,999	158	216,175	27	9.9	05.4-14.4	47	23.1	14.7-31.5	32	25.1	15.3-34.9	26	19.6	11.8-27.4	14	12.1	04.5-19.7	12	10.1	03.2-17.0
\$75,000+	400	399,940	83	13.0	09.5-16.5	123	25.8	20.5-31.1	87	25.4	19.9-30.9	60	21.5	15.8-27.2	29	10.0	05.1-14.9	18	4.2	02.0-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthy 1998-1999			Birthy 2000-2003			Birthy 2004-2007			Birthy 2008-2011			Birthy 2012-2013			Birthy 2014-2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	371	483,633	63	8.4	05.9-10.9	125	28.8	22.3-35.3	74	23.1	17.2-29.0	51	21.1	13.8-28.4	37	12.6	07.3-17.9	21	6.0	02.9-09.1
White/Non-Hisp	311	376,701	59	9.8	06.9-12.7	100	25.9	19.2-32.6	62	24.5	17.6-31.4	42	22.3	14.1-30.5	32	12.3	07.2-17.4	16	5.2	02.1-08.3
25-34	53	118,297	3	2.5	00.0-05.6	6	9.2	00.6-17.8	7	11.8	01.0-22.6	15	41.5	20.9-62.1	14	26.4	09.5-43.3	8	8.6	02.1-15.1
35-44	142	208,360	14	6.0	02.3-09.7	49	33.4	22.6-44.2	38	29.5	19.5-39.5	26	19.0	11.0-27.0	11	8.5	02.8-14.2	4	3.6	00.0-08.3
45-54	100	92,777	27	16.9	09.3-24.5	39	37.5	25.3-49.7	21	28.8	17.2-40.4	7	10.3	02.1-18.5	4	4.4	00.1-08.7	2	2.2	00.0-05.1
H.S. or G.E.D.	106	143,325	23	12.8	06.3-19.3	29	21.2	11.2-31.2	24	26.4	14.4-38.4	14	25.6	09.1-42.1	8	7.2	01.3-13.1	8	6.7	01.4-12.0
Some Post-H.S.	75	88,992	11	9.0	02.3-15.7	31	40.0	25.5-54.5	15	15.4	07.2-23.6	4	4.7	00.0-09.8	11	23.2	08.1-38.3	3	7.7	00.0-18.3
College Graduate	161	203,956	28	6.6	03.9-09.3	51	25.2	15.6-34.8	31	26.6	16.6-36.6	31	27.6	17.4-37.8	14	11.1	03.1-19.1	6	2.8	00.4-05.2
\$50,000- 74,999	70	113,019	13	11.0	04.1-17.9	20	23.8	10.9-36.7	16	26.4	13.1-39.7	11	20.1	08.3-31.9	6	15.1	02.0-28.2	4	3.5	00.0-07.0
\$75,000+	174	172,900	30	8.0	04.7-11.3	59	26.4	18.6-34.2	40	29.7	20.5-38.9	24	20.5	11.3-29.7	14	11.7	03.1-20.3	7	3.7	01.0-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 1998-1999			Birthyr 2000-2003			Birthyr 2004-2007			Birthyr 2008-2011			Birthyr 2012-2013			Birthyr 2014-2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	613	849,418	116	12.1	09.4-14.8	158	19.3	15.6-23.0	121	19.6	15.5-23.7	122	30.1	24.6-35.6	53	10.3	06.8-13.8	43	8.5	05.4-11.6
White/Non-Hisp	488	596,430	89	12.3	09.0-15.6	127	20.9	16.4-25.4	97	21.0	16.1-25.9	94	25.6	20.1-31.1	43	9.8	06.3-13.3	38	10.4	06.5-14.3
Black or Afr. Am./Non-Hisp	54	102,628	15	18.0	06.4-29.6	12	12.7	03.7-21.7	10	14.7	04.7-24.7	10	30.3	14.0-46.6	6	22.6	06.1-39.1	1	1.7	00.0-05.0
Hispanic	50	117,901	7	7.0	00.5-13.5	12	10.6	03.3-17.9	9	15.7	04.7-26.7	15	58.0	41.7-74.3	4	5.0	00.0-10.3	3	3.6	00.0-08.7
25-34	133	256,569	5	3.5	00.2-06.8	8	4.2	00.5-07.9	27	18.9	11.1-26.7	52	46.2	35.8-56.6	21	11.5	05.8-17.2	20	15.8	08.0-23.6
35-44	207	306,205	32	11.4	06.7-16.1	58	25.5	18.1-32.9	59	26.4	18.8-34.0	38	24.2	15.2-33.2	11	7.6	01.9-13.3	9	4.9	01.4-08.4
45-54	153	148,823	46	23.5	14.3-32.7	63	34.5	23.7-45.3	20	15.0	07.0-23.0	17	22.3	06.2-38.4	5	3.7	00.2-07.2	2	1.0	00.0-02.6
55-64	50	45,944	16	19.1	07.5-30.7	11	13.7	03.9-23.5	9	13.6	03.2-24.0	5	19.2	02.1-36.3	5	28.0	02.7-53.3	4	6.4	00.0-13.5
Less Than H.S.	51	103,455	5	3.5	00.0-07.0	13	13.1	04.1-22.1	9	18.4	05.9-30.9	14	44.5	25.5-63.5	6	15.5	01.2-29.8	4	5.0	00.0-11.1
H.S. or G.E.D.	125	188,348	28	14.8	07.4-22.2	32	19.1	10.3-27.9	17	12.3	05.6-19.0	27	38.7	24.4-53.0	10	7.4	02.3-12.5	11	7.6	02.3-12.9
Some Post-H.S.	171	234,465	33	13.0	07.3-18.7	36	18.5	11.1-25.9	38	20.5	13.1-27.9	39	28.6	19.2-38.0	15	10.1	03.8-16.4	10	9.3	03.0-15.6
College Graduate	265	321,882	49	12.3	07.8-16.8	77	22.1	16.2-28.0	57	23.8	16.5-31.1	42	21.6	14.7-28.5	22	10.5	04.8-16.2	18	9.7	04.4-15.0
Less than \$15,000	59	121,170	12	10.6	02.4-18.8	8	10.9	02.1-19.7	9	14.8	04.4-25.2	23	52.4	36.3-68.5	5	8.2	00.8-15.6	2	3.0	00.0-07.7
\$15,000- 24,999	77	144,478	10	7.8	01.7-13.9	19	17.9	07.9-27.9	13	14.4	06.0-22.8	17	35.5	17.9-53.1	11	17.6	06.0-29.2	7	6.8	00.7-12.9
\$35,000- 49,999	80	125,399	15	8.2	03.3-13.1	17	21.5	09.5-33.5	17	19.7	08.1-31.3	15	29.9	14.6-45.2	7	7.6	00.0-15.4	9	13.2	02.8-23.6
\$50,000- 74,999	88	103,157	14	8.5	02.6-14.4	27	22.3	11.3-33.3	16	23.8	09.1-38.5	15	19.1	08.9-29.3	8	8.9	01.6-16.2	8	17.4	04.7-30.1
\$75,000+	226	227,040	53	16.8	11.3-22.3	64	25.4	18.5-32.3	47	22.1	15.6-28.6	36	22.3	14.9-29.7	15	8.7	02.8-14.6	11	4.6	01.7-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1162	1,535,406	605	51.0	46.9-55.1	557	49.0	44.9-53.1
Male	462	597,409	232	51.2	44.7-57.7	230	48.8	42.3-55.3
Female	700	937,997	373	50.9	45.6-56.2	327	49.1	43.8-54.4
White/Non-Hisp	928	1,105,314	481	50.8	46.3-55.3	447	49.2	44.7-53.7
Black or Afr. Am./Non-Hisp	86	155,578	45	52.1	38.2-66.0	41	47.9	34.0-61.8
Hispanic	88	183,853	46	49.7	33.8-65.6	42	50.3	34.4-66.2
18-24	64	83,093	33	50.8	35.1-66.5	31	49.2	33.5-64.9
25-34	206	403,950	109	51.8	42.8-60.8	97	48.2	39.2-57.2
35-44	393	561,661	208	51.0	44.5-57.5	185	49.0	42.5-55.5
45-54	317	316,473	170	49.8	41.2-58.4	147	50.2	41.6-58.8
55-64	113	98,080	53	50.4	37.3-63.5	60	49.6	36.5-62.7
65+	65	62,217	30	52.7	35.5-69.9	35	47.3	30.1-64.5
Less Than H.S.	100	180,871	57	59.8	47.5-72.1	43	40.2	27.9-52.5
H.S. or G.E.D.	291	398,737	154	50.8	42.2-59.4	137	49.2	40.6-57.8
Some Post-H.S.	292	375,085	143	44.4	36.8-52.0	149	55.6	48.0-63.2
College Graduate	478	579,445	251	52.8	46.7-58.9	227	47.2	41.1-53.3
Less than \$15,000	85	151,042	48	60.9	48.0-73.8	37	39.1	26.2-52.0
\$15,000- 24,999	128	221,797	60	37.1	25.9-48.3	68	62.9	51.7-74.1
\$25,000- 34,999	84	118,943	48	52.5	38.0-67.0	36	47.5	33.0-62.0
\$35,000- 49,999	142	230,863	65	47.6	36.0-59.2	77	52.4	40.8-64.0
\$50,000- 74,999	187	244,508	104	55.9	46.1-65.7	83	44.1	34.3-53.9
\$75,000+	448	442,189	227	51.1	45.0-57.2	221	48.9	42.8-55.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	462	597,409	232	51.2	44.7-57.7	230	48.8	42.3-55.3
White/Non-Hisp	375	451,069	186	50.1	42.8-57.4	189	49.9	42.6-57.2
25-34	67	138,575	33	46.9	29.7-64.1	34	53.1	35.9-70.3
35-44	159	229,538	81	52.8	43.0-62.6	78	47.2	37.4-57.0
45-54	133	137,140	72	53.6	41.3-65.9	61	46.4	34.1-58.7
55-64	53	40,072	22	47.9	31.2-64.6	31	52.1	35.4-68.8
H.S. or G.E.D.	142	184,002	75	51.7	39.5-63.9	67	48.3	36.1-60.5
Some Post-H.S.	98	121,766	45	42.9	29.2-56.6	53	57.1	43.4-70.8
College Graduate	185	232,799	88	51.5	41.1-61.9	97	48.5	38.1-58.9
\$35,000- 49,999	51	92,643	20	43.2	24.0-62.4	31	56.8	37.6-76.0
\$50,000- 74,999	89	133,530	52	57.2	43.1-71.3	37	42.8	28.7-56.9
\$75,000+	204	202,021	98	53.0	44.0-62.0	106	47.0	38.0-56.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable**

**Denominator excludes respondents not reporting children**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	700	937,997	373	50.9	45.6-56.2	327	49.1	43.8-54.4
White/Non-Hisp	553	654,245	295	51.2	45.5-56.9	258	48.8	43.1-54.5
Black or Afr. Am./Non-Hisp	63	114,598	33	51.2	35.3-67.1	30	48.8	32.9-64.7
Hispanic	57	127,033	32	53.8	32.4-75.2	25	46.2	24.8-67.6
25-34	139	265,375	76	54.4	44.2-64.6	63	45.6	35.4-55.8
35-44	234	332,122	127	49.8	41.4-58.2	107	50.2	41.8-58.6
45-54	184	179,333	98	46.9	35.5-58.3	86	53.1	41.7-64.5
55-64	60	58,008	31	52.1	32.9-71.3	29	47.9	28.7-67.1
Less Than H.S.	63	122,029	33	56.9	40.8-73.0	30	43.1	27.0-59.2
H.S. or G.E.D.	149	214,735	79	50.1	38.1-62.1	70	49.9	37.9-61.9
Some Post-H.S.	194	253,319	98	45.1	35.9-54.3	96	54.9	45.7-64.1
College Graduate	293	346,647	163	53.7	46.1-61.3	130	46.3	38.7-53.9
Less than \$15,000	70	133,000	40	61.5	47.6-75.4	30	38.5	24.6-52.4
\$15,000- 24,999	87	152,685	38	35.0	22.1-47.9	49	65.0	52.1-77.9
\$35,000- 49,999	91	138,221	45	50.6	36.5-64.7	46	49.4	35.3-63.5
\$50,000- 74,999	98	110,978	52	54.2	40.1-68.3	46	45.8	31.7-59.9
\$75,000+	244	240,168	129	49.6	41.6-57.6	115	50.4	42.4-58.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1166	1,532,110	70	10.7	07.6-13.8	4	0.4	00.0-00.8	20	2.7	00.9-04.5	1068	86.1	82.8-89.4	4	0.3	00.1-00.5
Male	463	598,672	26	9.2	04.5-13.9	1	0.1	00.0-00.3	6	1.2	00.0-02.4	428	89.2	84.5-93.9	2	0.3	00.0-00.7
Female	703	933,438	44	11.6	07.3-15.9	3	0.6	00.0-01.4	14	3.6	00.9-06.3	640	84.0	79.3-88.7	2	0.2	00.0-00.6
White/Non-Hisp	936	1,113,725	14	2.4	00.8-04.0				2	0.3	00.0-00.9	919	97.2	95.6-98.8	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	87	151,347				1	1.9	00.0-05.6				86	98.1	94.4-0100			
Hispanic	87	182,200	55	73.5	59.8-87.2	3	1.5	00.0-03.7	17	20.0	06.7-33.3	9	3.4	01.0-05.8	3	1.5	00.0-03.5
18-24	65	84,061	6	15.6	02.9-28.3	1	0.5	00.0-01.5	2	3.7	00.0-09.0	56	80.1	66.8-93.4			
25-34	206	402,408	22	13.5	07.6-19.4	1	0.7	00.0-02.1	6	3.8	00.0-07.7	175	81.5	74.6-88.4	2	0.5	00.0-01.1
35-44	396	564,800	18	7.2	03.3-11.1				5	2.5	00.0-05.8	373	90.4	85.5-95.3			
45-54	318	315,601	15	12.9	02.9-22.9				6	1.8	00.0-03.8	297	85.3	75.3-95.3			
55-64	111	91,510	6	5.5	00.6-10.4	1	2.2	00.0-06.5	1	3.2	00.0-09.5	102	87.6	78.8-96.4	1	1.5	00.0-04.4
65+	65	62,217	3	15.6	00.0-32.1	1	0.5	00.0-01.5				60	82.9	66.6-99.2	1	1.0	00.0-03.0
Less Than H.S.	97	169,980	29	39.3	26.4-52.2	1	1.2	00.0-03.6	5	9.9	00.0-21.1	61	48.7	36.0-61.4	1	0.8	00.0-02.4
H.S. or G.E.D.	291	400,999	22	14.9	06.7-23.1				3	2.6	00.0-06.1	265	82.4	73.8-91.0	1	0.2	00.0-00.6
Some Post-H.S.	295	377,114	12	6.1	00.6-11.6	2	0.9	00.0-02.5	2	1.4	00.0-03.9	279	91.6	85.5-97.7			
College Graduate	481	581,169	7	2.4	00.4-04.4	1	0.1	00.0-00.3	10	1.4	00.4-02.4	461	95.8	93.6-98.0	2	0.3	00.0-00.7
Less than \$15,000	85	151,042	14	21.0	10.0-32.0				2	10.6	00.0-24.3	69	68.3	53.6-83.0			
\$15,000- 24,999	129	223,184	19	20.6	07.9-33.3				7	6.3	00.6-12.0	103	73.1	60.2-86.0			
\$25,000- 34,999	83	112,679	14	28.3	14.0-42.6	1	1.8	00.0-05.3	2	0.8	00.0-02.0	65	68.4	54.1-82.7	1	0.7	00.0-02.1
\$35,000- 49,999	140	224,986	7	10.1	00.7-19.5	2	1.5	00.0-04.0				131	88.4	78.8-98.0			
\$50,000- 74,999	190	248,038	5	4.0	00.0-08.7				2	1.3	00.0-03.3	183	94.7	89.6-99.8			
\$75,000+	450	442,881	5	1.1	00.1-02.1	1	0.1	00.0-00.3	5	0.7	00.1-01.3	437	97.7	96.3-99.1	2	0.4	00.0-01.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	463	598,672	26	9.2	04.5-13.9	1	0.1	00.0-00.3	6	1.2	00.0-02.4	428	89.2	84.3-94.1	2	0.3	00.0-00.7
White/Non-Hisp	378	454,283	3	1.0	00.0-02.6				1	0.7	00.0-01.9	373	98.1	96.1-0100	1	0.2	00.0-00.6
25-34	68	139,937	8	13.2	03.2-23.2				1	0.3	00.0-00.9	57	85.3	75.1-95.5	2	1.3	00.0-03.3
35-44	160	230,635	5	5.0	00.0-10.5				1	0.4	00.0-01.2	154	94.6	89.1-0100			
45-54	132	135,283	9	14.8	00.9-28.7				2	0.7	00.0-01.7	121	84.5	70.8-98.2			
55-64	52	39,766	2	6.5	00.0-15.7				1	7.4	00.0-21.1	49	86.0	70.5-0100			
H.S. or G.E.D.	142	186,265	11	8.0	02.1-13.9				2	2.0	00.0-05.1	128	89.5	82.8-96.2	1	0.4	00.0-01.2
Some Post-H.S.	99	122,993	4	12.0	00.0-27.1							95	88.0	72.9-0100			
College Graduate	186	233,546	2	1.8	00.0-04.5	1	0.1	00.0-00.3	2	0.3	00.0-00.7	180	97.4	94.5-0100	1	0.4	00.0-01.2
\$35,000- 49,999	50	89,669	4	16.3	00.0-36.5							46	83.7	63.5-0100			
\$50,000- 74,999	89	133,354	2	4.9	00.0-12.9							87	95.1	87.1-0100			
\$75,000+	204	201,737	2	0.8	00.0-02.0	1	0.2	00.0-00.6	1	0.1	00.0-00.5	199	98.4	96.8-0100	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	703	933,438	44	11.6	07.3-15.9	3	0.6	00.0-01.4	14	3.6	00.9-06.3	640	84.0	79.5-88.5	2	0.2	00.0-00.6
White/Non-Hisp	558	659,442	11	3.4	01.0-05.8				1	0.1	00.0-00.3	546	96.6	94.2-99.0			
Black or Afr. Am./Non-Hisp	63	109,399				1	2.6	00.0-07.7				62	97.4	92.3-0100			
Hispanic	56	125,380	32	66.3	46.3-86.3	2	1.9	00.0-05.0	13	26.4	07.0-45.8	7	3.7	00.6-06.8	2	1.6	00.0-04.0
25-34	138	262,472	14	13.7	06.4-21.0	1	1.1	00.0-03.3	5	5.6	00.0-11.7	118	79.6	70.6-88.6			
35-44	236	334,165	13	8.6	03.1-14.1				4	3.9	00.0-09.6	219	87.5	80.1-94.9			
45-54	186	180,318	6	11.4	00.0-25.7				4	2.7	00.0-06.0	176	86.0	71.9-0100			
55-64	59	51,744	4	4.7	00.0-09.6	1	3.9	00.0-11.3				53	88.8	78.8-98.8	1	2.7	00.0-08.0
Less Than H.S.	61	114,112	20	39.8	23.9-55.7	1	1.7	00.0-05.0	3	12.4	00.0-28.1	36	44.8	28.5-61.1	1	1.2	00.0-03.6
H.S. or G.E.D.	149	214,735	11	20.8	07.3-34.3				1	3.0	00.0-08.7	137	76.2	62.3-90.1			
Some Post-H.S.	196	254,122	8	3.2	00.7-05.7	2	1.3	00.0-03.5	2	2.1	00.0-05.8	184	93.4	88.5-98.3			
College Graduate	295	347,622	5	2.8	00.3-05.3				8	2.2	00.4-04.0	281	94.8	91.7-97.9	1	0.2	00.0-00.6
Less than \$15,000	70	133,000	11	20.5	08.5-32.5				2	12.1	00.0-27.4	57	67.4	51.3-83.5			
\$15,000- 24,999	87	152,685	13	23.9	07.0-40.8				3	5.0	00.0-11.7	71	71.2	54.1-88.3			
\$35,000- 49,999	90	135,317	3	5.9	00.0-13.5	2	2.5	00.0-06.6				85	91.6	83.0-0100			
\$50,000- 74,999	101	114,684	3	3.0	00.0-06.7				2	2.8	00.0-06.9	96	94.3	88.8-99.8			
\$75,000+	246	241,144	3	1.3	00.0-02.9				4	1.2	00.0-02.4	238	97.2	95.2-99.2	1	0.2	00.0-00.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1149	1,506,308	1108	96.7	95.3-98.1	40	3.3	01.9-04.7	1	0.0	00.0-00.0
Male	458	590,215	440	96.3	94.3-98.3	18	3.7	01.7-05.7			
Female	691	916,093	668	96.9	95.1-98.7	22	3.1	01.3-04.9	1	0.0	00.0-00.0
White/Non-Hisp	934	1,113,700	910	97.2	95.8-98.6	24	2.8	01.4-04.2			
Black or Afr. Am./Non-Hisp	87	156,643	80	96.6	93.9-99.3	7	3.4	00.7-06.1			
Hispanic	75	156,748	74	99.6	98.8-0100	1	0.4	00.0-01.2			
18-24	64	83,093	60	91.4	82.4-0100	4	8.6	00.0-17.6			
25-34	201	394,175	196	97.5	94.6-0100	4	2.4	00.0-05.3	1	0.1	00.0-00.3
35-44	389	548,435	378	97.2	95.2-99.2	11	2.8	00.8-04.8			
45-54	317	314,702	303	96.0	93.5-98.5	14	4.0	01.5-06.5			
55-64	110	95,140	107	98.8	97.4-0100	3	1.2	00.0-02.6			
65+	63	59,251	59	93.7	86.1-0100	4	6.3	00.0-13.9			
Less Than H.S.	89	161,024	86	97.4	93.9-0100	3	2.6	00.0-06.1			
H.S. or G.E.D.	287	389,010	279	98.3	96.9-99.7	8	1.7	00.3-03.1			
Some Post-H.S.	294	375,716	278	93.8	89.9-97.7	15	6.1	02.2-10.0	1	0.1	00.0-00.3
College Graduate	477	577,710	463	97.2	95.4-99.0	14	2.8	01.0-04.6			
Less than \$15,000	82	146,646	77	93.5	86.8-0100	5	6.5	00.0-13.2			
\$15,000- 24,999	124	216,430	114	93.6	89.1-98.1	10	6.4	01.9-10.9			
\$25,000- 34,999	81	109,056	78	97.6	94.7-0100	3	2.4	00.0-05.3			
\$35,000- 49,999	138	221,505	133	96.7	92.2-0100	4	3.2	00.0-07.7	1	0.1	00.0-00.3
\$50,000- 74,999	190	248,038	185	98.3	96.5-0100	5	1.7	00.0-03.5			
\$75,000+	450	445,348	439	97.9	96.5-99.3	11	2.1	00.7-03.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Reported Race			Two Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	458	590,215	440	96.3	94.3-98.3	18	3.7	01.7-05.7	
White/Non-Hisp	380	456,532	371	97.4	95.4-99.4	9	2.6	00.6-04.6	
25-34	65	135,119	63	97.9	94.6-0100	2	2.1	00.0-05.4	
35-44	159	229,689	152	96.7	94.2-99.2	7	3.3	00.8-05.8	
45-54	132	133,989	127	95.6	90.9-0100	5	4.4	00.0-09.1	
55-64	52	39,333	50	98.3	95.9-0100	2	1.7	00.0-04.1	
H.S. or G.E.D.	139	180,746	136	98.9	97.3-0100	3	1.1	00.0-02.7	
Some Post-H.S.	99	122,398	95	97.0	93.7-0100	4	3.0	00.0-06.3	
College Graduate	186	232,446	177	94.6	90.5-98.7	9	5.4	01.3-09.5	
\$50,000- 74,999	89	133,354	87	97.9	95.0-0100	2	2.1	00.0-05.0	
\$75,000+	206	204,877	199	96.8	94.3-99.3	7	3.2	00.7-05.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	691	916,093	668	96.9	95.1-98.7	22	3.1	01.3-04.9	1	0.0	00.0-00.0
White/Non-Hisp	554	657,168	539	97.1	95.1-99.1	15	2.9	00.9-04.9			
Black or Afr. Am./Non-Hisp	64	115,663	62	98.9	97.1-0100	2	1.1	00.0-02.9			
25-34	136	259,056	133	97.3	93.2-0100	2	2.6	00.0-06.7	1	0.1	00.0-00.3
35-44	230	318,746	226	97.5	94.6-0100	4	2.5	00.0-05.4			
45-54	185	180,713	176	96.3	93.6-99.0	9	3.7	01.0-06.4			
55-64	58	55,807	57	99.1	97.3-0100	1	0.9	00.0-02.7			
Less Than H.S.	55	106,400	54	99.2	97.6-0100	1	0.8	00.0-02.4			
H.S. or G.E.D.	148	208,264	143	97.8	95.6-0100	5	2.2	00.0-04.4			
Some Post-H.S.	195	253,318	183	92.3	86.6-98.0	11	7.6	01.9-13.3	1	0.1	00.0-00.3
College Graduate	291	345,264	286	99.0	98.0-0100	5	1.0	00.0-02.0			
Less than \$15,000	68	129,595	65	94.9	88.4-0100	3	5.1	00.0-11.6			
\$15,000- 24,999	84	149,139	80	96.6	93.1-0100	4	3.4	00.0-06.9			
\$35,000- 49,999	90	135,317	85	94.6	87.2-0100	4	5.2	00.0-12.6	1	0.2	00.0-00.6
\$50,000- 74,999	101	114,684	98	98.8	97.4-0100	3	1.2	00.0-02.6			
\$75,000+	244	240,471	240	98.9	97.7-0100	4	1.1	00.0-02.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2015

MODULE 22: RANDOM CHILD SELECTION

**TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION

**TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1175	1,545,290	936	81.4	78.3-84.5	138	9.6	07.4-11.8	20	2.8	00.6-05.0	34	2.0	01.0-03.0	26	2.4	01.2-03.6	21	1.9	00.9-02.9
Male	470	605,164	371	81.9	77.8-86.0	43	6.8	04.4-09.2	10	1.7	00.5-02.9	18	2.9	01.1-04.7	14	3.2	01.2-05.2	14	3.5	01.3-05.7
Female	705	940,126	565	81.1	76.6-85.6	95	11.4	08.3-14.5	10	3.4	00.1-06.7	16	1.4	00.4-02.4	12	1.8	00.4-03.2	7	0.9	00.1-01.7
White/Non-Hisp	941	1,117,396	759	83.7	80.8-86.6	110	8.8	06.6-11.0	14	1.5	00.5-02.5	24	1.4	00.6-02.2	17	2.5	01.1-03.9	17	2.1	00.9-03.3
Black or Afr. Am./Non-Hisp	87	155,860	66	73.1	60.4-85.8	9	11.9	02.1-21.7	4	6.7	00.0-14.7	3	4.1	00.0-09.2	4	2.3	00.0-05.4	1	1.8	00.0-05.1
Hispanic	87	181,373	66	75.4	59.9-90.9	11	10.7	03.1-18.3	2	8.6	00.0-23.3	5	3.2	00.0-06.7	2	2.0	00.0-05.1	1	0.2	00.0-00.6
18-24	64	83,093	26	52.9	37.2-68.6							30	29.2	16.5-41.9	6	11.8	00.4-23.2	2	6.1	00.0-15.5
25-34	207	404,676	187	90.7	86.4-95.0	1	0.7	00.0-02.1	4	1.6	00.0-03.4	4	1.5	00.0-03.3	5	2.7	00.2-05.2	6	2.8	00.4-05.2
35-44	401	568,716	378	93.8	90.5-97.1	7	2.2	00.2-04.2	6	1.7	00.0-03.9				4	1.2	00.0-02.8	6	1.1	00.1-02.1
45-54	318	316,167	282	83.2	74.4-92.0	26	8.7	04.8-12.6	3	5.1	00.0-13.5				6	2.0	00.0-04.0	1	0.9	00.0-02.7
55-64	113	98,080	50	32.8	22.0-43.6	52	56.1	43.6-68.6	5	8.2	00.0-17.6				2	0.7	00.0-01.7	4	2.1	00.0-04.5
65+	66	62,758	7	10.7	01.3-20.1	52	80.6	69.0-92.2	2	3.3	00.0-08.2				3	2.3	00.0-05.2	2	3.1	00.0-07.6
Less Than H.S.	99	178,391	61	67.1	55.5-78.7	18	17.3	07.7-26.9	3	4.2	00.0-09.5	8	2.9	00.7-05.1	5	5.5	00.0-11.4	4	3.0	00.0-06.3
H.S. or G.E.D.	292	397,840	199	72.8	64.8-80.8	60	16.0	10.7-21.3	4	4.4	00.0-11.3	14	2.8	00.6-05.0	9	1.7	00.3-03.1	6	2.1	00.1-04.1
Some Post-H.S.	298	380,612	237	82.0	76.7-87.3	31	7.6	04.5-10.7	6	1.7	00.1-03.3	9	2.1	00.3-03.9	9	4.2	00.9-07.5	6	2.4	00.0-04.8
College Graduate	484	585,599	437	91.2	87.7-94.7	29	4.2	02.0-06.4	7	1.9	00.0-04.1	3	1.0	00.0-02.4	3	0.6	00.0-01.4	5	1.1	00.0-02.3
Less than \$15,000	86	151,950	64	76.8	65.8-87.8	14	15.0	05.4-24.6	2	1.7	00.0-04.6	1	2.1	00.0-06.2	3	1.9	00.0-04.1	2	2.5	00.0-06.2
\$15,000- 24,999	130	225,004	94	77.5	65.5-89.5	21	7.9	03.8-12.0	5	10.0	00.0-22.2	2	1.0	00.0-02.4	5	2.0	00.0-04.4	3	1.5	00.0-03.3
\$25,000- 34,999	83	116,463	65	81.7	69.9-93.5	13	15.0	03.6-26.4				2	0.7	00.0-01.7				3	2.6	00.0-06.3
\$35,000- 49,999	143	231,403	103	80.8	72.8-88.8	27	12.7	06.4-19.0	4	1.4	00.0-03.0	1	0.2	00.0-00.6	5	2.8	00.0-06.7	3	2.1	00.0-05.4
\$50,000- 74,999	190	248,038	156	83.5	77.2-89.8	18	8.1	03.8-12.4	1	0.3	00.0-00.9	6	2.5	00.1-04.9	7	4.3	00.4-08.2	2	1.2	00.0-03.0
\$75,000+	452	445,764	395	88.8	84.9-92.7	31	4.4	02.4-06.4	7	2.7	00.0-05.6	12	1.8	00.6-03.0	1	0.5	00.0-01.5	6	1.9	00.1-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	470	605,164	371	81.9	77.8-86.0	43	6.8	04.4-09.2	10	1.7	00.5-02.9	18	2.9	01.1-04.7	14	3.2	01.2-05.2	14	3.5	01.3-05.7
White/Non-Hisp	383	458,824	307	82.7	78.0-87.4	33	6.1	03.7-08.5	8	1.8	00.2-03.4	13	1.8	00.6-03.0	10	3.4	00.9-05.9	12	4.2	01.5-06.9
25-34	68	139,961	54	82.4	72.2-92.6				2	2.4	00.0-06.1	2	2.0	00.0-05.3	4	5.1	00.0-10.6	6	8.1	01.2-15.0
35-44	164	234,320	151	93.3	89.0-97.6	2	1.0	00.0-02.4	4	1.2	00.0-02.8				3	2.9	00.0-06.4	4	1.6	00.0-03.4
45-54	133	137,898	119	88.8	81.9-95.7	11	9.6	02.9-16.3	1	0.5	00.0-01.5				2	1.1	00.0-02.7			
55-64	53	40,072	31	50.3	33.8-66.8	19	44.7	28.4-61.0	1	3.4	00.0-10.1				1	0.8	00.0-02.4	1	0.7	00.0-02.1
H.S. or G.E.D.	144	185,707	104	79.3	71.5-87.1	20	10.2	04.9-15.5	1	0.2	00.0-00.6	9	5.0	00.7-09.3	7	3.0	00.5-05.5	3	2.4	00.0-05.1
Some Post-H.S.	100	123,299	77	73.6	61.8-85.4	6	5.2	00.7-09.7	4	3.7	00.0-08.0	4	2.4	00.0-05.1	4	8.2	00.2-16.2	5	6.8	00.0-13.9
College Graduate	189	237,315	167	90.6	85.7-95.5	13	4.1	01.2-07.0	3	1.1	00.0-02.5	1	1.0	00.0-03.0	2	1.4	00.0-03.4	3	1.8	00.0-04.3
\$35,000- 49,999	52	93,183	36	81.0	68.5-93.5	8	9.4	01.4-17.4	3	3.0	00.0-06.7				2	1.3	00.0-03.3	3	5.2	00.0-13.6
\$50,000- 74,999	89	133,354	72	82.0	72.8-91.2	5	4.7	00.4-09.0	1	0.6	00.0-01.8	5	4.4	00.1-08.7	5	7.2	00.1-14.3	1	1.0	00.0-03.0
\$75,000+	207	205,720	177	86.5	80.6-92.4	12	3.9	01.4-06.4	3	1.7	00.0-04.2	8	2.7	00.5-04.9	1	1.1	00.0-03.3	6	4.1	00.4-07.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	705	940,126	565	81.1	76.6-85.6	95	11.4	08.3-14.5	10	3.4	00.1-06.7	16	1.4	00.4-02.4	12	1.8	00.4-03.2	7	0.9	00.1-01.7
White/Non-Hisp	558	658,572	452	84.4	80.7-88.1	77	10.8	07.7-13.9	6	1.3	00.0-02.7	11	1.1	00.1-02.1	7	1.8	00.0-03.6	5	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	64	114,880	49	72.7	57.8-87.6	9	16.1	03.2-29.0	2	7.1	00.0-17.5	1	0.8	00.0-02.4	2	0.9	00.0-02.1	1	2.4	00.0-07.1
Hispanic	56	124,553	42	70.2	48.4-92.0	6	10.6	00.8-20.4	2	12.5	00.0-33.7	4	3.8	00.0-08.7	2	2.9	00.0-07.4			
25-34	139	264,715	133	95.1	90.8-99.4	1	1.0	00.0-03.0	2	1.2	00.0-03.0	2	1.3	00.0-03.5	1	1.4	00.0-04.1			
35-44	237	334,395	227	94.2	89.5-98.9	5	3.0	00.0-06.3	2	2.0	00.0-05.5				1	0.1	00.0-00.3	2	0.7	00.0-01.7
45-54	185	178,269	163	78.9	65.0-92.8	15	8.0	03.3-12.7	2	8.7	00.0-23.2				4	2.8	00.0-06.1	1	1.5	00.0-04.4
55-64	60	58,008	19	20.6	09.4-31.8	33	64.0	46.8-81.2	4	11.5	00.0-26.4				1	0.7	00.0-02.1	3	3.1	00.0-07.0
Less Than H.S.	62	119,549	38	64.4	48.9-79.9	14	21.0	07.9-34.1	1	3.8	00.0-11.1	4	2.1	00.0-04.5	4	7.8	00.0-16.4	1	0.9	00.0-02.7
H.S. or G.E.D.	148	212,132	95	67.2	54.7-79.7	40	21.2	12.6-29.8	3	8.2	00.0-20.7	5	0.9	00.0-01.9	2	0.7	00.0-01.7	3	1.8	00.0-04.5
Some Post-H.S.	198	257,313	160	86.0	80.5-91.5	25	8.8	04.9-12.7	2	0.7	00.0-01.7	5	1.9	00.0-04.3	5	2.3	00.0-05.2	1	0.3	00.0-00.9
College Graduate	295	348,284	270	91.5	86.8-96.2	16	4.2	01.3-07.1	4	2.4	00.0-05.7	2	1.1	00.0-02.9	1	0.1	00.0-00.3	2	0.7	00.0-01.7
Less than \$15,000	70	133,000	55	80.0	68.6-91.4	10	13.9	03.7-24.1	1	1.7	00.0-05.0				2	1.5	00.0-03.7	2	2.9	00.0-07.2
\$15,000- 24,999	88	154,505	66	78.2	62.1-94.3	14	6.2	02.3-10.1	4	13.6	00.0-30.5	1	0.4	00.0-01.2	2	1.0	00.0-02.4	1	0.4	00.0-01.2
\$35,000- 49,999	91	138,221	67	80.7	70.3-91.1	19	14.9	06.1-23.7	1	0.3	00.0-00.9	1	0.3	00.0-00.9	3	3.8	00.0-10.1			
\$50,000- 74,999	101	114,684	84	85.2	76.8-93.6	13	12.2	04.4-20.0				1	0.3	00.0-00.9	2	0.9	00.0-02.1	1	1.5	00.0-04.2
\$75,000+	245	240,044	218	90.8	85.3-96.3	19	4.7	02.0-07.4	4	3.5	00.0-08.4	4	1.0	00.0-02.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015

MODULE 23: CHILDHOOD ASTHMA PREVALENCE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1163	1,536,829	154	13.1	10.2-16.0	1009	86.9	84.0-89.8
Male	462	596,443	56	12.3	08.2-16.4	406	87.7	83.6-91.8
Female	701	940,386	98	13.6	09.5-17.7	603	86.4	82.3-90.5
White/Non-Hisp	932	1,110,438	113	10.9	08.4-13.4	819	89.1	86.6-91.6
Black or Afr. Am./Non-Hisp	87	157,398	20	18.8	08.0-29.6	67	81.2	70.4-92.0
Hispanic	87	181,373	15	18.7	03.8-33.6	72	81.3	66.4-96.2
18-24	64	83,093	8	9.3	02.2-16.4	56	90.7	83.6-97.8
25-34	204	398,354	22	12.8	06.9-18.7	182	87.2	81.3-93.1
35-44	396	566,535	56	11.3	07.6-15.0	340	88.7	85.0-92.4
45-54	317	317,834	41	14.4	06.0-22.8	276	85.6	77.2-94.0
55-64	112	97,559	23	31.2	16.7-45.7	89	68.8	54.3-83.3
65+	64	61,653	4	3.6	00.0-07.9	60	96.4	92.1-0100
Less Than H.S.	98	176,455	19	21.1	10.5-31.7	79	78.9	68.3-89.5
H.S. or G.E.D.	289	398,010	36	15.2	07.6-22.8	253	84.8	77.2-92.4
Some Post-H.S.	294	378,034	48	13.8	08.9-18.7	246	86.2	81.3-91.1
College Graduate	480	581,482	51	8.9	05.6-12.2	429	91.1	87.8-94.4
Less than \$15,000	86	151,950	14	11.5	04.1-18.9	72	88.5	81.1-95.9
\$15,000- 24,999	129	224,463	21	20.2	07.9-32.5	108	79.8	67.5-92.1
\$25,000- 34,999	83	116,463	18	22.6	09.3-35.9	65	77.4	64.1-90.7
\$35,000- 49,999	141	231,792	18	13.1	05.3-20.9	123	86.9	79.1-94.7
\$50,000- 74,999	188	245,604	22	9.9	04.6-15.2	166	90.1	84.8-95.4
\$75,000+	451	443,790	46	8.6	05.7-11.5	405	91.4	88.5-94.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	462	596,443	56	12.3	08.4-16.2	406	87.7	83.8-91.6
White/Non-Hisp	377	452,579	44	11.0	07.1-14.9	333	89.0	85.1-92.9
25-34	65	133,639	5	9.9	00.0-20.1	60	90.1	79.9-0100
35-44	161	233,166	22	13.2	06.3-20.1	139	86.8	79.9-93.7
45-54	132	137,193	16	10.6	04.7-16.5	116	89.4	83.5-95.3
55-64	53	40,072	9	25.2	08.5-41.9	44	74.8	58.1-91.5
H.S. or G.E.D.	141	183,840	19	13.8	06.2-21.4	122	86.2	78.6-93.8
Some Post-H.S.	99	122,594	12	10.8	03.5-18.1	87	89.2	81.9-96.5
College Graduate	186	233,102	19	10.8	04.1-17.5	167	89.2	82.5-95.9
\$35,000- 49,999	51	94,092	6	14.3	00.4-28.2	45	85.7	71.8-99.6
\$50,000- 74,999	88	131,984	10	10.4	02.4-18.4	78	89.6	81.6-97.6
\$75,000+	206	202,912	17	7.9	03.2-12.6	189	92.1	87.4-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents without children**

**Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	701	940,386	98	13.6	09.5-17.7	603	86.4	82.3-90.5
White/Non-Hisp	555	657,858	69	10.9	07.6-14.2	486	89.1	85.8-92.4
Black or Afr. Am./Non-Hisp	64	116,418	16	22.7	08.8-36.6	48	77.3	63.4-91.2
Hispanic	56	124,553	10	20.2	00.0-41.4	46	79.8	58.6-0100
25-34	139	264,715	17	14.3	07.0-21.6	122	85.7	78.4-93.0
35-44	235	333,368	34	10.0	06.3-13.7	201	90.0	86.3-93.7
45-54	185	180,641	25	17.3	03.6-31.0	160	82.7	69.0-96.4
55-64	59	57,487	14	35.3	14.3-56.3	45	64.7	43.7-85.7
Less Than H.S.	62	119,549	13	23.0	08.9-37.1	49	77.0	62.9-91.1
H.S. or G.E.D.	148	214,170	17	16.4	03.9-28.9	131	83.6	71.1-96.1
Some Post-H.S.	195	255,440	36	15.2	08.9-21.5	159	84.8	78.5-91.1
College Graduate	294	348,379	32	7.5	04.2-10.8	262	92.5	89.2-95.8
Less than \$15,000	70	133,000	13	12.5	04.3-20.7	57	87.5	79.3-95.7
\$15,000- 24,999	88	154,505	15	23.4	07.1-39.7	73	76.6	60.3-92.9
\$35,000- 49,999	90	137,700	12	12.3	03.3-21.3	78	87.7	78.7-96.7
\$50,000- 74,999	100	113,619	12	9.4	02.3-16.5	88	90.6	83.5-97.7
\$75,000+	245	240,878	29	9.2	05.3-13.1	216	90.8	86.9-94.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents with children, but they do not have asthma**

**Denominator excludes: Respondents without children**

**Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	150	196,984	90	58.5	47.5-69.5	60	41.5	30.5-52.5
Male	56	73,537	33	47.8	32.5-63.1	23	52.2	36.9-67.5
Female	94	123,448	57	64.9	50.0-79.8	37	35.1	20.2-50.0
White/Non-Hisp	110	118,740	68	56.3	44.5-68.1	42	43.7	31.9-55.5
35-44	55	63,724	29	41.4	26.5-56.3	26	58.6	43.7-73.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	56	73,537	33	47.8	34.9-60.7	23	52.2	39.3-65.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	94	123,448	57	64.9	52.7-77.1	37	35.1	22.9-47.3
White/Non-Hisp	66	69,026	39	55.8	40.3-71.3	27	44.2	28.7-59.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

End of Module Data Report