

INDIANA

2017 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 29, 2018



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

MODULE 28: RANDOM CHILD SELECTION CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSEGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 1999-2000			Birthyr 2001-2004			Birthyr 2005-2008			Birthyr 2009-2012			Birthyr 2013-2015			Birthyr 2016-2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2468	1,371,534	294	9.1	07.9-10.3	668	23.4	21.4-25.4	541	20.3	18.5-22.1	462	18.6	16.8-20.4	324	18.7	16.7-20.7	179	9.8	08.2-11.4
Male	981	557,096	118	8.1	06.5-09.7	251	22.3	19.4-25.2	201	18.4	15.7-21.1	180	18.8	16.1-21.5	143	19.9	16.8-23.0	88	12.5	09.8-15.2
Female	1487	814,439	176	9.8	08.2-11.4	417	24.2	21.7-26.7	340	21.6	19.2-24.0	282	18.5	16.1-20.9	181	17.9	15.4-20.4	91	8.0	06.0-10.0
White/Non-Hisp	1914	1,012,189	239	9.4	08.0-10.8	531	24.2	22.0-26.4	422	20.6	18.6-22.6	354	18.7	16.7-20.7	233	17.2	15.0-19.4	135	10.0	08.2-11.8
Black or Afr. Am./Non-Hisp	200	145,972	16	6.8	03.1-10.5	57	23.7	17.2-30.2	37	18.5	12.2-24.8	46	22.4	15.7-29.1	27	18.6	11.5-25.7	17	10.0	04.7-15.3
Oth. Race/Non-Hisp.	52	35,864	8	16.8	04.1-29.5	10	15.7	05.7-25.7	9	14.8	04.2-25.4	8	11.7	03.1-20.3	15	38.0	22.1-53.9	2	2.9	00.0-07.0
MultiRacial/Non-Hisp.	55	36,169	9	9.7	02.8-16.6	10	18.1	05.6-30.6	15	32.2	16.3-48.1	10	15.2	04.6-25.8	8	16.6	05.2-28.0	3	8.3	00.0-18.3
Hispanic	221	126,936	18	6.2	02.9-09.5	54	21.3	15.4-27.2	54	19.7	14.2-25.2	39	16.6	11.3-21.9	36	25.1	17.5-32.7	20	11.0	05.9-16.1
18-24	177	94,246	31	12.8	07.9-17.7	49	23.1	16.2-30.0	18	8.5	04.4-12.6	23	15.6	09.1-22.1	34	26.1	17.9-34.3	22	13.9	07.6-20.2
25-34	535	364,642	6	0.9	00.1-01.7	49	7.9	05.4-10.4	109	18.4	14.7-22.1	139	22.9	19.0-26.8	142	31.2	26.5-35.9	90	18.7	14.6-22.8
35-44	787	471,242	82	9.6	07.2-12.0	202	24.0	20.7-27.3	209	23.3	20.0-26.6	171	20.8	17.7-23.9	85	14.5	11.4-17.6	38	7.7	05.2-10.2
45-54	649	299,708	122	14.6	11.7-17.5	264	39.7	35.2-44.2	144	21.6	18.1-25.1	73	12.0	09.1-14.9	33	9.1	05.8-12.4	13	3.0	01.2-04.8
55-64	206	91,170	42	17.7	12.0-23.4	69	25.5	19.2-31.8	39	21.1	14.4-27.8	28	13.5	08.2-18.8	20	17.4	10.0-24.8	8	4.8	01.3-08.3
65+	114	50,527	11	8.7	03.0-14.4	35	30.5	20.3-40.7	22	18.4	10.6-26.2	28	21.2	12.8-29.6	10	14.2	05.4-23.0	8	7.0	01.7-12.3
Less Than H.S.	219	141,330	20	7.4	03.9-10.9	64	24.9	18.2-31.6	49	20.6	14.3-26.9	41	17.9	12.2-23.6	26	17.8	10.9-24.7	19	11.4	05.1-17.7
H.S. or G.E.D.	678	367,792	88	9.9	07.5-12.3	195	24.2	20.7-27.7	144	20.3	16.8-23.8	112	16.1	13.0-19.2	90	19.5	15.4-23.6	49	9.9	06.8-13.0
Some Post-H.S.	651	351,623	68	8.1	05.9-10.3	149	20.0	16.5-23.5	161	21.1	17.6-24.6	133	21.3	17.6-25.0	94	19.7	15.8-23.6	46	9.7	06.8-12.6
College Graduate	919	510,501	118	9.7	07.7-11.7	259	24.7	21.6-27.8	187	19.6	16.7-22.5	176	18.7	16.0-21.4	114	17.8	14.7-20.9	65	9.4	06.9-11.9
Less than \$15,000	178	106,881	16	7.3	03.2-11.4	46	23.3	15.9-30.7	44	22.0	15.1-28.9	31	15.6	09.7-21.5	27	23.5	14.9-32.1	14	8.5	03.6-13.4
\$15,000- 24,999	355	210,115	37	8.5	05.2-11.8	95	21.0	16.3-25.7	68	18.6	13.9-23.3	77	21.5	16.6-26.4	50	19.9	14.6-25.2	28	10.5	06.2-14.8
\$25,000- 34,999	205	126,372	20	8.4	04.3-12.5	50	22.6	15.7-29.5	47	19.8	13.5-26.1	39	16.7	11.0-22.4	31	21.8	14.2-29.4	18	10.7	05.6-15.8
\$35,000- 49,999	294	172,601	28	8.4	05.1-11.7	67	19.0	14.1-23.9	69	21.8	16.5-27.1	59	18.9	14.0-23.8	46	20.4	14.7-26.1	25	11.5	06.6-16.4
\$50,000- 74,999	371	193,474	44	10.1	06.8-13.4	113	23.6	19.1-28.1	79	19.4	14.9-23.9	62	17.4	12.9-21.9	50	20.0	14.5-25.5	23	9.5	05.0-14.0
\$75,000+	926	481,655	130	9.9	07.9-11.9	260	26.2	22.9-29.5	203	21.0	18.1-23.9	174	19.4	16.5-22.3	101	15.2	12.3-18.1	58	8.3	05.9-10.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 1999-2000			Birthyr 2001-2004			Birthyr 2005-2008			Birthyr 2009-2012			Birthyr 2013-2015			Birthyr 2016-2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	981	557,096	118	8.1	06.5-09.7	251	22.3	19.4-25.2	201	18.4	15.7-21.1	180	18.8	16.1-21.5	143	19.9	16.8-23.0	88	12.5	09.8-15.2
White/Non-Hisp	776	423,515	98	8.3	06.3-10.3	204	22.8	19.5-26.1	162	18.8	15.9-21.7	138	18.8	15.7-21.9	103	17.9	14.6-21.2	71	13.3	10.0-16.6
Black or Afr. Am./Non-Hisp	64	48,999	3	4.7	00.0-10.2	18	23.9	11.9-35.9	12	16.8	06.6-27.0	15	24.1	12.5-35.7	11	21.3	09.0-33.6	5	9.1	00.3-17.9
Hispanic	81	48,728	6	5.6	00.7-10.5	20	22.1	12.1-32.1	16	16.6	08.2-25.0	16	15.7	07.7-23.7	16	29.6	17.4-41.8	7	10.3	02.3-18.3
18-24	79	36,982	19	18.3	09.7-26.9	31	34.5	22.3-46.7	6	5.9	01.0-10.8	10	15.9	05.1-26.7	9	17.5	06.3-28.7	4	7.9	00.0-16.3
25-34	212	146,893	3	1.0	00.0-02.2	13	4.3	01.8-06.8	32	12.7	08.0-17.4	46	19.8	13.9-25.7	67	36.4	29.1-43.7	51	25.8	18.9-32.7
35-44	297	182,219	24	5.6	03.1-08.1	62	19.4	14.5-24.3	80	23.0	17.9-28.1	70	23.4	18.1-28.7	40	16.8	11.5-22.1	21	11.7	06.6-16.8
45-54	273	141,482	48	13.5	09.2-17.8	112	41.8	34.7-48.9	58	19.3	14.2-24.4	35	14.3	09.4-19.2	14	8.4	03.7-13.1	6	2.6	00.2-05.0
55-64	91	38,111	22	18.8	10.6-27.0	28	22.0	13.2-30.8	22	29.4	18.0-40.8	7	7.8	01.3-14.3	9	15.9	05.7-26.1	3	6.0	00.0-13.1
Less Than H.S.	89	55,711	6	4.4	00.7-08.1	24	22.1	12.9-31.3	20	19.8	11.0-28.6	20	25.1	14.9-35.3	11	17.6	07.8-27.4	8	11.0	03.2-18.8
H.S. or G.E.D.	295	154,888	41	9.8	06.7-12.9	78	23.0	17.7-28.3	69	23.1	17.8-28.4	46	15.1	10.4-19.8	37	16.7	11.4-22.0	24	12.2	07.1-17.3
Some Post-H.S.	228	128,658	28	8.0	04.7-11.3	48	18.6	12.5-24.7	48	16.4	11.3-21.5	43	21.5	15.2-27.8	40	23.2	16.5-29.9	21	12.3	06.6-18.0
College Graduate	369	217,838	43	8.0	05.3-10.7	101	23.9	19.0-28.8	64	15.9	11.8-20.0	71	18.2	13.9-22.5	55	20.9	15.8-26.0	35	13.1	08.6-17.6
\$15,000- 24,999	108	67,351	14	7.8	03.1-12.5	21	13.1	06.6-19.6	20	17.2	09.6-24.8	21	23.7	14.3-33.1	21	26.5	16.5-36.5	11	11.6	04.0-19.2
\$25,000- 34,999	64	38,967	5	5.8	00.3-11.3	11	18.7	06.9-30.5	18	24.0	13.0-35.0	13	16.7	06.5-26.9	9	19.1	07.3-30.9	8	15.7	05.1-26.3
\$35,000- 49,999	130	79,716	15	8.6	03.5-13.7	27	19.0	11.7-26.3	27	17.2	10.1-24.3	22	14.0	07.7-20.3	21	21.4	12.8-30.0	18	19.7	10.5-28.9
\$50,000- 74,999	148	82,956	19	9.1	04.4-13.8	45	21.8	14.7-28.9	24	14.6	08.5-20.7	22	15.0	08.1-21.9	25	24.1	14.9-33.3	13	15.4	06.4-24.4
\$75,000+	447	243,235	56	8.1	05.7-10.5	124	26.2	21.5-30.9	92	19.0	15.1-22.9	88	21.0	16.7-25.3	54	16.1	11.8-20.4	33	9.7	06.4-13.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 1999-2000			Birthyr 2001-2004			Birthyr 2005-2008			Birthyr 2009-2012			Birthyr 2013-2015			Birthyr 2016-2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1487	814,439	176	9.8	08.2-11.4	417	24.2	21.7-26.7	340	21.6	19.2-24.0	282	18.5	16.1-20.9	181	17.9	15.4-20.4	91	8.0	06.0-10.0
White/Non-Hisp	1138	588,674	141	10.2	08.2-12.2	327	25.2	22.3-28.1	260	21.8	19.1-24.5	216	18.5	16.0-21.0	130	16.6	13.9-19.3	64	7.6	05.4-09.8
Black or Afr. Am./Non-Hisp	136	96,973	13	7.8	03.1-12.5	39	23.6	16.0-31.2	25	19.4	11.6-27.2	31	21.5	13.3-29.7	16	17.2	08.4-26.0	12	10.5	04.0-17.0
Hispanic	140	78,208	12	6.6	02.3-10.9	34	20.8	13.7-27.9	38	21.7	14.6-28.8	23	17.2	10.1-24.3	20	22.3	12.7-31.9	13	11.5	05.0-18.0
18-24	98	57,263	12	9.3	03.4-15.2	18	15.8	08.0-23.6	12	10.2	04.1-16.3	13	15.4	07.2-23.6	25	31.6	20.4-42.8	18	17.8	09.0-26.6
25-34	323	217,749	3	0.7	00.0-01.7	36	10.3	06.4-14.2	77	22.3	17.0-27.6	93	25.0	19.7-30.3	75	27.7	21.6-33.8	39	13.9	08.8-19.0
35-44	490	289,023	58	12.1	08.8-15.4	140	26.9	22.4-31.4	129	23.5	19.4-27.6	101	19.1	15.2-23.0	45	13.1	09.4-16.8	17	5.3	02.8-07.8
45-54	376	158,227	74	15.5	11.8-19.2	152	37.8	32.1-43.5	86	23.7	18.6-28.8	38	10.0	06.5-13.5	19	9.7	05.2-14.2	7	3.3	00.8-05.8
55-64	115	53,059	20	17.0	09.2-24.8	41	28.0	19.2-36.8	17	15.1	07.3-22.9	21	17.5	09.7-25.3	11	18.4	07.8-29.0	5	4.0	00.5-07.5
65+	85	39,118	9	10.0	02.9-17.1	30	34.3	22.1-46.5	19	20.4	11.0-29.8	16	17.4	08.0-26.8	6	12.2	02.4-22.0	5	5.7	00.2-11.2
Less Than H.S.	130	85,620	14	9.3	03.8-14.8	40	26.8	17.8-35.8	29	21.2	12.6-29.8	21	13.3	07.2-19.4	15	17.9	08.7-27.1	11	11.6	02.4-20.8
H.S. or G.E.D.	383	212,904	47	10.0	06.7-13.3	117	25.1	20.2-30.0	75	18.3	13.8-22.8	66	16.8	12.5-21.1	53	21.6	15.7-27.5	25	8.2	04.7-11.7
Some Post-H.S.	423	222,965	40	8.2	05.3-11.1	101	20.9	16.6-25.2	113	23.8	19.3-28.3	90	21.1	16.6-25.6	54	17.8	13.1-22.5	25	8.2	04.9-11.5
College Graduate	550	292,663	75	10.9	08.0-13.8	158	25.3	21.2-29.4	123	22.4	18.5-26.3	105	19.2	15.5-22.9	59	15.5	11.6-19.4	30	6.7	04.2-09.2
Less than \$15,000	144	91,664	13	7.4	02.9-11.9	37	22.8	14.6-31.0	34	21.3	13.9-28.7	25	15.5	08.8-22.2	22	23.4	13.8-33.0	13	9.5	04.0-15.0
\$15,000- 24,999	247	142,765	23	8.9	04.6-13.2	74	24.7	18.8-30.6	48	19.2	13.5-24.9	56	20.4	14.7-26.1	29	16.8	10.7-22.9	17	10.0	04.9-15.1
\$25,000- 34,999	141	87,405	15	9.5	04.0-15.0	39	24.4	16.2-32.6	29	17.9	10.5-25.3	26	16.7	09.8-23.6	22	23.0	13.4-32.6	10	8.4	03.1-13.7
\$35,000- 49,999	164	92,885	13	8.2	03.7-12.7	40	18.9	12.4-25.4	42	25.7	17.9-33.5	37	23.2	15.8-30.6	25	19.5	12.1-26.9	7	4.5	01.0-08.0
\$50,000- 74,999	223	110,519	25	10.8	05.9-15.7	68	25.0	18.9-31.1	55	23.0	16.7-29.3	40	19.2	13.1-25.3	25	17.0	10.3-23.7	10	5.0	01.7-08.3
\$75,000+	479	238,419	74	11.7	08.8-14.6	136	26.3	21.8-30.8	111	22.9	18.6-27.2	86	17.8	14.1-21.5	47	14.3	10.2-18.4	25	7.0	04.1-09.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children**

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	2788	1,524,210	1449	50.7	48.5-52.9	1339	49.3	47.1-51.5	
Male	1154	638,300	598	50.2	46.9-53.5	556	49.8	46.5-53.1	
Female	1634	885,910	851	51.1	48.2-54.0	783	48.9	46.0-51.8	
White/Non-Hisp	2118	1,106,967	1082	50.1	47.6-52.6	1036	49.9	47.4-52.4	
Black or Afr. Am./Non-Hisp	224	159,684	118	52.0	44.4-59.6	106	48.0	40.4-55.6	
Oth. Race/Non-Hisp.	66	43,439	38	51.4	37.5-65.3	28	48.6	34.7-62.5	
MultiRacial/Non-Hisp.	67	40,497	38	54.8	40.3-69.3	29	45.2	30.7-59.7	
Hispanic	274	152,622	150	52.4	45.5-59.3	124	47.6	40.7-54.5	
18-24	212	110,987	112	50.1	42.3-57.9	100	49.9	42.1-57.7	
25-34	580	383,368	309	51.0	46.3-55.7	271	49.0	44.3-53.7	
35-44	863	515,253	459	51.7	47.8-55.6	404	48.3	44.4-52.2	
45-54	736	333,278	369	49.3	45.0-53.6	367	50.7	46.4-55.0	
55-64	249	114,186	134	51.2	43.8-58.6	115	48.8	41.4-56.2	
65+	148	67,138	66	48.6	39.2-58.0	82	51.4	42.0-60.8	
Less Than H.S.	264	165,774	144	54.7	47.4-62.0	120	45.3	38.0-52.6	
H.S. or G.E.D.	797	422,197	424	52.8	48.7-56.9	373	47.2	43.1-51.3	
Some Post-H.S.	724	387,277	378	49.9	45.6-54.2	346	50.1	45.8-54.4	
College Graduate	1000	548,139	502	48.5	45.0-52.0	498	51.5	48.0-55.0	
Less than \$15,000	207	122,295	106	49.6	41.4-57.8	101	50.4	42.2-58.6	
\$15,000- 24,999	404	232,869	226	54.4	48.7-60.1	178	45.6	39.9-51.3	
\$25,000- 34,999	235	142,235	123	50.7	43.1-58.3	112	49.3	41.7-56.9	
\$35,000- 49,999	325	185,893	171	53.4	47.1-59.7	154	46.6	40.3-52.9	
\$50,000- 74,999	412	215,711	213	50.0	44.3-55.7	199	50.0	44.3-55.7	
\$75,000+	1020	524,641	523	49.4	45.9-52.9	497	50.6	47.1-54.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1154	638,300	598	50.2	46.9-53.5	556	49.8	46.5-53.1
White/Non-Hisp	880	472,749	447	49.4	45.5-53.3	433	50.6	46.7-54.5
Black or Afr. Am./Non-Hisp	76	55,882	39	50.4	37.3-63.5	37	49.6	36.5-62.7
Hispanic	113	62,928	60	49.3	38.9-59.7	53	50.7	40.3-61.1
18-24	101	46,474	51	47.3	35.7-58.9	50	52.7	41.1-64.3
25-34	239	158,514	116	46.1	39.0-53.2	123	53.9	46.8-61.0
35-44	337	203,486	184	54.6	48.5-60.7	153	45.4	39.3-51.5
45-54	316	158,644	158	48.6	42.1-55.1	158	51.4	44.9-57.9
55-64	119	53,842	68	52.1	41.3-62.9	51	47.9	37.1-58.7
Less Than H.S.	113	67,550	61	53.0	42.6-63.4	52	47.0	36.6-57.4
H.S. or G.E.D.	363	185,041	194	53.2	47.3-59.1	169	46.8	40.9-52.7
Some Post-H.S.	270	149,478	128	46.3	39.2-53.4	142	53.7	46.6-60.8
College Graduate	408	236,231	215	49.5	43.8-55.2	193	50.5	44.8-56.2
\$15,000- 24,999	136	78,937	72	52.4	42.8-62.0	64	47.6	38.0-57.2
\$25,000- 34,999	80	47,135	51	61.9	49.2-74.6	29	38.1	25.4-50.8
\$35,000- 49,999	148	87,313	84	58.0	48.8-67.2	64	42.0	32.8-51.2
\$50,000- 74,999	174	96,936	85	47.6	38.4-56.8	89	52.4	43.2-61.6
\$75,000+	503	269,205	254	47.6	42.7-52.5	249	52.4	47.5-57.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1634	885,910	851	51.1	48.2-54.0	783	48.9	46.0-51.8
White/Non-Hisp	1238	634,217	635	50.7	47.4-54.0	603	49.3	46.0-52.6
Black or Afr. Am./Non-Hisp	148	103,802	79	52.9	43.3-62.5	69	47.1	37.5-56.7
Hispanic	161	89,695	90	54.6	45.6-63.6	71	45.4	36.4-54.4
18-24	111	64,513	61	52.1	41.3-62.9	50	47.9	37.1-58.7
25-34	341	224,854	193	54.6	48.3-60.9	148	45.4	39.1-51.7
35-44	526	311,768	275	49.8	44.9-54.7	251	50.2	45.3-55.1
45-54	420	174,633	211	50.0	44.3-55.7	209	50.0	44.3-55.7
55-64	130	60,343	66	50.3	40.1-60.5	64	49.7	39.5-59.9
65+	106	49,798	45	47.3	36.1-58.5	61	52.7	41.5-63.9
Less Than H.S.	151	98,224	83	55.8	46.2-65.4	68	44.2	34.6-53.8
H.S. or G.E.D.	434	237,156	230	52.5	46.8-58.2	204	47.5	41.8-53.2
Some Post-H.S.	454	237,799	250	52.2	46.9-57.5	204	47.8	42.5-53.1
College Graduate	592	311,908	287	47.8	43.1-52.5	305	52.2	47.5-56.9
Less than \$15,000	162	100,080	82	50.8	41.6-60.0	80	49.2	40.0-58.4
\$15,000- 24,999	268	153,931	154	55.5	48.4-62.6	114	44.5	37.4-51.6
\$25,000- 34,999	155	95,100	72	45.2	35.8-54.6	83	54.8	45.4-64.2
\$35,000- 49,999	177	98,580	87	49.4	41.0-57.8	90	50.6	42.2-59.0
\$50,000- 74,999	238	118,775	128	52.0	44.6-59.4	110	48.0	40.6-55.4
\$75,000+	517	255,436	269	51.3	46.2-56.4	248	48.7	43.6-53.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable**

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2759	1,508,869	244	8.8	07.6-10.0	12	0.4	00.0-00.8	2	0.2	00.0-00.6	63	2.0	01.4-02.6	2424	88.3	86.9-89.7	14	0.3	00.1-00.5
Male	1141	631,668	92	7.7	05.9-09.5	7	0.6	00.2-01.0	1	0.2	00.0-00.6	32	2.5	01.5-03.5	1002	88.6	86.6-90.6	7	0.4	00.0-00.8
Female	1618	877,201	152	9.5	07.7-11.3	5	0.3	00.0-00.7	1	0.2	00.0-00.6	31	1.7	01.1-02.3	1422	88.0	86.0-90.0	7	0.3	00.1-00.5
White/Non-Hisp	2113	1,106,316	52	2.2	01.4-03.0	4	0.3	00.0-00.7				18	0.7	00.3-01.1	2037	96.8	96.0-97.6	2	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	222	158,119	2	0.4	00.0-01.0	2	0.4	00.0-01.0				1	0.2	00.0-00.6	216	98.4	97.0-99.8	1	0.5	00.0-01.5
Oth. Race/Non-Hisp.	65	42,803							1	4.4	00.0-12.8				64	95.6	87.2-0100			
MultiRacial/Non-Hisp.	67	40,326	2	3.6	00.0-08.5							1	1.1	00.0-03.3	63	93.7	87.4-0100	1	1.6	00.0-04.7
Hispanic	266	145,806	187	72.8	66.9-78.7	6	2.0	00.2-03.8	1	1.0	00.0-03.0	42	14.6	10.1-19.1	20	8.0	04.5-11.5	10	1.6	00.4-02.8
18-24	211	110,585	23	11.9	06.6-17.2	2	0.6	00.0-01.4	1	1.7	00.0-05.0	4	1.3	00.0-02.9	179	83.9	77.6-90.2	2	0.6	00.0-01.4
25-34	572	376,595	74	12.1	09.2-15.0	7	1.3	00.1-02.5				9	1.7	00.5-02.9	478	84.5	81.2-87.8	4	0.4	00.0-00.8
35-44	857	511,925	82	9.0	06.8-11.2							25	2.4	01.4-03.4	746	88.4	86.0-90.8	4	0.3	00.0-00.7
45-54	728	330,652	44	5.9	03.9-07.9	3	0.3	00.0-00.7				19	2.4	01.2-03.6	658	91.1	88.7-93.5	4	0.4	00.0-00.8
55-64	244	111,666	12	4.2	01.5-06.9				1	1.3	00.0-03.8	4	1.0	00.0-02.2	227	93.5	89.6-97.4			
65+	147	67,446	9	5.5	01.6-09.4							2	1.6	00.0-03.8	136	93.0	88.7-97.3			
Less Than H.S.	259	160,840	86	31.0	24.7-37.3				2	2.1	00.0-05.0	20	6.9	03.8-10.0	150	59.9	53.0-66.8	1	0.1	00.0-00.3
H.S. or G.E.D.	787	419,134	87	11.6	08.9-14.3	3	0.2	00.0-00.4				12	1.1	00.5-01.7	684	87.0	84.3-89.7	1	0.1	00.0-00.3
Some Post-H.S.	714	381,231	43	5.7	03.7-07.7	4	0.6	00.0-01.2				9	1.0	00.2-01.8	650	92.1	89.9-94.3	8	0.6	00.2-01.0
College Graduate	996	546,841	28	2.2	01.2-03.2	5	0.6	00.0-01.2				22	2.0	01.0-03.0	937	94.9	93.3-96.5	4	0.3	00.0-00.7
Less than \$15,000	205	121,785	43	22.5	15.4-29.6	1	0.4	00.0-01.2				11	4.7	01.8-07.6	148	71.7	64.4-79.0	2	0.7	00.0-01.7
\$15,000- 24,999	401	229,670	80	19.1	14.8-23.4	3	0.4	00.0-00.8				15	3.6	01.6-05.6	301	76.8	72.1-81.5	2	0.1	00.0-00.3
\$25,000- 34,999	231	139,097	24	9.7	05.6-13.8							7	2.6	00.4-04.8	200	87.8	83.3-92.3			
\$35,000- 49,999	324	185,561	32	9.6	06.1-13.1							3	0.6	00.0-01.4	288	89.4	85.7-93.1	1	0.3	00.0-00.9
\$50,000- 74,999	412	216,250	20	4.1	02.1-06.1	3	1.1	00.0-02.5	1	0.9	00.0-02.7	8	1.4	00.4-02.4	378	92.4	89.5-95.3	2	0.2	00.0-00.4
\$75,000+	1009	520,117	23	1.8	01.0-02.6	5	0.5	00.0-01.1				15	1.3	00.5-02.1	960	96.0	94.6-97.4	6	0.4	00.0-00.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1141	631,668	92	7.7	05.9-09.5	7	0.6	00.2-01.0	1	0.2	00.0-00.6	32	2.5	01.5-03.5	1002	88.6	86.6-90.6	7	0.4	00.0-00.8
White/Non-Hisp	878	472,460	17	1.7	00.7-02.7	2	0.2	00.0-00.6				11	1.0	00.4-01.6	846	96.9	95.7-98.1	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	75	55,610	2	1.1	00.0-02.7	2	1.2	00.0-03.0				1	0.6	00.0-01.8	69	95.5	91.4-99.6	1	1.5	00.0-04.4
Hispanic	110	60,165	73	66.9	56.9-76.9	3	2.9	00.0-06.6	1	2.4	00.0-06.9	20	17.6	10.0-25.2	9	8.9	02.8-15.0	4	1.3	00.0-02.7
18-24	101	46,590	10	11.4	03.6-19.2	1	0.5	00.0-01.5				3	2.5	00.0-05.8	86	85.1	76.7-93.5	1	0.5	00.0-01.5
25-34	237	156,761	29	11.3	07.0-15.6	4	1.7	00.0-03.5				5	2.1	00.1-04.1	198	84.6	79.7-89.5	1	0.3	00.0-00.9
35-44	334	202,008	28	8.2	05.1-11.3							11	2.7	00.9-04.5	292	88.4	84.9-91.9	3	0.6	00.0-01.4
45-54	312	156,873	17	4.5	02.1-06.9	2	0.4	00.0-01.0				10	2.9	00.9-04.9	281	92.0	88.9-95.1	2	0.2	00.0-00.6
55-64	116	52,201	7	3.9	00.6-07.2				1	2.8	00.0-08.1	2	1.1	00.0-02.9	106	92.3	86.0-98.6			
Less Than H.S.	111	65,046	35	30.0	20.8-39.2				1	2.2	00.0-06.5	7	7.2	01.9-12.5	67	60.3	50.3-70.3	1	0.3	00.0-00.9
H.S. or G.E.D.	355	182,299	35	9.9	06.4-13.4	2	0.3	00.0-00.7				9	1.9	00.5-03.3	309	87.9	84.0-91.8			
Some Post-H.S.	265	147,148	12	4.3	01.6-07.0	2	1.0	00.0-02.6				3	1.0	00.0-02.2	244	92.9	89.6-96.2	4	0.8	00.0-01.6
College Graduate	410	237,175	10	2.1	00.5-03.7	3	0.6	00.0-01.4				13	2.6	01.2-04.0	382	94.3	91.9-96.7	2	0.4	00.0-01.2
\$15,000- 24,999	133	76,367	28	19.2	11.9-26.5	2	0.7	00.0-01.7				6	5.1	01.0-09.2	96	74.7	66.7-82.7	1	0.2	00.0-00.6
\$25,000- 34,999	77	46,094	10	12.0	04.4-19.6							4	3.9	00.0-08.0	63	84.0	75.6-92.4			
\$35,000- 49,999	147	86,980	22	13.8	07.5-20.1							1	0.2	00.0-00.6	124	86.0	79.7-92.3			
\$50,000- 74,999	175	97,825	7	3.4	00.7-06.1	3	2.4	00.0-05.3				3	1.4	00.0-03.0	162	92.8	88.7-96.9			
\$75,000+	500	267,760	12	2.1	00.7-03.5	2	0.2	00.0-00.6				11	1.7	00.5-02.9	471	95.4	93.4-97.4	4	0.5	00.0-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1618	877,201	152	9.5	07.7-11.3	5	0.3	00.0-00.7	1	0.2	00.0-00.6	31	1.7	01.1-02.3	1422	88.0	86.0-90.0	7	0.3	00.1-00.5
White/Non-Hisp	1235	633,856	35	2.5	01.5-03.5	2	0.3	00.0-00.7				7	0.5	00.1-00.9	1191	96.7	95.5-97.9			
Black or Afr. Am./Non-Hisp	147	102,509													147	100.0	0100-0100			
Hispanic	156	85,641	114	76.9	69.8-84.0	3	1.4	00.0-03.0				22	12.5	06.8-18.2	11	7.4	02.9-11.9	6	1.8	00.2-03.4
18-24	110	63,995	13	12.3	05.2-19.4	1	0.6	00.0-01.8	1	3.0	00.0-08.7	1	0.5	00.0-01.5	93	83.1	74.5-91.7	1	0.6	00.0-01.8
25-34	335	219,834	45	12.6	08.5-16.7	3	1.0	00.0-02.4				4	1.5	00.0-03.1	280	84.5	80.0-89.0	3	0.4	00.0-00.8
35-44	523	309,917	54	9.5	06.8-12.2							14	2.1	00.7-03.5	454	88.3	85.4-91.2	1	0.1	00.0-00.3
45-54	416	173,780	27	7.1	03.8-10.4	1	0.2	00.0-00.6				9	1.9	00.5-03.3	377	90.4	86.9-93.9	2	0.5	00.0-01.3
55-64	128	59,464	5	4.5	00.2-08.8							2	0.9	00.0-02.3	121	94.5	90.0-99.0			
65+	106	50,211	8	6.8	01.7-11.9							1	0.9	00.0-02.7	97	92.3	87.0-97.6			
Less Than H.S.	148	95,794	51	31.7	23.1-40.3				1	2.0	00.0-05.9	13	6.7	02.8-10.6	83	59.7	50.3-69.1			
H.S. or G.E.D.	432	236,835	52	12.9	08.8-17.0	1	0.2	00.0-00.6				3	0.4	00.0-01.0	375	86.3	82.2-90.4	1	0.2	00.0-00.6
Some Post-H.S.	449	234,083	31	6.6	04.1-09.1	2	0.4	00.0-01.0				6	1.0	00.2-01.8	406	91.6	88.9-94.3	4	0.5	00.0-01.1
College Graduate	586	309,666	18	2.3	01.1-03.5	2	0.6	00.0-01.6				9	1.5	00.3-02.7	555	95.4	93.4-97.4	2	0.3	00.0-00.7
Less than \$15,000	160	99,570	34	22.9	14.9-30.9	1	0.4	00.0-01.2				7	3.1	00.6-05.6	117	73.1	64.9-81.3	1	0.4	00.0-01.2
\$15,000- 24,999	268	153,303	52	19.0	13.5-24.5	1	0.3	00.0-00.9				9	2.8	00.8-04.8	205	77.8	72.1-83.5	1	0.1	00.0-00.3
\$25,000- 34,999	154	93,003	14	8.5	03.6-13.4							3	1.9	00.0-04.3	137	89.6	84.3-94.9			
\$35,000- 49,999	177	98,580	10	5.9	02.0-09.8							2	1.0	00.0-02.4	164	92.4	88.1-96.7	1	0.6	00.0-01.8
\$50,000- 74,999	237	118,425	13	4.6	01.9-07.3				1	1.6	00.0-04.7	5	1.4	00.2-02.6	216	92.1	87.8-96.4	2	0.4	00.0-01.0
\$75,000+	509	252,357	11	1.4	00.4-02.4	3	0.9	00.0-02.1				4	0.9	00.0-02.1	489	96.5	94.5-98.5	2	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	Data was weighted using _CLLCPWT.										
	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2708	1,479,399	2610	95.6	94.6-96.6	91	4.2	03.2-05.2	7	0.2	00.0-00.4
Male	1109	612,144	1074	96.4	95.2-97.6	33	3.3	02.1-04.5	2	0.3	00.0-00.7
Female	1599	867,256	1536	95.0	93.6-96.4	58	4.8	03.4-06.2	5	0.2	00.0-00.4
White/Non-Hisp	2103	1,099,718	2049	96.6	95.6-97.6	50	3.2	02.2-04.2	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	222	157,104	207	93.0	88.9-97.1	14	6.8	02.7-10.9	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	67	43,920	56	84.9	76.1-93.7	11	15.1	06.3-23.9			
MultiRacial/Non-Hisp.	65	38,369	49	75.0	62.7-87.3	15	23.9	11.7-36.1	1	1.1	00.0-03.3
Hispanic	234	130,485	232	99.7	99.3-0100	1	0.2	00.0-00.6	1	0.2	00.0-00.6
18-24	201	106,448	190	93.5	89.2-97.8	10	6.2	01.9-10.5	1	0.3	00.0-00.9
25-34	557	369,683	527	93.4	90.9-95.9	30	6.6	04.1-09.1			
35-44	842	499,267	823	97.9	96.9-98.9	18	2.0	01.0-03.0	1	0.0	00.0-00.0
45-54	716	323,491	698	96.3	94.5-98.1	15	3.3	01.5-05.1	3	0.4	00.0-00.8
55-64	243	112,144	229	92.9	89.0-96.8	12	5.5	02.2-08.8	2	1.6	00.0-03.8
65+	149	68,367	143	94.7	90.6-98.8	6	5.3	01.2-09.4			
Less Than H.S.	243	155,141	237	96.0	92.5-99.5	6	4.0	00.5-07.5			
H.S. or G.E.D.	765	406,831	740	95.9	94.1-97.7	25	4.1	02.3-05.9			
Some Post-H.S.	710	378,653	680	95.3	93.3-97.3	27	4.5	02.5-06.5	3	0.2	00.0-00.4
College Graduate	987	537,950	950	95.5	93.9-97.1	33	4.1	02.5-05.7	4	0.5	00.0-01.1
Less than \$15,000	199	119,357	189	94.1	89.6-98.6	8	5.2	00.7-09.7	2	0.7	00.0-01.7
\$15,000- 24,999	386	222,215	367	94.0	91.1-96.9	19	6.0	03.1-08.9			
\$25,000- 34,999	229	138,545	219	95.5	92.6-98.4	9	4.2	01.3-07.1	1	0.2	00.0-00.6
\$35,000- 49,999	314	177,498	296	93.2	89.9-96.5	17	6.2	03.1-09.3	1	0.7	00.0-02.1
\$50,000- 74,999	409	213,672	395	95.9	93.5-98.3	13	3.8	01.6-06.0	1	0.3	00.0-00.9
\$75,000+	999	513,706	978	97.4	96.0-98.8	19	2.5	01.3-03.7	2	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	Data was weighted using _CLLCPWT.										
	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1109	612,144	1074	96.4	95.2-97.6	33	3.3	02.1-04.5	2	0.3	00.0-00.7
White/Non-Hisp	872	469,794	855	97.4	96.2-98.6	15	2.2	01.0-03.4	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	73	52,756	68	94.8	89.9-99.7	5	5.2	00.3-10.1			
Hispanic	93	51,126	93	100.0	0100-0100						
18-24	95	44,469	93	97.3	93.2-0100	2	2.7	00.0-06.8			
25-34	226	150,946	214	94.6	91.5-97.7	12	5.4	02.3-08.5			
35-44	326	194,492	319	98.2	96.8-99.6	7	1.8	00.4-03.2			
45-54	302	151,111	297	97.6	95.4-99.8	5	2.4	00.2-04.6			
55-64	117	52,983	111	92.4	86.1-98.7	4	4.3	00.0-08.8	2	3.3	00.0-08.0
Less Than H.S.	102	61,532	101	98.6	95.9-0100	1	1.4	00.0-04.1			
H.S. or G.E.D.	343	176,100	332	95.8	93.3-98.3	11	4.2	01.7-06.7			
Some Post-H.S.	261	144,345	252	96.6	94.2-99.0	9	3.4	01.0-05.8			
College Graduate	403	230,167	389	96.1	93.9-98.3	12	3.2	01.2-05.2	2	0.8	00.0-02.0
\$15,000- 24,999	125	73,405	121	95.6	91.3-99.9	4	4.4	00.1-08.7			
\$25,000- 34,999	76	44,417	72	94.6	89.1-0100	4	5.4	00.0-10.9			
\$35,000- 49,999	141	81,393	131	92.0	86.9-97.1	9	6.6	02.3-10.9	1	1.4	00.0-04.1
\$50,000- 74,999	172	95,229	167	96.9	94.0-99.8	4	2.5	00.0-05.2	1	0.6	00.0-01.8
\$75,000+	492	262,959	483	98.1	96.7-99.5	9	1.9	00.5-03.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	Data was weighted using _CLLCPWT.										
	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1599	867,256	1536	95.0	93.6-96.4	58	4.8	03.4-06.2	5	0.2	00.0-00.4
White/Non-Hisp	1231	629,924	1194	95.9	94.5-97.3	35	3.9	02.5-05.3	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	149	104,348	139	92.1	86.4-97.8	9	7.5	01.8-13.2	1	0.3	00.0-00.9
Hispanic	141	79,359	139	99.4	98.6-0100	1	0.3	00.0-00.9	1	0.3	00.0-00.9
18-24	106	61,979	97	90.7	84.0-97.4	8	8.8	02.1-15.5	1	0.4	00.0-01.2
25-34	331	218,737	313	92.5	88.8-96.2	18	7.5	03.8-11.2			
35-44	516	304,775	504	97.8	96.2-99.4	11	2.2	00.6-03.8	1	0.1	00.0-00.3
45-54	414	172,380	401	95.1	92.2-98.0	10	4.1	01.4-06.8	3	0.8	00.0-01.6
55-64	126	59,161	118	93.4	88.7-98.1	8	6.6	01.9-11.3			
65+	106	50,224	103	96.4	92.3-0100	3	3.6	00.0-07.7			
Less Than H.S.	141	93,609	136	94.4	88.9-99.9	5	5.6	00.1-11.1			
H.S. or G.E.D.	422	230,731	408	95.9	93.5-98.3	14	4.1	01.7-06.5			
Some Post-H.S.	449	234,308	428	94.5	91.8-97.2	18	5.1	02.6-07.6	3	0.4	00.0-00.8
College Graduate	584	307,783	561	95.0	92.8-97.2	21	4.7	02.5-06.9	2	0.3	00.0-00.7
Less than \$15,000	157	98,679	148	93.7	88.4-99.0	7	5.5	00.4-10.6	2	0.8	00.0-02.0
\$15,000- 24,999	261	148,810	246	93.1	89.4-96.8	15	6.9	03.2-10.6			
\$25,000- 34,999	153	94,128	147	95.9	92.4-99.4	5	3.7	00.2-07.2	1	0.4	00.0-01.2
\$35,000- 49,999	173	96,106	165	94.2	89.9-98.5	8	5.8	01.5-10.1			
\$50,000- 74,999	237	118,443	228	95.2	91.9-98.5	9	4.8	01.5-08.1			
\$75,000+	507	250,747	495	96.6	94.4-98.8	10	3.2	01.0-05.4	2	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	85	56,141	45	55.2	43.6-66.8	24	27.5	18.5-36.5	9	9.2	04.1-14.3	6	7.4	01.1-13.7	1	0.6	00.0-01.8	
Female	54	36,613	29	56.8	41.9-71.7	19	33.4	21.4-45.4	2	1.6	00.0-03.4	4	8.2	00.0-17.0				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	54	36,613	29	56.8	41.9-71.7	19	33.4	21.4-45.4	2	1.6	00.0-03.4	4	8.2	00.0-17.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2786	1,523,239	2205	81.1	79.5-82.7	286	9.6	08.4-10.8	54	2.0	01.4-02.6	123	3.4	02.8-04.0	73	2.6	02.0-03.2	45	1.4	01.0-01.8
Male	1151	637,630	915	82.1	79.7-84.5	80	6.5	04.9-08.1	25	2.3	01.3-03.3	69	4.4	03.2-05.6	34	2.6	01.6-03.6	28	2.0	01.2-02.8
Female	1635	885,609	1290	80.3	78.1-82.5	206	11.7	09.9-13.5	29	1.8	01.0-02.6	54	2.7	01.9-03.5	39	2.5	01.7-03.3	17	0.9	00.3-01.5
White/Non-Hisp	2117	1,106,756	1704	82.5	80.7-84.3	216	9.3	07.9-10.7	49	2.4	01.6-03.2	85	3.0	02.2-03.8	39	1.9	01.3-02.5	24	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	225	160,230	156	75.1	69.0-81.2	38	13.2	08.7-17.7	3	2.0	00.0-04.4	14	4.4	01.9-06.9	10	3.8	01.3-06.3	4	1.5	00.0-03.1
Oth. Race/Non-Hisp.	66	43,038	51	80.9	70.9-90.9	6	9.2	01.6-16.8	1	0.5	00.0-01.5	4	5.5	00.0-11.2	4	4.0	00.0-08.3			
MultiRacial/Non-Hisp.	68	40,837	46	74.3	62.7-85.9	10	14.9	05.1-24.7	1	0.8	00.0-02.4	6	5.9	00.4-11.4	4	3.3	00.0-06.8	1	0.9	00.0-02.7
Hispanic	273	152,016	217	78.8	73.1-84.5	12	5.4	01.9-08.9				14	5.0	02.1-07.9	16	5.9	03.0-08.8	14	5.0	02.3-07.7
18-24	208	109,488	64	38.8	30.6-47.0				3	1.7	00.0-03.9	111	43.8	36.2-51.4	19	9.9	05.2-14.6	11	5.8	02.1-09.5
25-34	579	383,007	540	95.3	93.7-96.9	1	0.1	00.0-00.3	6	0.9	00.1-01.7	7	0.7	00.1-01.3	16	2.1	00.9-03.3	9	0.8	00.2-01.4
35-44	865	514,971	827	95.3	93.7-96.9	7	0.9	00.1-01.7	12	1.7	00.5-02.9	1	0.1	00.0-00.3	12	1.5	00.5-02.5	6	0.5	00.1-00.9
45-54	735	332,905	643	85.8	82.7-88.9	62	9.9	07.2-12.6	13	2.0	00.6-03.4	3	0.2	00.0-00.4	7	1.0	00.2-01.8	7	1.1	00.1-02.1
55-64	248	113,877	117	39.4	32.3-46.5	101	46.8	39.4-54.2	10	4.5	01.4-07.6				11	5.3	02.0-08.6	9	3.9	01.0-06.8
65+	151	68,990	14	8.7	03.6-13.8	115	78.5	71.2-85.8	10	6.4	01.9-10.9	1	0.5	00.0-01.5	8	4.4	01.1-07.7	3	1.5	00.0-03.5
Less Than H.S.	265	166,268	177	70.6	64.5-76.7	43	14.9	10.2-19.6	4	1.8	00.0-03.8	17	5.3	02.6-08.0	17	5.2	02.5-07.9	7	2.2	00.4-04.0
H.S. or G.E.D.	791	420,143	532	70.4	66.7-74.1	111	13.0	10.3-15.7	24	3.2	01.6-04.8	69	7.1	05.1-09.1	32	3.9	02.3-05.5	23	2.3	01.3-03.3
Some Post-H.S.	726	388,150	582	81.8	78.7-84.9	88	11.5	08.8-14.2	12	1.6	00.6-02.6	25	2.5	01.3-03.7	11	1.5	00.5-02.5	8	1.1	00.3-01.9
College Graduate	1001	547,853	911	91.8	89.8-93.8	44	3.9	02.5-05.3	14	1.4	00.4-02.4	12	0.7	00.3-01.1	13	1.5	00.5-02.5	7	0.6	00.0-01.2
Less than \$15,000	208	123,736	157	76.7	70.0-83.4	27	11.8	07.1-16.5	7	4.2	00.5-07.9	6	2.7	00.3-05.1	6	3.0	00.5-05.5	5	1.7	00.0-03.5
\$15,000- 24,999	404	233,206	302	78.2	73.9-82.5	55	12.7	09.2-16.2	8	1.5	00.3-02.7	15	2.4	01.0-03.8	17	3.8	01.8-05.8	7	1.4	00.2-02.6
\$25,000- 34,999	236	141,986	179	78.2	72.3-84.1	36	13.6	08.7-18.5	5	1.7	00.1-03.3	7	2.2	00.4-04.0	5	2.3	00.1-04.5	4	2.1	00.0-04.3
\$35,000- 49,999	322	184,546	226	74.0	68.7-79.3	48	13.9	09.6-18.2	13	3.4	01.2-05.6	18	3.9	01.9-05.9	8	2.0	00.2-03.8	9	2.7	00.7-04.7
\$50,000- 74,999	412	214,943	324	82.3	78.2-86.4	41	7.6	04.9-10.3	10	2.4	00.6-04.2	14	2.8	01.2-04.4	15	3.6	01.6-05.6	8	1.4	00.2-02.6
\$75,000+	1019	523,922	911	90.2	88.2-92.2	51	4.6	03.2-06.0	10	1.3	00.3-02.3	34	2.4	01.4-03.4	9	1.1	00.3-01.9	4	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1151	637,630	915	82.1	79.7-84.5	80	6.5	04.9-08.1	25	2.3	01.3-03.3	69	4.4	03.2-05.6	34	2.6	01.6-03.6	28	2.0	01.2-02.8
White/Non-Hisp	878	472,287	716	84.1	81.6-86.6	58	6.1	04.3-07.9	23	3.0	01.6-04.4	53	4.2	03.0-05.4	16	1.7	00.7-02.7	12	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	76	55,882	55	79.5	70.3-88.7	8	7.8	01.7-13.9				6	4.6	00.7-08.5	3	3.6	00.0-07.9	4	4.4	00.0-09.1
Hispanic	113	62,928	82	72.3	62.9-81.7	5	5.6	00.1-11.1				7	7.0	01.1-12.9	10	8.5	03.0-14.0	9	6.7	02.0-11.4
18-24	99	46,463	19	25.1	13.7-36.5				1	0.6	00.0-01.8	63	55.0	43.0-67.0	11	12.8	05.0-20.6	5	6.6	00.3-12.9
25-34	239	158,595	214	92.4	89.1-95.7	1	0.3	00.0-00.9	4	1.9	00.0-03.9	4	1.2	00.0-02.6	9	2.8	00.8-04.8	7	1.5	00.3-02.7
35-44	339	204,258	325	96.1	93.9-98.3	2	0.6	00.0-01.4	4	1.4	00.0-03.0				5	1.4	00.2-02.6	3	0.5	00.0-01.1
45-54	313	157,179	280	89.1	85.2-93.0	16	5.3	02.6-08.0	9	3.2	00.7-05.7	1	0.2	00.0-00.6	2	0.5	00.0-01.3	5	1.6	00.0-03.2
55-64	119	53,562	72	51.0	40.2-61.8	30	33.3	22.5-44.1	3	3.7	00.0-08.0				6	4.6	00.3-08.9	8	7.4	01.5-13.3
Less Than H.S.	113	67,550	76	70.2	61.0-79.4	13	12.5	05.2-19.8				9	6.5	02.0-11.0	10	6.8	02.1-11.5	5	4.0	00.3-07.7
H.S. or G.E.D.	358	183,145	247	72.9	67.8-78.0	25	6.7	03.8-09.6	14	3.7	01.5-05.9	42	9.4	06.3-12.5	17	4.7	02.2-07.2	13	2.5	00.9-04.1
Some Post-H.S.	270	150,315	215	81.4	76.1-86.7	29	10.1	06.0-14.2	4	2.0	00.0-04.2	12	2.8	01.0-04.6	4	1.5	00.0-03.1	6	2.2	00.2-04.2
College Graduate	410	236,619	377	93.0	90.3-95.7	13	2.5	00.9-04.1	7	2.1	00.3-03.9	6	0.9	00.1-01.7	3	0.6	00.0-01.4	4	1.0	00.0-02.2
\$15,000- 24,999	137	79,533	99	78.3	71.0-85.6	17	11.8	05.9-17.7	3	1.6	00.0-03.6	8	3.0	00.6-05.4	6	3.7	00.6-06.8	4	1.5	00.0-03.1
\$25,000- 34,999	79	46,380	60	78.9	69.3-88.5	8	9.0	02.5-15.5	1	1.8	00.0-05.3	4	2.7	00.0-05.4	3	3.2	00.0-07.3	3	4.4	00.0-09.7
\$35,000- 49,999	146	86,212	102	74.8	67.2-82.4	13	9.0	03.7-14.3	5	3.6	00.0-07.3	13	5.6	02.5-08.7	6	2.2	00.4-04.0	7	4.8	00.9-08.7
\$50,000- 74,999	175	97,649	137	82.8	76.3-89.3	13	6.1	01.8-10.4	9	4.5	01.2-07.8	8	3.2	00.7-05.7	4	2.3	00.0-04.8	4	1.1	00.0-02.3
\$75,000+	504	269,613	446	90.1	87.4-92.8	20	3.2	01.6-04.8	7	1.8	00.2-03.4	22	3.1	01.7-04.5	6	1.3	00.1-02.5	3	0.4	00.0-01.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 28: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1635	885,609	1290	80.3	78.1-82.5	206	11.7	09.9-13.5	29	1.8	01.0-02.6	54	2.7	01.9-03.5	39	2.5	01.7-03.3	17	0.9	00.3-01.5
White/Non-Hisp	1239	634,470	988	81.4	78.9-83.9	158	11.7	09.7-13.7	26	2.0	01.2-02.8	32	2.0	01.2-02.8	23	2.1	01.1-03.1	12	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	149	104,348	101	72.7	64.9-80.5	30	16.0	09.9-22.1	3	3.1	00.0-06.6	8	4.2	01.1-07.3	7	4.0	00.9-07.1			
Hispanic	160	89,088	135	83.3	76.4-90.2	7	5.3	00.6-10.0				7	3.6	00.9-06.3	6	4.0	00.7-07.3	5	3.8	00.3-07.3
18-24	109	63,025	45	48.9	37.9-59.9				2	2.5	00.0-06.0	48	35.5	25.7-45.3	8	7.8	02.3-13.3	6	5.3	00.6-10.0
25-34	340	224,412	326	97.4	96.0-98.8				2	0.2	00.0-00.6	3	0.4	00.0-00.8	7	1.6	00.4-02.8	2	0.4	00.0-01.0
35-44	526	310,713	502	94.7	92.3-97.1	5	1.1	00.1-02.1	8	1.8	00.2-03.4	1	0.1	00.0-00.3	7	1.7	00.3-03.1	3	0.5	00.0-01.1
45-54	422	175,726	363	82.8	78.1-87.5	46	14.0	09.5-18.5	4	1.0	00.0-02.0	2	0.3	00.0-00.7	5	1.4	00.0-02.8	2	0.6	00.0-01.6
55-64	129	60,315	45	29.1	20.5-37.7	71	58.9	49.1-68.7	7	5.2	00.5-09.9				5	5.9	00.8-11.0	1	0.8	00.0-02.4
65+	109	51,417	9	8.8	02.5-15.1	84	78.3	69.5-87.1	6	5.8	00.5-11.1				7	5.2	00.9-09.5	3	2.0	00.0-04.5
Less Than H.S.	152	98,718	101	70.9	62.9-78.9	30	16.5	10.0-23.0	4	3.1	00.0-06.2	8	4.5	01.0-08.0	7	4.0	00.9-07.1	2	1.0	00.0-02.6
H.S. or G.E.D.	433	236,999	285	68.5	63.4-73.6	86	17.9	13.8-22.0	10	2.8	00.8-04.8	27	5.3	02.9-07.7	15	3.3	01.5-05.1	10	2.2	00.8-03.6
Some Post-H.S.	456	237,834	367	82.1	78.2-86.0	59	12.4	08.9-15.9	8	1.3	00.3-02.3	13	2.3	00.9-03.7	7	1.4	00.2-02.6	2	0.4	00.0-01.0
College Graduate	591	311,234	534	90.9	88.2-93.6	31	5.0	03.0-07.0	7	0.9	00.1-01.7	6	0.5	00.1-00.9	10	2.3	00.7-03.9	3	0.4	00.0-01.0
Less than \$15,000	164	102,091	124	78.2	71.1-85.3	25	12.6	07.3-17.9	7	5.1	00.8-09.4	4	2.3	00.0-04.7	2	1.2	00.0-02.8	2	0.7	00.0-01.7
\$15,000- 24,999	267	153,672	203	78.2	72.7-83.7	38	13.2	08.7-17.7	5	1.5	00.1-02.9	7	2.1	00.3-03.9	11	3.8	01.4-06.2	3	1.3	00.0-02.9
\$25,000- 34,999	157	95,606	119	77.8	70.4-85.2	28	15.9	09.2-22.6	4	1.6	00.0-03.2	3	1.9	00.0-04.3	2	1.9	00.0-04.4	1	0.9	00.0-02.7
\$35,000- 49,999	176	98,334	124	73.3	65.9-80.7	35	18.3	11.8-24.8	8	3.3	00.6-06.0	5	2.5	00.1-04.9	2	1.8	00.0-04.7	2	0.8	00.0-02.0
\$50,000- 74,999	237	117,294	187	81.8	76.5-87.1	28	8.8	05.1-12.5	1	0.7	00.0-02.1	6	2.4	00.2-04.6	11	4.7	01.8-07.6	4	1.6	00.0-03.4
\$75,000+	515	254,309	465	90.4	87.5-93.3	31	6.0	03.6-08.4	3	0.7	00.0-01.7	12	1.8	00.6-03.0	3	0.9	00.0-02.1	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017

MODULE 29: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 29: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2759	1,511,471	339	10.5	09.3-11.7	2420	89.5	88.3-90.7
Male	1136	630,639	103	7.5	05.9-09.1	1033	92.5	90.9-94.1
Female	1623	880,832	236	12.7	10.9-14.5	1387	87.3	85.5-89.1
White/Non-Hisp	2104	1,102,824	251	10.4	09.0-11.8	1853	89.6	88.2-91.0
Black or Afr. Am./Non-Hisp	222	157,537	36	13.1	08.4-17.8	186	86.9	82.2-91.6
Oth. Race/Non-Hisp.	66	43,038	7	9.1	01.7-16.5	59	90.9	83.5-98.3
MultiRacial/Non-Hisp.	66	40,101	9	10.0	03.3-16.7	57	90.0	83.3-96.7
Hispanic	264	148,280	34	10.1	06.4-13.8	230	89.9	86.2-93.6
18-24	201	106,598	24	9.0	04.9-13.1	177	91.0	86.9-95.1
25-34	575	381,199	50	7.3	05.1-09.5	525	92.7	90.5-94.9
35-44	860	512,717	119	12.1	09.7-14.5	741	87.9	85.5-90.3
45-54	733	332,202	100	12.6	09.9-15.3	633	87.4	84.7-90.1
55-64	246	112,252	30	9.3	05.6-13.0	216	90.7	87.0-94.4
65+	144	66,505	16	10.9	05.0-16.8	128	89.1	83.2-95.0
Less Than H.S.	260	164,336	36	11.6	07.5-15.7	224	88.4	84.3-92.5
H.S. or G.E.D.	775	413,391	95	10.6	08.2-13.0	680	89.4	87.0-91.8
Some Post-H.S.	720	385,457	94	11.1	08.6-13.6	626	88.9	86.4-91.4
College Graduate	1001	547,464	113	9.7	07.7-11.7	888	90.3	88.3-92.3
Less than \$15,000	202	121,241	34	14.4	09.1-19.7	168	85.6	80.3-90.9
\$15,000- 24,999	400	231,259	55	11.2	07.9-14.5	345	88.8	85.5-92.1
\$25,000- 34,999	234	141,265	37	12.9	08.4-17.4	197	87.1	82.6-91.6
\$35,000- 49,999	320	183,021	27	9.7	05.6-13.8	293	90.3	86.2-94.4
\$50,000- 74,999	412	213,987	56	10.6	07.5-13.7	356	89.4	86.3-92.5
\$75,000+	1018	524,032	114	9.3	07.3-11.3	904	90.7	88.7-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 29: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1136	630,639	103	7.5	05.9-09.1	1033	92.5	90.9-94.1
White/Non-Hisp	874	471,585	79	7.4	05.4-09.4	795	92.6	90.6-94.6
Black or Afr. Am./Non-Hisp	73	53,189	6	7.1	00.6-13.6	67	92.9	86.4-99.4
Hispanic	107	60,792	12	8.7	03.4-14.0	95	91.3	86.0-96.6
18-24	96	44,797	11	8.7	03.0-14.4	85	91.3	85.6-97.0
25-34	235	156,786	11	3.6	01.2-06.0	224	96.4	94.0-98.8
35-44	334	201,897	41	11.0	07.5-14.5	293	89.0	85.5-92.5
45-54	313	157,445	24	5.5	02.8-08.2	289	94.5	91.8-97.2
55-64	117	52,241	12	7.6	02.7-12.5	105	92.4	87.5-97.3
Less Than H.S.	108	65,540	12	10.7	04.2-17.2	96	89.3	82.8-95.8
H.S. or G.E.D.	350	180,155	35	9.0	05.7-12.3	315	91.0	87.7-94.3
Some Post-H.S.	268	149,025	26	7.2	03.9-10.5	242	92.8	89.5-96.1
College Graduate	410	235,918	30	5.6	03.2-08.0	380	94.4	92.0-96.8
\$15,000- 24,999	133	77,639	15	8.7	03.4-14.0	118	91.3	86.0-96.6
\$25,000- 34,999	76	45,477	10	13.7	05.3-22.1	66	86.3	77.9-94.7
\$35,000- 49,999	144	84,686	7	6.6	01.3-11.9	137	93.4	88.1-98.7
\$50,000- 74,999	176	97,443	19	8.0	03.9-12.1	157	92.0	87.9-96.1
\$75,000+	503	269,352	45	6.5	04.3-08.7	458	93.5	91.3-95.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 29: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1623	880,832	236	12.7	10.9-14.5	1387	87.3	85.5-89.1
White/Non-Hisp	1230	631,239	172	12.7	10.5-14.9	1058	87.3	85.1-89.5
Black or Afr. Am./Non-Hisp	149	104,348	30	16.1	09.8-22.4	119	83.9	77.6-90.2
Hispanic	157	87,489	22	11.0	06.1-15.9	135	89.0	84.1-93.9
18-24	105	61,800	13	9.3	03.6-15.0	92	90.7	85.0-96.4
25-34	340	224,412	39	9.8	06.5-13.1	301	90.2	86.9-93.5
35-44	526	310,820	78	12.8	09.7-15.9	448	87.2	84.1-90.3
45-54	420	174,757	76	19.0	14.7-23.3	344	81.0	76.7-85.3
55-64	129	60,010	18	10.8	05.5-16.1	111	89.2	83.9-94.5
65+	103	49,033	12	9.8	03.9-15.7	91	90.2	84.3-96.1
Less Than H.S.	152	98,796	24	12.1	06.8-17.4	128	87.9	82.6-93.2
H.S. or G.E.D.	425	233,235	60	11.9	08.6-15.2	365	88.1	84.8-91.4
Some Post-H.S.	452	236,431	68	13.5	10.0-17.0	384	86.5	83.0-90.0
College Graduate	591	311,546	83	12.9	09.8-16.0	508	87.1	84.0-90.2
Less than \$15,000	160	99,945	30	16.2	10.1-22.3	130	83.8	77.7-89.9
\$15,000- 24,999	267	153,620	40	12.6	08.5-16.7	227	87.4	83.3-91.5
\$25,000- 34,999	158	95,788	27	12.6	07.3-17.9	131	87.4	82.1-92.7
\$35,000- 49,999	176	98,334	20	12.4	06.5-18.3	156	87.6	81.7-93.5
\$50,000- 74,999	236	116,544	37	12.7	08.2-17.2	199	87.3	82.8-91.8
\$75,000+	515	254,680	69	12.4	09.3-15.5	446	87.6	84.5-90.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 29: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	338	158,750	218	65.4	59.5-71.3	120	34.6	28.7-40.5
Male	102	46,547	66	68.3	58.1-78.5	36	31.7	21.5-41.9
Female	236	112,203	152	64.2	57.1-71.3	84	35.8	28.7-42.9
White/Non-Hisp	251	114,958	159	63.4	56.3-70.5	92	36.6	29.5-43.7
25-34	50	27,815	34	72.4	59.7-85.1	16	27.6	14.9-40.3
35-44	118	61,617	68	58.4	48.4-68.4	50	41.6	31.6-51.6
45-54	100	41,998	63	62.1	51.1-73.1	37	37.9	26.9-48.9
H.S. or G.E.D.	95	43,821	61	68.0	57.6-78.4	34	32.0	21.6-42.4
Some Post-H.S.	94	42,791	65	71.0	61.0-81.0	29	29.0	19.0-39.0
College Graduate	112	52,862	70	64.2	53.8-74.6	42	35.8	25.4-46.2
\$15,000- 24,999	55	26,016	37	69.8	56.5-83.1	18	30.2	16.9-43.5
\$50,000- 74,999	56	22,648	37	69.1	55.8-82.4	19	30.9	17.6-44.2
\$75,000+	113	48,488	66	58.5	48.3-68.7	47	41.5	31.3-51.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 29: CHILDHOOD ASTHMA PREVALENCE**

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	102	46,547	66	68.3	58.9-77.7	36	31.7	22.3-41.1
White/Non-Hisp	79	34,966	50	65.4	54.0-76.8	29	34.6	23.2-46.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 29: CHILDHOOD ASTHMA PREVALENCE**

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	236	112,203	152	64.2	57.1-71.3	84	35.8	28.7-42.9
White/Non-Hisp	172	79,991	109	62.5	54.1-70.9	63	37.5	29.1-45.9
35-44	78	39,805	44	55.4	42.7-68.1	34	44.6	31.9-57.3
45-54	76	33,272	48	60.7	48.2-73.2	28	39.3	26.8-51.8
H.S. or G.E.D.	60	27,670	39	67.3	54.0-80.6	21	32.7	19.4-46.0
Some Post-H.S.	68	32,015	48	72.1	60.7-83.5	20	27.9	16.5-39.3
College Graduate	83	40,241	49	59.4	47.1-71.7	34	40.6	28.3-52.9
\$75,000+	69	31,475	40	57.7	44.4-71.0	29	42.3	29.0-55.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

End of Module Data Report