


INDIANA

2020 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8456	5,198,319	6934	84.1	83.1-85.1	1522	15.9	14.9-16.9
Male	3827	2,534,780	3200	85.8	84.6-87.0	627	14.2	13.0-15.4
Female	4629	2,663,538	3734	82.5	81.1-83.9	895	17.5	16.1-18.9
White/Non-Hisp	6843	4,097,411	5669	84.5	83.5-85.5	1174	15.5	14.5-16.5
Black or Afr. Am./Non-Hisp	720	460,719	555	80.5	77.0-84.0	165	19.5	16.0-23.0
Oth. Race/Non-Hisp.	217	162,867	176	87.2	82.5-91.9	41	12.8	8.1-17.5
MultiRacial/Non-Hisp.	125	50,503	89	78.1	69.9-86.3	36	21.9	13.7-30.1
Hispanic	376	323,516	307	83.6	79.5-87.7	69	16.4	12.3-20.5
18-24	500	683,954	463	92.9	90.5-95.3	37	7.1	4.7- 9.5
25-34	833	869,025	763	92.2	90.2-94.2	70	7.8	5.8- 9.8
35-44	1031	829,696	902	88.1	85.9-90.3	129	11.9	9.7-14.1
45-54	1389	821,026	1164	83.0	80.6-85.4	225	17.0	14.6-19.4
55-64	1707	859,431	1338	78.0	75.6-80.4	369	22.0	19.6-24.4
65+	2996	1,135,187	2304	74.9	72.9-76.9	692	25.1	23.1-27.1
Less Than H.S.	606	612,514	373	68.6	64.5-72.7	233	31.4	27.3-35.5
H.S. or G.E.D.	2756	1,741,646	2121	81.3	79.7-82.9	635	18.7	17.1-20.3
Some Post-H.S.	2221	1,581,796	1829	85.6	84.0-87.2	392	14.4	12.8-16.0
College Graduate	2847	1,249,411	2590	93.6	92.6-94.6	257	6.4	5.4- 7.4
Less than \$15,000	543	345,049	318	62.5	57.6-67.4	225	37.5	32.6-42.4
\$15,000- 24,999	1071	665,071	730	71.4	68.1-74.7	341	28.6	25.3-31.9
\$25,000- 34,999	726	415,343	569	80.0	76.7-83.3	157	20.0	16.7-23.3
\$35,000- 49,999	1012	606,661	849	85.3	82.8-87.8	163	14.7	12.2-17.2
\$50,000- 74,999	1113	698,770	969	88.2	86.0-90.4	144	11.8	9.6-14.0
\$75,000+	2141	1,373,169	2020	95.5	94.5-96.5	121	4.5	3.5- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3827	2,534,780	3200	85.8	84.6-87.0	627	14.2	13.0-15.4
White/Non-Hisp	3088	1,977,373	2613	86.4	85.0-87.8	475	13.6	12.2-15.0
Black or Afr. Am./Non-Hisp	282	217,988	215	79.6	73.9-85.3	67	20.4	14.7-26.1
Oth. Race/Non-Hisp.	114	95,328	95	89.8	84.3-95.3	19	10.2	4.7-15.7
MultiRacial/Non-Hisp.	58	25,911	44	85.4	76.2-94.6	14	14.6	5.4-23.8
Hispanic	186	154,551	152	84.7	79.2-90.2	34	15.3	9.8-20.8
18-24	273	352,133	253	92.8	89.7-95.9	20	7.2	4.1-10.3
25-34	414	437,919	384	92.4	89.5-95.3	30	7.6	4.7-10.5
35-44	485	414,528	434	91.2	88.7-93.7	51	8.8	6.3-11.3
45-54	642	408,300	559	85.6	82.5-88.7	83	14.4	11.3-17.5
55-64	791	419,464	637	80.8	77.7-83.9	154	19.2	16.1-22.3
65+	1222	502,436	933	74.9	72.0-77.8	289	25.1	22.2-28.0
Less Than H.S.	284	302,733	185	71.2	65.7-76.7	99	28.8	23.3-34.3
H.S. or G.E.D.	1290	901,609	1030	84.1	81.9-86.3	260	15.9	13.7-18.1
Some Post-H.S.	979	752,900	821	87.2	84.8-89.6	158	12.8	10.4-15.2
College Graduate	1265	574,629	1157	94.2	93.0-95.4	108	5.8	4.6- 7.0
Less than \$15,000	200	133,864	123	64.8	57.2-72.4	77	35.2	27.6-42.8
\$15,000- 24,999	432	288,228	286	70.0	64.9-75.1	146	30.0	24.9-35.1
\$25,000- 34,999	311	194,083	242	78.5	73.2-83.8	69	21.5	16.2-26.8
\$35,000- 49,999	471	295,362	392	85.6	82.1-89.1	79	14.4	10.9-17.9
\$50,000- 74,999	523	354,832	465	90.4	87.5-93.3	58	9.6	6.7-12.5
\$75,000+	1159	782,370	1096	95.9	94.7-97.1	63	4.1	2.9- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4629	2,663,538	3734	82.5	81.1-83.9	895	17.5	16.1-18.9
White/Non-Hisp	3755	2,120,038	3056	82.8	81.4-84.2	699	17.2	15.8-18.6
Black or Afr. Am./Non-Hisp	438	242,731	340	81.3	76.8-85.8	98	18.7	14.2-23.2
Oth. Race/Non-Hisp.	103	67,539	81	83.4	75.2-91.6	22	16.6	8.4-24.8
MultiRacial/Non-Hisp.	67	24,592	45	70.4	57.5-83.3	22	29.6	16.7-42.5
Hispanic	190	168,964	155	82.7	76.4-89.0	35	17.3	11.0-23.6
18-24	227	331,821	210	92.9	89.4-96.4	17	7.1	3.6-10.6
25-34	419	431,106	379	92.1	89.6-94.6	40	7.9	5.4-10.4
35-44	546	415,168	468	85.0	81.7-88.3	78	15.0	11.7-18.3
45-54	747	412,725	605	80.4	77.1-83.7	142	19.6	16.3-22.9
55-64	916	439,967	701	75.4	72.1-78.7	215	24.6	21.3-27.9
65+	1774	632,752	1371	74.9	72.4-77.4	403	25.1	22.6-27.6
Less Than H.S.	322	309,781	188	66.0	60.1-71.9	134	34.0	28.1-39.9
H.S. or G.E.D.	1466	840,036	1091	78.3	75.9-80.7	375	21.7	19.3-24.1
Some Post-H.S.	1242	828,897	1008	84.1	81.7-86.5	234	15.9	13.5-18.3
College Graduate	1582	674,781	1433	93.2	91.8-94.6	149	6.8	5.4- 8.2
Less than \$15,000	343	211,184	195	61.1	54.8-67.4	148	38.9	32.6-45.2
\$15,000- 24,999	639	376,843	444	72.6	68.5-76.7	195	27.4	23.3-31.5
\$25,000- 34,999	415	221,260	327	81.4	77.1-85.7	88	18.6	14.3-22.9
\$35,000- 49,999	541	311,299	457	85.0	81.3-88.7	84	15.0	11.3-18.7
\$50,000- 74,999	590	343,938	504	85.9	82.6-89.2	86	14.1	10.8-17.4
\$75,000+	982	590,799	924	94.9	93.3-96.5	58	5.1	3.5- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8240	5,087,801	5681	70.3	69.1-71.5	1529	18.9	17.9-19.9	1030	10.8	10.0-11.6
Male	3751	2,491,516	2696	73.8	72.2-75.4	638	16.7	15.3-18.1	417	9.5	8.5-10.5
Female	4489	2,596,285	2985	66.9	65.1-68.7	891	21.0	19.4-22.6	613	12.1	10.9-13.3
White/Non-Hisp	6679	4,018,137	4613	70.2	68.8-71.6	1250	19.0	17.8-20.2	816	10.8	10.0-11.6
Black or Afr. Am./Non-Hisp	700	448,770	465	68.3	63.8-72.8	137	20.3	16.4-24.2	98	11.4	8.5-14.3
Oth. Race/Non-Hisp.	211	160,222	138	69.7	61.7-77.7	42	21.7	14.3-29.1	31	8.6	5.1-12.1
MultiRacial/Non-Hisp.	119	49,167	80	69.9	59.9-79.9	18	16.8	8.2-25.4	21	13.3	6.6-20.0
Hispanic	363	312,976	264	72.3	66.6-78.0	56	16.6	11.9-21.3	43	11.1	7.4-14.8
18-24	494	674,844	366	73.9	69.6-78.2	116	23.9	19.8-28.0	12	2.2	0.8- 3.6
25-34	823	861,834	602	74.6	71.3-77.9	170	18.8	15.9-21.7	51	6.5	4.5- 8.5
35-44	1014	815,895	751	74.7	71.8-77.6	188	17.9	15.4-20.4	75	7.3	5.5- 9.1
45-54	1361	805,185	942	69.0	66.3-71.7	245	17.7	15.5-19.9	174	13.2	11.0-15.4
55-64	1673	843,824	1092	64.4	61.9-66.9	303	18.6	16.4-20.8	278	17.0	14.8-19.2
65+	2875	1,086,219	1928	66.6	64.4-68.8	507	17.8	16.0-19.6	440	15.5	13.9-17.1
Less Than H.S.	574	591,549	320	59.5	54.8-64.2	118	20.5	16.8-24.2	136	20.1	16.6-23.6
H.S. or G.E.D.	2660	1,693,173	1808	71.4	69.4-73.4	460	17.3	15.5-19.1	392	11.3	10.1-12.5
Some Post-H.S.	2176	1,557,063	1451	68.5	66.1-70.9	428	20.5	18.5-22.5	297	11.0	9.6-12.4
College Graduate	2805	1,233,516	2086	76.3	74.5-78.1	517	18.3	16.5-20.1	202	5.5	4.7- 6.3
Less than \$15,000	516	331,195	261	57.0	51.9-62.1	110	19.8	15.7-23.9	145	23.3	19.2-27.4
\$15,000- 24,999	1028	643,870	573	57.4	53.7-61.1	211	22.1	19.0-25.2	244	20.6	17.7-23.5
\$25,000- 34,999	707	405,634	461	63.6	59.3-67.9	142	23.7	19.6-27.8	104	12.7	10.0-15.4
\$35,000- 49,999	999	600,718	676	69.1	65.6-72.6	221	20.9	18.0-23.8	102	10.0	7.6-12.4
\$50,000- 74,999	1104	694,065	770	71.1	68.0-74.2	222	19.6	16.9-22.3	112	9.3	7.3-11.3
\$75,000+	2118	1,358,803	1684	80.9	78.9-82.9	339	15.9	13.9-17.9	95	3.2	2.4- 4.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3751	2,491,516	2696	73.8	72.2-75.4	638	16.7	15.3-18.1	417	9.5	8.5-10.5
White/Non-Hisp	3029	1,947,182	2176	73.3	71.5-75.1	529	17.4	15.8-19.0	324	9.3	8.1-10.5
Black or Afr. Am./Non-Hisp	276	212,179	190	72.4	65.9-78.9	45	14.6	9.5-19.7	41	13.0	8.1-17.9
Oth. Race/Non-Hisp.	113	94,720	79	74.9	64.9-84.9	21	20.0	10.2-29.8	13	5.0	1.7- 8.3
MultiRacial/Non-Hisp.	57	25,850	43	79.8	67.6-92.0	8	16.3	4.5-28.1	6	3.9	0.4- 7.4
Hispanic	179	149,403	138	78.9	72.0-85.8	21	11.0	5.7-16.3	20	10.2	5.1-15.3
18-24	270	347,883	208	76.8	71.3-82.3	57	21.4	16.1-26.7	5	1.8	0.2- 3.4
25-34	411	436,101	311	76.9	72.4-81.4	77	17.0	13.1-20.9	23	6.2	3.5- 8.9
35-44	478	409,255	385	81.8	78.1-85.5	63	12.6	9.5-15.7	30	5.6	3.4- 7.8
45-54	628	399,821	466	73.6	69.7-77.5	101	15.4	12.5-18.3	61	11.0	8.1-13.9
55-64	775	410,882	524	67.0	63.3-70.7	135	17.7	14.8-20.6	116	15.3	12.4-18.2
65+	1189	487,575	802	67.8	64.7-70.9	205	17.0	14.6-19.4	182	15.2	12.8-17.6
Less Than H.S.	274	294,648	162	65.0	58.9-71.1	47	15.3	10.8-19.8	65	19.7	14.8-24.6
H.S. or G.E.D.	1258	882,717	918	76.0	73.3-78.7	197	15.5	13.1-17.9	143	8.5	6.9-10.1
Some Post-H.S.	963	743,169	663	70.6	67.3-73.9	181	19.4	16.5-22.3	119	10.0	7.8-12.2
College Graduate	1247	568,073	946	78.8	76.3-81.3	212	16.0	13.6-18.4	89	5.1	3.9- 6.3
Less than \$15,000	191	127,707	105	60.4	52.0-68.8	32	17.4	10.3-24.5	54	22.3	15.8-28.8
\$15,000- 24,999	415	277,786	229	57.4	51.7-63.1	78	18.6	14.3-22.9	108	24.0	19.1-28.9
\$25,000- 34,999	302	188,606	204	66.0	59.5-72.5	57	21.8	16.1-27.5	41	12.2	7.9-16.5
\$35,000- 49,999	468	294,141	324	71.7	67.0-76.4	98	18.4	14.3-22.5	46	9.8	6.7-12.9
\$50,000- 74,999	519	351,899	382	75.7	71.4-80.0	98	17.5	13.8-21.2	39	6.8	4.3- 9.3
\$75,000+	1149	776,907	939	82.7	80.2-85.2	164	14.6	12.1-17.1	46	2.6	1.8- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4489	2,596,285	2985	66.9	65.1-68.7	891	21.0	19.4-22.6	613	12.1	10.9-13.3
White/Non-Hisp	3650	2,070,955	2437	67.3	65.3-69.3	721	20.5	18.9-22.1	492	12.2	11.0-13.4
Black or Afr. Am./Non-Hisp	424	236,592	275	64.7	58.6-70.8	92	25.4	19.7-31.1	57	10.0	6.5-13.5
Oth. Race/Non-Hisp.	98	65,502	59	62.2	49.7-74.7	21	24.0	12.4-35.6	18	13.8	6.7-20.9
MultiRacial/Non-Hisp.	62	23,317	37	58.9	44.0-73.8	10	17.4	4.9-29.9	15	23.8	11.5-36.1
Hispanic	184	163,574	126	66.2	57.8-74.6	35	21.8	14.2-29.4	23	12.0	6.3-17.7
18-24	224	326,961	158	70.9	64.4-77.4	59	26.4	19.9-32.9	7	2.7	0.5- 4.9
25-34	412	425,733	291	72.4	67.7-77.1	93	20.7	16.6-24.8	28	6.9	4.0- 9.8
35-44	536	406,641	366	67.6	63.3-71.9	125	23.3	19.4-27.2	45	9.1	6.4-11.8
45-54	733	405,364	476	64.5	60.6-68.4	144	20.0	16.7-23.3	113	15.4	12.5-18.3
55-64	898	432,943	568	61.9	58.2-65.6	168	19.4	16.5-22.3	162	18.7	15.8-21.6
65+	1686	598,644	1126	65.7	63.0-68.4	302	18.5	16.1-20.9	258	15.8	13.6-18.0
Less Than H.S.	300	296,901	158	53.9	47.0-60.8	71	25.7	19.6-31.8	71	20.4	15.3-25.5
H.S. or G.E.D.	1402	810,456	890	66.4	63.5-69.3	263	19.2	16.7-21.7	249	14.3	12.3-16.3
Some Post-H.S.	1213	813,894	788	66.5	63.4-69.6	247	21.5	18.8-24.2	178	12.0	10.0-14.0
College Graduate	1558	665,444	1140	74.1	71.6-76.6	305	20.2	17.8-22.6	113	5.8	4.6- 7.0
Less than \$15,000	325	203,488	156	54.9	48.2-61.6	78	21.3	16.0-26.6	91	23.9	18.6-29.2
\$15,000- 24,999	613	366,084	344	57.3	52.4-62.2	133	24.6	20.1-29.1	136	18.0	14.5-21.5
\$25,000- 34,999	405	217,028	257	61.6	55.5-67.7	85	25.3	19.6-31.0	63	13.1	9.6-16.6
\$35,000- 49,999	531	306,577	352	66.5	61.6-71.4	123	23.2	18.9-27.5	56	10.2	6.9-13.5
\$50,000- 74,999	585	342,166	388	66.4	61.9-70.9	124	21.7	17.8-25.6	73	11.9	8.8-15.0
\$75,000+	969	581,897	745	78.4	75.5-81.3	175	17.6	14.9-20.3	49	4.0	2.8- 5.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8295	5,104,791	5298	60.0	58.6-61.4	1895	24.7	23.5-25.9	1102	15.3	14.3-16.3
Male	3766	2,493,683	2656	67.2	65.4-69.0	723	21.4	19.8-23.0	387	11.4	10.0-12.8
Female	4529	2,611,108	2642	53.1	51.3-54.9	1172	27.9	26.1-29.7	715	19.0	17.4-20.6
White/Non-Hisp	6716	4,030,427	4257	59.3	57.9-60.7	1583	25.3	23.9-26.7	876	15.4	14.2-16.6
Black or Afr. Am./Non-Hisp	706	448,232	483	64.7	60.0-69.4	136	21.0	17.1-24.9	87	14.3	10.8-17.8
Oth. Race/Non-Hisp.	217	162,929	135	59.9	51.1-68.7	45	25.2	17.2-33.2	37	14.9	9.0-20.8
MultiRacial/Non-Hisp.	123	50,391	71	57.1	46.1-68.1	25	23.5	13.9-33.1	27	19.3	11.1-27.5
Hispanic	362	310,425	235	60.9	54.8-67.0	73	23.2	17.9-28.5	54	15.8	11.1-20.5
18-24	488	665,931	208	43.0	38.1-47.9	180	36.1	31.4-40.8	100	20.8	16.7-24.9
25-34	823	860,701	374	47.2	43.5-50.9	284	32.5	29.0-36.0	165	20.2	17.1-23.3
35-44	1019	820,835	545	55.7	52.4-59.0	290	26.8	23.9-29.7	184	17.5	15.0-20.0
45-54	1362	807,504	854	63.4	60.5-66.3	308	21.6	19.2-24.0	200	15.1	12.9-17.3
55-64	1691	851,900	1116	65.9	63.4-68.4	360	21.5	19.3-23.7	215	12.6	10.8-14.4
65+	2912	1,097,920	2201	76.5	74.7-78.3	473	15.0	13.4-16.6	238	8.5	7.3- 9.7
Less Than H.S.	580	590,103	344	56.9	52.2-61.6	99	17.9	14.2-21.6	137	25.3	21.0-29.6
H.S. or G.E.D.	2690	1,708,514	1781	63.0	60.6-65.4	513	21.0	19.0-23.0	396	16.0	14.2-17.8
Some Post-H.S.	2182	1,555,798	1340	57.0	54.5-59.5	527	27.5	25.1-29.9	315	15.4	13.6-17.2
College Graduate	2821	1,238,809	1818	61.1	58.9-63.3	752	29.6	27.6-31.6	251	9.3	7.9-10.7
Less than \$15,000	523	331,996	255	48.3	43.0-53.6	107	19.9	15.8-24.0	161	31.8	26.9-36.7
\$15,000- 24,999	1045	650,084	597	53.9	50.2-57.6	236	23.6	20.3-26.9	212	22.5	19.2-25.8
\$25,000- 34,999	711	405,140	462	59.8	55.3-64.3	141	21.6	17.9-25.3	108	18.6	14.9-22.3
\$35,000- 49,999	1001	596,236	594	55.1	51.4-58.8	278	29.3	25.8-32.8	129	15.6	12.7-18.5
\$50,000- 74,999	1103	695,136	711	60.2	56.7-63.7	253	25.8	22.7-28.9	139	14.0	11.5-16.5
\$75,000+	2128	1,368,048	1425	63.2	60.7-65.7	557	28.8	26.4-31.2	146	8.0	6.4- 9.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3766	2,493,683	2656	67.2	65.4-69.0	723	21.4	19.8-23.0	387	11.4	10.0-12.8
White/Non-Hisp	3043	1,950,310	2141	66.7	64.7-68.7	594	21.6	19.8-23.4	308	11.7	10.3-13.1
Black or Afr. Am./Non-Hisp	274	209,316	195	68.4	61.5-75.3	52	19.5	14.0-25.0	27	12.1	6.8-17.4
Oth. Race/Non-Hisp.	115	95,464	81	69.6	58.4-80.8	20	21.3	11.3-31.3	14	9.2	2.5-15.9
MultiRacial/Non-Hisp.	58	25,911	38	67.1	51.8-82.4	10	19.4	6.5-32.3	10	13.5	2.9-24.1
Hispanic	182	151,088	131	68.5	60.5-76.5	33	23.6	16.0-31.2	18	7.9	4.0-11.8
18-24	265	343,536	133	50.4	43.7-57.1	93	35.2	28.9-41.5	39	14.4	9.9-18.9
25-34	409	433,836	215	54.9	49.6-60.2	124	28.1	23.4-32.8	70	17.0	12.9-21.1
35-44	480	410,654	298	64.6	59.9-69.3	112	21.8	17.9-25.7	70	13.6	10.3-16.9
45-54	628	400,430	445	71.0	67.1-74.9	115	17.7	14.4-21.0	68	11.3	8.6-14.0
55-64	783	413,780	581	74.2	70.7-77.7	129	17.6	14.5-20.7	73	8.2	6.0-10.4
65+	1201	491,447	984	83.0	80.6-85.4	150	11.9	9.7-14.1	67	5.2	3.8- 6.6
Less Than H.S.	275	294,098	180	63.2	56.5-69.9	43	18.1	12.8-23.4	52	18.8	13.5-24.1
H.S. or G.E.D.	1266	886,390	904	68.3	65.2-71.4	209	19.0	16.3-21.7	153	12.7	10.5-14.9
Some Post-H.S.	962	740,410	651	64.2	60.7-67.7	207	24.6	21.3-27.9	104	11.3	8.9-13.7
College Graduate	1257	570,353	916	71.3	68.4-74.2	263	22.9	20.2-25.6	78	5.7	4.3- 7.1
Less than \$15,000	192	127,161	92	46.3	37.9-54.7	38	23.1	15.7-30.5	62	30.6	22.8-38.4
\$15,000- 24,999	422	281,452	262	58.9	53.2-64.6	82	20.5	15.8-25.2	78	20.5	15.6-25.4
\$25,000- 34,999	309	192,209	222	68.2	61.9-74.5	49	16.9	12.0-21.8	38	15.0	9.9-20.1
\$35,000- 49,999	463	289,066	313	62.7	57.2-68.2	105	24.9	20.0-29.8	45	12.4	8.5-16.3
\$50,000- 74,999	517	351,633	380	69.1	64.2-74.0	100	22.6	18.1-27.1	37	8.3	5.4-11.2
\$75,000+	1154	779,365	859	70.6	67.3-73.9	241	23.9	20.8-27.0	54	5.5	3.7- 7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4529	2,611,108	2642	53.1	51.3-54.9	1172	27.9	26.1-29.7	715	19.0	17.4-20.6
White/Non-Hisp	3673	2,080,117	2116	52.3	50.3-54.3	989	28.8	27.0-30.6	568	18.9	17.1-20.7
Black or Afr. Am./Non-Hisp	432	238,916	288	61.4	55.1-67.7	84	22.4	16.9-27.9	60	16.1	11.4-20.8
Oth. Race/Non-Hisp.	102	67,465	54	46.3	33.2-59.4	25	30.8	18.1-43.5	23	22.9	12.5-33.3
MultiRacial/Non-Hisp.	65	24,480	33	46.6	32.1-61.1	15	27.9	13.8-42.0	17	25.5	13.0-38.0
Hispanic	180	159,337	104	53.8	45.0-62.6	40	22.9	15.5-30.3	36	23.3	15.5-31.1
18-24	223	322,396	75	35.2	28.1-42.3	87	37.1	30.0-44.2	61	27.7	21.0-34.4
25-34	414	426,865	159	39.5	34.2-44.8	160	37.0	31.9-42.1	95	23.5	18.8-28.2
35-44	539	410,181	247	46.8	42.1-51.5	178	31.8	27.5-36.1	114	21.4	17.5-25.3
45-54	734	407,074	409	55.8	51.7-59.9	193	25.4	21.9-28.9	132	18.8	15.5-22.1
55-64	908	438,120	535	58.0	54.3-61.7	231	25.2	22.1-28.3	142	16.8	13.9-19.7
65+	1711	606,473	1217	71.2	68.7-73.7	323	17.6	15.4-19.8	171	11.3	9.3-13.3
Less Than H.S.	305	296,005	164	50.6	43.7-57.5	56	17.7	12.4-23.0	85	31.7	25.2-38.2
H.S. or G.E.D.	1424	822,124	877	57.3	54.0-60.6	304	23.2	20.3-26.1	243	19.6	16.9-22.3
Some Post-H.S.	1220	815,388	689	50.5	47.2-53.8	320	30.3	27.2-33.4	211	19.2	16.5-21.9
College Graduate	1564	668,455	902	52.3	49.4-55.2	489	35.3	32.4-38.2	173	12.3	10.1-14.5
Less than \$15,000	331	204,835	163	49.5	42.8-56.2	69	17.9	13.0-22.8	99	32.6	26.1-39.1
\$15,000- 24,999	623	368,632	335	50.1	45.0-55.2	154	26.0	21.5-30.5	134	23.9	19.6-28.2
\$25,000- 34,999	402	212,931	240	52.2	46.1-58.3	92	26.0	20.5-31.5	70	21.9	16.6-27.2
\$35,000- 49,999	538	307,170	281	47.9	42.6-53.2	173	33.4	28.5-38.3	84	18.7	14.4-23.0
\$50,000- 74,999	586	343,503	331	51.1	46.2-56.0	153	29.0	24.5-33.5	102	19.9	15.8-24.0
\$75,000+	974	588,683	566	53.6	49.9-57.3	316	35.2	31.5-38.9	92	11.2	8.7-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5288	3,952,505	4654	86.1	84.9-87.3	634	13.9	12.7-15.1
Male	2516	1,971,653	2170	85.0	83.2-86.8	346	15.0	13.2-16.8
Female	2772	1,980,852	2484	87.2	85.6-88.8	288	12.8	11.2-14.4
White/Non-Hisp	4130	3,017,102	3725	88.5	87.3-89.7	405	11.5	10.3-12.7
Black or Afr. Am./Non-Hisp	482	383,783	406	81.9	77.6-86.2	76	18.1	13.8-22.4
Oth. Race/Non-Hisp.	160	143,347	144	91.2	86.3-96.1	16	8.8	3.9-13.7
MultiRacial/Non-Hisp.	94	42,108	80	82.7	73.5-91.9	14	17.3	8.1-26.5
Hispanic	331	297,278	223	66.0	59.9-72.1	108	34.0	27.9-40.1
18-24	484	661,179	404	84.1	80.6-87.6	80	15.9	12.4-19.4
25-34	833	870,183	705	83.2	80.3-86.1	128	16.8	13.9-19.7
35-44	1024	822,927	869	83.5	81.0-86.0	155	16.5	14.0-19.0
45-54	1241	735,560	1117	89.4	87.4-91.4	124	10.6	8.6-12.6
55-64	1706	862,657	1559	90.2	88.6-91.8	147	9.8	8.2-11.4
Less Than H.S.	420	490,136	296	69.2	64.1-74.3	124	30.8	25.7-35.9
H.S. or G.E.D.	1630	1,261,207	1378	83.7	81.5-85.9	252	16.3	14.1-18.5
Some Post-H.S.	1389	1,229,131	1233	88.5	86.5-90.5	156	11.5	9.5-13.5
College Graduate	1839	964,464	1737	94.7	93.5-95.9	102	5.3	4.1- 6.5
Less than \$15,000	386	281,182	335	84.3	79.8-88.8	51	15.7	11.2-20.2
\$15,000- 24,999	625	488,688	483	74.0	69.7-78.3	142	26.0	21.7-30.3
\$25,000- 34,999	374	276,505	280	74.0	68.9-79.1	94	26.0	20.9-31.1
\$35,000- 49,999	597	438,228	511	82.6	78.9-86.3	86	17.4	13.7-21.1
\$50,000- 74,999	735	556,338	671	89.5	86.8-92.2	64	10.5	7.8-13.2
\$75,000+	1695	1,208,975	1634	96.0	94.8-97.2	61	4.0	2.8- 5.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2516	1,971,653	2170	85.0	83.2-86.8	346	15.0	13.2-16.8
White/Non-Hisp	1968	1,501,402	1748	87.5	85.7-89.3	220	12.5	10.7-14.3
Black or Afr. Am./Non-Hisp	209	184,664	169	79.8	73.1-86.5	40	20.2	13.5-26.9
Oth. Race/Non-Hisp.	87	85,288	76	89.4	82.3-96.5	11	10.6	3.5-17.7
Hispanic	161	139,866	100	62.7	54.3-71.1	61	37.3	28.9-45.7
18-24	261	337,507	210	82.3	77.4-87.2	51	17.7	12.8-22.6
25-34	415	439,892	340	81.0	76.7-85.3	75	19.0	14.7-23.3
35-44	480	410,414	403	83.3	79.6-87.0	77	16.7	13.0-20.4
45-54	567	363,653	505	88.9	86.0-91.8	62	11.1	8.2-14.0
55-64	793	420,188	712	89.6	87.2-92.0	81	10.4	8.0-12.8
Less Than H.S.	210	250,017	139	66.0	58.9-73.1	71	34.0	26.9-41.1
H.S. or G.E.D.	859	695,715	717	83.7	81.0-86.4	142	16.3	13.6-19.0
Some Post-H.S.	644	593,800	563	87.8	84.9-90.7	81	12.2	9.3-15.1
College Graduate	800	431,180	748	94.1	92.3-95.9	52	5.9	4.1- 7.7
Less than \$15,000	153	114,016	127	81.0	73.4-88.6	26	19.0	11.4-26.6
\$15,000- 24,999	265	212,141	190	70.4	63.9-76.9	75	29.6	23.1-36.1
\$25,000- 34,999	174	133,667	127	71.8	64.2-79.4	47	28.2	20.6-35.8
\$35,000- 49,999	272	210,064	223	79.8	74.1-85.5	49	20.2	14.5-25.9
\$50,000- 74,999	337	278,225	300	86.8	82.3-91.3	37	13.2	8.7-17.7
\$75,000+	908	690,721	868	95.3	93.5-97.1	40	4.7	2.9- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2772	1,980,852	2484	87.2	85.6-88.8	288	12.8	11.2-14.4
White/Non-Hisp	2162	1,515,701	1977	89.4	87.6-91.2	185	10.6	8.8-12.4
Black or Afr. Am./Non-Hisp	273	199,118	237	83.8	78.5-89.1	36	16.2	10.9-21.5
Oth. Race/Non-Hisp.	73	58,059	68	93.9	87.8- 100	5	6.1	0.0-12.2
MultiRacial/Non-Hisp.	51	20,987	44	83.2	71.2-95.2	7	16.8	4.8-28.8
Hispanic	170	157,412	123	68.9	60.3-77.5	47	31.1	22.5-39.7
18-24	223	323,672	194	86.0	80.9-91.1	29	14.0	8.9-19.1
25-34	418	430,291	365	85.4	81.3-89.5	53	14.6	10.5-18.7
35-44	544	412,513	466	83.7	80.2-87.2	78	16.3	12.8-19.8
45-54	674	371,907	612	90.0	87.3-92.7	62	10.0	7.3-12.7
55-64	913	442,469	847	90.9	88.5-93.3	66	9.1	6.7-11.5
Less Than H.S.	210	240,119	157	72.4	65.3-79.5	53	27.6	20.5-34.7
H.S. or G.E.D.	771	565,492	661	83.7	80.6-86.8	110	16.3	13.2-19.4
Some Post-H.S.	745	635,331	670	89.2	86.7-91.7	75	10.8	8.3-13.3
College Graduate	1039	533,285	989	95.2	93.6-96.8	50	4.8	3.2- 6.4
Less than \$15,000	233	167,166	208	86.5	81.0-92.0	25	13.5	8.0-19.0
\$15,000- 24,999	360	276,548	293	76.7	71.0-82.4	67	23.3	17.6-29.0
\$25,000- 34,999	200	142,838	153	76.1	69.2-83.0	47	23.9	17.0-30.8
\$35,000- 49,999	325	228,163	288	85.2	80.1-90.3	37	14.8	9.7-19.9
\$50,000- 74,999	398	278,113	371	92.2	89.1-95.3	27	7.8	4.7-10.9
\$75,000+	787	518,254	766	96.8	95.2-98.4	21	3.2	1.6- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8450	5,197,526	6104	73.7	72.5-74.9	2346	26.3	25.1-27.5
Male	3828	2,534,473	2868	76.5	74.9-78.1	960	23.5	21.9-25.1
Female	4622	2,663,053	3236	71.1	69.5-72.7	1386	28.9	27.3-30.5
White/Non-Hisp	6838	4,096,574	5034	74.7	73.5-75.9	1804	25.3	24.1-26.5
Black or Afr. Am./Non-Hisp	722	461,285	483	71.6	67.5-75.7	239	28.4	24.3-32.5
Oth. Race/Non-Hisp.	218	163,175	144	72.3	64.7-79.9	74	27.7	20.1-35.3
MultiRacial/Non-Hisp.	124	50,408	84	75.6	67.0-84.2	40	24.4	15.8-33.0
Hispanic	375	322,753	240	65.3	59.6-71.0	135	34.7	29.0-40.4
18-24	500	683,954	403	79.4	75.3-83.5	97	20.6	16.5-24.7
25-34	834	870,998	659	78.8	75.7-81.9	175	21.2	18.1-24.3
35-44	1031	829,656	802	78.1	75.4-80.8	229	21.9	19.2-24.6
45-54	1389	820,807	1050	74.4	71.9-76.9	339	25.6	23.1-28.1
55-64	1710	862,654	1182	68.8	66.3-71.3	528	31.2	28.7-33.7
65+	2986	1,129,457	2008	66.4	64.4-68.4	978	33.6	31.6-35.6
Less Than H.S.	606	615,428	317	56.0	51.3-60.7	289	44.0	39.3-48.7
H.S. or G.E.D.	2754	1,740,052	1749	67.5	65.3-69.7	1005	32.5	30.3-34.7
Some Post-H.S.	2219	1,580,173	1632	77.8	75.8-79.8	587	22.2	20.2-24.2
College Graduate	2846	1,249,011	2392	86.2	84.8-87.6	454	13.8	12.4-15.2
Less than \$15,000	546	346,648	295	54.9	49.8-60.0	251	45.1	40.0-50.2
\$15,000- 24,999	1072	666,524	638	62.5	59.0-66.0	434	37.5	34.0-41.0
\$25,000- 34,999	723	414,157	475	68.0	63.9-72.1	248	32.0	27.9-36.1
\$35,000- 49,999	1012	604,966	711	71.1	67.8-74.4	301	28.9	25.6-32.2
\$50,000- 74,999	1113	699,323	855	78.3	75.4-81.2	258	21.7	18.8-24.6
\$75,000+	2141	1,373,136	1849	87.0	85.2-88.8	292	13.0	11.2-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3828	2,534,473	2868	76.5	74.9-78.1	960	23.5	21.9-25.1
White/Non-Hisp	3087	1,977,316	2358	76.9	75.1-78.7	729	23.1	21.3-24.9
Black or Afr. Am./Non-Hisp	285	219,035	199	78.1	72.8-83.4	86	21.9	16.6-27.2
Oth. Race/Non-Hisp.	116	95,726	76	74.7	64.9-84.5	40	25.3	15.5-35.1
MultiRacial/Non-Hisp.	58	25,911	42	80.9	69.1-92.7	16	19.1	7.3-30.9
Hispanic	185	153,789	125	70.7	63.4-78.0	60	29.3	22.0-36.6
18-24	273	352,133	224	82.0	76.9-87.1	49	18.0	12.9-23.1
25-34	415	439,892	340	83.6	79.9-87.3	75	16.4	12.7-20.1
35-44	483	412,905	376	78.8	74.9-82.7	107	21.2	17.3-25.1
45-54	641	407,293	495	74.8	70.9-78.7	146	25.2	21.3-29.1
55-64	794	420,457	568	71.5	68.0-75.0	226	28.5	25.0-32.0
65+	1222	501,794	865	70.0	67.1-72.9	357	30.0	27.1-32.9
Less Than H.S.	284	303,371	162	61.6	55.3-67.9	122	38.4	32.1-44.7
H.S. or G.E.D.	1293	902,318	872	71.1	68.4-73.8	421	28.9	26.2-31.6
Some Post-H.S.	978	751,766	739	79.9	77.2-82.6	239	20.1	17.4-22.8
College Graduate	1265	574,198	1089	88.3	86.3-90.3	176	11.7	9.7-13.7
Less than \$15,000	201	133,922	107	55.1	46.9-63.3	94	44.9	36.7-53.1
\$15,000- 24,999	433	288,116	266	66.4	61.3-71.5	167	33.6	28.5-38.7
\$25,000- 34,999	308	192,897	218	72.7	66.8-78.6	90	27.3	21.4-33.2
\$35,000- 49,999	471	294,799	342	73.5	68.8-78.2	129	26.5	21.8-31.2
\$50,000- 74,999	522	354,614	404	78.0	73.9-82.1	118	22.0	17.9-26.1
\$75,000+	1159	781,994	1002	86.7	84.3-89.1	157	13.3	10.9-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4622	2,663,053	3236	71.1	69.5-72.7	1386	28.9	27.3-30.5
White/Non-Hisp	3751	2,119,258	2676	72.7	70.9-74.5	1075	27.3	25.5-29.1
Black or Afr. Am./Non-Hisp	437	242,250	284	65.7	59.6-71.8	153	34.3	28.2-40.4
Oth. Race/Non-Hisp.	102	67,449	68	69.0	56.8-81.2	34	31.0	18.8-43.2
MultiRacial/Non-Hisp.	66	24,498	42	70.0	57.5-82.5	24	30.0	17.5-42.5
Hispanic	190	168,964	115	60.4	52.0-68.8	75	39.6	31.2-48.0
18-24	227	331,821	179	76.6	70.1-83.1	48	23.4	16.9-29.9
25-34	419	431,106	319	74.0	69.3-78.7	100	26.0	21.3-30.7
35-44	548	416,751	426	77.5	73.6-81.4	122	22.5	18.6-26.4
45-54	748	413,514	555	74.0	70.3-77.7	193	26.0	22.3-29.7
55-64	916	442,198	614	66.3	62.8-69.8	302	33.7	30.2-37.2
65+	1764	627,663	1143	63.5	60.8-66.2	621	36.5	33.8-39.2
Less Than H.S.	322	312,057	155	50.5	43.8-57.2	167	49.5	42.8-56.2
H.S. or G.E.D.	1461	837,734	877	63.5	60.4-66.6	584	36.5	33.4-39.6
Some Post-H.S.	1241	828,407	893	75.9	73.2-78.6	348	24.1	21.4-26.8
College Graduate	1581	674,813	1303	84.5	82.3-86.7	278	15.5	13.3-17.7
Less than \$15,000	345	212,727	188	54.8	48.3-61.3	157	45.2	38.7-51.7
\$15,000- 24,999	639	378,408	372	59.5	54.6-64.4	267	40.5	35.6-45.4
\$25,000- 34,999	415	221,260	257	64.0	58.3-69.7	158	36.0	30.3-41.7
\$35,000- 49,999	541	310,167	369	68.8	63.9-73.7	172	31.2	26.3-36.1
\$50,000- 74,999	591	344,709	451	78.7	74.8-82.6	140	21.3	17.4-25.2
\$75,000+	982	591,142	847	87.3	84.8-89.8	135	12.7	10.2-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8390	5,173,988	819	7.2	6.6- 7.8	7571	92.8	92.2-93.4
Male	3798	2,521,036	449	8.5	7.5- 9.5	3349	91.5	90.5-92.5
Female	4592	2,652,952	370	6.1	5.3- 6.9	4222	93.9	93.1-94.7
White/Non-Hisp	6788	4,078,246	680	7.8	7.2- 8.4	6108	92.2	91.6-92.8
Black or Afr. Am./Non-Hisp	717	459,134	75	6.3	4.5- 8.1	642	93.7	91.9-95.5
Oth. Race/Non-Hisp.	214	162,348	15	3.3	1.1- 5.5	199	96.7	94.5-98.9
MultiRacial/Non-Hisp.	125	50,503	17	9.2	3.1-15.3	108	90.8	84.7-96.9
Hispanic	373	320,466	14	3.0	1.2- 4.8	359	97.0	95.2-98.8
18-24	498	681,764	4	0.7	0.1- 1.3	494	99.3	98.7-99.9
25-34	829	866,361	9	1.1	0.3- 1.9	820	98.9	98.1-99.7
35-44	1029	828,904	31	2.9	1.7- 4.1	998	97.1	95.9-98.3
45-54	1381	817,160	64	5.3	3.9- 6.7	1317	94.7	93.3-96.1
55-64	1700	858,893	182	10.4	8.8-12.0	1518	89.6	88.0-91.2
65+	2953	1,120,906	529	18.2	16.6-19.8	2424	81.8	80.2-83.4
Less Than H.S.	604	615,323	80	9.3	7.1-11.5	524	90.7	88.5-92.9
H.S. or G.E.D.	2724	1,727,709	319	8.6	7.6- 9.6	2405	91.4	90.4-92.4
Some Post-H.S.	2203	1,573,794	219	6.7	5.7- 7.7	1984	93.3	92.3-94.3
College Graduate	2834	1,244,299	199	4.9	4.1- 5.7	2635	95.1	94.3-95.9
Less than \$15,000	538	343,944	81	12.0	9.1-14.9	457	88.0	85.1-90.9
\$15,000- 24,999	1059	661,655	147	10.4	8.4-12.4	912	89.6	87.6-91.6
\$25,000- 34,999	719	413,463	84	8.5	6.5-10.5	635	91.5	89.5-93.5
\$35,000- 49,999	1006	602,836	92	6.3	4.7- 7.9	914	93.7	92.1-95.3
\$50,000- 74,999	1107	693,949	82	5.2	3.8- 6.6	1025	94.8	93.4-96.2
\$75,000+	2135	1,370,233	124	4.1	3.3- 4.9	2011	95.9	95.1-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3798	2,521,036	449	8.5	7.5- 9.5	3349	91.5	90.5-92.5
White/Non-Hisp	3063	1,967,758	380	9.2	8.2-10.2	2683	90.8	89.8-91.8
Black or Afr. Am./Non-Hisp	281	216,718	30	6.5	3.8- 9.2	251	93.5	90.8-96.2
Oth. Race/Non-Hisp.	115	95,476	9	3.4	0.5- 6.3	106	96.6	93.7-99.5
MultiRacial/Non-Hisp.	58	25,911	7	6.9	0.4-13.4	51	93.1	86.6-99.6
Hispanic	184	151,956	8	4.2	1.1- 7.3	176	95.8	92.7-98.9
18-24	271	349,943	2	0.6	0.0- 1.4	269	99.4	98.6- 100
25-34	412	436,773	4	1.0	0.0- 2.0	408	99.0	98.0- 100
35-44	483	413,190	18	3.2	1.6- 4.8	465	96.8	95.2-98.4
45-54	638	405,985	39	6.8	4.6- 9.0	599	93.2	91.0-95.4
55-64	788	418,045	95	12.3	9.8-14.8	693	87.7	85.2-90.2
65+	1206	497,100	291	23.1	20.4-25.8	915	76.9	74.2-79.6
Less Than H.S.	281	302,996	44	11.3	7.8-14.8	237	88.7	85.2-92.2
H.S. or G.E.D.	1277	893,172	173	9.6	8.0-11.2	1104	90.4	88.8-92.0
Some Post-H.S.	976	751,093	109	7.1	5.5- 8.7	867	92.9	91.3-94.5
College Graduate	1256	570,954	121	6.9	5.5- 8.3	1135	93.1	91.7-94.5
Less than \$15,000	197	132,657	37	15.7	10.2-21.2	160	84.3	78.8-89.8
\$15,000- 24,999	425	285,552	72	12.6	9.3-15.9	353	87.4	84.1-90.7
\$25,000- 34,999	309	193,086	44	9.5	6.4-12.6	265	90.5	87.4-93.6
\$35,000- 49,999	469	293,691	53	7.5	5.1- 9.9	416	92.5	90.1-94.9
\$50,000- 74,999	518	350,530	49	6.6	4.4- 8.8	469	93.4	91.2-95.6
\$75,000+	1154	779,606	90	5.1	3.9- 6.3	1064	94.9	93.7-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4592	2,652,952	370	6.1	5.3- 6.9	4222	93.9	93.1-94.7
White/Non-Hisp	3725	2,110,488	300	6.5	5.7- 7.3	3425	93.5	92.7-94.3
Black or Afr. Am./Non-Hisp	436	242,416	45	6.0	3.6- 8.4	391	94.0	91.6-96.4
Oth. Race/Non-Hisp.	99	66,871	6	3.1	0.2- 6.0	93	96.9	94.0-99.8
MultiRacial/Non-Hisp.	67	24,592	10	11.6	1.4-21.8	57	88.4	78.2-98.6
Hispanic	189	168,510	6	1.9	0.0- 3.9	183	98.1	96.1- 100
18-24	227	331,821	2	0.7	0.0- 1.7	225	99.3	98.3- 100
25-34	417	429,588	5	1.2	0.0- 2.4	412	98.8	97.6- 100
35-44	546	415,714	13	2.5	1.1- 3.9	533	97.5	96.1-98.9
45-54	743	411,175	25	3.9	2.3- 5.5	718	96.1	94.5-97.7
55-64	912	440,847	87	8.7	6.5-10.9	825	91.3	89.1-93.5
65+	1747	623,806	238	14.2	12.2-16.2	1509	85.8	83.8-87.8
Less Than H.S.	323	312,327	36	7.5	4.8-10.2	287	92.5	89.8-95.2
H.S. or G.E.D.	1447	834,537	146	7.5	6.1- 8.9	1301	92.5	91.1-93.9
Some Post-H.S.	1227	822,701	110	6.4	5.0- 7.8	1117	93.6	92.2-95.0
College Graduate	1578	673,344	78	3.3	2.3- 4.3	1500	96.7	95.7-97.7
Less than \$15,000	341	211,287	44	9.7	6.4-13.0	297	90.3	87.0-93.6
\$15,000- 24,999	634	376,103	75	8.7	6.3-11.1	559	91.3	88.9-93.7
\$25,000- 34,999	410	220,377	40	7.6	4.9-10.3	370	92.4	89.7-95.1
\$35,000- 49,999	537	309,146	39	5.2	3.2- 7.2	498	94.8	92.8-96.8
\$50,000- 74,999	589	343,420	33	3.8	2.2- 5.4	556	96.2	94.6-97.8
\$75,000+	981	590,627	34	2.8	1.6- 4.0	947	97.2	96.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8450	5,196,218	7298	86.0	85.0-87.0	1152	14.0	13.0-15.0
Male	3824	2,531,013	3407	88.5	87.3-89.7	417	11.5	10.3-12.7
Female	4626	2,665,206	3891	83.7	82.3-85.1	735	16.3	14.9-17.7
White/Non-Hisp	6839	4,095,844	5935	86.4	85.4-87.4	904	13.6	12.6-14.6
Black or Afr. Am./Non-Hisp	721	459,985	607	82.3	78.6-86.0	114	17.7	14.0-21.4
Oth. Race/Non-Hisp.	216	162,862	181	87.4	81.7-93.1	35	12.6	6.9-18.3
MultiRacial/Non-Hisp.	124	50,169	92	76.3	67.3-85.3	32	23.7	14.7-32.7
Hispanic	375	323,112	328	86.7	82.4-91.0	47	13.3	9.0-17.6
18-24	495	679,216	404	83.6	80.1-87.1	91	16.4	12.9-19.9
25-34	833	870,168	689	83.8	81.1-86.5	144	16.2	13.5-18.9
35-44	1030	829,331	892	87.1	84.9-89.3	138	12.9	10.7-15.1
45-54	1387	820,579	1189	85.9	83.7-88.1	198	14.1	11.9-16.3
55-64	1711	863,432	1457	85.4	83.4-87.4	254	14.6	12.6-16.6
65+	2994	1,133,493	2667	89.0	87.6-90.4	327	11.0	9.6-12.4
Less Than H.S.	609	618,266	495	83.8	80.7-86.9	114	16.2	13.1-19.3
H.S. or G.E.D.	2751	1,736,270	2392	86.4	84.8-88.0	359	13.6	12.0-15.2
Some Post-H.S.	2220	1,581,019	1893	85.0	83.2-86.8	327	15.0	13.2-16.8
College Graduate	2844	1,247,712	2493	87.8	86.4-89.2	351	12.2	10.8-13.6
Less than \$15,000	544	344,774	424	79.5	75.6-83.4	120	20.5	16.6-24.4
\$15,000- 24,999	1073	666,839	876	80.0	76.9-83.1	197	20.0	16.9-23.1
\$25,000- 34,999	726	415,343	628	86.1	83.2-89.0	98	13.9	11.0-16.8
\$35,000- 49,999	1013	605,908	888	87.3	84.8-89.8	125	12.7	10.2-15.2
\$50,000- 74,999	1110	697,450	971	85.9	83.4-88.4	139	14.1	11.6-16.6
\$75,000+	2140	1,372,914	1894	88.8	87.2-90.4	246	11.2	9.6-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3824	2,531,013	3407	88.5	87.3-89.7	417	11.5	10.3-12.7
White/Non-Hisp	3085	1,974,273	2749	88.7	87.3-90.1	336	11.3	9.9-12.7
Black or Afr. Am./Non-Hisp	283	217,754	247	84.4	78.9-89.9	36	15.6	10.1-21.1
Oth. Race/Non-Hisp.	115	95,551	103	88.0	80.0-96.0	12	12.0	4.0-20.0
MultiRacial/Non-Hisp.	57	25,577	45	79.3	66.8-91.8	12	20.7	8.2-33.2
Hispanic	186	154,551	170	90.7	85.8-95.6	16	9.3	4.4-14.2
18-24	268	347,395	224	86.5	82.4-90.6	44	13.5	9.4-17.6
25-34	415	439,892	347	83.7	79.8-87.6	68	16.3	12.4-20.2
35-44	483	413,040	430	89.3	86.2-92.4	53	10.7	7.6-13.8
45-54	641	407,573	583	90.3	87.8-92.8	58	9.7	7.2-12.2
55-64	795	421,093	708	89.7	87.3-92.1	87	10.3	7.9-12.7
65+	1222	502,021	1115	91.1	89.1-93.1	107	8.9	6.9-10.9
Less Than H.S.	286	305,937	245	86.4	82.1-90.7	41	13.6	9.3-17.9
H.S. or G.E.D.	1286	895,543	1150	89.4	87.4-91.4	136	10.6	8.6-12.6
Some Post-H.S.	981	753,675	861	86.8	84.3-89.3	120	13.2	10.7-15.7
College Graduate	1262	572,949	1142	90.6	88.8-92.4	120	9.4	7.6-11.2
Less than \$15,000	199	132,145	166	84.1	78.4-89.8	33	15.9	10.2-21.6
\$15,000- 24,999	433	288,185	371	85.0	80.9-89.1	62	15.0	10.9-19.1
\$25,000- 34,999	311	194,083	272	87.4	83.1-91.7	39	12.6	8.3-16.9
\$35,000- 49,999	471	294,962	427	90.2	87.1-93.3	44	9.8	6.7-12.9
\$50,000- 74,999	521	353,724	463	86.6	82.9-90.3	58	13.4	9.7-17.1
\$75,000+	1158	781,811	1047	90.2	88.2-92.2	111	9.8	7.8-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4626	2,665,206	3891	83.7	82.3-85.1	735	16.3	14.9-17.7
White/Non-Hisp	3754	2,121,571	3186	84.2	82.8-85.6	568	15.8	14.4-17.2
Black or Afr. Am./Non-Hisp	438	242,231	360	80.5	75.4-85.6	78	19.5	14.4-24.6
Oth. Race/Non-Hisp.	101	67,311	78	86.6	79.2-94.0	23	13.4	6.0-20.8
MultiRacial/Non-Hisp.	67	24,592	47	73.3	60.6-86.0	20	26.7	14.0-39.4
Hispanic	189	168,561	158	83.0	76.3-89.7	31	17.0	10.3-23.7
18-24	227	331,821	180	80.5	74.8-86.2	47	19.5	13.8-25.2
25-34	418	430,276	342	83.9	80.4-87.4	76	16.1	12.6-19.6
35-44	547	416,292	462	85.0	81.7-88.3	85	15.0	11.7-18.3
45-54	746	413,007	606	81.6	78.5-84.7	140	18.4	15.3-21.5
55-64	916	442,339	749	81.2	78.3-84.1	167	18.8	15.9-21.7
65+	1772	631,472	1552	87.3	85.5-89.1	220	12.7	10.9-14.5
Less Than H.S.	323	312,329	250	81.4	76.7-86.1	73	18.6	13.9-23.3
H.S. or G.E.D.	1465	840,727	1242	83.2	80.7-85.7	223	16.8	14.3-19.3
Some Post-H.S.	1239	827,344	1032	83.4	80.9-85.9	207	16.6	14.1-19.1
College Graduate	1582	674,763	1351	85.4	83.2-87.6	231	14.6	12.4-16.8
Less than \$15,000	345	212,629	258	76.7	71.4-82.0	87	23.3	18.0-28.6
\$15,000- 24,999	640	378,654	505	76.1	71.8-80.4	135	23.9	19.6-28.2
\$25,000- 34,999	415	221,260	356	85.0	80.9-89.1	59	15.0	10.9-19.1
\$35,000- 49,999	542	310,946	461	84.6	80.9-88.3	81	15.4	11.7-19.1
\$50,000- 74,999	589	343,726	508	85.2	81.7-88.7	81	14.8	11.3-18.3
\$75,000+	982	591,103	847	86.8	84.3-89.3	135	13.2	10.7-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8423	5,175,404	7609	90.4	89.6-91.2	814	9.6	8.8-10.4
Male	3811	2,520,266	3560	93.4	92.4-94.4	251	6.6	5.6- 7.6
Female	4612	2,655,139	4049	87.5	86.3-88.7	563	12.5	11.3-13.7
White/Non-Hisp	6822	4,082,952	6176	90.4	89.6-91.2	646	9.6	8.8-10.4
Black or Afr. Am./Non-Hisp	719	458,771	638	88.4	85.3-91.5	81	11.6	8.5-14.7
Oth. Race/Non-Hisp.	215	162,356	191	93.5	89.8-97.2	24	6.5	2.8-10.2
MultiRacial/Non-Hisp.	122	49,043	101	85.3	78.0-92.6	21	14.7	7.4-22.0
Hispanic	374	321,968	342	90.5	86.8-94.2	32	9.5	5.8-13.2
18-24	491	675,233	441	90.2	87.3-93.1	50	9.8	6.9-12.7
25-34	827	864,372	739	90.7	88.7-92.7	88	9.3	7.3-11.3
35-44	1027	827,019	925	90.1	88.1-92.1	102	9.9	7.9-11.9
45-54	1385	817,445	1242	89.6	87.8-91.4	143	10.4	8.6-12.2
55-64	1707	860,568	1509	88.6	86.8-90.4	198	11.4	9.6-13.2
65+	2986	1,130,768	2753	92.4	91.2-93.6	233	7.6	6.4- 8.8
Less Than H.S.	606	613,115	511	87.1	84.2-90.0	95	12.9	10.0-15.8
H.S. or G.E.D.	2741	1,731,041	2478	90.3	88.9-91.7	263	9.7	8.3-11.1
Some Post-H.S.	2212	1,573,766	1982	90.0	88.6-91.4	230	10.0	8.6-11.4
College Graduate	2838	1,244,530	2612	92.6	91.4-93.8	226	7.4	6.2- 8.6
Less than \$15,000	543	344,557	450	83.7	80.0-87.4	93	16.3	12.6-20.0
\$15,000- 24,999	1068	662,869	915	85.2	82.5-87.9	153	14.8	12.1-17.5
\$25,000- 34,999	723	414,258	652	90.2	87.7-92.7	71	9.8	7.3-12.3
\$35,000- 49,999	1010	603,789	921	91.5	89.5-93.5	89	8.5	6.5-10.5
\$50,000- 74,999	1104	693,484	1008	90.3	88.1-92.5	96	9.7	7.5-11.9
\$75,000+	2136	1,367,970	1986	93.2	92.0-94.4	150	6.8	5.6- 8.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3811	2,520,266	3560	93.4	92.4-94.4	251	6.6	5.6- 7.6
White/Non-Hisp	3078	1,968,249	2868	93.3	92.3-94.3	210	6.7	5.7- 7.7
Black or Afr. Am./Non-Hisp	282	216,874	263	91.5	87.2-95.8	19	8.5	4.2-12.8
Oth. Race/Non-Hisp.	115	95,551	109	95.2	90.1- 100	6	4.8	0.0- 9.9
MultiRacial/Non-Hisp.	55	24,451	50	93.6	86.9- 100	5	6.4	0.0-13.1
Hispanic	185	153,408	175	94.6	91.1-98.1	10	5.4	1.9- 8.9
18-24	266	345,505	247	93.9	91.0-96.8	19	6.1	3.2- 9.0
25-34	411	435,401	381	93.5	91.1-95.9	30	6.5	4.1- 8.9
35-44	482	412,279	447	92.6	90.1-95.1	35	7.4	4.9- 9.9
45-54	641	407,573	603	93.2	91.0-95.4	38	6.8	4.6- 9.0
55-64	793	419,424	731	92.5	90.3-94.7	62	7.5	5.3- 9.7
65+	1218	500,084	1151	94.7	93.3-96.1	67	5.3	3.9- 6.7
Less Than H.S.	285	304,793	254	90.2	86.7-93.7	31	9.8	6.3-13.3
H.S. or G.E.D.	1281	892,182	1199	93.8	92.2-95.4	82	6.2	4.6- 7.8
Some Post-H.S.	978	749,783	903	92.7	90.9-94.5	75	7.3	5.5- 9.1
College Graduate	1258	570,599	1195	95.5	94.3-96.7	63	4.5	3.3- 5.7
Less than \$15,000	199	132,145	177	89.4	84.7-94.1	22	10.6	5.9-15.3
\$15,000- 24,999	430	285,690	392	92.5	89.8-95.2	38	7.5	4.8-10.2
\$25,000- 34,999	310	193,484	286	92.4	88.9-95.9	24	7.6	4.1-11.1
\$35,000- 49,999	470	294,936	441	94.1	91.7-96.5	29	5.9	3.5- 8.3
\$50,000- 74,999	520	353,197	479	90.7	87.6-93.8	41	9.3	6.2-12.4
\$75,000+	1154	776,867	1102	95.5	94.1-96.9	52	4.5	3.1- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4612	2,655,139	4049	87.5	86.3-88.7	563	12.5	11.3-13.7
White/Non-Hisp	3744	2,114,702	3308	87.8	86.4-89.2	436	12.2	10.8-13.6
Black or Afr. Am./Non-Hisp	437	241,897	375	85.7	81.4-90.0	62	14.3	10.0-18.6
Oth. Race/Non-Hisp.	100	66,804	82	91.2	85.9-96.5	18	8.8	3.5-14.1
MultiRacial/Non-Hisp.	67	24,592	51	77.2	65.0-89.4	16	22.8	10.6-35.0
Hispanic	189	168,561	167	86.7	80.4-93.0	22	13.3	7.0-19.6
18-24	225	329,728	194	86.4	81.3-91.5	31	13.6	8.5-18.7
25-34	416	428,971	358	87.8	84.7-90.9	58	12.2	9.1-15.3
35-44	545	414,740	478	87.7	84.6-90.8	67	12.3	9.2-15.4
45-54	744	409,872	639	86.0	83.3-88.7	105	14.0	11.3-16.7
55-64	914	441,143	778	84.9	82.2-87.6	136	15.1	12.4-17.8
65+	1768	630,684	1602	90.6	89.0-92.2	166	9.4	7.8-11.0
Less Than H.S.	321	308,322	257	84.0	79.5-88.5	64	16.0	11.5-20.5
H.S. or G.E.D.	1460	838,858	1279	86.5	84.1-88.9	181	13.5	11.1-15.9
Some Post-H.S.	1234	823,983	1079	87.6	85.4-89.8	155	12.4	10.2-14.6
College Graduate	1580	673,932	1417	90.1	88.3-91.9	163	9.9	8.1-11.7
Less than \$15,000	344	212,413	273	80.1	75.0-85.2	71	19.9	14.8-25.0
\$15,000- 24,999	638	377,179	523	79.7	75.6-83.8	115	20.3	16.2-24.4
\$25,000- 34,999	413	220,774	366	88.2	84.7-91.7	47	11.8	8.3-15.3
\$35,000- 49,999	540	308,853	480	89.0	85.9-92.1	60	11.0	7.9-14.1
\$50,000- 74,999	584	340,288	529	89.9	87.0-92.8	55	10.1	7.2-13.0
\$75,000+	982	591,103	884	90.2	88.0-92.4	98	9.8	7.6-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8423	5,175,404	814	9.6	8.8-10.4	311	4.0	3.4- 4.6	7298	86.4	85.4-87.4
Male	3811	2,520,266	251	6.6	5.6- 7.6	153	4.5	3.7- 5.3	3407	88.9	87.7-90.1
Female	4612	2,655,139	563	12.5	11.3-13.7	158	3.5	2.9- 4.1	3891	84.0	82.6-85.4
White/Non-Hisp	6822	4,082,952	646	9.6	8.8-10.4	241	3.8	3.2- 4.4	5935	86.7	85.7-87.7
Black or Afr. Am./Non-Hisp	719	458,771	81	11.6	8.5-14.7	31	5.9	3.4- 8.4	607	82.6	78.9-86.3
Oth. Race/Non-Hisp.	215	162,356	24	6.5	2.8-10.2	10	5.8	1.3-10.3	181	87.7	82.0-93.4
MultiRacial/Non-Hisp.	122	49,043	21	14.7	7.4-22.0	9	7.3	1.4-13.2	92	78.1	69.3-86.9
Hispanic	374	321,968	32	9.5	5.8-13.2	14	3.5	1.3- 5.7	328	87.0	82.9-91.1
18-24	491	675,233	50	9.8	6.9-12.7	37	6.1	3.9- 8.3	404	84.1	80.6-87.6
25-34	827	864,372	88	9.3	7.3-11.3	50	6.3	4.3- 8.3	689	84.3	81.6-87.0
35-44	1027	827,019	102	9.9	7.9-11.9	33	2.8	1.8- 3.8	892	87.4	85.2-89.6
45-54	1385	817,445	143	10.4	8.6-12.2	53	3.3	2.3- 4.3	1189	86.2	84.2-88.2
55-64	1707	860,568	198	11.4	9.6-13.2	52	2.9	1.9- 3.9	1457	85.7	83.7-87.7
65+	2986	1,130,768	233	7.6	6.4- 8.8	86	3.2	2.4- 4.0	2667	89.2	87.8-90.6
Less Than H.S.	606	613,115	95	12.9	10.0-15.8	16	2.5	1.1- 3.9	495	84.5	81.4-87.6
H.S. or G.E.D.	2741	1,731,041	263	9.7	8.3-11.1	86	3.6	2.8- 4.4	2392	86.7	85.1-88.3
Some Post-H.S.	2212	1,573,766	230	10.0	8.6-11.4	89	4.6	3.4- 5.8	1893	85.4	83.6-87.2
College Graduate	2838	1,244,530	226	7.4	6.2- 8.6	119	4.6	3.6- 5.6	2493	88.0	86.6-89.4
Less than \$15,000	543	344,557	93	16.3	12.6-20.0	26	4.1	2.1- 6.1	424	79.6	75.7-83.5
\$15,000- 24,999	1068	662,869	153	14.8	12.1-17.5	39	4.8	3.0- 6.6	876	80.5	77.4-83.6
\$25,000- 34,999	723	414,258	71	9.8	7.3-12.3	24	3.8	2.0- 5.6	628	86.4	83.5-89.3
\$35,000- 49,999	1010	603,789	89	8.5	6.5-10.5	33	3.9	2.3- 5.5	888	87.6	85.2-90.0
\$50,000- 74,999	1104	693,484	96	9.7	7.5-11.9	37	3.9	2.3- 5.5	971	86.4	83.9-88.9
\$75,000+	2136	1,367,970	150	6.8	5.6- 8.0	92	4.1	3.1- 5.1	1894	89.1	87.5-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3811	2,520,266	251	6.6	5.6- 7.6	153	4.5	3.7- 5.3	3407	88.9	87.7-90.1
White/Non-Hisp	3078	1,968,249	210	6.7	5.7- 7.7	119	4.2	3.2- 5.2	2749	89.0	87.6-90.4
Black or Afr. Am./Non-Hisp	282	216,874	19	8.5	4.2-12.8	16	6.8	2.9-10.7	247	84.8	79.3-90.3
Oth. Race/Non-Hisp.	115	95,551	6	4.8	0.0- 9.9	6	7.1	0.4-13.8	103	88.0	80.0-96.0
MultiRacial/Non-Hisp.	55	24,451	5	6.4	0.0-13.1	5	10.6	0.2-21.0	45	83.0	71.0-95.0
Hispanic	185	153,408	10	5.4	1.9- 8.9	5	3.3	0.0- 6.6	170	91.4	86.7-96.1
18-24	266	345,505	19	6.1	3.2- 9.0	23	6.9	3.8-10.0	224	86.9	82.8-91.0
25-34	411	435,401	30	6.5	4.1- 8.9	34	9.0	5.7-12.3	347	84.5	80.6-88.4
35-44	482	412,279	35	7.4	4.9- 9.9	17	3.2	1.6- 4.8	430	89.4	86.5-92.3
45-54	641	407,573	38	6.8	4.6- 9.0	20	2.9	1.5- 4.3	583	90.3	87.8-92.8
55-64	793	419,424	62	7.5	5.3- 9.7	23	2.4	1.2- 3.6	708	90.1	87.7-92.5
65+	1218	500,084	67	5.3	3.9- 6.7	36	3.2	2.0- 4.4	1115	91.5	89.7-93.3
Less Than H.S.	285	304,793	31	9.8	6.3-13.3	9	3.5	1.0- 6.0	245	86.7	82.4-91.0
H.S. or G.E.D.	1281	892,182	82	6.2	4.6- 7.8	49	4.1	2.7- 5.5	1150	89.7	87.7-91.7
Some Post-H.S.	978	749,783	75	7.3	5.5- 9.1	42	5.5	3.5- 7.5	861	87.2	84.7-89.7
College Graduate	1258	570,599	63	4.5	3.3- 5.7	53	4.6	3.2- 6.0	1142	90.9	89.1-92.7
Less than \$15,000	199	132,145	22	10.6	5.9-15.3	11	5.3	1.8- 8.8	166	84.1	78.4-89.8
\$15,000- 24,999	430	285,690	38	7.5	4.8-10.2	21	6.7	3.4-10.0	371	85.8	81.7-89.9
\$25,000- 34,999	310	193,484	24	7.6	4.1-11.1	14	4.7	2.0- 7.4	272	87.7	83.4-92.0
\$35,000- 49,999	470	294,936	29	5.9	3.5- 8.3	14	4.0	1.8- 6.2	427	90.2	87.1-93.3
\$50,000- 74,999	520	353,197	41	9.3	6.2-12.4	16	4.0	1.6- 6.4	463	86.7	83.0-90.4
\$75,000+	1154	776,867	52	4.5	3.1- 5.9	55	4.7	3.3- 6.1	1047	90.8	88.8-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4612	2,655,139	563	12.5	11.3-13.7	158	3.5	2.9- 4.1	3891	84.0	82.6-85.4
White/Non-Hisp	3744	2,114,702	436	12.2	10.8-13.6	122	3.3	2.7- 3.9	3186	84.5	83.1-85.9
Black or Afr. Am./Non-Hisp	437	241,897	62	14.3	10.0-18.6	15	5.1	2.0- 8.2	360	80.6	75.5-85.7
Oth. Race/Non-Hisp.	100	66,804	18	8.8	3.5-14.1	4	3.9	0.0- 9.2	78	87.3	80.0-94.6
MultiRacial/Non-Hisp.	67	24,592	16	22.8	10.6-35.0	4	3.9	0.0- 9.2	47	73.3	60.6-86.0
Hispanic	189	168,561	22	13.3	7.0-19.6	9	3.7	1.0- 6.4	158	83.0	76.3-89.7
18-24	225	329,728	31	13.6	8.5-18.7	14	5.3	2.4- 8.2	180	81.0	75.5-86.5
25-34	416	428,971	58	12.2	9.1-15.3	16	3.7	1.7- 5.7	342	84.1	80.6-87.6
35-44	545	414,740	67	12.3	9.2-15.4	16	2.4	1.2- 3.6	462	85.3	82.0-88.6
45-54	744	409,872	105	14.0	11.3-16.7	33	3.8	2.4- 5.2	606	82.2	79.1-85.3
55-64	914	441,143	136	15.1	12.4-17.8	29	3.4	2.0- 4.8	749	81.4	78.5-84.3
65+	1768	630,684	166	9.4	7.8-11.0	50	3.2	2.2- 4.2	1552	87.4	85.6-89.2
Less Than H.S.	321	308,322	64	16.0	11.5-20.5	7	1.6	0.2- 3.0	250	82.4	77.7-87.1
H.S. or G.E.D.	1460	838,858	181	13.5	11.1-15.9	37	3.1	1.9- 4.3	1242	83.4	80.9-85.9
Some Post-H.S.	1234	823,983	155	12.4	10.2-14.6	47	3.9	2.5- 5.3	1032	83.7	81.2-86.2
College Graduate	1580	673,932	163	9.9	8.1-11.7	66	4.6	3.4- 5.8	1351	85.5	83.3-87.7
Less than \$15,000	344	212,413	71	19.9	14.8-25.0	15	3.4	1.2- 5.6	258	76.8	71.5-82.1
\$15,000- 24,999	638	377,179	115	20.3	16.2-24.4	18	3.3	1.5- 5.1	505	76.4	72.1-80.7
\$25,000- 34,999	413	220,774	47	11.8	8.3-15.3	10	3.0	0.8- 5.2	356	85.2	81.1-89.3
\$35,000- 49,999	540	308,853	60	11.0	7.9-14.1	19	3.9	1.9- 5.9	461	85.1	81.6-88.6
\$50,000- 74,999	584	340,288	55	10.1	7.2-13.0	21	3.9	1.9- 5.9	508	86.1	82.8-89.4
\$75,000+	982	591,103	98	9.8	7.6-12.0	37	3.4	2.0- 4.8	847	86.8	84.3-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8411	5,170,991	2809	26.9	25.9-27.9	5602	73.1	72.1-74.1
Male	3817	2,525,023	1052	22.6	21.0-24.2	2765	77.4	75.8-79.0
Female	4594	2,645,967	1757	31.0	29.4-32.6	2837	69.0	67.4-70.6
White/Non-Hisp	6805	4,077,978	2343	28.7	27.5-29.9	4462	71.3	70.1-72.5
Black or Afr. Am./Non-Hisp	721	460,975	242	23.0	19.3-26.7	479	77.0	73.3-80.7
Oth. Race/Non-Hisp.	214	160,682	57	15.4	10.3-20.5	157	84.6	79.5-89.7
MultiRacial/Non-Hisp.	125	50,503	49	29.0	19.8-38.2	76	71.0	61.8-80.2
Hispanic	373	317,659	62	14.1	10.2-18.0	311	85.9	82.0-89.8
18-24	499	680,891	18	3.6	1.8- 5.4	481	96.4	94.6-98.2
25-34	830	865,284	66	8.5	6.3-10.7	764	91.5	89.3-93.7
35-44	1026	823,673	168	15.7	13.3-18.1	858	84.3	81.9-86.7
45-54	1381	816,397	361	27.5	24.8-30.2	1020	72.5	69.8-75.2
55-64	1705	860,883	677	40.9	38.2-43.6	1028	59.1	56.4-61.8
65+	2970	1,123,863	1519	52.3	50.1-54.5	1451	47.7	45.5-49.9
Less Than H.S.	603	604,502	246	34.1	29.8-38.4	357	65.9	61.6-70.2
H.S. or G.E.D.	2736	1,731,329	1036	29.5	27.5-31.5	1700	70.5	68.5-72.5
Some Post-H.S.	2215	1,578,193	766	26.2	24.2-28.2	1449	73.8	71.8-75.8
College Graduate	2831	1,244,015	754	20.8	19.2-22.4	2077	79.2	77.6-80.8
Less than \$15,000	540	339,907	242	36.7	32.0-41.4	298	63.3	58.6-68.0
\$15,000- 24,999	1070	665,490	462	35.9	32.4-39.4	608	64.1	60.6-67.6
\$25,000- 34,999	721	413,308	273	32.0	28.1-35.9	448	68.0	64.1-71.9
\$35,000- 49,999	1008	603,070	338	27.4	24.3-30.5	670	72.6	69.5-75.7
\$50,000- 74,999	1110	696,818	341	24.7	22.0-27.4	769	75.3	72.6-78.0
\$75,000+	2139	1,371,307	515	19.5	17.7-21.3	1624	80.5	78.7-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3817	2,525,023	1052	22.6	21.0-24.2	2765	77.4	75.8-79.0
White/Non-Hisp	3079	1,969,431	876	24.0	22.2-25.8	2203	76.0	74.2-77.8
Black or Afr. Am./Non-Hisp	285	219,035	78	21.8	16.1-27.5	207	78.2	72.5-83.9
Oth. Race/Non-Hisp.	114	94,655	24	10.6	5.5-15.7	90	89.4	84.3-94.5
MultiRacial/Non-Hisp.	58	25,911	17	20.0	8.2-31.8	41	80.0	68.2-91.8
Hispanic	185	153,868	26	11.8	6.7-16.9	159	88.2	83.1-93.3
18-24	273	352,133	5	1.8	0.0- 3.6	268	98.2	96.4- 100
25-34	413	436,614	27	7.3	4.2-10.4	386	92.7	89.6-95.8
35-44	481	411,180	60	12.9	9.6-16.2	421	87.1	83.8-90.4
45-54	638	404,538	147	25.4	21.5-29.3	491	74.6	70.7-78.5
55-64	793	420,667	276	35.8	32.1-39.5	517	64.2	60.5-67.9
65+	1219	499,891	537	45.3	42.2-48.4	682	54.7	51.6-57.8
Less Than H.S.	283	299,928	92	29.5	23.6-35.4	191	70.5	64.6-76.4
H.S. or G.E.D.	1286	896,336	393	23.5	21.1-25.9	893	76.5	74.1-78.9
Some Post-H.S.	981	753,414	286	22.5	19.8-25.2	695	77.5	74.8-80.2
College Graduate	1258	572,436	279	17.7	15.5-19.9	979	82.3	80.1-84.5
Less than \$15,000	199	130,622	72	29.4	22.1-36.7	127	70.6	63.3-77.9
\$15,000- 24,999	433	287,890	153	32.5	27.2-37.8	280	67.5	62.2-72.8
\$25,000- 34,999	308	192,926	94	24.2	18.9-29.5	214	75.8	70.5-81.1
\$35,000- 49,999	468	292,831	137	24.0	19.7-28.3	331	76.0	71.7-80.3
\$50,000- 74,999	522	353,428	134	21.3	17.4-25.2	388	78.7	74.8-82.6
\$75,000+	1158	781,633	263	18.6	16.2-21.0	895	81.4	79.0-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4594	2,645,967	1757	31.0	29.4-32.6	2837	69.0	67.4-70.6
White/Non-Hisp	3726	2,108,547	1467	33.1	31.3-34.9	2259	66.9	65.1-68.7
Black or Afr. Am./Non-Hisp	436	241,941	164	24.0	19.3-28.7	272	76.0	71.3-80.7
Oth. Race/Non-Hisp.	100	66,027	33	22.3	12.9-31.7	67	77.7	68.3-87.1
MultiRacial/Non-Hisp.	67	24,592	32	38.5	24.8-52.2	35	61.5	47.8-75.2
Hispanic	188	163,790	36	16.4	10.5-22.3	152	83.6	77.7-89.5
18-24	226	328,758	13	5.5	2.2- 8.8	213	94.5	91.2-97.8
25-34	417	428,670	39	9.7	6.6-12.8	378	90.3	87.2-93.4
35-44	545	412,493	108	18.4	14.9-21.9	437	81.6	78.1-85.1
45-54	743	411,859	214	29.6	25.9-33.3	529	70.4	66.7-74.1
55-64	912	440,215	401	45.8	42.1-49.5	511	54.2	50.5-57.9
65+	1751	623,972	982	57.9	55.2-60.6	769	42.1	39.4-44.8
Less Than H.S.	320	304,574	154	38.7	32.6-44.8	166	61.3	55.2-67.4
H.S. or G.E.D.	1450	834,992	643	35.8	32.9-38.7	807	64.2	61.3-67.1
Some Post-H.S.	1234	824,779	480	29.5	26.8-32.2	754	70.5	67.8-73.2
College Graduate	1573	671,579	475	23.4	21.0-25.8	1098	76.6	74.2-79.0
Less than \$15,000	341	209,285	170	41.3	35.0-47.6	171	58.7	52.4-65.0
\$15,000- 24,999	637	377,599	309	38.4	33.9-42.9	328	61.6	57.1-66.1
\$25,000- 34,999	413	220,382	179	38.9	33.0-44.8	234	61.1	55.2-67.0
\$35,000- 49,999	540	310,239	201	30.7	26.2-35.2	339	69.3	64.8-73.8
\$50,000- 74,999	588	343,390	207	28.1	24.2-32.0	381	71.9	68.0-75.8
\$75,000+	981	589,673	252	20.8	18.1-23.5	729	79.2	76.5-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	38
2 MALES ONLY	39
3 FEMALES ONLY	40
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	41
5 MALES ONLY	42
6 FEMALES ONLY	43
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	44
8 MALES ONLY	45
9 FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8225	5,083,003	4081	56.1	54.7-57.5	4144	43.9	42.5-45.3
Male	3725	2,477,963	1882	56.7	54.7-58.7	1843	43.3	41.3-45.3
Female	4500	2,605,040	2199	55.5	53.7-57.3	2301	44.5	42.7-46.3
White/Non-Hisp	6663	4,013,787	3351	55.8	54.4-57.2	3312	44.2	42.8-45.6
Black or Afr. Am./Non-Hisp	694	448,841	282	52.9	48.2-57.6	412	47.1	42.4-51.8
Oth. Race/Non-Hisp.	210	153,945	109	67.7	60.1-75.3	101	32.3	24.7-39.9
MultiRacial/Non-Hisp.	123	50,067	52	46.8	35.6-58.0	71	53.2	42.0-64.4
Hispanic	368	316,957	212	63.0	57.3-68.7	156	37.0	31.3-42.7
18-24	497	677,913	447	89.2	86.1-92.3	50	10.8	7.7-13.9
25-34	832	868,270	623	73.4	70.1-76.7	209	26.6	23.3-29.9
35-44	1025	823,806	644	61.7	58.4-65.0	381	38.3	35.0-41.6
45-54	1354	797,892	794	56.8	53.9-59.7	560	43.2	40.3-46.1
55-64	1666	839,744	682	39.5	37.0-42.0	984	60.5	58.0-63.0
65+	2851	1,075,378	891	29.5	27.5-31.5	1960	70.5	68.5-72.5
Less Than H.S.	586	597,585	150	32.5	27.8-37.2	436	67.5	62.8-72.2
H.S. or G.E.D.	2658	1,693,360	1044	50.2	47.8-52.6	1614	49.8	47.4-52.2
Some Post-H.S.	2159	1,544,440	1041	58.3	55.9-60.7	1118	41.7	39.3-44.1
College Graduate	2798	1,234,843	1833	73.0	71.2-74.8	965	27.0	25.2-28.8
Less than \$15,000	527	335,937	172	40.2	34.9-45.5	355	59.8	54.5-65.1
\$15,000- 24,999	1039	652,193	342	40.5	36.8-44.2	697	59.5	55.8-63.2
\$25,000- 34,999	705	405,004	275	46.7	42.2-51.2	430	53.3	48.8-57.8
\$35,000- 49,999	988	590,575	444	51.9	48.2-55.6	544	48.1	44.4-51.8
\$50,000- 74,999	1091	689,889	586	58.8	55.3-62.3	505	41.2	37.7-44.7
\$75,000+	2120	1,363,735	1438	71.5	69.3-73.7	682	28.5	26.3-30.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3725	2,477,963	1882	56.7	54.7-58.7	1843	43.3	41.3-45.3
White/Non-Hisp	3006	1,934,768	1530	56.4	54.2-58.6	1476	43.6	41.4-45.8
Black or Afr. Am./Non-Hisp	274	213,269	110	49.2	41.9-56.5	164	50.8	43.5-58.1
Oth. Race/Non-Hisp.	112	91,975	67	76.9	68.1-85.7	45	23.1	14.3-31.9
MultiRacial/Non-Hisp.	57	25,855	24	48.3	31.6-65.0	33	51.7	35.0-68.4
Hispanic	182	150,998	105	63.8	56.0-71.6	77	36.2	28.4-44.0
18-24	271	349,186	242	88.1	83.8-92.4	29	11.9	7.6-16.2
25-34	415	439,892	318	75.7	71.0-80.4	97	24.3	19.6-29.0
35-44	481	411,248	297	60.2	55.3-65.1	184	39.8	34.9-44.7
45-54	621	394,008	363	55.9	51.6-60.2	258	44.1	39.8-48.4
55-64	776	411,403	319	40.1	36.2-44.0	457	59.9	56.0-63.8
65+	1161	472,226	343	28.0	25.1-30.9	818	72.0	69.1-74.9
Less Than H.S.	274	293,931	72	30.6	24.1-37.1	202	69.4	62.9-75.9
H.S. or G.E.D.	1250	879,834	533	53.6	50.5-56.7	717	46.4	43.3-49.5
Some Post-H.S.	948	734,465	466	59.5	56.0-63.0	482	40.5	37.0-44.0
College Graduate	1246	567,000	806	71.5	68.8-74.2	440	28.5	25.8-31.2
Less than \$15,000	194	129,836	69	41.9	33.5-50.3	125	58.1	49.7-66.5
\$15,000- 24,999	418	280,689	140	41.9	36.0-47.8	278	58.1	52.2-64.0
\$25,000- 34,999	298	186,440	121	47.5	40.8-54.2	177	52.5	45.8-59.2
\$35,000- 49,999	461	289,198	192	49.8	44.3-55.3	269	50.2	44.7-55.7
\$50,000- 74,999	511	350,263	250	53.6	48.5-58.7	261	46.4	41.3-51.5
\$75,000+	1145	774,549	757	70.4	67.5-73.3	388	29.6	26.7-32.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4500	2,605,040	2199	55.5	53.7-57.3	2301	44.5	42.7-46.3
White/Non-Hisp	3657	2,079,019	1821	55.3	53.3-57.3	1836	44.7	42.7-46.7
Black or Afr. Am./Non-Hisp	420	235,571	172	56.2	50.1-62.3	248	43.8	37.7-49.9
Oth. Race/Non-Hisp.	98	61,970	42	54.1	41.2-67.0	56	45.9	33.0-58.8
MultiRacial/Non-Hisp.	66	24,212	28	45.3	30.6-60.0	38	54.7	40.0-69.4
Hispanic	186	165,958	107	62.2	53.8-70.6	79	37.8	29.4-46.2
18-24	226	328,727	205	90.3	85.8-94.8	21	9.7	5.2-14.2
25-34	417	428,378	305	71.0	65.9-76.1	112	29.0	23.9-34.1
35-44	544	412,558	347	63.1	58.6-67.6	197	36.9	32.4-41.4
45-54	733	403,885	431	57.6	53.5-61.7	302	42.4	38.3-46.5
55-64	890	428,341	363	39.0	35.3-42.7	527	61.0	57.3-64.7
65+	1690	603,152	548	30.6	28.1-33.1	1142	69.4	66.9-71.9
Less Than H.S.	312	303,654	78	34.2	27.3-41.1	234	65.8	58.9-72.7
H.S. or G.E.D.	1408	813,526	511	46.5	43.2-49.8	897	53.5	50.2-56.8
Some Post-H.S.	1211	809,975	575	57.2	53.9-60.5	636	42.8	39.5-46.1
College Graduate	1552	667,843	1027	74.2	71.8-76.6	525	25.8	23.4-28.2
Less than \$15,000	333	206,101	103	39.2	32.3-46.1	230	60.8	53.9-67.7
\$15,000- 24,999	621	371,505	202	39.5	34.4-44.6	419	60.5	55.4-65.6
\$25,000- 34,999	407	218,564	154	45.9	39.6-52.2	253	54.1	47.8-60.4
\$35,000- 49,999	527	301,378	252	54.0	48.7-59.3	275	46.0	40.7-51.3
\$50,000- 74,999	580	339,625	336	64.2	59.7-68.7	244	35.8	31.3-40.3
\$75,000+	975	589,185	681	73.1	70.0-76.2	294	26.9	23.8-30.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2789	1,056,559	2353	82.4	80.6-84.2	436	17.6	15.8-19.4
Male	1145	466,137	957	81.6	78.9-84.3	188	18.4	15.7-21.1
Female	1644	590,422	1396	83.0	80.6-85.4	248	17.0	14.6-19.4
White/Non-Hisp	2420	932,379	2055	83.2	81.4-85.0	365	16.8	15.0-18.6
Black or Afr. Am./Non-Hisp	209	64,741	166	73.9	65.3-82.5	43	26.1	17.5-34.7
Oth. Race/Non-Hisp.	50	16,144	38	73.4	56.0-90.8	12	26.6	9.2-44.0
65+	2789	1,056,559	2353	82.4	80.6-84.2	436	17.6	15.8-19.4
Less Than H.S.	170	111,130	101	60.6	52.2-69.0	69	39.4	31.0-47.8
H.S. or G.E.D.	983	397,800	766	78.4	75.5-81.3	217	21.6	18.7-24.5
Some Post-H.S.	744	305,179	635	85.1	82.2-88.0	109	14.9	12.0-17.8
College Graduate	887	240,625	848	96.0	94.6-97.4	39	4.0	2.6- 5.4
Less than \$15,000	141	57,680	82	58.4	48.4-68.4	59	41.6	31.6-51.6
\$15,000- 24,999	406	158,826	299	70.8	65.5-76.1	107	29.2	23.9-34.5
\$25,000- 34,999	322	125,424	266	80.0	74.7-85.3	56	20.0	14.7-25.3
\$35,000- 49,999	392	156,011	330	82.6	77.9-87.3	62	17.4	12.7-22.1
\$50,000- 74,999	350	129,209	327	91.6	87.9-95.3	23	8.4	4.7-12.1
\$75,000+	409	143,977	389	94.3	91.4-97.2	20	5.7	2.8- 8.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1145	466,137	957	81.6	78.9-84.3	188	18.4	15.7-21.1
White/Non-Hisp	995	403,112	840	82.6	79.9-85.3	155	17.4	14.7-20.1
Black or Afr. Am./Non-Hisp	64	27,993	47	70.3	56.0-84.6	17	29.7	15.4-44.0
65+	1145	466,137	957	81.6	78.9-84.3	188	18.4	15.7-21.1
Less Than H.S.	65	46,373	40	58.2	45.3-71.1	25	41.8	28.9-54.7
H.S. or G.E.D.	365	161,110	269	75.7	70.8-80.6	96	24.3	19.4-29.2
Some Post-H.S.	301	137,304	257	84.5	79.8-89.2	44	15.5	10.8-20.2
College Graduate	413	121,143	390	95.3	93.1-97.5	23	4.7	2.5- 6.9
\$15,000- 24,999	149	66,443	108	69.3	60.5-78.1	41	30.7	21.9-39.5
\$25,000- 34,999	123	52,055	92	74.7	65.9-83.5	31	25.3	16.5-34.1
\$35,000- 49,999	186	78,025	152	80.5	73.6-87.4	34	19.5	12.6-26.4
\$50,000- 74,999	169	69,147	155	89.6	83.7-95.5	14	10.4	4.5-16.3
\$75,000+	234	82,507	218	91.9	87.2-96.6	16	8.1	3.4-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1644	590,422	1396	83.0	80.6-85.4	248	17.0	14.6-19.4
White/Non-Hisp	1425	529,267	1215	83.6	81.2-86.0	210	16.4	14.0-18.8
Black or Afr. Am./Non-Hisp	145	36,749	119	76.7	66.1-87.3	26	23.3	12.7-33.9
65+	1644	590,422	1396	83.0	80.6-85.4	248	17.0	14.6-19.4
Less Than H.S.	105	64,756	61	62.3	51.9-72.7	44	37.7	27.3-48.1
H.S. or G.E.D.	618	236,689	497	80.2	76.3-84.1	121	19.8	15.9-23.7
Some Post-H.S.	443	167,875	378	85.5	81.8-89.2	65	14.5	10.8-18.2
College Graduate	474	119,482	458	96.7	94.7-98.7	16	3.3	1.3- 5.3
Less than \$15,000	97	39,016	55	60.1	48.9-71.3	42	39.9	28.7-51.1
\$15,000- 24,999	257	92,383	191	71.9	65.2-78.6	66	28.1	21.4-34.8
\$25,000- 34,999	199	73,369	174	83.8	77.1-90.5	25	16.2	9.5-22.9
\$35,000- 49,999	206	77,986	178	84.8	78.5-91.1	28	15.2	8.9-21.5
\$50,000- 74,999	181	60,061	172	93.9	89.4-98.4	9	6.1	1.6-10.6
\$75,000+	175	61,470	171	97.5	95.0- 100	4	2.5	0.0- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8384	5,157,229	5444	63.0	61.6-64.4	2940	37.0	35.6-38.4
Male	3803	2,518,268	2391	61.3	59.3-63.3	1412	38.7	36.7-40.7
Female	4581	2,638,961	3053	64.5	62.7-66.3	1528	35.5	33.7-37.3
White/Non-Hisp	6792	4,072,084	4546	64.8	63.4-66.2	2246	35.2	33.8-36.6
Black or Afr. Am./Non-Hisp	713	454,155	403	56.9	52.2-61.6	310	43.1	38.4-47.8
Oth. Race/Non-Hisp.	215	159,671	129	56.1	47.3-64.9	86	43.9	35.1-52.7
MultiRacial/Non-Hisp.	122	50,029	60	51.5	40.3-62.7	62	48.5	37.3-59.7
Hispanic	371	318,991	205	55.4	49.3-61.5	166	44.6	38.5-50.7
18-24	494	677,631	307	62.4	57.7-67.1	187	37.6	32.9-42.3
25-34	829	865,947	498	59.9	56.2-63.6	331	40.1	36.4-43.8
35-44	1024	823,076	664	63.1	59.8-66.4	360	36.9	33.6-40.2
45-54	1372	811,605	885	63.5	60.6-66.4	487	36.5	33.6-39.4
55-64	1700	858,210	1105	64.2	61.7-66.7	595	35.8	33.3-38.3
65+	2965	1,120,760	1985	64.2	62.0-66.4	980	35.8	33.6-38.0
Less Than H.S.	591	602,185	233	42.7	38.0-47.4	358	57.3	52.6-62.0
H.S. or G.E.D.	2719	1,719,610	1509	56.5	54.3-58.7	1210	43.5	41.3-45.7
Some Post-H.S.	2207	1,576,442	1464	66.4	64.0-68.8	743	33.6	31.2-36.0
College Graduate	2841	1,246,040	2221	77.2	75.4-79.0	620	22.8	21.0-24.6
Less than \$15,000	534	337,646	209	41.3	36.2-46.4	325	58.7	53.6-63.8
\$15,000- 24,999	1060	661,798	491	45.3	41.6-49.0	569	54.7	51.0-58.4
\$25,000- 34,999	719	412,638	412	55.6	51.1-60.1	307	44.4	39.9-48.9
\$35,000- 49,999	1010	603,987	632	60.4	56.7-64.1	378	39.6	35.9-43.3
\$50,000- 74,999	1113	699,733	792	67.7	64.4-71.0	321	32.3	29.0-35.6
\$75,000+	2135	1,369,104	1730	79.0	76.8-81.2	405	21.0	18.8-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3803	2,518,268	2391	61.3	59.5-63.1	1412	38.7	36.9-40.5
White/Non-Hisp	3069	1,965,949	1988	63.2	61.2-65.2	1081	36.8	34.8-38.8
Black or Afr. Am./Non-Hisp	284	217,119	158	56.1	49.0-63.2	126	43.9	36.8-51.0
Oth. Race/Non-Hisp.	114	93,784	67	54.9	42.7-67.1	47	45.1	32.9-57.3
MultiRacial/Non-Hisp.	56	25,809	30	52.7	36.2-69.2	26	47.3	30.8-63.8
Hispanic	185	153,732	91	51.4	43.2-59.6	94	48.6	40.4-56.8
18-24	270	349,610	171	65.0	58.7-71.3	99	35.0	28.7-41.3
25-34	413	437,160	230	56.9	51.6-62.2	183	43.1	37.8-48.4
35-44	482	410,846	293	60.0	55.1-64.9	189	40.0	35.1-44.9
45-54	631	402,230	387	59.9	55.6-64.2	244	40.1	35.8-44.4
55-64	790	418,048	506	63.7	60.0-67.4	284	36.3	32.6-40.0
65+	1217	500,373	804	62.9	59.8-66.0	413	37.1	34.0-40.2
Less Than H.S.	281	298,783	109	42.4	35.7-49.1	172	57.6	50.9-64.3
H.S. or G.E.D.	1275	891,556	699	56.7	53.6-59.8	576	43.3	40.2-46.4
Some Post-H.S.	976	751,961	615	63.1	59.6-66.6	361	36.9	33.4-40.4
College Graduate	1262	573,059	962	76.0	73.3-78.7	300	24.0	21.3-26.7
Less than \$15,000	194	129,364	72	40.0	31.6-48.4	122	60.0	51.6-68.4
\$15,000- 24,999	431	288,619	176	40.7	35.0-46.4	255	59.3	53.6-65.0
\$25,000- 34,999	310	193,948	161	50.6	44.1-57.1	149	49.4	42.9-55.9
\$35,000- 49,999	471	294,773	273	54.9	49.6-60.2	198	45.1	39.8-50.4
\$50,000- 74,999	523	355,356	339	61.7	56.6-66.8	184	38.3	33.2-43.4
\$75,000+	1154	779,084	917	77.0	74.1-79.9	237	23.0	20.1-25.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4581	2,638,961	3053	64.5	62.7-66.3	1528	35.5	33.7-37.3
White/Non-Hisp	3723	2,106,134	2558	66.3	64.3-68.3	1165	33.7	31.7-35.7
Black or Afr. Am./Non-Hisp	429	237,036	245	57.6	51.3-63.9	184	42.4	36.1-48.7
Oth. Race/Non-Hisp.	101	65,887	62	57.7	44.8-70.6	39	42.3	29.4-55.2
MultiRacial/Non-Hisp.	66	24,220	30	50.3	35.6-65.0	36	49.7	35.0-64.4
Hispanic	186	165,258	114	59.1	50.3-67.9	72	40.9	32.1-49.7
18-24	224	328,021	136	59.7	52.4-67.0	88	40.3	33.0-47.6
25-34	416	428,787	268	62.9	57.6-68.2	148	37.1	31.8-42.4
35-44	542	412,229	371	66.2	61.7-70.7	171	33.8	29.3-38.3
45-54	741	409,375	498	67.0	63.1-70.9	243	33.0	29.1-36.9
55-64	910	440,162	599	64.7	61.2-68.2	311	35.3	31.8-38.8
65+	1748	620,387	1181	65.3	62.6-68.0	567	34.7	32.0-37.4
Less Than H.S.	310	303,402	124	43.1	36.4-49.8	186	56.9	50.2-63.6
H.S. or G.E.D.	1444	828,054	810	56.3	53.2-59.4	634	43.7	40.6-46.8
Some Post-H.S.	1231	824,481	849	69.4	66.3-72.5	382	30.6	27.5-33.7
College Graduate	1579	672,981	1259	78.2	75.7-80.7	320	21.8	19.3-24.3
Less than \$15,000	340	208,282	137	42.1	35.6-48.6	203	57.9	51.4-64.4
\$15,000- 24,999	629	373,180	315	48.9	43.8-54.0	314	51.1	46.0-56.2
\$25,000- 34,999	409	218,691	251	60.0	53.9-66.1	158	40.0	33.9-46.1
\$35,000- 49,999	539	309,214	359	65.6	60.5-70.7	180	34.4	29.3-39.5
\$50,000- 74,999	590	344,377	453	73.9	69.6-78.2	137	26.1	21.8-30.4
\$75,000+	981	590,020	813	81.6	78.7-84.5	168	18.4	15.5-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACEPRV).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG21).	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN INCHES (HTIN4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED HEIGHT IN METERS (HTM4).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
40 MALES AND FEMALES	89
41 MALES ONLY	90
42 FEMALES ONLY	91
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
43 MALES AND FEMALES	92
44 MALES ONLY	93
45 FEMALES ONLY	94
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
46 MALES AND FEMALES	95
47 MALES ONLY	96
48 FEMALES ONLY	97
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
49 MALES AND FEMALES	98
50 MALES ONLY	99
51 FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8276	5,070,744	7150	85.3	84.3-86.3	774	9.7	8.9-10.5	81	1.1	0.7- 1.5	75	1.8	1.4- 2.2	10	0.1	0.1- 0.1	186	2.0	1.6- 2.4
Male	3733	2,467,546	3244	84.8	83.2-86.4	311	9.6	8.4-10.8	43	1.3	0.9- 1.7	40	2.1	1.3- 2.9	5	0.1	0.0- 0.3	90	2.1	1.5- 2.7
Female	4543	2,603,198	3906	85.8	84.4-87.2	463	9.7	8.5-10.9	38	0.9	0.5- 1.3	35	1.5	0.9- 2.1	5	0.1	0.1- 0.1	96	1.9	1.3- 2.5
18-24	486	661,452	385	77.7	73.6-81.8	52	11.2	8.1-14.3	4	0.5	0.0- 1.1	24	7.4	4.5-10.3	2	0.2	0.0- 0.6	19	2.9	1.3- 4.5
25-34	818	854,229	687	83.5	80.6-86.4	81	11.4	8.9-13.9	7	0.8	0.2- 1.4	14	1.6	0.6- 2.6	1	0.1	0.0- 0.3	28	2.6	1.6- 3.6
35-44	1000	805,306	831	81.5	78.8-84.2	111	11.8	9.4-14.2	11	1.7	0.5- 2.9	14	1.9	0.9- 2.9	2	0.1	0.0- 0.3	31	3.0	1.8- 4.2
45-54	1338	788,193	1148	85.5	83.3-87.7	130	10.1	8.1-12.1	13	1.2	0.4- 2.0	14	1.1	0.5- 1.7	2	0.1	0.0- 0.3	31	2.0	1.2- 2.8
55-64	1680	845,900	1456	88.5	86.7-90.3	161	8.5	6.9-10.1	23	1.3	0.7- 1.9	5	0.4	0.0- 0.8	2	0.1	0.0- 0.3	33	1.2	0.8- 1.6
65+	2954	1,115,664	2643	91.3	90.1-92.5	239	6.5	5.3- 7.7	23	1.0	0.4- 1.6	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	44	1.0	0.6- 1.4
Less Than H.S.	563	569,769	442	82.6	79.3-85.9	71	10.7	8.0-13.4	14	2.2	0.8- 3.6				2	0.1	0.0- 0.3	34	4.4	2.8- 6.0
H.S. or G.E.D.	2713	1,710,761	2344	83.9	81.9-85.9	265	10.8	9.2-12.4	25	1.3	0.7- 1.9	16	1.8	0.8- 2.8	3	0.1	0.0- 0.3	60	2.1	1.5- 2.7
Some Post-H.S.	2182	1,551,898	1868	85.7	83.7-87.7	225	10.2	8.6-11.8	24	0.9	0.5- 1.3	10	1.1	0.3- 1.9	4	0.2	0.0- 0.4	51	1.8	1.2- 2.4
College Graduate	2801	1,228,060	2483	88.1	86.5-89.7	210	6.9	5.7- 8.1	18	0.7	0.3- 1.1	48	3.3	2.3- 4.3	1	0.0	0.0- 0.0	41	1.1	0.7- 1.5
Less than \$15,000	531	337,519	406	72.5	67.6-77.4	88	19.1	14.8-23.4	11	2.0	0.6- 3.4	5	2.9	0.4- 5.4				21	3.6	1.8- 5.4
\$15,000- 24,999	1043	644,155	847	81.1	78.0-84.2	140	13.1	10.4-15.8	15	1.6	0.6- 2.6	6	0.9	0.0- 1.9	3	0.3	0.0- 0.7	32	3.0	1.8- 4.2
\$25,000- 34,999	713	403,195	591	81.9	78.4-85.4	88	12.2	9.3-15.1	6	1.1	0.1- 2.1	5	1.7	0.1- 3.3	1	0.2	0.0- 0.6	22	2.9	1.5- 4.3
\$35,000- 49,999	1000	595,569	872	88.1	85.6-90.6	97	8.5	6.3-10.7	11	1.2	0.4- 2.0	5	0.8	0.0- 1.6	2	0.2	0.0- 0.4	13	1.2	0.4- 2.0
\$50,000- 74,999	1101	690,789	979	87.5	85.0-90.0	80	7.1	5.3- 8.9	11	1.7	0.5- 2.9	13	1.6	0.4- 2.8				18	2.1	0.9- 3.3
\$75,000+	2116	1,357,666	1936	90.6	88.8-92.4	112	5.9	4.5- 7.3	10	0.4	0.0- 0.8	25	2.0	1.0- 3.0	2	0.0	0.0- 0.0	31	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3733	2,467,546	3244	84.8	83.2-86.4	311	9.6	8.4-10.8	43	1.3	0.9- 1.7	40	2.1	1.3- 2.9	5	0.1	0.0- 0.3	90	2.1	1.5- 2.7
18-24	265	341,129	204	75.1	69.2-81.0	31	11.7	7.6-15.8	2	0.6	0.0- 1.4	14	8.7	4.4-13.0	1	0.3	0.0- 0.9	13	3.7	1.3- 6.1
25-34	405	428,524	346	83.8	79.7-87.9	31	9.9	6.4-13.4	5	1.1	0.1- 2.1	8	2.0	0.2- 3.8	1	0.3	0.0- 0.9	14	3.0	1.4- 4.6
35-44	474	405,832	398	81.3	77.2-85.4	48	12.0	8.5-15.5	4	1.9	0.0- 3.9	9	2.2	0.6- 3.8	1	0.1	0.0- 0.3	14	2.5	0.9- 4.1
45-54	612	390,758	530	86.3	83.2-89.4	59	9.8	7.1-12.5	6	1.3	0.1- 2.5	4	0.8	0.0- 1.6				13	1.9	0.7- 3.1
55-64	778	410,771	679	88.1	85.6-90.6	66	8.7	6.3-11.1	14	1.7	0.7- 2.7	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	15	1.1	0.5- 1.7
65+	1199	490,532	1087	91.2	89.2-93.2	76	6.4	4.6- 8.2	12	1.2	0.4- 2.0	2	0.1	0.1- 0.1	1	0.0	0.0- 0.0	21	1.1	0.5- 1.7
Less Than H.S.	259	280,572	209	83.5	78.6-88.4	35	12.6	8.1-17.1	5	1.7	0.0- 3.7				1	0.1	0.0- 0.3	9	2.1	0.5- 3.7
H.S. or G.E.D.	1266	881,437	1089	83.8	81.3-86.3	120	10.0	8.0-12.0	13	1.4	0.4- 2.4	9	2.0	0.6- 3.4	1	0.1	0.0- 0.3	34	2.6	1.6- 3.6
Some Post-H.S.	959	739,664	824	84.0	80.9-87.1	89	10.8	8.3-13.3	12	1.1	0.3- 1.9	7	1.8	0.2- 3.4	2	0.2	0.0- 0.4	25	2.1	1.1- 3.1
College Graduate	1244	563,982	1117	87.8	85.4-90.2	67	5.9	4.3- 7.5	13	1.1	0.3- 1.9	24	3.7	1.9- 5.5	1	0.0	0.0- 0.0	22	1.4	0.6- 2.2
Less than \$15,000	195	129,765	147	71.4	63.4-79.4	35	20.2	13.3-27.1	4	1.2	0.0- 2.6	3	4.9	0.0-10.2				6	2.3	0.1- 4.5
\$15,000- 24,999	417	274,334	343	79.9	74.8-85.0	48	13.6	9.1-18.1	8	1.8	0.4- 3.2	3	1.5	0.0- 3.7	2	0.5	0.0- 1.3	13	2.7	0.9- 4.5
\$25,000- 34,999	305	190,016	259	81.1	75.4-86.8	31	12.3	7.6-17.0	3	1.2	0.0- 2.6	3	2.4	0.0- 5.1				9	3.0	0.8- 5.2
\$35,000- 49,999	464	290,709	406	86.9	83.0-90.8	40	8.8	5.5-12.1	4	0.7	0.0- 1.5	4	1.3	0.0- 2.7	1	0.2	0.0- 0.6	9	2.1	0.3- 3.9
\$50,000- 74,999	515	349,277	461	86.1	82.0-90.2	31	6.3	3.8- 8.8	8	2.7	0.7- 4.7	6	2.1	0.0- 4.3				9	2.8	0.6- 5.0
\$75,000+	1144	772,562	1039	89.8	87.4-92.2	61	6.3	4.3- 8.3	8	0.5	0.1- 0.9	15	2.0	0.8- 3.2	1	0.0	0.0- 0.0	20	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4543	2,603,198	3906	85.8	84.4-87.2	463	9.7	8.5-10.9	38	0.9	0.5- 1.3	35	1.5	0.9- 2.1	5	0.1	0.1- 0.1	96	1.9	1.3- 2.5
18-24	221	320,322	181	80.5	74.6-86.4	21	10.6	6.1-15.1	2	0.4	0.0- 1.0	10	6.0	2.3- 9.7	1	0.2	0.0- 0.6	6	2.1	0.0- 4.3
25-34	413	425,705	341	83.1	79.2-87.0	50	12.9	9.4-16.4	2	0.6	0.0- 1.4	6	1.3	0.3- 2.3				14	2.1	0.9- 3.3
35-44	526	399,474	433	81.7	78.0-85.4	63	11.6	8.7-14.5	7	1.6	0.4- 2.8	5	1.5	0.1- 2.9	1	0.1	0.0- 0.3	17	3.5	1.7- 5.3
45-54	726	397,435	618	84.9	81.8-88.0	71	10.3	7.8-12.8	7	1.2	0.2- 2.2	10	1.4	0.4- 2.4	2	0.2	0.0- 0.6	18	2.1	0.9- 3.3
55-64	902	435,130	777	88.9	86.5-91.3	95	8.3	6.1-10.5	9	1.0	0.2- 1.8	2	0.3	0.0- 0.9	1	0.1	0.0- 0.3	18	1.4	0.6- 2.2
65+	1755	625,131	1556	91.5	89.9-93.1	163	6.5	5.1- 7.9	11	0.9	0.3- 1.5	2	0.2	0.0- 0.4				23	1.0	0.4- 1.6
Less Than H.S.	304	289,197	233	81.7	77.0-86.4	36	8.9	5.4-12.4	9	2.6	0.8- 4.4				1	0.2	0.0- 0.6	25	6.6	3.9- 9.3
H.S. or G.E.D.	1447	829,324	1255	84.0	81.3-86.7	145	11.6	9.2-14.0	12	1.2	0.4- 2.0	7	1.6	0.2- 3.0	2	0.1	0.0- 0.3	26	1.5	0.5- 2.5
Some Post-H.S.	1223	812,234	1044	87.3	85.1-89.5	136	9.7	7.7-11.7	12	0.7	0.1- 1.3	3	0.5	0.0- 1.1	2	0.1	0.0- 0.3	26	1.6	0.8- 2.4
College Graduate	1557	664,078	1366	88.3	86.1-90.5	143	7.6	6.0- 9.2	5	0.3	0.0- 0.7	24	2.9	1.5- 4.3				19	0.9	0.3- 1.5
Less than \$15,000	336	207,754	259	73.1	66.8-79.4	53	18.3	12.8-23.8	7	2.5	0.5- 4.5	2	1.7	0.0- 4.1				15	4.3	1.9- 6.7
\$15,000- 24,999	626	369,821	504	81.9	78.2-85.6	92	12.7	9.6-15.8	7	1.4	0.2- 2.6	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	19	3.3	1.7- 4.9
\$25,000- 34,999	408	213,179	332	82.7	78.2-87.2	57	12.2	8.5-15.9	3	1.0	0.0- 2.2	2	1.0	0.0- 2.6	1	0.3	0.0- 0.9	13	2.8	0.8- 4.8
\$35,000- 49,999	536	304,860	466	89.3	86.2-92.4	57	8.3	5.6-11.0	7	1.7	0.3- 3.1	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	4	0.2	0.0- 0.6
\$50,000- 74,999	586	341,511	518	88.9	85.8-92.0	49	7.9	5.2-10.6	3	0.6	0.0- 1.4	7	1.2	0.0- 2.4				9	1.5	0.3- 2.7
\$75,000+	972	585,105	897	91.7	89.3-94.1	51	5.3	3.5- 7.1	2	0.2	0.0- 0.6	10	1.9	0.5- 3.3	1	0.1	0.0- 0.3	11	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8276	5,070,744	7084	84.8	83.8-85.8	746	9.4	8.6-10.2	68	1.0	0.8- 1.2	72	1.8	1.4- 2.2	10	0.1	0.1- 0.1	296	3.0	2.6- 3.4
Male	3733	2,467,546	3209	84.1	82.5-85.7	298	9.3	8.1-10.5	36	1.2	0.8- 1.6	39	2.1	1.3- 2.9	5	0.1	0.0- 0.3	146	3.3	2.7- 3.9
Female	4543	2,603,198	3875	85.4	84.0-86.8	448	9.5	8.3-10.7	32	0.8	0.4- 1.2	33	1.4	0.8- 2.0	5	0.1	0.1- 0.1	150	2.7	2.1- 3.3
18-24	486	661,452	380	77.3	73.2-81.4	48	10.8	7.7-13.9	3	0.4	0.0- 0.8	23	7.2	4.3-10.1	2	0.2	0.0- 0.6	30	4.0	2.2- 5.8
25-34	818	854,229	678	82.9	80.0-85.8	75	10.6	8.2-13.0	5	0.6	0.0- 1.2	14	1.6	0.6- 2.6	1	0.1	0.0- 0.3	45	4.1	2.7- 5.5
35-44	1000	805,306	821	81.1	78.4-83.8	106	11.5	9.1-13.9	11	1.7	0.5- 2.9	13	1.8	0.8- 2.8	2	0.1	0.0- 0.3	47	3.8	2.6- 5.0
45-54	1338	788,193	1143	85.1	82.9-87.3	127	10.0	8.0-12.0	11	1.1	0.3- 1.9	14	1.1	0.5- 1.7	2	0.1	0.0- 0.3	41	2.7	1.7- 3.7
55-64	1680	845,900	1436	87.7	85.9-89.5	158	8.4	6.8-10.0	16	1.1	0.5- 1.7	5	0.4	0.0- 0.8	2	0.1	0.0- 0.3	63	2.3	1.5- 3.1
65+	2954	1,115,664	2626	90.9	89.7-92.1	232	6.4	5.2- 7.6	22	1.0	0.4- 1.6	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0	70	1.6	1.2- 2.0
Less Than H.S.	563	569,769	435	81.6	78.1-85.1	69	10.6	7.9-13.3	12	2.0	0.6- 3.4				2	0.1	0.0- 0.3	45	5.7	3.7- 7.7
H.S. or G.E.D.	2713	1,710,761	2315	83.4	81.4-85.4	257	10.5	8.9-12.1	21	1.2	0.6- 1.8	16	1.8	0.8- 2.8	3	0.1	0.0- 0.3	101	2.9	2.1- 3.7
Some Post-H.S.	2182	1,551,898	1852	85.1	83.1-87.1	218	9.9	8.3-11.5	19	0.7	0.3- 1.1	8	1.1	0.3- 1.9	4	0.2	0.0- 0.4	81	3.0	2.2- 3.8
College Graduate	2801	1,228,060	2469	87.9	86.3-89.5	199	6.6	5.4- 7.8	16	0.6	0.2- 1.0	47	3.2	2.2- 4.2	1	0.0	0.0- 0.0	69	1.8	1.2- 2.4
Less than \$15,000	531	337,519	401	72.0	67.1-76.9	86	18.9	14.6-23.2	9	1.8	0.4- 3.2	5	2.9	0.4- 5.4				30	4.3	2.5- 6.1
\$15,000- 24,999	1043	644,155	834	80.1	77.0-83.2	131	12.3	9.8-14.8	13	1.4	0.4- 2.4	6	0.9	0.0- 1.9	3	0.3	0.0- 0.7	56	4.9	3.3- 6.5
\$25,000- 34,999	713	403,195	585	81.1	77.4-84.8	86	11.9	9.0-14.8	5	0.9	0.1- 1.7	4	1.5	0.0- 3.1	1	0.2	0.0- 0.6	32	4.3	2.5- 6.1
\$35,000- 49,999	1000	595,569	865	87.4	84.9-89.9	97	8.5	6.3-10.7	9	0.9	0.1- 1.7	5	0.8	0.0- 1.6	2	0.2	0.0- 0.4	22	2.2	1.0- 3.4
\$50,000- 74,999	1101	690,789	969	87.0	84.5-89.5	74	6.9	5.1- 8.7	11	1.7	0.5- 2.9	12	1.6	0.4- 2.8				35	2.9	1.5- 4.3
\$75,000+	2116	1,357,666	1926	90.3	88.5-92.1	106	5.5	4.1- 6.9	6	0.3	0.1- 0.5	24	1.9	0.9- 2.9	2	0.0	0.0- 0.0	52	2.0	1.2- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3733	2,467,546	3209	84.1	82.5-85.7	298	9.3	8.1-10.5	36	1.2	0.8- 1.6	39	2.1	1.3- 2.9	5	0.1	0.0- 0.3	146	3.3	2.7- 3.9
18-24	265	341,129	201	74.4	68.5-80.3	28	11.1	7.0-15.2	2	0.6	0.0- 1.4	14	8.7	4.4-13.0	1	0.3	0.0- 0.9	19	5.0	2.5- 7.5
25-34	405	428,524	341	83.2	78.9-87.5	27	8.8	5.5-12.1	4	1.0	0.0- 2.0	8	2.0	0.2- 3.8	1	0.3	0.0- 0.9	24	4.8	2.6- 7.0
35-44	474	405,832	391	80.7	76.6-84.8	47	11.9	8.4-15.4	4	1.9	0.0- 3.9	9	2.2	0.6- 3.8	1	0.1	0.0- 0.3	22	3.2	1.6- 4.8
45-54	612	390,758	528	85.6	82.3-88.9	59	9.8	7.1-12.5	5	1.1	0.0- 2.3	4	0.8	0.0- 1.6				16	2.6	1.0- 4.2
55-64	778	410,771	668	87.1	84.4-89.8	65	8.6	6.2-11.0	10	1.3	0.3- 2.3	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	31	2.5	1.1- 3.9
65+	1199	490,532	1080	90.6	88.6-92.6	72	6.3	4.5- 8.1	11	1.2	0.4- 2.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	34	1.9	1.1- 2.7
Less Than H.S.	259	280,572	205	81.6	76.3-86.9	35	12.6	8.1-17.1	5	1.7	0.0- 3.7				1	0.1	0.0- 0.3	13	4.0	1.5- 6.5
H.S. or G.E.D.	1266	881,437	1074	83.3	80.8-85.8	115	9.6	7.6-11.6	10	1.3	0.5- 2.1	9	2.0	0.6- 3.4	1	0.1	0.0- 0.3	57	3.6	2.4- 4.8
Some Post-H.S.	959	739,664	815	83.2	80.1-86.3	83	10.2	7.7-12.7	10	1.0	0.2- 1.8	6	1.8	0.2- 3.4	2	0.2	0.0- 0.4	43	3.6	2.2- 5.0
College Graduate	1244	563,982	1110	87.5	85.1-89.9	65	5.8	4.2- 7.4	11	1.0	0.4- 1.6	24	3.7	1.9- 5.5	1	0.0	0.0- 0.0	33	1.8	1.0- 2.6
Less than \$15,000	195	129,765	147	71.4	63.4-79.4	34	19.9	13.0-26.8	3	1.2	0.0- 2.6	3	4.9	0.0-10.2				8	2.6	0.4- 4.8
\$15,000- 24,999	417	274,334	334	78.2	72.9-83.5	43	12.3	7.8-16.8	7	1.5	0.1- 2.9	3	1.5	0.0- 3.7	2	0.5	0.0- 1.3	28	5.9	3.2- 8.6
\$25,000- 34,999	305	190,016	256	80.1	74.4-85.8	30	12.2	7.5-16.9	3	1.2	0.0- 2.6	3	2.4	0.0- 5.1				13	4.1	1.6- 6.6
\$35,000- 49,999	464	290,709	402	85.9	81.8-90.0	40	8.8	5.5-12.1	4	0.7	0.0- 1.5	4	1.3	0.0- 2.7	1	0.2	0.0- 0.6	13	3.1	0.9- 5.3
\$50,000- 74,999	515	349,277	455	85.4	81.3-89.5	29	6.0	3.5- 8.5	8	2.7	0.7- 4.7	5	2.0	0.0- 4.2				18	3.9	1.7- 6.1
\$75,000+	1144	772,562	1032	89.3	86.9-91.7	58	5.9	4.1- 7.7	4	0.3	0.0- 0.7	15	2.0	0.8- 3.2	1	0.0	0.0- 0.0	34	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4543	2,603,198	3875	85.4	84.0-86.8	448	9.5	8.3-10.7	32	0.8	0.4- 1.2	33	1.4	0.8- 2.0	5	0.1	0.1- 0.1	150	2.7	2.1- 3.3
18-24	221	320,322	179	80.4	74.5-86.3	20	10.4	5.9-14.9	1	0.2	0.0- 0.6	9	5.7	2.0- 9.4	1	0.2	0.0- 0.6	11	3.0	0.6- 5.4
25-34	413	425,705	337	82.6	78.7-86.5	48	12.4	8.9-15.9	1	0.3	0.0- 0.9	6	1.3	0.3- 2.3				21	3.5	1.9- 5.1
35-44	526	399,474	430	81.5	77.8-85.2	59	11.1	8.2-14.0	7	1.6	0.4- 2.8	4	1.4	0.0- 2.8	1	0.1	0.0- 0.3	25	4.3	2.3- 6.3
45-54	726	397,435	615	84.5	81.4-87.6	68	10.1	7.6-12.6	6	1.0	0.2- 1.8	10	1.4	0.4- 2.4	2	0.2	0.0- 0.6	25	2.8	1.4- 4.2
55-64	902	435,130	768	88.4	86.0-90.8	93	8.2	6.0-10.4	6	0.8	0.0- 1.6	2	0.3	0.0- 0.9	1	0.1	0.0- 0.3	32	2.1	1.3- 2.9
65+	1755	625,131	1546	91.1	89.5-92.7	160	6.5	5.1- 7.9	11	0.9	0.3- 1.5	2	0.2	0.0- 0.4				36	1.4	0.8- 2.0
Less Than H.S.	304	289,197	230	81.6	76.9-86.3	34	8.6	5.1-12.1	7	2.3	0.5- 4.1				1	0.2	0.0- 0.6	32	7.4	4.5-10.3
H.S. or G.E.D.	1447	829,324	1241	83.4	80.7-86.1	142	11.5	9.1-13.9	11	1.1	0.3- 1.9	7	1.6	0.2- 3.0	2	0.1	0.0- 0.3	44	2.2	1.2- 3.2
Some Post-H.S.	1223	812,234	1037	86.9	84.7-89.1	135	9.7	7.7-11.7	9	0.5	0.1- 0.9	2	0.4	0.0- 1.0	2	0.1	0.0- 0.3	38	2.4	1.4- 3.4
College Graduate	1557	664,078	1359	88.1	85.9-90.3	134	7.2	5.6- 8.8	5	0.3	0.0- 0.7	23	2.8	1.4- 4.2				36	1.7	0.9- 2.5
Less than \$15,000	336	207,754	254	72.4	66.1-78.7	52	18.2	12.7-23.7	6	2.3	0.3- 4.3	2	1.7	0.0- 4.1				22	5.4	2.9- 7.9
\$15,000- 24,999	626	369,821	500	81.5	77.8-85.2	88	12.3	9.2-15.4	6	1.4	0.2- 2.6	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	28	4.2	2.4- 6.0
\$25,000- 34,999	408	213,179	329	82.0	77.5-86.5	56	11.8	8.1-15.5	2	0.7	0.0- 1.7	1	0.7	0.0- 2.1	1	0.3	0.0- 0.9	19	4.5	2.1- 6.9
\$35,000- 49,999	536	304,860	463	88.9	85.8-92.0	57	8.3	5.6-11.0	5	1.0	0.0- 2.2	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	9	1.4	0.2- 2.6
\$50,000- 74,999	586	341,511	514	88.6	85.5-91.7	45	7.8	5.1-10.5	3	0.6	0.0- 1.4	7	1.2	0.0- 2.4				17	1.8	0.6- 3.0
\$75,000+	972	585,105	894	91.6	89.2-94.0	48	5.0	3.2- 6.8	2	0.2	0.0- 0.6	9	1.7	0.3- 3.1	1	0.1	0.0- 0.3	18	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8303	5,107,602	6859	80.4	79.2-81.6	724	9.0	8.2- 9.8	63	0.9	0.7- 1.1	71	1.7	1.3- 2.1	210	1.6	1.4- 1.8	376	6.3	5.5- 7.1
Male	3742	2,478,714	3097	80.0	78.4-81.6	285	8.8	7.6-10.0	33	1.1	0.7- 1.5	39	2.1	1.3- 2.9	102	1.7	1.3- 2.1	186	6.2	5.2- 7.2
Female	4561	2,628,888	3762	80.8	79.2-82.4	439	9.2	8.0-10.4	30	0.7	0.3- 1.1	32	1.4	0.8- 2.0	108	1.4	1.0- 1.8	190	6.4	5.4- 7.4
18-24	495	676,678	351	69.9	65.4-74.4	41	9.3	6.4-12.2	1	0.1	0.0- 0.3	23	7.1	4.2-10.0	18	1.7	0.7- 2.7	61	11.9	8.8-15.0
25-34	820	856,478	628	76.0	72.7-79.3	74	10.5	8.1-12.9	5	0.6	0.0- 1.2	14	1.6	0.6- 2.6	26	2.3	1.3- 3.3	73	8.9	6.7-11.1
35-44	1014	816,600	770	74.4	71.3-77.5	102	11.1	8.9-13.3	11	1.6	0.4- 2.8	13	1.8	0.8- 2.8	28	1.4	0.8- 2.0	90	9.6	7.4-11.8
45-54	1347	796,916	1105	81.2	78.8-83.6	121	9.6	7.8-11.4	11	1.1	0.3- 1.9	13	1.1	0.5- 1.7	25	1.1	0.5- 1.7	72	6.0	4.4- 7.6
55-64	1683	848,041	1410	86.0	84.0-88.0	155	8.3	6.7- 9.9	16	1.0	0.4- 1.6	5	0.4	0.0- 0.8	52	1.6	1.0- 2.2	45	2.7	1.7- 3.7
65+	2944	1,112,888	2595	89.9	88.5-91.3	231	6.4	5.2- 7.6	19	0.8	0.4- 1.2	3	0.1	0.0- 0.3	61	1.3	0.9- 1.7	35	1.5	0.9- 2.1
Less Than H.S.	594	600,466	397	70.0	65.7-74.3	65	9.4	6.9-11.9	10	1.5	0.3- 2.7				20	1.5	0.7- 2.3	102	17.6	14.1-21.1
H.S. or G.E.D.	2716	1,715,947	2249	80.1	78.1-82.1	247	10.0	8.4-11.6	17	1.0	0.4- 1.6	16	1.8	0.8- 2.8	72	1.5	1.1- 1.9	115	5.5	4.3- 6.7
Some Post-H.S.	2176	1,550,173	1783	81.0	78.8-83.2	215	9.8	8.2-11.4	21	0.8	0.4- 1.2	8	1.1	0.3- 1.9	63	2.0	1.4- 2.6	86	5.3	4.1- 6.5
College Graduate	2799	1,230,278	2419	85.6	83.8-87.4	194	6.4	5.2- 7.6	15	0.5	0.1- 0.9	46	3.2	2.2- 4.2	55	1.1	0.7- 1.5	70	3.2	2.4- 4.0
Less than \$15,000	536	342,570	388	67.8	62.7-72.9	84	18.5	14.2-22.8	6	1.0	0.0- 2.0	5	2.9	0.4- 5.4	19	2.2	1.0- 3.4	34	7.6	4.9-10.3
\$15,000- 24,999	1062	659,624	792	72.6	69.1-76.1	127	11.5	9.0-14.0	12	1.3	0.5- 2.1	6	0.9	0.0- 1.9	37	2.3	1.3- 3.3	88	11.3	8.8-13.8
\$25,000- 34,999	712	408,918	569	77.8	73.9-81.7	85	11.5	8.6-14.4	4	0.7	0.0- 1.5	4	1.5	0.0- 3.1	21	2.3	1.1- 3.5	29	6.3	3.8- 8.8
\$35,000- 49,999	1002	598,257	834	81.9	78.8-85.0	94	8.3	6.1-10.5	10	0.9	0.3- 1.5	5	0.8	0.0- 1.6	14	0.7	0.1- 1.3	45	7.3	4.9- 9.7
\$50,000- 74,999	1102	690,264	953	84.9	82.2-87.6	73	6.8	5.0- 8.6	9	1.4	0.4- 2.4	12	1.6	0.4- 2.8	26	1.5	0.7- 2.3	29	3.8	2.2- 5.4
\$75,000+	2110	1,351,461	1874	87.8	86.0-89.6	98	5.1	3.9- 6.3	7	0.3	0.1- 0.5	24	1.9	0.9- 2.9	39	1.3	0.7- 1.9	68	3.6	2.6- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3742	2,478,714	3097	80.0	78.4-81.6	285	8.8	7.6-10.0	33	1.1	0.7- 1.5	39	2.1	1.3- 2.9	102	1.7	1.3- 2.1	186	6.2	5.2- 7.2
18-24	269	345,789	185	67.8	61.5-74.1	23	9.1	5.4-12.8	1	0.3	0.0- 0.9	14	8.6	4.3-12.9	11	2.3	0.7- 3.9	35	11.9	7.8-16.0
25-34	406	429,668	318	77.6	72.9-82.3	26	8.7	5.4-12.0	4	1.0	0.0- 2.0	8	2.0	0.2- 3.8	13	2.6	1.0- 4.2	37	8.1	5.2-11.0
35-44	477	407,507	366	74.7	70.2-79.2	46	11.8	8.5-15.1	5	2.0	0.0- 4.0	9	2.2	0.6- 3.8	13	1.2	0.4- 2.0	38	8.2	5.5-10.9
45-54	619	396,793	511	81.6	78.1-85.1	55	9.2	6.5-11.9	4	1.0	0.0- 2.2	4	0.8	0.0- 1.6	10	1.1	0.3- 1.9	35	6.2	4.0- 8.4
55-64	780	411,961	656	85.6	82.7-88.5	64	8.6	6.2-11.0	9	1.0	0.2- 1.8	3	0.4	0.0- 1.0	25	1.5	0.7- 2.3	23	2.9	1.3- 4.5
65+	1191	486,996	1061	89.3	87.1-91.5	71	6.3	4.5- 8.1	10	1.0	0.2- 1.8	1	0.0	0.0- 0.0	30	1.7	0.9- 2.5	18	1.7	0.9- 2.5
Less Than H.S.	277	294,637	187	70.9	65.0-76.8	33	11.5	7.4-15.6	5	1.4	0.0- 3.2				6	1.0	0.0- 2.0	46	15.1	10.6-19.6
H.S. or G.E.D.	1266	884,140	1039	80.2	77.5-82.9	108	8.9	6.9-10.9	7	1.0	0.2- 1.8	9	2.0	0.6- 3.4	38	1.9	1.1- 2.7	65	6.0	4.4- 7.6
Some Post-H.S.	954	735,914	780	79.4	76.1-82.7	81	10.1	7.6-12.6	11	1.1	0.3- 1.9	6	1.8	0.2- 3.4	32	2.3	1.3- 3.3	44	5.2	3.4- 7.0
College Graduate	1240	562,133	1086	85.3	82.8-87.8	63	5.8	4.2- 7.4	10	0.9	0.3- 1.5	24	3.7	1.9- 5.5	26	1.0	0.6- 1.4	31	3.3	1.9- 4.7
Less than \$15,000	193	130,523	140	66.2	57.8-74.6	33	19.7	13.0-26.4	2	0.6	0.0- 1.4	3	4.8	0.0-10.1	5	1.6	0.0- 3.2	10	7.1	2.6-11.6
\$15,000- 24,999	429	284,836	309	69.3	63.8-74.8	42	11.5	7.2-15.8	6	1.3	0.1- 2.5	3	1.5	0.0- 3.5	20	3.0	1.4- 4.6	49	13.5	9.6-17.4
\$25,000- 34,999	303	190,227	249	78.6	72.7-84.5	29	11.5	6.8-16.2	3	1.2	0.0- 2.6	3	2.4	0.0- 5.1	8	2.1	0.5- 3.7	11	4.3	1.6- 7.0
\$35,000- 49,999	465	291,154	385	80.6	75.9-85.3	39	8.6	5.3-11.9	4	0.7	0.0- 1.5	4	1.3	0.0- 2.7	8	1.0	0.0- 2.0	25	7.8	4.5-11.1
\$50,000- 74,999	516	348,322	449	84.0	79.9-88.1	28	5.9	3.4- 8.4	6	2.2	0.2- 4.2	5	2.0	0.0- 4.2	12	1.6	0.6- 2.6	16	4.4	2.0- 6.8
\$75,000+	1139	768,516	1007	87.1	84.6-89.6	52	5.3	3.5- 7.1	4	0.3	0.0- 0.7	15	2.0	0.8- 3.2	26	1.7	0.9- 2.5	35	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4561	2,628,888	3762	80.8	79.2-82.4	439	9.2	8.0-10.4	30	0.7	0.3- 1.1	32	1.4	0.8- 2.0	108	1.4	1.0- 1.8	190	6.4	5.4- 7.4
18-24	226	330,889	166	72.0	65.3-78.7	18	9.5	5.2-13.8				9	5.5	2.0- 9.0	7	1.1	0.3- 1.9	26	12.0	7.3-16.7
25-34	414	426,810	310	74.3	69.6-79.0	48	12.4	8.9-15.9	1	0.3	0.0- 0.9	6	1.3	0.3- 2.3	13	2.0	0.8- 3.2	36	9.7	6.2-13.2
35-44	537	409,093	404	74.2	70.1-78.3	56	10.4	7.5-13.3	6	1.2	0.0- 2.4	4	1.3	0.0- 2.7	15	1.7	0.7- 2.7	52	11.1	8.0-14.2
45-54	728	400,123	594	80.8	77.5-84.1	66	9.9	7.4-12.4	7	1.1	0.1- 2.1	9	1.3	0.3- 2.3	15	1.2	0.4- 2.0	37	5.7	3.7- 7.7
55-64	903	436,080	754	86.4	83.9-88.9	91	8.2	6.0-10.4	7	0.9	0.1- 1.7	2	0.3	0.0- 0.9	27	1.6	0.8- 2.4	22	2.6	1.4- 3.8
65+	1753	625,892	1534	90.4	88.6-92.2	160	6.5	5.1- 7.9	9	0.6	0.0- 1.2	2	0.2	0.0- 0.4	31	1.0	0.6- 1.4	17	1.4	0.6- 2.2
Less Than H.S.	317	305,829	210	69.1	63.0-75.2	32	7.5	4.4-10.6	5	1.6	0.2- 3.0				14	1.9	0.7- 3.1	56	20.0	14.5-25.5
H.S. or G.E.D.	1450	831,807	1210	80.0	77.1-82.9	139	11.2	8.8-13.6	10	1.0	0.4- 1.6	7	1.6	0.2- 3.0	34	1.2	0.8- 1.6	50	5.0	3.4- 6.6
Some Post-H.S.	1222	814,259	1003	82.4	79.7-85.1	134	9.6	7.6-11.6	10	0.5	0.1- 0.9	2	0.4	0.0- 1.0	31	1.7	1.1- 2.3	42	5.4	3.6- 7.2
College Graduate	1559	668,145	1333	85.8	83.4-88.2	131	7.0	5.4- 8.6	5	0.3	0.0- 0.7	22	2.7	1.3- 4.1	29	1.1	0.5- 1.7	39	3.0	1.8- 4.2
Less than \$15,000	343	212,046	248	68.9	62.6-75.2	51	17.7	12.2-23.2	4	1.3	0.0- 2.9	2	1.7	0.0- 4.1	14	2.5	0.9- 4.1	24	7.9	4.6-11.2
\$15,000- 24,999	633	374,788	483	75.2	70.9-79.5	85	11.6	8.5-14.7	6	1.4	0.2- 2.6	3	0.5	0.0- 1.1	17	1.8	0.8- 2.8	39	9.6	6.3-12.9
\$25,000- 34,999	409	218,691	320	77.1	71.6-82.6	56	11.5	7.8-15.2	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1	13	2.4	0.8- 4.0	18	8.0	3.7-12.3
\$35,000- 49,999	537	307,103	449	83.1	79.0-87.2	55	8.0	5.3-10.7	6	1.1	0.0- 2.3	1	0.3	0.0- 0.9	6	0.5	0.0- 1.1	20	6.9	3.6-10.2
\$50,000- 74,999	586	341,942	504	85.9	82.4-89.4	45	7.8	5.1-10.5	3	0.6	0.0- 1.4	7	1.2	0.0- 2.4	14	1.3	0.3- 2.3	13	3.2	1.2- 5.2
\$75,000+	971	582,945	867	88.8	86.3-91.3	46	4.9	3.1- 6.7	3	0.3	0.0- 0.7	9	1.7	0.3- 3.1	13	0.6	0.0- 1.2	33	3.7	2.3- 5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 10: RACE/ETHNICITY CATEGORIES (_RACEPRV).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8480	5,212,496	7021	80.7	79.5-81.9	728	8.9	8.1- 9.7	63	0.9	0.7- 1.1	71	1.7	1.3- 2.1	221	1.6	1.4- 1.8	376	6.2	5.4- 7.0
Male	3841	2,542,344	3190	80.4	78.8-82.0	286	8.6	7.4- 9.8	33	1.0	0.6- 1.4	39	2.1	1.3- 2.9	107	1.8	1.4- 2.2	186	6.1	5.1- 7.1
Female	4639	2,670,152	3831	81.0	79.4-82.6	442	9.2	8.2-10.2	30	0.7	0.3- 1.1	32	1.4	0.8- 2.0	114	1.5	1.1- 1.9	190	6.3	5.3- 7.3
18-24	500	683,954	355	70.1	65.6-74.6	42	9.3	6.4-12.2	1	0.1	0.0- 0.3	23	7.0	4.3- 9.7	18	1.7	0.9- 2.5	61	11.8	8.7-14.9
25-34	834	870,998	641	76.2	72.9-79.5	74	10.4	8.0-12.8	5	0.6	0.0- 1.2	14	1.6	0.6- 2.6	27	2.4	1.4- 3.4	73	8.8	6.6-11.0
35-44	1033	831,279	788	74.8	71.9-77.7	102	10.9	8.7-13.1	11	1.6	0.4- 2.8	13	1.7	0.7- 2.7	29	1.5	0.9- 2.1	90	9.4	7.4-11.4
45-54	1392	823,061	1146	81.6	79.2-84.0	122	9.3	7.5-11.1	11	1.0	0.2- 1.8	13	1.0	0.4- 1.6	28	1.3	0.7- 1.9	72	5.8	4.4- 7.2
55-64	1715	865,225	1438	86.1	84.1-88.1	156	8.2	6.6- 9.8	16	1.0	0.4- 1.6	5	0.3	0.0- 0.7	55	1.7	1.1- 2.3	45	2.7	1.7- 3.7
65+	3006	1,137,979	2653	90.0	88.6-91.4	232	6.3	5.3- 7.3	19	0.8	0.4- 1.2	3	0.1	0.0- 0.3	64	1.3	0.9- 1.7	35	1.5	0.9- 2.1
Less Than H.S.	612	619,367	411	70.6	66.5-74.7	65	9.1	6.6-11.6	10	1.5	0.3- 2.7				24	1.7	0.9- 2.5	102	17.1	13.6-20.6
H.S. or G.E.D.	2764	1,745,153	2293	80.3	78.3-82.3	248	9.9	8.5-11.3	17	1.0	0.4- 1.6	16	1.8	0.8- 2.8	75	1.6	1.2- 2.0	115	5.4	4.2- 6.6
Some Post-H.S.	2226	1,584,185	1829	81.3	79.1-83.5	217	9.7	8.1-11.3	21	0.8	0.4- 1.2	8	1.1	0.3- 1.9	65	2.0	1.4- 2.6	86	5.2	4.0- 6.4
College Graduate	2852	1,250,838	2469	85.8	84.0-87.6	195	6.4	5.2- 7.6	15	0.5	0.1- 0.9	46	3.1	2.1- 4.1	57	1.1	0.7- 1.5	70	3.1	2.3- 3.9
Less than \$15,000	547	346,954	397	68.2	63.3-73.1	85	18.3	14.2-22.4	6	1.0	0.0- 2.0	5	2.8	0.3- 5.3	20	2.2	1.0- 3.4	34	7.5	5.0-10.0
\$15,000- 24,999	1075	668,250	802	72.7	69.2-76.2	128	11.5	9.0-14.0	12	1.3	0.5- 2.1	6	0.9	0.0- 1.9	39	2.5	1.5- 3.5	88	11.1	8.6-13.6
\$25,000- 34,999	726	415,343	581	78.0	74.1-81.9	85	11.3	8.4-14.2	4	0.7	0.0- 1.5	4	1.5	0.0- 3.1	23	2.4	1.2- 3.6	29	6.2	3.7- 8.7
\$35,000- 49,999	1015	607,233	845	81.9	78.8-85.0	95	8.3	6.1-10.5	10	0.9	0.3- 1.5	5	0.8	0.0- 1.6	15	0.9	0.3- 1.5	45	7.2	4.8- 9.6
\$50,000- 74,999	1115	700,463	965	85.1	82.4-87.8	73	6.7	4.9- 8.5	9	1.4	0.4- 2.4	12	1.6	0.4- 2.8	27	1.5	0.7- 2.3	29	3.7	2.1- 5.3
\$75,000+	2143	1,374,194	1904	87.9	86.1-89.7	99	5.0	3.8- 6.2	7	0.3	0.1- 0.5	24	1.9	0.9- 2.9	41	1.3	0.7- 1.9	68	3.6	2.6- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 11: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3841	2,542,344	3190	80.4	78.8-82.0	286	8.6	7.4- 9.8	33	1.0	0.6- 1.4	39	2.1	1.3- 2.9	107	1.8	1.4- 2.2	186	6.1	5.1- 7.1
18-24	273	352,133	189	68.4	62.3-74.5	23	8.9	5.2-12.6	1	0.3	0.0- 0.9	14	8.4	4.1-12.7	11	2.3	0.7- 3.9	35	11.7	7.6-15.8
25-34	415	439,892	326	77.9	73.4-82.4	26	8.5	5.2-11.8	4	0.9	0.0- 1.9	8	2.0	0.4- 3.6	14	2.8	1.2- 4.4	37	7.9	5.2-10.6
35-44	485	414,528	374	75.1	70.6-79.6	46	11.6	8.3-14.9	5	2.0	0.0- 4.0	9	2.2	0.6- 3.8	13	1.1	0.3- 1.9	38	8.0	5.5-10.5
45-54	643	409,222	535	82.2	78.7-85.7	55	9.0	6.5-11.5	4	1.0	0.0- 2.2	4	0.8	0.0- 1.6	10	1.0	0.2- 1.8	35	6.0	3.8- 8.2
55-64	797	422,062	671	85.7	83.0-88.4	64	8.3	5.9-10.7	9	1.0	0.2- 1.8	3	0.4	0.0- 0.8	27	1.7	0.9- 2.5	23	2.8	1.4- 4.2
65+	1228	504,507	1095	89.5	87.3-91.7	72	6.1	4.3- 7.9	10	1.0	0.2- 1.8	1	0.0	0.0- 0.0	32	1.7	0.9- 2.5	18	1.7	0.9- 2.5
Less Than H.S.	287	306,105	196	71.9	66.2-77.6	33	11.0	6.9-15.1	5	1.4	0.0- 3.2				7	1.1	0.1- 2.1	46	14.6	10.3-18.9
H.S. or G.E.D.	1294	902,956	1065	80.5	77.8-83.2	108	8.7	6.9-10.5	7	1.0	0.2- 1.8	9	2.0	0.6- 3.4	40	1.9	1.1- 2.7	65	5.9	4.3- 7.5
Some Post-H.S.	983	755,111	807	79.7	76.6-82.8	82	9.9	7.4-12.4	11	1.1	0.3- 1.9	6	1.8	0.4- 3.2	33	2.4	1.4- 3.4	44	5.0	3.2- 6.8
College Graduate	1268	575,263	1113	85.6	83.1-88.1	63	5.6	4.0- 7.2	10	0.9	0.3- 1.5	24	3.7	2.1- 5.3	27	1.1	0.7- 1.5	31	3.2	2.0- 4.4
Less than \$15,000	201	133,922	146	66.8	58.6-75.0	34	19.3	12.6-26.0	2	0.6	0.0- 1.4	3	4.7	0.0-10.0	6	1.7	0.1- 3.3	10	6.9	2.6-11.2
\$15,000- 24,999	435	289,596	314	69.5	64.0-75.0	42	11.3	7.2-15.4	6	1.2	0.0- 2.4	3	1.4	0.0- 3.4	21	3.3	1.5- 5.1	49	13.2	9.3-17.1
\$25,000- 34,999	311	194,083	256	78.8	73.1-84.5	29	11.3	6.8-15.8	3	1.1	0.0- 2.5	3	2.4	0.0- 5.1	9	2.2	0.6- 3.8	11	4.2	1.5- 6.9
\$35,000- 49,999	472	295,561	392	80.9	76.4-85.4	39	8.5	5.2-11.8	4	0.6	0.0- 1.4	4	1.3	0.0- 2.7	8	1.0	0.0- 2.0	25	7.7	4.4-11.0
\$50,000- 74,999	524	355,754	457	84.3	80.2-88.4	28	5.8	3.4- 8.2	6	2.1	0.1- 4.1	5	2.0	0.0- 4.0	12	1.5	0.5- 2.5	16	4.3	1.9- 6.7
\$75,000+	1160	782,632	1026	87.1	84.6-89.6	52	5.2	3.4- 7.0	4	0.3	0.0- 0.7	15	2.0	0.8- 3.2	28	1.9	0.9- 2.9	35	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE12: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4639	2,670,152	3831	81.0	79.4-82.6	442	9.2	8.2-10.2	30	0.7	0.3- 1.1	32	1.4	0.8- 2.0	114	1.5	1.1- 1.9	190	6.3	5.3- 7.3
18-24	227	331,821	166	71.8	65.1-78.5	19	9.8	5.5-14.1				9	5.5	2.0- 9.0	7	1.1	0.3- 1.9	26	11.9	7.2-16.6
25-34	419	431,106	315	74.6	69.9-79.3	48	12.3	9.0-15.6	1	0.3	0.0- 0.9	6	1.2	0.2- 2.2	13	2.0	0.8- 3.2	36	9.7	6.4-13.0
35-44	548	416,751	414	74.6	70.5-78.7	56	10.3	7.6-13.0	6	1.2	0.0- 2.4	4	1.3	0.0- 2.7	16	1.8	0.8- 2.8	52	10.9	7.8-14.0
45-54	749	413,839	611	81.0	77.7-84.3	67	9.7	7.2-12.2	7	1.1	0.3- 1.9	9	1.3	0.3- 2.3	18	1.5	0.7- 2.3	37	5.5	3.5- 7.5
55-64	918	443,163	767	86.5	84.0-89.0	92	8.1	6.1-10.1	7	0.9	0.1- 1.7	2	0.3	0.0- 0.9	28	1.6	0.8- 2.4	22	2.6	1.4- 3.8
65+	1778	633,472	1558	90.5	88.7-92.3	160	6.4	5.0- 7.8	9	0.6	0.0- 1.2	2	0.2	0.0- 0.4	32	1.0	0.6- 1.4	17	1.3	0.5- 2.1
Less Than H.S.	325	313,262	215	69.3	63.4-75.2	32	7.3	4.2-10.4	5	1.5	0.1- 2.9				17	2.3	0.9- 3.7	56	19.6	14.3-24.9
H.S. or G.E.D.	1470	842,197	1228	80.1	77.4-82.8	140	11.2	9.0-13.4	10	1.0	0.4- 1.6	7	1.6	0.2- 3.0	35	1.2	0.8- 1.6	50	4.9	3.3- 6.5
Some Post-H.S.	1243	829,074	1022	82.7	80.2-85.2	135	9.5	7.5-11.5	10	0.5	0.1- 0.9	2	0.4	0.0- 1.0	32	1.7	1.1- 2.3	42	5.3	3.5- 7.1
College Graduate	1584	675,575	1356	85.9	83.7-88.1	132	7.0	5.4- 8.6	5	0.2	0.0- 0.6	22	2.7	1.3- 4.1	30	1.1	0.5- 1.7	39	3.0	1.8- 4.2
Less than \$15,000	346	213,033	251	69.0	62.7-75.3	51	17.6	12.1-23.1	4	1.3	0.0- 2.9	2	1.6	0.0- 3.8	14	2.5	0.9- 4.1	24	7.9	4.6-11.2
\$15,000- 24,999	640	378,654	488	75.1	70.8-79.4	86	11.7	8.6-14.8	6	1.3	0.1- 2.5	3	0.5	0.0- 1.1	18	1.9	0.9- 2.9	39	9.5	6.2-12.8
\$25,000- 34,999	415	221,260	325	77.3	72.0-82.6	56	11.3	7.6-15.0	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1	14	2.5	0.9- 4.1	18	7.9	3.8-12.0
\$35,000- 49,999	543	311,672	453	82.9	78.8-87.0	56	8.1	5.4-10.8	6	1.1	0.0- 2.3	1	0.3	0.0- 0.9	7	0.7	0.0- 1.5	20	6.8	3.5-10.1
\$50,000- 74,999	591	344,709	508	86.0	82.5-89.5	45	7.7	5.0-10.4	3	0.6	0.0- 1.4	7	1.1	0.0- 2.3	15	1.4	0.4- 2.4	13	3.2	1.2- 5.2
\$75,000+	983	591,562	878	88.9	86.4-91.4	47	4.9	3.1- 6.7	3	0.3	0.0- 0.7	9	1.7	0.3- 3.1	13	0.6	0.2- 1.0	33	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 13: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8303	5,107,602	6859	80.4	79.2-81.6	1444	19.6	18.4-20.8
Male	3742	2,478,714	3097	80.0	78.4-81.6	645	20.0	18.4-21.6
Female	4561	2,628,888	3762	80.8	79.2-82.4	799	19.2	17.6-20.8
18-24	495	676,678	351	69.9	65.4-74.4	144	30.1	25.6-34.6
25-34	820	856,478	628	76.0	72.7-79.3	192	24.0	20.7-27.3
35-44	1014	816,600	770	74.4	71.3-77.5	244	25.6	22.5-28.7
45-54	1347	796,916	1105	81.2	78.8-83.6	242	18.8	16.4-21.2
55-64	1683	848,041	1410	86.0	84.0-88.0	273	14.0	12.0-16.0
65+	2944	1,112,888	2595	89.9	88.5-91.3	349	10.1	8.7-11.5
Less Than H.S.	594	600,466	397	70.0	65.7-74.3	197	30.0	25.7-34.3
H.S. or G.E.D.	2716	1,715,947	2249	80.1	78.1-82.1	467	19.9	17.9-21.9
Some Post-H.S.	2176	1,550,173	1783	81.0	78.8-83.2	393	19.0	16.8-21.2
College Graduate	2799	1,230,278	2419	85.6	83.8-87.4	380	14.4	12.6-16.2
Less than \$15,000	536	342,570	388	67.8	62.7-72.9	148	32.2	27.1-37.3
\$15,000- 24,999	1062	659,624	792	72.6	69.1-76.1	270	27.4	23.9-30.9
\$25,000- 34,999	712	408,918	569	77.8	73.9-81.7	143	22.2	18.3-26.1
\$35,000- 49,999	1002	598,257	834	81.9	78.8-85.0	168	18.1	15.0-21.2
\$50,000- 74,999	1102	690,264	953	84.9	82.2-87.6	149	15.1	12.4-17.8
\$75,000+	2110	1,351,461	1874	87.8	86.0-89.6	236	12.2	10.4-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 14: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3742	2,478,714	3097	80.0	78.4-81.6	645	20.0	18.4-21.6
18-24	269	345,789	185	67.8	61.5-74.1	84	32.2	25.9-38.5
25-34	406	429,668	318	77.6	72.9-82.3	88	22.4	17.7-27.1
35-44	477	407,507	366	74.7	70.2-79.2	111	25.3	20.8-29.8
45-54	619	396,793	511	81.6	78.1-85.1	108	18.4	14.9-21.9
55-64	780	411,961	656	85.6	82.7-88.5	124	14.4	11.5-17.3
65+	1191	486,996	1061	89.3	87.1-91.5	130	10.7	8.5-12.9
Less Than H.S.	277	294,637	187	70.9	65.0-76.8	90	29.1	23.2-35.0
H.S. or G.E.D.	1266	884,140	1039	80.2	77.5-82.9	227	19.8	17.1-22.5
Some Post-H.S.	954	735,914	780	79.4	76.1-82.7	174	20.6	17.3-23.9
College Graduate	1240	562,133	1086	85.3	82.8-87.8	154	14.7	12.2-17.2
Less than \$15,000	193	130,523	140	66.2	57.8-74.6	53	33.8	25.4-42.2
\$15,000- 24,999	429	284,836	309	69.3	63.8-74.8	120	30.7	25.2-36.2
\$25,000- 34,999	303	190,227	249	78.6	72.7-84.5	54	21.4	15.5-27.3
\$35,000- 49,999	465	291,154	385	80.6	75.9-85.3	80	19.4	14.7-24.1
\$50,000- 74,999	516	348,322	449	84.0	79.9-88.1	67	16.0	11.9-20.1
\$75,000+	1139	768,516	1007	87.1	84.6-89.6	132	12.9	10.4-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 15: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4561	2,628,888	3762	80.8	79.2-82.4	799	19.2	17.6-20.8
18-24	226	330,889	166	72.0	65.3-78.7	60	28.0	21.3-34.7
25-34	414	426,810	310	74.3	69.6-79.0	104	25.7	21.0-30.4
35-44	537	409,093	404	74.2	70.1-78.3	133	25.8	21.7-29.9
45-54	728	400,123	594	80.8	77.5-84.1	134	19.2	15.9-22.5
55-64	903	436,080	754	86.4	83.9-88.9	149	13.6	11.1-16.1
65+	1753	625,892	1534	90.4	88.6-92.2	219	9.6	7.8-11.4
Less Than H.S.	317	305,829	210	69.1	63.0-75.2	107	30.9	24.8-37.0
H.S. or G.E.D.	1450	831,807	1210	80.0	77.1-82.9	240	20.0	17.1-22.9
Some Post-H.S.	1222	814,259	1003	82.4	79.7-85.1	219	17.6	14.9-20.3
College Graduate	1559	668,145	1333	85.8	83.4-88.2	226	14.2	11.8-16.6
Less than \$15,000	343	212,046	248	68.9	62.6-75.2	95	31.1	24.8-37.4
\$15,000- 24,999	633	374,788	483	75.2	70.9-79.5	150	24.8	20.5-29.1
\$25,000- 34,999	409	218,691	320	77.1	71.6-82.6	89	22.9	17.4-28.4
\$35,000- 49,999	537	307,103	449	83.1	79.0-87.2	88	16.9	12.8-21.0
\$50,000- 74,999	586	341,942	504	85.9	82.4-89.4	82	14.1	10.6-17.6
\$75,000+	971	582,945	867	88.8	86.3-91.3	104	11.2	8.7-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 16: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8303	5,107,602	6859	80.4	79.2-81.6	724	9.0	8.2- 9.8	219	3.2	2.6- 3.8	125	1.0	0.8- 1.2	376	6.3	5.5- 7.1
Male	3742	2,478,714	3097	80.0	78.4-81.6	285	8.8	7.6-10.0	116	3.9	2.9- 4.9	58	1.0	0.6- 1.4	186	6.2	5.2- 7.2
Female	4561	2,628,888	3762	80.8	79.2-82.4	439	9.2	8.0-10.4	103	2.6	2.0- 3.2	67	0.9	0.7- 1.1	190	6.4	5.4- 7.4
18-24	495	676,678	351	69.9	65.4-74.4	41	9.3	6.4-12.2	29	7.8	4.9-10.7	13	1.2	0.4- 2.0	61	11.9	8.8-15.0
25-34	820	856,478	628	76.0	72.7-79.3	74	10.5	8.1-12.9	26	2.9	1.7- 4.1	19	1.7	0.9- 2.5	73	8.9	6.7-11.1
35-44	1014	816,600	770	74.4	71.3-77.5	102	11.1	8.9-13.3	31	3.8	2.2- 5.4	21	1.1	0.5- 1.7	90	9.6	7.4-11.8
45-54	1347	796,916	1105	81.2	78.8-83.6	121	9.6	7.8-11.4	38	2.8	1.8- 3.8	11	0.4	0.0- 0.8	72	6.0	4.4- 7.6
55-64	1683	848,041	1410	86.0	84.0-88.0	155	8.3	6.7- 9.9	41	1.9	1.1- 2.7	32	1.0	0.6- 1.4	45	2.7	1.7- 3.7
65+	2944	1,112,888	2595	89.9	88.5-91.3	231	6.4	5.2- 7.6	54	1.5	0.9- 2.1	29	0.7	0.3- 1.1	35	1.5	0.9- 2.1
Less Than H.S.	594	600,466	397	70.0	65.7-74.3	65	9.4	6.9-11.9	17	2.2	1.0- 3.4	13	0.8	0.2- 1.4	102	17.6	14.1-21.1
H.S. or G.E.D.	2716	1,715,947	2249	80.1	78.1-82.1	247	10.0	8.4-11.6	59	3.3	2.1- 4.5	46	1.1	0.7- 1.5	115	5.5	4.3- 6.7
Some Post-H.S.	2176	1,550,173	1783	81.0	78.8-83.2	215	9.8	8.2-11.4	57	2.7	1.7- 3.7	35	1.2	0.6- 1.8	86	5.3	4.1- 6.5
College Graduate	2799	1,230,278	2419	85.6	83.8-87.4	194	6.4	5.2- 7.6	85	4.1	2.9- 5.3	31	0.7	0.3- 1.1	70	3.2	2.4- 4.0
Less than \$15,000	536	342,570	388	67.8	62.7-72.9	84	18.5	14.2-22.8	16	4.7	2.0- 7.4	14	1.4	0.6- 2.2	34	7.6	4.9-10.3
\$15,000- 24,999	1062	659,624	792	72.6	69.1-76.1	127	11.5	9.0-14.0	29	2.9	1.5- 4.3	26	1.7	0.9- 2.5	88	11.3	8.8-13.8
\$25,000- 34,999	712	408,918	569	77.8	73.9-81.7	85	11.5	8.6-14.4	19	3.1	1.3- 4.9	10	1.4	0.4- 2.4	29	6.3	3.8- 8.8
\$35,000- 49,999	1002	598,257	834	81.9	78.8-85.0	94	8.3	6.1-10.5	23	2.1	0.9- 3.3	6	0.4	0.0- 0.8	45	7.3	4.9- 9.7
\$50,000- 74,999	1102	690,264	953	84.9	82.2-87.6	73	6.8	5.0- 8.6	28	3.7	2.1- 5.3	19	0.8	0.4- 1.2	29	3.8	2.2- 5.4
\$75,000+	2110	1,351,461	1874	87.8	86.0-89.6	98	5.1	3.9- 6.3	46	2.5	1.5- 3.5	24	0.9	0.5- 1.3	68	3.6	2.6- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 17: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3742	2,478,714	3097	80.0	78.4-81.6	285	8.8	7.6-10.0	116	3.9	2.9- 4.9	58	1.0	0.6- 1.4	186	6.2	5.2- 7.2
18-24	269	345,789	185	67.8	61.5-74.1	23	9.1	5.4-12.8	19	9.7	5.2-14.2	7	1.4	0.2- 2.6	35	11.9	7.8-16.0
25-34	406	429,668	318	77.6	72.9-82.3	26	8.7	5.4-12.0	15	3.6	1.4- 5.8	10	2.0	0.6- 3.4	37	8.1	5.2-11.0
35-44	477	407,507	366	74.7	70.2-79.2	46	11.8	8.5-15.1	18	4.6	2.1- 7.1	9	0.8	0.2- 1.4	38	8.2	5.5-10.9
45-54	619	396,793	511	81.6	78.1-85.1	55	9.2	6.5-11.9	15	2.6	1.0- 4.2	3	0.3	0.0- 0.7	35	6.2	4.0- 8.4
55-64	780	411,961	656	85.6	82.7-88.5	64	8.6	6.2-11.0	22	2.1	1.1- 3.1	15	0.8	0.4- 1.2	23	2.9	1.3- 4.5
65+	1191	486,996	1061	89.3	87.1-91.5	71	6.3	4.5- 8.1	27	1.8	1.0- 2.6	14	1.0	0.4- 1.6	18	1.7	0.9- 2.5
Less Than H.S.	277	294,637	187	70.9	65.0-76.8	33	11.5	7.4-15.6	8	1.9	0.0- 3.9	3	0.6	0.0- 1.4	46	15.1	10.6-19.6
H.S. or G.E.D.	1266	884,140	1039	80.2	77.5-82.9	108	8.9	6.9-10.9	28	3.7	2.1- 5.3	26	1.3	0.7- 1.9	65	6.0	4.4- 7.6
Some Post-H.S.	954	735,914	780	79.4	76.1-82.7	81	10.1	7.6-12.6	31	3.9	2.1- 5.7	18	1.4	0.6- 2.2	44	5.2	3.4- 7.0
College Graduate	1240	562,133	1086	85.3	82.8-87.8	63	5.8	4.2- 7.4	49	5.2	3.4- 7.0	11	0.5	0.1- 0.9	31	3.3	1.9- 4.7
Less than \$15,000	193	130,523	140	66.2	57.8-74.6	33	19.7	13.0-26.4	7	6.2	0.7-11.7	3	0.8	0.0- 1.8	10	7.1	2.6-11.6
\$15,000- 24,999	429	284,836	309	69.3	63.8-74.8	42	11.5	7.2-15.8	15	3.5	1.1- 5.9	14	2.3	0.7- 3.9	49	13.5	9.6-17.4
\$25,000- 34,999	303	190,227	249	78.6	72.7-84.5	29	11.5	6.8-16.2	10	4.5	1.2- 7.8	4	1.1	0.0- 2.3	11	4.3	1.6- 7.0
\$35,000- 49,999	465	291,154	385	80.6	75.9-85.3	39	8.6	5.3-11.9	13	2.7	0.7- 4.7	3	0.3	0.0- 0.7	25	7.8	4.5-11.1
\$50,000- 74,999	516	348,322	449	84.0	79.9-88.1	28	5.9	3.4- 8.4	15	5.1	2.2- 8.0	8	0.8	0.2- 1.4	16	4.4	2.0- 6.8
\$75,000+	1139	768,516	1007	87.1	84.6-89.6	52	5.3	3.5- 7.1	30	2.8	1.4- 4.2	15	1.2	0.4- 2.0	35	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 18: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4561	2,628,888	3762	80.8	79.2-82.4	439	9.2	8.0-10.4	103	2.6	2.0-3.2	67	0.9	0.7- 1.1	190	6.4	5.4- 7.4
18-24	226	330,889	166	72.0	65.3-78.7	18	9.5	5.2-13.8	10	5.7	2.0- 9.4	6	0.9	0.1- 1.7	26	12.0	7.3-16.7
25-34	414	426,810	310	74.3	69.6-79.0	48	12.4	8.9-15.9	11	2.1	0.7- 3.5	9	1.4	0.4- 2.4	36	9.7	6.2-13.2
35-44	537	409,093	404	74.2	70.1-78.3	56	10.4	7.5-13.3	13	3.0	1.2- 4.8	12	1.3	0.5- 2.1	52	11.1	8.0-14.2
45-54	728	400,123	594	80.8	77.5-84.1	66	9.9	7.4-12.4	23	3.0	1.6- 4.4	8	0.6	0.2- 1.0	37	5.7	3.7- 7.7
55-64	903	436,080	754	86.4	83.9-88.9	91	8.2	6.0-10.4	19	1.7	0.7- 2.7	17	1.1	0.5- 1.7	22	2.6	1.4- 3.8
65+	1753	625,892	1534	90.4	88.6-92.2	160	6.5	5.1- 7.9	27	1.3	0.7- 1.9	15	0.5	0.1- 0.9	17	1.4	0.6- 2.2
Less Than H.S.	317	305,829	210	69.1	63.0-75.2	32	7.5	4.4-10.6	9	2.4	0.8- 4.0	10	1.0	0.2- 1.8	56	20.0	14.5-25.5
H.S. or G.E.D.	1450	831,807	1210	80.0	77.1-82.9	139	11.2	8.8-13.6	31	2.9	1.5- 4.3	20	0.8	0.4- 1.2	50	5.0	3.4- 6.6
Some Post-H.S.	1222	814,259	1003	82.4	79.7-85.1	134	9.6	7.6-11.6	26	1.5	0.7- 2.3	17	1.1	0.5- 1.7	42	5.4	3.6- 7.2
College Graduate	1559	668,145	1333	85.8	83.4-88.2	131	7.0	5.4- 8.6	36	3.2	1.8- 4.6	20	0.9	0.3- 1.5	39	3.0	1.8- 4.2
Less than \$15,000	343	212,046	248	68.9	62.6-75.2	51	17.7	12.2-23.2	9	3.7	0.8- 6.6	11	1.8	0.6- 3.0	24	7.9	4.6-11.2
\$15,000- 24,999	633	374,788	483	75.2	70.9-79.5	85	11.6	8.5-14.7	14	2.4	1.0- 3.8	12	1.3	0.5- 2.1	39	9.6	6.3-12.9
\$25,000- 34,999	409	218,691	320	77.1	71.6-82.6	56	11.5	7.8-15.2	9	1.8	0.2- 3.4	6	1.6	0.2- 3.0	18	8.0	3.7-12.3
\$35,000- 49,999	537	307,103	449	83.1	79.0-87.2	55	8.0	5.3-10.7	10	1.5	0.1- 2.9	3	0.4	0.0- 1.0	20	6.9	3.6-10.2
\$50,000- 74,999	586	341,942	504	85.9	82.4-89.4	45	7.8	5.1-10.5	13	2.2	0.6- 3.8	11	0.9	0.3- 1.5	13	3.2	1.2- 5.2
\$75,000+	971	582,945	867	88.8	86.3-91.3	46	4.9	3.1- 6.7	16	2.1	0.7- 3.5	9	0.5	0.1- 0.9	33	3.7	2.3- 5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 19: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8251	5,095,705	883	20.8	19.4-22.2	968	17.8	16.6-19.0	1103	14.7	13.7-15.7	1449	15.9	15.1-16.7	1807	15.8	15.0-16.6	2041	15.0	14.2-15.8
Male	3740	2,485,332	473	22.4	20.4-24.4	462	17.9	16.3-19.5	497	14.5	13.1-15.9	663	16.0	14.6-17.4	835	16.1	14.9-17.3	810	13.1	12.1-14.1
Female	4511	2,610,373	410	19.3	17.5-21.1	506	17.7	16.1-19.3	606	14.9	13.7-16.1	786	15.8	14.6-17.0	972	15.6	14.4-16.8	1231	16.8	15.6-18.0
White/Non-Hisp	6689	4,021,298	633	18.6	17.2-20.0	727	16.8	15.6-18.0	857	14.3	13.3-15.3	1187	16.4	15.4-17.4	1519	17.2	16.2-18.2	1766	16.7	15.9-17.5
Black or Afr. Am./Non-Hisp	710	454,002	68	21.5	16.8-26.2	98	21.7	17.6-25.8	100	16.2	12.9-19.5	133	16.8	13.7-19.9	158	13.9	11.2-16.6	153	9.9	7.7-12.1
Oth. Race/Non-Hisp.	213	159,883	45	41.3	31.9-50.7	27	17.6	10.5-24.7	34	15.1	9.4-20.8	31	10.1	5.6-14.6	38	8.0	4.9-11.1	38	8.0	4.5-11.5
MultiRacial/Non-Hisp.	123	50,009	22	30.2	18.8-41.6	19	22.6	12.8-32.4	17	11.8	5.3-18.3	17	10.1	4.4-15.8	24	11.9	6.4-17.4	24	13.4	6.7-20.1
Hispanic	370	318,467	101	37.1	31.0-43.2	82	25.2	19.9-30.5	74	17.9	13.6-22.2	59	11.7	8.4-15.0	34	5.5	3.3- 7.7	20	2.6	1.0- 4.2
Less Than H.S.	604	610,262	73	21.4	16.9-25.9	77	18.1	14.2-22.0	81	14.2	11.1-17.3	122	17.9	14.6-21.2	111	13.3	10.6-16.0	140	15.1	12.4-17.8
H.S. or G.E.D.	2696	1,706,531	317	23.5	21.1-25.9	273	15.4	13.6-17.2	270	11.2	9.8-12.6	452	15.0	13.6-16.4	643	17.9	16.3-19.5	741	16.9	15.5-18.3
Some Post-H.S.	2171	1,553,266	257	22.0	19.5-24.5	272	19.2	17.0-21.4	284	15.0	13.2-16.8	369	15.5	13.9-17.1	447	14.4	13.0-15.8	542	14.0	12.6-15.4
College Graduate	2765	1,216,254	234	15.3	13.3-17.3	345	19.3	17.3-21.3	465	19.6	17.8-21.4	505	16.7	15.1-18.3	601	15.8	14.4-17.2	615	13.3	12.1-14.5
Less than \$15,000	538	343,398	68	24.7	19.4-30.0	72	17.9	13.8-22.0	64	10.9	8.0-13.8	114	19.0	15.3-22.7	115	14.6	11.5-17.7	105	12.8	9.9-15.7
\$15,000- 24,999	1063	661,917	135	24.3	20.6-28.0	114	16.0	13.1-18.9	110	10.9	8.7-13.1	149	13.5	11.1-15.9	260	18.2	15.7-20.7	295	17.2	14.8-19.6
\$25,000- 34,999	710	407,672	74	20.9	16.4-25.4	77	17.2	13.5-20.9	63	9.5	7.0-12.0	105	14.6	11.7-17.5	149	14.5	11.8-17.2	242	23.4	20.1-26.7
\$35,000- 49,999	1004	601,989	115	20.0	16.5-23.5	119	18.9	15.6-22.2	116	13.0	10.5-15.5	142	12.4	10.0-14.8	237	17.3	14.9-19.7	275	18.4	15.9-20.9
\$50,000- 74,999	1102	693,393	117	18.4	15.3-21.5	148	19.2	16.1-22.3	164	17.6	14.9-20.3	175	15.1	12.7-17.5	272	18.3	15.9-20.7	226	11.4	9.6-13.2
\$75,000+	2117	1,359,010	172	16.0	13.6-18.4	309	21.3	18.9-23.7	440	21.7	19.7-23.7	534	21.4	19.4-23.4	405	13.2	11.8-14.6	257	6.4	5.4- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 20: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3740	2,485,332	473	22.4	20.4-24.4	462	17.9	16.3-19.5	497	14.5	13.1-15.9	663	16.0	14.6-17.4	835	16.1	14.9-17.3	810	13.1	12.1-14.1
White/Non-Hisp	3025	1,941,106	332	19.9	17.9-21.9	357	17.3	15.5-19.1	388	14.2	12.8-15.6	544	16.7	15.3-18.1	699	17.6	16.2-19.0	705	14.3	13.1-15.5
Black or Afr. Am./Non-Hisp	279	215,746	35	23.4	16.3-30.5	39	20.9	14.6-27.2	41	15.8	10.7-20.9	59	16.9	12.2-21.6	62	14.1	10.0-18.2	43	8.9	5.6-12.2
Oth. Race/Non-Hisp.	114	93,891	27	44.1	31.6-56.6	18	20.9	10.3-31.5	17	13.7	6.4-21.0	11	7.1	2.2-12.0	23	7.2	3.5-10.9	18	7.0	2.9-11.1
MultiRacial/Non-Hisp.	57	25,797	12	36.8	19.4-54.2	8	19.7	6.4-33.0	6	8.3	0.3-16.3	7	8.2	1.3-15.1	13	12.6	4.8-20.4	11	14.5	4.1-24.9
Hispanic	183	152,579	57	38.1	29.7-46.5	32	21.1	14.0-28.2	36	18.7	12.6-24.8	30	13.6	8.1-19.1	19	6.0	2.9-9.1	9	2.4	0.6-4.2
Less Than H.S.	283	302,051	37	20.2	14.3-26.1	42	20.2	14.5-25.9	35	13.2	8.7-17.7	55	18.6	13.7-23.5	63	15.4	11.3-19.5	51	12.4	8.7-16.1
H.S. or G.E.D.	1261	881,689	194	26.5	23.2-29.8	140	16.2	13.7-18.7	146	12.3	10.3-14.3	221	15.2	13.0-17.4	305	17.6	15.4-19.8	255	12.2	10.4-14.0
Some Post-H.S.	964	742,674	140	25.1	21.4-28.8	118	18.0	14.9-21.1	129	14.7	12.2-17.2	166	15.0	12.6-17.4	201	14.5	12.3-16.7	210	12.7	10.7-14.7
College Graduate	1228	557,770	102	13.7	11.0-16.4	162	19.2	16.5-21.9	186	18.5	16.0-21.0	221	17.2	14.8-19.6	263	16.1	14.1-18.1	294	15.3	13.3-17.3
Less than \$15,000	199	133,339	26	23.5	15.3-31.7	23	16.3	9.6-23.0	23	10.9	6.0-15.8	45	20.8	14.5-27.1	54	19.0	13.3-24.7	28	9.6	5.3-13.9
\$15,000- 24,999	431	287,299	60	23.9	18.4-29.4	40	14.4	9.9-18.9	45	10.7	7.4-14.0	55	13.1	9.4-16.8	132	23.0	18.7-27.3	99	14.9	11.6-18.2
\$25,000- 34,999	304	189,600	43	25.4	18.7-32.1	39	17.2	12.1-22.3	21	6.6	3.5-9.7	48	15.4	10.7-20.1	61	14.3	10.2-18.4	92	21.1	16.4-25.8
\$35,000- 49,999	466	292,848	53	18.4	13.7-23.1	60	20.7	15.6-25.8	52	12.5	9.0-16.0	64	12.9	9.6-16.2	102	16.5	13.2-19.8	135	19.0	15.5-22.5
\$50,000- 74,999	517	352,200	61	19.8	15.1-24.5	65	18.9	14.4-23.4	74	17.4	13.5-21.3	78	13.9	10.6-17.2	124	17.5	14.2-20.8	115	12.4	9.9-14.9
\$75,000+	1149	776,135	112	18.0	14.7-21.3	174	21.5	18.4-24.6	220	20.6	17.9-23.3	274	20.3	17.8-22.8	213	12.8	10.8-14.8	156	6.8	5.6-8.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 21: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4511	2,610,373	410	19.3	17.5-21.1	506	17.7	16.1-19.3	606	14.9	13.7-16.1	786	15.8	14.6-17.0	972	15.6	14.4-16.8	1231	16.8	15.8-17.8
White/Non-Hisp	3664	2,080,193	301	17.5	15.5-19.5	370	16.3	14.7-17.9	469	14.3	12.9-15.7	643	16.2	14.8-17.6	820	16.8	15.6-18.0	1061	18.9	17.7-20.1
Black or Afr. Am./Non-Hisp	431	238,256	33	19.8	13.5-26.1	59	22.5	17.0-28.0	59	16.5	12.0-21.0	74	16.6	12.3-20.9	96	13.7	10.2-17.2	110	10.9	8.0-13.8
Oth. Race/Non-Hisp.	99	65,992	18	37.4	23.3-51.5	9	12.8	4.4-21.2	17	16.9	7.9-25.9	20	14.4	6.4-22.4	15	9.0	3.3-14.7	20	9.5	3.6-15.4
MultiRacial/Non-Hisp.	66	24,212	10	23.1	10.0-36.2	11	25.6	11.3-39.9	11	15.6	5.6-25.6	10	12.1	3.1-21.1	11	11.3	3.5-19.1	13	12.3	4.7-19.9
Hispanic	187	165,888	44	36.1	27.1-45.1	50	29.0	21.2-36.8	38	17.3	11.4-23.2	29	9.8	5.7-13.9	15	5.0	2.1- 7.9	11	2.8	0.1- 5.5
Less Than H.S.	321	308,211	36	22.6	15.9-29.3	35	15.9	10.6-21.2	46	15.2	10.9-19.5	67	17.3	12.8-21.8	48	11.2	7.7-14.7	89	17.7	13.6-21.8
H.S. or G.E.D.	1435	824,841	123	20.3	17.0-23.6	133	14.6	12.1-17.1	124	9.9	8.1-11.7	231	14.9	12.9-16.9	338	18.3	16.1-20.5	486	22.0	19.8-24.2
Some Post-H.S.	1207	810,592	117	19.1	15.8-22.4	154	20.3	17.4-23.2	155	15.1	12.7-17.5	203	15.9	13.5-18.3	246	14.4	12.4-16.4	332	15.2	13.2-17.2
College Graduate	1537	658,484	132	16.7	14.0-19.4	183	19.3	16.6-22.0	279	20.5	18.1-22.9	284	16.3	14.3-18.3	338	15.6	13.8-17.4	321	11.7	10.1-13.3
Less than \$15,000	339	210,060	42	25.5	18.6-32.4	49	19.0	13.7-24.3	41	10.9	7.4-14.4	69	17.9	13.4-22.4	61	11.8	8.3-15.3	77	14.9	11.2-18.6
\$15,000- 24,999	632	374,618	75	24.6	19.5-29.7	74	17.2	13.3-21.1	65	11.1	8.2-14.0	94	13.8	10.7-16.9	128	14.5	11.6-17.4	196	18.9	15.8-22.0
\$25,000- 34,999	406	218,071	31	17.0	11.1-22.9	38	17.1	11.8-22.4	42	12.0	8.3-15.7	57	13.8	9.9-17.7	88	14.7	11.2-18.2	150	25.4	20.7-30.1
\$35,000- 49,999	538	309,141	62	21.6	16.5-26.7	59	17.2	12.9-21.5	64	13.5	10.0-17.0	78	12.0	9.1-14.9	135	18.0	14.7-21.3	140	17.8	14.3-21.3
\$50,000- 74,999	585	341,193	56	17.0	12.7-21.3	83	19.6	15.5-23.7	90	17.7	14.0-21.4	97	16.2	12.9-19.5	148	19.1	15.8-22.4	111	10.4	8.0-12.8
\$75,000+	968	582,875	60	13.3	10.0-16.6	135	21.1	17.8-24.4	220	23.2	20.1-26.3	260	22.9	20.0-25.8	192	13.7	11.5-15.9	101	5.8	4.4- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 22: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8251	5,095,705	5315	78.1	77.3-78.9	2936	21.9	21.1-22.7
Male	3740	2,485,332	2533	80.1	78.9-81.3	1207	19.9	18.7-21.1
Female	4511	2,610,373	2782	76.3	74.9-77.7	1729	23.7	22.3-25.1
White/Non-Hisp	6689	4,021,298	4148	75.6	74.6-76.6	2541	24.4	23.4-25.4
Black or Afr. Am./Non-Hisp	710	454,002	486	84.9	82.2-87.6	224	15.1	12.4-17.8
Oth. Race/Non-Hisp.	213	159,883	161	89.7	86.0-93.4	52	10.3	6.6-14.0
MultiRacial/Non-Hisp.	123	50,009	94	84.2	77.3-91.1	29	15.8	8.9-22.7
Hispanic	370	318,467	335	94.7	92.5-96.9	35	5.3	3.1- 7.5
Less Than H.S.	604	610,262	423	80.7	77.6-83.8	181	19.3	16.2-22.4
H.S. or G.E.D.	2696	1,706,531	1645	75.1	73.5-76.7	1051	24.9	23.3-26.5
Some Post-H.S.	2171	1,553,266	1395	79.4	77.8-81.0	776	20.6	19.0-22.2
College Graduate	2765	1,216,254	1842	79.5	78.1-80.9	923	20.5	19.1-21.9
Less than \$15,000	538	343,398	388	82.1	78.8-85.4	150	17.9	14.6-21.2
\$15,000- 24,999	1063	661,917	629	74.4	71.7-77.1	434	25.6	22.9-28.3
\$25,000- 34,999	710	407,672	375	68.0	64.3-71.7	335	32.0	28.3-35.7
\$35,000- 49,999	1004	601,989	597	72.8	69.9-75.7	407	27.2	24.3-30.1
\$50,000- 74,999	1102	693,393	738	80.6	78.4-82.8	364	19.4	17.2-21.6
\$75,000+	2117	1,359,010	1697	89.1	87.9-90.3	420	10.9	9.7-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 23: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3740	2,485,332	2533	80.1	78.9-81.3	1207	19.9	18.7-21.1
White/Non-Hisp	3025	1,941,106	1979	78.0	76.6-79.4	1046	22.0	20.6-23.4
Black or Afr. Am./Non-Hisp	279	215,746	211	86.3	82.4-90.2	68	13.7	9.8-17.6
Oth. Race/Non-Hisp.	114	93,891	87	90.8	86.3-95.3	27	9.2	4.7-13.7
MultiRacial/Non-Hisp.	57	25,797	43	81.9	70.7-93.1	14	18.1	6.9-29.3
Hispanic	183	152,579	165	94.5	91.8-97.2	18	5.5	2.8- 8.2
Less Than H.S.	283	302,051	213	83.5	79.4-87.6	70	16.5	12.4-20.6
H.S. or G.E.D.	1261	881,689	870	80.3	78.1-82.5	391	19.7	17.5-21.9
Some Post-H.S.	964	742,674	646	80.3	77.9-82.7	318	19.7	17.3-22.1
College Graduate	1228	557,770	801	77.4	75.0-79.8	427	22.6	20.2-25.0
Less than \$15,000	199	133,339	153	85.5	80.6-90.4	46	14.5	9.6-19.4
\$15,000- 24,999	431	287,299	269	75.2	71.1-79.3	162	24.8	20.7-28.9
\$25,000- 34,999	304	189,600	175	70.9	65.6-76.2	129	29.1	23.8-34.4
\$35,000- 49,999	466	292,848	272	71.7	67.4-76.0	194	28.3	24.0-32.6
\$50,000- 74,999	517	352,200	338	79.2	75.9-82.5	179	20.8	17.5-24.1
\$75,000+	1149	776,135	908	89.0	87.4-90.6	241	11.0	9.4-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 24: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4511	2,610,373	2782	76.3	75.1-77.5	1729	23.7	22.5-24.9
White/Non-Hisp	3664	2,080,193	2169	73.3	71.7-74.9	1495	26.7	25.1-28.3
Black or Afr. Am./Non-Hisp	431	238,256	275	83.6	80.1-87.1	156	16.4	12.9-19.9
Oth. Race/Non-Hisp.	99	65,992	74	88.0	81.5-94.5	25	12.0	5.5-18.5
MultiRacial/Non-Hisp.	66	24,212	51	86.7	78.9-94.5	15	13.3	5.5-21.1
Hispanic	187	165,888	170	94.9	91.6-98.2	17	5.1	1.8- 8.4
Less Than H.S.	321	308,211	210	77.9	73.4-82.4	111	22.1	17.6-26.6
H.S. or G.E.D.	1435	824,841	775	69.5	67.0-72.0	660	30.5	28.0-33.0
Some Post-H.S.	1207	810,592	749	78.5	76.1-80.9	458	21.5	19.1-23.9
College Graduate	1537	658,484	1041	81.2	79.2-83.2	496	18.8	16.8-20.8
Less than \$15,000	339	210,060	235	80.0	75.7-84.3	104	20.0	15.7-24.3
\$15,000- 24,999	632	374,618	360	73.8	70.1-77.5	272	26.2	22.5-29.9
\$25,000- 34,999	406	218,071	200	65.5	60.2-70.8	206	34.5	29.2-39.8
\$35,000- 49,999	538	309,141	325	73.8	69.7-77.9	213	26.2	22.1-30.3
\$50,000- 74,999	585	341,193	400	82.1	79.2-85.0	185	17.9	15.0-20.8
\$75,000+	968	582,875	789	89.3	87.5-91.1	179	10.7	8.9-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	7877	4,832,036	4	0.1	0.0- 0.3	432	5.0	4.4- 5.6	3343	39.6	38.2-41.0	3335	44.5	43.1-45.9	761	10.8	10.0-11.6	2	0.0	0.0- 0.0	
Male	3590	2,371,502	1	0.0	0.0- 0.0	17	0.5	0.3- 0.7	371	10.0	8.8-11.2	2453	67.9	66.1-69.7	747	21.6	20.0-23.2	1	0.0	0.0- 0.0	
Female	4287	2,460,534	3	0.2	0.0- 0.4	415	9.3	8.1-10.5	2972	68.1	66.3-69.9	882	22.1	20.5-23.7	14	0.4	0.2- 0.6	1	0.0	0.0- 0.0	
White/Non-Hisp	6472	3,880,832	2	0.0	0.0- 0.0	352	4.9	4.3- 5.5	2728	39.0	37.6-40.4	2767	45.4	43.8-47.0	622	10.6	9.6-11.6	1	0.0	0.0- 0.0	
Black or Afr. Am./Non-Hisp	664	425,552				25	3.3	1.7- 4.9	304	41.4	36.5-46.3	271	42.6	37.7-47.5	64	12.7	9.2-16.2				
Oth. Race/Non-Hisp.	194	141,500				19	9.2	3.3-15.1	71	33.7	24.9-42.5	74	41.9	32.3-51.5	29	14.4	7.3-21.5	1	0.7	0.0- 2.1	
MultiRacial/Non-Hisp.	118	48,180				5	3.6	0.1- 7.1	52	38.2	27.6-48.8	49	44.9	33.5-56.3	12	13.4	3.8-23.0				
Hispanic	291	253,324	1	1.2	0.0- 3.6	25	7.3	4.0-10.6	142	50.9	44.0-57.8	103	33.3	26.8-39.8	20	7.3	3.8-10.8				
18-24	463	639,809	1	0.5	0.0- 1.5	13	3.6	1.4- 5.8	175	39.5	34.6-44.4	216	45.1	40.0-50.2	58	11.4	8.5-14.3				
25-34	776	810,864				38	5.2	3.4- 7.0	283	35.8	32.1-39.5	347	43.8	39.9-47.7	107	15.0	12.1-17.9	1	0.1	0.0- 0.3	
35-44	933	747,829	1	0.1	0.0- 0.3	33	3.3	2.1- 4.5	335	35.4	32.1-38.7	439	48.1	44.6-51.6	125	13.2	10.8-15.6				
45-54	1267	746,738				56	4.2	3.0- 5.4	501	37.3	34.4-40.2	571	47.6	44.5-50.7	139	10.9	8.9-12.9				
55-64	1610	815,142	1	0.1	0.0- 0.3	75	4.7	3.5- 5.9	688	40.9	38.2-43.6	707	45.7	43.0-48.4	138	8.6	7.0-10.2	1	0.1	0.0- 0.3	
65+	2828	1,071,653	1	0.0	0.0- 0.0	217	7.5	6.3- 8.7	1361	45.9	43.7-48.1	1055	39.3	37.1-41.5	194	7.2	6.0- 8.4				
Less Than H.S.	530	541,538	3	0.7	0.0- 1.9	50	9.9	6.8-13.0	244	40.9	36.0-45.8	203	41.6	36.7-46.5	30	6.8	4.3- 9.3				
H.S. or G.E.D.	2567	1,624,128				173	5.3	4.3- 6.3	1111	39.6	37.2-42.0	1054	44.5	42.1-46.9	227	10.5	8.9-12.1	2	0.1	0.0- 0.3	
Some Post-H.S.	2075	1,479,866	1	0.0	0.0- 0.0	103	3.9	2.9- 4.9	875	39.0	36.5-41.5	892	45.1	42.6-47.6	204	11.9	10.1-13.7				
College Graduate	2688	1,177,849				104	3.7	2.9- 4.5	1105	39.4	37.2-41.6	1180	45.3	43.1-47.5	299	11.7	10.3-13.1				
Less than \$15,000	518	323,606	2	0.3	0.0- 0.7	42	7.3	4.8- 9.8	243	46.6	41.3-51.9	202	39.3	34.2-44.4	29	6.5	3.8- 9.2				
\$15,000- 24,999	1019	630,279	1	0.5	0.0- 1.5	72	6.7	4.5- 8.9	492	45.0	41.3-48.7	380	39.6	35.9-43.3	73	8.1	5.9-10.3	1	0.2	0.0- 0.6	
\$25,000- 34,999	700	402,956				45	6.1	3.9- 8.3	328	43.3	38.8-47.8	271	41.3	36.8-45.8	56	9.4	6.7-12.1				
\$35,000- 49,999	986	586,051				49	4.1	2.7- 5.5	423	42.3	38.6-46.0	422	43.4	39.7-47.1	92	10.1	7.6-12.6				
\$50,000- 74,999	1084	682,383				51	4.3	2.9- 5.7	436	37.0	33.7-40.3	505	49.0	45.5-52.5	92	9.7	7.3-12.1				
\$75,000+	2084	1,337,765				52	2.3	1.5- 3.1	717	31.8	29.4-34.2	1017	50.7	48.2-53.2	298	15.2	13.2-17.2				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3590	2,371,502	1	0.0	0.0- 0.0	17	0.5	0.3- 0.7	371	10.0	8.8-11.2	2453	67.9	66.1-69.7	747	21.6	20.0-23.2	1	0.0	0.0- 0.0
White/Non-Hisp	2943	1,885,591	1	0.0	0.0- 0.0	12	0.5	0.1- 0.9	271	8.4	7.2- 9.6	2045	69.5	67.5-71.5	614	21.7	19.9-23.5			
Black or Afr. Am./Non-Hisp	266	205,170				2	0.8	0.0- 1.8	33	14.0	8.7-19.3	167	59.0	51.7-66.3	64	26.2	19.5-32.9			
Oth. Race/Non-Hisp.	102	81,791							19	17.9	7.7-28.1	54	56.5	43.4-69.6	28	24.3	12.9-35.7	1	1.3	0.0- 3.8
MultiRacial/Non-Hisp.	55	25,587				1	1.3	0.0- 3.8	11	18.5	6.5-30.5	32	58.6	41.7-75.5	11	21.6	5.7-37.5			
Hispanic	144	121,506				2	0.9	0.0- 2.1	33	22.2	14.6-29.8	91	62.9	53.7-72.1	18	14.1	7.0-21.2			
18-24	249	323,810				1	0.3	0.0- 0.9	24	9.7	5.6-13.8	166	67.6	61.3-73.9	58	22.5	17.0-28.0			
25-34	385	410,573				1	0.5	0.0- 1.3	35	9.3	6.2-12.4	244	61.1	55.6-66.6	104	28.9	23.8-34.0	1	0.3	0.0- 0.9
35-44	447	380,099				2	0.4	0.0- 1.0	30	7.4	4.5-10.3	292	66.7	62.0-71.4	123	25.5	21.2-29.8			
45-54	585	373,391				3	0.6	0.0- 1.4	55	9.4	6.9-11.9	392	68.7	64.6-72.8	135	21.3	17.8-24.8			
55-64	758	405,861				4	0.6	0.0- 1.2	82	10.6	8.1-13.1	536	71.8	68.3-75.3	136	17.0	14.1-19.9			
65+	1166	477,768	1	0.1	0.0- 0.3	6	0.6	0.0- 1.2	145	12.7	10.3-15.1	823	70.9	68.0-73.8	191	15.7	13.3-18.1			
Less Than H.S.	247	263,564	1	0.1	0.0- 0.3	5	2.0	0.2- 3.8	51	16.6	11.7-21.5	161	67.5	60.8-74.2	29	13.8	8.7-18.9			
H.S. or G.E.D.	1206	841,683				6	0.4	0.0- 0.8	146	11.5	9.3-13.7	829	67.8	64.7-70.9	224	20.1	17.4-22.8	1	0.1	0.0- 0.3
Some Post-H.S.	933	722,364				2	0.2	0.0- 0.4	81	8.1	6.1-10.1	654	68.3	64.8-71.8	196	23.4	20.1-26.7			
College Graduate	1199	542,442				4	0.3	0.0- 0.7	93	7.0	5.4- 8.6	805	67.5	64.6-70.4	297	25.2	22.5-27.9			
Less than \$15,000	191	125,035	1	0.3	0.0- 0.9				31	18.6	11.5-25.7	131	65.0	56.6-73.4	28	16.1	9.6-22.6			
\$15,000- 24,999	408	270,845				3	0.8	0.0- 1.8	59	15.9	11.4-20.4	277	65.1	59.4-70.8	68	17.9	13.2-22.6	1	0.4	0.0- 1.2
\$25,000- 34,999	300	188,407				5	2.1	0.3- 3.9	37	11.3	7.2-15.4	203	67.1	60.8-73.4	55	19.6	14.1-25.1			
\$35,000- 49,999	459	285,035				2	0.3	0.0- 0.9	48	11.4	7.7-15.1	320	68.4	63.1-73.7	89	19.9	15.2-24.6			
\$50,000- 74,999	516	352,070				1	0.1	0.0- 0.3	45	8.4	5.7-11.1	378	72.7	68.2-77.2	92	18.8	14.9-22.7			
\$75,000+	1134	766,035				1	0.0	0.0- 0.0	68	5.0	3.6- 6.4	768	68.4	65.3-71.5	297	26.5	23.4-29.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4287	2,460,534	3	0.2	0.0- 0.4	415	9.3	8.1-10.5	2972	68.1	66.3-69.9	882	22.1	20.5-23.7	14	0.4	0.2- 0.6	1	0.0	0.0- 0.0	
White/Non-Hisp	3529	1,995,242	1	0.0	0.0- 0.0	340	9.2	8.0-10.4	2457	67.9	65.9-69.9	722	22.6	20.8-24.4	8	0.2	0.0- 0.4	1	0.0	0.0- 0.0	
Black or Afr. Am./Non-Hisp	398	220,382				23	5.7	2.8- 8.6	271	67.0	60.9-73.1	104	27.4	21.5-33.3							
Oth. Race/Non-Hisp.	92	59,709				19	21.9	9.4-34.4	52	55.5	41.4-69.6	20	21.9	9.9-33.9	1	0.8	0.0- 2.4				
MultiRacial/Non-Hisp.	63	22,594				4	6.2	0.0-13.1	41	60.5	45.2-75.8	17	29.3	14.8-43.8	1	4.1	0.0-11.7				
Hispanic	147	131,818	1	2.2	0.0- 6.5	23	13.2	6.9-19.5	109	77.5	69.5-85.5	12	6.0	1.9-10.1	2	1.0	0.0- 2.6				
18-24	214	315,999	1	0.9	0.0- 2.7	12	7.1	2.6-11.6	151	70.0	63.1-76.9	50	22.0	15.9-28.1							
25-34	391	400,291				37	10.1	6.6-13.6	248	62.9	57.6-68.2	103	26.1	21.2-31.0	3	0.8	0.0- 1.8				
35-44	486	367,730	1	0.1	0.0- 0.3	31	6.3	3.9- 8.7	305	64.4	59.7-69.1	147	28.7	24.4-33.0	2	0.4	0.0- 1.0				
45-54	682	373,347				53	7.9	5.7-10.1	446	65.2	61.1-69.3	179	26.5	22.8-30.2	4	0.5	0.1- 0.9				
55-64	852	409,282	1	0.2	0.0- 0.6	71	8.8	6.6-11.0	606	70.9	67.4-74.4	171	19.8	16.7-22.9	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	
65+	1662	593,885				211	13.1	11.1-15.1	1216	72.6	70.1-75.1	232	14.0	12.0-16.0	3	0.3	0.0- 0.7				
Less Than H.S.	283	277,974	2	1.3	0.0- 3.5	45	17.5	11.8-23.2	193	64.0	56.9-71.1	42	17.1	11.6-22.6	1	0.2	0.0- 0.6				
H.S. or G.E.D.	1361	782,446				167	10.5	8.5-12.5	965	69.8	66.7-72.9	225	19.5	16.8-22.2	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	
Some Post-H.S.	1142	757,502	1	0.1	0.0- 0.3	101	7.5	5.7- 9.3	794	68.5	65.2-71.8	238	23.0	20.1-25.9	8	0.8	0.2- 1.4				
College Graduate	1489	635,407				100	6.5	4.9- 8.1	1012	67.0	64.1-69.9	375	26.4	23.7-29.1	2	0.1	0.0- 0.3				
Less than \$15,000	327	198,571	1	0.3	0.0- 0.9	42	11.9	8.0-15.8	212	64.3	57.8-70.8	71	23.1	17.4-28.8	1	0.4	0.0- 1.2				
\$15,000- 24,999	611	359,434	1	0.8	0.0- 2.4	69	11.1	7.6-14.6	433	66.9	61.8-72.0	103	20.4	16.1-24.7	5	0.8	0.0- 1.6				
\$25,000- 34,999	400	214,549				40	9.7	6.0-13.4	291	71.3	65.6-77.0	68	18.6	13.7-23.5	1	0.4	0.0- 1.2				
\$35,000- 49,999	527	301,016				47	7.7	5.0-10.4	375	71.6	66.9-76.3	102	19.8	15.5-24.1	3	0.9	0.0- 2.1				
\$50,000- 74,999	568	330,313				50	8.7	5.8-11.6	391	67.6	62.9-72.3	127	23.7	19.6-27.8							
\$75,000+	950	571,729				51	5.3	3.7- 6.9	649	67.6	64.1-71.1	249	27.1	23.6-30.6	1	0.1	0.0- 0.3				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7928	4,873,298	6	0.1	0.0- 0.3	441	5.1	4.5- 5.7	3365	39.6	38.2-41.0	3351	44.4	43.0-45.8	763	10.7	9.9-11.5	2	0.0	0.0- 0.0
Male	3621	2,395,132	2	0.1	0.0- 0.3	19	0.6	0.4- 0.8	383	10.3	9.1-11.5	2467	67.6	65.8-69.4	749	21.5	19.9-23.1	1	0.0	0.0- 0.0
Female	4307	2,478,166	4	0.2	0.0- 0.4	422	9.5	8.3-10.7	2982	67.9	66.1-69.7	884	22.0	20.4-23.6	14	0.4	0.2- 0.6	1	0.0	0.0- 0.0
White/Non-Hisp	6480	3,886,332	2	0.0	0.0- 0.0	353	4.9	4.3- 5.5	2729	39.0	37.6-40.4	2772	45.4	43.8-47.0	623	10.6	9.6-11.6	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	664	425,552				25	3.3	1.7- 4.9	304	41.4	36.5-46.3	271	42.6	37.7-47.5	64	12.7	9.2-16.2			
Oth. Race/Non-Hisp.	200	150,356				19	8.7	3.2-14.2	71	31.7	23.3-40.1	79	43.7	34.3-53.1	30	15.2	7.9-22.5	1	0.7	0.0- 2.1
MultiRacial/Non-Hisp.	118	48,180				5	3.6	0.1- 7.1	52	38.2	27.6-48.8	49	44.9	33.5-56.3	12	13.4	3.8-23.0			
Hispanic	328	280,230	3	1.6	0.0- 3.8	33	8.8	5.5-12.1	163	51.6	45.1-58.1	109	31.4	25.5-37.3	20	6.6	3.3- 9.9			
18-24	474	653,395	2	0.6	0.0- 1.6	13	3.6	1.4- 5.8	180	39.4	34.5-44.3	220	44.9	40.0-49.8	59	11.5	8.6-14.4			
25-34	784	818,843				40	5.3	3.5- 7.1	286	36.0	32.3-39.7	350	43.7	39.8-47.6	107	14.9	12.0-17.8	1	0.1	0.0- 0.3
35-44	945	756,116	1	0.1	0.0- 0.3	34	3.4	2.2- 4.6	343	35.6	32.3-38.9	442	47.9	44.4-51.4	125	13.0	10.6-15.4			
45-54	1278	754,577	1	0.1	0.0- 0.3	60	4.7	3.3- 6.1	504	37.2	34.3-40.1	573	47.2	44.1-50.3	140	10.8	8.8-12.8			
55-64	1617	818,205	1	0.1	0.0- 0.3	77	4.8	3.6- 6.0	691	40.9	38.2-43.6	709	45.6	42.9-48.3	138	8.5	6.9-10.1	1	0.1	0.0- 0.3
65+	2830	1,072,163	1	0.0	0.0- 0.0	217	7.5	6.3- 8.7	1361	45.9	43.7-48.1	1057	39.4	37.2-41.6	194	7.2	6.0- 8.4			
Less Than H.S.	550	558,545	4	0.9	0.0- 2.1	55	10.3	7.2-13.4	256	41.6	36.9-46.3	205	40.6	35.7-45.5	30	6.6	4.1- 9.1			
H.S. or G.E.D.	2580	1,634,476	1	0.0	0.0- 0.0	174	5.3	4.3- 6.3	1116	39.5	37.1-41.9	1059	44.5	42.1-46.9	228	10.6	9.0-12.2	2	0.1	0.0- 0.3
Some Post-H.S.	2078	1,483,257	1	0.0	0.0- 0.0	103	3.9	2.9- 4.9	878	39.2	36.7-41.7	892	45.0	42.5-47.5	204	11.8	10.0-13.6			
College Graduate	2701	1,186,533				106	3.7	2.9- 4.5	1106	39.1	36.9-41.3	1189	45.5	43.3-47.7	300	11.6	10.2-13.0			
Less than \$15,000	529	335,366	3	0.7	0.0- 1.5	45	7.6	5.1-10.1	246	45.5	40.2-50.8	205	39.2	34.1-44.3	30	7.0	4.1- 9.9			
\$15,000- 24,999	1039	644,514	2	0.5	0.0- 1.5	74	6.8	4.6- 9.0	503	45.4	41.7-49.1	386	39.1	35.4-42.8	73	8.0	5.8-10.2	1	0.2	0.0- 0.6
\$25,000- 34,999	704	405,714				47	6.5	4.3- 8.7	330	43.3	38.8-47.8	271	41.0	36.5-45.5	56	9.3	6.6-12.0			
\$35,000- 49,999	990	590,362				50	4.2	2.8- 5.6	424	42.2	38.5-45.9	424	43.6	39.9-47.3	92	10.1	7.6-12.6			
\$50,000- 74,999	1087	684,062				51	4.3	2.9- 5.7	436	36.9	33.6-40.2	508	49.1	45.6-52.6	92	9.7	7.3-12.1			
\$75,000+	2087	1,339,030				52	2.3	1.5- 3.1	717	31.7	29.3-34.1	1019	50.7	48.2-53.2	299	15.2	13.2-17.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3621	2,395,132	2	0.1	0.0- 0.3	19	0.6	0.4- 0.8	383	10.3	9.1-11.5	2467	67.6	65.8-69.4	749	21.5	19.9-23.1	1	0.0	0.0- 0.0
White/Non-Hisp	2950	1,888,915	1	0.0	0.0- 0.0	13	0.5	0.1- 0.9	271	8.4	7.2- 9.6	2050	69.5	67.5-71.5	615	21.6	19.8-23.4			
Black or Afr. Am./Non-Hisp	266	205,170				2	0.8	0.0- 1.8	33	14.0	8.7-19.3	167	59.0	51.7-66.3	64	26.2	19.5-32.9			
Oth. Race/Non-Hisp.	106	87,137							19	16.8	7.2-26.4	57	56.4	43.7-69.1	29	25.7	14.1-37.3	1	1.2	0.0- 3.6
MultiRacial/Non-Hisp.	55	25,587				1	1.3	0.0- 3.8	11	18.5	6.5-30.5	32	58.6	41.7-75.5	11	21.6	5.7-37.5			
Hispanic	164	136,466	1	0.8	0.0- 2.4	3	1.4	0.0- 3.2	45	26.5	19.1-33.9	97	58.7	50.1-67.3	18	12.5	6.2-18.8			
18-24	255	330,730	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	26	10.0	5.9-14.1	168	66.6	60.3-72.9	59	22.7	17.0-28.4			
25-34	390	415,042				2	0.6	0.0- 1.6	36	9.6	6.3-12.9	247	60.9	55.4-66.4	104	28.6	23.5-33.7	1	0.2	0.0- 0.6
35-44	455	386,490				3	0.6	0.0- 1.2	34	7.9	5.0-10.8	295	66.4	61.7-71.1	123	25.1	20.8-29.4			
45-54	591	377,083				3	0.6	0.0- 1.4	58	9.9	7.2-12.6	394	68.3	64.2-72.4	136	21.2	17.7-24.7			
55-64	762	407,509				4	0.6	0.0- 1.2	84	10.8	8.3-13.3	538	71.7	68.2-75.2	136	16.9	14.0-19.8			
65+	1168	478,278	1	0.1	0.0- 0.3	6	0.6	0.0- 1.2	145	12.7	10.3-15.1	825	70.9	68.0-73.8	191	15.7	13.3-18.1			
Less Than H.S.	258	273,176	2	0.6	0.0- 1.4	5	1.9	0.1- 3.7	59	18.6	13.5-23.7	163	65.7	59.2-72.2	29	13.3	8.4-18.2			
H.S. or G.E.D.	1215	849,986				7	0.5	0.1- 0.9	148	11.5	9.3-13.7	834	67.6	64.5-70.7	225	20.2	17.5-22.9	1	0.1	0.0- 0.3
Some Post-H.S.	935	723,579				2	0.2	0.0- 0.4	83	8.2	6.2-10.2	654	68.2	64.7-71.7	196	23.4	20.1-26.7			
College Graduate	1208	546,942				5	0.4	0.0- 0.8	93	7.0	5.4- 8.6	812	67.5	64.6-70.4	298	25.1	22.4-27.8			
Less than \$15,000	194	129,574	2	1.2	0.0- 3.0				31	17.9	11.0-24.8	132	63.4	55.0-71.8	29	17.5	10.4-24.6			
\$15,000- 24,999	422	280,121				3	0.8	0.0- 1.8	67	17.7	13.0-22.4	283	63.9	58.2-69.6	68	17.3	12.8-21.8	1	0.4	0.0- 1.2
\$25,000- 34,999	302	190,038				6	2.5	0.5- 4.5	38	11.6	7.5-15.7	203	66.5	60.2-72.8	55	19.4	14.1-24.7			
\$35,000- 49,999	463	289,346				3	0.6	0.0- 1.4	49	11.6	7.9-15.3	322	68.2	62.9-73.5	89	19.6	14.9-24.3			
\$50,000- 74,999	519	353,749				1	0.1	0.0- 0.3	45	8.3	5.6-11.0	381	72.8	68.3-77.3	92	18.7	14.8-22.6			
\$75,000+	1137	767,301				1	0.0	0.0- 0.0	68	5.0	3.6- 6.4	770	68.4	65.3-71.5	298	26.5	23.4-29.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4307	2,478,166	4	0.2	0.0- 0.4	422	9.5	8.3-10.7	2982	67.9	66.1-69.7	884	22.0	20.4-23.6	14	0.4	0.2- 0.6	1	0.0	0.0- 0.0
White/Non-Hisp	3530	1,997,417	1	0.0	0.0- 0.0	340	9.1	7.9-10.3	2458	68.0	66.0-70.0	722	22.6	20.8-24.4	8	0.2	0.0- 0.4	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	398	220,382				23	5.7	2.8- 8.6	271	67.0	60.9-73.1	104	27.4	21.5-33.3						
Oth. Race/Non-Hisp.	94	63,219				19	20.6	8.4-32.8	52	52.4	38.5-66.3	22	26.2	13.7-38.7	1	0.8	0.0- 2.4			
MultiRacial/Non-Hisp.	63	22,594				4	6.2	0.0-13.1	41	60.5	45.2-75.8	17	29.3	14.8-43.8	1	4.1	0.0-11.7			
Hispanic	164	143,764	2	2.3	0.0- 6.2	30	15.8	9.5-22.1	118	75.4	67.6-83.2	12	5.5	1.8- 9.2	2	1.0	0.0- 2.4			
18-24	219	322,665	1	0.9	0.0- 2.7	12	6.9	2.6-11.2	154	69.6	62.7-76.5	52	22.6	16.5-28.7						
25-34	394	403,801				38	10.2	6.9-13.5	250	63.2	57.9-68.5	103	25.9	21.0-30.8	3	0.8	0.0- 1.8			
35-44	490	369,625	1	0.1	0.0- 0.3	31	6.3	3.9- 8.7	309	64.6	59.9-69.3	147	28.6	24.3-32.9	2	0.4	0.0- 1.0			
45-54	687	377,494	1	0.1	0.0- 0.3	57	8.8	6.4-11.2	446	64.5	60.4-68.6	179	26.2	22.5-29.9	4	0.5	0.1- 0.9			
55-64	855	410,696	1	0.2	0.0- 0.6	73	9.0	6.6-11.4	607	70.7	67.2-74.2	171	19.7	16.6-22.8	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3
65+	1662	593,885				211	13.1	11.1-15.1	1216	72.6	70.1-75.1	232	14.0	12.0-16.0	3	0.3	0.0- 0.7			
Less Than H.S.	292	285,370	2	1.2	0.0- 3.2	50	18.4	12.7-24.1	197	63.6	56.7-70.5	42	16.7	11.4-22.0	1	0.2	0.0- 0.6			
H.S. or G.E.D.	1365	784,489	1	0.1	0.0- 0.3	167	10.4	8.4-12.4	968	69.8	66.7-72.9	225	19.4	16.7-22.1	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Some Post-H.S.	1143	759,678	1	0.1	0.0- 0.3	101	7.5	5.7- 9.3	795	68.6	65.3-71.9	238	23.0	20.1-25.9	8	0.8	0.2- 1.4			
College Graduate	1493	639,591				101	6.5	4.9- 8.1	1013	66.6	63.7-69.5	377	26.7	24.0-29.4	2	0.1	0.0- 0.3			
Less than \$15,000	335	205,791	1	0.3	0.0- 0.9	45	12.4	8.5-16.3	215	62.9	56.4-69.4	73	24.0	18.1-29.9	1	0.4	0.0- 1.2			
\$15,000- 24,999	617	364,394	2	0.9	0.0- 2.5	71	11.4	7.9-14.9	436	66.8	61.9-71.7	103	20.1	16.0-24.2	5	0.8	0.0- 1.6			
\$25,000- 34,999	402	215,676				41	9.9	6.2-13.6	292	71.2	65.5-76.9	68	18.5	13.6-23.4	1	0.4	0.0- 1.2			
\$35,000- 49,999	527	301,016				47	7.7	5.0-10.4	375	71.6	66.9-76.3	102	19.8	15.5-24.1	3	0.9	0.0- 2.1			
\$50,000- 74,999	568	330,313				50	8.7	5.8-11.6	391	67.6	62.9-72.3	127	23.7	19.6-27.8						
\$75,000+	950	571,729				51	5.3	3.7- 6.9	649	67.6	64.1-71.1	249	27.1	23.6-30.6	1	0.1	0.0- 0.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 31: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7602	4,709,621	65	0.7	0.5- 0.9	1970	26.4	25.2-27.6	3309	42.5	41.1-43.9	1619	21.2	20.0-22.4	477	6.7	5.9- 7.5	162	2.4	2.0- 2.8
Male	3589	2,380,544	11	0.3	0.1- 0.5	391	12.4	11.0-13.8	1648	45.3	43.3-47.3	1094	28.9	27.1-30.7	337	9.7	8.5-10.9	108	3.3	2.5- 4.1
Female	4013	2,329,076	54	1.2	0.8- 1.6	1579	40.7	38.7-42.7	1661	39.7	37.7-41.7	525	13.3	11.9-14.7	140	3.7	2.9- 4.5	54	1.4	1.0- 1.8
White/Non-Hisp	6190	3,739,201	47	0.7	0.5- 0.9	1594	25.5	24.1-26.9	2716	43.1	41.5-44.7	1345	22.0	20.8-23.2	374	6.7	5.9- 7.5	114	2.1	1.7- 2.5
Black or Afr. Am./Non-Hisp	639	409,213	4	0.4	0.0- 1.0	139	21.2	17.1-25.3	293	44.5	39.6-49.4	123	20.6	16.7-24.5	58	9.0	6.3-11.7	22	4.4	2.2- 6.6
Oth. Race/Non-Hisp.	191	145,517	5	1.9	0.0- 4.1	63	39.3	29.7-48.9	69	39.7	30.3-49.1	34	10.2	5.7-14.7	12	5.6	1.3- 9.9	8	3.3	0.6- 6.0
MultiRacial/Non-Hisp.	117	47,900	2	0.9	0.0- 2.3	33	23.9	14.7-33.1	39	29.0	19.2-38.8	26	27.0	16.6-37.4	9	7.4	1.3-13.5	8	11.7	2.1-21.3
Hispanic	333	289,148	4	1.6	0.0- 3.2	105	37.8	31.5-44.1	143	38.3	32.2-44.4	59	15.7	11.4-20.0	15	5.1	2.2- 8.0	7	1.5	0.3- 2.7
18-24	468	646,884	7	1.1	0.3- 1.9	184	42.4	37.3-47.5	187	38.4	33.5-43.3	60	11.7	8.6-14.8	20	4.3	2.3- 6.3	10	2.1	0.7- 3.5
25-34	776	809,233	4	0.5	0.0- 1.1	208	26.7	23.2-30.2	320	40.9	37.0-44.8	152	19.2	16.1-22.3	64	8.9	6.7-11.1	28	3.8	2.2- 5.4
35-44	920	733,108	4	0.3	0.0- 0.7	199	21.2	18.3-24.1	387	42.8	39.3-46.3	234	24.9	21.8-28.0	68	7.8	5.8- 9.8	28	2.8	1.6- 4.0
45-54	1208	716,265	10	0.7	0.3- 1.1	255	20.3	17.8-22.8	502	42.5	39.4-45.6	315	26.4	23.7-29.1	89	7.3	5.7- 8.9	37	2.8	1.8- 3.8
55-64	1541	784,665	8	0.4	0.0- 0.8	334	21.8	19.4-24.2	652	41.4	38.7-44.1	401	27.2	24.7-29.7	110	6.8	5.4- 8.2	36	2.4	1.6- 3.2
65+	2689	1,019,466	32	1.3	0.7- 1.9	790	27.5	25.5-29.5	1261	47.0	44.8-49.2	457	18.0	16.2-19.8	126	5.3	4.3- 6.3	23	0.9	0.5- 1.3
Less Than H.S.	549	554,698	11	1.3	0.5- 2.1	168	33.3	28.6-38.0	219	37.8	33.1-42.5	101	18.0	14.3-21.7	32	6.4	3.9- 8.9	18	3.3	1.7- 4.9
H.S. or G.E.D.	2471	1,574,993	29	1.1	0.7- 1.5	647	26.0	23.8-28.2	1068	42.5	40.1-44.9	493	20.2	18.2-22.2	172	7.6	6.4- 8.8	62	2.6	1.8- 3.4
Some Post-H.S.	1990	1,430,050	9	0.2	0.0- 0.4	487	24.1	21.7-26.5	856	42.6	40.1-45.1	458	23.2	21.0-25.4	133	7.2	5.8- 8.6	47	2.7	1.7- 3.7
College Graduate	2576	1,141,091	16	0.6	0.2- 1.0	664	26.3	24.1-28.5	1159	44.8	42.4-47.2	564	21.9	20.1-23.7	138	5.1	4.1- 6.1	35	1.3	0.7- 1.9
Less than \$15,000	522	333,848	6	1.3	0.1- 2.5	146	30.4	25.3-35.5	220	41.4	36.3-46.5	98	17.6	13.9-21.3	32	5.8	3.6- 8.0	20	3.6	1.8- 5.4
\$15,000- 24,999	1007	632,443	18	1.6	0.8- 2.4	273	29.1	25.4-32.8	427	39.8	36.1-43.5	192	18.7	15.8-21.6	66	7.0	5.0- 9.0	31	3.7	2.1- 5.3
\$25,000- 34,999	680	390,945	7	1.1	0.1- 2.1	185	29.3	24.8-33.8	306	41.8	37.3-46.3	118	17.1	13.8-20.4	52	8.6	6.1-11.1	12	2.1	0.7- 3.5
\$35,000- 49,999	953	571,760	4	0.4	0.0- 0.8	227	24.5	21.0-28.0	420	43.9	40.0-47.8	215	21.5	18.4-24.6	62	6.7	4.5- 8.9	25	2.9	1.5- 4.3
\$50,000- 74,999	1063	668,835	6	0.4	0.0- 0.8	245	23.5	20.4-26.6	469	43.4	39.9-46.9	254	23.8	20.9-26.7	70	7.0	5.2- 8.8	19	1.8	0.8- 2.8
\$75,000+	2037	1,310,574	4	0.1	0.0- 0.3	442	21.4	19.2-23.6	890	44.0	41.5-46.5	524	25.8	23.6-28.0	141	6.7	5.5- 7.9	36	2.0	1.2- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 32: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3589	2,380,544	11	0.3	0.1- 0.5	391	12.4	11.0-13.8	1648	45.3	43.3-47.3	1094	28.9	27.1-30.7	337	9.7	8.5-10.9	108	3.3	2.5- 4.1
White/Non-Hisp	2921	1,873,578	4	0.1	0.0- 0.3	292	10.9	9.5-12.3	1344	45.5	43.3-47.7	927	30.7	28.7-32.7	278	9.9	8.5-11.3	76	2.9	2.1- 3.7
Black or Afr. Am./Non-Hisp	264	202,689	2	0.4	0.0- 1.0	34	13.9	8.8-19.0	119	43.0	35.7-50.3	60	23.5	17.2-29.8	33	12.4	7.5-17.3	16	6.7	2.6-10.8
Oth. Race/Non-Hisp.	104	88,057	1	0.3	0.0- 0.9	15	21.6	10.2-33.0	49	53.6	40.9-66.3	25	12.3	6.0-18.6	8	7.8	0.9-14.7	6	4.4	0.1- 8.7
MultiRacial/Non-Hisp.	55	25,587	10	17.8	5.5-30.1	10	17.8	5.5-30.1	20	30.1	16.0-44.2	17	32.2	16.9-47.5	4	4.6	0.0- 9.9	4	15.2	0.0-31.5
Hispanic	167	140,111	3	2.4	0.0- 5.1	31	21.6	14.2-29.0	82	46.1	37.5-54.7	37	21.2	13.9-28.5	9	6.5	1.6-11.4	5	2.2	0.2- 4.2
18-24	253	330,250	3	1.0	0.0- 2.2	67	27.0	21.1-32.9	118	47.9	41.2-54.6	40	13.8	9.3-18.3	16	6.7	3.2-10.2	9	3.6	1.2- 6.0
25-34	392	416,968				58	14.3	10.4-18.2	180	44.4	38.9-49.9	94	24.6	19.9-29.3	42	11.8	8.1-15.5	18	4.8	2.3- 7.3
35-44	456	387,851	1	0.1	0.0- 0.3	40	9.0	5.9-12.1	200	44.7	39.6-49.8	150	31.6	27.1-36.1	47	10.7	7.6-13.8	18	3.8	2.0- 5.6
45-54	578	369,150	2	0.2	0.0- 0.4	37	6.3	4.1- 8.5	237	41.9	37.4-46.4	217	37.1	32.8-41.4	62	10.6	7.7-13.5	23	3.8	2.2- 5.4
55-64	750	401,637	2	0.1	0.0- 0.3	65	9.4	6.9-11.9	318	41.3	37.4-45.2	266	36.4	32.5-40.3	75	9.5	7.1-11.9	24	3.4	1.8- 5.0
65+	1160	474,687	3	0.4	0.0- 0.8	124	10.8	8.6-13.0	595	50.6	47.3-53.9	327	28.4	25.5-31.3	95	8.7	6.9-10.5	16	1.2	0.6- 1.8
Less Than H.S.	262	276,330	5	1.3	0.1- 2.5	57	23.6	17.5-29.7	115	42.3	35.4-49.2	54	19.2	14.1-24.3	18	8.6	4.3-12.9	13	5.0	2.1- 7.9
H.S. or G.E.D.	1203	842,760	1	0.1	0.0- 0.3	153	13.9	11.5-16.3	550	45.3	42.0-48.6	327	26.1	23.4-28.8	129	11.0	9.0-13.0	43	3.6	2.4- 4.8
Some Post-H.S.	922	716,125				88	9.8	7.4-12.2	401	43.3	39.6-47.0	319	33.3	29.8-36.8	87	10.0	7.6-12.4	27	3.6	2.0- 5.2
College Graduate	1197	543,880	5	0.4	0.0- 0.8	93	8.0	6.0-10.0	580	49.3	46.0-52.6	392	32.7	29.8-35.6	102	7.9	6.3- 9.5	25	1.8	1.0- 2.6
Less than \$15,000	197	132,823	3	1.9	0.0- 4.3	34	21.0	13.7-28.3	92	43.5	35.1-51.9	44	22.7	15.6-29.8	13	5.6	2.3- 8.9	11	5.2	1.9- 8.5
\$15,000- 24,999	417	279,119	2	0.7	0.0- 1.7	63	18.0	13.3-22.7	181	40.6	34.9-46.3	113	24.8	19.9-29.7	40	10.2	6.7-13.7	18	5.7	2.4- 9.0
\$25,000- 34,999	298	187,242	2	0.6	0.0- 1.4	53	18.8	13.3-24.3	134	43.8	37.1-50.5	74	24.2	18.7-29.7	29	10.4	6.3-14.5	6	2.2	0.2- 4.2
\$35,000- 49,999	461	288,819	1	0.1	0.0- 0.3	46	11.8	8.1-15.5	210	45.9	40.4-51.4	146	28.6	23.9-33.3	44	10.0	6.5-13.5	14	3.6	1.4- 5.8
\$50,000- 74,999	515	348,584				50	12.5	8.6-16.4	239	45.9	40.8-51.0	159	29.1	24.6-33.6	52	9.9	7.0-12.8	15	2.7	1.1- 4.3
\$75,000+	1141	770,825	1	0.0	0.0- 0.0	61	6.1	4.1- 8.1	511	46.0	42.5-49.5	413	35.1	31.8-38.4	123	9.9	7.9-11.9	32	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 33: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4013	2,329,076	54	1.2	0.8- 1.6	1579	40.7	38.7-42.7	1661	39.7	37.7-41.7	525	13.3	11.9-14.7	140	3.7	2.9- 4.5	54	1.4	1.0- 1.8
White/Non-Hisp	3269	1,865,622	43	1.2	0.8- 1.6	1302	40.2	38.0-42.4	1372	40.7	38.5-42.9	418	13.3	11.7-14.9	96	3.4	2.6- 4.2	38	1.2	0.8- 1.6
Black or Afr. Am./Non-Hisp	375	206,525	2	0.5	0.0- 1.3	105	28.3	21.8-34.8	174	45.9	39.0-52.8	63	17.7	12.8-22.6	25	5.5	2.8- 8.2	6	2.1	0.3- 3.9
Oth. Race/Non-Hisp.	87	57,460	4	4.3	0.0- 9.8	48	66.4	54.1-78.7	20	18.3	8.5-28.1	9	7.0	1.1-12.9	4	2.4	0.0- 5.1	2	1.6	0.0- 4.0
MultiRacial/Non-Hisp.	62	22,313	2	1.9	0.0- 4.8	23	30.9	17.4-44.4	19	27.8	14.7-40.9	9	21.1	7.2-35.0	5	10.6	0.0-21.8	4	7.7	0.0-15.5
Hispanic	166	149,036	1	0.8	0.0- 2.4	74	53.0	44.0-62.0	61	31.0	22.8-39.2	22	10.6	5.7-15.5	6	3.8	0.7- 6.9	2	0.8	0.0- 2.0
18-24	215	316,634	4	1.2	0.0- 2.4	117	58.5	51.2-65.8	69	28.4	21.9-34.9	20	9.4	4.9-13.9	4	1.9	0.0- 3.9	1	0.5	0.0- 1.5
25-34	384	392,264	4	1.0	0.0- 2.0	150	40.0	34.5-45.5	140	37.1	31.6-42.6	58	13.4	9.7-17.1	22	5.9	3.4- 8.4	10	2.6	0.8- 4.4
35-44	464	345,257	3	0.6	0.0- 1.2	159	35.0	30.3-39.7	187	40.6	35.7-45.5	84	17.4	13.7-21.1	21	4.6	2.4- 6.8	10	1.8	0.6- 3.0
45-54	630	347,115	8	1.2	0.2- 2.2	218	35.2	30.9-39.5	265	43.2	38.9-47.5	98	15.0	11.9-18.1	27	3.7	2.1- 5.3	14	1.7	0.7- 2.7
55-64	791	383,028	6	0.6	0.0- 1.2	269	34.8	30.9-38.7	334	41.6	37.7-45.5	135	17.6	14.5-20.7	35	4.1	2.5- 5.7	12	1.4	0.6- 2.2
65+	1529	544,779	29	2.2	1.2- 3.2	666	42.0	39.1-44.9	666	43.9	41.0-46.8	130	9.0	7.2-10.8	31	2.3	1.3- 3.3	7	0.6	0.2- 1.0
Less Than H.S.	287	278,369	6	1.3	0.1- 2.5	111	42.9	35.8-50.0	104	33.3	26.8-39.8	47	16.8	11.5-22.1	14	4.1	1.6- 6.6	5	1.6	0.0- 3.2
H.S. or G.E.D.	1268	732,233	28	2.3	1.3- 3.3	494	39.9	36.4-43.4	518	39.2	35.9-42.5	166	13.3	10.9-15.7	43	3.7	2.3- 5.1	19	1.5	0.7- 2.3
Some Post-H.S.	1068	713,925	9	0.4	0.0- 0.8	399	38.5	34.8-42.2	455	41.8	38.3-45.3	139	13.1	10.7-15.5	46	4.4	3.0- 5.8	20	1.7	0.7- 2.7
College Graduate	1379	597,211	11	0.8	0.2- 1.4	571	43.1	40.0-46.2	579	40.7	37.6-43.8	172	12.1	10.1-14.1	36	2.6	1.6- 3.6	10	0.8	0.2- 1.4
Less than \$15,000	325	201,025	3	1.0	0.0- 2.2	112	36.5	29.8-43.2	128	40.0	33.3-46.7	54	14.2	10.1-18.3	19	5.9	3.0- 8.8	9	2.5	0.7- 4.3
\$15,000- 24,999	590	353,324	16	2.4	1.0- 3.8	210	37.9	32.8-43.0	246	39.2	34.3-44.1	79	13.8	10.1-17.5	26	4.5	2.3- 6.7	13	2.1	0.9- 3.3
\$25,000- 34,999	382	203,702	5	1.6	0.0- 3.4	132	38.9	32.4-45.4	172	40.1	34.0-46.2	44	10.5	6.8-14.2	23	6.9	3.6-10.2	6	2.0	0.0- 4.0
\$35,000- 49,999	492	282,941	3	0.8	0.0- 1.8	181	37.6	32.1-43.1	210	41.9	36.4-47.4	69	14.2	10.5-17.9	18	3.3	1.3- 5.3	11	2.2	0.4- 4.0
\$50,000- 74,999	548	320,250	6	0.9	0.1- 1.7	195	35.5	30.6-40.4	230	40.8	35.9-45.7	95	17.9	14.2-21.6	18	4.0	2.0- 6.0	4	0.9	0.0- 1.9
\$75,000+	896	539,749	3	0.2	0.0- 0.6	381	43.2	39.3-47.1	379	41.2	37.3-45.1	111	12.7	10.2-15.2	18	2.0	1.0- 3.0	4	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 34: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7482	4,618,295	72	1.0	0.8- 1.2	2126	30.0	28.6-31.4	2522	32.4	31.0-33.8	1608	21.0	19.8-22.2	1154	15.6	14.6-16.6
Male	3552	2,353,897	25	0.8	0.4- 1.2	877	26.6	24.8-28.4	1369	37.3	35.3-39.3	807	21.4	19.8-23.0	474	13.7	12.3-15.1
Female	3930	2,264,398	47	1.2	0.8- 1.6	1249	33.5	31.5-35.5	1153	27.2	25.4-29.0	801	20.6	19.0-22.2	680	17.5	15.9-19.1
White/Non-Hisp	6120	3,692,506	57	1.0	0.6- 1.4	1738	29.1	27.7-30.5	2091	33.2	31.8-34.6	1328	21.4	20.2-22.6	906	15.3	14.1-16.5
Black or Afr. Am./Non-Hisp	627	400,234	4	0.3	0.0- 0.7	162	27.4	22.7-32.1	187	29.6	24.9-34.3	138	21.7	17.6-25.8	136	21.1	17.2-25.0
Oth. Race/Non-Hisp.	186	141,981	2	1.5	0.0- 4.0	69	52.2	42.6-61.8	59	26.0	18.2-33.8	31	12.2	6.7-17.7	25	8.1	4.0-12.2
MultiRacial/Non-Hisp.	117	47,900	3	3.5	0.0- 8.6	35	29.5	19.5-39.5	33	20.0	12.0-28.0	23	22.6	13.0-32.2	23	24.4	13.2-35.6
Hispanic	305	259,911	4	1.4	0.0- 2.8	81	31.9	25.4-38.4	110	32.4	26.3-38.5	64	19.5	14.2-24.8	46	14.9	10.2-19.6
18-24	459	637,649	11	2.2	0.8- 3.6	232	51.9	46.8-57.0	106	22.1	18.0-26.2	67	13.1	10.0-16.2	43	10.8	7.5-14.1
25-34	748	778,615	9	1.3	0.3- 2.3	251	32.5	28.8-36.2	214	28.7	25.0-32.4	134	18.3	15.2-21.4	140	19.3	16.2-22.4
35-44	891	707,828	7	0.6	0.2- 1.0	224	24.8	21.7-27.9	299	33.9	30.6-37.2	207	24.3	21.2-27.4	154	16.5	14.0-19.0
45-54	1190	705,029	10	0.6	0.2- 1.0	283	23.1	20.4-25.8	418	36.3	33.2-39.4	263	22.9	20.2-25.6	216	17.0	14.6-19.4
55-64	1531	779,381	13	0.7	0.3- 1.1	352	22.7	20.3-25.1	518	34.1	31.4-36.8	361	24.2	21.8-26.6	287	18.2	16.0-20.4
65+	2663	1,009,794	22	0.9	0.5- 1.3	784	28.3	26.3-30.3	967	36.5	34.3-38.7	576	22.2	20.4-24.0	314	12.1	10.7-13.5
Less Than H.S.	521	527,903	11	1.8	0.4- 3.2	150	31.9	27.0-36.8	154	28.0	23.5-32.5	107	18.6	14.9-22.3	99	19.6	15.5-23.7
H.S. or G.E.D.	2431	1,545,644	25	1.0	0.6- 1.4	684	30.0	27.6-32.4	811	32.6	30.4-34.8	497	19.8	18.0-21.6	414	16.5	14.7-18.3
Some Post-H.S.	1966	1,410,660	18	0.9	0.3- 1.5	520	28.1	25.6-30.6	659	32.5	30.1-34.9	461	23.0	20.8-25.2	308	15.5	13.5-17.5
College Graduate	2548	1,125,299	18	0.9	0.5- 1.3	768	31.5	29.3-33.7	893	34.0	31.8-36.2	540	21.3	19.3-23.3	329	12.4	10.8-14.0
Less than \$15,000	512	326,115	10	3.9	1.2- 6.6	145	29.0	24.1-33.9	144	28.7	23.8-33.6	94	18.3	14.4-22.2	119	20.1	16.2-24.0
\$15,000- 24,999	988	614,846	16	1.6	0.6- 2.6	278	30.4	26.7-34.1	291	27.4	24.1-30.7	218	21.3	18.2-24.4	185	19.3	16.2-22.4
\$25,000- 34,999	674	387,577	8	1.5	0.3- 2.7	213	35.8	31.1-40.5	201	27.0	23.1-30.9	138	18.5	15.2-21.8	114	17.3	13.8-20.8
\$35,000- 49,999	944	564,437	8	0.8	0.0- 1.6	232	26.3	22.8-29.8	322	32.2	28.7-35.7	235	25.5	22.2-28.8	147	15.1	12.4-17.8
\$50,000- 74,999	1047	657,874	8	0.6	0.2- 1.0	276	28.1	24.6-31.6	353	32.0	28.7-35.3	232	22.1	19.2-25.0	178	17.2	14.5-19.9
\$75,000+	2018	1,296,638	5	0.2	0.0- 0.4	553	28.4	26.0-30.8	759	37.5	35.0-40.0	438	21.1	18.9-23.3	263	12.8	11.0-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 35: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3552	2,353,897	25	0.8	0.4- 1.2	877	26.6	24.8-28.4	1369	37.3	35.3-39.3	807	21.4	19.8-23.0	474	13.7	12.3-15.1
White/Non-Hisp	2901	1,861,600	16	0.7	0.3- 1.1	702	25.1	23.1-27.1	1125	38.4	36.2-40.6	672	21.8	20.0-23.6	386	13.9	12.3-15.5
Black or Afr. Am./Non-Hisp	260	200,829	2	0.4	0.0- 1.0	71	29.2	22.5-35.9	89	33.5	26.4-40.6	56	20.7	14.8-26.6	42	16.1	10.6-21.6
Oth. Race/Non-Hisp.	101	85,348	1	0.5	0.0- 1.5	29	48.2	35.1-61.3	41	31.8	20.6-43.0	18	11.2	3.9-18.5	12	8.4	2.5-14.3
MultiRacial/Non-Hisp.	55	25,587	1	4.9	0.0-14.1	13	22.0	9.3-34.7	22	29.5	15.8-43.2	11	23.2	9.3-37.1	8	20.4	3.9-36.9
Hispanic	158	130,650	4	2.7	0.0- 5.4	37	27.1	18.9-35.3	68	38.1	29.5-46.7	32	21.2	13.6-28.8	17	10.9	5.2-16.6
18-24	250	326,988	6	2.0	0.4- 3.6	124	51.4	44.7-58.1	67	26.0	20.1-31.9	31	11.0	7.1-14.9	22	9.6	5.5-13.7
25-34	385	410,371	4	1.2	0.0- 2.6	123	30.5	25.4-35.6	135	34.8	29.5-40.1	61	15.9	12.0-19.8	62	17.6	13.3-21.9
35-44	448	380,964	3	0.5	0.0- 1.1	91	21.1	16.8-25.4	183	39.0	34.1-43.9	114	26.9	22.4-31.4	57	12.5	9.4-15.6
45-54	571	364,014	2	0.2	0.0- 0.6	108	17.6	14.3-20.9	222	40.0	35.5-44.5	152	26.9	22.8-31.0	87	15.3	12.0-18.6
55-64	747	400,692	5	0.8	0.0- 1.6	149	19.5	16.4-22.6	290	39.2	35.3-43.1	185	24.9	21.6-28.2	118	15.5	12.6-18.4
65+	1151	470,867	5	0.4	0.0- 0.8	282	23.7	20.8-26.6	472	42.4	39.1-45.7	264	21.9	19.2-24.6	128	11.6	9.4-13.8
Less Than H.S.	253	268,123	7	2.9	0.5- 5.3	73	31.2	24.5-37.9	87	32.8	26.1-39.5	47	17.0	12.1-21.9	39	16.1	10.8-21.4
H.S. or G.E.D.	1188	832,769	7	0.7	0.1- 1.3	309	27.8	24.7-30.9	444	37.0	33.9-40.1	245	18.9	16.4-21.4	183	15.5	13.1-17.9
Some Post-H.S.	915	710,675	5	0.5	0.0- 1.1	211	25.4	22.1-28.7	348	36.0	32.5-39.5	235	25.2	21.9-28.5	116	13.0	10.5-15.5
College Graduate	1191	540,881	6	0.5	0.1- 0.9	283	24.3	21.4-27.2	488	41.8	38.7-44.9	279	22.6	20.1-25.1	135	10.9	8.9-12.9
Less than \$15,000	193	129,344	6	5.9	0.8-11.0	59	29.0	21.4-36.6	64	34.5	26.3-42.7	35	18.6	12.1-25.1	29	12.0	7.3-16.7
\$15,000- 24,999	412	274,444	5	1.5	0.1- 2.9	120	31.7	26.2-37.2	137	31.0	25.7-36.3	84	18.1	13.8-22.4	66	17.7	13.0-22.4
\$25,000- 34,999	296	186,302	4	1.2	0.0- 2.6	96	35.4	28.7-42.1	102	31.9	25.8-38.0	52	16.9	12.2-21.6	42	14.5	9.8-19.2
\$35,000- 49,999	458	286,537	3	0.5	0.0- 1.1	103	25.2	20.3-30.1	170	35.8	30.7-40.9	117	23.0	18.5-27.5	65	15.6	11.5-19.7
\$50,000- 74,999	512	347,604	3	0.4	0.0- 1.0	119	26.7	21.8-31.6	203	37.8	32.9-42.7	114	20.9	16.8-25.0	73	14.2	10.7-17.7
\$75,000+	1133	765,442	1	0.2	0.0- 0.6	226	21.3	18.4-24.2	474	42.1	38.6-45.6	282	23.9	21.0-26.8	150	12.5	10.3-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 36: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3930	2,264,398	47	1.2	0.8- 1.6	1249	33.5	31.5-35.5	1153	27.2	25.4-29.0	801	20.6	19.0-22.2	680	17.5	15.9-19.1
White/Non-Hisp	3219	1,830,905	41	1.4	0.8- 2.0	1036	33.2	31.0-35.4	966	27.9	25.9-29.9	656	21.0	19.2-22.8	520	16.6	15.0-18.2
Black or Afr. Am./Non-Hisp	367	199,404	2	0.1	0.0- 0.3	91	25.6	19.3-31.9	98	25.6	19.5-31.7	82	22.6	16.9-28.3	94	26.2	20.3-32.1
Oth. Race/Non-Hisp.	85	56,633	1	3.1	0.0- 9.0	40	58.3	44.6-72.0	18	17.3	6.9-27.7	13	13.6	5.2-22.0	13	7.6	2.1-13.1
MultiRacial/Non-Hisp.	62	22,313	2	1.9	0.0- 4.8	22	38.1	23.2-53.0	11	9.1	2.6-15.6	12	21.9	9.0-34.8	15	29.1	14.4-43.8
Hispanic	147	129,261				44	36.8	27.0-46.6	42	26.6	18.4-34.8	32	17.7	10.4-25.0	29	18.9	11.5-26.3
18-24	209	310,661	5	2.3	0.1- 4.5	108	52.4	44.8-60.0	39	18.0	12.3-23.7	36	15.3	10.2-20.4	21	12.0	6.5-17.5
25-34	363	368,244	5	1.4	0.2- 2.6	128	34.8	29.3-40.3	79	21.8	17.1-26.5	73	20.8	15.9-25.7	78	21.3	16.8-25.8
35-44	443	326,864	4	0.6	0.0- 1.2	133	29.2	24.7-33.7	116	27.8	23.1-32.5	93	21.2	17.1-25.3	97	21.1	17.0-25.2
45-54	619	341,015	8	1.1	0.3- 1.9	175	29.0	24.9-33.1	196	32.3	28.2-36.4	111	18.7	15.2-22.2	129	18.9	15.6-22.2
55-64	784	378,689	8	0.7	0.1- 1.3	203	26.0	22.5-29.5	228	28.8	25.3-32.3	176	23.5	20.0-27.0	169	21.0	17.7-24.3
65+	1512	538,926	17	1.4	0.6- 2.2	502	32.4	29.5-35.3	495	31.4	28.7-34.1	312	22.4	19.9-24.9	186	12.5	10.5-14.5
Less Than H.S.	268	259,780	4	0.7	0.0- 1.5	77	32.6	25.5-39.7	67	23.1	17.0-29.2	60	20.3	14.6-26.0	60	23.3	17.0-29.6
H.S. or G.E.D.	1243	712,875	18	1.3	0.5- 2.1	375	32.6	29.3-35.9	367	27.5	24.6-30.4	252	20.9	18.2-23.6	231	17.7	15.2-20.2
Some Post-H.S.	1051	699,985	13	1.3	0.3- 2.3	309	30.8	27.3-34.3	311	28.8	25.5-32.1	226	20.8	17.9-23.7	192	18.2	15.5-20.9
College Graduate	1357	584,419	12	1.3	0.5- 2.1	485	38.1	35.0-41.2	405	26.8	24.1-29.5	261	20.1	17.6-22.6	194	13.7	11.5-15.9
Less than \$15,000	319	196,772	4	2.5	0.0- 5.4	86	29.1	22.6-35.6	80	24.9	18.8-31.0	59	18.0	12.9-23.1	90	25.5	20.0-31.0
\$15,000- 24,999	576	340,403	11	1.7	0.5- 2.9	158	29.4	24.5-34.3	154	24.5	20.2-28.8	134	23.9	19.4-28.4	119	20.5	16.0-25.0
\$25,000- 34,999	378	201,274	4	1.7	0.0- 3.5	117	36.1	29.6-42.6	99	22.5	17.6-27.4	86	19.9	15.2-24.6	72	19.8	14.7-24.9
\$35,000- 49,999	486	277,900	5	1.2	0.0- 2.4	129	27.5	22.4-32.6	152	28.6	23.7-33.5	118	28.1	23.0-33.2	82	14.6	10.9-18.3
\$50,000- 74,999	535	310,269	5	0.8	0.0- 1.6	157	29.7	25.0-34.4	150	25.5	21.2-29.8	118	23.4	19.1-27.7	105	20.6	16.5-24.7
\$75,000+	885	531,195	4	0.4	0.0- 0.8	327	38.6	34.7-42.5	285	30.8	27.3-34.3	156	17.1	14.2-20.0	113	13.2	10.7-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 37: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7482	4,618,295	101	1.4	1.0- 1.8	2084	29.5	28.1-30.9	2525	32.4	31.0-33.8	2772	36.8	35.4-38.2
Male	3552	2,353,897	34	1.2	0.8- 1.6	858	26.1	24.3-27.9	1371	37.3	35.3-39.3	1289	35.4	33.4-37.4
Female	3930	2,264,398	67	1.7	1.1- 2.3	1226	33.0	31.0-35.0	1154	27.2	25.4-29.0	1483	38.1	36.1-40.1
White/Non-Hisp	6120	3,692,506	77	1.4	1.0- 1.8	1707	28.7	27.3-30.1	2094	33.2	31.8-34.6	2242	36.8	35.4-38.2
Black or Afr. Am./Non-Hisp	627	400,234	8	0.8	0.0- 1.6	157	26.6	22.1-31.1	187	29.6	24.9-34.3	275	43.0	38.1-47.9
Oth. Race/Non-Hisp.	186	141,981	5	3.8	0.1- 7.5	66	50.0	40.4-59.6	59	26.0	18.2-33.8	56	20.2	13.5-26.9
MultiRacial/Non-Hisp.	117	47,900	4	3.6	0.0- 8.7	34	29.4	19.4-39.4	33	20.0	12.0-28.0	46	47.0	35.4-58.6
Hispanic	305	259,911	5	1.5	0.1- 2.9	79	31.7	25.2-38.2	110	32.2	26.1-38.3	111	34.5	28.2-40.8
18-24	459	637,649	14	2.8	1.2- 4.4	229	51.3	46.2-56.4	106	22.1	18.0-26.2	110	23.8	19.5-28.1
25-34	748	778,615	12	1.7	0.5- 2.9	248	32.1	28.4-35.8	212	28.3	24.8-31.8	276	38.0	34.1-41.9
35-44	891	707,828	10	1.0	0.4- 1.6	218	24.2	21.1-27.3	301	33.9	30.6-37.2	362	40.9	37.4-44.4
45-54	1190	705,029	13	0.9	0.3- 1.5	276	22.6	19.9-25.3	419	36.3	33.2-39.4	482	40.2	37.1-43.3
55-64	1531	779,381	14	0.8	0.2- 1.4	349	22.4	20.0-24.8	520	34.4	31.7-37.1	648	42.4	39.7-45.1
65+	2663	1,009,794	38	1.4	0.8- 2.0	764	27.7	25.7-29.7	967	36.6	34.4-38.8	894	34.3	32.1-36.5
Less Than H.S.	521	527,903	12	2.1	0.7- 3.5	149	31.6	26.9-36.3	154	28.0	23.5-32.5	206	38.3	33.4-43.2
H.S. or G.E.D.	2431	1,545,644	35	1.5	0.9- 2.1	673	29.5	27.1-31.9	809	32.5	30.3-34.7	914	36.5	34.1-38.9
Some Post-H.S.	1966	1,410,660	28	1.3	0.7- 1.9	503	27.3	24.8-29.8	664	32.6	30.2-35.0	771	38.8	36.3-41.3
College Graduate	2548	1,125,299	26	1.1	0.5- 1.7	755	31.1	28.9-33.3	893	34.0	31.8-36.2	874	33.8	31.6-36.0
Less than \$15,000	512	326,115	12	4.4	1.7- 7.1	143	28.5	23.6-33.4	144	28.7	23.8-33.6	213	38.4	33.3-43.5
\$15,000- 24,999	988	614,846	22	2.5	1.3- 3.7	271	29.6	25.9-33.3	292	27.4	24.1-30.7	403	40.5	36.6-44.4
\$25,000- 34,999	674	387,577	11	2.1	0.7- 3.5	209	35.0	30.3-39.7	201	27.0	23.1-30.9	253	36.0	31.7-40.3
\$35,000- 49,999	944	564,437	10	1.0	0.2- 1.8	228	26.0	22.5-29.5	323	32.2	28.7-35.7	383	40.7	36.8-44.6
\$50,000- 74,999	1047	657,874	11	0.8	0.2- 1.4	271	27.7	24.2-31.2	354	32.1	28.8-35.4	411	39.4	35.9-42.9
\$75,000+	2018	1,296,638	9	0.4	0.0- 0.8	543	28.0	25.6-30.4	760	37.4	34.9-39.9	706	34.2	31.8-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 38: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3552	2,353,897	34	1.2	0.8- 1.6	858	26.1	24.3-27.9	1371	37.3	35.3-39.3	1289	35.4	33.4-37.4
White/Non-Hisp	2901	1,861,600	24	1.1	0.5- 1.7	686	24.5	22.5-26.5	1127	38.4	36.2-40.6	1064	36.0	34.0-38.0
Black or Afr. Am./Non-Hisp	260	200,829	3	1.0	0.0- 2.2	69	28.2	21.5-34.9	89	33.6	26.5-40.7	99	37.3	30.2-44.4
Oth. Race/Non-Hisp.	101	85,348	1	0.5	0.0- 1.5	29	48.2	35.1-61.3	41	31.8	20.6-43.0	30	19.6	10.6-28.6
MultiRacial/Non-Hisp.	55	25,587	1	4.9	0.0-14.1	13	22.0	9.3-34.7	22	29.5	15.8-43.2	19	43.6	26.4-60.8
Hispanic	158	130,650	4	2.7	0.0- 5.4	36	27.0	18.8-35.2	68	37.8	29.2-46.4	50	32.5	23.9-41.1
18-24	250	326,988	8	2.9	0.9- 4.9	122	50.6	43.9-57.3	67	26.0	20.1-31.9	53	20.5	15.0-26.0
25-34	385	410,371	6	1.7	0.1- 3.3	121	30.0	24.9-35.1	134	34.3	29.0-39.6	124	34.1	28.8-39.4
35-44	448	380,964	4	0.8	0.0- 1.6	88	20.5	16.2-24.8	184	39.1	34.2-44.0	172	39.6	34.7-44.5
45-54	571	364,014	3	0.4	0.0- 1.0	103	17.0	13.7-20.3	223	39.9	35.4-44.4	242	42.6	38.1-47.1
55-64	747	400,692	6	1.0	0.2- 1.8	146	19.0	15.9-22.1	292	39.6	35.7-43.5	303	40.5	36.6-44.4
65+	1151	470,867	7	0.6	0.0- 1.2	278	23.3	20.4-26.2	471	42.3	39.0-45.6	395	33.7	30.6-36.8
Less Than H.S.	253	268,123	7	2.9	0.5- 5.3	73	31.2	24.5-37.9	87	32.8	26.1-39.5	86	33.2	26.7-39.7
H.S. or G.E.D.	1188	832,769	11	1.2	0.4- 2.0	304	27.3	24.2-30.4	443	36.8	33.7-39.9	430	34.7	31.6-37.8
Some Post-H.S.	915	710,675	10	1.0	0.2- 1.8	201	24.4	21.1-27.7	351	36.1	32.6-39.6	353	38.5	34.8-42.2
College Graduate	1191	540,881	6	0.5	0.1- 0.9	279	24.0	21.1-26.9	488	41.8	38.7-44.9	418	33.7	30.8-36.6
Less than \$15,000	193	129,344	7	6.8	1.5-12.1	58	28.1	20.5-35.7	64	34.5	26.3-42.7	64	30.6	23.2-38.0
\$15,000- 24,999	412	274,444	6	2.0	0.2- 3.8	118	31.2	25.7-36.7	138	31.1	25.8-36.4	150	35.7	30.2-41.2
\$25,000- 34,999	296	186,302	5	1.6	0.0- 3.2	95	35.1	28.4-41.8	101	31.4	25.3-37.5	95	31.9	25.8-38.0
\$35,000- 49,999	458	286,537	4	0.6	0.0- 1.2	101	24.9	20.0-29.8	170	35.7	30.6-40.8	183	38.8	33.5-44.1
\$50,000- 74,999	512	347,604	5	0.8	0.0- 1.6	115	26.0	21.1-30.9	205	38.1	33.2-43.0	187	35.1	30.2-40.0
\$75,000+	1133	765,442	2	0.3	0.0- 0.7	220	20.9	18.0-23.8	474	41.9	38.4-45.4	437	36.9	33.6-40.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 39: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3930	2,264,398	67	1.7	1.1- 2.3	1226	33.0	31.0-35.0	1154	27.2	25.4-29.0	1483	38.1	36.1-40.1
White/Non-Hisp	3219	1,830,905	53	1.6	1.0- 2.2	1021	32.9	30.7-35.1	967	27.9	25.9-29.9	1178	37.6	35.4-39.8
Black or Afr. Am./Non-Hisp	367	199,404	5	0.6	0.0- 1.4	88	25.0	18.7-31.3	98	25.6	19.5-31.7	176	48.8	41.9-55.7
Oth. Race/Non-Hisp.	85	56,633	4	8.7	0.0-17.5	37	52.7	38.4-67.0	18	17.3	6.9-27.7	26	21.3	11.3-31.3
MultiRacial/Non-Hisp.	62	22,313	3	2.1	0.0- 5.0	21	37.8	22.9-52.7	11	9.1	2.6-15.6	27	51.0	35.7-66.3
Hispanic	147	129,261	1	0.3	0.0- 0.9	43	36.5	26.7-46.3	42	26.6	18.4-34.8	61	36.6	27.4-45.8
18-24	209	310,661	6	2.7	0.3- 5.1	107	52.1	44.5-59.7	39	18.0	12.3-23.7	57	27.3	20.4-34.2
25-34	363	368,244	6	1.8	0.2- 3.4	127	34.3	28.8-39.8	78	21.6	16.9-26.3	152	42.3	36.6-48.0
35-44	443	326,864	6	1.3	0.1- 2.5	130	28.4	23.9-32.9	117	27.9	23.2-32.6	190	42.4	37.3-47.5
45-54	619	341,015	10	1.5	0.5- 2.5	173	28.6	24.5-32.7	196	32.3	28.2-36.4	240	37.6	33.3-41.9
55-64	784	378,689	8	0.7	0.1- 1.3	203	26.0	22.5-29.5	228	28.8	25.3-32.3	345	44.5	40.4-48.6
65+	1512	538,926	31	2.0	1.2- 2.8	486	31.5	28.6-34.4	496	31.6	28.9-34.3	499	34.8	31.9-37.7
Less Than H.S.	268	259,780	5	1.2	0.0- 2.4	76	32.1	25.0-39.2	67	23.1	17.0-29.2	120	43.6	36.3-50.9
H.S. or G.E.D.	1243	712,875	24	1.9	0.9- 2.9	369	32.0	28.7-35.3	366	27.5	24.6-30.4	484	38.6	35.3-41.9
Some Post-H.S.	1051	699,985	18	1.7	0.7- 2.7	302	30.3	26.8-33.8	313	29.0	25.7-32.3	418	39.0	35.5-42.5
College Graduate	1357	584,419	20	1.6	0.6- 2.6	476	37.7	34.6-40.8	405	26.7	24.0-29.4	456	34.0	30.9-37.1
Less than \$15,000	319	196,772	5	2.8	0.0- 5.7	85	28.8	22.3-35.3	80	24.9	18.8-31.0	149	43.5	36.8-50.2
\$15,000- 24,999	576	340,403	16	2.8	1.2- 4.4	153	28.2	23.3-33.1	154	24.5	20.2-28.8	253	44.4	39.1-49.7
\$25,000- 34,999	378	201,274	6	2.5	0.1- 4.9	114	34.9	28.4-41.4	100	22.9	18.0-27.8	158	39.7	33.6-45.8
\$35,000- 49,999	486	277,900	6	1.4	0.0- 2.8	127	27.2	22.1-32.3	153	28.7	23.8-33.6	200	42.7	37.2-48.2
\$50,000- 74,999	535	310,269	6	0.8	0.0- 1.6	156	29.6	24.9-34.3	149	25.3	21.0-29.6	224	44.3	39.2-49.4
\$75,000+	885	531,195	7	0.7	0.1- 1.3	323	38.2	34.3-42.1	286	30.9	27.4-34.4	269	30.3	26.8-33.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7482	4,618,295	2185	30.9	29.5-32.3	5297	69.1	67.7-70.5
Male	3552	2,353,897	892	27.3	25.5-29.1	2660	72.7	70.9-74.5
Female	3930	2,264,398	1293	34.6	32.6-36.6	2637	65.4	63.4-67.4
White/Non-Hisp	6120	3,692,506	1784	30.0	28.6-31.4	4336	70.0	68.6-71.4
Black or Afr. Am./Non-Hisp	627	400,234	165	27.4	22.7-32.1	462	72.6	67.9-77.3
Oth. Race/Non-Hisp.	186	141,981	71	53.8	44.4-63.2	115	46.2	36.8-55.6
MultiRacial/Non-Hisp.	117	47,900	38	33.0	22.4-43.6	79	67.0	56.4-77.6
Hispanic	305	259,911	84	33.2	26.7-39.7	221	66.8	60.3-73.3
18-24	459	637,649	243	54.1	49.0-59.2	216	45.9	40.8-51.0
25-34	748	778,615	260	33.8	30.1-37.5	488	66.2	62.5-69.9
35-44	891	707,828	228	25.2	22.1-28.3	663	74.8	71.7-77.9
45-54	1190	705,029	289	23.6	20.9-26.3	901	76.4	73.7-79.1
55-64	1531	779,381	363	23.2	20.8-25.6	1168	76.8	74.4-79.2
65+	2663	1,009,794	802	29.0	27.0-31.0	1861	71.0	69.0-73.0
Less Than H.S.	521	527,903	161	33.7	28.8-38.6	360	66.3	61.4-71.2
H.S. or G.E.D.	2431	1,545,644	708	31.0	28.6-33.4	1723	69.0	66.6-71.4
Some Post-H.S.	1966	1,410,660	531	28.7	26.2-31.2	1435	71.3	68.8-73.8
College Graduate	2548	1,125,299	781	32.2	30.0-34.4	1767	67.8	65.6-70.0
Less than \$15,000	512	326,115	155	32.9	27.6-38.2	357	67.1	61.8-72.4
\$15,000- 24,999	988	614,846	293	32.0	28.3-35.7	695	68.0	64.3-71.7
\$25,000- 34,999	674	387,577	220	37.1	32.4-41.8	454	62.9	58.2-67.6
\$35,000- 49,999	944	564,437	238	27.1	23.6-30.6	706	72.9	69.4-76.4
\$50,000- 74,999	1047	657,874	282	28.5	25.0-32.0	765	71.5	68.0-75.0
\$75,000+	2018	1,296,638	552	28.4	26.0-30.8	1466	71.6	69.2-74.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3552	2,353,897	892	27.3	25.5-29.1	2660	72.7	70.9-74.5
White/Non-Hisp	2901	1,861,600	710	25.6	23.6-27.6	2191	74.4	72.4-76.4
Black or Afr. Am./Non-Hisp	260	200,829	72	29.2	22.5-35.9	188	70.8	64.1-77.5
Oth. Race/Non-Hisp.	101	85,348	30	48.7	35.6-61.8	71	51.3	38.2-64.4
MultiRacial/Non-Hisp.	55	25,587	14	26.9	12.4-41.4	41	73.1	58.6-87.6
Hispanic	158	130,650	40	29.7	21.3-38.1	118	70.3	61.9-78.7
18-24	250	326,988	130	53.5	46.8-60.2	120	46.5	39.8-53.2
25-34	385	410,371	127	31.7	26.6-36.8	258	68.3	63.2-73.4
35-44	448	380,964	92	21.3	17.0-25.6	356	78.7	74.4-83.0
45-54	571	364,014	106	17.4	14.1-20.7	465	82.6	79.3-85.9
55-64	747	400,692	152	19.9	16.8-23.0	595	80.1	77.0-83.2
65+	1151	470,867	285	23.9	21.0-26.8	866	76.1	73.2-79.0
Less Than H.S.	253	268,123	80	34.0	27.3-40.7	173	66.0	59.3-72.7
H.S. or G.E.D.	1188	832,769	315	28.5	25.4-31.6	873	71.5	68.4-74.6
Some Post-H.S.	915	710,675	211	25.4	22.1-28.7	704	74.6	71.3-77.9
College Graduate	1191	540,881	285	24.5	21.6-27.4	906	75.5	72.6-78.4
Less than \$15,000	193	129,344	65	34.9	26.7-43.1	128	65.1	56.9-73.3
\$15,000- 24,999	412	274,444	124	33.2	27.7-38.7	288	66.8	61.3-72.3
\$25,000- 34,999	296	186,302	100	36.7	30.0-43.4	196	63.3	56.6-70.0
\$35,000- 49,999	458	286,537	105	25.5	20.6-30.4	353	74.5	69.6-79.4
\$50,000- 74,999	512	347,604	120	26.8	21.9-31.7	392	73.2	68.3-78.1
\$75,000+	1133	765,442	222	21.1	18.2-24.0	911	78.9	76.0-81.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3930	2,264,398	1293	34.6	32.6-36.6	2637	65.4	63.4-67.4
White/Non-Hisp	3219	1,830,905	1074	34.5	32.3-36.7	2145	65.5	63.3-67.7
Black or Afr. Am./Non-Hisp	367	199,404	93	25.6	19.3-31.9	274	74.4	68.1-80.7
Oth. Race/Non-Hisp.	85	56,633	41	61.4	48.1-74.7	44	38.6	25.3-51.9
MultiRacial/Non-Hisp.	62	22,313	24	39.9	25.0-54.8	38	60.1	45.2-75.0
Hispanic	147	129,261	44	36.8	27.0-46.6	103	63.2	53.4-73.0
18-24	209	310,661	113	54.8	47.4-62.2	96	45.2	37.8-52.6
25-34	363	368,244	133	36.1	30.6-41.6	230	63.9	58.4-69.4
35-44	443	326,864	136	29.7	25.0-34.4	307	70.3	65.6-75.0
45-54	619	341,015	183	30.1	26.0-34.2	436	69.9	65.8-74.0
55-64	784	378,689	211	26.7	23.2-30.2	573	73.3	69.8-76.8
65+	1512	538,926	517	33.5	30.6-36.4	995	66.5	63.6-69.4
Less Than H.S.	268	259,780	81	33.3	26.2-40.4	187	66.7	59.6-73.8
H.S. or G.E.D.	1243	712,875	393	33.9	30.4-37.4	850	66.1	62.6-69.6
Some Post-H.S.	1051	699,985	320	32.0	28.5-35.5	731	68.0	64.5-71.5
College Graduate	1357	584,419	496	39.3	36.2-42.4	861	60.7	57.6-63.8
Less than \$15,000	319	196,772	90	31.6	24.9-38.3	229	68.4	61.7-75.1
\$15,000- 24,999	576	340,403	169	31.1	26.2-36.0	407	68.9	64.0-73.8
\$25,000- 34,999	378	201,274	120	37.4	30.9-43.9	258	62.6	56.1-69.1
\$35,000- 49,999	486	277,900	133	28.6	23.5-33.7	353	71.4	66.3-76.5
\$50,000- 74,999	535	310,269	162	30.4	25.7-35.1	373	69.6	64.9-74.3
\$75,000+	885	531,195	330	38.8	34.9-42.7	555	61.2	57.3-65.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS

TABLE 43: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8304	5,096,738	6103	64.1	62.7-65.5	916	14.5	13.5-15.5	759	12.4	11.4-13.4	331	5.6	5.0- 6.2	129	2.3	1.9- 2.7	66	1.1	0.7- 1.5
Male	3743	2,475,069	2770	66.1	64.1-68.1	391	13.3	11.9-14.7	336	11.9	10.5-13.3	155	5.4	4.4- 6.4	64	2.2	1.6- 2.8	27	1.0	0.6- 1.4
Female	4561	2,621,670	3333	62.2	60.4-64.0	525	15.7	14.1-17.3	423	12.9	11.5-14.3	176	5.7	4.7- 6.7	65	2.3	1.7- 2.9	39	1.2	0.8- 1.6
White/Non-Hisp	6739	4,027,974	5088	66.5	65.1-67.9	690	13.7	12.5-14.9	581	11.9	10.9-12.9	242	5.1	4.3- 5.9	95	1.9	1.5- 2.3	43	1.0	0.6- 1.4
Black or Afr. Am./Non-Hisp	704	448,466	490	58.4	53.7-63.1	95	17.8	13.9-21.7	64	12.6	9.3-15.9	33	6.3	3.9- 8.7	14	3.2	1.2- 5.2	8	1.6	0.4- 2.8
Oth. Race/Non-Hisp.	215	161,477	145	61.5	52.7-70.3	25	12.4	6.1-18.7	28	15.2	9.1-21.3	8	4.7	1.2- 8.2	5	3.9	0.2- 7.6	4	2.3	0.0- 5.4
MultiRacial/Non-Hisp.	123	49,848	85	62.9	51.7-74.1	19	18.9	10.3-27.5	13	10.1	3.6-16.6	3	2.8	0.0- 5.9	3	5.4	0.0-13.2			
Hispanic	368	315,272	176	41.5	35.6-47.4	71	21.3	16.0-26.6	66	20.7	15.8-25.6	35	9.6	6.3-12.9	11	4.5	1.6- 7.4	9	2.4	0.8- 4.0
18-24	495	676,829	319	60.7	55.8-65.6	98	21.7	17.6-25.8	46	10.3	7.2-13.4	20	4.4	2.2- 6.6	7	1.8	0.4- 3.2	5	1.2	0.2- 2.2
25-34	811	844,240	378	43.5	39.8-47.2	159	20.4	17.3-23.5	162	21.0	17.9-24.1	78	10.1	7.7-12.5	24	3.7	2.1- 5.3	10	1.4	0.4- 2.4
35-44	999	802,608	294	27.8	24.9-30.7	183	19.0	16.3-21.7	281	28.8	25.7-31.9	138	14.0	11.6-16.4	68	7.0	5.2- 8.8	35	3.4	2.2- 4.6
45-54	1345	798,246	776	56.8	53.9-59.7	280	21.2	18.7-23.7	194	14.7	12.5-16.9	67	5.2	3.8- 6.6	23	1.6	0.8- 2.4	5	0.4	0.0- 0.8
55-64	1688	852,292	1486	87.0	85.0-89.0	122	8.0	6.4- 9.6	50	3.2	2.2- 4.2	19	1.2	0.6- 1.8	4	0.2	0.0- 0.4	7	0.6	0.2- 1.0
65+	2966	1,122,524	2850	95.5	94.5-96.5	74	2.8	2.0- 3.6	26	1.0	0.6- 1.4	9	0.4	0.2- 0.6	3	0.1	0.0- 0.3	4	0.2	0.0- 0.4
Less Than H.S.	597	599,353	402	57.7	53.0-62.4	74	16.4	12.7-20.1	64	13.1	9.8-16.4	34	6.9	4.4- 9.4	14	3.8	1.6- 6.0	9	2.2	0.6- 3.8
H.S. or G.E.D.	2708	1,709,931	2077	67.5	65.1-69.9	293	14.3	12.5-16.1	200	10.7	9.1-12.3	87	4.7	3.5- 5.9	27	1.6	1.0- 2.2	24	1.2	0.6- 1.8
Some Post-H.S.	2182	1,551,917	1581	62.7	60.2-65.2	269	15.8	13.8-17.8	200	13.0	11.2-14.8	83	5.4	4.2- 6.6	35	2.3	1.5- 3.1	14	0.9	0.5- 1.3
College Graduate	2799	1,225,321	2027	64.0	61.8-66.2	279	12.4	10.8-14.0	294	13.8	12.2-15.4	127	6.4	5.2- 7.6	53	2.4	1.6- 3.2	19	0.9	0.5- 1.3
Less than \$15,000	544	344,559	426	73.7	69.0-78.4	57	12.6	8.9-16.3	42	9.2	6.3-12.1	11	2.7	1.1- 4.3	5	1.4	0.0- 2.8	3	0.5	0.0- 1.1
\$15,000- 24,999	1074	667,789	806	64.5	60.8-68.2	113	14.2	11.5-16.9	72	9.2	6.7-11.7	54	8.0	5.6-10.4	19	3.0	1.4- 4.6	10	1.2	0.4- 2.0
\$25,000- 34,999	724	413,923	560	69.3	65.0-73.6	74	12.7	9.6-15.8	54	10.3	7.4-13.2	26	5.3	3.1- 7.5	7	1.7	0.3- 3.1	3	0.9	0.0- 1.9
\$35,000- 49,999	1012	605,403	794	70.0	66.3-73.7	88	11.5	9.0-14.0	68	9.2	6.8-11.6	39	5.9	3.9- 7.9	15	2.1	0.9- 3.3	8	1.3	0.3- 2.3
\$50,000- 74,999	1107	694,384	791	61.6	58.1-65.1	145	18.1	15.2-21.0	91	10.8	8.4-13.2	42	5.0	3.4- 6.6	25	2.9	1.7- 4.1	13	1.7	0.5- 2.9
\$75,000+	2136	1,369,309	1356	54.8	52.3-57.3	296	16.6	14.6-18.6	304	18.1	15.9-20.3	124	7.2	5.8- 8.6	39	2.2	1.4- 3.0	17	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3743	2,475,069	2770	66.1	64.1-68.1	391	13.3	11.9-14.7	336	11.9	10.5-13.3	155	5.4	4.4- 6.4	64	2.2	1.6- 2.8	27	1.0	0.6- 1.4
White/Non-Hisp	3029	1,934,775	2286	67.6	65.4-69.8	301	12.9	11.3-14.5	255	11.3	9.9-12.7	116	5.2	4.2- 6.2	51	2.1	1.5- 2.7	20	0.9	0.5- 1.3
Black or Afr. Am./Non-Hisp	276	211,570	201	65.2	58.1-72.3	36	16.4	10.7-22.1	21	10.4	5.9-14.9	12	5.2	2.1- 8.3	2	1.0	0.0- 2.6	4	1.8	0.0- 3.6
Oth. Race/Non-Hisp.	114	94,736	81	65.5	53.9-77.1	10	9.1	1.7-16.5	15	14.7	6.9-22.5	4	3.6	0.0- 7.9	2	3.7	0.0- 9.0	2	3.3	0.0- 8.8
MultiRacial/Non-Hisp.	57	25,870	40	62.4	45.5-79.3	9	20.6	7.7-33.5	5	6.6	0.1-13.1				3	10.3	0.0-25.0			
Hispanic	182	152,327	94	45.5	37.3-53.7	29	16.4	9.9-22.9	36	24.4	17.0-31.8	17	9.9	5.0-14.8	5	3.3	0.2- 6.4	1	0.5	0.0- 1.5
18-24	272	350,525	185	67.1	61.0-73.2	51	18.8	13.7-23.9	23	8.6	5.1-12.1	7	2.5	0.3- 4.7	2	1.1	0.0- 2.7	4	1.9	0.0- 3.9
25-34	402	426,168	232	53.8	48.3-59.3	64	17.2	12.9-21.5	65	17.1	13.0-21.2	29	8.3	5.2-11.4	10	3.0	1.0- 5.0	2	0.5	0.0- 1.3
35-44	464	394,862	160	32.1	27.4-36.8	74	16.4	12.7-20.1	122	28.1	23.6-32.6	59	13.1	9.8-16.4	32	7.0	4.5- 9.5	17	3.3	1.5- 5.1
45-54	614	392,497	355	55.4	51.1-59.7	107	19.3	15.8-22.8	89	15.1	12.0-18.2	46	7.7	5.3-10.1	15	2.1	0.9- 3.3	2	0.4	0.0- 1.0
55-64	781	414,859	678	86.0	83.3-88.7	59	7.5	5.5- 9.5	27	4.1	2.5- 5.7	11	1.5	0.5- 2.5	4	0.3	0.0- 0.7	2	0.5	0.0- 1.3
65+	1210	496,158	1160	95.0	93.4-96.6	36	3.6	2.2- 5.0	10	0.8	0.2- 1.4	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3			
Less Than H.S.	275	290,365	194	62.6	55.9-69.3	22	10.4	6.1-14.7	31	13.4	8.7-18.1	20	9.0	4.9-13.1	5	2.7	0.3- 5.1	3	2.0	0.0- 4.4
H.S. or G.E.D.	1262	881,582	951	67.5	64.4-70.6	147	14.7	12.3-17.1	104	11.1	8.9-13.3	37	4.0	2.6- 5.4	16	1.9	0.7- 3.1	7	0.8	0.2- 1.4
Some Post-H.S.	962	741,766	707	65.8	62.3-69.3	120	15.2	12.3-18.1	82	11.8	9.3-14.3	35	4.6	3.0- 6.2	13	1.8	0.8- 2.8	5	0.7	0.0- 1.5
College Graduate	1239	559,908	913	66.1	63.0-69.2	102	10.0	8.0-12.0	119	12.6	10.4-14.8	63	7.0	5.2- 8.8	30	2.9	1.7- 4.1	12	1.4	0.6- 2.2
Less than \$15,000	200	133,596	177	87.9	82.8-93.0	13	6.0	2.3- 9.7	8	5.4	1.7- 9.1	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9			
\$15,000- 24,999	435	289,596	348	73.7	68.4-79.0	34	10.0	6.5-13.5	25	6.6	3.7- 9.5	18	6.3	3.2- 9.4	9	3.0	0.8- 5.2	1	0.5	0.0- 1.5
\$25,000- 34,999	309	192,664	242	71.7	65.4-78.0	31	11.6	7.5-15.7	20	8.5	4.6-12.4	12	6.4	2.5-10.3	2	0.5	0.0- 1.3	2	1.3	0.0- 3.1
\$35,000- 49,999	470	293,852	375	71.6	66.5-76.7	36	10.4	6.9-13.9	30	8.9	5.6-12.2	18	6.3	3.2- 9.4	7	2.0	0.2- 3.8	4	0.9	0.0- 1.9
\$50,000- 74,999	518	351,063	374	62.0	56.7-67.3	64	17.5	13.2-21.8	44	11.6	8.1-15.1	15	3.9	1.7- 6.1	13	2.9	1.1- 4.7	8	2.2	0.4- 4.0
\$75,000+	1155	779,490	742	55.5	52.0-59.0	151	16.2	13.5-18.9	155	17.4	14.7-20.1	76	7.5	5.7- 9.3	22	2.4	1.2- 3.6	9	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4561	2,621,670	3333	62.2	60.4-64.0	525	15.7	14.1-17.3	423	12.9	11.5-14.3	176	5.7	4.7- 6.7	65	2.3	1.7- 2.9	39	1.2	0.8- 1.6
White/Non-Hisp	3710	2,093,199	2802	65.5	63.5-67.5	389	14.4	12.8-16.0	326	12.4	11.0-13.8	126	5.0	4.0- 6.0	44	1.7	1.1- 2.3	23	1.0	0.6- 1.4
Black or Afr. Am./Non-Hisp	428	236,896	289	52.4	45.9-58.9	59	19.1	14.0-24.2	43	14.6	9.9-19.3	21	7.3	4.0-10.6	12	5.3	2.0- 8.6	4	1.4	0.0- 3.0
Oth. Race/Non-Hisp.	101	66,741	64	55.9	42.8-69.0	15	17.1	6.3-27.9	13	15.9	6.3-25.5	4	6.1	0.0-12.2	3	4.2	0.0- 9.7	2	0.8	0.0- 2.0
MultiRacial/Non-Hisp.	66	23,979	45	63.4	48.9-77.9	10	17.0	6.0-28.0	8	13.8	2.6-25.0	3	5.8	0.0-12.3						
Hispanic	186	162,945	82	37.8	29.6-46.0	42	25.9	17.9-33.9	30	17.4	10.7-24.1	18	9.3	4.4-14.2	6	5.6	0.9-10.3	8	4.1	1.2- 7.0
18-24	223	326,304	134	53.8	46.4-61.2	47	24.7	18.0-31.4	23	12.1	7.0-17.2	13	6.5	2.6-10.4	5	2.6	0.2- 5.0	1	0.3	0.0- 0.9
25-34	409	418,072	146	33.0	28.1-37.9	95	23.6	19.1-28.1	97	24.8	20.1-29.5	49	11.8	8.5-15.1	14	4.3	1.9- 6.7	8	2.3	0.5- 4.1
35-44	535	407,746	134	23.6	19.7-27.5	109	21.5	17.6-25.4	159	29.4	25.1-33.7	79	15.0	11.7-18.3	36	7.1	4.7- 9.5	18	3.5	1.7- 5.3
45-54	731	405,749	421	58.1	54.0-62.2	173	23.1	19.6-26.6	105	14.4	11.5-17.3	21	2.8	1.2- 4.4	8	1.2	0.4- 2.0	3	0.5	0.0- 1.1
55-64	907	437,433	808	87.8	85.3-90.3	63	8.4	6.0-10.8	23	2.3	1.1- 3.5	8	0.8	0.2- 1.4				5	0.7	0.1- 1.3
65+	1756	626,366	1690	95.8	94.6-97.0	38	2.1	1.3- 2.9	16	1.2	0.6- 1.8	6	0.4	0.0- 0.8	2	0.1	0.0- 0.3	4	0.4	0.0- 0.8
Less Than H.S.	322	308,989	208	53.1	46.4-59.8	52	22.0	15.9-28.1	33	12.8	8.1-17.5	14	4.8	1.9- 7.7	9	4.8	1.5- 8.1	6	2.4	0.2- 4.6
H.S. or G.E.D.	1446	828,350	1126	67.6	64.3-70.9	146	13.8	11.3-16.3	96	10.3	7.9-12.7	50	5.5	3.7- 7.3	11	1.2	0.4- 2.0	17	1.7	0.9- 2.5
Some Post-H.S.	1220	810,151	874	59.8	56.3-63.3	149	16.3	13.6-19.0	118	14.1	11.6-16.6	48	6.1	4.3- 7.9	22	2.8	1.6- 4.0	9	0.9	0.3- 1.5
College Graduate	1560	665,413	1114	62.3	59.4-65.2	177	14.5	12.1-16.9	175	14.8	12.6-17.0	64	5.9	4.3- 7.5	23	2.0	1.0- 3.0	7	0.5	0.1- 0.9
Less than \$15,000	344	210,963	249	64.6	58.1-71.1	44	16.8	11.5-22.1	34	11.6	7.3-15.9	10	4.1	1.6- 6.6	4	2.2	0.0- 4.4	3	0.8	0.0- 1.8
\$15,000- 24,999	639	378,193	458	57.4	52.3-62.5	79	17.4	13.3-21.5	47	11.1	7.4-14.8	36	9.3	6.0-12.6	10	2.9	0.7- 5.1	9	1.8	0.6- 3.0
\$25,000- 34,999	415	221,260	318	67.2	61.1-73.3	43	13.6	9.1-18.1	34	11.8	7.7-15.9	14	4.2	1.8- 6.6	5	2.8	0.1- 5.5	1	0.5	0.0- 1.5
\$35,000- 49,999	542	311,551	419	68.5	63.4-73.6	52	12.6	8.7-16.5	38	9.4	6.1-12.7	21	5.5	3.0- 8.0	8	2.3	0.5- 4.1	4	1.7	0.0- 3.7
\$50,000- 74,999	589	343,321	417	61.1	56.2-66.0	81	18.8	14.7-22.9	47	10.0	7.1-12.9	27	6.2	3.7- 8.7	12	2.8	1.0- 4.6	5	1.1	0.0- 2.3
\$75,000+	981	589,819	614	53.9	50.2-57.6	145	17.2	14.3-20.1	149	19.1	16.0-22.2	48	6.9	4.7- 9.1	17	1.8	0.8- 2.8	8	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8454	5,199,544	612	11.9	10.9-12.9	2764	33.6	32.4-34.8	2226	30.5	29.3-31.7	2852	24.1	23.1-25.1
Male	3832	2,539,435	287	12.1	10.7-13.5	1294	35.6	33.8-37.4	983	29.7	27.9-31.5	1268	22.7	21.3-24.1
Female	4622	2,660,109	325	11.8	10.4-13.2	1470	31.7	29.9-33.5	1243	31.2	29.4-33.0	1584	25.4	24.0-26.8
White/Non-Hisp	6848	4,103,197	397	10.2	9.0-11.4	2249	33.5	32.1-34.9	1783	30.6	29.2-32.0	2419	25.7	24.5-26.9
Black or Afr. Am./Non-Hisp	721	460,210	65	12.3	9.0-15.6	247	37.3	32.8-41.8	215	33.1	28.6-37.6	194	17.2	14.3-20.1
Oth. Race/Non-Hisp.	218	161,753	17	8.0	3.5-12.5	59	35.2	26.2-44.2	57	25.5	17.7-33.3	85	31.3	23.7-38.9
MultiRacial/Non-Hisp.	125	50,503	13	9.7	3.8-15.6	46	35.9	25.5-46.3	35	37.5	26.3-48.7	31	16.9	9.5-24.3
Hispanic	373	321,201	102	33.0	27.1-38.9	115	29.4	24.1-34.7	86	25.5	20.0-31.0	70	12.1	8.8-15.4
18-24	499	682,442	46	13.1	9.4-16.8	210	42.6	37.7-47.5	154	32.6	28.1-37.1	89	11.7	9.2-14.2
25-34	833	870,073	59	11.3	8.4-14.2	246	30.3	27.0-33.6	238	33.1	29.4-36.8	290	25.4	22.5-28.3
35-44	1031	830,262	86	12.6	10.1-15.1	262	25.9	23.0-28.8	271	31.2	28.1-34.3	412	30.3	27.6-33.0
45-54	1382	818,571	103	12.4	10.0-14.8	378	28.6	26.1-31.1	344	29.8	27.1-32.5	557	29.2	26.8-31.6
55-64	1711	862,557	134	12.0	9.8-14.2	596	35.8	33.3-38.3	426	28.4	25.9-30.9	555	23.8	21.8-25.8
65+	2998	1,135,641	184	10.7	9.1-12.3	1072	38.1	35.9-40.3	793	28.7	26.7-30.7	949	22.4	20.8-24.0
Less Than H.S.	612	619,367	612	100.0	100.0- 100									
H.S. or G.E.D.	2764	1,745,153				2764	100.0	100.0- 100						
Some Post-H.S.	2226	1,584,185							2226	100.0	100.0- 100			
College Graduate	2852	1,250,838										2852	100.0	100.0- 100
Less than \$15,000	544	344,854	129	30.2	25.3-35.1	235	40.8	35.7-45.9	117	22.2	17.9-26.5	63	6.8	4.4- 9.2
\$15,000- 24,999	1074	667,768	160	23.7	20.2-27.2	494	41.5	38.0-45.0	281	27.1	23.8-30.4	139	7.7	6.1- 9.3
\$25,000- 34,999	725	414,845	58	12.7	9.4-16.0	306	41.7	37.4-46.0	220	32.5	28.2-36.8	141	13.1	10.6-15.6
\$35,000- 49,999	1014	607,113	40	8.4	5.7-11.1	333	34.8	31.3-38.3	334	36.2	32.5-39.9	307	20.6	18.1-23.1
\$50,000- 74,999	1115	700,463	34	6.3	4.1- 8.5	332	32.6	29.3-35.9	303	33.1	29.6-36.6	446	28.0	25.3-30.7
\$75,000+	2141	1,373,101	29	3.3	1.9- 4.7	353	20.2	18.0-22.4	494	31.3	28.8-33.8	1265	45.2	42.7-47.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3832	2,539,435	287	12.1	10.7-13.5	1294	35.6	33.8-37.4	983	29.7	27.9-31.5	1268	22.7	21.3-24.1
White/Non-Hisp	3092	1,981,600	187	10.5	8.9-12.1	1039	35.8	33.8-37.8	780	29.5	27.5-31.5	1086	24.2	22.6-25.8
Black or Afr. Am./Non-Hisp	285	219,035	33	15.4	9.9-20.9	108	35.7	29.0-42.4	81	34.1	27.0-41.2	63	14.8	10.7-18.9
Oth. Race/Non-Hisp.	116	95,726	8	5.9	0.0-11.8	28	33.8	21.8-45.8	31	30.0	18.6-41.4	49	30.3	20.1-40.5
MultiRacial/Non-Hisp.	58	25,911	3	6.6	0.0-14.6	26	43.1	26.8-59.4	18	40.1	23.0-57.2	11	10.2	3.5-16.9
Hispanic	186	154,551	46	28.9	21.3-36.5	65	34.5	26.7-42.3	44	24.6	17.2-32.0	31	12.0	7.3-16.7
18-24	273	352,133	23	10.7	6.4-15.0	128	46.4	39.9-52.9	86	34.3	28.0-40.6	36	8.6	5.5-11.7
25-34	415	439,892	32	12.1	8.0-16.2	140	34.8	29.7-39.9	109	31.2	26.1-36.3	134	21.8	18.1-25.5
35-44	485	414,528	43	13.7	9.8-17.6	138	29.2	24.7-33.7	125	29.2	24.7-33.7	179	27.9	24.0-31.8
45-54	639	407,765	48	12.2	8.9-15.5	199	32.5	28.6-36.4	158	28.9	25.0-32.8	234	26.3	23.0-29.6
55-64	795	421,208	70	13.4	10.3-16.5	292	37.2	33.5-40.9	185	26.3	22.8-29.8	248	23.1	20.2-26.0
65+	1225	503,909	71	10.2	7.7-12.7	397	35.0	31.9-38.1	320	29.3	26.4-32.2	437	25.5	23.0-28.0
Less Than H.S.	287	306,105	287	100.0	100.0- 100									
H.S. or G.E.D.	1294	902,956				1294	100.0	100.0- 100						
Some Post-H.S.	983	755,111							983	100.0	100.0- 100			
College Graduate	1268	575,263										1268	100.0	100.0- 100
Less than \$15,000	200	133,596	48	32.9	24.7-41.1	85	39.1	31.1-47.1	46	23.3	16.4-30.2	21	4.7	2.3- 7.1
\$15,000- 24,999	435	289,596	73	23.4	18.3-28.5	195	40.2	34.7-45.7	111	28.7	23.4-34.0	56	7.7	5.3-10.1
\$25,000- 34,999	311	194,083	28	13.0	8.1-17.9	142	47.9	41.4-54.4	88	27.8	22.1-33.5	53	11.3	7.8-14.8
\$35,000- 49,999	472	295,561	19	7.9	4.2-11.6	174	39.0	33.7-44.3	157	36.2	30.9-41.5	122	16.9	13.6-20.2
\$50,000- 74,999	524	355,754	27	9.9	6.0-13.8	183	38.4	33.5-43.3	140	30.2	25.3-35.1	174	21.5	18.0-25.0
\$75,000+	1159	781,992	19	4.0	2.0- 6.0	242	25.4	22.3-28.5	264	30.7	27.4-34.0	634	39.9	36.8-43.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4622	2,660,109	325	11.8	10.4-13.2	1470	31.7	29.9-33.5	1243	31.2	29.4-33.0	1584	25.4	24.0-26.8
White/Non-Hisp	3756	2,121,596	210	10.0	8.4-11.6	1210	31.4	29.6-33.2	1003	31.6	29.6-33.6	1333	27.0	25.4-28.6
Black or Afr. Am./Non-Hisp	436	241,175	32	9.5	5.6-13.4	139	38.8	32.5-45.1	134	32.3	26.4-38.2	131	19.5	15.2-23.8
Oth. Race/Non-Hisp.	102	66,027	9	11.0	3.6-18.4	31	37.1	23.4-50.8	26	19.0	9.8-28.2	36	32.8	20.8-44.8
MultiRacial/Non-Hisp.	67	24,592	10	12.9	4.1-21.7	20	28.2	15.7-40.7	17	34.8	20.5-49.1	20	24.1	11.4-36.8
Hispanic	187	166,649	56	36.8	28.2-45.4	50	24.7	17.4-32.0	42	26.4	18.6-34.2	39	12.1	7.4-16.8
18-24	226	330,309	23	15.7	9.6-21.8	82	38.6	31.5-45.7	68	30.7	24.0-37.4	53	15.0	10.7-19.3
25-34	418	430,181	27	10.4	6.5-14.3	106	25.6	21.1-30.1	129	34.9	29.8-40.0	156	29.1	24.6-33.6
35-44	546	415,734	43	11.5	8.2-14.8	124	22.7	18.8-26.6	146	33.2	28.7-37.7	233	32.6	28.7-36.5
45-54	743	410,805	55	12.6	9.3-15.9	179	24.7	21.2-28.2	186	30.7	26.8-34.6	323	32.0	28.5-35.5
55-64	916	441,349	64	10.7	8.0-13.4	304	34.5	31.0-38.0	241	30.5	27.0-34.0	307	24.3	21.6-27.0
65+	1773	631,731	113	11.1	8.9-13.3	675	40.6	37.9-43.3	473	28.3	25.8-30.8	512	20.0	18.0-22.0
Less Than H.S.	325	313,262	325	100.0	100.0- 100									
H.S. or G.E.D.	1470	842,197				1470	100.0	100.0- 100						
Some Post-H.S.	1243	829,074							1243	100.0	100.0- 100			
College Graduate	1584	675,575										1584	100.0	100.0- 100
Less than \$15,000	344	211,258	81	28.5	22.4-34.6	150	41.9	35.4-48.4	71	21.4	15.9-26.9	42	8.2	4.9-11.5
\$15,000- 24,999	639	378,172	87	23.9	19.0-28.8	299	42.5	37.6-47.4	170	25.9	21.8-30.0	83	7.7	5.7- 9.7
\$25,000- 34,999	414	220,762	30	12.4	7.7-17.1	164	36.2	30.5-41.9	132	36.6	30.5-42.7	88	14.8	11.1-18.5
\$35,000- 49,999	542	311,551	21	9.0	4.9-13.1	159	30.8	26.1-35.5	177	36.3	31.2-41.4	185	24.0	20.1-27.9
\$50,000- 74,999	591	344,709	7	2.5	0.5- 4.5	149	26.7	22.4-31.0	163	36.0	31.1-40.9	272	34.7	30.4-39.0
\$75,000+	982	591,110	10	2.4	0.8- 4.0	111	13.3	10.6-16.0	230	32.1	28.4-35.8	631	52.2	48.5-55.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 49: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6621	4,112,437	547	8.4	7.6- 9.2	1075	16.2	15.0-17.4	726	10.1	9.3-10.9	1015	14.8	13.8-15.8	3258	50.4	49.0-51.8
Male	3103	2,051,548	201	6.5	5.5- 7.5	435	14.1	12.5-15.7	311	9.5	8.3-10.7	472	14.4	13.0-15.8	1684	55.5	53.3-57.7
Female	3518	2,060,889	346	10.3	9.1-11.5	640	18.4	16.8-20.0	415	10.7	9.5-11.9	543	15.1	13.7-16.5	1574	45.4	43.4-47.4
White/Non-Hisp	5410	3,292,256	388	7.1	6.3- 7.9	792	14.6	13.4-15.8	569	9.7	8.7-10.7	834	14.9	13.7-16.1	2827	53.8	52.2-55.4
Black or Afr. Am./Non-Hisp	561	352,125	84	18.0	13.9-22.1	127	21.6	17.1-26.1	85	13.3	10.0-16.6	94	14.1	10.6-17.6	171	33.0	27.9-38.1
Oth. Race/Non-Hisp.	161	119,243	16	13.4	6.0-20.8	29	15.8	8.9-22.7	19	10.5	4.6-16.4	23	10.5	5.0-16.0	74	49.8	39.6-60.0
MultiRacial/Non-Hisp.	99	42,021	14	11.7	4.8-18.6	26	26.9	15.9-37.9	10	13.7	5.1-22.3	6	5.0	0.7- 9.3	43	42.8	30.3-55.3
Hispanic	293	245,449	34	10.6	6.9-14.3	88	30.3	24.0-36.6	29	10.4	6.1-14.7	45	17.9	12.4-23.4	97	30.7	24.6-36.8
18-24	357	476,474	42	12.4	8.7-16.1	79	21.8	17.1-26.5	44	11.3	7.8-14.8	56	13.7	10.0-17.4	136	40.7	35.0-46.4
25-34	719	745,530	58	7.5	5.3- 9.7	117	16.1	13.2-19.0	70	9.6	7.2-12.0	119	16.5	13.4-19.6	355	50.2	46.1-54.3
35-44	888	704,179	65	6.9	5.1- 8.7	106	11.6	9.2-14.0	66	7.1	5.3- 8.9	112	12.5	10.1-14.9	539	61.8	58.3-65.3
45-54	1133	668,303	89	7.8	6.0- 9.6	129	12.3	9.9-14.7	101	8.8	6.8-10.8	128	10.8	8.8-12.8	686	60.4	57.3-63.5
55-64	1392	702,689	141	9.8	8.0-11.6	204	15.5	13.3-17.7	106	7.1	5.5- 8.7	188	13.1	11.1-15.1	753	54.5	51.6-57.4
65+	2132	815,262	152	7.6	6.2- 9.0	440	21.0	18.8-23.2	339	16.1	14.3-17.9	412	20.4	18.2-22.6	789	34.9	32.5-37.3
Less Than H.S.	450	455,996	129	22.8	18.7-26.9	160	34.7	29.6-39.8	58	11.6	8.5-14.7	40	11.2	7.5-14.9	63	19.7	15.0-24.4
H.S. or G.E.D.	2053	1,307,275	235	10.8	9.2-12.4	494	21.2	19.2-23.2	306	13.2	11.4-15.0	333	16.1	14.1-18.1	685	38.7	36.2-41.2
Some Post-H.S.	1749	1,273,616	117	6.0	4.6- 7.4	281	14.2	12.2-16.2	220	10.6	9.0-12.2	334	17.3	15.3-19.3	797	51.9	49.2-54.6
College Graduate	2361	1,071,258	63	2.2	1.4- 3.0	139	4.8	3.8- 5.8	141	5.1	4.1- 6.1	307	11.7	10.3-13.1	1711	76.3	74.3-78.3
Less than \$15,000	547	346,954	547	100.0	100.0- 100												
\$15,000- 24,999	1075	668,250				1075	100.0	100.0- 100									
\$25,000- 34,999	726	415,343							726	100.0	100.0- 100						
\$35,000- 49,999	1015	607,233										1015	100.0	100.0- 100			
\$50,000- 74,999	1115	700,463													1115	100.0	100.0- 100
\$75,000+	2143	1,374,194													2143	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 50: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3103	2,051,548	201	6.5	5.5- 7.5	435	14.1	12.5-15.7	311	9.5	8.3-10.7	472	14.4	13.0-15.8	1684	55.5	53.3-57.7
White/Non-Hisp	2539	1,629,453	140	5.3	4.3- 6.3	309	12.1	10.5-13.7	249	9.2	8.0-10.4	385	14.4	12.8-16.0	1456	59.0	56.8-61.2
Black or Afr. Am./Non-Hisp	223	166,327	33	15.5	10.0-21.0	42	19.6	12.7-26.5	29	13.2	7.9-18.5	39	15.1	9.4-20.8	80	36.6	28.8-44.4
Oth. Race/Non-Hisp.	90	73,837	7	11.0	1.6-20.4	15	13.4	4.4-22.4	10	11.7	3.5-19.9	13	10.6	3.3-17.9	45	53.3	39.8-66.8
Hispanic	146	121,501	10	7.6	2.9-12.3	49	31.5	23.1-39.9	11	6.7	2.4-11.0	25	18.7	11.3-26.1	51	35.5	26.5-44.5
18-24	188	240,510	17	8.7	4.4-13.0	36	17.6	11.7-23.5	27	13.5	8.4-18.6	23	10.3	6.0-14.6	85	49.9	42.1-57.7
25-34	356	382,407	17	5.0	2.5- 7.5	47	13.4	9.5-17.3	39	9.3	6.4-12.2	60	16.7	12.4-21.0	193	55.6	49.9-61.3
35-44	420	357,057	26	5.8	3.4- 8.2	42	10.0	6.9-13.1	25	5.5	3.3- 7.7	52	12.6	9.1-16.1	275	66.2	61.3-71.1
45-54	523	333,322	30	6.0	3.6- 8.4	46	10.3	7.2-13.4	48	8.7	6.0-11.4	65	11.8	8.9-14.7	334	63.2	58.5-67.9
55-64	661	350,080	65	9.7	7.2-12.2	101	15.6	12.5-18.7	43	6.3	4.1- 8.5	75	11.2	8.5-13.9	377	57.2	52.9-61.5
65+	955	388,172	46	5.0	3.2- 6.8	163	18.4	15.5-21.3	129	14.2	11.7-16.7	197	21.6	18.5-24.7	420	40.9	37.4-44.4
Less Than H.S.	214	227,235	48	19.4	13.7-25.1	73	29.8	23.1-36.5	28	11.1	6.8-15.4	19	10.2	5.3-15.1	46	29.5	22.1-36.9
H.S. or G.E.D.	1021	711,673	85	7.3	5.5- 9.1	195	16.4	13.9-18.9	142	13.1	10.7-15.5	174	16.2	13.7-18.7	425	47.0	43.5-50.5
Some Post-H.S.	806	622,397	46	5.0	3.4- 6.6	111	13.4	10.7-16.1	88	8.7	6.7-10.7	157	17.2	14.3-20.1	404	55.8	51.9-59.7
College Graduate	1060	489,278	21	1.3	0.7- 1.9	56	4.5	3.1- 5.9	53	4.5	3.1- 5.9	122	10.2	8.2-12.2	808	79.5	76.8-82.2
Less than \$15,000	201	133,922	201	100.0	100.0- 100												
\$15,000- 24,999	435	289,596				435	100.0	100.0- 100									
\$25,000- 34,999	311	194,083							311	100.0	100.0- 100						
\$35,000- 49,999	472	295,561										472	100.0	100.0- 100			
\$50,000- 74,999	524	355,754													524	100.0	100.0- 100
\$75,000+	1160	782,632													1160	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 51: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3518	2,060,889	346	10.3	9.1-11.5	640	18.4	16.8-20.0	415	10.7	9.5-11.9	543	15.1	13.7-16.5	1574	45.4	43.4-47.4
White/Non-Hisp	2871	1,662,803	248	8.8	7.4-10.2	483	16.9	15.1-18.7	320	10.1	8.7-11.5	449	15.3	13.7-16.9	1371	48.8	46.6-51.0
Black or Afr. Am./Non-Hisp	338	185,798	51	20.2	14.1-26.3	85	23.3	17.4-29.2	56	13.5	9.2-17.8	55	13.3	9.0-17.6	91	29.8	23.3-36.3
Oth. Race/Non-Hisp.	71	45,405	9	17.2	5.0-29.4	14	19.8	8.8-30.8	9	8.7	1.1-16.3	10	10.4	2.0-18.8	29	43.9	28.6-59.2
MultiRacial/Non-Hisp.	52	19,560	11	19.8	7.3-32.3	12	24.4	10.1-38.7	6	18.4	4.1-32.7	3	6.5	0.0-14.1	20	30.8	15.5-46.1
Hispanic	147	123,948	24	13.6	7.9-19.3	39	29.1	20.1-38.1	18	14.1	6.8-21.4	20	17.2	9.4-25.0	46	26.1	18.3-33.9
18-24	169	235,965	25	16.1	9.8-22.4	43	26.2	18.8-33.6	17	9.1	4.2-14.0	33	17.3	11.4-23.2	51	31.4	23.6-39.2
25-34	363	363,123	41	10.2	6.9-13.5	70	18.9	14.6-23.2	31	10.0	6.5-13.5	59	16.3	12.0-20.6	162	44.6	38.9-50.3
35-44	468	347,122	39	8.0	5.3-10.7	64	13.3	10.0-16.6	41	8.8	6.1-11.5	60	12.5	9.2-15.8	264	57.2	52.3-62.1
45-54	610	334,980	59	9.6	7.1-12.1	83	14.2	10.9-17.5	53	8.8	6.3-11.3	63	9.8	7.3-12.3	352	57.6	53.1-62.1
55-64	731	352,609	76	10.0	7.5-12.5	103	15.4	12.3-18.5	63	7.8	5.6-10.0	113	15.0	12.1-17.9	376	51.9	47.8-56.0
65+	1177	427,090	106	10.0	7.8-12.2	277	23.5	20.6-26.4	210	17.8	15.3-20.3	215	19.2	16.5-21.9	369	29.5	26.6-32.4
Less Than H.S.	236	228,761	81	26.3	20.2-32.4	87	39.5	32.1-46.9	30	12.0	7.3-16.7	21	12.2	6.7-17.7	17	10.0	5.3-14.7
H.S. or G.E.D.	1032	595,603	150	14.9	12.2-17.6	299	27.0	23.7-30.3	164	13.4	11.0-15.8	159	16.1	13.4-18.8	260	28.6	25.1-32.1
Some Post-H.S.	943	651,218	71	6.9	4.9- 8.9	170	15.1	12.6-17.6	132	12.4	9.9-14.9	177	17.4	14.7-20.1	393	48.2	44.3-52.1
College Graduate	1301	581,980	42	3.0	1.8- 4.2	83	5.0	3.6- 6.4	88	5.6	4.2- 7.0	185	12.8	10.6-15.0	903	73.6	70.9-76.3
Less than \$15,000	346	213,033	346	100.0	100.0- 100												
\$15,000- 24,999	640	378,654				640	100.0	100.0- 100									
\$25,000- 34,999	415	221,260							415	100.0	100.0- 100						
\$35,000- 49,999	543	311,672										543	100.0	100.0- 100			
\$50,000- 74,999	591	344,709													591	100.0	100.0- 100
\$75,000+	983	591,562													983	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	102
2	MALES ONLY	103
3	FEMALES ONLY	104
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	105
5	MALES ONLY	106
6	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7972	4,885,250	1065	14.9	13.9-15.9	317	4.5	3.9- 5.1	2093	23.7	22.5-24.9	4497	56.9	55.5-58.3
Male	3602	2,374,839	532	16.4	14.8-18.0	147	4.3	3.5- 5.1	1093	27.3	25.5-29.1	1830	51.9	49.9-53.9
Female	4370	2,510,411	533	13.5	12.1-14.9	170	4.6	3.8- 5.4	1000	20.3	18.9-21.7	2667	61.6	59.8-63.4
White/Non-Hisp	6484	3,872,718	887	15.8	14.6-17.0	231	4.1	3.5- 4.7	1771	25.2	24.0-26.4	3595	54.9	53.3-56.5
Black or Afr. Am./Non-Hisp	676	428,416	86	12.4	9.3-15.5	43	8.0	5.1-10.9	140	17.7	14.2-21.2	407	61.9	57.2-66.6
Oth. Race/Non-Hisp.	198	145,389	26	12.8	6.7-18.9	9	4.6	0.9- 8.3	40	14.9	9.2-20.6	123	67.6	59.4-75.8
MultiRacial/Non-Hisp.	118	47,723	23	19.3	10.7-27.9	13	8.1	3.2-13.0	31	24.2	13.6-34.8	51	48.4	37.0-59.8
Hispanic	344	299,822	23	7.2	3.9-10.5	15	3.9	1.5- 6.3	61	15.3	11.2-19.4	245	73.6	68.3-78.9
18-24	473	647,270	33	7.9	5.2-10.6	17	3.5	1.7- 5.3	32	6.0	3.8- 8.2	391	82.6	78.9-86.3
25-34	776	806,303	127	17.2	14.3-20.1	46	6.4	4.4- 8.4	154	21.5	18.2-24.8	449	54.9	51.0-58.8
35-44	957	766,260	182	20.8	17.9-23.7	47	4.4	3.0- 5.8	197	21.6	18.7-24.5	531	53.2	49.7-56.7
45-54	1307	773,893	208	16.7	14.3-19.1	57	4.4	3.2- 5.6	287	23.7	21.2-26.2	755	55.2	52.3-58.1
55-64	1617	817,409	294	19.6	17.2-22.0	84	5.7	4.3- 7.1	428	27.2	24.7-29.7	811	47.5	44.8-50.2
65+	2842	1,074,115	221	8.5	7.1- 9.9	66	2.7	1.9- 3.5	995	35.0	32.8-37.2	1560	53.8	51.6-56.0
Less Than H.S.	555	558,172	172	32.0	27.5-36.5	46	8.8	6.1-11.5	135	20.9	17.2-24.6	202	38.4	33.5-43.3
H.S. or G.E.D.	2580	1,631,296	468	17.9	16.1-19.7	107	4.3	3.3- 5.3	751	25.6	23.6-27.6	1254	52.3	49.9-54.7
Some Post-H.S.	2101	1,497,348	291	13.6	11.8-15.4	103	4.8	3.6- 6.0	633	26.8	24.6-29.0	1074	54.7	52.2-57.2
College Graduate	2715	1,186,877	131	4.6	3.6- 5.6	59	2.3	1.7- 2.9	570	18.7	17.1-20.3	1955	74.5	72.7-76.3
Less than \$15,000	529	336,774	127	25.2	20.5-29.9	44	9.1	6.2-12.0	120	19.2	15.3-23.1	238	46.5	41.2-51.8
\$15,000- 24,999	1034	641,208	202	21.0	17.9-24.1	79	8.8	6.4-11.2	285	25.2	22.1-28.3	468	45.0	41.3-48.7
\$25,000- 34,999	700	401,769	118	19.0	15.5-22.5	39	7.6	4.9-10.3	215	25.9	22.2-29.6	328	47.5	43.0-52.0
\$35,000- 49,999	983	585,549	157	18.4	15.3-21.5	33	3.8	2.2- 5.4	293	25.8	22.5-29.1	500	52.0	48.1-55.9
\$50,000- 74,999	1079	675,589	129	14.8	12.1-17.5	29	2.4	1.4- 3.4	291	25.8	22.7-28.9	630	57.0	53.5-60.5
\$75,000+	2084	1,328,227	153	8.9	7.3-10.5	49	2.4	1.6- 3.2	520	24.2	22.0-26.4	1362	64.5	62.0-67.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3602	2,374,839	532	16.4	14.8-18.0	147	4.3	3.5- 5.1	1093	27.3	25.5-29.1	1830	51.9	49.9-53.9
White/Non-Hisp	2924	1,867,810	429	16.8	15.2-18.4	101	3.7	2.9- 4.5	919	28.8	26.8-30.8	1475	50.7	48.5-52.9
Black or Afr. Am./Non-Hisp	267	201,925	50	17.9	12.6-23.2	23	10.1	5.4-14.8	64	20.5	14.8-26.2	130	51.4	44.1-58.7
Oth. Race/Non-Hisp.	101	79,719	13	15.3	5.9-24.7	2	2.6	0.0- 6.7	26	18.4	9.4-27.4	60	63.8	51.6-76.0
MultiRacial/Non-Hisp.	55	25,587	10	17.9	5.2-30.6	10	12.1	3.7-20.5	15	32.2	15.1-49.3	20	37.8	21.9-53.7
Hispanic	168	143,231	16	9.1	3.8-14.4	8	4.9	1.0- 8.8	38	20.1	13.6-26.6	106	65.9	57.7-74.1
18-24	257	327,838	20	8.0	4.5-11.5	6	1.8	0.2- 3.4	19	7.6	4.1-11.1	212	82.6	77.5-87.7
25-34	385	406,180	66	18.5	14.2-22.8	28	7.7	4.6-10.8	91	26.5	21.4-31.6	200	47.3	41.8-52.8
35-44	452	382,049	100	24.9	20.2-29.6	17	3.1	1.3- 4.9	106	23.9	19.6-28.2	229	48.1	43.0-53.2
45-54	602	383,893	98	16.8	13.5-20.1	31	5.3	3.3- 7.3	156	26.5	22.6-30.4	317	51.4	47.1-55.7
55-64	751	401,799	145	20.5	17.2-23.8	34	4.8	3.0- 6.6	208	28.3	24.6-32.0	364	46.3	42.4-50.2
65+	1155	473,080	103	9.9	7.7-12.1	31	2.9	1.7- 4.1	513	44.3	41.0-47.6	508	42.9	39.6-46.2
Less Than H.S.	256	267,942	90	37.2	30.3-44.1	19	8.3	4.6-12.0	71	25.8	19.9-31.7	76	28.8	22.5-35.1
H.S. or G.E.D.	1207	844,203	239	19.3	16.8-21.8	53	4.2	2.8- 5.6	413	29.4	26.5-32.3	502	47.1	43.8-50.4
Some Post-H.S.	936	722,888	144	14.5	12.1-16.9	47	4.6	3.0- 6.2	312	29.0	25.7-32.3	433	51.9	48.2-55.6
College Graduate	1196	537,288	56	4.1	2.9- 5.3	27	2.2	1.2- 3.2	295	22.6	20.1-25.1	818	71.0	68.1-73.9
Less than \$15,000	196	131,656	56	29.9	22.1-37.7	18	9.4	4.9-13.9	49	20.3	13.8-26.8	73	40.3	31.9-48.7
\$15,000- 24,999	422	279,165	97	21.7	17.2-26.2	38	10.0	6.1-13.9	121	26.7	21.8-31.6	166	41.5	35.8-47.2
\$25,000- 34,999	296	185,428	63	23.7	18.0-29.4	13	4.9	2.0- 7.8	109	30.2	24.3-36.1	111	41.2	34.5-47.9
\$35,000- 49,999	458	286,939	78	20.5	15.8-25.2	15	3.8	1.6- 6.0	164	30.6	25.7-35.5	201	45.1	39.6-50.6
\$50,000- 74,999	511	344,334	63	16.2	12.1-20.3	10	1.9	0.7- 3.1	171	31.6	26.9-36.3	267	50.3	45.2-55.4
\$75,000+	1127	754,972	88	9.9	7.5-12.3	32	2.8	1.6- 4.0	312	26.8	23.9-29.7	695	60.5	57.2-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4370	2,510,411	533	13.5	12.1-14.9	170	4.6	3.8- 5.4	1000	20.3	18.9-21.7	2667	61.6	59.8-63.4
White/Non-Hisp	3560	2,004,908	458	14.8	13.2-16.4	130	4.5	3.5- 5.5	852	21.8	20.2-23.4	2120	58.8	56.8-60.8
Black or Afr. Am./Non-Hisp	409	226,491	36	7.4	4.3-10.5	20	6.1	2.8- 9.4	76	15.2	10.9-19.5	277	71.2	65.5-76.9
Oth. Race/Non-Hisp.	97	65,670	13	9.9	3.4-16.4	7	7.1	0.6-13.6	14	10.7	4.2-17.2	63	72.3	61.7-82.9
MultiRacial/Non-Hisp.	63	22,136	13	20.9	9.3-32.5	3	3.5	0.0- 7.6	16	15.0	6.0-24.0	31	60.6	46.5-74.7
Hispanic	176	156,591	7	5.5	1.4- 9.6	7	2.9	0.4- 5.4	23	11.0	5.9-16.1	139	80.6	73.9-87.3
18-24	216	319,432	13	7.8	3.5-12.1	11	5.3	2.0- 8.6	13	4.3	1.8- 6.8	179	82.6	76.9-88.3
25-34	391	400,122	61	15.8	11.9-19.7	18	5.2	2.7- 7.7	63	16.3	12.2-20.4	249	62.6	57.3-67.9
35-44	505	384,211	82	16.7	13.0-20.4	30	5.7	3.5- 7.9	91	19.4	15.5-23.3	302	58.3	53.6-63.0
45-54	705	390,000	110	16.5	13.4-19.6	26	3.5	1.9- 5.1	131	20.9	17.4-24.4	438	59.0	54.9-63.1
55-64	866	415,610	149	18.7	15.6-21.8	50	6.6	4.6- 8.6	220	26.1	22.8-29.4	447	48.7	44.8-52.6
65+	1687	601,035	118	7.4	5.8- 9.0	35	2.5	1.5- 3.5	482	27.7	25.2-30.2	1052	62.4	59.7-65.1
Less Than H.S.	299	290,231	82	27.2	21.3-33.1	27	9.3	5.4-13.2	64	16.3	11.8-20.8	126	47.2	40.3-54.1
H.S. or G.E.D.	1373	787,092	229	16.3	13.9-18.7	54	4.4	3.0- 5.8	338	21.5	19.0-24.0	752	57.8	54.7-60.9
Some Post-H.S.	1165	774,461	147	12.9	10.7-15.1	56	5.0	3.4- 6.6	321	24.8	21.9-27.7	641	57.3	53.8-60.8
College Graduate	1519	649,589	75	4.9	3.5- 6.3	32	2.3	1.3- 3.3	275	15.4	13.4-17.4	1137	77.4	75.0-79.8
Less than \$15,000	333	205,118	71	22.1	16.4-27.8	26	9.0	5.1-12.9	71	18.4	13.7-23.1	165	50.5	43.8-57.2
\$15,000- 24,999	612	362,043	105	20.5	16.2-24.8	41	7.8	5.1-10.5	164	24.0	19.9-28.1	302	47.7	42.6-52.8
\$25,000- 34,999	404	216,341	55	15.0	10.7-19.3	26	9.9	5.6-14.2	106	22.2	17.7-26.7	217	52.9	46.8-59.0
\$35,000- 49,999	525	298,610	79	16.3	12.4-20.2	18	3.9	1.5- 6.3	129	21.2	17.1-25.3	299	58.6	53.3-63.9
\$50,000- 74,999	568	331,256	66	13.3	10.0-16.6	19	3.1	1.5- 4.7	120	19.7	15.8-23.6	363	63.9	59.2-68.6
\$75,000+	957	573,255	65	7.4	5.4- 9.4	17	1.9	0.9- 2.9	208	20.9	17.8-24.0	667	69.8	66.3-73.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7972	4,885,250	6590	80.6	79.4-81.8	1382	19.4	18.2-20.6
Male	3602	2,374,839	2923	79.2	77.6-80.8	679	20.8	19.2-22.4
Female	4370	2,510,411	3667	81.9	80.5-83.3	703	18.1	16.7-19.5
White/Non-Hisp	6484	3,872,718	5366	80.1	78.9-81.3	1118	19.9	18.7-21.1
Black or Afr. Am./Non-Hisp	676	428,416	547	79.6	75.7-83.5	129	20.4	16.5-24.3
Oth. Race/Non-Hisp.	198	145,389	163	82.5	75.6-89.4	35	17.5	10.6-24.4
MultiRacial/Non-Hisp.	118	47,723	82	72.6	63.0-82.2	36	27.4	17.8-37.0
Hispanic	344	299,822	306	88.9	85.0-92.8	38	11.1	7.2-15.0
18-24	473	647,270	423	88.6	85.3-91.9	50	11.4	8.1-14.7
25-34	776	806,303	603	76.4	73.1-79.7	173	23.6	20.3-26.9
35-44	957	766,260	728	74.8	71.7-77.9	229	25.2	22.1-28.3
45-54	1307	773,893	1042	78.9	76.4-81.4	265	21.1	18.6-23.6
55-64	1617	817,409	1239	74.7	72.2-77.2	378	25.3	22.8-27.8
65+	2842	1,074,115	2555	88.8	87.4-90.2	287	11.2	9.8-12.6
Less Than H.S.	555	558,172	337	59.2	54.5-63.9	218	40.8	36.1-45.5
H.S. or G.E.D.	2580	1,631,296	2005	77.9	75.9-79.9	575	22.1	20.1-24.1
Some Post-H.S.	2101	1,497,348	1707	81.6	79.6-83.6	394	18.4	16.4-20.4
College Graduate	2715	1,186,877	2525	93.2	92.0-94.4	190	6.8	5.6- 8.0
Less than \$15,000	529	336,774	358	65.7	60.6-70.8	171	34.3	29.2-39.4
\$15,000- 24,999	1034	641,208	753	70.2	66.7-73.7	281	29.8	26.3-33.3
\$25,000- 34,999	700	401,769	543	73.4	69.3-77.5	157	26.6	22.5-30.7
\$35,000- 49,999	983	585,549	793	77.8	74.5-81.1	190	22.2	18.9-25.5
\$50,000- 74,999	1079	675,589	921	82.7	79.8-85.6	158	17.3	14.4-20.2
\$75,000+	2084	1,328,227	1882	88.7	86.9-90.5	202	11.3	9.5-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3602	2,374,839	2923	79.2	77.6-80.8	679	20.8	19.2-22.4
White/Non-Hisp	2924	1,867,810	2394	79.5	77.7-81.3	530	20.5	18.7-22.3
Black or Afr. Am./Non-Hisp	267	201,925	194	72.0	65.5-78.5	73	28.0	21.5-34.5
Oth. Race/Non-Hisp.	101	79,719	86	82.2	72.2-92.2	15	17.8	7.8-27.8
MultiRacial/Non-Hisp.	55	25,587	35	70.0	55.5-84.5	20	30.0	15.5-44.5
Hispanic	168	143,231	144	86.0	79.7-92.3	24	14.0	7.7-20.3
18-24	257	327,838	231	90.2	86.3-94.1	26	9.8	5.9-13.7
25-34	385	406,180	291	73.8	68.9-78.7	94	26.2	21.3-31.1
35-44	452	382,049	335	72.0	67.3-76.7	117	28.0	23.3-32.7
45-54	602	383,893	473	77.9	74.2-81.6	129	22.1	18.4-25.8
55-64	751	401,799	572	74.7	71.0-78.4	179	25.3	21.6-29.0
65+	1155	473,080	1021	87.1	84.7-89.5	134	12.9	10.5-15.3
Less Than H.S.	256	267,942	147	54.6	47.7-61.5	109	45.4	38.5-52.3
H.S. or G.E.D.	1207	844,203	915	76.5	73.8-79.2	292	23.5	20.8-26.2
Some Post-H.S.	936	722,888	745	80.9	78.2-83.6	191	19.1	16.4-21.8
College Graduate	1196	537,288	1113	93.6	92.0-95.2	83	6.4	4.8- 8.0
Less than \$15,000	196	131,656	122	60.7	52.5-68.9	74	39.3	31.1-47.5
\$15,000- 24,999	422	279,165	287	68.3	63.0-73.6	135	31.7	26.4-37.0
\$25,000- 34,999	296	185,428	220	71.4	65.3-77.5	76	28.6	22.5-34.7
\$35,000- 49,999	458	286,939	365	75.7	70.8-80.6	93	24.3	19.4-29.2
\$50,000- 74,999	511	344,334	438	81.9	77.8-86.0	73	18.1	14.0-22.2
\$75,000+	1127	754,972	1007	87.3	84.8-89.8	120	12.7	10.2-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4370	2,510,411	3667	81.9	80.5-83.3	703	18.1	16.7-19.5
White/Non-Hisp	3560	2,004,908	2972	80.6	78.8-82.4	588	19.4	17.6-21.2
Black or Afr. Am./Non-Hisp	409	226,491	353	86.4	81.9-90.9	56	13.6	9.1-18.1
Oth. Race/Non-Hisp.	97	65,670	77	83.0	74.2-91.8	20	17.0	8.2-25.8
MultiRacial/Non-Hisp.	63	22,136	47	75.6	63.4-87.8	16	24.4	12.2-36.6
Hispanic	176	156,591	162	91.6	86.9-96.3	14	8.4	3.7-13.1
18-24	216	319,432	192	86.9	81.6-92.2	24	13.1	7.8-18.4
25-34	391	400,122	312	79.0	74.5-83.5	79	21.0	16.5-25.5
35-44	505	384,211	393	77.7	73.6-81.8	112	22.3	18.2-26.4
45-54	705	390,000	569	80.0	76.7-83.3	136	20.0	16.7-23.3
55-64	866	415,610	667	74.8	71.3-78.3	199	25.2	21.7-28.7
65+	1687	601,035	1534	90.1	88.3-91.9	153	9.9	8.1-11.7
Less Than H.S.	299	290,231	190	63.5	57.0-70.0	109	36.5	30.0-43.0
H.S. or G.E.D.	1373	787,092	1090	79.3	76.8-81.8	283	20.7	18.2-23.2
Some Post-H.S.	1165	774,461	962	82.1	79.6-84.6	203	17.9	15.4-20.4
College Graduate	1519	649,589	1412	92.8	91.2-94.4	107	7.2	5.6- 8.8
Less than \$15,000	333	205,118	236	68.9	62.6-75.2	97	31.1	24.8-37.4
\$15,000- 24,999	612	362,043	466	71.7	67.0-76.4	146	28.3	23.6-33.0
\$25,000- 34,999	404	216,341	323	75.1	69.4-80.8	81	24.9	19.2-30.6
\$35,000- 49,999	525	298,610	428	79.8	75.5-84.1	97	20.2	15.9-24.5
\$50,000- 74,999	568	331,256	483	83.6	79.9-87.3	85	16.4	12.7-20.1
\$75,000+	957	573,255	875	90.7	88.5-92.9	82	9.3	7.1-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	109
2 MALES ONLY	110
3 FEMALES ONLY	111
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	112
5 MALES ONLY	113
6 FEMALES ONLY	114
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	115
8 MALES ONLY	116
9 FEMALES ONLY	117
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	118
11 MALES ONLY	119
12 FEMALES ONLY	120
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	121
14 MALES ONLY	122
15 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7840	4,796,658	3766	50.0	48.6-51.4	4074	50.0	48.6-51.4
Male	3535	2,330,871	1937	56.1	54.1-58.1	1598	43.9	41.9-45.9
Female	4305	2,465,787	1829	44.3	42.3-46.3	2476	55.7	53.7-57.7
White/Non-Hisp	6393	3,813,888	3105	50.4	48.8-52.0	3288	49.6	48.0-51.2
Black or Afr. Am./Non-Hisp	654	411,762	298	53.1	48.2-58.0	356	46.9	42.0-51.8
Oth. Race/Non-Hisp.	195	143,911	76	37.1	28.3-45.9	119	62.9	54.1-71.7
MultiRacial/Non-Hisp.	118	48,098	60	59.0	48.0-70.0	58	41.0	30.0-52.0
Hispanic	334	292,873	158	44.5	38.2-50.8	176	55.5	49.2-61.8
18-24	465	638,351	231	44.3	39.4-49.2	234	55.7	50.8-60.6
25-34	764	791,959	477	61.6	57.7-65.5	287	38.4	34.5-42.3
35-44	941	751,635	552	58.7	55.2-62.2	389	41.3	37.8-44.8
45-54	1285	758,255	697	53.7	50.6-56.8	588	46.3	43.2-49.4
55-64	1581	796,761	769	49.1	46.4-51.8	812	50.9	48.2-53.6
65+	2804	1,059,697	1040	36.7	34.5-38.9	1764	63.3	61.1-65.5
Less Than H.S.	544	549,364	176	35.2	30.5-39.9	368	64.8	60.1-69.5
H.S. or G.E.D.	2531	1,598,416	1012	42.0	39.6-44.4	1519	58.0	55.6-60.4
Some Post-H.S.	2068	1,469,867	1002	53.0	50.5-55.5	1066	47.0	44.5-49.5
College Graduate	2676	1,167,897	1571	64.4	62.2-66.6	1105	35.6	33.4-37.8
Less than \$15,000	523	330,568	151	32.3	27.2-37.4	372	67.7	62.6-72.8
\$15,000- 24,999	1009	626,856	363	36.8	33.1-40.5	646	63.2	59.5-66.9
\$25,000- 34,999	690	396,904	280	44.1	39.6-48.6	410	55.9	51.4-60.4
\$35,000- 49,999	976	582,070	479	51.1	47.2-55.0	497	48.9	45.0-52.8
\$50,000- 74,999	1070	670,044	578	56.1	52.6-59.6	492	43.9	40.4-47.4
\$75,000+	2054	1,307,153	1366	67.3	64.8-69.8	688	32.7	30.2-35.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3535	2,330,871	1937	56.1	54.1-58.1	1598	43.9	41.9-45.9
White/Non-Hisp	2875	1,838,122	1590	56.8	54.6-59.0	1285	43.2	41.0-45.4
Black or Afr. Am./Non-Hisp	257	193,389	145	62.1	55.0-69.2	112	37.9	30.8-45.0
Oth. Race/Non-Hisp.	100	78,916	43	43.9	31.0-56.8	57	56.1	43.2-69.0
MultiRacial/Non-Hisp.	55	25,587	33	63.4	47.7-79.1	22	36.6	20.9-52.3
Hispanic	165	141,209	79	44.0	35.4-52.6	86	56.0	47.4-64.6
18-24	255	325,750	123	45.0	38.3-51.7	132	55.0	48.3-61.7
25-34	382	401,626	258	67.9	62.8-73.0	124	32.1	27.0-37.2
35-44	446	375,071	293	66.1	61.2-71.0	153	33.9	29.0-38.8
45-54	588	374,443	347	57.5	53.0-62.0	241	42.5	38.0-47.0
55-64	731	389,831	412	56.9	52.8-61.0	319	43.1	39.0-47.2
65+	1133	464,149	504	43.8	40.5-47.1	629	56.2	52.9-59.5
Less Than H.S.	249	261,639	108	46.9	39.8-54.0	141	53.1	46.0-60.2
H.S. or G.E.D.	1182	829,781	586	50.7	47.4-54.0	596	49.3	46.0-52.6
Some Post-H.S.	921	708,243	490	57.2	53.5-60.9	431	42.8	39.1-46.5
College Graduate	1176	528,689	751	67.9	65.0-70.8	425	32.1	29.2-35.0
Less than \$15,000	194	129,778	71	39.2	30.8-47.6	123	60.8	52.4-69.2
\$15,000- 24,999	413	274,209	180	42.9	37.2-48.6	233	57.1	51.4-62.8
\$25,000- 34,999	288	180,909	146	54.2	47.5-60.9	142	45.8	39.1-52.5
\$35,000- 49,999	456	286,279	236	55.6	50.1-61.1	220	44.4	38.9-49.9
\$50,000- 74,999	506	340,924	271	54.5	49.4-59.6	235	45.5	40.4-50.6
\$75,000+	1110	743,195	773	70.8	67.7-73.9	337	29.2	26.1-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4305	2,465,787	1829	44.3	42.3-46.3	2476	55.7	53.7-57.7
White/Non-Hisp	3518	1,975,766	1515	44.6	42.6-46.6	2003	55.4	53.4-57.4
Black or Afr. Am./Non-Hisp	397	218,372	153	45.2	38.5-51.9	244	54.8	48.1-61.5
Oth. Race/Non-Hisp.	95	64,996	33	28.7	17.3-40.1	62	71.3	59.9-82.7
MultiRacial/Non-Hisp.	63	22,512	27	54.0	39.1-68.9	36	46.0	31.1-60.9
Hispanic	169	151,665	79	45.0	35.8-54.2	90	55.0	45.8-64.2
18-24	210	312,601	108	43.6	36.2-51.0	102	56.4	49.0-63.8
25-34	382	390,333	219	55.1	49.6-60.6	163	44.9	39.4-50.4
35-44	495	376,564	259	51.3	46.4-56.2	236	48.7	43.8-53.6
45-54	697	383,812	350	50.0	45.9-54.1	347	50.0	45.9-54.1
55-64	850	406,930	357	41.6	37.9-45.3	493	58.4	54.7-62.1
65+	1671	595,548	536	31.1	28.4-33.8	1135	68.9	66.2-71.6
Less Than H.S.	295	287,725	68	24.6	18.5-30.7	227	75.4	69.3-81.5
H.S. or G.E.D.	1349	768,635	426	32.7	29.6-35.8	923	67.3	64.2-70.4
Some Post-H.S.	1147	761,624	512	49.2	45.7-52.7	635	50.8	47.3-54.3
College Graduate	1500	639,208	820	61.6	58.7-64.5	680	38.4	35.5-41.3
Less than \$15,000	329	200,790	80	27.8	21.5-34.1	249	72.2	65.9-78.5
\$15,000- 24,999	596	352,646	183	32.0	27.3-36.7	413	68.0	63.3-72.7
\$25,000- 34,999	402	215,995	134	35.7	29.8-41.6	268	64.3	58.4-70.2
\$35,000- 49,999	520	295,791	243	46.8	41.5-52.1	277	53.2	47.9-58.5
\$50,000- 74,999	564	329,120	307	57.7	52.8-62.6	257	42.3	37.4-47.2
\$75,000+	944	563,959	593	62.8	59.1-66.5	351	37.2	33.5-40.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7840	4,796,658	2203	29.1	27.9-30.3	803	11.4	10.6-12.2	288	3.7	3.1- 4.3	472	5.8	5.2- 6.4	4074	50.0	48.6-51.4
Male	3535	2,330,871	1017	29.4	27.6-31.2	451	13.7	12.3-15.1	158	4.4	3.6- 5.2	311	8.6	7.4- 9.8	1598	43.9	41.9-45.9
Female	4305	2,465,787	1186	28.8	27.0-30.6	352	9.2	8.0-10.4	130	3.1	2.5- 3.7	161	3.2	2.6- 3.8	2476	55.7	53.7-57.7
White/Non-Hisp	6393	3,813,888	1791	28.9	27.5-30.3	667	11.4	10.4-12.4	250	4.0	3.4- 4.6	397	6.1	5.3- 6.9	3288	49.6	48.0-51.2
Black or Afr. Am./Non-Hisp	654	411,762	194	33.4	28.7-38.1	55	11.0	7.7-14.3	17	2.5	1.1- 3.9	32	6.3	3.8- 8.8	356	46.9	42.0-51.8
Oth. Race/Non-Hisp.	195	143,911	43	21.1	13.5-28.7	17	9.5	4.4-14.6	3	1.3	0.0- 2.9	13	5.2	1.1- 9.3	119	62.9	54.1-71.7
MultiRacial/Non-Hisp.	118	48,098	41	36.3	25.5-47.1	7	9.4	0.6-18.2	2	1.9	0.0- 4.6	10	11.4	3.4-19.4	58	41.0	30.0-52.0
Hispanic	334	292,873	101	30.0	24.1-35.9	36	10.1	6.6-13.6	10	2.8	0.4- 5.2	11	1.7	0.5- 2.9	176	55.5	49.2-61.8
18-24	465	638,351	138	26.5	22.2-30.8	63	11.7	8.8-14.6	13	3.1	1.3- 4.9	17	3.1	1.5- 4.7	234	55.7	50.8-60.6
25-34	764	791,959	282	36.4	32.7-40.1	133	16.6	13.7-19.5	28	3.5	2.1- 4.9	34	5.1	3.1- 7.1	287	38.4	34.5-42.3
35-44	941	751,635	311	32.9	29.6-36.2	116	12.2	9.8-14.6	51	5.2	3.6- 6.8	74	8.3	6.3-10.3	389	41.3	37.8-44.8
45-54	1285	758,255	417	30.9	28.2-33.6	158	12.7	10.7-14.7	56	4.5	3.1- 5.9	66	5.6	4.2- 7.0	588	46.3	43.2-49.4
55-64	1581	796,761	459	29.6	27.1-32.1	164	10.5	8.7-12.3	47	2.9	2.1- 3.7	99	6.1	4.7- 7.5	812	50.9	48.2-53.6
65+	2804	1,059,697	596	20.9	19.1-22.7	169	6.3	5.1- 7.5	93	3.2	2.4- 4.0	182	6.2	5.2- 7.2	1764	63.3	61.1-65.5
Less Than H.S.	544	549,364	95	18.7	14.8-22.6	32	7.1	4.4- 9.8	6	1.3	0.1- 2.5	43	8.1	5.4-10.8	368	64.8	60.1-69.5
H.S. or G.E.D.	2531	1,598,416	602	24.9	22.9-26.9	210	9.4	8.0-10.8	78	3.2	2.4- 4.0	122	4.5	3.5- 5.5	1519	58.0	55.6-60.4
Some Post-H.S.	2068	1,469,867	601	31.7	29.3-34.1	209	11.4	9.8-13.0	77	4.4	3.2- 5.6	115	5.5	4.3- 6.7	1066	47.0	44.5-49.5
College Graduate	2676	1,167,897	902	36.7	34.5-38.9	350	16.0	14.2-17.8	127	4.7	3.7- 5.7	192	7.0	5.8- 8.2	1105	35.6	33.4-37.8
Less than \$15,000	523	330,568	99	20.9	16.4-25.4	25	6.0	3.3- 8.7	6	0.6	0.0- 1.2	21	4.8	2.6- 7.0	372	67.7	62.6-72.8
\$15,000- 24,999	1009	626,856	244	23.0	19.9-26.1	60	7.7	5.5- 9.9	21	1.9	0.9- 2.9	38	4.2	2.4- 6.0	646	63.2	59.5-66.9
\$25,000- 34,999	690	396,904	156	26.3	22.2-30.4	61	9.7	7.0-12.4	20	2.9	0.9- 4.9	43	5.3	3.3- 7.3	410	55.9	51.4-60.4
\$35,000- 49,999	976	582,070	270	28.6	25.1-32.1	109	12.5	9.8-15.2	36	3.9	2.5- 5.3	64	6.2	4.4- 8.0	497	48.9	45.0-52.8
\$50,000- 74,999	1070	670,044	342	33.8	30.3-37.3	127	12.3	9.9-14.7	41	3.8	2.6- 5.0	68	6.2	4.4- 8.0	492	43.9	40.4-47.4
\$75,000+	2054	1,307,153	760	36.9	34.4-39.4	313	16.6	14.6-18.6	124	6.1	4.7- 7.5	169	7.7	6.3- 9.1	688	32.7	30.2-35.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3535	2,330,871	1017	29.4	27.6-31.2	451	13.7	12.3-15.1	158	4.4	3.6- 5.2	311	8.6	7.4- 9.8	1598	43.9	41.9-45.9
White/Non-Hisp	2875	1,838,122	831	29.6	27.6-31.6	367	13.4	11.8-15.0	136	4.8	3.8- 5.8	256	8.9	7.7-10.1	1285	43.2	41.0-45.4
Black or Afr. Am./Non-Hisp	257	193,389	78	33.1	26.0-40.2	33	15.4	9.7-21.1	10	2.9	0.9- 4.9	24	10.6	5.7-15.5	112	37.9	30.8-45.0
Oth. Race/Non-Hisp.	100	78,916	22	23.7	12.5-34.9	8	9.9	2.8-17.0	2	1.7	0.0- 4.4	11	8.6	1.2-16.0	57	56.1	43.2-69.0
MultiRacial/Non-Hisp.	55	25,587	19	28.8	15.1-42.5	5	14.0	0.0-29.3	9	20.5	6.2-34.8	22	36.6	20.9-52.3	26	36.6	20.9-52.3
Hispanic	165	141,209	46	25.8	18.4-33.2	23	13.7	7.6-19.8	5	2.9	0.2- 5.6	5	1.7	0.1- 3.3	86	56.0	47.4-64.6
18-24	255	325,750	63	23.4	17.7-29.1	37	13.0	8.7-17.3	9	3.6	1.1- 6.1	14	4.9	2.2- 7.6	132	55.0	48.3-61.7
25-34	382	401,626	145	37.2	31.9-42.5	69	17.8	13.5-22.1	15	4.0	1.8- 6.2	29	8.9	5.4-12.4	124	32.1	27.0-37.2
35-44	446	375,071	142	32.2	27.5-36.9	69	15.5	11.8-19.2	33	7.0	4.5- 9.5	49	11.4	8.1-14.7	153	33.9	29.0-38.8
45-54	588	374,443	189	30.8	26.7-34.9	91	14.8	11.7-17.9	26	4.6	2.6- 6.6	41	7.4	5.0- 9.8	241	42.5	38.0-47.0
55-64	731	389,831	214	30.1	26.4-33.8	96	13.3	10.6-16.0	27	3.4	2.0- 4.8	75	10.2	7.7-12.7	319	43.1	39.0-47.2
65+	1133	464,149	264	23.0	20.3-25.7	89	8.5	6.5-10.5	48	3.8	2.6- 5.0	103	8.5	6.7-10.3	629	56.2	52.9-59.5
Less Than H.S.	249	261,639	56	23.9	17.8-30.0	17	8.5	4.2-12.8	2	1.2	0.0- 3.0	33	13.3	8.4-18.2	141	53.1	46.0-60.2
H.S. or G.E.D.	1182	829,781	308	27.2	24.3-30.1	142	12.9	10.5-15.3	47	3.8	2.4- 5.2	89	6.9	5.3- 8.5	596	49.3	46.0-52.6
Some Post-H.S.	921	708,243	254	29.6	26.1-33.1	117	14.0	11.5-16.5	45	5.5	3.7- 7.3	74	8.1	5.9-10.3	431	42.8	39.1-46.5
College Graduate	1176	528,689	398	35.4	32.3-38.5	174	17.2	14.7-19.7	64	5.5	4.1- 6.9	115	9.8	7.8-11.8	425	32.1	29.2-35.0
Less than \$15,000	194	129,778	40	21.6	14.3-28.9	14	8.6	3.3-13.9	4	0.6	0.0- 1.4	13	8.4	3.5-13.3	123	60.8	52.4-69.2
\$15,000- 24,999	413	274,209	105	22.9	18.2-27.6	36	9.9	6.4-13.4	9	1.9	0.5- 3.3	30	8.1	4.6-11.6	233	57.1	51.4-62.8
\$25,000- 34,999	288	180,909	83	34.4	27.7-41.1	29	10.2	6.1-14.3	8	1.8	0.2- 3.4	26	7.7	4.2-11.2	142	45.8	39.1-52.5
\$35,000- 49,999	456	286,279	114	26.4	21.5-31.3	59	15.6	11.3-19.9	22	5.2	2.7- 7.7	41	8.5	5.6-11.4	220	44.4	38.9-49.9
\$50,000- 74,999	506	340,924	137	29.3	24.4-34.2	66	12.3	9.0-15.6	22	4.2	2.2- 6.2	46	8.7	5.8-11.6	235	45.5	40.4-50.6
\$75,000+	1110	743,195	393	35.4	32.1-38.7	191	18.8	16.1-21.5	71	6.6	4.8- 8.4	118	10.1	7.9-12.3	337	29.2	26.1-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4305	2,465,787	1186	28.8	27.0-30.6	352	9.2	8.0-10.4	130	3.1	2.5- 3.7	161	3.2	2.6- 3.8	2476	55.7	53.7-57.7
White/Non-Hisp	3518	1,975,766	960	28.2	26.4-30.0	300	9.6	8.4-10.8	114	3.3	2.5- 4.1	141	3.5	2.7- 4.3	2003	55.4	53.4-57.4
Black or Afr. Am./Non-Hisp	397	218,372	116	33.7	27.4-40.0	22	7.1	3.8-10.4	7	2.1	0.3- 3.9	8	2.4	0.4- 4.4	244	54.8	48.1-61.5
Oth. Race/Non-Hisp.	95	64,996	21	18.0	8.4-27.6	9	9.0	1.9-16.1	1	0.8	0.0- 2.4	2	0.9	0.0- 2.3	62	71.3	59.9-82.7
MultiRacial/Non-Hisp.	63	22,512	22	44.8	29.3-60.3	2	4.2	0.0-10.3	2	4.0	0.0- 9.7	1	1.0	0.0- 3.0	36	46.0	31.1-60.9
Hispanic	169	151,665	55	33.8	25.0-42.6	13	6.7	2.8-10.6	5	2.7	0.0- 6.6	6	1.7	0.0- 3.5	90	55.0	45.8-64.2
18-24	210	312,601	75	29.7	23.0-36.4	26	10.3	6.2-14.4	4	2.5	0.0- 5.0	3	1.2	0.0- 2.8	102	56.4	49.0-63.8
25-34	382	390,333	137	35.6	30.3-40.9	64	15.3	11.4-19.2	13	3.0	1.2- 4.8	5	1.3	0.0- 2.7	163	44.9	39.4-50.4
35-44	495	376,564	169	33.7	29.2-38.2	47	9.0	6.3-11.7	18	3.3	1.5- 5.1	25	5.3	3.1- 7.5	236	48.7	43.8-53.6
45-54	697	383,812	228	31.0	27.3-34.7	67	10.7	8.2-13.2	30	4.4	2.6- 6.2	25	3.9	2.1- 5.7	347	50.0	45.9-54.1
55-64	850	406,930	245	29.1	25.6-32.6	68	7.8	5.8- 9.8	20	2.4	1.2- 3.6	24	2.2	1.2- 3.2	493	58.4	54.7-62.1
65+	1671	595,548	332	19.3	16.9-21.7	80	4.7	3.5- 5.9	45	2.8	1.8- 3.8	79	4.3	3.1- 5.5	1135	68.9	66.2-71.6
Less Than H.S.	295	287,725	39	14.0	9.1-18.9	15	5.9	2.6- 9.2	4	1.4	0.0- 3.0	10	3.3	0.9- 5.7	227	75.4	69.3-81.5
H.S. or G.E.D.	1349	768,635	294	22.3	19.6-25.0	68	5.8	4.2- 7.4	31	2.5	1.5- 3.5	33	2.0	1.2- 2.8	923	67.3	64.2-70.4
Some Post-H.S.	1147	761,624	347	33.7	30.4-37.0	92	8.9	6.7-11.1	32	3.4	2.0- 4.8	41	3.1	1.9- 4.3	635	50.8	47.3-54.3
College Graduate	1500	639,208	504	37.8	34.9-40.7	176	15.1	12.7-17.5	63	4.0	2.8- 5.2	77	4.6	3.4- 5.8	680	38.4	35.5-41.3
Less than \$15,000	329	200,790	59	20.4	14.7-26.1	11	4.3	1.4- 7.2	2	0.6	0.0- 1.6	8	2.5	0.5- 4.5	249	72.2	65.9-78.5
\$15,000- 24,999	596	352,646	139	23.0	18.9-27.1	24	6.0	3.1- 8.9	12	1.8	0.6- 3.0	8	1.2	0.2- 2.2	413	68.0	63.3-72.7
\$25,000- 34,999	402	215,995	73	19.4	14.5-24.3	32	9.2	5.7-12.7	12	3.8	0.7- 6.9	17	3.3	1.5- 5.1	268	64.3	58.4-70.2
\$35,000- 49,999	520	295,791	156	30.8	25.9-35.7	50	9.5	6.4-12.6	14	2.6	1.0- 4.2	23	4.0	1.8- 6.2	277	53.2	47.9-58.5
\$50,000- 74,999	564	329,120	205	38.6	33.7-43.5	61	12.2	8.9-15.5	19	3.3	1.7- 4.9	22	3.6	1.8- 5.4	257	42.3	37.4-47.2
\$75,000+	944	563,959	367	39.0	35.3-42.7	122	13.7	11.2-16.2	53	5.6	3.8- 7.4	51	4.5	3.1- 5.9	351	37.2	33.5-40.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7740	4,730,709	6781	84.3	83.3-85.3	959	15.7	14.7-16.7
Male	3480	2,292,596	2896	79.5	77.7-81.3	584	20.5	18.7-22.3
Female	4260	2,438,113	3885	88.8	87.6-90.0	375	11.2	10.0-12.4
White/Non-Hisp	6322	3,768,266	5554	84.4	83.2-85.6	768	15.6	14.4-16.8
Black or Afr. Am./Non-Hisp	638	400,580	565	84.7	80.8-88.6	73	15.3	11.4-19.2
Oth. Race/Non-Hisp.	194	143,361	180	91.9	86.2-97.6	14	8.1	2.4-13.8
MultiRacial/Non-Hisp.	117	47,569	92	72.7	61.5-83.9	25	27.3	16.1-38.5
Hispanic	329	288,994	271	82.2	77.1-87.3	58	17.8	12.7-22.9
18-24	458	629,379	353	79.7	75.8-83.6	105	20.3	16.4-24.2
25-34	756	784,600	563	74.3	70.8-77.8	193	25.7	22.2-29.2
35-44	922	732,954	747	79.8	76.9-82.7	175	20.2	17.3-23.1
45-54	1269	748,032	1073	83.6	81.2-86.0	196	16.4	14.0-18.8
55-64	1560	787,052	1379	88.0	86.2-89.8	181	12.0	10.2-13.8
65+	2775	1,048,692	2666	95.5	94.5-96.5	109	4.5	3.5- 5.5
Less Than H.S.	532	538,924	449	80.4	76.1-84.7	83	19.6	15.3-23.9
H.S. or G.E.D.	2490	1,571,925	2209	86.9	85.3-88.5	281	13.1	11.5-14.7
Some Post-H.S.	2046	1,449,912	1773	83.1	80.9-85.3	273	16.9	14.7-19.1
College Graduate	2651	1,158,833	2330	84.0	82.2-85.8	321	16.0	14.2-17.8
Less than \$15,000	518	328,893	470	88.9	85.6-92.2	48	11.1	7.8-14.4
\$15,000- 24,999	995	620,099	874	84.9	82.0-87.8	121	15.1	12.2-18.0
\$25,000- 34,999	683	392,366	609	86.2	82.9-89.5	74	13.8	10.5-17.1
\$35,000- 49,999	959	570,665	828	82.1	78.8-85.4	131	17.9	14.6-21.2
\$50,000- 74,999	1061	663,187	913	82.1	79.2-85.0	148	17.9	15.0-20.8
\$75,000+	2033	1,292,558	1698	79.8	77.6-82.0	335	20.2	18.0-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3480	2,292,596	2896	79.5	77.7-81.3	584	20.5	18.7-22.3
White/Non-Hisp	2838	1,813,489	2380	79.9	77.9-81.9	458	20.1	18.1-22.1
Black or Afr. Am./Non-Hisp	247	185,414	203	78.5	71.8-85.2	44	21.5	14.8-28.2
Oth. Race/Non-Hisp.	99	78,365	90	88.5	78.7-98.3	9	11.5	1.7-21.3
MultiRacial/Non-Hisp.	54	25,058	37	60.9	43.5-78.3	17	39.1	21.7-56.5
Hispanic	162	138,782	124	78.2	71.1-85.3	38	21.8	14.7-28.9
18-24	251	320,963	192	77.4	71.7-83.1	59	22.6	16.9-28.3
25-34	379	398,268	262	67.4	61.9-72.9	117	32.6	27.1-38.1
35-44	432	361,265	320	72.3	67.4-77.2	112	27.7	22.8-32.6
45-54	582	370,202	471	80.4	76.9-83.9	111	19.6	16.1-23.1
55-64	717	383,430	601	83.4	80.5-86.3	116	16.6	13.7-19.5
65+	1119	458,468	1050	93.2	91.4-95.0	69	6.8	5.0- 8.6
Less Than H.S.	244	256,387	183	69.1	62.0-76.2	61	30.9	23.8-38.0
H.S. or G.E.D.	1158	812,635	962	81.1	78.4-83.8	196	18.9	16.2-21.6
Some Post-H.S.	907	696,345	747	79.3	76.2-82.4	160	20.7	17.6-23.8
College Graduate	1164	524,710	997	82.5	80.0-85.0	167	17.5	15.0-20.0
Less than \$15,000	192	128,728	167	82.9	76.0-89.8	25	17.1	10.2-24.0
\$15,000- 24,999	404	270,590	331	79.5	74.6-84.4	73	20.5	15.6-25.4
\$25,000- 34,999	286	179,047	244	83.8	78.7-88.9	42	16.2	11.1-21.3
\$35,000- 49,999	448	280,317	371	77.7	72.6-82.8	77	22.3	17.2-27.4
\$50,000- 74,999	500	336,244	418	80.0	75.5-84.5	82	20.0	15.5-24.5
\$75,000+	1094	732,565	873	74.7	71.4-78.0	221	25.3	22.0-28.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4260	2,438,113	3885	88.8	87.6-90.0	375	11.2	10.0-12.4
White/Non-Hisp	3484	1,954,777	3174	88.6	87.2-90.0	310	11.4	10.0-12.8
Black or Afr. Am./Non-Hisp	391	215,167	362	90.1	86.0-94.2	29	9.9	5.8-14.0
Oth. Race/Non-Hisp.	95	64,996	90	96.0	92.1-99.9	5	4.0	0.1- 7.9
MultiRacial/Non-Hisp.	63	22,512	55	85.9	75.9-95.9	8	14.1	4.1-24.1
Hispanic	167	150,212	147	85.8	78.5-93.1	20	14.2	6.9-21.5
18-24	207	308,416	161	82.0	76.7-87.3	46	18.0	12.7-23.3
25-34	377	386,332	301	81.4	77.1-85.7	76	18.6	14.3-22.9
35-44	490	371,689	427	87.0	83.7-90.3	63	13.0	9.7-16.3
45-54	687	377,830	602	86.7	84.0-89.4	85	13.3	10.6-16.0
55-64	843	403,622	778	92.4	90.4-94.4	65	7.6	5.6- 9.6
65+	1656	590,225	1616	97.3	96.3-98.3	40	2.7	1.7- 3.7
Less Than H.S.	288	282,537	266	90.6	86.3-94.9	22	9.4	5.1-13.7
H.S. or G.E.D.	1332	759,290	1247	93.2	91.6-94.8	85	6.8	5.2- 8.4
Some Post-H.S.	1139	753,567	1026	86.6	84.1-89.1	113	13.4	10.9-15.9
College Graduate	1487	634,123	1333	85.2	82.8-87.6	154	14.8	12.4-17.2
Less than \$15,000	326	200,165	303	92.8	89.7-95.9	23	7.2	4.1-10.3
\$15,000- 24,999	591	349,509	543	89.1	85.6-92.6	48	10.9	7.4-14.4
\$25,000- 34,999	397	213,319	365	88.2	83.7-92.7	32	11.8	7.3-16.3
\$35,000- 49,999	511	290,348	457	86.3	82.2-90.4	54	13.7	9.6-17.8
\$50,000- 74,999	561	326,943	495	84.4	80.5-88.3	66	15.6	11.7-19.5
\$75,000+	939	559,992	825	86.4	83.9-88.9	114	13.6	11.1-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	>0, <=1		N	>1, <=2		N	>2, <=5		N	>5, <=10		N	>10		N	None	
				%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	7754	4,730,242	1321	16.6	15.6-17.6	498	6.8	6.0- 7.6	742	10.4	9.6-11.2	579	7.9	7.1- 8.7	516	7.5	6.7- 8.3	4098	50.9	49.5-52.3
Male	3487	2,291,929	528	14.5	13.1-15.9	254	7.3	6.3- 8.3	378	11.5	10.1-12.9	338	10.4	9.2-11.6	379	11.4	10.0-12.8	1610	44.9	42.9-46.9
Female	4267	2,438,313	793	18.6	17.2-20.0	244	6.3	5.3- 7.3	364	9.3	8.3-10.3	241	5.5	4.7- 6.3	137	3.7	2.9- 4.5	2488	56.6	54.6-58.6
White/Non-Hisp	6334	3,773,515	1085	16.5	15.3-17.7	415	6.8	6.0- 7.6	608	10.5	9.5-11.5	490	8.2	7.4- 9.0	428	7.7	6.9- 8.5	3308	50.3	48.7-51.9
Black or Afr. Am./Non-Hisp	641	399,165	111	19.1	15.2-23.0	44	8.8	5.7-11.9	63	11.2	8.1-14.3	31	5.9	3.5- 8.3	34	6.5	4.0- 9.0	358	48.6	43.5-53.7
Oth. Race/Non-Hisp.	193	142,915	31	14.8	8.5-21.1	8	3.5	0.4- 6.6	10	4.5	1.0- 8.0	15	8.4	3.1-13.7	10	5.3	1.0- 9.6	119	63.4	54.4-72.4
MultiRacial/Non-Hisp.	117	47,569	22	21.7	12.1-31.3	6	4.6	0.5- 8.7	13	11.2	4.5-17.9	5	3.1	0.2- 6.0	13	17.8	6.8-28.8	58	41.5	30.5-52.5
Hispanic	324	281,275	52	15.9	11.2-20.6	19	4.9	2.4- 7.4	34	10.0	6.5-13.5	20	5.0	2.5- 7.5	22	6.2	3.1- 9.3	177	58.1	51.8-64.4
18-24	459	630,837	74	14.6	11.1-18.1	26	4.9	2.9- 6.9	55	10.0	7.3-12.7	32	6.6	4.2- 9.0	38	7.6	5.1-10.1	234	56.3	51.4-61.2
25-34	750	774,751	130	17.4	14.5-20.3	67	9.5	7.1-11.9	127	15.3	12.6-18.0	81	10.5	8.0-13.0	58	8.0	5.6-10.4	287	39.2	35.3-43.1
35-44	926	737,795	171	17.0	14.5-19.5	77	8.4	6.4-10.4	98	11.3	8.9-13.7	89	9.6	7.4-11.8	101	11.5	9.1-13.9	390	42.2	38.7-45.7
45-54	1274	750,867	247	17.7	15.3-20.1	97	7.6	6.0- 9.2	148	11.2	9.2-13.2	101	8.8	7.0-10.6	91	7.8	6.0- 9.6	590	46.9	43.8-50.0
55-64	1562	785,640	290	19.2	17.0-21.4	108	6.8	5.4- 8.2	130	8.4	6.8-10.0	109	6.6	5.2- 8.0	107	6.9	5.5- 8.3	818	52.1	49.4-54.8
65+	2783	1,050,353	409	14.1	12.5-15.7	123	4.2	3.4- 5.0	184	7.2	6.0- 8.4	167	5.8	4.8- 6.8	121	4.3	3.5- 5.1	1779	64.4	62.2-66.6
Less Than H.S.	534	537,361	44	8.4	5.7-11.1	17	2.9	1.3- 4.5	35	7.7	5.0-10.4	32	6.9	4.2- 9.6	38	7.8	5.1-10.5	368	66.2	61.5-70.9
H.S. or G.E.D.	2493	1,567,679	353	14.1	12.5-15.7	111	5.0	3.8- 6.2	190	8.5	7.1- 9.9	150	6.3	5.1- 7.5	161	6.7	5.5- 7.9	1528	59.3	56.9-61.7
Some Post-H.S.	2052	1,455,674	347	17.7	15.7-19.7	146	8.1	6.5- 9.7	193	10.4	8.8-12.0	147	7.7	6.3- 9.1	144	8.3	6.7- 9.9	1075	47.7	45.2-50.2
College Graduate	2654	1,158,413	574	22.4	20.4-24.4	224	9.4	8.0-10.8	322	14.0	12.4-15.6	250	10.8	9.4-12.2	173	7.3	6.1- 8.5	1111	36.1	33.9-38.3
Less than \$15,000	517	324,339	58	13.1	9.2-17.0	19	3.7	1.5- 5.9	28	5.8	3.3- 8.3	20	4.5	2.1- 6.9	20	3.8	2.0- 5.6	372	69.0	63.9-74.1
\$15,000- 24,999	992	615,418	138	12.1	9.7-14.5	48	4.7	3.3- 6.1	66	7.8	5.6-10.0	43	4.6	3.0- 6.2	46	6.2	4.0- 8.4	651	64.7	61.0-68.4
\$25,000- 34,999	685	392,655	83	12.7	9.6-15.8	30	5.3	3.1- 7.5	63	10.7	7.8-13.6	49	7.4	5.0- 9.8	49	7.4	4.9- 9.9	411	56.6	52.1-61.1
\$35,000- 49,999	962	570,977	157	15.9	13.2-18.6	58	6.5	4.5- 8.5	97	10.9	8.4-13.4	80	8.1	6.1-10.1	70	8.7	6.3-11.1	500	49.9	46.0-53.8
\$50,000- 74,999	1065	666,210	219	20.8	17.9-23.7	64	6.3	4.5- 8.1	126	12.6	10.2-15.0	84	8.2	6.0-10.4	76	7.6	5.6- 9.6	496	44.5	41.0-48.0
\$75,000+	2035	1,294,897	435	19.9	17.9-21.9	224	11.2	9.6-12.8	267	13.7	11.9-15.5	225	11.8	10.0-13.6	190	10.1	8.5-11.7	694	33.2	30.7-35.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3487	2,291,929	528	14.5	13.1-15.9	254	7.3	6.3- 8.3	378	11.5	10.1-12.9	338	10.4	9.2-11.6	379	11.4	10.0-12.8	1610	44.9	42.9-46.9
White/Non-Hisp	2842	1,813,459	450	15.2	13.6-16.8	208	7.2	6.2- 8.2	297	11.2	9.8-12.6	283	10.8	9.4-12.2	308	11.5	10.1-12.9	1296	44.1	41.9-46.3
Black or Afr. Am./Non-Hisp	249	183,354	28	13.0	8.1-17.9	28	12.4	7.1-17.7	36	15.4	10.1-20.7	19	8.0	4.1-11.9	26	11.2	6.1-16.3	112	40.0	32.6-47.4
Oth. Race/Non-Hisp.	98	77,919	17	16.4	7.2-25.6	2	2.7	0.0- 6.8	4	5.3	0.0-11.0	9	9.4	1.2-17.6	9	9.4	1.6-17.2	57	56.8	43.9-69.7
MultiRacial/Non-Hisp.	54	25,058	5	8.6	0.2-17.0	3	4.5	0.0-10.0	9	13.1	3.3-22.9	3	3.5	0.0- 8.0	12	32.9	15.1-50.7	22	37.4	21.5-53.3
Hispanic	162	138,813	15	9.4	3.9-14.9	10	4.8	1.7- 7.9	23	12.5	7.0-18.0	12	7.0	2.3-11.7	16	9.2	4.3-14.1	86	56.9	48.1-65.7
18-24	252	322,596	36	13.1	8.6-17.6	8	3.2	1.0- 5.4	24	8.8	5.3-12.3	24	10.0	5.9-14.1	28	9.4	5.7-13.1	132	55.5	48.8-62.2
25-34	374	391,850	56	15.3	11.4-19.2	36	9.8	6.5-13.1	59	15.0	10.9-19.1	56	14.8	10.7-18.9	43	12.2	8.3-16.1	124	32.9	27.6-38.2
35-44	435	364,627	60	12.5	9.4-15.6	42	9.0	6.3-11.7	47	12.6	8.9-16.3	51	12.1	8.6-15.6	81	18.8	14.7-22.9	154	35.0	30.1-39.9
45-54	582	370,655	92	14.3	11.2-17.4	54	9.4	6.9-11.9	80	12.6	9.7-15.5	54	10.0	7.3-12.7	60	10.6	7.9-13.3	242	43.1	38.6-47.6
55-64	719	381,943	122	17.7	14.6-20.8	54	7.4	5.2- 9.6	67	10.0	7.5-12.5	73	9.2	7.0-11.4	81	11.3	8.8-13.8	322	44.5	40.4-48.6
65+	1125	460,258	162	13.7	11.3-16.1	60	5.0	3.6- 6.4	101	9.9	7.7-12.1	80	7.0	5.2- 8.8	86	7.1	5.5- 8.7	636	57.2	53.9-60.5
Less Than H.S.	244	256,188	20	8.2	4.5-11.9	11	3.6	1.2- 6.0	22	11.1	6.2-16.0	23	12.0	6.7-17.3	27	10.8	6.3-15.3	141	54.2	46.9-61.5
H.S. or G.E.D.	1161	810,090	160	13.8	11.4-16.2	60	6.1	4.3- 7.9	114	10.3	8.3-12.3	102	8.6	6.6-10.6	125	10.4	8.4-12.4	600	50.8	47.5-54.1
Some Post-H.S.	913	700,341	123	14.5	11.8-17.2	68	7.4	5.4- 9.4	97	11.6	9.2-14.0	87	10.4	8.0-12.8	103	12.4	9.9-14.9	435	43.6	39.9-47.3
College Graduate	1162	522,792	224	18.4	15.9-20.9	115	10.9	8.9-12.9	144	13.4	11.0-15.8	126	12.5	10.1-14.9	124	12.1	9.9-14.3	429	32.8	29.9-35.7
Less than \$15,000	189	123,999	21	12.7	6.2-19.2	7	3.7	0.4- 7.0	12	5.5	2.2- 8.8	13	8.2	3.1-13.3	13	6.2	2.5- 9.9	123	63.6	55.2-72.0
\$15,000- 24,999	403	267,765	49	9.4	6.3-12.5	23	5.5	3.1- 7.9	35	9.6	6.1-13.1	29	7.7	4.8-10.6	31	8.8	5.1-12.5	236	59.1	53.4-64.8
\$25,000- 34,999	287	179,797	38	15.1	10.2-20.0	15	5.8	2.5- 9.1	37	15.0	9.9-20.1	21	7.2	3.7-10.7	34	10.7	6.6-14.8	142	46.1	39.4-52.8
\$35,000- 49,999	449	278,461	56	12.3	8.8-15.8	27	6.0	3.5- 8.5	52	13.7	9.6-17.8	42	9.2	6.1-12.3	52	13.2	9.3-17.1	220	45.6	40.1-51.1
\$50,000- 74,999	506	340,924	75	15.5	11.6-19.4	38	8.0	5.1-10.9	54	10.2	7.1-13.3	49	9.7	6.4-13.0	53	10.7	7.6-13.8	237	45.8	40.7-50.9
\$75,000+	1093	731,723	194	16.4	13.9-18.9	124	11.0	8.8-13.2	136	13.2	10.8-15.6	145	14.6	12.1-17.1	152	14.8	12.3-17.3	342	30.0	26.7-33.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4267	2,438,313	793	18.6	17.2-20.0	244	6.3	5.3- 7.3	364	9.3	8.3-10.3	241	5.5	4.7- 6.3	137	3.7	2.9- 4.5	2488	56.6	54.6-58.6
White/Non-Hisp	3492	1,960,055	635	17.7	16.1-19.3	207	6.5	5.5- 7.5	311	9.8	8.6-11.0	207	5.8	4.8- 6.8	120	4.1	3.1- 5.1	2012	56.0	54.0-58.0
Black or Afr. Am./Non-Hisp	392	215,811	83	24.2	18.5-29.9	16	5.8	2.3- 9.3	27	7.7	4.4-11.0	12	4.1	1.6- 6.6	8	2.4	0.4- 4.4	246	55.8	49.1-62.5
Oth. Race/Non-Hisp.	95	64,996	14	12.9	4.7-21.1	6	4.5	0.0- 9.6	6	3.6	0.1- 7.1	6	7.3	0.6-14.0	1	0.4	0.0- 1.2	62	71.3	59.9-82.7
MultiRacial/Non-Hisp.	63	22,512	17	36.3	20.8-51.8	3	4.8	0.0-11.1	4	9.2	0.4-18.0	2	2.7	0.0- 6.4	1	1.0	0.0- 3.0	36	46.0	31.1-60.9
Hispanic	162	142,462	37	22.3	14.7-29.9	9	4.9	0.8- 9.0	11	7.5	2.8-12.2	8	3.0	0.6- 5.4	6	3.2	0.0- 7.3	91	59.1	49.9-68.3
18-24	207	308,240	38	16.1	10.8-21.4	18	6.7	3.4-10.0	31	11.2	7.1-15.3	8	3.1	0.9- 5.3	10	5.6	1.9- 9.3	102	57.2	49.8-64.6
25-34	376	382,900	74	19.5	15.2-23.8	31	9.2	5.7-12.7	68	15.7	12.0-19.4	25	6.1	3.4- 8.8	15	3.7	1.5- 5.9	163	45.7	40.0-51.4
35-44	491	373,168	111	21.4	17.5-25.3	35	7.9	5.2-10.6	51	9.9	7.0-12.8	38	7.3	4.9- 9.7	20	4.4	2.4- 6.4	236	49.2	44.3-54.1
45-54	692	380,212	155	21.0	17.7-24.3	43	5.8	3.8- 7.8	68	9.9	7.4-12.4	47	7.7	5.5- 9.9	31	5.0	3.0- 7.0	348	50.5	46.4-54.6
55-64	843	403,697	168	20.6	17.5-23.7	54	6.2	4.4- 8.0	63	6.9	5.1- 8.7	36	4.2	2.8- 5.6	26	2.8	1.6- 4.0	496	59.4	55.7-63.1
65+	1658	590,095	247	14.5	12.5-16.5	63	3.6	2.6- 4.6	83	5.0	3.8- 6.2	87	4.9	3.7- 6.1	35	2.1	1.3- 2.9	1143	69.9	67.2-72.6
Less Than H.S.	290	281,173	24	8.6	4.5-12.7	6	2.3	0.3- 4.3	13	4.6	1.9- 7.3	9	2.3	0.5- 4.1	11	5.0	1.7- 8.3	227	77.2	71.3-83.1
H.S. or G.E.D.	1332	757,590	193	14.3	11.9-16.7	51	3.9	2.5- 5.3	76	6.7	4.9- 8.5	48	3.8	2.6- 5.0	36	2.8	1.8- 3.8	928	68.5	65.4-71.6
Some Post-H.S.	1139	755,333	224	20.7	18.0-23.4	78	8.7	6.5-10.9	96	9.3	7.1-11.5	60	5.3	3.7- 6.9	41	4.5	2.7- 6.3	640	51.5	48.0-55.0
College Graduate	1492	635,622	350	25.7	23.0-28.4	109	8.2	6.4-10.0	178	14.5	12.3-16.7	124	9.5	7.7-11.3	49	3.4	2.4- 4.4	682	38.8	35.9-41.7
Less than \$15,000	328	200,340	37	13.4	8.5-18.3	12	3.7	1.0- 6.4	16	5.9	2.6- 9.2	7	2.2	0.0- 4.4	7	2.4	0.4- 4.4	249	72.3	66.0-78.6
\$15,000- 24,999	589	347,653	89	14.1	10.8-17.4	25	4.1	2.3- 5.9	31	6.3	3.8- 8.8	14	2.2	0.8- 3.6	15	4.1	1.6- 6.6	415	69.1	64.4-73.8
\$25,000- 34,999	398	212,858	45	10.6	6.9-14.3	15	4.8	2.1- 7.5	26	7.0	4.1- 9.9	28	7.6	4.5-10.7	15	4.6	1.3- 7.9	269	65.5	59.6-71.4
\$35,000- 49,999	513	292,516	101	19.4	15.3-23.5	31	7.0	4.3- 9.7	45	8.2	5.5-10.9	38	7.1	4.6- 9.6	18	4.3	1.8- 6.8	280	54.0	48.7-59.3
\$50,000- 74,999	559	325,287	144	26.2	21.9-30.5	26	4.6	2.4- 6.8	72	15.2	11.5-18.9	35	6.5	4.0- 9.0	23	4.4	2.2- 6.6	259	43.1	38.2-48.0
\$75,000+	942	563,174	241	24.5	21.4-27.6	100	11.5	9.0-14.0	131	14.2	11.7-16.7	80	8.2	6.2-10.2	38	4.1	2.5- 5.7	352	37.4	33.7-41.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7754	4,730,242	7309	93.6	92.8-94.4	445	6.4	5.6- 7.2
Male	3487	2,291,929	3255	92.7	91.5-93.9	232	7.3	6.1- 8.5
Female	4267	2,438,313	4054	94.4	93.4-95.4	213	5.6	4.6- 6.6
White/Non-Hisp	6334	3,773,515	5964	93.3	92.5-94.1	370	6.7	5.9- 7.5
Black or Afr. Am./Non-Hisp	641	399,165	616	94.9	92.4-97.4	25	5.1	2.6- 7.6
Oth. Race/Non-Hisp.	193	142,915	184	95.0	90.7-99.3	9	5.0	0.7- 9.3
MultiRacial/Non-Hisp.	117	47,569	108	90.2	82.8-97.6	9	9.8	2.4-17.2
Hispanic	324	281,275	300	93.8	90.7-96.9	24	6.2	3.1- 9.3
18-24	459	630,837	428	93.6	91.1-96.1	31	6.4	3.9- 8.9
25-34	750	774,751	697	92.4	90.2-94.6	53	7.6	5.4- 9.8
35-44	926	737,795	844	91.0	88.8-93.2	82	9.0	6.8-11.2
45-54	1274	750,867	1184	92.4	90.8-94.0	90	7.6	6.0- 9.2
55-64	1562	785,640	1474	94.2	92.8-95.6	88	5.8	4.4- 7.2
65+	2783	1,050,353	2682	96.5	95.7-97.3	101	3.5	2.7- 4.3
Less Than H.S.	534	537,361	497	92.5	89.8-95.2	37	7.5	4.8-10.2
H.S. or G.E.D.	2493	1,567,679	2355	94.4	93.2-95.6	138	5.6	4.4- 6.8
Some Post-H.S.	2052	1,455,674	1922	92.5	90.9-94.1	130	7.5	5.9- 9.1
College Graduate	2654	1,158,413	2514	94.2	93.2-95.2	140	5.8	4.8- 6.8
Less than \$15,000	517	324,339	498	96.3	94.5-98.1	19	3.7	1.9- 5.5
\$15,000- 24,999	992	615,418	946	94.4	92.4-96.4	46	5.6	3.6- 7.6
\$25,000- 34,999	685	392,655	647	93.4	90.9-95.9	38	6.6	4.1- 9.1
\$35,000- 49,999	962	570,977	896	91.8	89.4-94.2	66	8.2	5.8-10.6
\$50,000- 74,999	1065	666,210	994	92.7	90.7-94.7	71	7.3	5.3- 9.3
\$75,000+	2035	1,294,897	1890	92.2	90.8-93.6	145	7.8	6.4- 9.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3487	2,291,929	3255	92.7	91.5-93.9	232	7.3	6.1- 8.5
White/Non-Hisp	2842	1,813,459	2654	92.7	91.5-93.9	188	7.3	6.1- 8.5
Black or Afr. Am./Non-Hisp	249	183,354	236	92.6	87.9-97.3	13	7.4	2.7-12.1
Oth. Race/Non-Hisp.	98	77,919	92	92.6	85.0- 100	6	7.4	0.0-15.0
MultiRacial/Non-Hisp.	54	25,058	47	83.7	70.6-96.8	7	16.3	3.2-29.4
Hispanic	162	138,813	149	92.7	88.4-97.0	13	7.3	3.0-11.6
18-24	252	322,596	232	93.3	90.2-96.4	20	6.7	3.6- 9.8
25-34	374	391,850	344	91.1	87.6-94.6	30	8.9	5.4-12.4
35-44	435	364,627	387	88.5	85.2-91.8	48	11.5	8.2-14.8
45-54	582	370,655	545	93.5	91.3-95.7	37	6.5	4.3- 8.7
55-64	719	381,943	669	92.7	90.5-94.9	50	7.3	5.1- 9.5
65+	1125	460,258	1078	96.1	94.9-97.3	47	3.9	2.7- 5.1
Less Than H.S.	244	256,188	222	90.7	86.4-95.0	22	9.3	5.0-13.6
H.S. or G.E.D.	1161	810,090	1072	92.7	90.9-94.5	89	7.3	5.5- 9.1
Some Post-H.S.	913	700,341	846	91.9	89.7-94.1	67	8.1	5.9-10.3
College Graduate	1162	522,792	1108	94.6	93.0-96.2	54	5.4	3.8- 7.0
Less than \$15,000	189	123,999	178	94.5	90.8-98.2	11	5.5	1.8- 9.2
\$15,000- 24,999	403	267,765	378	93.4	90.3-96.5	25	6.6	3.5- 9.7
\$25,000- 34,999	287	179,797	268	93.0	89.5-96.5	19	7.0	3.5-10.5
\$35,000- 49,999	449	278,461	414	90.3	86.6-94.0	35	9.7	6.0-13.4
\$50,000- 74,999	506	340,924	469	92.5	89.8-95.2	37	7.5	4.8-10.2
\$75,000+	1093	731,723	1016	91.9	89.9-93.9	77	8.1	6.1-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4267	2,438,313	4054	94.4	93.4-95.4	213	5.6	4.6- 6.6
White/Non-Hisp	3492	1,960,055	3310	93.9	92.9-94.9	182	6.1	5.1- 7.1
Black or Afr. Am./Non-Hisp	392	215,811	380	96.8	94.6-99.0	12	3.2	1.0- 5.4
Oth. Race/Non-Hisp.	95	64,996	92	97.8	95.3- 100	3	2.2	0.0- 4.7
MultiRacial/Non-Hisp.	63	22,512	61	97.5	94.0- 100	2	2.5	0.0- 6.0
Hispanic	162	142,462	151	94.9	90.4-99.4	11	5.1	0.6- 9.6
18-24	207	308,240	196	94.0	90.3-97.7	11	6.0	2.3- 9.7
25-34	376	382,900	353	93.8	91.1-96.5	23	6.2	3.5- 8.9
35-44	491	373,168	457	93.3	90.9-95.7	34	6.7	4.3- 9.1
45-54	692	380,212	639	91.4	89.0-93.8	53	8.6	6.2-11.0
55-64	843	403,697	805	95.7	94.1-97.3	38	4.3	2.7- 5.9
65+	1658	590,095	1604	96.8	95.8-97.8	54	3.2	2.2- 4.2
Less Than H.S.	290	281,173	275	94.1	90.8-97.4	15	5.9	2.6- 9.2
H.S. or G.E.D.	1332	757,590	1283	96.2	95.0-97.4	49	3.8	2.6- 5.0
Some Post-H.S.	1139	755,333	1076	93.1	91.1-95.1	63	6.9	4.9- 8.9
College Graduate	1492	635,622	1406	93.8	92.4-95.2	86	6.2	4.8- 7.6
Less than \$15,000	328	200,340	320	97.3	95.3-99.3	8	2.7	0.7- 4.7
\$15,000- 24,999	589	347,653	568	95.2	92.7-97.7	21	4.8	2.3- 7.3
\$25,000- 34,999	398	212,858	379	93.8	90.1-97.5	19	6.2	2.5- 9.9
\$35,000- 49,999	513	292,516	482	93.2	90.3-96.1	31	6.8	3.9- 9.7
\$50,000- 74,999	559	325,287	525	92.9	90.2-95.6	34	7.1	4.4- 9.8
\$75,000+	942	563,174	874	92.7	90.7-94.7	68	7.3	5.3- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2751	1,041,446	1864	68.0	66.0-70.0	887	32.0	30.0-34.0
Male	1126	461,188	757	67.0	63.9-70.1	369	33.0	29.9-36.1
Female	1625	580,258	1107	68.9	66.2-71.6	518	31.1	28.4-33.8
White/Non-Hisp	2395	923,392	1652	68.8	66.6-71.0	743	31.2	29.0-33.4
Black or Afr. Am./Non-Hisp	202	60,855	122	59.2	49.8-68.6	80	40.8	31.4-50.2
65+	2751	1,041,446	1864	68.0	66.0-70.0	887	32.0	30.0-34.0
Less Than H.S.	161	104,747	103	68.4	60.4-76.4	58	31.6	23.6-39.6
H.S. or G.E.D.	977	394,034	631	65.1	61.8-68.4	346	34.9	31.6-38.2
Some Post-H.S.	734	302,936	502	68.6	64.7-72.5	232	31.4	27.5-35.3
College Graduate	875	238,249	626	72.0	68.7-75.3	249	28.0	24.7-31.3
Less than \$15,000	143	57,743	88	66.1	57.3-74.9	55	33.9	25.1-42.7
\$15,000- 24,999	412	160,803	265	64.6	59.1-70.1	147	35.4	29.9-40.9
\$25,000- 34,999	317	123,728	208	67.8	61.7-73.9	109	32.2	26.1-38.3
\$35,000- 49,999	392	159,196	277	70.2	64.9-75.5	115	29.8	24.5-35.1
\$50,000- 74,999	349	127,555	244	66.1	60.2-72.0	105	33.9	28.0-39.8
\$75,000+	407	143,142	313	77.8	73.3-82.3	94	22.2	17.7-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1126	461,188	757	67.0	63.9-70.1	369	33.0	29.9-36.1
White/Non-Hisp	985	402,834	674	68.0	64.7-71.3	311	32.0	28.7-35.3
Black or Afr. Am./Non-Hisp	58	24,802	30	54.6	38.5-70.7	28	45.4	29.3-61.5
65+	1126	461,188	757	67.0	63.9-70.1	369	33.0	29.9-36.1
Less Than H.S.	61	43,099	37	65.1	52.0-78.2	24	34.9	21.8-48.0
H.S. or G.E.D.	363	162,344	236	64.9	59.4-70.4	127	35.1	29.6-40.6
Some Post-H.S.	298	136,132	195	64.8	58.7-70.9	103	35.2	29.1-41.3
College Graduate	403	119,408	289	73.0	68.1-77.9	114	27.0	22.1-31.9
\$15,000- 24,999	153	67,576	95	66.0	57.6-74.4	58	34.0	25.6-42.4
\$25,000- 34,999	120	51,324	78	67.8	58.2-77.4	42	32.2	22.6-41.8
\$35,000- 49,999	188	81,255	129	68.2	60.6-75.8	59	31.8	24.2-39.4
\$50,000- 74,999	173	70,163	109	59.4	51.2-67.6	64	40.6	32.4-48.8
\$75,000+	234	82,596	178	75.4	68.9-81.9	56	24.6	18.1-31.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1625	580,258	1107	68.9	66.2-71.6	518	31.1	28.4-33.8
White/Non-Hisp	1410	520,558	978	69.5	66.8-72.2	432	30.5	27.8-33.2
Black or Afr. Am./Non-Hisp	144	36,054	92	62.4	50.8-74.0	52	37.6	26.0-49.2
65+	1625	580,258	1107	68.9	66.2-71.6	518	31.1	28.4-33.8
Less Than H.S.	100	61,649	66	70.8	60.8-80.8	34	29.2	19.2-39.2
H.S. or G.E.D.	614	231,691	395	65.1	60.6-69.6	219	34.9	30.4-39.4
Some Post-H.S.	436	166,804	307	71.7	66.8-76.6	129	28.3	23.4-33.2
College Graduate	472	118,841	337	71.1	66.4-75.8	135	28.9	24.2-33.6
Less than \$15,000	100	39,525	61	64.5	53.9-75.1	39	35.5	24.9-46.1
\$15,000- 24,999	259	93,227	170	63.5	56.2-70.8	89	36.5	29.2-43.8
\$25,000- 34,999	197	72,404	130	67.8	60.2-75.4	67	32.2	24.6-39.8
\$35,000- 49,999	204	77,941	148	72.2	64.6-79.8	56	27.8	20.2-35.4
\$50,000- 74,999	176	57,392	135	74.2	66.6-81.8	41	25.8	18.2-33.4
\$75,000+	173	60,547	135	81.0	74.7-87.3	38	19.0	12.7-25.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2660	1,008,225	1955	73.4	71.4-75.4	705	26.6	24.6-28.6
Male	1082	444,993	753	69.8	66.7-72.9	329	30.2	27.1-33.3
Female	1578	563,231	1202	76.3	73.8-78.8	376	23.7	21.2-26.2
White/Non-Hisp	2329	898,539	1746	74.7	72.7-76.7	583	25.3	23.3-27.3
Black or Afr. Am./Non-Hisp	188	56,061	117	60.8	50.8-70.8	71	39.2	29.2-49.2
65+	2660	1,008,225	1955	73.4	71.4-75.4	705	26.6	24.6-28.6
Less Than H.S.	157	102,134	101	67.8	59.4-76.2	56	32.2	23.8-40.6
H.S. or G.E.D.	945	379,772	698	72.6	69.3-75.9	247	27.4	24.1-30.7
Some Post-H.S.	718	298,399	526	74.5	71.0-78.0	192	25.5	22.0-29.0
College Graduate	836	226,442	628	76.1	72.8-79.4	208	23.9	20.6-27.2
Less than \$15,000	140	57,187	101	73.2	64.8-81.6	39	26.8	18.4-35.2
\$15,000- 24,999	404	156,747	286	70.8	65.5-76.1	118	29.2	23.9-34.5
\$25,000- 34,999	310	120,778	225	73.3	67.6-79.0	85	26.7	21.0-32.4
\$35,000- 49,999	381	155,217	294	76.6	71.7-81.5	87	23.4	18.5-28.3
\$50,000- 74,999	341	124,490	247	70.6	64.9-76.3	94	29.4	23.7-35.1
\$75,000+	386	136,480	300	77.7	73.0-82.4	86	22.3	17.6-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1082	444,993	753	69.8	66.7-72.9	329	30.2	27.1-33.3
White/Non-Hisp	950	390,466	669	70.2	66.9-73.5	281	29.8	26.5-33.1
Black or Afr. Am./Non-Hisp	54	22,974	29	55.9	38.8-73.0	25	44.1	27.0-61.2
65+	1082	444,993	753	69.8	66.7-72.9	329	30.2	27.1-33.3
Less Than H.S.	58	41,565	37	67.2	53.9-80.5	21	32.8	19.5-46.1
H.S. or G.E.D.	350	156,823	244	69.4	64.1-74.7	106	30.6	25.3-35.9
Some Post-H.S.	295	134,859	200	68.2	62.3-74.1	95	31.8	25.9-37.7
College Graduate	378	111,540	272	73.1	68.2-78.0	106	26.9	22.0-31.8
\$15,000- 24,999	149	65,869	100	69.1	60.9-77.3	49	30.9	22.7-39.1
\$25,000- 34,999	116	49,623	80	68.8	59.2-78.4	36	31.2	21.6-40.8
\$35,000- 49,999	183	79,418	127	70.5	63.1-77.9	56	29.5	22.1-36.9
\$50,000- 74,999	169	69,176	110	63.8	55.6-72.0	59	36.2	28.0-44.4
\$75,000+	220	78,084	161	72.5	65.6-79.4	59	27.5	20.6-34.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1578	563,231	1202	76.3	73.8-78.8	376	23.7	21.2-26.2
White/Non-Hisp	1379	508,074	1077	78.2	75.7-80.7	302	21.8	19.3-24.3
Black or Afr. Am./Non-Hisp	134	33,088	88	64.2	52.2-76.2	46	35.8	23.8-47.8
65+	1578	563,231	1202	76.3	73.8-78.8	376	23.7	21.2-26.2
Less Than H.S.	99	60,568	64	68.2	57.6-78.8	35	31.8	21.2-42.4
H.S. or G.E.D.	595	222,948	454	74.7	70.6-78.8	141	25.3	21.2-29.4
Some Post-H.S.	423	163,540	326	79.6	75.3-83.9	97	20.4	16.1-24.7
College Graduate	458	114,902	356	79.1	75.0-83.2	102	20.9	16.8-25.0
Less than \$15,000	100	39,734	69	70.5	60.1-80.9	31	29.5	19.1-39.9
\$15,000- 24,999	255	90,877	186	72.0	64.9-79.1	69	28.0	20.9-35.1
\$25,000- 34,999	194	71,155	145	76.5	69.8-83.2	49	23.5	16.8-30.2
\$35,000- 49,999	198	75,799	167	82.9	76.2-89.6	31	17.1	10.4-23.8
\$50,000- 74,999	172	55,314	137	79.1	72.0-86.2	35	20.9	13.8-28.0
\$75,000+	166	58,396	139	84.6	78.5-90.7	27	15.4	9.3-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	135
5	MALES ONLY	136
6	FEMALES ONLY	137
	DRINKING AND DRIVING (_DRNKDRV)	
7	MALES AND FEMALES	138
8	MALES ONLY	139
9	FEMALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7817	4,774,680	7413	93.8	93.0-94.6	404	6.2	5.4- 7.0
Male	3528	2,323,920	3250	90.8	89.6-92.0	278	9.2	8.0-10.4
Female	4289	2,450,759	4163	96.6	95.8-97.4	126	3.4	2.6- 4.2
White/Non-Hisp	6379	3,798,221	6053	93.8	93.0-94.6	326	6.2	5.4- 7.0
Black or Afr. Am./Non-Hisp	647	408,785	617	93.2	90.3-96.1	30	6.8	3.9- 9.7
Oth. Race/Non-Hisp.	193	142,441	181	92.2	86.1-98.3	12	7.8	1.7-13.9
MultiRacial/Non-Hisp.	118	48,113	108	90.5	84.2-96.8	10	9.5	3.2-15.8
Hispanic	333	290,314	320	96.0	93.3-98.7	13	4.0	1.3- 6.7
18-24	458	628,234	424	92.0	89.3-94.7	34	8.0	5.3-10.7
25-34	754	783,078	701	91.6	89.2-94.0	53	8.4	6.0-10.8
35-44	937	747,995	888	94.0	92.2-95.8	49	6.0	4.2- 7.8
45-54	1291	760,831	1226	94.4	92.8-96.0	65	5.6	4.0- 7.2
55-64	1581	800,153	1498	94.4	93.0-95.8	83	5.6	4.2- 7.0
65+	2796	1,054,389	2676	95.3	94.3-96.3	120	4.7	3.7- 5.7
Less Than H.S.	545	551,030	494	89.3	86.2-92.4	51	10.7	7.6-13.8
H.S. or G.E.D.	2515	1,585,980	2362	92.9	91.5-94.3	153	7.1	5.7- 8.5
Some Post-H.S.	2059	1,459,146	1936	93.5	92.1-94.9	123	6.5	5.1- 7.9
College Graduate	2678	1,167,530	2602	97.3	96.5-98.1	76	2.7	1.9- 3.5
Less than \$15,000	520	329,694	480	91.0	87.9-94.1	40	9.0	5.9-12.1
\$15,000- 24,999	1004	620,708	929	91.8	89.4-94.2	75	8.2	5.8-10.6
\$25,000- 34,999	688	395,175	645	93.6	91.4-95.8	43	6.4	4.2- 8.6
\$35,000- 49,999	959	574,283	920	94.9	92.9-96.9	39	5.1	3.1- 7.1
\$50,000- 74,999	1061	663,090	1001	93.1	91.1-95.1	60	6.9	4.9- 8.9
\$75,000+	2049	1,302,223	1966	95.3	94.1-96.5	83	4.7	3.5- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3528	2,323,920	3250	90.8	89.6-92.0	278	9.2	8.0-10.4
White/Non-Hisp	2876	1,835,242	2649	90.6	89.2-92.0	227	9.4	8.0-10.8
Black or Afr. Am./Non-Hisp	253	192,368	236	90.8	85.9-95.7	17	9.2	4.3-14.1
Oth. Race/Non-Hisp.	100	79,399	90	86.8	76.4-97.2	10	13.2	2.8-23.6
MultiRacial/Non-Hisp.	54	25,058	46	83.8	72.4-95.2	8	16.2	4.8-27.6
Hispanic	162	138,159	155	96.7	93.8-99.6	7	3.3	0.4- 6.2
18-24	252	323,257	231	90.6	86.5-94.7	21	9.4	5.3-13.5
25-34	379	398,938	341	88.4	84.5-92.3	38	11.6	7.7-15.5
35-44	439	369,724	399	89.6	86.3-92.9	40	10.4	7.1-13.7
45-54	590	374,983	543	91.0	88.3-93.7	47	9.0	6.3-11.7
55-64	732	391,482	674	92.0	89.8-94.2	58	8.0	5.8-10.2
65+	1136	465,536	1062	92.8	91.0-94.6	74	7.2	5.4- 9.0
Less Than H.S.	254	267,470	217	84.2	78.9-89.5	37	15.8	10.5-21.1
H.S. or G.E.D.	1173	822,490	1065	89.7	87.5-91.9	108	10.3	8.1-12.5
Some Post-H.S.	912	700,871	833	90.9	88.7-93.1	79	9.1	6.9-11.3
College Graduate	1182	530,570	1129	95.7	94.5-96.9	53	4.3	3.1- 5.5
Less than \$15,000	192	129,065	170	86.3	79.8-92.8	22	13.7	7.2-20.2
\$15,000- 24,999	407	270,256	368	89.3	85.2-93.4	39	10.7	6.6-14.8
\$25,000- 34,999	294	183,058	269	91.1	87.0-95.2	25	8.9	4.8-13.0
\$35,000- 49,999	446	280,166	412	91.3	88.2-94.4	34	8.7	5.6-11.8
\$50,000- 74,999	500	336,867	452	88.8	85.3-92.3	48	11.2	7.7-14.7
\$75,000+	1105	737,934	1036	92.9	90.9-94.9	69	7.1	5.1- 9.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4289	2,450,759	4163	96.6	95.8-97.4	126	3.4	2.6- 4.2
White/Non-Hisp	3503	1,962,980	3404	96.7	95.9-97.5	99	3.3	2.5- 4.1
Black or Afr. Am./Non-Hisp	394	216,417	381	95.4	92.3-98.5	13	4.6	1.5- 7.7
Oth. Race/Non-Hisp.	93	63,042	91	98.9	96.9- 100	2	1.1	0.0- 3.1
MultiRacial/Non-Hisp.	64	23,055	62	97.7	94.4- 100	2	2.3	0.0- 5.6
Hispanic	171	152,155	165	95.3	90.8-99.8	6	4.7	0.2- 9.2
18-24	206	304,977	193	93.5	89.8-97.2	13	6.5	2.8-10.2
25-34	375	384,140	360	95.0	92.3-97.7	15	5.0	2.3- 7.7
35-44	498	378,271	489	98.4	97.2-99.6	9	1.6	0.4- 2.8
45-54	701	385,847	683	97.7	96.5-98.9	18	2.3	1.1- 3.5
55-64	849	408,671	824	96.7	95.3-98.1	25	3.3	1.9- 4.7
65+	1660	588,853	1614	97.2	96.2-98.2	46	2.8	1.8- 3.8
Less Than H.S.	291	283,560	277	94.2	90.7-97.7	14	5.8	2.3- 9.3
H.S. or G.E.D.	1342	763,490	1297	96.3	94.9-97.7	45	3.7	2.3- 5.1
Some Post-H.S.	1147	758,275	1103	95.9	94.5-97.3	44	4.1	2.7- 5.5
College Graduate	1496	636,960	1473	98.6	97.8-99.4	23	1.4	0.6- 2.2
Less than \$15,000	328	200,629	310	94.1	91.2-97.0	18	5.9	3.0- 8.8
\$15,000- 24,999	597	350,451	561	93.7	91.0-96.4	36	6.3	3.6- 9.0
\$25,000- 34,999	394	212,116	376	95.8	93.6-98.0	18	4.2	2.0- 6.4
\$35,000- 49,999	513	294,117	508	98.3	96.3- 100	5	1.7	0.0- 3.7
\$50,000- 74,999	561	326,223	549	97.6	96.0-99.2	12	2.4	0.8- 4.0
\$75,000+	944	564,289	930	98.5	97.5-99.5	14	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7817	4,774,680	6901	86.3	85.3-87.3	916	13.7	12.7-14.7
Male	3528	2,323,920	2948	81.1	79.5-82.7	580	18.9	17.3-20.5
Female	4289	2,450,759	3953	91.2	90.0-92.4	336	8.8	7.6-10.0
White/Non-Hisp	6379	3,798,221	5639	86.5	85.3-87.7	740	13.5	12.3-14.7
Black or Afr. Am./Non-Hisp	647	408,785	577	85.5	81.6-89.4	70	14.5	10.6-18.4
Oth. Race/Non-Hisp.	193	142,441	163	82.4	74.6-90.2	30	17.6	9.8-25.4
MultiRacial/Non-Hisp.	118	48,113	98	78.4	68.8-88.0	20	21.6	12.0-31.2
Hispanic	333	290,314	300	87.6	82.9-92.3	33	12.4	7.7-17.1
18-24	458	628,234	371	80.0	75.9-84.1	87	20.0	15.9-24.1
25-34	754	783,078	627	81.3	78.0-84.6	127	18.7	15.4-22.0
35-44	937	747,995	823	86.9	84.4-89.4	114	13.1	10.6-15.6
45-54	1291	760,831	1150	88.7	86.7-90.7	141	11.3	9.3-13.3
55-64	1581	800,153	1404	88.5	86.7-90.3	177	11.5	9.7-13.3
65+	2796	1,054,389	2526	89.9	88.5-91.3	270	10.1	8.7-11.5
Less Than H.S.	545	551,030	466	83.9	80.2-87.6	79	16.1	12.4-19.8
H.S. or G.E.D.	2515	1,585,980	2195	84.6	82.8-86.4	320	15.4	13.6-17.2
Some Post-H.S.	2059	1,459,146	1777	84.7	82.7-86.7	282	15.3	13.3-17.3
College Graduate	2678	1,167,530	2446	91.7	90.5-92.9	232	8.3	7.1- 9.5
Less than \$15,000	520	329,694	445	84.5	80.4-88.6	75	15.5	11.4-19.6
\$15,000- 24,999	1004	620,708	861	84.4	81.5-87.3	143	15.6	12.7-18.5
\$25,000- 34,999	688	395,175	597	84.7	81.4-88.0	91	15.3	12.0-18.6
\$35,000- 49,999	959	574,283	857	87.3	84.6-90.0	102	12.7	10.0-15.4
\$50,000- 74,999	1061	663,090	915	83.8	81.1-86.5	146	16.2	13.5-18.9
\$75,000+	2049	1,302,223	1847	88.9	87.1-90.7	202	11.1	9.3-12.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3528	2,323,920	2948	81.1	79.5-82.7	580	18.9	17.3-20.5
White/Non-Hisp	2876	1,835,242	2400	81.2	79.4-83.0	476	18.8	17.0-20.6
Black or Afr. Am./Non-Hisp	253	192,368	217	82.2	75.9-88.5	36	17.8	11.5-24.1
Oth. Race/Non-Hisp.	100	79,399	82	77.9	65.9-89.9	18	22.1	10.1-34.1
MultiRacial/Non-Hisp.	54	25,058	41	68.8	53.1-84.5	13	31.2	15.5-46.9
Hispanic	162	138,159	139	82.9	75.6-90.2	23	17.1	9.8-24.4
18-24	252	323,257	194	75.0	68.9-81.1	58	25.0	18.9-31.1
25-34	379	398,938	296	76.1	71.2-81.0	83	23.9	19.0-28.8
35-44	439	369,724	360	80.3	76.0-84.6	79	19.7	15.4-24.0
45-54	590	374,983	497	83.4	80.1-86.7	93	16.6	13.3-19.9
55-64	732	391,482	620	84.4	81.5-87.3	112	15.6	12.7-18.5
65+	1136	465,536	981	85.8	83.4-88.2	155	14.2	11.8-16.6
Less Than H.S.	254	267,470	198	76.8	70.7-82.9	56	23.2	17.1-29.3
H.S. or G.E.D.	1173	822,490	958	79.0	76.1-81.9	215	21.0	18.1-23.9
Some Post-H.S.	912	700,871	740	79.4	76.3-82.5	172	20.6	17.5-23.7
College Graduate	1182	530,570	1046	88.9	86.9-90.9	136	11.1	9.1-13.1
Less than \$15,000	192	129,065	155	79.8	72.7-86.9	37	20.2	13.1-27.3
\$15,000- 24,999	407	270,256	336	81.0	76.1-85.9	71	19.0	14.1-23.9
\$25,000- 34,999	294	183,058	242	78.3	72.4-84.2	52	21.7	15.8-27.6
\$35,000- 49,999	446	280,166	370	80.4	75.7-85.1	76	19.6	14.9-24.3
\$50,000- 74,999	500	336,867	404	78.8	74.5-83.1	96	21.2	16.9-25.5
\$75,000+	1105	737,934	950	84.3	81.6-87.0	155	15.7	13.0-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4289	2,450,759	3953	91.2	90.0-92.4	336	8.8	7.6-10.0
White/Non-Hisp	3503	1,962,980	3239	91.5	90.3-92.7	264	8.5	7.3- 9.7
Black or Afr. Am./Non-Hisp	394	216,417	360	88.5	83.8-93.2	34	11.5	6.8-16.2
Oth. Race/Non-Hisp.	93	63,042	81	88.1	78.9-97.3	12	11.9	2.7-21.1
MultiRacial/Non-Hisp.	64	23,055	57	88.8	79.2-98.4	7	11.2	1.6-20.8
Hispanic	171	152,155	161	91.8	86.1-97.5	10	8.2	2.5-13.9
18-24	206	304,977	177	85.2	79.9-90.5	29	14.8	9.5-20.1
25-34	375	384,140	331	86.6	82.5-90.7	44	13.4	9.3-17.5
35-44	498	378,271	463	93.3	90.9-95.7	35	6.7	4.3- 9.1
45-54	701	385,847	653	93.9	91.9-95.9	48	6.1	4.1- 8.1
55-64	849	408,671	784	92.4	90.4-94.4	65	7.6	5.6- 9.6
65+	1660	588,853	1545	93.2	91.8-94.6	115	6.8	5.4- 8.2
Less Than H.S.	291	283,560	268	90.6	86.3-94.9	23	9.4	5.1-13.7
H.S. or G.E.D.	1342	763,490	1237	90.6	88.4-92.8	105	9.4	7.2-11.6
Some Post-H.S.	1147	758,275	1037	89.5	87.3-91.7	110	10.5	8.3-12.7
College Graduate	1496	636,960	1400	94.1	92.7-95.5	96	5.9	4.5- 7.3
Less than \$15,000	328	200,629	290	87.4	82.5-92.3	38	12.6	7.7-17.5
\$15,000- 24,999	597	350,451	525	87.1	83.4-90.8	72	12.9	9.2-16.6
\$25,000- 34,999	394	212,116	355	90.3	86.8-93.8	39	9.7	6.2-13.2
\$35,000- 49,999	513	294,117	487	93.8	91.1-96.5	26	6.2	3.5- 8.9
\$50,000- 74,999	561	326,223	511	89.1	85.8-92.4	50	10.9	7.6-14.2
\$75,000+	944	564,289	897	95.1	93.3-96.9	47	4.9	3.1- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 7: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3771	2,394,971	71	2.1	1.5- 2.7	3700	97.9	97.3-98.5
Male	1934	1,303,816	51	2.9	1.9- 3.9	1883	97.1	96.1-98.1
Female	1837	1,091,155	20	1.2	0.6- 1.8	1817	98.8	98.2-99.4
White/Non-Hisp	3114	1,924,989	58	2.2	1.6- 2.8	3056	97.8	97.2-98.4
Black or Afr. Am./Non-Hisp	298	215,841	9	2.5	0.7- 4.3	289	97.5	95.7-99.3
Oth. Race/Non-Hisp.	74	52,482	1	0.4	0.0- 1.2	73	99.6	98.8- 100
MultiRacial/Non-Hisp.	59	28,245	1	3.4	0.0-10.1	58	96.6	89.9- 100
Hispanic	158	129,554	1	0.1	0.0- 0.3	157	99.9	99.7- 100
18-24	229	280,023	6	3.3	0.6- 6.0	223	96.7	94.0-99.4
25-34	471	480,018	9	1.4	0.4- 2.4	462	98.6	97.6-99.6
35-44	548	437,510	16	3.3	1.3- 5.3	532	96.7	94.7-98.7
45-54	702	408,593	14	2.2	1.0- 3.4	688	97.8	96.6-99.0
55-64	773	397,043	14	1.6	0.6- 2.6	759	98.4	97.4-99.4
65+	1048	391,783	12	1.2	0.4- 2.0	1036	98.8	98.0-99.6
Less Than H.S.	177	195,344	5	3.6	0.0- 7.5	172	96.4	92.5- 100
H.S. or G.E.D.	1014	672,447	20	1.8	1.0- 2.6	994	98.2	97.4-99.0
Some Post-H.S.	1000	772,601	25	2.8	1.6- 4.0	975	97.2	96.0-98.4
College Graduate	1576	753,010	21	1.3	0.7- 1.9	1555	98.7	98.1-99.3
Less than \$15,000	150	107,411	2	1.6	0.0- 4.0	148	98.4	96.0- 100
\$15,000- 24,999	364	226,758	9	3.1	0.6- 5.6	355	96.9	94.4-99.4
\$25,000- 34,999	281	174,383	8	2.5	0.7- 4.3	273	97.5	95.7-99.3
\$35,000- 49,999	466	290,855	9	2.5	0.5- 4.5	457	97.5	95.5-99.5
\$50,000- 74,999	573	371,855	14	3.0	1.0- 5.0	559	97.0	95.0-99.0
\$75,000+	1363	876,384	23	1.8	1.0- 2.6	1340	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 8: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1934	1,303,816	51	2.9	1.9- 3.9	1883	97.1	96.1-98.1
White/Non-Hisp	1595	1,045,443	41	2.8	1.8- 3.8	1554	97.2	96.2-98.2
Black or Afr. Am./Non-Hisp	144	117,928	7	3.3	0.4- 6.2	137	96.7	93.8-99.6
Hispanic	77	60,839				77	100.0	100.0- 100
18-24	122	145,830	4	4.0	0.0- 8.1	118	96.0	91.9- 100
25-34	258	270,830	7	1.9	0.5- 3.3	251	98.1	96.7-99.5
35-44	286	242,651	13	5.1	1.8- 8.4	273	94.9	91.6-98.2
45-54	346	213,875	7	2.4	0.4- 4.4	339	97.6	95.6-99.6
55-64	413	223,590	12	2.6	1.0- 4.2	401	97.4	95.8-99.0
65+	509	207,040	8	1.6	0.4- 2.8	501	98.4	97.2-99.6
Less Than H.S.	109	126,209	4	5.1	0.0-11.0	105	94.9	89.0- 100
H.S. or G.E.D.	584	418,624	17	2.3	1.1- 3.5	567	97.7	96.5-98.9
Some Post-H.S.	483	397,712	19	4.0	2.2- 5.8	464	96.0	94.2-97.8
College Graduate	756	360,544	11	1.5	0.5- 2.5	745	98.5	97.5-99.5
Less than \$15,000	70	51,131	1	1.1	0.0- 3.3	69	98.9	96.7- 100
\$15,000- 24,999	177	113,317	6	4.5	0.0- 9.2	171	95.5	90.8- 100
\$25,000- 34,999	152	100,175	8	4.3	1.2- 7.4	144	95.7	92.6-98.8
\$35,000- 49,999	227	153,961	5	1.8	0.0- 3.6	222	98.2	96.4- 100
\$50,000- 74,999	268	184,767	11	5.3	1.4- 9.2	257	94.7	90.8-98.6
\$75,000+	767	519,575	17	2.4	1.2- 3.6	750	97.6	96.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 9: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1837	1,091,155	20	1.2	0.6- 1.8	1817	98.8	98.2-99.4
White/Non-Hisp	1519	879,547	17	1.4	0.6- 2.2	1502	98.6	97.8-99.4
Black or Afr. Am./Non-Hisp	154	97,913	2	1.4	0.0- 3.4	152	98.6	96.6- 100
Hispanic	81	68,715	1	0.2	0.0- 0.6	80	99.8	99.4- 100
18-24	107	134,193	2	2.5	0.0- 6.2	105	97.5	93.8- 100
25-34	213	209,189	2	0.9	0.0- 2.3	211	99.1	97.7- 100
35-44	262	194,859	3	1.1	0.0- 2.7	259	98.9	97.3- 100
45-54	356	194,719	7	2.0	0.4- 3.6	349	98.0	96.4-99.6
55-64	360	173,454	2	0.5	0.0- 1.1	358	99.5	98.9- 100
65+	539	184,743	4	0.8	0.0- 1.8	535	99.2	98.2- 100
Less Than H.S.	68	69,136	1	0.9	0.0- 2.7	67	99.1	97.3- 100
H.S. or G.E.D.	430	253,823	3	1.0	0.0- 2.2	427	99.0	97.8- 100
Some Post-H.S.	517	374,888	6	1.6	0.0- 3.2	511	98.4	96.8- 100
College Graduate	820	392,467	10	1.2	0.4- 2.0	810	98.8	98.0-99.6
Less than \$15,000	80	56,280	1	2.0	0.0- 5.9	79	98.0	94.1- 100
\$15,000- 24,999	187	113,441	3	1.7	0.0- 3.7	184	98.3	96.3- 100
\$25,000- 34,999	129	74,209				129	100.0	100.0- 100
\$35,000- 49,999	239	136,894	4	3.3	0.0- 7.0	235	96.7	93.0- 100
\$50,000- 74,999	305	187,087	3	0.8	0.0- 1.8	302	99.2	98.2- 100
\$75,000+	596	356,809	6	1.0	0.0- 2.0	590	99.0	98.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)	
1	FEMALES ONLY	142
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)	
2	FEMALES ONLY	143
	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)	
3	FEMALES ONLY	144

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3267	1,492,520	2263	67.1	65.1-69.1	1004	32.9	30.9-34.9
White/Non-Hisp	2740	1,258,440	1891	67.1	64.9-69.3	849	32.9	30.7-35.1
Black or Afr. Am./Non-Hisp	300	120,712	237	75.1	68.4-81.8	63	24.9	18.2-31.6
Oth. Race/Non-Hisp.	62	29,343	37	65.1	49.8-80.4	25	34.9	19.6-50.2
Hispanic	80	50,711	51	58.2	45.3-71.1	29	41.8	28.9-54.7
40-44	241	186,013	121	49.9	42.8-57.0	120	50.1	43.0-57.2
45-54	627	345,776	416	64.7	60.4-69.0	211	35.3	31.0-39.6
55-64	836	403,141	626	72.9	69.4-76.4	210	27.1	23.6-30.6
65+	1563	557,591	1100	70.1	67.4-72.8	463	29.9	27.2-32.6
Less Than H.S.	220	168,687	118	51.4	44.0-58.8	102	48.6	41.2-56.0
H.S. or G.E.D.	1049	475,148	679	65.3	62.0-68.6	370	34.7	31.4-38.0
Some Post-H.S.	864	455,930	597	67.2	63.5-70.9	267	32.8	29.1-36.5
College Graduate	1128	388,736	864	75.7	72.8-78.6	264	24.3	21.4-27.2
Less than \$15,000	231	108,504	137	57.8	50.4-65.2	94	42.2	34.8-49.6
\$15,000- 24,999	446	201,166	275	58.4	52.7-64.1	171	41.6	35.9-47.3
\$25,000- 34,999	311	134,748	196	62.0	55.5-68.5	115	38.0	31.5-44.5
\$35,000- 49,999	389	177,269	279	70.7	65.2-76.2	110	29.3	23.8-34.8
\$50,000- 74,999	423	205,123	312	70.2	64.9-75.5	111	29.8	24.5-35.1
\$75,000+	735	362,827	570	76.2	72.5-79.9	165	23.8	20.1-27.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2053	905,082	1551	73.6	71.2-76.0	502	26.4	24.0-28.8
White/Non-Hisp	1738	775,811	1306	73.8	71.4-76.2	432	26.2	23.8-28.6
Black or Afr. Am./Non-Hisp	188	71,344	154	75.6	67.0-84.2	34	24.4	15.8-33.0
50-54	317	180,219	221	67.7	61.6-73.8	96	32.3	26.2-38.4
55-64	836	403,141	626	72.9	69.4-76.4	210	27.1	23.6-30.6
65+	900	321,722	704	77.8	74.7-80.9	196	22.2	19.1-25.3
Less Than H.S.	137	100,602	86	61.1	51.7-70.5	51	38.9	29.5-48.3
H.S. or G.E.D.	654	298,056	475	72.1	68.2-76.0	179	27.9	24.0-31.8
Some Post-H.S.	546	274,420	411	73.9	69.6-78.2	135	26.1	21.8-30.4
College Graduate	713	229,737	577	80.6	77.3-83.9	136	19.4	16.1-22.7
Less than \$15,000	151	69,261	104	67.7	58.9-76.5	47	32.3	23.5-41.1
\$15,000- 24,999	261	117,712	181	66.4	59.1-73.7	80	33.6	26.3-40.9
\$25,000- 34,999	193	81,864	130	65.3	57.3-73.3	63	34.7	26.7-42.7
\$35,000- 49,999	254	108,699	201	78.0	71.9-84.1	53	22.0	15.9-28.1
\$50,000- 74,999	296	135,133	236	76.3	70.4-82.2	60	23.7	17.8-29.6
\$75,000+	479	219,955	390	82.4	78.7-86.1	89	17.6	13.9-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1961	1,348,903	1498	75.7	73.3-78.1	463	24.3	21.9-26.7
White/Non-Hisp	1542	1,031,613	1175	75.8	73.3-78.3	367	24.2	21.7-26.7
Black or Afr. Am./Non-Hisp	176	123,895	152	86.1	80.4-91.8	24	13.9	8.2-19.6
Hispanic	133	120,435	102	72.4	62.6-82.2	31	27.6	17.8-37.4
18-24	109	141,914	70	58.7	48.1-69.3	39	41.3	30.7-51.9
25-34	348	351,582	290	83.5	79.0-88.0	58	16.5	12.0-21.0
35-44	419	312,354	327	78.2	73.9-82.5	92	21.8	17.5-26.1
45-54	466	254,101	361	76.1	71.6-80.6	105	23.9	19.4-28.4
55-64	549	260,164	406	71.9	67.6-76.2	143	28.1	23.8-32.4
65+	70	28,787	44	67.7	55.9-79.5	26	32.3	20.5-44.1
Less Than H.S.	137	157,141	86	59.1	49.3-68.9	51	40.9	31.1-50.7
H.S. or G.E.D.	489	336,231	347	71.5	66.8-76.2	142	28.5	23.8-33.2
Some Post-H.S.	513	427,527	395	78.4	74.3-82.5	118	21.6	17.5-25.7
College Graduate	818	425,038	667	82.3	79.4-85.2	151	17.7	14.8-20.6
Less than \$15,000	158	115,998	106	62.6	53.2-72.0	52	37.4	28.0-46.8
\$15,000- 24,999	256	186,131	178	69.3	62.4-76.2	78	30.7	23.8-37.6
\$25,000- 34,999	146	106,262	108	75.5	67.3-83.7	38	24.5	16.3-32.7
\$35,000- 49,999	238	160,996	188	80.5	74.0-87.0	50	19.5	13.0-26.0
\$50,000- 74,999	308	208,038	247	81.2	76.3-86.1	61	18.8	13.9-23.7
\$75,000+	594	378,913	491	82.6	79.1-86.1	103	17.4	13.9-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)	
1 MALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2384	1,269,814	800	28.9	26.9-30.9	1584	71.1	69.1-73.1
White/Non-Hisp	2002	1,052,262	699	30.4	28.2-32.6	1303	69.6	67.4-71.8
Black or Afr. Am./Non-Hisp	173	103,255	48	23.1	15.8-30.4	125	76.9	69.6-84.2
Oth. Race/Non-Hisp.	54	25,595	18	21.5	9.7-33.3	36	78.5	66.7-90.3
Hispanic	77	53,012	9	13.3	3.1-23.5	68	86.7	76.5-96.9
40-44	209	179,459	12	6.2	2.7- 9.7	197	93.8	90.3-97.3
45-54	498	317,567	69	13.3	10.2-16.4	429	86.7	83.6-89.8
55-64	671	359,229	230	32.7	28.8-36.6	441	67.3	63.4-71.2
65+	1006	413,559	489	47.4	43.9-50.9	517	52.6	49.1-56.1
Less Than H.S.	165	146,714	26	14.9	9.0-20.8	139	85.1	79.2-91.0
H.S. or G.E.D.	766	420,731	194	21.9	18.8-25.0	572	78.1	75.0-81.2
Some Post-H.S.	605	370,845	213	32.0	27.9-36.1	392	68.0	63.9-72.1
College Graduate	844	330,377	366	40.4	36.7-44.1	478	59.6	55.9-63.3
Less than \$15,000	126	66,585	24	18.6	11.0-26.2	102	81.4	73.8-89.0
\$15,000- 24,999	278	150,353	64	20.1	14.8-25.4	214	79.9	74.6-85.2
\$25,000- 34,999	189	93,089	50	25.1	18.2-32.0	139	74.9	68.0-81.8
\$35,000- 49,999	309	159,579	108	30.7	24.8-36.6	201	69.3	63.4-75.2
\$50,000- 74,999	348	194,478	122	29.6	24.3-34.9	226	70.4	65.1-75.7
\$75,000+	785	428,188	314	33.8	30.3-37.3	471	66.2	62.7-69.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)	
1	MALES AND FEMALES	149
2	MALES ONLY	150
3	FEMALES ONLY	151
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)	
4	MALES AND FEMALES	152
5	MALES ONLY	153
6	FEMALES ONLY	154
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)	
7	MALES AND FEMALES	155
8	MALES ONLY	156
9	FEMALES ONLY	157
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLDS4)	
10	MALES AND FEMALES	158
11	MALES ONLY	159
12	FEMALES ONLY	160
	RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)	
13	MALES AND FEMALES	161
14	MALES ONLY	162
15	FEMALES ONLY	163
	RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)	
16	MALES AND FEMALES	164
17	MALES ONLY	165
18	FEMALES ONLY	166
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)	
19	MALES AND FEMALES	167
20	MALES ONLY	168
21	FEMALES ONLY	169
	RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)	
22	MALES AND FEMALES	170

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
23	MALES ONLY	171
24	FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3782	1,774,585	2486	63.4	61.6-65.2	226	5.8	5.0- 6.6	1070	30.8	29.0-32.6
Male	1696	857,189	1065	60.8	58.1-63.5	86	4.6	3.4- 5.8	545	34.6	32.1-37.1
Female	2086	917,396	1421	65.8	63.4-68.2	140	6.9	5.5- 8.3	525	27.3	24.9-29.7
White/Non-Hisp	3203	1,514,289	2122	64.5	62.5-66.5	191	5.7	4.7- 6.7	890	29.9	28.1-31.7
Black or Afr. Am./Non-Hisp	313	137,585	203	59.7	52.6-66.8	22	7.4	3.5-11.3	88	32.9	26.0-39.8
Oth. Race/Non-Hisp.	75	31,834	51	62.9	48.8-77.0	3	4.3	0.0-11.0	21	32.8	19.1-46.5
MultiRacial/Non-Hisp.	54	14,828	38	70.1	55.4-84.8	3	5.4	0.0-12.1	13	24.6	10.7-38.5
Hispanic	88	50,248	44	47.6	35.3-59.9	5	6.2	0.3-12.1	39	46.3	34.0-58.6
50-54	589	360,907	280	46.4	41.9-50.9	15	2.8	1.2- 4.4	294	50.8	46.3-55.3
55-64	1541	777,115	989	62.8	60.1-65.5	99	6.6	5.2- 8.0	453	30.6	28.1-33.1
65+	1652	636,564	1217	73.7	71.2-76.2	112	6.5	5.1- 7.9	323	19.7	17.5-21.9
Less Than H.S.	260	205,329	132	49.0	42.1-55.9	18	8.2	4.3-12.1	110	42.9	36.0-49.8
H.S. or G.E.D.	1211	591,658	745	60.6	57.5-63.7	76	6.0	4.4- 7.6	390	33.4	30.5-36.3
Some Post-H.S.	994	528,392	674	66.2	62.9-69.5	47	4.2	2.8- 5.6	273	29.5	26.2-32.8
College Graduate	1311	445,880	931	70.4	67.7-73.1	85	6.4	4.8- 8.0	295	23.2	20.7-25.7
Less than \$15,000	264	128,890	163	58.9	51.8-66.0	15	5.2	2.3- 8.1	86	35.9	29.0-42.8
\$15,000- 24,999	476	230,688	269	52.4	46.9-57.9	26	6.7	3.6- 9.8	181	40.9	35.6-46.2
\$25,000- 34,999	333	150,075	200	54.9	48.4-61.4	21	6.8	3.5-10.1	112	38.3	31.8-44.8
\$35,000- 49,999	473	216,701	326	71.0	66.3-75.7	31	4.8	2.8- 6.8	116	24.2	19.7-28.7
\$50,000- 74,999	546	262,632	375	65.4	60.7-70.1	36	6.1	3.9- 8.3	135	28.5	24.0-33.0
\$75,000+	1022	490,386	716	68.1	64.8-71.4	59	5.5	3.9- 7.1	247	26.5	23.4-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1696	857,189	1065	60.8	58.1-63.5	86	4.6	3.4- 5.8	545	34.6	32.1-37.1
White/Non-Hisp	1433	723,604	907	61.6	58.7-64.5	71	4.3	3.1- 5.5	455	34.1	31.4-36.8
Black or Afr. Am./Non-Hisp	127	69,398	73	56.3	45.9-66.7	9	7.2	1.1-13.3	45	36.5	26.5-46.5
50-54	275	182,591	125	45.0	38.5-51.5	4	1.3	0.0- 2.7	146	53.7	47.2-60.2
55-64	712	378,736	419	58.1	54.0-62.2	42	5.7	3.7- 7.7	251	36.1	32.2-40.0
65+	709	295,862	521	73.9	70.2-77.6	40	5.2	3.2- 7.2	148	20.9	17.4-24.4
Less Than H.S.	121	104,485	55	45.4	35.6-55.2	8	6.5	1.6-11.4	58	48.1	38.1-58.1
H.S. or G.E.D.	544	289,097	311	57.1	52.6-61.6	28	4.6	2.6- 6.6	205	38.3	33.8-42.8
Some Post-H.S.	442	249,563	283	63.1	58.2-68.0	23	4.0	2.2- 5.8	136	32.9	28.0-37.8
College Graduate	586	212,984	414	70.5	66.4-74.6	27	4.5	2.7- 6.3	145	25.1	21.2-29.0
Less than \$15,000	106	56,387	56	48.5	37.3-59.7	6	5.9	1.0-10.8	44	45.6	34.2-57.0
\$15,000- 24,999	208	107,600	113	50.9	43.1-58.7	7	2.3	0.0- 5.0	88	46.8	39.0-54.6
\$25,000- 34,999	140	68,569	69	42.6	33.2-52.0	12	7.8	2.7-12.9	59	49.6	39.8-59.4
\$35,000- 49,999	212	105,978	142	71.0	64.3-77.7	10	3.1	0.9- 5.3	60	25.8	19.3-32.3
\$50,000- 74,999	249	126,867	162	63.1	56.2-70.0	13	4.9	2.0- 7.8	74	32.0	25.3-38.7
\$75,000+	541	270,879	375	66.5	62.0-71.0	23	4.1	2.3- 5.9	143	29.4	25.1-33.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2086	917,396	1421	65.8	63.4-68.2	140	6.9	5.5- 8.3	525	27.3	24.9-29.7
White/Non-Hisp	1770	790,685	1215	67.1	64.6-69.6	120	6.9	5.5- 8.3	435	26.0	23.6-28.4
Black or Afr. Am./Non-Hisp	186	68,187	130	63.2	53.6-72.8	13	7.7	2.8-12.6	43	29.2	19.8-38.6
50-54	314	178,315	155	47.9	41.6-54.2	11	4.4	1.5- 7.3	148	47.7	41.4-54.0
55-64	829	398,379	570	67.2	63.5-70.9	57	7.4	5.2- 9.6	202	25.4	21.9-28.9
65+	943	340,702	696	73.6	70.3-76.9	72	7.7	5.7- 9.7	175	18.7	15.8-21.6
Less Than H.S.	139	100,844	77	52.7	43.3-62.1	10	9.8	3.5-16.1	52	37.4	28.2-46.6
H.S. or G.E.D.	667	302,561	434	64.0	59.9-68.1	48	7.3	5.1- 9.5	185	28.8	24.9-32.7
Some Post-H.S.	552	278,829	391	69.0	64.5-73.5	24	4.5	2.5- 6.5	137	26.5	22.2-30.8
College Graduate	725	232,896	517	70.3	66.6-74.0	58	8.1	5.7-10.5	150	21.6	18.3-24.9
Less than \$15,000	158	72,503	107	66.9	58.7-75.1	9	4.6	1.1- 8.1	42	28.4	20.4-36.4
\$15,000- 24,999	268	123,088	156	53.7	46.4-61.0	19	10.5	5.2-15.8	93	35.7	28.8-42.6
\$25,000- 34,999	193	81,506	131	65.2	57.2-73.2	9	6.0	1.7-10.3	53	28.8	21.0-36.6
\$35,000- 49,999	261	110,723	184	71.1	64.6-77.6	21	6.4	3.1- 9.7	56	22.6	16.7-28.5
\$50,000- 74,999	297	135,764	213	67.6	61.3-73.9	23	7.2	4.1-10.3	61	25.2	19.1-31.3
\$75,000+	481	219,506	341	70.1	65.4-74.8	36	7.1	4.6- 9.6	104	22.8	18.5-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3623	1,707,422	120	3.1	2.5- 3.7	270	6.3	5.5- 7.1	3233	90.6	89.6-91.6
Male	1617	819,380	61	3.7	2.7- 4.7	108	5.6	4.4- 6.8	1448	90.7	89.1-92.3
Female	2006	888,042	59	2.5	1.7- 3.3	162	7.1	5.9- 8.3	1785	90.5	89.1-91.9
White/Non-Hisp	3079	1,459,959	85	2.5	1.9- 3.1	236	6.7	5.7- 7.7	2758	90.8	89.6-92.0
Black or Afr. Am./Non-Hisp	293	132,054	17	6.0	2.9- 9.1	20	4.7	2.2- 7.2	256	89.3	85.4-93.2
Oth. Race/Non-Hisp.	67	28,107	4	11.0	0.2-21.8	5	3.6	0.0- 7.3	58	85.4	74.2-96.6
MultiRacial/Non-Hisp.	50	12,618	5	11.3	0.0-24.2	3	4.5	0.0-11.9	42	84.2	69.9-98.5
Hispanic	87	49,245	5	4.3	0.0- 8.6	4	4.9	0.0-10.0	78	90.8	84.1-97.5
50-54	580	354,011	14	1.6	0.6- 2.6	18	3.4	1.6- 5.2	548	95.0	93.0-97.0
55-64	1494	753,599	45	2.8	1.8- 3.8	74	4.5	3.3- 5.7	1375	92.7	91.3-94.1
65+	1549	599,812	61	4.3	3.1- 5.5	178	10.4	8.6-12.2	1310	85.4	83.4-87.4
Less Than H.S.	243	193,141	9	2.3	0.3- 4.3	8	3.4	0.7- 6.1	226	94.3	91.2-97.4
H.S. or G.E.D.	1152	564,982	43	3.6	2.4- 4.8	62	4.8	3.4- 6.2	1047	91.7	89.9-93.5
Some Post-H.S.	943	508,392	31	3.3	1.9- 4.7	70	6.9	5.1- 8.7	842	89.9	87.7-92.1
College Graduate	1281	438,673	37	2.6	1.6- 3.6	130	9.1	7.3-10.9	1114	88.3	86.3-90.3
Less than \$15,000	248	120,105	19	6.4	3.3- 9.5	9	2.6	0.6- 4.6	220	91.0	87.3-94.7
\$15,000- 24,999	452	220,162	14	2.9	1.3- 4.5	34	7.0	4.1- 9.9	404	90.2	86.9-93.5
\$25,000- 34,999	319	144,571	16	4.7	2.0- 7.4	24	5.1	2.7- 7.5	279	90.2	86.7-93.7
\$35,000- 49,999	457	209,207	7	1.4	0.0- 2.8	41	7.7	5.0-10.4	409	90.9	88.0-93.8
\$50,000- 74,999	527	257,053	15	2.9	1.3- 4.5	39	6.4	4.2- 8.6	473	90.7	88.0-93.4
\$75,000+	994	476,732	27	2.4	1.4- 3.4	85	7.2	5.4- 9.0	882	90.4	88.4-92.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1617	819,380	61	3.7	2.7- 4.7	108	5.6	4.4- 6.8	1448	90.7	89.1-92.3
White/Non-Hisp	1369	693,944	43	3.1	2.1- 4.1	93	5.8	4.4- 7.2	1233	91.1	89.5-92.7
Black or Afr. Am./Non-Hisp	123	67,155	8	5.8	1.5-10.1	9	5.0	1.1- 8.9	106	89.2	83.5-94.9
50-54	273	179,678	5	1.6	0.0- 3.2	7	2.7	0.5- 4.9	261	95.7	93.2-98.2
55-64	682	362,837	22	3.0	1.6- 4.4	28	4.1	2.3- 5.9	632	92.9	90.7-95.1
65+	662	276,865	34	6.1	3.7- 8.5	73	9.4	7.0-11.8	555	84.6	81.5-87.7
Less Than H.S.	111	97,357	5	3.4	0.0- 6.9	3	1.8	0.0- 3.8	103	94.8	90.9-98.7
H.S. or G.E.D.	518	275,932	22	4.1	2.3- 5.9	17	3.0	1.4- 4.6	479	92.9	90.5-95.3
Some Post-H.S.	419	238,103	21	4.8	2.4- 7.2	28	6.8	4.1- 9.5	370	88.4	84.9-91.9
College Graduate	567	207,568	13	2.2	1.0- 3.4	60	9.4	6.9-11.9	494	88.4	85.7-91.1
Less than \$15,000	101	53,600	12	9.7	3.8-15.6	1	0.6	0.0- 2.0	88	89.7	83.8-95.6
\$15,000- 24,999	193	99,776	6	3.0	0.5- 5.5	9	3.5	1.1- 5.9	178	93.5	90.0-97.0
\$25,000- 34,999	131	64,396	7	5.1	0.8- 9.4	7	2.9	0.2- 5.6	117	92.0	86.9-97.1
\$35,000- 49,999	205	101,508	3	1.5	0.0- 3.5	15	6.0	2.5- 9.5	187	92.5	88.6-96.4
\$50,000- 74,999	235	123,047	8	3.5	1.0- 6.0	18	6.5	3.2- 9.8	209	90.0	86.1-93.9
\$75,000+	525	262,296	15	2.6	1.2- 4.0	46	7.7	5.3-10.1	464	89.8	87.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2006	888,042	59	2.5	1.7- 3.3	162	7.1	5.9- 8.3	1785	90.5	89.1-91.9
White/Non-Hisp	1710	766,014	42	1.9	1.3- 2.5	143	7.5	6.1- 8.9	1525	90.6	89.0-92.2
Black or Afr. Am./Non-Hisp	170	64,899	9	6.2	1.7-10.7	11	4.3	1.0- 7.6	150	89.5	84.0-95.0
50-54	307	174,333	9	1.7	0.3- 3.1	11	4.1	1.2- 7.0	287	94.2	91.1-97.3
55-64	812	390,762	23	2.6	1.4- 3.8	46	5.0	3.4- 6.6	743	92.5	90.5-94.5
65+	887	322,947	27	2.7	1.5- 3.9	105	11.2	8.8-13.6	755	86.1	83.6-88.6
Less Than H.S.	132	95,784	4	1.1	0.0- 2.5	5	5.2	0.3-10.1	123	93.7	88.6-98.8
H.S. or G.E.D.	634	289,050	21	3.1	1.5- 4.7	45	6.5	4.3- 8.7	568	90.5	88.0-93.0
Some Post-H.S.	524	270,289	10	1.9	0.5- 3.3	42	7.0	4.6- 9.4	472	91.2	88.7-93.7
College Graduate	714	231,105	24	3.0	1.6- 4.4	70	8.8	6.4-11.2	620	88.3	85.6-91.0
Less than \$15,000	147	66,505	7	3.7	0.6- 6.8	8	4.2	0.9- 7.5	132	92.1	87.6-96.6
\$15,000- 24,999	259	120,386	8	2.7	0.5- 4.9	25	9.8	5.1-14.5	226	87.4	82.3-92.5
\$25,000- 34,999	188	80,175	9	4.3	0.8- 7.8	17	6.9	3.2-10.6	162	88.8	83.9-93.7
\$35,000- 49,999	252	107,700	4	1.4	0.0- 3.0	26	9.3	5.4-13.2	222	89.3	85.0-93.6
\$50,000- 74,999	292	134,006	7	2.3	0.1- 4.5	21	6.2	3.3- 9.1	264	91.4	87.9-94.9
\$75,000+	469	214,436	12	2.2	0.8- 3.6	39	6.6	4.2- 9.0	418	91.2	88.5-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3623	1,707,422	171	4.3	3.5- 5.1	219	5.1	4.3- 5.9	3233	90.6	89.6-91.6
Male	1617	819,380	92	5.3	4.1- 6.5	77	4.0	3.0- 5.0	1448	90.7	89.1-92.3
Female	2006	888,042	79	3.5	2.5- 4.5	142	6.1	4.9- 7.3	1785	90.5	89.1-91.9
White/Non-Hisp	3079	1,459,959	123	3.7	2.9- 4.5	198	5.5	4.7- 6.3	2758	90.8	89.6-92.0
Black or Afr. Am./Non-Hisp	293	132,054	26	8.4	4.9-11.9	11	2.3	0.5- 4.1	256	89.3	85.4-93.2
Oth. Race/Non-Hisp.	67	28,107	5	11.9	1.1-22.7	4	2.7	0.0- 5.8	58	85.4	74.2-96.6
MultiRacial/Non-Hisp.	50	12,618	6	15.2	0.9-29.5	2	0.6	0.0- 1.4	42	84.2	69.9-98.5
Hispanic	87	49,245	6	5.2	0.5- 9.9	3	4.0	0.0- 8.9	78	90.8	84.1-97.5
50-54	580	354,011	21	3.1	1.5- 4.7	11	1.9	0.7- 3.1	548	95.0	93.0-97.0
55-64	1494	753,599	59	3.7	2.7- 4.7	60	3.7	2.7- 4.7	1375	92.7	91.3-94.1
65+	1549	599,812	91	6.0	4.6- 7.4	148	8.7	7.1-10.3	1310	85.4	83.4-87.4
Less Than H.S.	243	193,141	12	3.8	1.1- 6.5	5	1.9	0.1- 3.7	226	94.3	91.2-97.4
H.S. or G.E.D.	1152	564,982	55	4.4	3.0- 5.8	50	3.9	2.7- 5.1	1047	91.7	89.9-93.5
Some Post-H.S.	943	508,392	47	4.9	3.3- 6.5	54	5.3	3.7- 6.9	842	89.9	87.7-92.1
College Graduate	1281	438,673	57	3.9	2.7- 5.1	110	7.7	6.1- 9.3	1114	88.3	86.3-90.3
Less than \$15,000	248	120,105	21	7.1	3.8-10.4	7	1.9	0.1- 3.7	220	91.0	87.3-94.7
\$15,000- 24,999	452	220,162	22	4.9	2.4- 7.4	26	4.9	2.7- 7.1	404	90.2	86.9-93.5
\$25,000- 34,999	319	144,571	20	5.5	2.8- 8.2	20	4.3	1.9- 6.7	279	90.2	86.7-93.7
\$35,000- 49,999	457	209,207	16	2.9	1.1- 4.7	32	6.2	3.7- 8.7	409	90.9	88.0-93.8
\$50,000- 74,999	527	257,053	22	3.7	1.9- 5.5	32	5.5	3.3- 7.7	473	90.7	88.0-93.4
\$75,000+	994	476,732	41	3.9	2.5- 5.3	71	5.7	4.1- 7.3	882	90.4	88.4-92.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1617	819,380	92	5.3	4.1- 6.5	77	4.0	3.0- 5.0	1448	90.7	89.1-92.3
White/Non-Hisp	1369	693,944	67	4.7	3.5- 5.9	69	4.2	3.0- 5.4	1233	91.1	89.5-92.7
Black or Afr. Am./Non-Hisp	123	67,155	13	7.8	3.1-12.5	4	3.0	0.0- 6.3	106	89.2	83.5-94.9
50-54	273	179,678	8	2.5	0.7- 4.3	4	1.7	0.0- 3.5	261	95.7	93.2-98.2
55-64	682	362,837	32	4.4	2.6- 6.2	18	2.7	1.3- 4.1	632	92.9	90.7-95.1
65+	662	276,865	52	8.3	5.8-10.8	55	7.1	4.9- 9.3	555	84.6	81.5-87.7
Less Than H.S.	111	97,357	7	4.4	0.7- 8.1	1	0.8	0.0- 2.4	103	94.8	90.9-98.7
H.S. or G.E.D.	518	275,932	28	4.9	2.9- 6.9	11	2.2	0.8- 3.6	479	92.9	90.5-95.3
Some Post-H.S.	419	238,103	31	7.2	4.5- 9.9	18	4.4	2.2- 6.6	370	88.4	84.9-91.9
College Graduate	567	207,568	26	4.1	2.5- 5.7	47	7.6	5.2-10.0	494	88.4	85.7-91.1
Less than \$15,000	101	53,600	13	10.3	4.4-16.2				88	89.7	83.8-95.6
\$15,000- 24,999	193	99,776	9	4.1	1.4- 6.8	6	2.4	0.2- 4.6	178	93.5	90.0-97.0
\$25,000- 34,999	131	64,396	8	5.4	1.1- 9.7	6	2.6	0.0- 5.3	117	92.0	86.9-97.1
\$35,000- 49,999	205	101,508	10	4.0	1.1- 6.9	8	3.5	0.6- 6.4	187	92.5	88.6-96.4
\$50,000- 74,999	235	123,047	14	5.2	2.3- 8.1	12	4.8	1.9- 7.7	209	90.0	86.1-93.9
\$75,000+	525	262,296	25	4.6	2.6- 6.6	36	5.6	3.6- 7.6	464	89.8	87.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2006	888,042	79	3.5	2.5- 4.5	142	6.1	4.9- 7.3	1785	90.5	89.1-91.9
White/Non-Hisp	1710	766,014	56	2.8	1.8- 3.8	129	6.7	5.3- 8.1	1525	90.6	89.0-92.2
Black or Afr. Am./Non-Hisp	170	64,899	13	9.0	3.7-14.3	7	1.6	0.2- 3.0	150	89.5	84.0-95.0
50-54	307	174,333	13	3.7	1.0- 6.4	7	2.1	0.3- 3.9	287	94.2	91.1-97.3
55-64	812	390,762	27	3.0	1.6- 4.4	42	4.6	3.0- 6.2	743	92.5	90.5-94.5
65+	887	322,947	39	3.9	2.5- 5.3	93	10.0	7.6-12.4	755	86.1	83.6-88.6
Less Than H.S.	132	95,784	5	3.1	0.0- 7.2	4	3.1	0.0- 6.2	123	93.7	88.6-98.8
H.S. or G.E.D.	634	289,050	27	3.9	2.1- 5.7	39	5.6	3.6- 7.6	568	90.5	88.0-93.0
Some Post-H.S.	524	270,289	16	2.8	1.2- 4.4	36	6.0	3.8- 8.2	472	91.2	88.7-93.7
College Graduate	714	231,105	31	3.8	2.2- 5.4	63	7.9	5.5-10.3	620	88.3	85.6-91.0
Less than \$15,000	147	66,505	8	4.4	1.1- 7.7	7	3.4	0.3- 6.5	132	92.1	87.6-96.6
\$15,000- 24,999	259	120,386	13	5.6	1.7- 9.5	20	7.0	3.5-10.5	226	87.4	82.3-92.5
\$25,000- 34,999	188	80,175	12	5.5	1.8- 9.2	14	5.7	2.2- 9.2	162	88.8	83.9-93.7
\$35,000- 49,999	252	107,700	6	2.0	0.0- 4.0	24	8.7	4.8-12.6	222	89.3	85.0-93.6
\$50,000- 74,999	292	134,006	8	2.4	0.2- 4.6	20	6.2	3.3- 9.1	264	91.4	87.9-94.9
\$75,000+	469	214,436	16	2.9	1.3- 4.5	35	5.9	3.7- 8.1	418	91.2	88.5-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3751	1,760,908	346	8.9	7.9-9.9	757	18.4	17.0-19.8	2648	72.7	71.1-74.3
Male	1678	848,052	152	8.7	7.1-10.3	320	17.5	15.5-19.5	1206	73.8	71.4-76.2
Female	2073	912,856	194	9.0	7.6-10.4	437	19.2	17.2-21.2	1442	71.7	69.5-73.9
White/Non-Hisp	3178	1,505,025	280	8.7	7.5-9.9	643	18.1	16.5-19.7	2255	73.1	71.3-74.9
Black or Afr. Am./Non-Hisp	312	136,613	45	11.4	7.3-15.5	72	22.4	16.5-28.3	195	66.1	59.4-72.8
Oth. Race/Non-Hisp.	72	29,806	5	7.6	0.0-15.6	12	13.7	4.5-22.9	55	78.8	67.2-90.4
MultiRacial/Non-Hisp.	55	15,098	3	3.0	0.0-6.5	10	22.5	7.8-37.2	42	74.5	59.8-89.2
Hispanic	88	50,460	8	9.8	2.9-16.7	12	17.6	6.8-28.4	68	72.6	60.8-84.4
50-54	583	356,462	43	7.1	4.9-9.3	48	8.4	5.9-10.9	492	84.6	81.3-87.9
55-64	1530	771,588	112	7.2	5.8-8.6	277	17.5	15.3-19.7	1141	75.3	72.9-77.7
65+	1638	632,858	191	11.9	10.1-13.7	432	25.1	22.7-27.5	1015	63.0	60.3-65.7
Less Than H.S.	259	206,406	24	8.8	5.1-12.5	43	17.9	12.4-23.4	192	73.3	67.2-79.4
H.S. or G.E.D.	1194	579,853	118	9.4	7.6-11.2	209	15.8	13.6-18.0	867	74.8	72.1-77.5
Some Post-H.S.	991	526,368	100	9.4	7.4-11.4	226	20.7	18.0-23.4	665	69.9	66.8-73.0
College Graduate	1301	444,955	104	7.6	6.0-9.2	277	19.2	16.8-21.6	920	73.2	70.7-75.7
Less than \$15,000	258	127,134	25	10.1	6.0-14.2	54	17.6	12.1-23.1	179	72.3	66.0-78.6
\$15,000- 24,999	470	227,179	64	11.9	8.6-15.2	95	20.9	16.4-25.4	311	67.3	62.2-72.4
\$25,000- 34,999	331	149,639	32	9.1	5.6-12.6	76	19.5	14.8-24.2	223	71.4	65.9-76.9
\$35,000- 49,999	470	215,291	39	8.4	5.5-11.3	106	22.3	17.8-26.8	325	69.3	64.4-74.2
\$50,000- 74,999	540	259,153	51	8.7	6.2-11.2	108	17.9	14.4-21.4	381	73.4	69.3-77.5
\$75,000+	1016	487,070	70	7.0	5.2-8.8	171	14.6	12.2-17.0	775	78.3	75.6-81.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1678	848,052	152	8.7	7.1-10.3	320	17.5	15.5-19.5	1206	73.8	71.4-76.2
White/Non-Hisp	1419	717,476	121	8.4	6.8-10.0	272	17.0	14.8-19.2	1026	74.6	72.1-77.1
Black or Afr. Am./Non-Hisp	126	69,058	19	12.3	5.8-18.8	26	22.4	13.4-31.4	81	65.3	55.3-75.3
50-54	272	179,798	14	5.1	2.4- 7.8	22	7.4	4.1-10.7	236	87.5	83.4-91.6
55-64	704	373,657	51	7.0	4.8- 9.2	125	17.7	14.4-21.0	528	75.3	71.8-78.8
65+	702	294,597	87	13.1	10.2-16.0	173	23.4	19.9-26.9	442	63.6	59.5-67.7
Less Than H.S.	121	105,345	11	7.6	2.7-12.5	21	18.9	10.9-26.9	89	73.5	64.7-82.3
H.S. or G.E.D.	536	282,699	50	9.6	6.9-12.3	79	13.2	10.3-16.1	407	77.2	73.3-81.1
Some Post-H.S.	438	246,777	43	8.9	6.2-11.6	98	21.0	16.9-25.1	297	70.1	65.4-74.8
College Graduate	580	212,171	48	7.8	5.4-10.2	121	18.4	15.1-21.7	411	73.8	70.1-77.5
Less than \$15,000	102	54,857	12	10.8	4.5-17.1	22	19.3	10.1-28.5	68	69.9	59.5-80.3
\$15,000- 24,999	204	106,025	30	13.3	8.0-18.6	42	20.6	14.1-27.1	132	66.2	58.8-73.6
\$25,000- 34,999	138	67,590	13	9.7	4.0-15.4	28	17.0	10.3-23.7	97	73.3	65.1-81.5
\$35,000- 49,999	211	104,769	22	9.9	5.4-14.4	43	20.6	13.9-27.3	146	69.5	62.2-76.8
\$50,000- 74,999	246	125,057	21	8.4	4.5-12.3	44	16.5	11.6-21.4	181	75.0	68.9-81.1
\$75,000+	539	269,541	36	6.7	4.3- 9.1	91	14.5	11.4-17.6	412	78.8	75.1-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	912,856	194	9.0	7.6-10.4	437	19.2	17.2-21.2	1442	71.7	69.5-73.9
White/Non-Hisp	1759	787,548	159	9.0	7.4-10.6	371	19.2	17.0-21.4	1229	71.8	69.4-74.2
Black or Afr. Am./Non-Hisp	186	67,555	26	10.6	5.3-15.9	46	22.5	14.7-30.3	114	66.9	58.3-75.5
50-54	311	176,664	29	9.1	5.6-12.6	26	9.3	5.4-13.2	256	81.6	76.7-86.5
55-64	826	397,931	61	7.4	5.2- 9.6	152	17.3	14.4-20.2	613	75.3	72.0-78.6
65+	936	338,261	104	10.9	8.5-13.3	259	26.7	23.4-30.0	573	62.4	58.7-66.1
Less Than H.S.	138	101,060	13	10.0	4.1-15.9	22	16.9	9.5-24.3	103	73.1	64.5-81.7
H.S. or G.E.D.	658	297,154	68	9.2	6.8-11.6	130	18.3	15.0-21.6	460	72.5	68.8-76.2
Some Post-H.S.	553	279,591	57	9.9	7.2-12.6	128	20.4	16.7-24.1	368	69.7	65.4-74.0
College Graduate	721	232,784	56	7.4	5.2- 9.6	156	20.0	16.9-23.1	509	72.6	69.1-76.1
Less than \$15,000	156	72,277	13	9.6	3.9-15.3	32	16.3	9.8-22.8	111	74.2	66.6-81.8
\$15,000- 24,999	266	121,154	34	10.6	6.7-14.5	53	21.1	14.8-27.4	179	68.3	61.4-75.2
\$25,000- 34,999	193	82,049	19	8.6	4.3-12.9	48	21.6	14.9-28.3	126	69.8	62.4-77.2
\$35,000- 49,999	259	110,522	17	7.0	3.1-10.9	63	23.8	17.7-29.9	179	69.2	62.5-75.9
\$50,000- 74,999	294	134,096	30	9.0	5.5-12.5	64	19.2	14.1-24.3	200	71.8	66.1-77.5
\$75,000+	477	217,529	34	7.4	4.7-10.1	80	14.9	11.6-18.2	363	77.7	73.6-81.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3748	1,754,454	234	6.4	5.4- 7.4	90	2.2	1.6- 2.8	3424	91.4	90.4-92.4
Male	1674	844,256	95	5.7	4.5- 6.9	33	1.7	1.1- 2.3	1546	92.6	91.2-94.0
Female	2074	910,198	139	7.0	5.6- 8.4	57	2.6	1.8- 3.4	1878	90.4	88.8-92.0
White/Non-Hisp	3176	1,501,529	194	6.1	5.1- 7.1	73	2.1	1.5- 2.7	2909	91.8	90.6-93.0
Black or Afr. Am./Non-Hisp	312	135,044	27	10.7	6.2-15.2	13	3.8	0.9- 6.7	272	85.6	80.3-90.9
Oth. Race/Non-Hisp.	73	30,237	4	7.0	0.0-14.6	3	4.3	0.0- 9.4	66	88.7	79.7-97.7
MultiRacial/Non-Hisp.	54	14,971	3	2.9	0.0- 6.2	1	3.0	0.0- 8.7	50	94.1	87.4- 100
Hispanic	85	47,481	2	1.2	0.0- 2.8				83	98.8	97.2- 100
50-54	577	351,296	30	5.4	3.2- 7.6	5	1.2	0.2- 2.2	542	93.4	91.0-95.8
55-64	1521	766,784	81	5.6	4.2- 7.0	29	1.7	0.9- 2.5	1411	92.7	91.1-94.3
65+	1650	636,374	123	7.9	6.3- 9.5	56	3.2	2.2- 4.2	1471	88.8	87.0-90.6
Less Than H.S.	251	198,112	20	7.4	3.9-10.9	7	2.8	0.4- 5.2	224	89.8	85.7-93.9
H.S. or G.E.D.	1211	589,501	88	7.4	5.6- 9.2	34	2.1	1.3- 2.9	1089	90.5	88.7-92.3
Some Post-H.S.	981	519,881	61	5.9	4.3- 7.5	27	2.4	1.2- 3.6	893	91.6	89.6-93.6
College Graduate	1299	443,634	65	5.3	3.9- 6.7	22	1.6	0.8- 2.4	1212	93.1	91.5-94.7
Less than \$15,000	259	124,568	22	9.2	5.5-12.9	6	2.1	0.3- 3.9	231	88.7	84.8-92.6
\$15,000- 24,999	467	224,227	39	8.9	5.8-12.0	13	1.7	0.7- 2.7	415	89.3	86.0-92.6
\$25,000- 34,999	333	150,971	30	10.4	6.5-14.3	13	4.0	1.5- 6.5	290	85.6	81.1-90.1
\$35,000- 49,999	470	216,494	26	5.4	3.0- 7.8	11	2.5	0.7- 4.3	433	92.1	89.2-95.0
\$50,000- 74,999	544	261,032	25	4.6	2.4- 6.8	13	2.4	0.8- 4.0	506	93.0	90.5-95.5
\$75,000+	1011	485,070	39	4.0	2.6- 5.4	12	1.2	0.4- 2.0	960	94.8	93.2-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1674	844,256	95	5.7	4.5- 6.9	33	1.7	1.1- 2.3	1546	92.6	91.2-94.0
White/Non-Hisp	1416	714,536	73	4.9	3.7- 6.1	27	1.5	0.9- 2.1	1316	93.5	92.1-94.9
Black or Afr. Am./Non-Hisp	126	69,045	15	14.8	7.0-22.6	5	4.2	0.0- 8.9	106	81.0	72.4-89.6
50-54	270	178,287	10	3.8	1.3- 6.3	2	0.7	0.0- 1.9	258	95.5	92.8-98.2
55-64	697	370,471	41	6.3	4.1- 8.5	10	1.0	0.2- 1.8	646	92.7	90.5-94.9
65+	707	295,499	44	6.2	4.2- 8.2	21	3.1	1.5- 4.7	642	90.7	88.2-93.2
Less Than H.S.	115	99,135	8	6.4	1.9-10.9	4	2.9	0.0- 6.2	103	90.8	85.3-96.3
H.S. or G.E.D.	545	287,545	28	5.3	3.1- 7.5	8	1.1	0.3- 1.9	509	93.7	91.3-96.1
Some Post-H.S.	435	245,824	31	6.8	4.3- 9.3	13	2.4	1.0- 3.8	391	90.8	87.9-93.7
College Graduate	576	210,693	28	4.8	2.8- 6.8	8	1.2	0.4- 2.0	540	94.0	92.0-96.0
Less than \$15,000	102	52,649	10	9.7	3.4-16.0	2	1.8	0.0- 4.3	90	88.5	81.8-95.2
\$15,000- 24,999	201	104,141	15	7.9	3.8-12.0	4	1.4	0.0- 2.8	182	90.7	86.4-95.0
\$25,000- 34,999	141	69,184	13	10.4	4.5-16.3	4	2.0	0.0- 4.2	124	87.7	81.4-94.0
\$35,000- 49,999	212	106,097	13	5.2	2.1- 8.3	5	2.3	0.1- 4.5	194	92.5	88.6-96.4
\$50,000- 74,999	247	125,168	15	6.0	2.5- 9.5	9	2.6	0.8- 4.4	223	91.4	87.5-95.3
\$75,000+	538	270,179	16	2.8	1.2- 4.4	3	0.5	0.0- 1.1	519	96.7	95.1-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2074	910,198	139	7.0	5.6- 8.4	57	2.6	1.8- 3.4	1878	90.4	88.8-92.0
White/Non-Hisp	1760	786,994	121	7.2	5.8- 8.6	46	2.5	1.7- 3.3	1593	90.2	88.6-91.8
Black or Afr. Am./Non-Hisp	186	65,999	12	6.4	1.9-10.9	8	3.3	0.0- 6.6	166	90.3	85.0-95.6
50-54	307	173,009	20	7.1	3.6-10.6	3	1.6	0.0- 3.4	284	91.3	87.4-95.2
55-64	824	396,312	40	5.0	3.2- 6.8	19	2.4	1.2- 3.6	765	92.7	90.7-94.7
65+	943	340,876	79	9.4	7.2-11.6	35	3.3	1.9- 4.7	829	87.2	84.7-89.7
Less Than H.S.	136	98,977	12	8.4	2.9-13.9	3	2.8	0.0- 6.1	121	88.8	82.5-95.1
H.S. or G.E.D.	666	301,956	60	9.4	6.9-11.9	26	3.1	1.7- 4.5	580	87.5	84.8-90.2
Some Post-H.S.	546	274,057	30	5.2	3.0- 7.4	14	2.5	0.9- 4.1	502	92.4	89.9-94.9
College Graduate	723	232,941	37	5.6	3.6- 7.6	14	2.0	0.8- 3.2	672	92.3	89.9-94.7
Less than \$15,000	157	71,919	12	8.9	4.6-13.2	4	2.3	0.0- 4.7	141	88.8	83.9-93.7
\$15,000- 24,999	266	120,086	24	9.8	5.1-14.5	9	2.0	0.4- 3.6	233	88.2	83.3-93.1
\$25,000- 34,999	192	81,787	17	10.5	5.2-15.8	9	5.7	1.6- 9.8	166	83.8	77.5-90.1
\$35,000- 49,999	258	110,397	13	5.6	2.3- 8.9	6	2.8	0.1- 5.5	239	91.6	87.3-95.9
\$50,000- 74,999	297	135,864	10	3.2	1.0- 5.4	4	2.3	0.0- 4.7	283	94.5	91.4-97.6
\$75,000+	473	214,891	23	5.6	3.1- 8.1	9	2.0	0.6- 3.4	441	92.4	89.5-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3687	1,731,696	93	2.5	1.9- 3.1	57	1.5	1.1- 1.9	3537	96.0	95.2-96.8
Male	1652	835,804	53	3.2	2.2- 4.2	24	1.3	0.7- 1.9	1575	95.5	94.3-96.7
Female	2035	895,892	40	1.9	1.3- 2.5	33	1.7	1.1- 2.3	1962	96.5	95.5-97.5
White/Non-Hisp	3132	1,482,518	62	1.9	1.3- 2.5	45	1.4	1.0- 1.8	3025	96.7	96.1-97.3
Black or Afr. Am./Non-Hisp	300	131,507	20	7.8	4.1-11.5	8	3.3	0.4- 6.2	272	88.9	84.4-93.4
Oth. Race/Non-Hisp.	69	29,048	2	4.5	0.0-11.2	2	2.5	0.0- 7.0	65	93.0	85.0- 100
MultiRacial/Non-Hisp.	52	14,341	5	14.2	0.0-28.9	1	3.1	0.0- 9.0	46	82.7	67.4-98.0
Hispanic	86	49,323	1	1.6	0.0- 4.7	1	0.5	0.0- 1.5	84	97.9	94.6- 100
50-54	576	352,262	7	1.2	0.2- 2.2	4	0.6	0.0- 1.2	565	98.2	97.0-99.4
55-64	1496	756,137	39	2.3	1.5- 3.1	17	1.1	0.5- 1.7	1440	96.6	95.6-97.6
65+	1615	623,297	47	3.5	2.3- 4.7	36	2.5	1.5- 3.5	1532	94.0	92.6-95.4
Less Than H.S.	246	195,627	15	4.4	2.0- 6.8	4	1.9	0.0- 3.9	227	93.7	90.6-96.8
H.S. or G.E.D.	1181	578,044	34	2.8	1.8- 3.8	25	2.1	1.3- 2.9	1122	95.1	93.7-96.5
Some Post-H.S.	969	514,998	26	2.5	1.5- 3.5	21	1.7	0.9- 2.5	922	95.9	94.5-97.3
College Graduate	1286	439,906	18	1.4	0.8- 2.0	7	0.4	0.0- 0.8	1261	98.3	97.5-99.1
Less than \$15,000	252	123,556	16	6.1	3.2- 9.0	7	2.6	0.6- 4.6	229	91.3	87.8-94.8
\$15,000- 24,999	458	220,503	18	3.5	1.7- 5.3	8	1.3	0.3- 2.3	432	95.2	93.0-97.4
\$25,000- 34,999	324	147,628	9	3.1	0.7- 5.5	8	2.7	0.3- 5.1	307	94.1	91.0-97.2
\$35,000- 49,999	466	213,739	16	3.7	1.7- 5.7	7	0.7	0.0- 1.5	443	95.6	93.4-97.8
\$50,000- 74,999	532	257,186	9	1.8	0.6- 3.0	6	1.0	0.2- 1.8	517	97.2	95.6-98.8
\$75,000+	1006	483,536	9	0.8	0.2- 1.4	10	1.0	0.2- 1.8	987	98.2	97.2-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1652	835,804	53	3.2	2.2- 4.2	24	1.3	0.7- 1.9	1575	95.5	94.3-96.7
White/Non-Hisp	1397	707,266	35	2.4	1.6- 3.2	20	1.1	0.5- 1.7	1342	96.5	95.5-97.5
Black or Afr. Am./Non-Hisp	125	67,872	9	8.4	2.7-14.1	3	3.7	0.0- 8.4	113	87.9	80.8-95.0
50-54	271	179,132	6	1.9	0.3- 3.5				265	98.1	96.5-99.7
55-64	688	365,792	20	2.9	1.5- 4.3	6	1.0	0.2- 1.8	662	96.2	94.6-97.8
65+	693	290,880	27	4.5	2.7- 6.3	18	2.5	1.1- 3.9	648	93.0	90.6-95.4
Less Than H.S.	112	99,458	7	5.2	1.3- 9.1	1	1.5	0.0- 4.4	104	93.4	88.5-98.3
H.S. or G.E.D.	533	282,776	20	3.2	1.6- 4.8	11	1.8	0.6- 3.0	502	95.0	93.0-97.0
Some Post-H.S.	432	243,992	15	3.5	1.5- 5.5	9	1.5	0.3- 2.7	408	95.0	92.8-97.2
College Graduate	573	208,723	11	1.9	0.7- 3.1	3	0.4	0.0- 0.8	559	97.7	96.3-99.1
Less than \$15,000	99	53,120	7	6.0	1.1-10.9	3	2.9	0.0- 6.0	89	91.1	85.4-96.8
\$15,000- 24,999	200	103,246	9	4.1	1.2- 7.0	3	0.9	0.0- 1.9	188	95.0	91.9-98.1
\$25,000- 34,999	138	67,063	7	5.4	1.1- 9.7	3	1.1	0.0- 2.7	128	93.5	88.8-98.2
\$35,000- 49,999	209	104,277	12	5.9	2.4- 9.4	4	0.8	0.0- 1.6	193	93.3	89.6-97.0
\$50,000- 74,999	244	124,532	6	2.4	0.2- 4.6	3	1.0	0.0- 2.2	235	96.5	94.1-98.9
\$75,000+	532	267,578	4	0.8	0.0- 1.6	4	0.9	0.0- 1.9	524	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	895,892	40	1.9	1.3- 2.5	33	1.7	1.1- 2.3	1962	96.5	95.5-97.5
White/Non-Hisp	1735	775,252	27	1.5	0.9- 2.1	25	1.6	1.0- 2.2	1683	96.9	95.9-97.9
Black or Afr. Am./Non-Hisp	175	63,635	11	7.2	2.5-11.9	5	2.8	0.0- 5.9	159	90.0	84.3-95.7
50-54	305	173,130	1	0.5	0.0- 1.5	4	1.1	0.0- 2.5	300	98.4	96.8- 100
55-64	808	390,345	19	1.8	0.8- 2.8	11	1.3	0.5- 2.1	778	97.0	95.8-98.2
65+	922	332,417	20	2.7	1.5- 3.9	18	2.5	1.1- 3.9	884	94.8	93.0-96.6
Less Than H.S.	134	96,169	8	3.7	1.0- 6.4	3	2.3	0.0- 5.2	123	94.1	90.2-98.0
H.S. or G.E.D.	648	295,268	14	2.4	1.0- 3.8	14	2.5	1.1- 3.9	620	95.1	93.1-97.1
Some Post-H.S.	537	271,006	11	1.5	0.5- 2.5	12	1.8	0.6- 3.0	514	96.7	95.1-98.3
College Graduate	713	231,183	7	0.9	0.1- 1.7	4	0.3	0.0- 0.7	702	98.8	98.0-99.6
Less than \$15,000	153	70,435	9	6.2	2.5- 9.9	4	2.4	0.0- 4.8	140	91.3	86.8-95.8
\$15,000- 24,999	258	117,256	9	3.0	0.6- 5.4	5	1.7	0.0- 3.5	244	95.4	92.5-98.3
\$25,000- 34,999	186	80,565	2	1.3	0.0- 3.3	5	4.1	0.2- 8.0	179	94.6	90.3-98.9
\$35,000- 49,999	257	109,462	4	1.6	0.0- 3.2	3	0.7	0.0- 1.7	250	97.7	95.7-99.7
\$50,000- 74,999	288	132,654	3	1.2	0.0- 2.6	3	1.0	0.0- 2.4	282	97.8	96.0-99.6
\$75,000+	474	215,958	5	0.7	0.0- 1.5	6	1.2	0.0- 2.4	463	98.1	96.7-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 19: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4196	1,971,495	18	0.4	0.2- 0.6	1872	41.9	40.1-43.7	2306	57.7	55.9-59.5
Male	1896	960,370	10	0.5	0.1- 0.9	841	42.1	39.6-44.6	1045	57.4	54.9-59.9
Female	2300	1,011,125	8	0.2	0.0- 0.4	1031	41.8	39.4-44.2	1261	58.0	55.6-60.4
White/Non-Hisp	3513	1,662,981	8	0.2	0.0- 0.4	1535	40.8	39.0-42.6	1970	59.0	57.2-60.8
Black or Afr. Am./Non-Hisp	364	161,621	8	2.1	0.3- 3.9	190	49.1	42.6-55.6	166	48.8	42.1-55.5
Oth. Race/Non-Hisp.	86	35,805				41	48.7	35.2-62.2	45	51.3	37.8-64.8
MultiRacial/Non-Hisp.	58	15,656				23	45.1	28.8-61.4	35	54.9	38.6-71.2
Hispanic	107	59,416	1	0.7	0.0- 2.1	46	44.9	33.5-56.3	60	54.4	43.0-65.8
50-54	650	399,629	4	0.4	0.0- 0.8	183	28.0	24.1-31.9	463	71.6	67.7-75.5
55-64	1711	863,835	4	0.2	0.0- 0.4	675	38.6	36.1-41.1	1032	61.2	58.7-63.7
65+	1835	708,030	10	0.5	0.1- 0.9	1014	53.8	51.1-56.5	811	45.6	42.9-48.3
Less Than H.S.	290	230,877	1	0.2	0.0- 0.6	114	39.2	32.9-45.5	175	60.6	54.3-66.9
H.S. or G.E.D.	1385	676,723	11	0.7	0.3- 1.1	606	41.8	38.9-44.7	768	57.5	54.6-60.4
Some Post-H.S.	1091	577,855	1	0.1	0.0- 0.3	519	43.9	40.6-47.2	571	56.1	52.8-59.4
College Graduate	1424	482,714	5	0.3	0.0- 0.7	630	41.2	38.5-43.9	789	58.5	55.6-61.4
Less than \$15,000	283	137,255	6	1.6	0.2- 3.0	122	39.0	32.3-45.7	155	59.4	52.7-66.1
\$15,000- 24,999	521	250,305	1	0.0	0.0- 0.0	252	45.7	40.6-50.8	268	54.3	49.2-59.4
\$25,000- 34,999	367	164,854	4	1.2	0.0- 2.6	173	40.8	34.9-46.7	190	58.0	52.1-63.9
\$35,000- 49,999	508	232,269				221	42.7	37.6-47.8	287	57.3	52.2-62.4
\$50,000- 74,999	574	276,005	1	0.2	0.0- 0.6	237	37.5	33.0-42.0	336	62.4	57.9-66.9
\$75,000+	1088	523,250	4	0.3	0.0- 0.7	402	34.6	31.5-37.7	682	65.0	61.9-68.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 20: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1896	960,370	10	0.5	0.1- 0.9	841	42.1	39.6-44.6	1045	57.4	54.9-59.9
White/Non-Hisp	1581	800,314	3	0.2	0.0- 0.4	686	40.6	37.9-43.3	892	59.2	56.5-61.9
Black or Afr. Am./Non-Hisp	146	79,657	6	3.6	0.5- 6.7	68	46.2	36.6-55.8	72	50.2	40.6-59.8
Hispanic	58	33,721	1	1.3	0.0- 3.8	27	43.6	28.1-59.1	30	55.1	39.6-70.6
50-54	307	204,765	1	0.4	0.0- 1.2	81	25.9	20.6-31.2	225	73.7	68.4-79.0
55-64	794	420,907	3	0.3	0.0- 0.7	318	39.7	36.0-43.4	473	60.1	56.4-63.8
65+	795	334,697	6	0.8	0.0- 1.6	442	55.1	51.2-59.0	347	44.1	40.2-48.0
Less Than H.S.	136	118,759	1	0.4	0.0- 1.2	56	40.9	31.9-49.9	79	58.7	49.5-67.9
H.S. or G.E.D.	635	336,032	6	1.0	0.2- 1.8	265	39.9	35.8-44.0	364	59.1	55.0-63.2
Some Post-H.S.	484	272,737	1	0.1	0.0- 0.3	233	45.5	40.6-50.4	250	54.4	49.5-59.3
College Graduate	638	231,783	2	0.4	0.0- 1.0	285	41.7	37.6-45.8	351	58.0	53.9-62.1
Less than \$15,000	115	60,315	4	2.7	0.0- 5.4	51	40.0	29.6-50.4	60	57.3	46.7-67.9
\$15,000- 24,999	225	118,370				109	47.1	39.7-54.5	116	52.9	45.5-60.3
\$25,000- 34,999	155	77,124	2	1.7	0.0- 4.2	71	41.3	32.3-50.3	82	57.0	48.0-66.0
\$35,000- 49,999	231	114,169				100	42.8	35.5-50.1	131	57.2	49.9-64.5
\$50,000- 74,999	263	134,347	1	0.3	0.0- 0.9	108	37.7	31.2-44.2	154	62.0	55.5-68.5
\$75,000+	578	290,394	3	0.5	0.0- 1.1	215	34.6	30.3-38.9	360	64.9	60.6-69.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 21: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2300	1,011,125	8	0.2	0.0- 0.4	1031	41.8	39.4-44.2	1261	58.0	55.6-60.4
White/Non-Hisp	1932	862,667	5	0.2	0.0- 0.4	849	41.0	38.5-43.5	1078	58.9	56.4-61.4
Black or Afr. Am./Non-Hisp	218	81,964	2	0.7	0.0- 1.9	122	51.9	43.1-60.7	94	47.5	38.7-56.3
50-54	343	194,864	3	0.4	0.0- 0.8	102	30.2	24.7-35.7	238	69.4	63.9-74.9
55-64	917	442,927	1	0.1	0.0- 0.3	357	37.6	34.1-41.1	559	62.2	58.7-65.7
65+	1040	373,333	4	0.3	0.1- 0.5	572	52.8	49.3-56.3	464	47.0	43.5-50.5
Less Than H.S.	154	112,118				58	37.4	28.6-46.2	96	62.6	53.8-71.4
H.S. or G.E.D.	750	340,691	5	0.4	0.0- 0.8	341	43.6	39.5-47.7	404	55.9	51.8-60.0
Some Post-H.S.	607	305,118				286	42.4	37.9-46.9	321	57.6	53.1-62.1
College Graduate	786	250,931	3	0.3	0.0- 0.7	345	40.7	36.8-44.6	438	59.0	55.1-62.9
Less than \$15,000	168	76,940	2	0.7	0.0- 1.7	71	38.3	29.9-46.7	95	61.0	52.6-69.4
\$15,000- 24,999	296	131,936	1	0.0	0.0- 0.0	143	44.5	37.6-51.4	152	55.5	48.6-62.4
\$25,000- 34,999	212	87,730	2	0.7	0.0- 1.7	102	40.4	32.8-48.0	108	58.9	51.3-66.5
\$35,000- 49,999	277	118,099				121	42.7	35.8-49.6	156	57.3	50.4-64.2
\$50,000- 74,999	311	141,658				129	37.3	31.2-43.4	182	62.7	56.6-68.8
\$75,000+	510	232,856	1	0.1	0.0- 0.3	187	34.7	30.2-39.2	322	65.2	60.7-69.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3735	1,753,450	2749	71.2	69.4-73.0	285	7.3	6.3- 8.3	701	21.6	20.0-23.2
Male	1674	846,449	1173	67.5	65.0-70.0	121	6.6	5.2- 8.0	380	25.9	23.4-28.4
Female	2061	907,001	1576	74.6	72.2-77.0	164	7.9	6.5- 9.3	321	17.5	15.5-19.5
White/Non-Hisp	3165	1,499,750	2346	72.2	70.4-74.0	240	7.0	6.0- 8.0	579	20.8	19.0-22.6
Black or Afr. Am./Non-Hisp	310	135,278	224	66.7	59.6-73.8	29	10.6	6.1-15.1	57	22.8	16.5-29.1
Oth. Race/Non-Hisp.	74	30,937	55	72.0	58.9-85.1	4	3.1	0.0- 6.4	15	25.0	12.1-37.9
MultiRacial/Non-Hisp.	52	13,773	40	77.8	64.5-91.1	2	5.8	0.0-14.8	10	16.3	5.3-27.3
Hispanic	85	47,911	51	57.1	44.6-69.6	7	10.0	2.6-17.4	27	32.9	20.9-44.9
50-54	581	354,445	321	54.2	49.7-58.7	27	4.8	2.8- 6.8	233	41.0	36.5-45.5
55-64	1517	766,145	1074	69.4	66.7-72.1	127	8.5	6.9-10.1	316	22.2	19.8-24.6
65+	1637	632,860	1354	82.8	80.6-85.0	131	7.2	5.8- 8.6	152	10.0	8.2-11.8
Less Than H.S.	256	203,568	150	56.3	49.4-63.2	22	9.3	5.4-13.2	84	34.3	27.6-41.0
H.S. or G.E.D.	1186	579,488	834	69.1	66.2-72.0	86	6.7	5.1- 8.3	266	24.2	21.5-26.9
Some Post-H.S.	981	522,103	750	74.6	71.5-77.7	75	6.9	5.1- 8.7	156	18.5	15.6-21.4
College Graduate	1306	444,964	1011	76.8	74.3-79.3	102	7.5	5.9- 9.1	193	15.8	13.4-18.2
Less than \$15,000	256	126,340	179	66.1	59.0-73.2	18	7.3	3.6-11.0	59	26.6	19.9-33.3
\$15,000- 24,999	469	226,530	313	63.3	58.0-68.6	44	9.8	6.5-13.1	112	26.9	22.0-31.8
\$25,000- 34,999	330	148,931	222	62.6	56.1-69.1	30	8.2	4.9-11.5	78	29.2	22.9-35.5
\$35,000- 49,999	470	215,135	353	76.7	72.4-81.0	41	6.8	4.4- 9.2	76	16.6	12.7-20.5
\$50,000- 74,999	544	262,380	426	74.8	70.5-79.1	38	7.0	4.6- 9.4	80	18.2	14.3-22.1
\$75,000+	1012	484,039	763	73.9	70.8-77.0	67	6.3	4.7- 7.9	182	19.8	17.1-22.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1674	846,449	1173	67.5	65.0-70.0	121	6.6	5.2- 8.0	380	25.9	23.4-28.4
White/Non-Hisp	1416	715,953	998	68.2	65.5-70.9	100	6.2	4.8- 7.6	318	25.6	22.9-28.3
Black or Afr. Am./Non-Hisp	127	69,398	81	62.0	51.8-72.2	13	11.3	4.2-18.4	33	26.7	17.5-35.9
50-54	271	179,824	138	50.2	43.5-56.9	12	3.9	1.5- 6.3	121	45.9	39.2-52.6
55-64	700	371,943	458	64.3	60.4-68.2	56	7.7	5.5- 9.9	186	28.0	24.3-31.7
65+	703	294,682	577	82.1	78.8-85.4	53	6.7	4.5- 8.9	73	11.2	8.5-13.9
Less Than H.S.	119	104,008	62	50.8	40.8-60.8	10	8.7	3.2-14.2	47	40.5	30.7-50.3
H.S. or G.E.D.	532	281,523	340	63.2	58.7-67.7	37	6.2	4.0- 8.4	155	30.6	26.3-34.9
Some Post-H.S.	437	247,584	320	71.7	67.0-76.4	36	6.7	4.3- 9.1	81	21.6	17.1-26.1
College Graduate	583	212,274	449	76.4	72.5-80.3	38	5.8	3.8- 7.8	96	17.8	14.3-21.3
Less than \$15,000	103	54,758	63	55.2	43.6-66.8	7	8.7	2.2-15.2	33	36.2	24.8-47.6
\$15,000- 24,999	204	106,070	131	60.1	52.1-68.1	15	6.1	2.4- 9.8	58	33.8	26.0-41.6
\$25,000- 34,999	139	68,217	79	51.7	41.7-61.7	18	11.5	5.6-17.4	42	36.8	26.6-47.0
\$35,000- 49,999	210	104,714	158	77.5	71.4-83.6	15	4.9	2.0- 7.8	37	17.7	12.0-23.4
\$50,000- 74,999	249	127,280	187	72.5	66.0-79.0	15	6.2	2.9- 9.5	47	21.3	15.4-27.2
\$75,000+	536	268,251	393	70.4	65.9-74.9	32	5.5	3.3- 7.7	111	24.2	20.1-28.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 24: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2061	907,001	1576	74.6	72.4-76.8	164	7.9	6.5- 9.3	321	17.5	15.5-19.5
White/Non-Hisp	1749	783,797	1348	75.8	73.4-78.2	140	7.7	6.3- 9.1	261	16.4	14.4-18.4
Black or Afr. Am./Non-Hisp	183	65,880	143	71.6	62.4-80.8	16	9.7	3.8-15.6	24	18.7	10.3-27.1
50-54	310	174,621	183	58.4	52.1-64.7	15	5.6	2.7- 8.5	112	36.0	29.9-42.1
55-64	817	394,202	616	74.2	70.7-77.7	71	9.2	6.8-11.6	130	16.7	13.8-19.6
65+	934	338,178	777	83.4	80.7-86.1	78	7.6	5.6- 9.6	79	8.9	6.7-11.1
Less Than H.S.	137	99,561	88	62.1	52.9-71.3	12	10.0	4.3-15.7	37	27.9	19.3-36.5
H.S. or G.E.D.	654	297,965	494	74.6	70.9-78.3	49	7.2	5.0- 9.4	111	18.2	14.9-21.5
Some Post-H.S.	544	274,518	430	77.2	73.1-81.3	39	7.0	4.6- 9.4	75	15.8	12.1-19.5
College Graduate	723	232,690	562	77.1	73.6-80.6	64	9.0	6.5-11.5	97	13.9	11.2-16.6
Less than \$15,000	153	71,582	116	74.4	66.6-82.2	11	6.3	1.8-10.8	26	19.3	12.2-26.4
\$15,000- 24,999	265	120,460	182	66.2	59.3-73.1	29	13.0	7.9-18.1	54	20.8	15.1-26.5
\$25,000- 34,999	191	80,714	143	71.9	64.1-79.7	12	5.3	1.8- 8.8	36	22.8	15.4-30.2
\$35,000- 49,999	260	110,421	195	75.9	69.8-82.0	26	8.6	4.9-12.3	39	15.6	10.5-20.7
\$50,000- 74,999	295	135,099	239	77.0	71.1-82.9	23	7.7	4.2-11.2	33	15.3	10.0-20.6
\$75,000+	476	215,788	370	78.4	74.3-82.5	35	7.2	4.7- 9.7	71	14.4	10.9-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7200	4,432,079	2235	33.5	32.1-34.9	4965	66.5	65.1-67.9
Male	3246	2,154,341	1006	31.8	29.8-33.8	2240	68.2	66.2-70.2
Female	3954	2,277,738	1229	35.0	33.0-37.0	2725	65.0	63.0-67.0
White/Non-Hisp	5860	3,514,475	1631	30.4	29.0-31.8	4229	69.6	68.2-71.0
Black or Afr. Am./Non-Hisp	609	384,773	316	55.1	50.0-60.2	293	44.9	39.8-50.0
Oth. Race/Non-Hisp.	176	132,439	52	23.9	16.5-31.3	124	76.1	68.7-83.5
MultiRacial/Non-Hisp.	111	45,481	53	53.0	41.2-64.8	58	47.0	35.2-58.8
Hispanic	320	280,817	137	42.6	36.1-49.1	183	57.4	50.9-63.9
18-24	442	604,849	86	16.9	13.4-20.4	356	83.1	79.6-86.6
25-34	723	748,793	339	48.1	44.0-52.2	384	51.9	47.8-56.0
35-44	890	708,162	463	52.0	48.5-55.5	427	48.0	44.5-51.5
45-54	1175	691,121	471	38.5	35.4-41.6	704	61.5	58.4-64.6
55-64	1471	741,565	458	30.1	27.4-32.8	1013	69.9	67.2-72.6
65+	2499	937,587	418	17.4	15.6-19.2	2081	82.6	80.8-84.4
Less Than H.S.	504	509,488	187	38.1	33.2-43.0	317	61.9	57.0-66.8
H.S. or G.E.D.	2316	1,470,893	648	30.4	28.0-32.8	1668	69.6	67.2-72.0
Some Post-H.S.	1899	1,357,075	634	35.5	33.0-38.0	1265	64.5	62.0-67.0
College Graduate	2464	1,084,849	760	32.9	30.7-35.1	1704	67.1	64.9-69.3
Less than \$15,000	482	303,596	204	41.3	36.0-46.6	278	58.7	53.4-64.0
\$15,000- 24,999	935	581,766	343	40.7	36.8-44.6	592	59.3	55.4-63.2
\$25,000- 34,999	637	369,278	202	35.2	30.7-39.7	435	64.8	60.3-69.3
\$35,000- 49,999	896	541,757	288	34.2	30.3-38.1	608	65.8	61.9-69.7
\$50,000- 74,999	993	622,265	313	35.9	32.2-39.6	680	64.1	60.4-67.8
\$75,000+	1886	1,205,811	565	31.1	28.6-33.6	1321	68.9	66.4-71.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3246	2,154,341	1006	31.8	29.8-33.8	2240	68.2	66.2-70.2
White/Non-Hisp	2636	1,693,628	748	29.5	27.3-31.7	1888	70.5	68.3-72.7
Black or Afr. Am./Non-Hisp	243	182,840	131	54.1	46.5-61.7	112	45.9	38.3-53.5
Oth. Race/Non-Hisp.	89	72,505	26	22.5	12.1-32.9	63	77.5	67.1-87.9
Hispanic	159	136,332	53	31.8	23.6-40.0	106	68.2	60.0-76.4
18-24	245	314,031	34	12.4	8.1-16.7	211	87.6	83.3-91.9
25-34	364	380,000	146	42.1	36.4-47.8	218	57.9	52.2-63.6
35-44	419	352,411	176	42.6	37.3-47.9	243	57.4	52.1-62.7
45-54	538	341,539	213	39.2	34.7-43.7	325	60.8	56.3-65.3
55-64	677	359,979	227	32.7	28.8-36.6	450	67.3	63.4-71.2
65+	1003	406,382	210	20.9	18.0-23.8	793	79.1	76.2-82.0
Less Than H.S.	232	245,555	86	40.5	33.2-47.8	146	59.5	52.2-66.8
H.S. or G.E.D.	1081	764,042	317	28.9	25.8-32.0	764	71.1	68.0-74.2
Some Post-H.S.	840	650,592	287	33.4	29.7-37.1	553	66.6	62.9-70.3
College Graduate	1087	491,935	315	30.0	26.9-33.1	772	70.0	66.9-73.1
Less than \$15,000	176	116,291	89	47.3	38.5-56.1	87	52.7	43.9-61.5
\$15,000- 24,999	376	250,139	135	37.5	31.6-43.4	241	62.5	56.6-68.4
\$25,000- 34,999	268	170,309	76	28.5	22.2-34.8	192	71.5	65.2-77.8
\$35,000- 49,999	412	262,106	135	34.1	28.6-39.6	277	65.9	60.4-71.4
\$50,000- 74,999	464	315,839	147	34.3	29.2-39.4	317	65.7	60.6-70.8
\$75,000+	1025	688,910	287	29.0	25.7-32.3	738	71.0	67.7-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3954	2,277,738	1229	35.0	33.0-37.0	2725	65.0	63.0-67.0
White/Non-Hisp	3224	1,820,847	883	31.3	29.3-33.3	2341	68.7	66.7-70.7
Black or Afr. Am./Non-Hisp	366	201,932	185	55.9	49.0-62.8	181	44.1	37.2-51.0
Oth. Race/Non-Hisp.	87	59,934	26	25.7	14.7-36.7	61	74.3	63.3-85.3
MultiRacial/Non-Hisp.	62	22,707	30	55.4	40.5-70.3	32	44.6	29.7-59.5
Hispanic	161	144,486	84	52.9	43.5-62.3	77	47.1	37.7-56.5
18-24	197	290,818	52	21.8	15.9-27.7	145	78.2	72.3-84.1
25-34	359	368,793	193	54.2	48.5-59.9	166	45.8	40.1-51.5
35-44	471	355,752	287	61.2	56.3-66.1	184	38.8	33.9-43.7
45-54	637	349,582	258	37.9	33.8-42.0	379	62.1	58.0-66.2
55-64	794	381,586	231	27.7	24.2-31.2	563	72.3	68.8-75.8
65+	1496	531,206	208	14.8	12.4-17.2	1288	85.2	82.8-87.6
Less Than H.S.	272	263,933	101	35.8	29.1-42.5	171	64.2	57.5-70.9
H.S. or G.E.D.	1235	706,851	331	31.9	28.6-35.2	904	68.1	64.8-71.4
Some Post-H.S.	1059	706,483	347	37.5	34.0-41.0	712	62.5	59.0-66.0
College Graduate	1377	592,913	445	35.3	32.2-38.4	932	64.7	61.6-67.8
Less than \$15,000	306	187,305	115	37.6	31.1-44.1	191	62.4	55.9-68.9
\$15,000- 24,999	559	331,626	208	43.2	37.9-48.5	351	56.8	51.5-62.1
\$25,000- 34,999	369	198,969	126	40.9	34.4-47.4	243	59.1	52.6-65.6
\$35,000- 49,999	484	279,650	153	34.4	29.1-39.7	331	65.6	60.3-70.9
\$50,000- 74,999	529	306,426	166	37.6	32.5-42.7	363	62.4	57.3-67.5
\$75,000+	861	516,901	278	33.8	30.1-37.5	583	66.2	62.5-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2020**

End of Calculated Variable Data Report