

INDIANA

2021 Calculated Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9896	5,238,997	8092	83.3	82.5-84.1	1804	16.7	15.9-17.5
Male	4515	2,551,430	3728	84.4	83.2-85.6	787	15.6	14.4-16.8
Female	5381	2,687,567	4364	82.2	81.0-83.4	1017	17.8	16.6-19.0
White/Non-Hisp	7825	4,098,996	6462	83.9	82.9-84.9	1363	16.1	15.1-17.1
Black or Afr. Am./Non-Hisp	776	467,869	604	80.3	77.0-83.6	172	19.7	16.4-23.0
Oth. Race/Non-Hisp.	362	166,164	297	85.0	80.3-89.7	65	15.0	10.3-19.7
MultiRacial/Non-Hisp.	185	56,392	135	79.1	72.4-85.8	50	20.9	14.2-27.6
Hispanic	498	330,165	404	81.9	77.8-86.0	94	18.1	14.0-22.2
18-24	547	686,435	499	91.9	89.5-94.3	48	8.1	5.7-10.5
25-34	1039	875,888	916	87.3	84.9-89.7	123	12.7	10.3-15.1
35-44	1220	837,458	1068	87.1	84.9-89.3	152	12.9	10.7-15.1
45-54	1708	812,958	1433	83.3	81.3-85.3	275	16.7	14.7-18.7
55-64	1932	860,889	1491	76.9	74.7-79.1	441	23.1	20.9-25.3
65+	3450	1,165,369	2685	77.1	75.3-78.9	765	22.9	21.1-24.7
Less Than H.S.	593	590,701	368	69.8	65.7-73.9	225	30.2	26.1-34.3
H.S. or G.E.D.	2904	1,743,666	2218	80.6	79.0-82.2	686	19.4	17.8-21.0
Some Post-H.S.	2600	1,585,837	2106	84.0	82.4-85.6	494	16.0	14.4-17.6
College Graduate	3736	1,288,274	3344	91.8	90.8-92.8	392	8.2	7.2- 9.2
Less than \$15,000	494	277,716	256	56.4	50.9-61.9	238	43.6	38.1-49.1
\$15,000-24,999	885	438,012	577	69.4	65.9-72.9	308	30.6	27.1-34.1
\$25,000-34,999	1000	551,550	748	74.4	71.1-77.7	252	25.6	22.3-28.9
\$35,000-49,999	1119	580,283	918	84.3	81.9-86.7	201	15.7	13.3-18.1
\$50,000-99,999	2401	1,293,315	2142	90.4	89.0-91.8	259	9.6	8.2-11.0
\$100,000-199,999	1361	713,617	1269	94.0	92.4-95.6	92	6.0	4.4- 7.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4515	2,551,430	3728	84.4	83.2-85.6	787	15.6	14.4-16.8
White/Non-Hisp	3562	1,983,024	2963	84.8	83.4-86.2	599	15.2	13.8-16.6
Black or Afr. Am./Non-Hisp	292	221,745	237	85.6	81.1-90.1	55	14.4	9.9-18.9
Oth. Race/Non-Hisp.	198	88,686	161	83.2	76.3-90.1	37	16.8	9.9-23.7
MultiRacial/Non-Hisp.	88	25,508	66	80.6	71.6-89.6	22	19.4	10.4-28.4
Hispanic	252	167,142	208	82.8	77.1-88.5	44	17.2	11.5-22.9
18-24	291	353,229	270	93.6	90.7-96.5	21	6.4	3.5- 9.3
25-34	485	440,219	442	89.6	86.3-92.9	43	10.4	7.1-13.7
35-44	558	416,270	497	89.5	86.8-92.2	61	10.5	7.8-13.2
45-54	800	402,764	674	83.4	80.3-86.5	126	16.6	13.5-19.7
55-64	901	420,229	694	76.7	73.6-79.8	207	23.3	20.2-26.4
65+	1480	518,720	1151	76.9	74.4-79.4	329	23.1	20.6-25.6
Less Than H.S.	277	299,454	174	70.5	64.6-76.4	103	29.5	23.6-35.4
H.S. or G.E.D.	1366	900,935	1057	82.5	80.3-84.7	309	17.5	15.3-19.7
Some Post-H.S.	1090	707,430	897	85.8	83.6-88.0	193	14.2	12.0-16.4
College Graduate	1748	627,707	1570	92.2	90.8-93.6	178	7.8	6.4- 9.2
Less than \$15,000	211	129,982	113	59.0	50.8-67.2	98	41.0	32.8-49.2
\$15,000- 24,999	304	159,096	195	68.0	61.9-74.1	109	32.0	25.9-38.1
\$25,000- 34,999	417	246,201	315	76.3	71.2-81.4	102	23.7	18.6-28.8
\$35,000- 49,999	514	290,423	413	83.7	80.0-87.4	101	16.3	12.6-20.0
\$50,000- 99,999	1211	682,059	1077	90.6	88.6-92.6	134	9.4	7.4-11.4
\$100,000 - 199,999	717	391,917	661	93.3	91.1-95.5	56	6.7	4.5- 8.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5381	2,687,567	4364	82.2	81.0-83.4	1017	17.8	16.6-19.0
White/Non-Hisp	4263	2,115,972	3499	83.0	81.6-84.4	764	17.0	15.6-18.4
Black or Afr. Am./Non-Hisp	484	246,124	367	75.5	70.6-80.4	117	24.5	19.6-29.4
Oth. Race/Non-Hisp.	164	77,478	136	87.0	80.7-93.3	28	13.0	6.7-19.3
MultiRacial/Non-Hisp.	97	30,884	69	77.9	68.1-87.7	28	22.1	12.3-31.9
Hispanic	246	163,023	196	81.0	75.3-86.7	50	19.0	13.3-24.7
18-24	256	333,206	229	90.1	86.2-94.0	27	9.9	6.0-13.8
25-34	554	435,669	474	85.0	81.7-88.3	80	15.0	11.7-18.3
35-44	662	421,188	571	84.8	81.7-87.9	91	15.2	12.1-18.3
45-54	908	410,193	759	83.2	80.5-85.9	149	16.8	14.1-19.5
55-64	1031	440,661	797	77.1	74.2-80.0	234	22.9	20.0-25.8
65+	1970	646,650	1534	77.3	74.9-79.7	436	22.7	20.3-25.1
Less Than H.S.	316	291,247	194	69.1	63.4-74.8	122	30.9	25.2-36.6
H.S. or G.E.D.	1538	842,731	1161	78.7	76.3-81.1	377	21.3	18.9-23.7
Some Post-H.S.	1510	878,407	1209	82.6	80.4-84.8	301	17.4	15.2-19.6
College Graduate	1988	660,567	1774	91.5	90.3-92.7	214	8.5	7.3- 9.7
Less than \$15,000	283	147,735	143	54.1	46.7-61.5	140	45.9	38.5-53.3
\$15,000- 24,999	581	278,916	382	70.1	65.8-74.4	199	29.9	25.6-34.2
\$25,000- 34,999	583	305,349	433	72.8	68.3-77.3	150	27.2	22.7-31.7
\$35,000- 49,999	605	289,860	505	85.0	81.7-88.3	100	15.0	11.7-18.3
\$50,000- 99,999	1190	611,256	1065	90.2	88.2-92.2	125	9.8	7.8-11.8
\$100,000 - 199,999	644	321,700	608	95.0	93.0-97.0	36	5.0	3.0- 7.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9641	5,130,342	6295	66.0	64.8-67.2	2132	22.6	21.6-23.6	1214	11.3	10.5-12.1
Male	4414	2,510,607	3025	68.7	66.9-70.5	895	21.5	19.9-23.1	494	9.8	8.8-10.8
Female	5227	2,619,735	3270	63.4	61.8-65.0	1237	23.7	22.3-25.1	720	12.9	11.7-14.1
White/Non-Hisp	7633	4,017,166	4984	65.8	64.4-67.2	1698	22.7	21.5-23.9	951	11.5	10.7-12.3
Black or Afr. Am./Non-Hisp	756	458,184	478	64.3	60.0-68.6	168	23.3	19.4-27.2	110	12.5	9.8-15.2
Oth. Race/Non-Hisp.	351	161,953	234	69.1	62.8-75.4	81	24.7	18.8-30.6	36	6.2	3.5- 8.9
MultiRacial/Non-Hisp.	179	55,243	106	60.6	51.4-69.8	36	21.4	13.4-29.4	37	18.0	11.5-24.5
Hispanic	482	322,185	341	71.9	67.2-76.6	90	18.3	14.4-22.2	51	9.9	6.6-13.2
18-24	542	681,323	364	66.7	62.2-71.2	155	28.3	24.0-32.6	23	4.9	2.7- 7.1
25-34	1026	866,886	684	67.4	64.1-70.7	270	25.2	22.3-28.1	72	7.4	5.4- 9.4
35-44	1194	824,035	833	70.5	67.6-73.4	255	21.0	18.5-23.5	106	8.6	6.8-10.4
45-54	1675	798,131	1123	66.9	64.4-69.4	362	21.4	19.2-23.6	190	11.7	9.9-13.5
55-64	1883	838,756	1145	61.1	58.6-63.6	411	21.7	19.5-23.9	327	17.2	15.2-19.2
65+	3321	1,121,210	2146	64.3	62.3-66.3	679	20.0	18.4-21.6	496	15.7	14.1-17.3
Less Than H.S.	563	568,708	327	60.6	55.7-65.5	124	22.2	18.1-26.3	112	17.1	13.6-20.6
H.S. or G.E.D.	2802	1,703,930	1789	66.1	64.1-68.1	575	20.8	19.0-22.6	438	13.1	11.7-14.5
Some Post-H.S.	2535	1,555,840	1601	64.7	62.5-66.9	570	23.6	21.6-25.6	364	11.7	10.3-13.1
College Graduate	3681	1,270,393	2534	69.6	67.8-71.4	852	24.3	22.7-25.9	295	6.1	5.3- 6.9
Less than \$15,000	466	264,494	193	47.1	41.2-53.0	110	23.9	19.0-28.8	163	29.0	24.1-33.9
\$15,000-24,999	856	424,707	445	53.5	49.4-57.6	215	25.8	22.3-29.3	196	20.7	17.6-23.8
\$25,000-34,999	978	544,981	592	59.4	55.5-63.3	207	22.9	19.6-26.2	179	17.7	14.8-20.6
\$35,000-49,999	1090	566,212	689	64.5	61.0-68.0	259	23.3	20.4-26.2	142	12.3	9.9-14.7
\$50,000-99,999	2377	1,285,684	1699	71.7	69.3-74.1	507	22.2	20.0-24.4	171	6.2	5.2- 7.2
\$100,000-199,999	1352	708,929	984	72.9	70.0-75.8	296	22.8	20.1-25.5	72	4.3	3.1- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4414	2,510,607	3025	68.7	66.9-70.5	895	21.5	19.9-23.1	494	9.8	8.8-10.8
White/Non-Hisp	3496	1,955,596	2393	68.3	66.3-70.3	714	21.8	20.0-23.6	389	9.9	8.7-11.1
Black or Afr. Am./Non-Hisp	286	219,018	183	66.8	60.3-73.3	67	23.2	17.3-29.1	36	10.0	6.1-13.9
Oth. Race/Non-Hisp.	190	86,087	135	74.5	66.7-82.3	37	19.8	12.4-27.2	18	5.7	2.2- 9.2
MultiRacial/Non-Hisp.	84	24,793	61	72.0	60.0-84.0	11	17.9	6.7-29.1	12	10.1	3.8-16.4
Hispanic	240	161,941	176	73.8	66.9-80.7	39	15.5	10.2-20.8	25	10.7	5.4-16.0
18-24	289	351,469	203	69.4	63.3-75.5	80	28.1	22.2-34.0	6	2.6	0.4- 4.8
25-34	482	440,817	333	68.9	64.2-73.6	126	25.3	21.0-29.6	23	5.8	3.1- 8.5
35-44	544	410,329	398	73.4	69.3-77.5	110	19.9	16.2-23.6	36	6.6	4.2- 9.0
45-54	787	397,146	567	71.6	68.1-75.1	153	19.4	16.3-22.5	67	9.0	6.6-11.4
55-64	875	408,414	557	63.3	59.6-67.0	171	20.6	17.5-23.7	147	16.1	13.4-18.8
65+	1437	502,432	967	66.3	63.4-69.2	255	17.4	15.0-19.8	215	16.3	13.9-18.7
Less Than H.S.	263	289,364	152	61.0	53.9-68.1	56	21.8	15.9-27.7	55	17.2	12.1-22.3
H.S. or G.E.D.	1329	888,272	883	68.1	65.2-71.0	265	21.2	18.5-23.9	181	10.6	8.8-12.4
Some Post-H.S.	1066	697,600	719	69.0	65.9-72.1	214	21.3	18.4-24.2	133	9.7	7.9-11.5
College Graduate	1724	618,200	1247	72.6	70.2-75.0	353	22.1	19.7-24.5	124	5.3	4.3- 6.3
Less than \$15,000	198	123,127	92	49.4	40.4-58.4	46	27.3	19.5-35.1	60	23.3	16.6-30.0
\$15,000- 24,999	293	155,370	154	53.6	46.5-60.7	66	23.2	17.3-29.1	73	23.1	17.2-29.0
\$25,000- 34,999	414	244,549	253	59.5	53.6-65.4	88	23.2	18.1-28.3	73	17.3	13.0-21.6
\$35,000- 49,999	499	285,637	319	66.5	61.6-71.4	114	21.3	17.0-25.6	66	12.2	8.9-15.5
\$50,000- 99,999	1198	679,764	886	74.2	71.3-77.1	235	20.9	18.0-23.8	77	4.9	3.5- 6.3
\$100,000 - 199,999	713	389,620	542	75.7	71.8-79.6	141	21.1	17.4-24.8	30	3.2	1.8- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5227	2,619,735	3270	63.4	61.8-65.0	1237	23.7	22.3-25.1	720	12.9	11.7-14.1
White/Non-Hisp	4137	2,061,570	2591	63.4	61.6-65.2	984	23.6	22.0-25.2	562	13.0	11.8-14.2
Black or Afr. Am./Non-Hisp	470	239,165	295	62.0	56.3-67.7	101	23.3	18.2-28.4	74	14.7	10.6-18.8
Oth. Race/Non-Hisp.	161	75,866	99	62.8	53.0-72.6	44	30.3	20.9-39.7	18	6.8	2.9-10.7
MultiRacial/Non-Hisp.	95	30,451	45	51.3	37.4-65.2	25	24.3	12.9-35.7	25	24.4	13.8-35.0
Hispanic	242	160,244	165	70.0	63.3-76.7	51	21.0	15.1-26.9	26	9.0	4.9-13.1
18-24	253	329,855	161	63.9	57.2-70.6	75	28.6	22.5-34.7	17	7.5	3.8-11.2
25-34	544	426,070	351	65.8	61.3-70.3	144	25.1	21.0-29.2	49	9.1	6.4-11.8
35-44	650	413,706	435	67.5	63.6-71.4	145	22.0	18.5-25.5	70	10.5	8.0-13.0
45-54	888	400,985	556	62.1	58.6-65.6	209	23.5	20.4-26.6	123	14.4	11.9-16.9
55-64	1008	430,342	588	59.0	55.5-62.5	240	22.7	19.8-25.6	180	18.3	15.6-21.0
65+	1884	618,778	1179	62.7	60.2-65.2	424	22.2	20.0-24.4	281	15.2	13.2-17.2
Less Than H.S.	300	279,344	175	60.3	53.6-67.0	68	22.7	16.8-28.6	57	17.0	12.1-21.9
H.S. or G.E.D.	1473	815,658	906	63.9	61.0-66.8	310	20.4	18.0-22.8	257	15.7	13.5-17.9
Some Post-H.S.	1469	858,239	882	61.2	58.3-64.1	356	25.5	22.8-28.2	231	13.3	11.3-15.3
College Graduate	1957	652,194	1287	66.8	64.4-69.2	499	26.4	24.2-28.6	171	6.8	5.6- 8.0
Less than \$15,000	268	141,367	101	45.1	37.1-53.1	64	21.0	15.3-26.7	103	34.0	26.9-41.1
\$15,000- 24,999	563	269,336	291	53.4	48.3-58.5	149	27.3	22.8-31.8	123	19.3	15.6-23.0
\$25,000- 34,999	564	300,432	339	59.3	54.2-64.4	119	22.8	18.5-27.1	106	18.0	13.9-22.1
\$35,000- 49,999	591	280,575	370	62.4	57.7-67.1	145	25.3	21.2-29.4	76	12.3	9.2-15.4
\$50,000- 99,999	1179	605,920	813	68.8	65.5-72.1	272	23.6	20.5-26.7	94	7.6	5.8- 9.4
\$100,000 - 199,999	639	319,309	442	69.4	65.3-73.5	155	25.0	21.1-28.9	42	5.6	3.8- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9711	5,150,555	6018	57.6	56.4-58.8	2397	26.5	25.3-27.7	1296	15.9	14.9-16.9
Male	4439	2,513,293	3072	65.6	63.8-67.4	900	22.1	20.5-23.7	467	12.3	10.9-13.7
Female	5272	2,637,263	2946	50.0	48.2-51.8	1497	30.6	29.0-32.2	829	19.4	18.0-20.8
White/Non-Hisp	7698	4,043,348	4793	57.5	56.1-58.9	1903	26.9	25.7-28.1	1002	15.6	14.6-16.6
Black or Afr. Am./Non-Hisp	761	459,146	462	56.6	52.1-61.1	204	27.5	23.6-31.4	95	15.9	12.4-19.4
Oth. Race/Non-Hisp.	353	161,623	214	52.9	46.0-59.8	84	26.2	20.1-32.3	55	20.9	14.6-27.2
MultiRacial/Non-Hisp.	181	55,324	87	36.9	28.3-45.5	58	37.9	28.3-47.5	36	25.2	15.4-35.0
Hispanic	487	320,543	323	66.9	62.0-71.8	93	18.1	14.2-22.0	71	14.9	11.2-18.6
18-24	538	677,088	199	36.5	32.0-41.0	202	37.3	32.8-41.8	137	26.2	21.9-30.5
25-34	1023	862,405	420	42.9	39.4-46.4	371	33.7	30.4-37.0	232	23.4	20.5-26.3
35-44	1196	821,632	616	54.7	51.6-57.8	377	29.5	26.8-32.2	203	15.8	13.6-18.0
45-54	1677	799,810	1020	62.0	59.5-64.5	439	24.9	22.5-27.3	218	13.1	11.3-14.9
55-64	1904	850,197	1217	64.3	61.8-66.8	407	20.9	18.7-23.1	280	14.9	13.1-16.7
65+	3373	1,139,423	2546	75.3	73.5-77.1	601	17.6	16.0-19.2	226	7.1	6.1- 8.1
Less Than H.S.	569	573,559	342	56.3	51.2-61.4	105	20.6	16.3-24.9	122	23.2	18.9-27.5
H.S. or G.E.D.	2836	1,712,682	1816	60.4	58.2-62.6	602	23.1	21.1-25.1	418	16.6	14.8-18.4
Some Post-H.S.	2540	1,554,481	1519	54.6	52.2-57.0	618	27.9	25.7-30.1	403	17.5	15.7-19.3
College Graduate	3702	1,278,384	2292	57.7	55.9-59.5	1061	32.1	30.3-33.9	349	10.2	9.0-11.4
Less than \$15,000	487	274,281	222	40.3	34.8-45.8	103	25.7	20.0-31.4	162	34.0	28.7-39.3
\$15,000-24,999	872	433,048	456	48.8	44.7-52.9	235	28.0	24.3-31.7	181	23.1	19.6-26.6
\$25,000-34,999	980	545,588	585	53.8	49.9-57.7	222	23.3	20.0-26.6	173	22.9	19.4-26.4
\$35,000-49,999	1099	568,737	662	56.5	52.8-60.2	271	25.2	22.1-28.3	166	18.3	15.4-21.2
\$50,000-99,999	2377	1,284,210	1501	60.4	58.0-62.8	659	29.2	26.8-31.6	217	10.4	8.8-12.0
\$100,000-199,999	1356	711,714	867	60.7	57.6-63.8	379	30.4	27.5-33.3	110	8.9	6.9-10.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4439	2,513,293	3072	65.6	63.8-67.4	900	22.1	20.5-23.7	467	12.3	10.9-13.7
White/Non-Hisp	3511	1,961,606	2460	65.7	63.7-67.7	702	22.5	20.7-24.3	349	11.9	10.5-13.3
Black or Afr. Am./Non-Hisp	287	218,345	192	66.8	60.3-73.3	66	21.3	15.8-26.8	29	11.9	7.2-16.6
Oth. Race/Non-Hisp.	191	85,032	122	57.0	47.8-66.2	42	26.1	17.7-34.5	27	16.8	9.5-24.1
MultiRacial/Non-Hisp.	87	25,201	50	46.9	34.0-59.8	22	34.8	21.1-48.5	15	18.3	8.5-28.1
Hispanic	244	159,762	175	72.8	66.1-79.5	39	13.4	8.7-18.1	30	13.8	8.3-19.3
18-24	286	347,246	135	47.3	40.8-53.8	108	36.6	30.3-42.9	43	16.1	11.0-21.2
25-34	476	432,314	240	52.6	47.3-57.9	152	28.7	24.2-33.2	84	18.7	14.6-22.8
35-44	546	409,473	329	63.9	59.6-68.2	145	24.0	20.3-27.7	72	12.1	9.2-15.0
45-54	786	397,996	544	70.4	66.9-73.9	160	18.7	15.8-21.6	82	11.0	8.5-13.5
55-64	892	416,577	640	72.3	69.0-75.6	143	15.6	12.9-18.3	109	12.1	9.7-14.5
65+	1453	509,686	1184	81.3	78.9-83.7	192	13.1	11.1-15.1	77	5.6	4.2- 7.0
Less Than H.S.	268	292,021	177	62.0	54.7-69.3	40	15.9	10.2-21.6	51	22.1	16.0-28.2
H.S. or G.E.D.	1337	886,450	935	68.3	65.4-71.2	241	19.5	17.0-22.0	161	12.2	10.0-14.4
Some Post-H.S.	1071	697,301	739	64.8	61.5-68.1	212	23.7	20.6-26.8	120	11.6	9.4-13.8
College Graduate	1728	620,677	1195	64.3	61.6-67.0	401	27.0	24.5-29.5	132	8.6	7.0-10.2
Less than \$15,000	208	128,165	110	49.3	40.7-57.9	40	24.6	16.0-33.2	58	26.1	18.8-33.4
\$15,000- 24,999	303	158,033	185	60.1	53.4-66.8	66	24.3	18.4-30.2	52	15.6	10.9-20.3
\$25,000- 34,999	410	243,517	263	58.7	52.6-64.8	78	19.0	14.3-23.7	69	22.4	16.7-28.1
\$35,000- 49,999	506	286,797	337	62.7	57.2-68.2	102	21.1	16.4-25.8	67	16.2	11.9-20.5
\$50,000- 99,999	1195	677,507	855	69.8	66.7-72.9	266	23.7	20.8-26.6	74	6.5	4.9- 8.1
\$100,000 - 199,999	716	391,197	507	69.0	64.9-73.1	161	23.5	19.8-27.2	48	7.6	5.1-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5272	2,637,263	2946	50.0	48.2-51.8	1497	30.6	29.0-32.2	829	19.4	18.0-20.8
White/Non-Hisp	4187	2,081,742	2333	49.8	48.0-51.6	1201	31.1	29.3-32.9	653	19.1	17.5-20.7
Black or Afr. Am./Non-Hisp	474	240,801	270	47.3	41.6-53.0	138	33.2	27.5-38.9	66	19.5	14.4-24.6
Oth. Race/Non-Hisp.	162	76,592	92	48.3	38.1-58.5	42	26.3	17.5-35.1	28	25.4	15.4-35.4
MultiRacial/Non-Hisp.	94	30,123	37	28.5	17.5-39.5	36	40.5	26.8-54.2	21	31.0	15.9-46.1
Hispanic	243	160,781	148	61.1	53.8-68.4	54	22.8	16.7-28.9	41	16.1	10.8-21.4
18-24	252	329,842	64	25.1	19.0-31.2	94	38.1	31.4-44.8	94	36.8	30.1-43.5
25-34	547	430,091	180	33.0	28.7-37.3	219	38.8	34.3-43.3	148	28.2	24.1-32.3
35-44	650	412,159	287	45.6	41.3-49.9	232	34.9	30.8-39.0	131	19.5	16.2-22.8
45-54	891	401,814	476	53.7	50.2-57.2	279	31.1	27.8-34.4	136	15.2	12.7-17.7
55-64	1012	433,620	577	56.5	53.0-60.0	264	25.9	22.8-29.0	171	17.6	14.9-20.3
65+	1920	629,737	1362	70.5	68.1-72.9	409	21.2	19.0-23.4	149	8.3	6.7- 9.9
Less Than H.S.	301	281,538	165	50.3	43.4-57.2	65	25.4	19.1-31.7	71	24.3	18.2-30.4
H.S. or G.E.D.	1499	826,232	881	51.8	48.7-54.9	361	26.9	24.2-29.6	257	21.2	18.5-23.9
Some Post-H.S.	1469	857,179	780	46.3	43.4-49.2	406	31.3	28.4-34.2	283	22.4	19.9-24.9
College Graduate	1974	657,708	1097	51.4	48.9-53.9	660	37.0	34.5-39.5	217	11.6	10.0-13.2
Less than \$15,000	279	146,116	112	32.4	25.7-39.1	63	26.6	19.2-34.0	104	41.0	33.4-48.6
\$15,000- 24,999	569	275,015	271	42.4	37.5-47.3	169	30.2	25.5-34.9	129	27.5	22.8-32.2
\$25,000- 34,999	570	302,071	322	49.8	44.7-54.9	144	26.8	22.3-31.3	104	23.4	18.7-28.1
\$35,000- 49,999	593	281,939	325	50.2	45.3-55.1	169	29.3	25.0-33.6	99	20.6	16.5-24.7
\$50,000- 99,999	1182	606,703	646	49.8	46.3-53.3	393	35.5	32.0-39.0	143	14.7	12.0-17.4
\$100,000 - 199,999	640	320,517	360	50.7	46.2-55.2	218	38.8	34.3-43.3	62	10.5	7.6-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)	
1 MALES AND FEMALES	14
2 MALES ONLY	15
3 FEMALES ONLY	16
RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)	
4 MALES AND FEMALES	17
5 MALES ONLY	18
6 FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9381	4,918,711	8908	92.8	92.0-93.6	473	7.2	6.4- 8.0
Male	4288	2,395,745	4009	90.9	89.7-92.1	279	9.1	7.9-10.3
Female	5093	2,522,967	4899	94.7	93.7-95.7	194	5.3	4.3- 6.3
White/Non-Hisp	7459	3,875,554	7209	95.0	94.2-95.8	250	5.0	4.2- 5.8
Black or Afr. Am./Non-Hisp	739	444,103	694	92.4	89.9-94.9	45	7.6	5.1-10.1
Oth. Race/Non-Hisp.	335	145,582	304	87.8	82.7-92.9	31	12.2	7.1-17.3
MultiRacial/Non-Hisp.	173	51,848	158	90.3	84.4-96.2	15	9.7	3.8-15.6
Hispanic	467	306,913	352	71.8	66.9-76.7	115	28.2	23.3-33.1
18-24	459	561,632	407	88.5	85.2-91.8	52	11.5	8.2-14.8
25-34	1005	851,095	901	87.7	85.0-90.4	104	12.3	9.6-15.0
35-44	1190	814,659	1081	90.1	88.1-92.1	109	9.9	7.9-11.9
45-54	1640	781,153	1538	92.8	91.2-94.4	102	7.2	5.6- 8.8
55-64	1840	815,340	1754	95.3	94.1-96.5	86	4.7	3.5- 5.9
65+	3247	1,094,833	3227	99.4	99.0-99.8	20	0.6	0.2- 1.0
Less Than H.S.	548	540,763	443	78.1	73.6-82.6	105	21.9	17.4-26.4
H.S. or G.E.D.	2704	1,613,724	2534	92.6	91.4-93.8	170	7.4	6.2- 8.6
Some Post-H.S.	2464	1,491,240	2356	94.6	93.4-95.8	108	5.4	4.2- 6.6
College Graduate	3616	1,248,255	3527	97.3	96.7-97.9	89	2.7	2.1- 3.3
Less than \$15,000	469	266,119	422	86.9	82.8-91.0	47	13.1	9.0-17.2
\$15,000-24,999	840	418,296	764	88.2	85.3-91.1	76	11.8	8.9-14.7
\$25,000-34,999	954	524,720	874	89.2	86.7-91.7	80	10.8	8.3-13.3
\$35,000-49,999	1082	557,881	1032	93.0	90.6-95.4	50	7.0	4.6- 9.4
\$50,000-99,999	2349	1,257,279	2271	95.3	94.1-96.5	78	4.7	3.5- 5.9
\$100,000-199,999	1339	696,185	1315	98.1	97.1-99.1	24	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4288	2,395,745	4009	90.9	89.7-92.1	279	9.1	7.9-10.3
White/Non-Hisp	3409	1,880,218	3262	93.4	92.0-94.8	147	6.6	5.2- 8.0
Black or Afr. Am./Non-Hisp	274	205,770	250	90.6	86.5-94.7	24	9.4	5.3-13.5
Oth. Race/Non-Hisp.	186	79,903	164	83.1	74.9-91.3	22	16.9	8.7-25.1
MultiRacial/Non-Hisp.	82	24,134	73	85.9	75.3-96.5	9	14.1	3.5-24.7
Hispanic	237	156,894	168	67.0	59.7-74.3	69	33.0	25.7-40.3
18-24	244	287,021	213	86.6	81.9-91.3	31	13.4	8.7-18.1
25-34	468	428,865	406	84.2	79.7-88.7	62	15.8	11.3-20.3
35-44	541	402,915	482	88.0	84.9-91.1	59	12.0	8.9-15.1
45-54	769	388,857	706	90.9	88.5-93.3	63	9.1	6.7-11.5
55-64	856	395,950	805	94.1	92.3-95.9	51	5.9	4.1- 7.7
65+	1410	492,138	1397	99.0	98.4-99.6	13	1.0	0.4- 1.6
Less Than H.S.	255	268,833	192	72.5	65.4-79.6	63	27.5	20.4-34.6
H.S. or G.E.D.	1277	837,468	1167	90.4	88.4-92.4	110	9.6	7.6-11.6
Some Post-H.S.	1039	667,881	980	93.1	91.1-95.1	59	6.9	4.9- 8.9
College Graduate	1693	608,489	1647	97.2	96.2-98.2	46	2.8	1.8- 3.8
Less than \$15,000	199	124,218	166	79.8	72.4-87.2	33	20.2	12.8-27.6
\$15,000- 24,999	284	150,210	240	79.2	72.9-85.5	44	20.8	14.5-27.1
\$25,000- 34,999	396	231,798	348	85.3	80.8-89.8	48	14.7	10.2-19.2
\$35,000- 49,999	497	277,695	464	89.7	85.6-93.8	33	10.3	6.2-14.4
\$50,000- 99,999	1191	671,215	1146	94.6	92.8-96.4	45	5.4	3.6- 7.2
\$100,000 - 199,999	705	381,795	693	98.3	97.3-99.3	12	1.7	0.7- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5093	2,522,967	4899	94.7	93.7-95.7	194	5.3	4.3- 6.3
White/Non-Hisp	4050	1,995,337	3947	96.4	95.6-97.2	103	3.6	2.8- 4.4
Black or Afr. Am./Non-Hisp	465	238,333	444	94.0	91.1-96.9	21	6.0	3.1- 8.9
Oth. Race/Non-Hisp.	149	65,679	140	93.5	88.8-98.2	9	6.5	1.8-11.2
MultiRacial/Non-Hisp.	91	27,714	85	94.1	88.8-99.4	6	5.9	0.6-11.2
Hispanic	230	150,020	184	76.8	70.3-83.3	46	23.2	16.7-29.7
18-24	215	274,611	194	90.5	85.8-95.2	21	9.5	4.8-14.2
25-34	537	422,230	495	91.2	88.3-94.1	42	8.8	5.9-11.7
35-44	649	411,744	599	92.2	89.8-94.6	50	7.8	5.4-10.2
45-54	871	392,296	832	94.7	92.9-96.5	39	5.3	3.5- 7.1
55-64	984	419,390	949	96.4	95.0-97.8	35	3.6	2.2- 5.0
65+	1837	602,695	1830	99.7	99.5-99.9	7	0.3	0.1- 0.5
Less Than H.S.	293	271,930	251	83.8	78.3-89.3	42	16.2	10.7-21.7
H.S. or G.E.D.	1427	776,257	1367	95.0	93.6-96.4	60	5.0	3.6- 6.4
Some Post-H.S.	1425	823,359	1376	95.9	94.7-97.1	49	4.1	2.9- 5.3
College Graduate	1923	639,766	1880	97.4	96.6-98.2	43	2.6	1.8- 3.4
Less than \$15,000	270	141,900	256	93.2	89.3-97.1	14	6.8	2.9-10.7
\$15,000- 24,999	556	268,086	524	93.3	90.8-95.8	32	6.7	4.2- 9.2
\$25,000- 34,999	558	292,923	526	92.3	89.4-95.2	32	7.7	4.8-10.6
\$35,000- 49,999	585	280,186	568	96.3	94.3-98.3	17	3.7	1.7- 5.7
\$50,000- 99,999	1158	586,064	1125	96.1	94.1-98.1	33	3.9	1.9- 5.9
\$100,000 - 199,999	634	314,390	622	97.8	96.2-99.4	12	2.2	0.6- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5960	3,745,002	5514	90.9	89.9-91.9	446	9.1	8.1-10.1
Male	2780	1,857,778	2520	88.7	87.1-90.3	260	11.3	9.7-12.9
Female	3180	1,887,225	2994	93.0	91.8-94.2	186	7.0	5.8- 8.2
White/Non-Hisp	4567	2,867,484	4331	93.4	92.4-94.4	236	6.6	5.6- 7.6
Black or Afr. Am./Non-Hisp	500	362,792	457	90.9	88.0-93.8	43	9.1	6.2-12.0
Oth. Race/Non-Hisp.	245	124,809	217	86.6	80.7-92.5	28	13.4	7.5-19.3
MultiRacial/Non-Hisp.	139	46,574	124	89.2	82.7-95.7	15	10.8	4.3-17.3
Hispanic	419	290,450	307	70.5	65.4-75.6	112	29.5	24.4-34.6
18-24	459	561,632	407	88.5	85.2-91.8	52	11.5	8.2-14.8
25-34	1001	849,144	897	87.6	84.9-90.3	104	12.4	9.7-15.1
35-44	1181	810,871	1073	90.1	88.1-92.1	108	9.9	7.9-11.9
45-54	1483	709,100	1387	92.5	90.9-94.1	96	7.5	5.9- 9.1
55-64	1836	814,256	1750	95.3	94.1-96.5	86	4.7	3.5- 5.9
Less Than H.S.	386	434,281	285	73.4	67.9-78.9	101	26.6	21.1-32.1
H.S. or G.E.D.	1618	1,183,293	1457	90.2	88.6-91.8	161	9.8	8.2-11.4
Some Post-H.S.	1604	1,157,848	1500	93.2	91.8-94.6	104	6.8	5.4- 8.2
College Graduate	2337	958,517	2257	96.7	95.9-97.5	80	3.3	2.5- 4.1
Less than \$15,000	340	220,502	298	85.1	80.2-90.0	42	14.9	10.0-19.8
\$15,000-24,999	487	300,383	416	84.6	80.9-88.3	71	15.4	11.7-19.1
\$25,000-34,999	545	379,775	469	85.4	81.9-88.9	76	14.6	11.1-18.1
\$35,000-49,999	606	393,805	557	90.3	87.0-93.6	49	9.7	6.4-13.0
\$50,000-99,999	1611	1,012,865	1535	94.2	92.6-95.8	76	5.8	4.2- 7.4
\$100,000-199,999	1083	614,904	1061	97.9	96.9-98.9	22	2.1	1.1- 3.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2780	1,857,778	2520	88.7	87.1-90.3	260	11.3	9.7-12.9
White/Non-Hisp	2130	1,424,711	1993	91.7	90.1-93.3	137	8.3	6.7- 9.9
Black or Afr. Am./Non-Hisp	193	168,229	170	88.6	83.5-93.7	23	11.4	6.3-16.5
Oth. Race/Non-Hisp.	133	66,874	114	81.4	71.8-91.0	19	18.6	9.0-28.2
MultiRacial/Non-Hisp.	68	21,742	59	84.4	72.6-96.2	9	15.6	3.8-27.4
Hispanic	208	147,705	142	65.5	57.9-73.1	66	34.5	26.9-42.1
18-24	244	287,021	213	86.6	81.9-91.3	31	13.4	8.7-18.1
25-34	465	427,310	403	84.1	79.6-88.6	62	15.9	11.4-20.4
35-44	535	400,381	477	88.0	84.9-91.1	58	12.0	8.9-15.1
45-54	682	347,559	624	90.6	88.1-93.1	58	9.4	6.9-11.9
55-64	854	395,507	803	94.1	92.3-95.9	51	5.9	4.1- 7.7
Less Than H.S.	187	222,042	128	67.9	59.7-76.1	59	32.1	23.9-40.3
H.S. or G.E.D.	847	650,068	742	88.0	85.6-90.4	105	12.0	9.6-14.4
Some Post-H.S.	691	522,187	635	91.3	88.8-93.8	56	8.7	6.2-11.2
College Graduate	1047	456,743	1007	96.5	95.3-97.7	40	3.5	2.3- 4.7
Less than \$15,000	148	103,911	118	77.1	68.3-85.9	30	22.9	14.1-31.7
\$15,000- 24,999	178	112,510	139	74.9	67.1-82.7	39	25.1	17.3-32.9
\$25,000- 34,999	225	166,413	180	80.0	73.9-86.1	45	20.0	13.9-26.1
\$35,000- 49,999	278	198,588	246	86.0	80.3-91.7	32	14.0	8.3-19.7
\$50,000- 99,999	791	535,983	747	93.3	91.1-95.5	44	6.7	4.5- 8.9
\$100,000 - 199,999	551	331,808	540	98.2	97.0-99.4	11	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3180	1,887,225	2994	93.0	91.8-94.2	186	7.0	5.8- 8.2
White/Non-Hisp	2437	1,442,774	2338	95.1	93.9-96.3	99	4.9	3.7- 6.1
Black or Afr. Am./Non-Hisp	307	194,564	287	92.9	89.4-96.4	20	7.1	3.6-10.6
Oth. Race/Non-Hisp.	112	57,935	103	92.6	87.3-97.9	9	7.4	2.1-12.7
MultiRacial/Non-Hisp.	71	24,832	65	93.4	87.5-99.3	6	6.6	0.7-12.5
Hispanic	211	142,746	165	75.6	68.9-82.3	46	24.4	17.7-31.1
18-24	215	274,611	194	90.5	85.8-95.2	21	9.5	4.8-14.2
25-34	536	421,834	494	91.2	88.3-94.1	42	8.8	5.9-11.7
35-44	646	410,490	596	92.2	89.8-94.6	50	7.8	5.4-10.2
45-54	801	361,542	763	94.3	92.3-96.3	38	5.7	3.7- 7.7
55-64	982	418,749	947	96.4	95.0-97.8	35	3.6	2.2- 5.0
Less Than H.S.	199	212,239	157	79.2	72.3-86.1	42	20.8	13.9-27.7
H.S. or G.E.D.	771	533,225	715	92.9	90.9-94.9	56	7.1	5.1- 9.1
Some Post-H.S.	913	635,661	865	94.7	93.1-96.3	48	5.3	3.7- 6.9
College Graduate	1290	501,774	1250	96.9	95.9-97.9	40	3.1	2.1- 4.1
Less than \$15,000	192	116,591	180	92.2	87.5-96.9	12	7.8	3.1-12.5
\$15,000- 24,999	309	187,872	277	90.4	86.9-93.9	32	9.6	6.1-13.1
\$25,000- 34,999	320	213,361	289	89.5	85.4-93.6	31	10.5	6.4-14.6
\$35,000- 49,999	328	195,216	311	94.7	91.8-97.6	17	5.3	2.4- 8.2
\$50,000- 99,999	820	476,882	788	95.3	92.9-97.7	32	4.7	2.3- 7.1
\$100,000 - 199,999	532	283,096	521	97.6	95.8-99.4	11	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9899	5,249,605	7251	74.1	73.1-75.1	2648	25.9	24.9-26.9
Male	4512	2,558,608	3411	75.7	74.1-77.3	1101	24.3	22.7-25.9
Female	5387	2,690,997	3840	72.5	71.1-73.9	1547	27.5	26.1-28.9
White/Non-Hisp	7825	4,107,067	5799	75.0	73.8-76.2	2026	25.0	23.8-26.2
Black or Afr. Am./Non-Hisp	777	468,315	521	68.4	64.3-72.5	256	31.6	27.5-35.7
Oth. Race/Non-Hisp.	365	166,807	270	74.4	68.3-80.5	95	25.6	19.5-31.7
MultiRacial/Non-Hisp.	184	56,289	141	80.6	74.1-87.1	43	19.4	12.9-25.9
Hispanic	498	331,716	346	71.1	66.4-75.8	152	28.9	24.2-33.6
18-24	547	686,435	456	82.4	78.7-86.1	91	17.6	13.9-21.3
25-34	1043	881,366	827	77.2	74.3-80.1	216	22.8	19.9-25.7
35-44	1221	840,042	990	79.6	77.1-82.1	231	20.4	17.9-22.9
45-54	1712	815,960	1322	76.6	74.4-78.8	390	23.4	21.2-25.6
55-64	1931	860,888	1354	68.9	66.5-71.3	577	31.1	28.7-33.5
65+	3445	1,164,914	2302	64.8	62.8-66.8	1143	35.2	33.2-37.2
Less Than H.S.	592	591,418	311	57.7	53.0-62.4	281	42.3	37.6-47.0
H.S. or G.E.D.	2907	1,750,836	1831	67.5	65.5-69.5	1076	32.5	30.5-34.5
Some Post-H.S.	2600	1,586,202	1894	77.0	75.2-78.8	706	23.0	21.2-24.8
College Graduate	3733	1,287,006	3171	87.0	85.8-88.2	562	13.0	11.8-14.2
Less than \$15,000	496	279,109	250	52.7	47.0-58.4	246	47.3	41.6-53.0
\$15,000-24,999	889	439,304	516	61.4	57.5-65.3	373	38.6	34.7-42.5
\$25,000-34,999	1002	555,041	629	63.2	59.5-66.9	373	36.8	33.1-40.5
\$35,000-49,999	1118	579,864	805	71.9	68.6-75.2	313	28.1	24.8-31.4
\$50,000-99,999	2401	1,298,319	1910	80.8	79.0-82.6	491	19.2	17.4-21.0
\$100,000-199,999	1363	715,027	1206	89.4	87.6-91.2	157	10.6	8.8-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4512	2,558,608	3411	75.7	74.1-77.3	1101	24.3	22.7-25.9
White/Non-Hisp	3560	1,988,158	2716	76.9	75.1-78.7	844	23.1	21.3-24.9
Black or Afr. Am./Non-Hisp	290	221,892	204	68.9	62.4-75.4	86	31.1	24.6-37.6
Oth. Race/Non-Hisp.	200	89,134	161	81.5	74.1-88.9	39	18.5	11.1-25.9
MultiRacial/Non-Hisp.	87	25,406	71	84.1	75.3-92.9	16	15.9	7.1-24.7
Hispanic	252	168,693	173	72.0	65.5-78.5	79	28.0	21.5-34.5
18-24	291	353,229	247	83.0	77.9-88.1	44	17.0	11.9-22.1
25-34	488	445,972	396	78.2	73.7-82.7	92	21.8	17.3-26.3
35-44	560	419,365	461	80.9	77.2-84.6	99	19.1	15.4-22.8
45-54	801	404,633	631	77.8	74.7-80.9	170	22.2	19.1-25.3
55-64	900	419,723	638	69.6	66.3-72.9	262	30.4	27.1-33.7
65+	1472	515,686	1038	67.8	64.9-70.7	434	32.2	29.3-35.1
Less Than H.S.	274	299,864	146	58.7	51.8-65.6	128	41.3	34.4-48.2
H.S. or G.E.D.	1368	906,385	898	69.2	66.5-71.9	470	30.8	28.1-33.5
Some Post-H.S.	1090	707,828	828	79.8	77.3-82.3	262	20.2	17.7-22.7
College Graduate	1744	626,378	1512	88.6	87.0-90.2	232	11.4	9.8-13.0
Less than \$15,000	211	130,131	105	52.9	44.3-61.5	106	47.1	38.5-55.7
\$15,000- 24,999	306	159,636	175	58.8	52.1-65.5	131	41.2	34.5-47.9
\$25,000- 34,999	418	248,141	276	66.7	61.0-72.4	142	33.3	27.6-39.0
\$35,000- 49,999	511	289,445	380	73.2	68.1-78.3	131	26.8	21.7-31.9
\$50,000- 99,999	1212	687,574	978	81.5	79.0-84.0	234	18.5	16.0-21.0
\$100,000 - 199,999	718	393,069	635	89.5	87.0-92.0	83	10.5	8.0-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5387	2,690,997	3840	72.5	71.1-73.9	1547	27.5	26.1-28.9
White/Non-Hisp	4265	2,118,909	3083	73.3	71.7-74.9	1182	26.7	25.1-28.3
Black or Afr. Am./Non-Hisp	487	246,423	317	67.9	62.6-73.2	170	32.1	26.8-37.4
Oth. Race/Non-Hisp.	165	77,672	109	66.3	56.7-75.9	56	33.7	24.1-43.3
MultiRacial/Non-Hisp.	97	30,884	70	77.7	68.1-87.3	27	22.3	12.7-31.9
Hispanic	246	163,023	173	70.2	63.3-77.1	73	29.8	22.9-36.7
18-24	256	333,206	209	81.8	76.5-87.1	47	18.2	12.9-23.5
25-34	555	435,393	431	76.1	72.0-80.2	124	23.9	19.8-28.0
35-44	661	420,677	529	78.3	74.8-81.8	132	21.7	18.2-25.2
45-54	911	411,327	691	75.4	72.3-78.5	220	24.6	21.5-27.7
55-64	1031	441,166	716	68.4	65.1-71.7	315	31.6	28.3-34.9
65+	1973	649,228	1264	62.4	59.9-64.9	709	37.6	35.1-40.1
Less Than H.S.	318	291,555	165	56.7	50.2-63.2	153	43.3	36.8-49.8
H.S. or G.E.D.	1539	844,450	933	65.7	63.0-68.4	606	34.3	31.6-37.0
Some Post-H.S.	1510	878,374	1066	74.8	72.4-77.2	444	25.2	22.8-27.6
College Graduate	1989	660,628	1659	85.5	83.7-87.3	330	14.5	12.7-16.3
Less than \$15,000	285	148,979	145	52.5	45.1-59.9	140	47.5	40.1-54.9
\$15,000- 24,999	583	279,668	341	62.9	58.2-67.6	242	37.1	32.4-41.8
\$25,000- 34,999	584	306,900	353	60.3	55.4-65.2	231	39.7	34.8-44.6
\$35,000- 49,999	607	290,419	425	70.6	66.3-74.9	182	29.4	25.1-33.7
\$50,000- 99,999	1189	610,745	932	80.0	77.5-82.5	257	20.0	17.5-22.5
\$100,000 - 199,999	645	321,957	571	89.3	86.8-91.8	74	10.7	8.2-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)	
1	MALES AND FEMALES	25
2	MALES ONLY	26
3	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9866	5,231,579	5742	65.5	64.3-66.7	4124	34.5	33.3-35.7
Male	4502	2,550,539	2499	62.8	61.0-64.6	2003	37.2	35.4-39.0
Female	5364	2,681,039	3243	68.0	66.6-69.4	2121	32.0	30.6-33.4
White/Non-Hisp	7800	4,092,253	4462	64.1	62.9-65.3	3338	35.9	34.7-37.1
Black or Afr. Am./Non-Hisp	779	469,766	363	57.4	53.1-61.7	416	42.6	38.3-46.9
Oth. Race/Non-Hisp.	365	166,807	243	78.4	73.5-83.3	122	21.6	16.7-26.5
MultiRacial/Non-Hisp.	184	56,184	125	76.5	69.4-83.6	59	23.5	16.4-30.6
Hispanic	498	330,772	396	84.4	80.9-87.9	102	15.6	12.1-19.1
18-24	544	683,269	512	94.0	91.8-96.2	32	6.0	3.8- 8.2
25-34	1042	881,616	892	84.9	82.4-87.4	150	15.1	12.6-17.6
35-44	1216	836,468	955	77.9	75.4-80.4	261	22.1	19.6-24.6
45-54	1696	807,806	1134	65.3	62.8-67.8	562	34.7	32.2-37.2
55-64	1931	860,752	964	49.3	46.8-51.8	967	50.7	48.2-53.2
65+	3437	1,161,668	1285	37.1	35.1-39.1	2152	62.9	60.9-64.9
Less Than H.S.	592	590,543	334	65.3	61.0-69.6	258	34.7	30.4-39.0
H.S. or G.E.D.	2902	1,747,114	1532	62.4	60.4-64.4	1370	37.6	35.6-39.6
Some Post-H.S.	2586	1,579,181	1465	64.8	62.6-67.0	1121	35.2	33.0-37.4
College Graduate	3721	1,281,153	2362	70.2	68.6-71.8	1359	29.8	28.2-31.4
Less than \$15,000	493	277,672	241	56.4	50.9-61.9	252	43.6	38.1-49.1
\$15,000-24,999	885	437,601	433	57.6	53.7-61.5	452	42.4	38.5-46.3
\$25,000-34,999	1000	552,769	528	61.9	58.4-65.4	472	38.1	34.6-41.6
\$35,000-49,999	1116	578,605	626	63.8	60.5-67.1	490	36.2	32.9-39.5
\$50,000-99,999	2399	1,295,643	1480	67.7	65.5-69.9	919	32.3	30.1-34.5
\$100,000-199,999	1362	714,583	893	70.4	67.7-73.1	469	29.6	26.9-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4502	2,550,539	2499	62.8	61.2-64.4	2003	37.2	35.6-38.8
White/Non-Hisp	3548	1,979,484	1906	61.2	59.2-63.2	1642	38.8	36.8-40.8
Black or Afr. Am./Non-Hisp	294	223,478	139	54.5	47.6-61.4	155	45.5	38.6-52.4
Oth. Race/Non-Hisp.	200	89,134	127	76.4	69.5-83.3	73	23.6	16.7-30.5
MultiRacial/Non-Hisp.	87	25,300	54	70.8	60.0-81.6	33	29.2	18.4-40.0
Hispanic	253	168,926	196	82.8	77.7-87.9	57	17.2	12.1-22.3
18-24	288	350,063	265	91.4	87.7-95.1	23	8.6	4.9-12.3
25-34	487	445,460	405	83.3	79.6-87.0	82	16.7	13.0-20.4
35-44	557	417,875	398	71.5	67.4-75.6	159	28.5	24.4-32.6
45-54	794	401,290	501	61.8	57.9-65.7	293	38.2	34.3-42.1
55-64	899	419,273	413	45.5	41.8-49.2	486	54.5	50.8-58.2
65+	1477	516,579	517	33.7	31.0-36.4	960	66.3	63.6-69.0
Less Than H.S.	276	300,338	158	65.2	58.9-71.5	118	34.8	28.5-41.1
H.S. or G.E.D.	1372	906,411	721	61.7	58.8-64.6	651	38.3	35.4-41.2
Some Post-H.S.	1085	704,324	571	59.7	56.4-63.0	514	40.3	37.0-43.6
College Graduate	1734	621,293	1023	66.4	64.0-68.8	711	33.6	31.2-36.0
Less than \$15,000	208	128,743	94	53.0	44.4-61.6	114	47.0	38.4-55.6
\$15,000- 24,999	305	159,416	146	56.9	50.4-63.4	159	43.1	36.6-49.6
\$25,000- 34,999	418	247,303	212	58.0	52.3-63.7	206	42.0	36.3-47.7
\$35,000- 49,999	511	288,816	270	60.6	55.5-65.7	241	39.4	34.3-44.5
\$50,000- 99,999	1212	686,810	706	63.9	60.8-67.0	506	36.1	33.0-39.2
\$100,000 - 199,999	717	392,625	424	65.3	61.4-69.2	293	34.7	30.8-38.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5364	2,681,039	3243	68.0	66.6-69.4	2121	32.0	30.6-33.4
White/Non-Hisp	4252	2,112,769	2556	66.8	65.2-68.4	1696	33.2	31.6-34.8
Black or Afr. Am./Non-Hisp	485	246,288	224	60.0	54.7-65.3	261	40.0	34.7-45.3
Oth. Race/Non-Hisp.	165	77,672	116	80.6	73.5-87.7	49	19.4	12.3-26.5
MultiRacial/Non-Hisp.	97	30,884	71	81.2	72.2-90.2	26	18.8	9.8-27.8
Hispanic	245	161,846	200	86.1	81.4-90.8	45	13.9	9.2-18.6
18-24	256	333,206	247	96.6	94.2-99.0	9	3.4	1.0- 5.8
25-34	555	436,155	487	86.5	83.2-89.8	68	13.5	10.2-16.8
35-44	659	418,593	557	84.2	81.1-87.3	102	15.8	12.7-18.9
45-54	902	406,516	633	68.9	65.6-72.2	269	31.1	27.8-34.4
55-64	1032	441,479	551	53.0	49.5-56.5	481	47.0	43.5-50.5
65+	1960	645,089	768	39.8	37.3-42.3	1192	60.2	57.7-62.7
Less Than H.S.	316	290,205	176	65.4	59.5-71.3	140	34.6	28.7-40.5
H.S. or G.E.D.	1530	840,703	811	63.1	60.4-65.8	719	36.9	34.2-39.6
Some Post-H.S.	1501	874,857	894	68.9	66.4-71.4	607	31.1	28.6-33.6
College Graduate	1987	659,860	1339	73.6	71.4-75.8	648	26.4	24.2-28.6
Less than \$15,000	285	148,930	147	59.3	52.2-66.4	138	40.7	33.6-47.8
\$15,000- 24,999	580	278,185	287	58.0	53.1-62.9	293	42.0	37.1-46.9
\$25,000- 34,999	582	305,466	316	65.1	60.6-69.6	266	34.9	30.4-39.4
\$35,000- 49,999	605	289,790	356	66.9	62.6-71.2	249	33.1	28.8-37.4
\$50,000- 99,999	1187	608,833	774	71.9	69.0-74.8	413	28.1	25.2-31.0
\$100,000 - 199,999	645	321,957	469	76.6	72.9-80.3	176	23.4	19.7-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)	
1	MALES AND FEMALES	29
2	MALES ONLY	30
3	FEMALES ONLY	31
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)	
4	MALES AND FEMALES	32
5	MALES ONLY	33
6	FEMALES ONLY	34

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9174	4,674,708	8203	84.3	83.3-85.3	356	4.5	3.9- 5.1	615	11.2	10.2-12.2
Male	4162	2,255,027	3617	80.7	78.9-82.5	189	5.2	4.4- 6.0	356	14.1	12.5-15.7
Female	5012	2,419,680	4586	87.6	86.2-89.0	167	3.9	3.3- 4.5	259	8.4	7.2- 9.6
White/Non-Hisp	7296	3,678,707	6595	85.4	84.2-86.6	285	4.6	4.0- 5.2	416	10.0	9.0-11.0
Black or Afr. Am./Non-Hisp	716	412,049	651	85.1	81.4-88.8	15	2.9	1.3- 4.5	50	12.0	8.5-15.5
Oth. Race/Non-Hisp.	325	143,286	264	69.9	62.6-77.2	14	5.4	2.1- 8.7	47	24.7	17.6-31.8
MultiRacial/Non-Hisp.	167	49,973	134	73.9	63.3-84.5	11	6.5	2.2-10.8	22	19.6	9.2-30.0
Hispanic	442	283,992	356	76.6	71.5-81.7	20	4.8	2.4- 7.2	66	18.6	13.9-23.3
18-24	384	472,458	211	53.9	48.2-59.6	20	4.9	2.7- 7.1	153	41.3	35.8-46.8
25-34	856	710,969	628	71.6	68.1-75.1	52	6.1	4.3- 7.9	176	22.3	19.0-25.6
35-44	1125	765,203	937	82.4	79.9-84.9	69	6.0	4.4- 7.6	119	11.7	9.5-13.9
45-54	1639	780,794	1467	88.3	86.5-90.1	91	5.8	4.4- 7.2	81	5.9	4.5- 7.3
55-64	1882	836,243	1756	92.8	91.4-94.2	72	4.3	3.1- 5.5	54	2.9	2.1- 3.7
65+	3288	1,109,041	3204	97.4	96.8-98.0	52	1.7	1.1- 2.3	32	0.9	0.5- 1.3
Less Than H.S.	515	491,594	420	78.0	73.5-82.5	26	5.4	3.0- 7.8	69	16.6	12.5-20.7
H.S. or G.E.D.	2627	1,517,271	2288	81.2	79.2-83.2	107	4.9	3.9- 5.9	232	13.9	12.1-15.7
Some Post-H.S.	2417	1,429,952	2152	84.3	82.3-86.3	93	4.2	3.2- 5.2	172	11.5	9.7-13.3
College Graduate	3559	1,211,054	3298	90.8	89.6-92.0	124	4.0	3.2- 4.8	137	5.2	4.2- 6.2
Less than \$15,000	445	242,187	381	79.2	73.9-84.5	19	4.5	2.1- 6.9	45	16.3	11.2-21.4
\$15,000-24,999	816	393,103	706	80.4	76.7-84.1	41	6.7	4.3- 9.1	69	12.9	9.8-16.0
\$25,000-34,999	921	489,111	802	80.4	76.7-84.1	39	5.0	3.2- 6.8	80	14.6	11.3-17.9
\$35,000-49,999	1032	515,290	914	83.1	80.0-86.2	37	4.5	2.9- 6.1	81	12.5	9.6-15.4
\$50,000-99,999	2278	1,188,477	2050	86.2	84.2-88.2	99	4.7	3.5- 5.9	129	9.1	7.3-10.9
\$100,000-199,999	1324	680,884	1218	88.3	85.9-90.7	47	3.8	2.6- 5.0	59	7.9	5.7-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4162	2,255,027	3617	80.7	79.1-82.3	189	5.2	4.4- 6.0	356	14.1	12.5-15.7
White/Non-Hisp	3313	1,766,787	2915	81.5	79.7-83.3	151	5.3	4.3- 6.3	247	13.2	11.4-15.0
Black or Afr. Am./Non-Hisp	261	190,110	230	81.7	75.2-88.2	9	4.3	1.2- 7.4	22	14.0	7.9-20.1
Oth. Race/Non-Hisp.	181	79,392	144	69.3	60.1-78.5	10	6.4	1.7-11.1	27	24.3	15.5-33.1
MultiRacial/Non-Hisp.	80	22,796	60	75.2	64.2-86.2	4	3.9	0.0- 8.2	16	21.0	10.6-31.4
Hispanic	219	140,475	172	74.2	66.6-81.8	9	3.6	1.1- 6.1	38	22.2	14.8-29.6
18-24	205	238,847	105	48.7	41.1-56.3	13	6.6	2.9-10.3	87	44.8	37.2-52.4
25-34	397	354,754	258	62.1	56.6-67.6	33	8.4	5.3-11.5	106	29.4	24.1-34.7
35-44	508	375,509	409	79.0	74.9-83.1	32	5.6	3.4- 7.8	67	15.4	11.7-19.1
45-54	768	388,848	663	85.1	82.2-88.0	53	6.8	4.8- 8.8	52	8.2	5.8-10.6
55-64	870	403,676	803	92.5	90.5-94.5	36	4.2	2.8- 5.6	31	3.3	1.9- 4.7
65+	1414	493,394	1379	97.6	96.6-98.6	22	1.5	0.7- 2.3	13	0.9	0.3- 1.5
Less Than H.S.	237	241,249	184	72.1	65.0-79.2	11	5.5	1.8- 9.2	42	22.4	15.7-29.1
H.S. or G.E.D.	1237	778,326	1032	76.7	73.8-79.6	67	6.3	4.7- 7.9	138	16.9	14.2-19.6
Some Post-H.S.	1005	635,278	873	81.3	78.2-84.4	37	4.0	2.6- 5.4	95	14.7	11.8-17.6
College Graduate	1653	587,185	1506	88.8	86.8-90.8	70	4.7	3.5- 5.9	77	6.5	4.9- 8.1
Less than \$15,000	185	112,639	151	73.8	65.2-82.4	9	4.8	1.5- 8.1	25	21.5	13.3-29.7
\$15,000- 24,999	279	140,672	229	73.3	66.2-80.4	19	8.9	4.2-13.6	31	17.8	11.5-24.1
\$25,000- 34,999	384	216,255	319	74.8	68.9-80.7	17	5.2	2.5- 7.9	48	20.0	14.3-25.7
\$35,000- 49,999	471	254,969	404	78.6	73.7-83.5	22	5.8	3.3- 8.3	45	15.6	11.1-20.1
\$50,000- 99,999	1141	623,801	1005	83.2	80.3-86.1	51	4.9	3.3- 6.5	85	11.9	9.4-14.4
\$100,000 - 199,999	697	372,940	631	86.6	83.1-90.1	29	4.4	2.6- 6.2	37	9.0	5.9-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5012	2,419,680	4586	87.6	86.2-89.0	167	3.9	3.3- 4.5	259	8.4	7.2- 9.6
White/Non-Hisp	3983	1,911,920	3680	89.0	87.6-90.4	134	4.0	3.2- 4.8	169	7.0	5.8- 8.2
Black or Afr. Am./Non-Hisp	455	221,939	421	88.0	83.7-92.3	6	1.7	0.1- 3.3	28	10.3	6.2-14.4
Oth. Race/Non-Hisp.	144	63,894	120	70.7	59.3-82.1	4	4.1	0.0- 8.4	20	25.2	13.8-36.6
MultiRacial/Non-Hisp.	87	27,177	74	72.8	55.9-89.7	7	8.7	1.6-15.8	6	18.5	1.3-35.7
Hispanic	223	143,517	184	79.0	72.5-85.5	11	5.9	2.2- 9.6	28	15.1	9.4-20.8
18-24	179	233,611	106	59.2	51.2-67.2	7	3.1	0.7- 5.5	66	37.7	29.7-45.7
25-34	459	356,215	370	81.0	77.1-84.9	19	3.8	2.0- 5.6	70	15.2	11.7-18.7
35-44	617	389,695	528	85.7	82.6-88.8	37	6.3	4.1- 8.5	52	8.0	5.6-10.4
45-54	871	391,946	804	91.6	89.4-93.8	38	4.9	3.1- 6.7	29	3.6	2.2- 5.0
55-64	1012	432,567	953	93.1	91.1-95.1	36	4.5	2.9- 6.1	23	2.5	1.3- 3.7
65+	1874	615,647	1825	97.2	96.2-98.2	30	1.9	1.1- 2.7	19	0.9	0.5- 1.3
Less Than H.S.	278	250,345	236	83.7	78.4-89.0	15	5.3	2.4- 8.2	27	11.0	6.3-15.7
H.S. or G.E.D.	1390	738,944	1256	85.8	83.3-88.3	40	3.5	2.3- 4.7	94	10.7	8.3-13.1
Some Post-H.S.	1412	794,674	1279	86.6	84.2-89.0	56	4.5	3.3- 5.7	77	8.9	6.7-11.1
College Graduate	1906	623,869	1792	92.7	91.3-94.1	54	3.2	2.2- 4.2	60	4.1	2.9- 5.3
Less than \$15,000	260	129,549	230	84.0	77.7-90.3	10	4.3	1.4- 7.2	20	11.8	5.9-17.7
\$15,000- 24,999	537	252,432	477	84.4	80.3-88.5	22	5.4	2.9- 7.9	38	10.1	6.6-13.6
\$25,000- 34,999	537	272,857	483	84.8	80.3-89.3	22	4.9	2.7- 7.1	32	10.3	6.2-14.4
\$35,000- 49,999	561	260,321	510	87.5	83.8-91.2	15	3.1	1.3- 4.9	36	9.4	6.1-12.7
\$50,000- 99,999	1137	564,676	1045	89.5	87.1-91.9	48	4.6	3.2- 6.0	44	5.9	3.9- 7.9
\$100,000 - 199,999	627	307,944	587	90.4	87.1-93.7	18	3.2	1.6- 4.8	22	6.5	3.6- 9.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8468	4,108,050	5048	64.4	63.2-65.6	3420	35.6	34.4-36.8
Male	3766	1,915,790	2174	62.4	60.6-64.2	1592	37.6	35.8-39.4
Female	4702	2,192,260	2874	66.0	64.4-67.6	1828	34.0	32.4-35.6
White/Non-Hisp	6808	3,279,803	3931	62.1	60.7-63.5	2877	37.9	36.5-39.3
Black or Afr. Am./Non-Hisp	656	357,792	410	69.4	65.1-73.7	246	30.6	26.3-34.9
Oth. Race/Non-Hisp.	276	106,040	173	70.0	63.1-76.9	103	30.0	23.1-36.9
MultiRacial/Non-Hisp.	145	40,179	112	83.0	76.1-89.9	33	17.0	10.1-23.9
Hispanic	374	229,548	270	78.0	73.5-82.5	104	22.0	17.5-26.5
18-24	229	274,996	209	89.5	84.6-94.4	20	10.5	5.6-15.4
25-34	674	547,906	589	86.6	83.7-89.5	85	13.4	10.5-16.3
35-44	1000	672,594	757	75.9	73.0-78.8	243	24.1	21.2-27.0
45-54	1537	725,305	1015	65.4	62.7-68.1	522	34.6	31.9-37.3
55-64	1813	803,674	946	53.1	50.6-55.6	867	46.9	44.4-49.4
65+	3215	1,083,575	1532	47.2	45.2-49.2	1683	52.8	50.8-54.8
Less Than H.S.	432	399,006	252	65.0	59.7-70.3	180	35.0	29.7-40.3
H.S. or G.E.D.	2375	1,295,813	1355	62.2	60.0-64.4	1020	37.8	35.6-40.0
Some Post-H.S.	2226	1,255,073	1330	64.5	62.3-66.7	896	35.5	33.3-37.7
College Graduate	3386	1,136,612	2072	66.3	64.5-68.1	1314	33.7	31.9-35.5
Less than \$15,000	391	197,916	210	60.4	54.3-66.5	181	39.6	33.5-45.7
\$15,000-24,999	740	337,288	400	58.0	53.7-62.3	340	42.0	37.7-46.3
\$25,000-34,999	831	413,786	465	61.8	57.9-65.7	366	38.2	34.3-42.1
\$35,000-49,999	945	447,704	540	61.7	58.0-65.4	405	38.3	34.6-42.0
\$50,000-99,999	2137	1,074,768	1319	67.1	64.7-69.5	818	32.9	30.5-35.3
\$100,000-199,999	1255	622,882	816	68.0	65.1-70.9	439	32.0	29.1-34.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3766	1,915,790	2174	62.4	60.6-64.2	1592	37.6	35.8-39.4
White/Non-Hisp	3035	1,519,619	1670	59.5	57.5-61.5	1365	40.5	38.5-42.5
Black or Afr. Am./Non-Hisp	235	160,878	157	70.4	63.7-77.1	78	29.6	22.9-36.3
Oth. Race/Non-Hisp.	152	58,254	97	69.5	60.1-78.9	55	30.5	21.1-39.9
MultiRacial/Non-Hisp.	64	18,019	50	83.8	74.4-93.2	14	16.2	6.8-25.6
Hispanic	180	108,982	123	76.3	69.6-83.0	57	23.7	17.0-30.4
18-24	117	130,778	110	92.5	87.0-98.0	7	7.5	2.0-13.0
25-34	288	248,458	245	83.9	79.0-88.8	43	16.1	11.2-21.0
35-44	439	316,202	321	74.1	69.6-78.6	118	25.9	21.4-30.4
45-54	702	350,635	443	61.9	57.8-66.0	259	38.1	34.0-42.2
55-64	830	385,457	402	49.1	45.2-53.0	428	50.9	47.0-54.8
65+	1390	484,261	653	46.8	43.7-49.9	737	53.2	50.1-56.3
Less Than H.S.	188	182,503	104	60.7	52.9-68.5	84	39.3	31.5-47.1
H.S. or G.E.D.	1093	642,046	635	63.6	60.5-66.7	458	36.4	33.3-39.5
Some Post-H.S.	904	537,828	510	60.1	56.6-63.6	394	39.9	36.4-43.4
College Graduate	1556	542,429	906	63.7	61.0-66.4	650	36.3	33.6-39.0
Less than \$15,000	157	86,514	82	62.8	53.6-72.0	75	37.2	28.0-46.4
\$15,000- 24,999	245	114,262	129	54.7	47.3-62.1	116	45.3	37.9-52.7
\$25,000- 34,999	334	172,061	189	60.8	54.7-66.9	145	39.2	33.1-45.3
\$35,000- 49,999	422	212,779	218	58.4	52.7-64.1	204	41.6	35.9-47.3
\$50,000- 99,999	1050	546,192	632	64.9	61.6-68.2	418	35.1	31.8-38.4
\$100,000 - 199,999	653	336,707	398	63.9	59.6-68.2	255	36.1	31.8-40.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4702	2,192,260	2874	66.0	64.4-67.6	1828	34.0	32.4-35.6
White/Non-Hisp	3773	1,760,184	2261	64.4	62.6-66.2	1512	35.6	33.8-37.4
Black or Afr. Am./Non-Hisp	421	196,914	253	68.7	63.2-74.2	168	31.3	25.8-36.8
Oth. Race/Non-Hisp.	124	47,786	76	70.6	61.0-80.2	48	29.4	19.8-39.0
MultiRacial/Non-Hisp.	81	22,160	62	82.4	72.8-92.0	19	17.6	8.0-27.2
Hispanic	194	120,566	147	79.5	73.2-85.8	47	20.5	14.2-26.8
18-24	112	144,218	99	86.8	79.2-94.4	13	13.2	5.6-20.8
25-34	386	299,448	344	88.9	85.4-92.4	42	11.1	7.6-14.6
35-44	561	356,392	436	77.5	73.8-81.2	125	22.5	18.8-26.2
45-54	835	374,670	572	68.7	65.2-72.2	263	31.3	27.8-34.8
55-64	983	418,217	544	56.8	53.3-60.3	439	43.2	39.7-46.7
65+	1825	599,315	879	47.6	44.9-50.3	946	52.4	49.7-55.1
Less Than H.S.	244	216,502	148	68.6	61.7-75.5	96	31.4	24.5-38.3
H.S. or G.E.D.	1282	653,767	720	60.8	57.7-63.9	562	39.2	36.1-42.3
Some Post-H.S.	1322	717,245	820	67.7	65.0-70.4	502	32.3	29.6-35.0
College Graduate	1830	594,183	1166	68.6	66.2-71.0	664	31.4	29.0-33.8
Less than \$15,000	234	111,402	128	58.6	50.8-66.4	106	41.4	33.6-49.2
\$15,000- 24,999	495	223,026	271	59.7	54.4-65.0	224	40.3	35.0-45.6
\$25,000- 34,999	497	241,725	276	62.5	57.4-67.6	221	37.5	32.4-42.6
\$35,000- 49,999	523	234,925	322	64.8	59.7-69.9	201	35.2	30.1-40.3
\$50,000- 99,999	1087	528,576	687	69.4	66.3-72.5	400	30.6	27.5-33.7
\$100,000 - 199,999	602	286,175	418	72.9	69.0-76.8	184	27.1	23.2-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	36
2 MALES ONLY	37
3 FEMALES ONLY	38
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	39
5 MALES ONLY	40
6 FEMALES ONLY	41
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	42
8 MALES ONLY	43
9 FEMALES ONLY	44
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	45
11 MALES ONLY	46
12 FEMALES ONLY	47

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9799	5,206,585	871	6.8	6.2- 7.4	8928	93.2	92.6-93.8
Male	4473	2,541,454	507	8.3	7.5- 9.1	3966	91.7	90.9-92.5
Female	5326	2,665,131	364	5.4	4.8- 6.0	4962	94.6	94.0-95.2
White/Non-Hisp	7763	4,078,812	720	7.3	6.7- 7.9	7043	92.7	92.1-93.3
Black or Afr. Am./Non-Hisp	770	465,496	64	5.7	3.9- 7.5	706	94.3	92.5-96.1
Oth. Race/Non-Hisp.	352	160,783	23	4.1	2.1- 6.1	329	95.9	93.9-97.9
MultiRacial/Non-Hisp.	178	54,743	11	3.6	1.1- 6.1	167	96.4	93.9-98.9
Hispanic	497	330,726	27	3.8	2.0- 5.6	470	96.2	94.4-98.0
18-24	543	681,421	3	0.6	0.0- 1.2	540	99.4	98.8- 100
25-34	1040	880,465	7	0.6	0.2- 1.0	1033	99.4	99.0-99.8
35-44	1213	834,970	21	1.6	0.8- 2.4	1192	98.4	97.6-99.2
45-54	1697	808,091	82	5.7	4.3- 7.1	1615	94.3	92.9-95.7
55-64	1907	850,874	195	10.5	8.9-12.1	1712	89.5	87.9-91.1
65+	3399	1,150,764	563	17.1	15.5-18.7	2836	82.9	81.3-84.5
Less Than H.S.	587	588,519	81	10.0	7.6-12.4	506	90.0	87.6-92.4
H.S. or G.E.D.	2857	1,728,216	306	7.8	6.8- 8.8	2551	92.2	91.2-93.2
Some Post-H.S.	2576	1,574,481	235	6.4	5.4- 7.4	2341	93.6	92.6-94.6
College Graduate	3714	1,281,789	243	4.4	3.8- 5.0	3471	95.6	95.0-96.2
Less than \$15,000	487	275,174	74	12.6	9.3-15.9	413	87.4	84.1-90.7
\$15,000-24,999	868	431,101	138	12.6	10.2-15.0	730	87.4	85.0-89.8
\$25,000-34,999	988	548,192	112	9.3	7.3-11.3	876	90.7	88.7-92.7
\$35,000-49,999	1109	575,416	100	6.5	5.1- 7.9	1009	93.5	92.1-94.9
\$50,000-99,999	2396	1,293,624	161	5.0	4.0- 6.0	2235	95.0	94.0-96.0
\$100,000-199,999	1356	711,733	65	3.5	2.5- 4.5	1291	96.5	95.5-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4473	2,541,454	507	8.3	7.5- 9.1	3966	91.7	90.9-92.5
White/Non-Hisp	3536	1,975,551	428	9.0	8.0-10.0	3108	91.0	90.0-92.0
Black or Afr. Am./Non-Hisp	289	221,967	26	6.4	3.5- 9.3	263	93.6	90.7-96.5
Oth. Race/Non-Hisp.	193	86,185	17	5.7	2.4- 9.0	176	94.3	91.0-97.6
MultiRacial/Non-Hisp.	82	24,317	4	2.9	0.0- 6.2	78	97.1	93.8- 100
Hispanic	253	168,858	16	4.3	1.8- 6.8	237	95.7	93.2-98.2
18-24	289	350,538	2	0.8	0.0- 2.0	287	99.2	98.0- 100
25-34	488	446,422	3	0.5	0.0- 1.1	485	99.5	98.9- 100
35-44	556	417,275	10	1.9	0.7- 3.1	546	98.1	96.9-99.3
45-54	794	400,165	52	7.7	5.3-10.1	742	92.3	89.9-94.7
55-64	887	415,135	114	12.4	10.0-14.8	773	87.6	85.2-90.0
65+	1459	511,918	326	22.7	20.2-25.2	1133	77.3	74.8-79.8
Less Than H.S.	275	299,438	47	12.4	8.7-16.1	228	87.6	83.9-91.3
H.S. or G.E.D.	1352	898,796	177	9.2	7.6-10.8	1175	90.8	89.2-92.4
Some Post-H.S.	1077	701,798	115	7.3	5.9- 8.7	962	92.7	91.3-94.1
College Graduate	1735	623,833	164	6.2	5.2- 7.2	1571	93.8	92.8-94.8
Less than \$15,000	206	128,034	33	12.0	7.1-16.9	173	88.0	83.1-92.9
\$15,000- 24,999	298	156,675	66	17.3	12.8-21.8	232	82.7	78.2-87.2
\$25,000- 34,999	413	245,625	63	13.1	9.4-16.8	350	86.9	83.2-90.6
\$35,000- 49,999	509	287,542	61	8.4	6.0-10.8	448	91.6	89.2-94.0
\$50,000- 99,999	1208	683,738	112	6.4	5.0- 7.8	1096	93.6	92.2-95.0
\$100,000 - 199,999	716	392,693	51	4.9	3.3- 6.5	665	95.1	93.5-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5326	2,665,131	364	5.4	4.8- 6.0	4962	94.6	94.0-95.2
White/Non-Hisp	4227	2,103,261	292	5.6	4.8- 6.4	3935	94.4	93.6-95.2
Black or Afr. Am./Non-Hisp	481	243,530	38	5.1	3.1- 7.1	443	94.9	92.9-96.9
Oth. Race/Non-Hisp.	159	74,598	6	2.2	0.2- 4.2	153	97.8	95.8-99.8
MultiRacial/Non-Hisp.	96	30,426	7	4.1	0.4- 7.8	89	95.9	92.2-99.6
Hispanic	244	161,868	11	3.3	1.1- 5.5	233	96.7	94.5-98.9
18-24	254	330,884	1	0.3	0.0- 0.9	253	99.7	99.1- 100
25-34	552	434,043	4	0.7	0.0- 1.5	548	99.3	98.5- 100
35-44	657	417,694	11	1.3	0.5- 2.1	646	98.7	97.9-99.5
45-54	903	407,926	30	3.8	2.2- 5.4	873	96.2	94.6-97.8
55-64	1020	435,738	81	8.6	6.4-10.8	939	91.4	89.2-93.6
65+	1940	638,845	237	12.6	10.8-14.4	1703	87.4	85.6-89.2
Less Than H.S.	312	289,081	34	7.5	4.6-10.4	278	92.5	89.6-95.4
H.S. or G.E.D.	1505	829,421	129	6.4	5.2- 7.6	1376	93.6	92.4-94.8
Some Post-H.S.	1499	872,683	120	5.7	4.5- 6.9	1379	94.3	93.1-95.5
College Graduate	1979	657,956	79	2.8	2.0- 3.6	1900	97.2	96.4-98.0
Less than \$15,000	281	147,140	41	13.1	8.6-17.6	240	86.9	82.4-91.4
\$15,000- 24,999	570	274,427	72	10.0	7.5-12.5	498	90.0	87.5-92.5
\$25,000- 34,999	575	302,567	49	6.2	4.0- 8.4	526	93.8	91.6-96.0
\$35,000- 49,999	600	287,874	39	4.6	3.0- 6.2	561	95.4	93.8-97.0
\$50,000- 99,999	1188	609,886	49	3.5	2.3- 4.7	1139	96.5	95.3-97.7
\$100,000 - 199,999	640	319,040	14	1.8	0.6- 3.0	626	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9875	5,230,939	8453	84.6	83.6-85.6	1422	15.4	14.4-16.4
Male	4503	2,551,849	3993	87.5	86.1-88.9	510	12.5	11.1-13.9
Female	5372	2,679,091	4460	81.9	80.5-83.3	912	18.1	16.7-19.5
White/Non-Hisp	7804	4,089,846	6713	85.1	84.1-86.1	1091	14.9	13.9-15.9
Black or Afr. Am./Non-Hisp	780	469,027	641	79.7	76.0-83.4	139	20.3	16.6-24.0
Oth. Race/Non-Hisp.	363	165,891	310	83.6	78.5-88.7	53	16.4	11.3-21.5
MultiRacial/Non-Hisp.	184	55,859	142	77.8	70.2-85.4	42	22.2	14.6-29.8
Hispanic	499	332,206	434	87.3	83.8-90.8	65	12.7	9.2-16.2
18-24	541	678,911	443	80.5	76.8-84.2	98	19.5	15.8-23.2
25-34	1037	876,991	822	78.5	75.6-81.4	215	21.5	18.6-24.4
35-44	1218	837,989	1055	87.0	84.8-89.2	163	13.0	10.8-15.2
45-54	1704	812,054	1473	87.1	85.3-88.9	231	12.9	11.1-14.7
55-64	1930	860,564	1656	86.4	84.6-88.2	274	13.6	11.8-15.4
65+	3445	1,164,430	3004	86.8	85.4-88.2	441	13.2	11.8-14.6
Less Than H.S.	595	593,372	490	80.4	76.3-84.5	105	19.6	15.5-23.7
H.S. or G.E.D.	2900	1,740,447	2494	85.0	83.4-86.6	406	15.0	13.4-16.6
Some Post-H.S.	2590	1,579,909	2189	84.3	82.7-85.9	401	15.7	14.1-17.3
College Graduate	3724	1,283,093	3218	86.2	84.8-87.6	506	13.8	12.4-15.2
Less than \$15,000	493	276,597	375	74.2	68.9-79.5	118	25.8	20.5-31.1
\$15,000-24,999	885	436,465	723	79.5	76.0-83.0	162	20.5	17.0-24.0
\$25,000-34,999	1001	552,504	835	83.2	80.3-86.1	166	16.8	13.9-19.7
\$35,000-49,999	1114	575,826	958	84.9	82.2-87.6	156	15.1	12.4-17.8
\$50,000-99,999	2400	1,296,593	2102	87.4	85.8-89.0	298	12.6	11.0-14.2
\$100,000-199,999	1362	714,664	1210	88.3	86.1-90.5	152	11.7	9.5-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4503	2,551,849	3993	87.5	86.1-88.9	510	12.5	11.1-13.9
White/Non-Hisp	3549	1,980,693	3152	87.7	86.3-89.1	397	12.3	10.9-13.7
Black or Afr. Am./Non-Hisp	294	223,478	248	83.2	77.7-88.7	46	16.8	11.3-22.3
Oth. Race/Non-Hisp.	198	88,218	175	86.3	80.0-92.6	23	13.7	7.4-20.0
MultiRacial/Non-Hisp.	87	24,975	76	89.3	82.0-96.6	11	10.7	3.4-18.0
Hispanic	253	169,183	230	91.8	87.9-95.7	23	8.2	4.3-12.1
18-24	289	351,639	241	80.2	74.7-85.7	48	19.8	14.3-25.3
25-34	484	442,460	397	81.8	77.9-85.7	87	18.2	14.3-22.1
35-44	558	418,577	504	90.3	87.6-93.0	54	9.7	7.0-12.4
45-54	797	402,826	728	92.3	90.3-94.3	69	7.7	5.7- 9.7
55-64	899	419,953	797	89.2	86.8-91.6	102	10.8	8.4-13.2
65+	1476	516,393	1326	89.9	88.1-91.7	150	10.1	8.3-11.9
Less Than H.S.	277	300,954	239	83.2	77.3-89.1	38	16.8	10.9-22.7
H.S. or G.E.D.	1366	902,482	1206	87.2	85.0-89.4	160	12.8	10.6-15.0
Some Post-H.S.	1088	706,702	969	88.3	85.9-90.7	119	11.7	9.3-14.1
College Graduate	1737	623,582	1547	88.8	87.0-90.6	190	11.2	9.4-13.0
Less than \$15,000	209	128,828	170	79.4	71.4-87.4	39	20.6	12.6-28.6
\$15,000- 24,999	304	158,161	267	86.9	82.2-91.6	37	13.1	8.4-17.8
\$25,000- 34,999	418	248,342	367	86.4	82.1-90.7	51	13.6	9.3-17.9
\$35,000- 49,999	511	287,693	461	88.4	84.5-92.3	50	11.6	7.7-15.5
\$50,000- 99,999	1215	688,608	1088	89.2	87.0-91.4	127	10.8	8.6-13.0
\$100,000 - 199,999	718	393,102	652	89.1	86.0-92.2	66	10.9	7.8-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5372	2,679,091	4460	81.9	80.5-83.3	912	18.1	16.7-19.5
White/Non-Hisp	4255	2,109,153	3561	82.8	81.4-84.2	694	17.2	15.8-18.6
Black or Afr. Am./Non-Hisp	486	245,549	393	76.5	71.4-81.6	93	23.5	18.4-28.6
Oth. Race/Non-Hisp.	165	77,672	135	80.6	72.4-88.8	30	19.4	11.2-27.6
MultiRacial/Non-Hisp.	97	30,884	66	68.4	56.1-80.7	31	31.6	19.3-43.9
Hispanic	246	163,023	204	82.6	76.7-88.5	42	17.4	11.5-23.3
18-24	252	327,272	202	80.9	75.8-86.0	50	19.1	14.0-24.2
25-34	553	434,531	425	75.1	71.0-79.2	128	24.9	20.8-29.0
35-44	660	419,412	551	83.7	80.6-86.8	109	16.3	13.2-19.4
45-54	907	409,228	745	82.0	79.3-84.7	162	18.0	15.3-20.7
55-64	1031	440,610	859	83.8	81.3-86.3	172	16.2	13.7-18.7
65+	1969	648,036	1678	84.4	82.4-86.4	291	15.6	13.6-17.6
Less Than H.S.	318	292,418	251	77.4	71.7-83.1	67	22.6	16.9-28.3
H.S. or G.E.D.	1534	837,965	1288	82.7	80.3-85.1	246	17.3	14.9-19.7
Some Post-H.S.	1502	873,207	1220	81.0	78.6-83.4	282	19.0	16.6-21.4
College Graduate	1987	659,511	1671	83.7	81.7-85.7	316	16.3	14.3-18.3
Less than \$15,000	284	147,768	205	69.6	62.5-76.7	79	30.4	23.3-37.5
\$15,000- 24,999	581	278,304	456	75.4	70.9-79.9	125	24.6	20.1-29.1
\$25,000- 34,999	583	304,162	468	80.6	76.7-84.5	115	19.4	15.5-23.3
\$35,000- 49,999	603	288,132	497	81.3	77.6-85.0	106	18.7	15.0-22.4
\$50,000- 99,999	1185	607,985	1014	85.4	82.9-87.9	171	14.6	12.1-17.1
\$100,000 - 199,999	644	321,562	558	87.3	84.4-90.2	86	12.7	9.8-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9819	5,195,643	8818	89.7	88.9-90.5	1001	10.3	9.5-11.1
Male	4478	2,535,222	4174	93.3	92.3-94.3	304	6.7	5.7- 7.7
Female	5341	2,660,421	4644	86.2	85.0-87.4	697	13.8	12.6-15.0
White/Non-Hisp	7768	4,071,318	7005	90.1	89.3-90.9	763	9.9	9.1-10.7
Black or Afr. Am./Non-Hisp	775	464,409	670	84.4	80.9-87.9	105	15.6	12.1-19.1
Oth. Race/Non-Hisp.	357	161,458	318	89.3	85.4-93.2	39	10.7	6.8-14.6
MultiRacial/Non-Hisp.	180	54,673	150	85.6	79.5-91.7	30	14.4	8.3-20.5
Hispanic	498	331,167	456	92.0	89.1-94.9	42	8.0	5.1-10.9
18-24	536	671,377	483	89.6	86.7-92.5	53	10.4	7.5-13.3
25-34	1025	866,873	891	86.6	84.2-89.0	134	13.4	11.0-15.8
35-44	1213	834,477	1093	90.6	88.8-92.4	120	9.4	7.6-11.2
45-54	1701	810,648	1538	91.0	89.4-92.6	163	9.0	7.4-10.6
55-64	1919	855,886	1705	89.3	87.7-90.9	214	10.7	9.1-12.3
65+	3425	1,156,382	3108	90.8	89.6-92.0	317	9.2	8.0-10.4
Less Than H.S.	589	587,407	510	85.8	82.3-89.3	79	14.2	10.7-17.7
H.S. or G.E.D.	2886	1,731,936	2601	90.2	88.8-91.6	285	9.8	8.4-11.2
Some Post-H.S.	2570	1,565,716	2290	89.7	88.3-91.1	280	10.3	8.9-11.7
College Graduate	3708	1,276,465	3354	90.5	89.3-91.7	354	9.5	8.3-10.7
Less than \$15,000	490	274,992	394	78.7	73.6-83.8	96	21.3	16.2-26.4
\$15,000-24,999	880	431,692	753	84.5	81.4-87.6	127	15.5	12.4-18.6
\$25,000-34,999	996	551,503	873	87.4	84.9-89.9	123	12.6	10.1-15.1
\$35,000-49,999	1107	573,024	1005	90.8	88.6-93.0	102	9.2	7.0-11.4
\$50,000-99,999	2392	1,290,219	2192	92.2	91.0-93.4	200	7.8	6.6- 9.0
\$100,000-199,999	1359	713,084	1256	92.8	91.0-94.6	103	7.2	5.4- 9.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4478	2,535,222	4174	93.3	92.3-94.3	304	6.7	5.7- 7.7
White/Non-Hisp	3534	1,973,842	3300	93.6	92.6-94.6	234	6.4	5.4- 7.4
Black or Afr. Am./Non-Hisp	293	222,293	261	88.0	83.1-92.9	32	12.0	7.1-16.9
Oth. Race/Non-Hisp.	195	85,605	179	91.8	87.1-96.5	16	8.2	3.5-12.9
MultiRacial/Non-Hisp.	85	24,491	79	95.3	91.0-99.6	6	4.7	0.4- 9.0
Hispanic	253	169,183	241	95.7	92.6-98.8	12	4.3	1.2- 7.4
18-24	285	345,539	268	92.8	88.9-96.7	17	7.2	3.3-11.1
25-34	478	437,891	436	91.2	88.1-94.3	42	8.8	5.7-11.9
35-44	556	417,960	523	94.2	92.0-96.4	33	5.8	3.6- 8.0
45-54	796	402,519	755	95.3	93.7-96.9	41	4.7	3.1- 6.3
55-64	893	417,672	819	92.0	89.8-94.2	74	8.0	5.8-10.2
65+	1470	513,642	1373	94.0	92.6-95.4	97	6.0	4.6- 7.4
Less Than H.S.	273	296,816	251	90.2	85.3-95.1	22	9.8	4.9-14.7
H.S. or G.E.D.	1361	899,212	1264	93.3	91.7-94.9	97	6.7	5.1- 8.3
Some Post-H.S.	1082	701,405	1015	94.3	92.7-95.9	67	5.7	4.1- 7.3
College Graduate	1727	619,659	1611	93.4	92.0-94.8	116	6.6	5.2- 8.0
Less than \$15,000	207	127,696	176	83.5	75.7-91.3	31	16.5	8.7-24.3
\$15,000- 24,999	300	154,513	277	93.1	89.8-96.4	23	6.9	3.6-10.2
\$25,000- 34,999	418	248,342	386	91.6	87.9-95.3	32	8.4	4.7-12.1
\$35,000- 49,999	509	287,138	478	93.6	90.5-96.7	31	6.4	3.3- 9.5
\$50,000- 99,999	1211	686,941	1143	95.1	93.7-96.5	68	4.9	3.5- 6.3
\$100,000 - 199,999	716	392,139	678	94.4	92.2-96.6	38	5.6	3.4- 7.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5341	2,660,421	4644	86.2	85.0-87.4	697	13.8	12.6-15.0
White/Non-Hisp	4234	2,097,476	3705	86.9	85.7-88.1	529	13.1	11.9-14.3
Black or Afr. Am./Non-Hisp	482	242,116	409	81.1	76.2-86.0	73	18.9	14.0-23.8
Oth. Race/Non-Hisp.	162	75,853	139	86.4	79.9-92.9	23	13.6	7.1-20.1
MultiRacial/Non-Hisp.	95	30,182	71	77.8	67.4-88.2	24	22.2	11.8-32.6
Hispanic	245	161,984	215	88.2	83.3-93.1	30	11.8	6.9-16.7
18-24	251	325,839	215	86.3	81.8-90.8	36	13.7	9.2-18.2
25-34	547	428,982	455	81.9	78.2-85.6	92	18.1	14.4-21.8
35-44	657	416,517	570	86.9	84.0-89.8	87	13.1	10.2-16.0
45-54	905	408,129	783	86.7	84.2-89.2	122	13.3	10.8-15.8
55-64	1026	438,214	886	86.6	84.2-89.0	140	13.4	11.0-15.8
65+	1955	642,740	1735	88.1	86.3-89.9	220	11.9	10.1-13.7
Less Than H.S.	316	290,591	259	81.4	76.3-86.5	57	18.6	13.5-23.7
H.S. or G.E.D.	1525	832,724	1337	86.8	84.8-88.8	188	13.2	11.2-15.2
Some Post-H.S.	1488	864,311	1275	85.9	83.7-88.1	213	14.1	11.9-16.3
College Graduate	1981	656,805	1743	87.7	85.9-89.5	238	12.3	10.5-14.1
Less than \$15,000	283	147,296	218	74.6	67.9-81.3	65	25.4	18.7-32.1
\$15,000- 24,999	580	277,179	476	79.8	75.5-84.1	104	20.2	15.9-24.5
\$25,000- 34,999	578	303,160	487	83.9	80.2-87.6	91	16.1	12.4-19.8
\$35,000- 49,999	598	285,886	527	88.1	85.0-91.2	71	11.9	8.8-15.0
\$50,000- 99,999	1181	603,278	1049	88.9	86.7-91.1	132	11.1	8.9-13.3
\$100,000 - 199,999	643	320,944	578	90.8	88.3-93.3	65	9.2	6.7-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9819	5,195,643	1001	10.3	9.5-11.1	365	4.5	3.9- 5.1	8453	85.2	84.2-86.2
Male	4478	2,535,222	304	6.7	5.7- 7.7	181	5.2	4.2- 6.2	3993	88.1	86.7-89.5
Female	5341	2,660,421	697	13.8	12.6-15.0	184	3.8	3.2- 4.4	4460	82.5	81.1-83.9
White/Non-Hisp	7768	4,071,318	763	9.9	9.1-10.7	292	4.6	4.0- 5.2	6713	85.5	84.5-86.5
Black or Afr. Am./Non-Hisp	775	464,409	105	15.6	12.1-19.1	29	4.0	2.2- 5.8	641	80.5	76.8-84.2
Oth. Race/Non-Hisp.	357	161,458	39	10.7	6.8-14.6	8	3.3	0.4- 6.2	310	85.9	81.2-90.6
MultiRacial/Non-Hisp.	180	54,673	30	14.4	8.3-20.5	8	6.2	0.9-11.5	142	79.4	71.8-87.0
Hispanic	498	331,167	42	8.0	5.1-10.9	22	4.5	2.1- 6.9	434	87.5	84.0-91.0
18-24	536	671,377	53	10.4	7.5-13.3	40	8.2	5.5-10.9	443	81.4	77.7-85.1
25-34	1025	866,873	134	13.4	11.0-15.8	69	7.2	5.4- 9.0	822	79.4	76.5-82.3
35-44	1213	834,477	120	9.4	7.6-11.2	38	3.2	2.0- 4.4	1055	87.4	85.4-89.4
45-54	1701	810,648	163	9.0	7.4-10.6	65	3.7	2.7- 4.7	1473	87.3	85.5-89.1
55-64	1919	855,886	214	10.7	9.1-12.3	49	2.4	1.6- 3.2	1656	86.9	85.1-88.7
65+	3425	1,156,382	317	9.2	8.0-10.4	104	3.3	2.5- 4.1	3004	87.5	86.1-88.9
Less Than H.S.	589	587,407	79	14.2	10.7-17.7	20	4.7	2.3- 7.1	490	81.2	77.1-85.3
H.S. or G.E.D.	2886	1,731,936	285	9.8	8.4-11.2	107	4.8	3.8- 5.8	2494	85.5	83.9-87.1
Some Post-H.S.	2570	1,565,716	280	10.3	8.9-11.7	101	4.6	3.6- 5.6	2189	85.0	83.4-86.6
College Graduate	3708	1,276,465	354	9.5	8.3-10.7	136	3.9	3.1- 4.7	3218	86.6	85.2-88.0
Less than \$15,000	490	274,992	96	21.3	16.2-26.4	19	4.1	1.9- 6.3	375	74.6	69.3-79.9
\$15,000-24,999	880	431,692	127	15.5	12.4-18.6	30	4.1	2.3- 5.9	723	80.4	77.1-83.7
\$25,000-34,999	996	551,503	123	12.6	10.1-15.1	38	4.0	2.6- 5.4	835	83.4	80.5-86.3
\$35,000-49,999	1107	573,024	102	9.2	7.0-11.4	47	5.5	3.7- 7.3	958	85.3	82.6-88.0
\$50,000-99,999	2392	1,290,219	200	7.8	6.6- 9.0	90	4.4	3.2- 5.6	2102	87.9	86.3-89.5
\$100,000-199,999	1359	713,084	103	7.2	5.4- 9.0	46	4.3	2.9- 5.7	1210	88.5	86.3-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4478	2,535,222	304	6.7	5.7- 7.7	181	5.2	4.2- 6.2	3993	88.1	86.7-89.5
White/Non-Hisp	3534	1,973,842	234	6.4	5.4- 7.4	148	5.6	4.4- 6.8	3152	88.0	86.6-89.4
Black or Afr. Am./Non-Hisp	293	222,293	32	12.0	7.1-16.9	13	4.4	1.5- 7.3	248	83.6	78.1-89.1
Oth. Race/Non-Hisp.	195	85,605	16	8.2	3.5-12.9	4	2.8	0.0- 6.1	175	89.0	83.3-94.7
MultiRacial/Non-Hisp.	85	24,491	6	4.7	0.4- 9.0	3	4.2	0.0- 9.7	76	91.1	84.2-98.0
Hispanic	253	169,183	12	4.3	1.2- 7.4	11	3.9	1.2- 6.6	230	91.8	87.9-95.7
18-24	285	345,539	17	7.2	3.3-11.1	27	11.2	6.9-15.5	241	81.6	76.1-87.1
25-34	478	437,891	42	8.8	5.7-11.9	39	8.5	5.8-11.2	397	82.7	78.8-86.6
35-44	556	417,960	33	5.8	3.6- 8.0	19	3.8	2.0- 5.6	504	90.4	87.7-93.1
45-54	796	402,519	41	4.7	3.1- 6.3	27	2.9	1.7- 4.1	728	92.4	90.4-94.4
55-64	893	417,672	74	8.0	5.8-10.2	22	2.3	1.1- 3.5	797	89.7	87.3-92.1
65+	1470	513,642	97	6.0	4.6- 7.4	47	3.6	2.4- 4.8	1326	90.4	88.6-92.2
Less Than H.S.	273	296,816	22	9.8	4.9-14.7	12	5.8	2.1- 9.5	239	84.4	78.5-90.3
H.S. or G.E.D.	1361	899,212	97	6.7	5.1- 8.3	58	5.8	4.2- 7.4	1206	87.5	85.3-89.7
Some Post-H.S.	1082	701,405	67	5.7	4.1- 7.3	46	5.3	3.7- 6.9	969	89.0	86.8-91.2
College Graduate	1727	619,659	116	6.6	5.2- 8.0	64	4.0	2.8- 5.2	1547	89.4	87.6-91.2
Less than \$15,000	207	127,696	31	16.5	8.7-24.3	6	3.4	0.5- 6.3	170	80.1	72.1-88.1
\$15,000- 24,999	300	154,513	23	6.9	3.6-10.2	10	4.2	1.1- 7.3	267	88.9	84.6-93.2
\$25,000- 34,999	418	248,342	32	8.4	4.7-12.1	19	5.2	2.7- 7.7	367	86.4	82.1-90.7
\$35,000- 49,999	509	287,138	31	6.4	3.3- 9.5	17	5.0	2.3- 7.7	461	88.6	84.7-92.5
\$50,000- 99,999	1211	686,941	68	4.9	3.5- 6.3	55	5.6	3.8- 7.4	1088	89.5	87.3-91.7
\$100,000 - 199,999	716	392,139	38	5.6	3.4- 7.8	26	5.1	2.7- 7.5	652	89.3	86.2-92.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5341	2,660,421	697	13.8	12.6-15.0	184	3.8	3.2- 4.4	4460	82.5	81.1-83.9
White/Non-Hisp	4234	2,097,476	529	13.1	11.9-14.3	144	3.6	2.8- 4.4	3561	83.2	81.8-84.6
Black or Afr. Am./Non-Hisp	482	242,116	73	18.9	14.0-23.8	16	3.6	1.6- 5.6	393	77.6	72.5-82.7
Oth. Race/Non-Hisp.	162	75,853	23	13.6	7.1-20.1	4	3.9	0.0- 8.8	135	82.5	74.7-90.3
MultiRacial/Non-Hisp.	95	30,182	24	22.2	11.8-32.6	5	7.8	0.0-16.0	66	70.0	57.7-82.3
Hispanic	245	161,984	30	11.8	6.9-16.7	11	5.1	1.4- 8.8	204	83.1	77.4-88.8
18-24	251	325,839	36	13.7	9.2-18.2	13	5.1	2.4- 7.8	202	81.2	76.1-86.3
25-34	547	428,982	92	18.1	14.4-21.8	30	5.8	3.4- 8.2	425	76.1	72.0-80.2
35-44	657	416,517	87	13.1	10.2-16.0	19	2.6	1.4- 3.8	551	84.3	81.4-87.2
45-54	905	408,129	122	13.3	10.8-15.8	38	4.4	2.8- 6.0	745	82.3	79.6-85.0
55-64	1026	438,214	140	13.4	11.0-15.8	27	2.4	1.2- 3.6	859	84.2	81.7-86.7
65+	1955	642,740	220	11.9	10.1-13.7	57	3.0	2.0- 4.0	1678	85.1	83.1-87.1
Less Than H.S.	316	290,591	57	18.6	13.5-23.7	8	3.5	0.8- 6.2	251	77.9	72.2-83.6
H.S. or G.E.D.	1525	832,724	188	13.2	11.2-15.2	49	3.6	2.4- 4.8	1288	83.2	80.8-85.6
Some Post-H.S.	1488	864,311	213	14.1	11.9-16.3	55	4.1	2.9- 5.3	1220	81.8	79.4-84.2
College Graduate	1981	656,805	238	12.3	10.5-14.1	72	3.7	2.7- 4.7	1671	84.0	82.0-86.0
Less than \$15,000	283	147,296	65	25.4	18.7-32.1	13	4.7	1.6- 7.8	205	69.8	62.7-76.9
\$15,000- 24,999	580	277,179	104	20.2	15.9-24.5	20	4.1	1.9- 6.3	456	75.7	71.2-80.2
\$25,000- 34,999	578	303,160	91	16.1	12.4-19.8	19	3.0	1.4- 4.6	468	80.9	77.0-84.8
\$35,000- 49,999	598	285,886	71	11.9	8.8-15.0	30	6.1	3.6- 8.6	497	82.0	78.3-85.7
\$50,000- 99,999	1181	603,278	132	11.1	8.9-13.3	35	2.9	1.7- 4.1	1014	86.0	83.6-88.4
\$100,000 - 199,999	643	320,944	65	9.2	6.7-11.7	20	3.3	1.7- 4.9	558	87.4	84.5-90.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 8: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)	
1	MALES AND FEMALES	49
2	MALES ONLY	50
3	FEMALES ONLY	51
	LIMITED USUAL ACTIVITIES (_LMTACT3)	
4	MALES AND FEMALES	52
5	MALES ONLY	53
6	FEMALES ONLY	54
	LIMITED WORK ACTIVITIES (_LMTWRK3)	
7	MALES AND FEMALES	55
8	MALES ONLY	56
9	FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

**TABLE 1: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9863	5,227,863	3431	28.1	27.1-29.1	6432	71.9	70.9-72.9
Male	4499	2,550,970	1306	23.3	21.9-24.7	3193	76.7	75.3-78.1
Female	5364	2,676,893	2125	32.7	31.3-34.1	3239	67.3	65.9-68.7
White/Non-Hisp	7804	4,094,578	2857	30.3	29.1-31.5	4947	69.7	68.5-70.9
Black or Afr. Am./Non-Hisp	776	466,133	281	26.7	23.0-30.4	495	73.3	69.6-77.0
Oth. Race/Non-Hisp.	364	166,423	91	16.6	12.3-20.9	273	83.4	79.1-87.7
MultiRacial/Non-Hisp.	181	55,053	57	20.2	13.9-26.5	124	79.8	73.5-86.1
Hispanic	496	329,962	70	9.8	7.1-12.5	426	90.2	87.5-92.9
18-24	546	686,049	9	2.1	0.7- 3.5	537	97.9	96.5-99.3
25-34	1039	877,651	97	10.0	7.8-12.2	942	90.0	87.8-92.2
35-44	1218	837,606	210	18.1	15.6-20.6	1008	81.9	79.4-84.4
45-54	1697	808,430	444	27.0	24.6-29.4	1253	73.0	70.6-75.4
55-64	1925	857,184	822	43.5	41.0-46.0	1103	56.5	54.0-59.0
65+	3438	1,160,942	1849	53.8	51.8-55.8	1589	46.2	44.2-48.2
Less Than H.S.	592	588,959	224	29.5	25.4-33.6	368	70.5	66.4-74.6
H.S. or G.E.D.	2900	1,745,487	1168	31.1	29.3-32.9	1732	68.9	67.1-70.7
Some Post-H.S.	2586	1,577,285	950	28.9	26.9-30.9	1636	71.1	69.1-73.1
College Graduate	3723	1,284,462	1071	22.5	21.1-23.9	2652	77.5	76.1-78.9
Less than \$15,000	494	277,425	247	39.1	33.8-44.4	247	60.9	55.6-66.2
\$15,000-24,999	883	435,307	431	38.9	35.2-42.6	452	61.1	57.4-64.8
\$25,000-34,999	1001	554,647	385	30.7	27.4-34.0	616	69.3	66.0-72.6
\$35,000-49,999	1115	577,386	416	30.5	27.4-33.6	699	69.5	66.4-72.6
\$50,000-99,999	2401	1,297,745	730	25.2	23.2-27.2	1671	74.8	72.8-76.8
\$100,000-199,999	1357	711,330	326	21.2	18.8-23.6	1031	78.8	76.4-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 2: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4499	2,550,970	1306	23.3	21.9-24.7	3193	76.7	75.3-78.1
White/Non-Hisp	3551	1,983,474	1096	25.1	23.5-26.7	2455	74.9	73.3-76.5
Black or Afr. Am./Non-Hisp	293	222,372	82	22.9	17.4-28.4	211	77.1	71.6-82.6
Oth. Race/Non-Hisp.	199	88,750	50	16.9	10.8-23.0	149	83.1	77.0-89.2
MultiRacial/Non-Hisp.	84	24,169	20	13.7	7.0-20.4	64	86.3	79.6-93.0
Hispanic	253	168,858	30	6.8	3.9- 9.7	223	93.2	90.3-96.1
18-24	290	352,843	5	2.2	0.2- 4.2	285	97.8	95.8-99.8
25-34	489	446,686	24	5.5	3.1- 7.9	465	94.5	92.1-96.9
35-44	556	416,418	84	16.4	12.9-19.9	472	83.6	80.1-87.1
45-54	794	401,369	170	23.1	19.8-26.4	624	76.9	73.6-80.2
55-64	897	417,701	325	36.5	33.0-40.0	572	63.5	60.0-67.0
65+	1473	515,953	698	48.0	45.1-50.9	775	52.0	49.1-54.9
Less Than H.S.	277	301,016	85	24.9	19.4-30.4	192	75.1	69.6-80.6
H.S. or G.E.D.	1366	903,836	442	24.6	22.2-27.0	924	75.4	73.0-77.8
Some Post-H.S.	1085	704,443	339	24.4	21.7-27.1	746	75.6	72.9-78.3
College Graduate	1738	624,696	429	19.0	17.0-21.0	1309	81.0	79.0-83.0
Less than \$15,000	211	130,104	88	32.9	25.5-40.3	123	67.1	59.7-74.5
\$15,000- 24,999	304	158,485	123	30.9	25.0-36.8	181	69.1	63.2-75.0
\$25,000- 34,999	419	248,424	123	24.9	20.0-29.8	296	75.1	70.2-80.0
\$35,000- 49,999	513	290,248	161	24.5	20.4-28.6	352	75.5	71.4-79.6
\$50,000- 99,999	1214	688,050	323	21.7	19.2-24.2	891	78.3	75.8-80.8
\$100,000 - 199,999	714	390,220	174	21.6	18.1-25.1	540	78.4	74.9-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 3: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5364	2,676,893	2125	32.7	31.3-34.1	3239	67.3	65.9-68.7
White/Non-Hisp	4253	2,111,104	1761	35.1	33.3-36.9	2492	64.9	63.1-66.7
Black or Afr. Am./Non-Hisp	483	243,760	199	30.2	25.3-35.1	284	69.8	64.9-74.7
Oth. Race/Non-Hisp.	165	77,672	41	16.2	9.9-22.5	124	83.8	77.5-90.1
MultiRacial/Non-Hisp.	97	30,884	37	25.4	15.4-35.4	60	74.6	64.6-84.6
Hispanic	243	161,104	40	12.9	8.4-17.4	203	87.1	82.6-91.6
18-24	256	333,206	4	1.9	0.0- 4.1	252	98.1	95.9- 100
25-34	550	430,965	73	14.6	11.1-18.1	477	85.4	81.9-88.9
35-44	662	421,188	126	19.7	16.4-23.0	536	80.3	77.0-83.6
45-54	903	407,061	274	30.9	27.6-34.2	629	69.1	65.8-72.4
55-64	1028	439,483	497	50.1	46.6-53.6	531	49.9	46.4-53.4
65+	1965	644,990	1151	58.5	56.0-61.0	814	41.5	39.0-44.0
Less Than H.S.	315	287,943	139	34.3	28.4-40.2	176	65.7	59.8-71.6
H.S. or G.E.D.	1534	841,651	726	38.1	35.4-40.8	808	61.9	59.2-64.6
Some Post-H.S.	1501	872,842	611	32.5	30.0-35.0	890	67.5	65.0-70.0
College Graduate	1985	659,766	642	25.8	23.8-27.8	1343	74.2	72.2-76.2
Less than \$15,000	283	147,321	159	44.6	37.3-51.9	124	55.4	48.1-62.7
\$15,000- 24,999	579	276,823	308	43.5	38.6-48.4	271	56.5	51.6-61.4
\$25,000- 34,999	582	306,224	262	35.5	30.8-40.2	320	64.5	59.8-69.2
\$35,000- 49,999	602	287,138	255	36.6	32.1-41.1	347	63.4	58.9-67.9
\$50,000- 99,999	1187	609,695	407	29.2	26.3-32.1	780	70.8	67.9-73.7
\$100,000 - 199,999	643	321,110	152	20.7	17.4-24.0	491	79.3	76.0-82.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 4: LIMITED USUAL ACTIVITIES (_LMTACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9821	5,210,504	1382	11.6	10.8-12.4	2007	16.2	15.4-17.0	6432	72.1	71.1-73.1
Male	4486	2,546,504	462	8.2	7.2- 9.2	831	14.9	13.7-16.1	3193	76.9	75.5-78.3
Female	5335	2,664,000	920	15.0	13.8-16.2	1176	17.4	16.2-18.6	3239	67.6	66.2-69.0
White/Non-Hisp	7769	4,081,908	1117	12.4	11.6-13.2	1705	17.7	16.7-18.7	4947	69.9	68.7-71.1
Black or Afr. Am./Non-Hisp	774	465,245	126	12.3	9.6-15.0	153	14.3	11.6-17.0	495	73.4	69.7-77.1
Oth. Race/Non-Hisp.	364	166,423	39	7.4	4.3-10.5	52	9.2	6.1-12.3	273	83.4	79.1-87.7
MultiRacial/Non-Hisp.	181	55,053	39	14.1	8.6-19.6	18	6.1	3.0- 9.2	124	79.8	73.5-86.1
Hispanic	494	328,922	31	3.8	2.2- 5.4	37	5.7	3.5- 7.9	426	90.5	87.8-93.2
18-24	546	686,049	3	0.7	0.0- 1.7	6	1.3	0.1- 2.5	537	97.9	96.5-99.3
25-34	1036	874,192	56	5.8	4.0- 7.6	38	3.8	2.4- 5.2	942	90.4	88.2-92.6
35-44	1217	836,611	88	7.3	5.7- 8.9	121	10.7	8.7-12.7	1008	82.0	79.6-84.4
45-54	1695	806,952	192	11.6	9.8-13.4	250	15.4	13.4-17.4	1253	73.1	70.7-75.5
55-64	1920	854,926	400	20.6	18.6-22.6	417	22.7	20.5-24.9	1103	56.7	54.2-59.2
65+	3407	1,151,775	643	19.2	17.6-20.8	1175	34.3	32.3-36.3	1589	46.5	44.5-48.5
Less Than H.S.	590	588,117	105	15.3	12.2-18.4	117	14.1	11.2-17.0	368	70.6	66.5-74.7
H.S. or G.E.D.	2887	1,739,228	465	12.6	11.4-13.8	690	18.3	16.9-19.7	1732	69.1	67.3-70.9
Some Post-H.S.	2574	1,571,381	421	12.2	10.8-13.6	517	16.4	14.8-18.0	1636	71.4	69.4-73.4
College Graduate	3710	1,280,648	388	8.3	7.3- 9.3	670	14.0	12.8-15.2	2652	77.7	76.3-79.1
Less than \$15,000	493	277,253	151	24.7	20.2-29.2	95	14.4	11.1-17.7	247	60.9	55.6-66.2
\$15,000-24,999	880	433,553	219	21.2	18.1-24.3	209	17.5	14.8-20.2	452	61.3	57.6-65.0
\$25,000-34,999	999	553,690	165	14.3	11.8-16.8	218	16.3	13.8-18.8	616	69.4	66.1-72.7
\$35,000-49,999	1111	576,008	167	12.5	10.3-14.7	245	17.8	15.3-20.3	699	69.7	66.6-72.8
\$50,000-99,999	2386	1,290,098	250	8.8	7.6-10.0	465	15.9	14.3-17.5	1671	75.2	73.2-77.2
\$100,000-199,999	1356	710,935	101	6.0	4.6- 7.4	224	15.2	13.0-17.4	1031	78.9	76.5-81.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 5: LIMITED USUAL ACTIVITIES (_LMTACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4486	2,546,504	462	8.2	7.2- 9.2	831	14.9	13.7-16.1	3193	76.9	75.5-78.3
White/Non-Hisp	3541	1,980,080	377	8.7	7.7- 9.7	709	16.3	14.9-17.7	2455	75.0	73.4-76.6
Black or Afr. Am./Non-Hisp	292	221,693	30	9.1	5.4-12.8	51	13.5	9.0-18.0	211	77.3	71.8-82.8
Oth. Race/Non-Hisp.	199	88,750	20	6.5	2.4-10.6	30	10.4	5.7-15.1	149	83.1	77.0-89.2
MultiRacial/Non-Hisp.	84	24,169	13	7.5	3.0-12.0	7	6.1	1.2-11.0	64	86.3	79.6-93.0
Hispanic	252	168,814	10	1.5	0.3- 2.7	19	5.3	2.6- 8.0	223	93.2	90.3-96.1
18-24	290	352,843	1	0.5	0.0- 1.5	4	1.7	0.0- 3.5	285	97.8	95.8-99.8
25-34	489	446,686	10	2.5	0.7- 4.3	14	3.0	1.2- 4.8	465	94.5	92.1-96.9
35-44	556	416,418	33	6.2	3.8- 8.6	51	10.2	7.3-13.1	472	83.6	80.1-87.1
45-54	792	399,890	57	7.8	5.4-10.2	111	15.1	12.4-17.8	624	77.2	73.9-80.5
55-64	895	416,334	145	15.1	12.6-17.6	178	21.1	18.0-24.2	572	63.8	60.3-67.3
65+	1464	514,333	216	14.7	12.5-16.9	473	33.1	30.2-36.0	775	52.2	49.3-55.1
Less Than H.S.	276	300,972	36	12.3	8.0-16.6	48	12.6	8.7-16.5	192	75.1	69.6-80.6
H.S. or G.E.D.	1362	901,787	164	8.5	7.1- 9.9	274	16.0	14.0-18.0	924	75.5	73.1-77.9
Some Post-H.S.	1082	702,946	119	7.8	6.2- 9.4	217	16.4	14.0-18.8	746	75.8	73.1-78.5
College Graduate	1734	623,910	143	6.4	5.2- 7.6	282	12.5	10.9-14.1	1309	81.1	79.1-83.1
Less than \$15,000	211	130,104	49	18.1	12.0-24.2	39	14.9	9.8-20.0	123	67.1	59.7-74.5
\$15,000- 24,999	304	158,485	61	16.8	12.1-21.5	62	14.1	10.2-18.0	181	69.1	63.2-75.0
\$25,000- 34,999	419	248,424	47	9.8	6.3-13.3	76	15.1	11.4-18.8	296	75.1	70.2-80.0
\$35,000- 49,999	510	289,395	62	8.9	6.4-11.4	96	15.3	12.0-18.6	352	75.7	71.6-79.8
\$50,000- 99,999	1208	685,695	92	6.4	4.8- 8.0	225	15.0	12.6-17.4	891	78.6	76.1-81.1
\$100,000 - 199,999	714	390,220	47	4.8	3.0- 6.6	127	16.8	13.7-19.9	540	78.4	74.9-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN
TABLE 6: LIMITED USUAL ACTIVITIES (_LMTACT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5335	2,664,000	920	15.0	13.8-16.2	1176	17.4	16.2-18.6	3239	67.6	66.2-69.0
White/Non-Hisp	4228	2,101,828	740	15.8	14.6-17.0	996	19.0	17.6-20.4	2492	65.2	63.4-67.0
Black or Afr. Am./Non-Hisp	482	243,552	96	15.1	11.4-18.8	102	15.0	11.5-18.5	284	69.8	64.9-74.7
Oth. Race/Non-Hisp.	165	77,672	19	8.4	3.7-13.1	22	7.9	3.6-12.2	124	83.8	77.5-90.1
MultiRacial/Non-Hisp.	97	30,884	26	19.3	10.3-28.3	11	6.1	1.8-10.4	60	74.6	64.6-84.6
Hispanic	242	160,108	21	6.3	3.2- 9.4	18	6.1	2.6- 9.6	203	87.6	83.1-92.1
18-24	256	333,206	2	1.0	0.0- 2.6	2	1.0	0.0- 2.4	252	98.1	95.9- 100
25-34	547	427,506	46	9.2	6.3-12.1	24	4.6	2.6- 6.6	477	86.1	82.8-89.4
35-44	661	420,193	55	8.4	6.0-10.8	70	11.1	8.4-13.8	536	80.5	77.2-83.8
45-54	903	407,061	135	15.3	12.8-17.8	139	15.6	13.1-18.1	629	69.1	65.8-72.4
55-64	1025	438,592	255	25.8	22.7-28.9	239	24.2	21.3-27.1	531	50.0	46.5-53.5
65+	1943	637,442	427	22.8	20.4-25.2	702	35.2	32.7-37.7	814	42.0	39.3-44.7
Less Than H.S.	314	287,145	69	18.4	13.7-23.1	69	15.7	11.6-19.8	176	65.9	60.0-71.8
H.S. or G.E.D.	1525	837,441	301	16.9	14.7-19.1	416	20.8	18.6-23.0	808	62.2	59.5-64.9
Some Post-H.S.	1492	868,435	302	15.8	13.8-17.8	300	16.3	14.3-18.3	890	67.9	65.4-70.4
College Graduate	1976	656,738	245	10.1	8.7-11.5	388	15.4	13.8-17.0	1343	74.5	72.5-76.5
Less than \$15,000	282	147,149	102	30.6	24.1-37.1	56	13.9	9.6-18.2	124	55.4	48.1-62.7
\$15,000- 24,999	576	275,068	158	23.7	19.6-27.8	147	19.4	15.7-23.1	271	56.8	51.9-61.7
\$25,000- 34,999	580	305,266	118	17.9	14.2-21.6	142	17.4	14.1-20.7	320	64.7	60.0-69.4
\$35,000- 49,999	601	286,613	105	16.1	12.8-19.4	149	20.3	16.8-23.8	347	63.6	59.1-68.1
\$50,000- 99,999	1178	604,403	158	11.6	9.6-13.6	240	17.0	14.6-19.4	780	71.4	68.5-74.3
\$100,000 - 199,999	642	320,715	54	7.5	5.3- 9.7	97	13.1	10.4-15.8	491	79.4	76.1-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 7: LIMITED WORK ACTIVITIES (_LMTWRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9732	5,176,296	1013	9.5	8.9-10.1	2287	17.8	17.0-18.6	6432	72.6	71.6-73.6
Male	4446	2,531,155	367	7.6	6.6- 8.6	886	15.0	13.8-16.2	3193	77.3	75.9-78.7
Female	5286	2,645,141	646	11.4	10.4-12.4	1401	20.5	19.3-21.7	3239	68.1	66.7-69.5
White/Non-Hisp	7705	4,054,200	790	9.7	8.9-10.5	1968	19.9	18.9-20.9	4947	70.4	69.2-71.6
Black or Afr. Am./Non-Hisp	758	459,290	93	10.8	8.3-13.3	170	14.8	12.1-17.5	495	74.4	70.7-78.1
Oth. Race/Non-Hisp.	360	165,518	41	8.8	5.3-12.3	46	7.3	4.6-10.0	273	83.9	79.6-88.2
MultiRacial/Non-Hisp.	180	54,916	32	14.1	8.6-19.6	24	5.9	3.2- 8.6	124	80.0	73.7-86.3
Hispanic	494	329,446	32	5.0	3.0- 7.0	36	4.6	2.6- 6.6	426	90.4	87.7-93.1
18-24	546	686,049	4	1.1	0.0- 2.3	5	1.0	0.0- 2.0	537	97.9	96.5-99.3
25-34	1036	873,351	51	5.4	3.8- 7.0	43	4.1	2.7- 5.5	942	90.5	88.3-92.7
35-44	1218	837,606	91	8.5	6.5-10.5	119	9.5	7.7-11.3	1008	81.9	79.4-84.4
45-54	1690	804,590	175	11.3	9.5-13.1	262	15.4	13.4-17.4	1253	73.3	70.9-75.7
55-64	1901	845,283	322	17.6	15.6-19.6	476	25.1	22.9-27.3	1103	57.3	54.8-59.8
65+	3341	1,129,417	370	11.4	10.2-12.6	1382	41.2	39.2-43.2	1589	47.5	45.5-49.5
Less Than H.S.	580	580,387	99	14.5	11.4-17.6	113	13.9	11.0-16.8	368	71.5	67.4-75.6
H.S. or G.E.D.	2850	1,727,611	388	11.3	10.1-12.5	730	19.1	17.5-20.7	1732	69.6	67.8-71.4
Some Post-H.S.	2548	1,559,534	305	9.6	8.4-10.8	607	18.5	16.9-20.1	1636	71.9	69.9-73.9
College Graduate	3694	1,278,947	219	5.1	4.3- 5.9	823	17.1	15.9-18.3	2652	77.8	76.4-79.2
Less than \$15,000	483	272,987	131	22.5	18.2-26.8	105	15.6	12.1-19.1	247	61.9	56.6-67.2
\$15,000-24,999	865	428,766	179	17.8	14.9-20.7	234	20.2	17.3-23.1	452	62.0	58.3-65.7
\$25,000-34,999	988	547,693	134	12.8	10.3-15.3	238	17.0	14.5-19.5	616	70.1	66.8-73.4
\$35,000-49,999	1098	572,183	135	11.3	9.1-13.5	264	18.6	16.1-21.1	699	70.1	67.0-73.2
\$50,000-99,999	2386	1,290,771	169	7.3	6.1- 8.5	546	17.6	16.0-19.2	1671	75.2	73.2-77.2
\$100,000-199,999	1353	709,233	69	5.1	3.7- 6.5	253	15.8	13.6-18.0	1031	79.0	76.6-81.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN
TABLE 8: LIMITED WORK ACTIVITIES (_LMTWRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4446	2,531,155	367	7.6	6.6- 8.6	886	15.0	13.8-16.2	3193	77.3	75.9-78.7
White/Non-Hisp	3510	1,967,670	286	7.7	6.7- 8.7	769	16.8	15.4-18.2	2455	75.5	73.9-77.1
Black or Afr. Am./Non-Hisp	289	219,834	27	10.0	5.9-14.1	51	12.1	8.2-16.0	211	78.0	72.5-83.5
Oth. Race/Non-Hisp.	197	88,541	27	10.6	5.3-15.9	21	6.0	3.1- 8.9	149	83.3	77.2-89.4
MultiRacial/Non-Hisp.	84	24,169	9	6.7	2.0-11.4	11	7.0	2.5-11.5	64	86.3	79.6-93.0
Hispanic	251	168,342	9	2.1	0.5- 3.7	19	4.5	2.0- 7.0	223	93.5	90.6-96.4
18-24	290	352,843	2	0.8	0.0- 2.0	3	1.4	0.0- 3.0	285	97.8	95.8-99.8
25-34	488	445,084	13	3.0	1.2- 4.8	10	2.2	0.8- 3.6	465	94.8	92.4-97.2
35-44	556	416,418	39	8.5	5.8-11.2	45	7.9	5.5-10.3	472	83.6	80.1-87.1
45-54	794	401,369	60	8.7	6.2-11.2	110	14.4	11.7-17.1	624	76.9	73.6-80.2
55-64	882	410,447	125	14.5	11.8-17.2	185	20.9	18.0-23.8	572	64.7	61.2-68.2
65+	1436	504,994	128	9.3	7.5-11.1	533	37.5	34.6-40.4	775	53.2	50.1-56.3
Less Than H.S.	276	299,986	39	13.4	8.9-17.9	45	11.3	7.8-14.8	192	75.3	69.8-80.8
H.S. or G.E.D.	1345	896,749	153	8.7	7.1-10.3	268	15.4	13.4-17.4	924	76.0	73.6-78.4
Some Post-H.S.	1069	696,727	100	7.2	5.6- 8.8	223	16.4	14.0-18.8	746	76.4	73.7-79.1
College Graduate	1724	622,315	74	4.0	2.8- 5.2	341	14.7	12.9-16.5	1309	81.3	79.3-83.3
Less than \$15,000	207	128,663	46	18.8	12.5-25.1	38	13.4	8.5-18.3	123	67.8	60.4-75.2
\$15,000- 24,999	298	156,594	53	15.0	10.7-19.3	64	15.1	10.8-19.4	181	69.9	64.0-75.8
\$25,000- 34,999	413	244,278	42	9.8	6.3-13.3	75	13.8	10.3-17.3	296	76.4	71.7-81.1
\$35,000- 49,999	507	289,172	53	9.1	6.2-12.0	102	15.1	11.8-18.4	352	75.8	71.7-79.9
\$50,000- 99,999	1205	684,526	72	6.1	4.3- 7.9	242	15.1	12.9-17.3	891	78.7	76.2-81.2
\$100,000 - 199,999	711	388,427	34	5.1	2.9- 7.3	137	16.1	13.2-19.0	540	78.7	75.2-82.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN
TABLE 9: LIMITED WORK ACTIVITIES (_LMTWRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5286	2,645,141	646	11.4	10.4-12.4	1401	20.5	19.3-21.7	3239	68.1	66.7-69.5
White/Non-Hisp	4195	2,086,529	504	11.6	10.4-12.8	1199	22.8	21.4-24.2	2492	65.6	63.8-67.4
Black or Afr. Am./Non-Hisp	469	239,456	66	11.6	8.3-14.9	119	17.3	13.4-21.2	284	71.0	66.1-75.9
Oth. Race/Non-Hisp.	163	76,978	14	6.7	2.6-10.8	25	8.7	4.0-13.4	124	84.6	78.5-90.7
MultiRacial/Non-Hisp.	96	30,747	23	20.0	10.8-29.2	13	5.1	1.8- 8.4	60	74.9	64.9-84.9
Hispanic	243	161,104	23	8.1	4.4-11.8	17	4.8	1.9- 7.7	203	87.1	82.6-91.6
18-24	256	333,206	2	1.3	0.0- 3.1	2	0.7	0.0- 1.7	252	98.1	95.9- 100
25-34	548	428,267	38	8.0	5.3-10.7	33	6.1	3.9- 8.3	477	86.0	82.7-89.3
35-44	662	421,188	52	8.5	6.1-10.9	74	11.1	8.4-13.8	536	80.3	77.0-83.6
45-54	896	403,222	115	13.8	11.3-16.3	152	16.5	13.8-19.2	629	69.7	66.4-73.0
55-64	1019	434,836	197	20.5	17.6-23.4	291	29.0	25.9-32.1	531	50.4	46.9-53.9
65+	1905	624,422	242	13.0	11.2-14.8	849	44.1	41.4-46.8	814	42.8	40.1-45.5
Less Than H.S.	304	280,401	60	15.7	11.2-20.2	68	16.8	12.3-21.3	176	67.4	61.5-73.3
H.S. or G.E.D.	1505	830,862	235	14.1	12.1-16.1	462	23.2	20.8-25.6	808	62.7	60.0-65.4
Some Post-H.S.	1479	862,806	205	11.5	9.7-13.3	384	20.2	18.0-22.4	890	68.3	65.8-70.8
College Graduate	1970	656,631	145	6.1	4.9- 7.3	482	19.3	17.5-21.1	1343	74.5	72.5-76.5
Less than \$15,000	276	144,323	85	25.9	20.0-31.8	67	17.6	12.7-22.5	124	56.5	49.2-63.8
\$15,000- 24,999	567	272,172	126	19.4	15.7-23.1	170	23.2	19.3-27.1	271	57.4	52.5-62.3
\$25,000- 34,999	575	303,415	92	15.2	11.7-18.7	163	19.7	16.2-23.2	320	65.1	60.4-69.8
\$35,000- 49,999	591	283,011	82	13.5	10.4-16.6	162	22.2	18.5-25.9	347	64.4	59.9-68.9
\$50,000- 99,999	1181	606,245	97	8.5	6.5-10.5	304	20.3	17.8-22.8	780	71.2	68.3-74.1
\$100,000 - 199,999	642	320,806	35	5.1	3.3- 6.9	116	15.5	12.6-18.4	491	79.4	76.1-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	61
2 MALES ONLY	62
3 FEMALES ONLY	63
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	64
5 MALES ONLY	65
6 FEMALES ONLY	66
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	67
8 MALES ONLY	68
9 FEMALES ONLY	69
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	70
11 MALES ONLY	71
12 FEMALES ONLY	72
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	73
14 MALES ONLY	74
15 FEMALES ONLY	75
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	76
17 MALES ONLY	77
18 FEMALES ONLY	78

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	79
20 MALES ONLY	80
21 FEMALES ONLY	81
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	82
23 MALES ONLY	83
24 FEMALES ONLY	84
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	85
26 MALES ONLY	86
27 FEMALES ONLY	87
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	88
29 MALES ONLY	89
30 FEMALES ONLY	90
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	91
32 MALES ONLY	92
33 FEMALES ONLY	93
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	94
35 MALES ONLY	95
36 FEMALES ONLY	96
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	97
38 MALES ONLY	98
39 FEMALES ONLY	99

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
40	MALES AND FEMALES	100
41	MALES ONLY	101
42	FEMALES ONLY	102
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
43	MALES AND FEMALES	103
44	MALES ONLY	104
45	FEMALES ONLY	105
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
46	MALES AND FEMALES	106
47	MALES ONLY	107
48	FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9646	5,105,993	8217	84.4	83.4-85.4	847	9.8	9.0-10.6	97	0.9	0.7- 1.1	168	2.1	1.7- 2.5	13	0.2	0.0- 0.4	304	2.6	2.2- 3.0
Male	4394	2,485,055	3758	84.2	82.8-85.6	323	9.5	8.3-10.7	52	1.1	0.7- 1.5	91	2.1	1.5- 2.7	10	0.3	0.1- 0.5	160	2.8	2.2- 3.4
Female	5252	2,620,938	4459	84.6	83.4-85.8	524	10.0	9.0-11.0	45	0.8	0.6- 1.0	77	2.0	1.4- 2.6	3	0.1	0.1- 0.1	144	2.5	1.9- 3.1
18-24	535	670,388	398	76.6	72.7-80.5	48	9.8	6.9-12.7	6	1.2	0.2- 2.2	52	7.9	5.5-10.3	1	0.2	0.0- 0.6	30	4.3	2.5- 6.1
25-34	1011	856,033	796	81.5	78.8-84.2	103	10.8	8.6-13.0	7	0.6	0.2- 1.0	40	2.4	1.6- 3.2	5	0.4	0.0- 0.8	60	4.2	2.8- 5.6
35-44	1177	806,368	963	81.5	79.0-84.0	115	11.1	8.9-13.3	13	1.0	0.4- 1.6	27	1.8	1.0- 2.6	2	0.2	0.0- 0.6	57	4.4	3.0- 5.8
45-54	1620	771,212	1361	84.2	82.0-86.4	155	11.2	9.2-13.2	20	1.1	0.5- 1.7	26	1.5	0.7- 2.3	2	0.1	0.0- 0.3	56	1.9	1.3- 2.5
55-64	1907	850,524	1668	88.0	86.2-89.8	161	9.2	7.6-10.8	26	1.2	0.6- 1.8	9	0.3	0.1- 0.5	2	0.2	0.0- 0.6	41	1.1	0.7- 1.5
65+	3396	1,151,468	3031	90.6	89.4-91.8	265	7.4	6.2- 8.6	25	0.7	0.3- 1.1	14	0.4	0.2- 0.6	1	0.0	0.0- 0.0	60	0.9	0.5- 1.3
Less Than H.S.	547	551,326	418	77.2	72.9-81.5	64	11.6	8.3-14.9	17	2.3	1.1- 3.5	3	0.8	0.0- 1.8	4	0.8	0.0- 1.6	41	7.2	4.7- 9.7
H.S. or G.E.D.	2853	1,715,864	2443	84.8	83.0-86.6	258	9.8	8.4-11.2	25	0.8	0.4- 1.2	27	1.9	1.1- 2.7	5	0.2	0.0- 0.4	95	2.6	1.8- 3.4
Some Post-H.S.	2536	1,546,867	2129	84.8	83.2-86.4	266	10.7	9.3-12.1	30	0.9	0.5- 1.3	33	1.7	1.1- 2.3				78	1.8	1.2- 2.4
College Graduate	3665	1,266,587	3191	86.6	85.2-88.0	256	7.9	6.7- 9.1	24	0.5	0.3- 0.7	103	3.3	2.7- 3.9	4	0.1	0.0- 0.3	87	1.7	1.3- 2.1
Less than \$15,000	484	270,334	356	73.1	68.0-78.2	77	17.5	13.0-22.0	11	1.8	0.6- 3.0	15	4.6	2.1- 7.1	1	0.2	0.0- 0.6	24	2.8	1.4- 4.2
\$15,000-24,999	856	419,816	684	80.9	77.6-84.2	113	13.7	10.6-16.8	14	1.4	0.4- 2.4	9	0.9	0.3- 1.5	1	0.0	0.0- 0.0	35	3.1	1.7- 4.5
\$25,000-34,999	982	543,589	791	79.1	75.8-82.4	116	12.8	10.1-15.5	13	1.2	0.4- 2.0	12	1.6	0.4- 2.8	3	0.5	0.0- 1.1	47	4.7	2.9- 6.5
\$35,000-49,999	1106	574,320	932	81.9	78.8-85.0	118	12.9	10.2-15.6	13	1.4	0.6- 2.2	9	0.9	0.3- 1.5	1	0.0	0.0- 0.0	33	2.9	1.5- 4.3
\$50,000-99,999	2367	1,276,715	2090	88.4	86.8-90.0	163	7.4	6.0- 8.8	12	0.4	0.2- 0.6	38	1.6	1.0- 2.2	3	0.1	0.0- 0.3	61	2.1	1.5- 2.7
\$100,000-199,999	1347	704,843	1217	89.9	87.9-91.9	64	5.8	4.2- 7.4	5	0.3	0.1- 0.5	34	2.3	1.5- 3.1				27	1.7	0.7- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4394	2,485,055	3758	84.2	82.8-85.6	323	9.5	8.3-10.7	52	1.1	0.7- 1.5	91	2.1	1.5- 2.7	10	0.3	0.1- 0.5	160	2.8	2.2- 3.4
18-24	285	343,831	219	78.8	73.7-83.9	20	8.2	4.3-12.1	5	2.0	0.2- 3.8	29	7.9	5.0-10.8				12	3.1	1.3- 4.9
25-34	473	434,917	371	81.5	77.6-85.4	41	10.1	6.8-13.4	3	0.6	0.0- 1.4	20	2.2	1.0- 3.4	4	0.7	0.0- 1.5	34	4.9	2.7- 7.1
35-44	535	399,897	441	81.4	77.5-85.3	45	11.3	8.0-14.6	5	0.6	0.0- 1.2	13	1.7	0.7- 2.7	1	0.3	0.0- 0.9	30	4.7	2.7- 6.7
45-54	752	381,091	635	83.8	80.7-86.9	62	11.4	8.5-14.3	11	1.2	0.4- 2.0	11	1.2	0.2- 2.2	2	0.2	0.0- 0.6	31	2.2	1.2- 3.2
55-64	892	414,941	774	87.5	85.0-90.0	67	8.9	6.5-11.3	15	1.4	0.6- 2.2	7	0.5	0.1- 0.9	2	0.4	0.0- 1.0	27	1.4	0.8- 2.0
65+	1457	510,379	1318	90.0	88.0-92.0	88	7.5	5.5- 9.5	13	0.8	0.2- 1.4	11	0.6	0.2- 1.0	1	0.0	0.0- 0.0	26	1.0	0.4- 1.6
Less Than H.S.	257	281,149	197	77.7	71.6-83.8	25	10.3	5.4-15.2	9	2.6	0.6- 4.6	1	0.5	0.0- 1.5	4	1.7	0.0- 3.5	21	7.3	3.8-10.8
H.S. or G.E.D.	1342	887,041	1162	85.4	83.0-87.8	101	9.4	7.4-11.4	14	1.0	0.4- 1.6	16	1.7	0.7- 2.7	3	0.1	0.0- 0.3	46	2.4	1.6- 3.2
Some Post-H.S.	1059	687,546	885	83.5	81.0-86.0	102	11.3	8.9-13.7	14	0.9	0.3- 1.5	16	2.1	0.9- 3.3				42	2.2	1.4- 3.0
College Graduate	1712	616,274	1495	86.2	84.2-88.2	94	7.5	5.7- 9.3	14	0.6	0.2- 1.0	58	3.6	2.6- 4.6	3	0.2	0.0- 0.4	48	1.9	1.3- 2.5
Less than \$15,000	205	125,544	154	74.3	66.9-81.7	25	14.0	8.3-19.7	5	1.7	0.1- 3.3	8	6.8	1.9-11.7	1	0.5	0.0- 1.5	12	2.7	0.9- 4.5
\$15,000- 24,999	293	152,680	238	81.2	75.5-86.9	28	11.0	6.3-15.7	9	2.9	0.7- 5.1	4	1.0	0.0- 2.2	1	0.1	0.0- 0.3	13	3.8	1.1- 6.5
\$25,000- 34,999	407	240,407	319	76.1	70.8-81.4	45	14.2	9.7-18.7	6	1.0	0.0- 2.0	8	1.9	0.3- 3.5	3	1.2	0.0- 2.6	26	5.7	3.2- 8.2
\$35,000- 49,999	508	287,661	435	81.9	77.0-86.8	43	12.9	8.4-17.4	7	1.6	0.2- 3.0	5	1.2	0.0- 2.4	1	0.0	0.0- 0.0	17	2.4	0.6- 4.2
\$50,000- 99,999	1194	676,164	1059	88.0	85.6-90.4	72	7.9	5.9- 9.9	8	0.4	0.0- 0.8	19	1.3	0.5- 2.1	1	0.0	0.0- 0.0	35	2.4	1.4- 3.4
\$100,000 - 199,999	709	387,095	641	89.6	86.9-92.3	30	6.1	3.6- 8.6	2	0.3	0.0- 0.7	24	3.0	1.6- 4.4				12	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5252	2,620,938	4459	84.6	83.4-85.8	524	10.0	9.0-11.0	45	0.8	0.6- 1.0	77	2.0	1.4- 2.6	3	0.1	0.1- 0.1	144	2.5	1.9- 3.1
18-24	250	326,557	179	74.2	68.3-80.1	28	11.6	7.3-15.9	1	0.3	0.0- 0.9	23	7.9	4.4-11.4	1	0.3	0.0- 0.9	18	5.7	2.6- 8.8
25-34	538	421,117	425	81.6	78.1-85.1	62	11.6	8.7-14.5	4	0.6	0.0- 1.2	20	2.6	1.2- 4.0	1	0.2	0.0- 0.6	26	3.5	1.7- 5.3
35-44	642	406,471	522	81.6	78.3-84.9	70	11.0	8.3-13.7	8	1.4	0.2- 2.6	14	2.0	0.8- 3.2	1	0.0	0.0- 0.0	27	4.0	2.2- 5.8
45-54	868	390,121	726	84.7	82.0-87.4	93	10.9	8.5-13.3	9	1.0	0.2- 1.8	15	1.8	0.8- 2.8				25	1.7	0.9- 2.5
55-64	1015	435,583	894	88.4	86.0-90.8	94	9.6	7.4-11.8	11	1.0	0.2- 1.8	2	0.1	0.0- 0.3				14	0.8	0.2- 1.4
65+	1939	641,089	1713	91.1	89.5-92.7	177	7.3	5.7- 8.9	12	0.6	0.2- 1.0	3	0.2	0.0- 0.4				34	0.9	0.5- 1.3
Less Than H.S.	290	270,177	221	76.7	70.8-82.6	39	13.0	8.3-17.7	8	2.1	0.5- 3.7	2	1.1	0.0- 2.7				20	7.1	3.6-10.6
H.S. or G.E.D.	1511	828,823	1281	84.1	81.7-86.5	157	10.1	8.1-12.1	11	0.7	0.3- 1.1	11	2.0	0.8- 3.2	2	0.2	0.0- 0.6	49	2.9	1.7- 4.1
Some Post-H.S.	1477	859,321	1244	85.9	83.7-88.1	164	10.3	8.5-12.1	16	0.8	0.2- 1.4	17	1.5	0.7- 2.3				36	1.5	0.9- 2.1
College Graduate	1953	650,313	1696	86.9	85.1-88.7	162	8.2	6.8- 9.6	10	0.4	0.2- 0.6	45	3.1	2.1- 4.1	1	0.0	0.0- 0.0	39	1.5	0.9- 2.1
Less than \$15,000	279	144,791	202	72.1	65.0-79.2	52	20.5	13.8-27.2	6	1.9	0.1- 3.7	7	2.6	0.2- 5.0				12	2.9	0.9- 4.9
\$15,000- 24,999	563	267,136	446	80.7	76.6-84.8	85	15.3	11.4-19.2	5	0.5	0.0- 1.1	5	0.8	0.0- 1.6				22	2.6	1.2- 4.0
\$25,000- 34,999	575	303,181	472	81.5	77.4-85.6	71	11.8	8.7-14.9	7	1.4	0.0- 2.8	4	1.4	0.0- 3.0				21	4.0	1.6- 6.4
\$35,000- 49,999	598	286,659	497	82.0	78.1-85.9	75	12.9	9.6-16.2	6	1.2	0.2- 2.2	4	0.6	0.0- 1.2				16	3.3	1.1- 5.5
\$50,000- 99,999	1173	600,552	1031	88.9	86.7-91.1	91	6.8	5.2- 8.4	4	0.4	0.0- 0.8	19	2.0	1.0- 3.0	2	0.2	0.0- 0.6	26	1.8	1.0- 2.6
\$100,000 - 199,999	638	317,747	576	90.3	87.4-93.2	34	5.3	3.3- 7.3	3	0.3	0.0- 0.7	10	1.5	0.5- 2.5				15	2.6	0.6- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9646	5,105,993	8130	83.9	82.9-84.9	811	9.6	8.8-10.4	88	0.9	0.7- 1.1	157	2.0	1.6- 2.4	13	0.2	0.0- 0.4	447	3.5	3.1- 3.9
Male	4394	2,485,055	3712	83.7	82.3-85.1	308	9.3	8.1-10.5	49	1.0	0.6- 1.4	83	2.1	1.5- 2.7	10	0.3	0.1- 0.5	232	3.6	3.0- 4.2
Female	5252	2,620,938	4418	84.1	82.9-85.3	503	9.8	8.8-10.8	39	0.7	0.5- 0.9	74	1.9	1.3- 2.5	3	0.1	0.1- 0.1	215	3.4	2.8- 4.0
18-24	535	670,388	385	75.6	71.7-79.5	42	9.4	6.5-12.3	6	1.2	0.2- 2.2	49	7.3	5.1- 9.5	1	0.2	0.0- 0.6	52	6.4	4.4- 8.4
25-34	1011	856,033	784	81.0	78.3-83.7	95	10.5	8.3-12.7	7	0.6	0.2- 1.0	38	2.3	1.5- 3.1	5	0.4	0.0- 0.8	82	5.1	3.7- 6.5
35-44	1177	806,368	957	81.3	78.8-83.8	109	10.9	8.7-13.1	9	0.7	0.1- 1.3	26	1.8	1.0- 2.6	2	0.2	0.0- 0.6	74	5.1	3.7- 6.5
45-54	1620	771,212	1351	84.0	81.8-86.2	150	11.0	9.0-13.0	19	1.0	0.4- 1.6	22	1.4	0.6- 2.2	2	0.1	0.0- 0.3	76	2.5	1.9- 3.1
55-64	1907	850,524	1648	87.5	85.7-89.3	158	9.2	7.6-10.8	25	1.2	0.6- 1.8	8	0.3	0.1- 0.5	2	0.2	0.0- 0.6	66	1.7	1.1- 2.3
65+	3396	1,151,468	3005	90.2	89.0-91.4	257	7.3	6.1- 8.5	22	0.6	0.2- 1.0	14	0.4	0.2- 0.6	1	0.0	0.0- 0.0	97	1.5	1.1- 1.9
Less Than H.S.	547	551,326	410	76.6	72.3-80.9	62	11.5	8.2-14.8	15	2.1	0.9- 3.3	3	0.8	0.0- 1.8	4	0.8	0.0- 1.6	53	8.1	5.6-10.6
H.S. or G.E.D.	2853	1,715,864	2413	84.3	82.5-86.1	245	9.5	8.1-10.9	22	0.7	0.3- 1.1	24	1.6	0.8- 2.4	5	0.2	0.0- 0.4	144	3.7	2.9- 4.5
Some Post-H.S.	2536	1,546,867	2106	84.4	82.8-86.0	256	10.5	9.1-11.9	28	0.8	0.4- 1.2	32	1.7	1.1- 2.3				114	2.5	1.9- 3.1
College Graduate	3665	1,266,587	3165	86.1	84.7-87.5	245	7.7	6.5- 8.9	22	0.5	0.3- 0.7	96	3.2	2.6- 3.8	4	0.1	0.0- 0.3	133	2.5	1.9- 3.1
Less than \$15,000	484	270,334	349	72.7	67.6-77.8	74	17.1	12.6-21.6	9	1.4	0.4- 2.4	15	4.6	2.1- 7.1	1	0.2	0.0- 0.6	36	4.0	2.4- 5.6
\$15,000-24,999	856	419,816	671	80.1	76.8-83.4	108	13.3	10.4-16.2	13	1.2	0.4- 2.0	9	0.9	0.3- 1.5	1	0.0	0.0- 0.0	54	4.4	2.8- 6.0
\$25,000-34,999	982	543,589	780	78.6	75.3-81.9	114	12.8	10.1-15.5	12	1.2	0.4- 2.0	11	1.6	0.4- 2.8	3	0.5	0.0- 1.1	62	5.4	3.6- 7.2
\$35,000-49,999	1106	574,320	918	81.1	78.0-84.2	112	12.6	9.9-15.3	12	1.4	0.6- 2.2	9	0.9	0.3- 1.5	1	0.0	0.0- 0.0	54	4.0	2.4- 5.6
\$50,000-99,999	2367	1,276,715	2081	88.2	86.6-89.8	154	7.1	5.7- 8.5	11	0.4	0.2- 0.6	33	1.5	0.9- 2.1	3	0.1	0.0- 0.3	85	2.6	1.8- 3.4
\$100,000-199,999	1347	704,843	1209	89.7	87.7-91.7	62	5.7	4.1- 7.3	5	0.3	0.1- 0.5	31	2.2	1.4- 3.0				40	2.1	1.1- 3.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4394	2,485,055	3712	83.7	82.3-85.1	308	9.3	8.1-10.5	49	1.0	0.6- 1.4	83	2.1	1.5- 2.7	10	0.3	0.1- 0.5	232	3.6	3.0- 4.2
18-24	285	343,831	209	77.4	72.3-82.5	15	7.5	3.8-11.2	5	2.0	0.2- 3.8	29	7.9	5.0-10.8				27	5.2	3.0- 7.4
25-34	473	434,917	370	81.4	77.5-85.3	39	10.0	6.7-13.3	3	0.6	0.0- 1.4	18	2.1	0.9- 3.3	4	0.7	0.0- 1.5	39	5.2	3.0- 7.4
35-44	535	399,897	438	81.3	77.4-85.2	41	10.9	7.6-14.2	4	0.4	0.0- 1.0	12	1.6	0.6- 2.6	1	0.3	0.0- 0.9	39	5.4	3.4- 7.4
45-54	752	381,091	628	83.4	80.3-86.5	60	11.3	8.4-14.2	10	1.1	0.3- 1.9	7	0.9	0.1- 1.7	2	0.2	0.0- 0.6	45	3.0	2.0- 4.0
55-64	892	414,941	761	86.8	84.3-89.3	66	8.8	6.4-11.2	15	1.4	0.6- 2.2	6	0.4	0.0- 0.8	2	0.4	0.0- 1.0	42	2.2	1.4- 3.0
65+	1457	510,379	1306	89.6	87.6-91.6	87	7.5	5.5- 9.5	12	0.7	0.1- 1.3	11	0.6	0.2- 1.0	1	0.0	0.0- 0.0	40	1.6	1.0- 2.2
Less Than H.S.	257	281,149	192	76.8	70.7-82.9	24	10.1	5.2-15.0	9	2.6	0.6- 4.6	1	0.5	0.0- 1.5	4	1.7	0.0- 3.5	27	8.4	4.7-12.1
H.S. or G.E.D.	1342	887,041	1147	84.9	82.5-87.3	96	9.2	7.2-11.2	13	0.9	0.3- 1.5	15	1.7	0.7- 2.7	3	0.1	0.0- 0.3	68	3.2	2.2- 4.2
Some Post-H.S.	1059	687,546	871	83.0	80.5-85.5	98	11.0	8.6-13.4	13	0.9	0.3- 1.5	15	2.0	0.8- 3.2				62	3.0	2.0- 4.0
College Graduate	1712	616,274	1483	85.9	83.9-87.9	89	7.3	5.5- 9.1	13	0.6	0.2- 1.0	52	3.4	2.4- 4.4	3	0.2	0.0- 0.4	72	2.7	1.9- 3.5
Less than \$15,000	205	125,544	150	73.7	66.3-81.1	25	14.0	8.3-19.7	5	1.7	0.1- 3.3	8	6.8	1.9-11.7	1	0.5	0.0- 1.5	16	3.2	1.2- 5.2
\$15,000- 24,999	293	152,680	231	79.9	74.2-85.6	26	10.5	5.8-15.2	9	2.9	0.7- 5.1	4	1.0	0.0- 2.2	1	0.1	0.0- 0.3	22	5.5	2.6- 8.4
\$25,000- 34,999	407	240,407	314	75.7	70.4-81.0	45	14.2	9.7-18.7	6	1.0	0.0- 2.0	7	1.8	0.2- 3.4	3	1.2	0.0- 2.6	32	6.2	3.7- 8.7
\$35,000- 49,999	508	287,661	429	81.1	76.2-86.0	42	12.6	8.1-17.1	7	1.6	0.2- 3.0	5	1.2	0.0- 2.4	1	0.0	0.0- 0.0	24	3.5	1.5- 5.5
\$50,000- 99,999	1194	676,164	1054	87.9	85.5-90.3	66	7.5	5.5- 9.5	7	0.4	0.0- 0.8	15	1.2	0.4- 2.0	1	0.0	0.0- 0.0	51	3.0	1.8- 4.2
\$100,000 - 199,999	709	387,095	636	89.4	86.7-92.1	29	6.0	3.6- 8.4	2	0.3	0.0- 0.7	21	2.8	1.4- 4.2				21	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5252	2,620,938	4418	84.1	82.9-85.3	503	9.8	8.8-10.8	39	0.7	0.5- 0.9	74	1.9	1.3- 2.5	3	0.1	0.1- 0.1	215	3.4	2.8- 4.0
18-24	250	326,557	176	73.7	67.8-79.6	27	11.4	7.1-15.7	1	0.3	0.0- 0.9	20	6.7	3.6- 9.8	1	0.3	0.0- 0.9	25	7.6	4.1-11.1
25-34	538	421,117	414	80.5	77.0-84.0	56	11.1	8.2-14.0	4	0.6	0.0- 1.2	20	2.6	1.2- 4.0	1	0.2	0.0- 0.6	43	5.1	3.1- 7.1
35-44	642	406,471	519	81.4	78.1-84.7	68	10.8	8.1-13.5	5	0.9	0.0- 1.9	14	2.0	0.8- 3.2	1	0.0	0.0- 0.0	35	4.9	2.9- 6.9
45-54	868	390,121	723	84.5	81.8-87.2	90	10.7	8.3-13.1	9	1.0	0.2- 1.8	15	1.8	0.8- 2.8				31	2.0	1.2- 2.8
55-64	1015	435,583	887	88.1	85.7-90.5	92	9.5	7.3-11.7	10	0.9	0.1- 1.7	2	0.1	0.0- 0.3				24	1.3	0.7- 1.9
65+	1939	641,089	1699	90.7	89.1-92.3	170	7.2	5.6- 8.8	10	0.5	0.1- 0.9	3	0.2	0.0- 0.4				57	1.4	1.0- 1.8
Less Than H.S.	290	270,177	218	76.4	70.5-82.3	38	12.9	8.2-17.6	6	1.6	0.2- 3.0	2	1.1	0.0- 2.7				26	7.9	4.2-11.6
H.S. or G.E.D.	1511	828,823	1266	83.6	81.2-86.0	149	9.8	7.8-11.8	9	0.6	0.2- 1.0	9	1.5	0.3- 2.7	2	0.2	0.0- 0.6	76	4.2	2.8- 5.6
Some Post-H.S.	1477	859,321	1235	85.5	83.3-87.7	158	10.2	8.4-12.0	15	0.8	0.2- 1.4	17	1.5	0.7- 2.3				52	2.0	1.2- 2.8
College Graduate	1953	650,313	1682	86.3	84.5-88.1	156	8.1	6.7- 9.5	9	0.4	0.2- 0.6	44	3.0	2.0- 4.0	1	0.0	0.0- 0.0	61	2.3	1.7- 2.9
Less than \$15,000	279	144,791	199	71.7	64.6-78.8	49	19.8	13.1-26.5	4	1.1	0.0- 2.5	7	2.6	0.2- 5.0				20	4.7	2.2- 7.2
\$15,000- 24,999	563	267,136	440	80.1	76.0-84.2	82	15.0	11.1-18.9	4	0.3	0.1- 0.5	5	0.8	0.0- 1.6				32	3.8	2.2- 5.4
\$25,000- 34,999	575	303,181	466	80.9	76.8-85.0	69	11.7	8.6-14.8	6	1.3	0.0- 2.7	4	1.4	0.0- 3.0				30	4.7	2.3- 7.1
\$35,000- 49,999	598	286,659	489	81.1	77.0-85.2	70	12.5	9.2-15.8	5	1.2	0.2- 2.2	4	0.6	0.0- 1.2				30	4.6	2.2- 7.0
\$50,000- 99,999	1173	600,552	1027	88.7	86.5-90.9	88	6.6	5.0- 8.2	4	0.4	0.0- 0.8	18	2.0	1.0- 3.0	2	0.2	0.0- 0.6	34	2.2	1.4- 3.0
\$100,000 - 199,999	638	317,747	573	90.1	87.2-93.0	33	5.3	3.3- 7.3	3	0.3	0.0- 0.7	10	1.5	0.5- 2.5				19	2.8	0.8- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9678	5,142,151	7847	80.1	79.1-81.1	781	9.1	8.3- 9.9	77	0.7	0.5- 0.9	155	1.9	1.5- 2.3	318	1.7	1.5- 1.9	500	6.5	5.9- 7.1
Male	4409	2,501,105	3573	79.7	78.1-81.3	294	8.9	7.7-10.1	45	0.8	0.4- 1.2	82	2.0	1.4- 2.6	161	1.7	1.3- 2.1	254	6.8	5.8- 7.8
Female	5269	2,641,046	4274	80.4	79.0-81.8	487	9.3	8.3-10.3	32	0.6	0.4- 0.8	73	1.9	1.3- 2.5	157	1.7	1.3- 2.1	246	6.2	5.4- 7.0
18-24	541	675,118	349	70.3	66.2-74.4	37	8.5	5.8-11.2	4	0.7	0.1- 1.3	48	7.1	4.9- 9.3	33	3.1	1.7- 4.5	70	10.3	7.8-12.8
25-34	1030	869,364	733	75.0	72.1-77.9	91	10.1	7.9-12.3	5	0.4	0.0- 0.8	37	2.2	1.4- 3.0	55	2.4	1.6- 3.2	109	9.9	7.7-12.1
35-44	1201	825,612	894	74.3	71.6-77.0	102	10.2	8.0-12.4	7	0.6	0.0- 1.2	26	1.7	0.9- 2.5	41	1.6	1.0- 2.2	131	11.5	9.5-13.5
45-54	1633	780,460	1295	79.7	77.5-81.9	143	10.4	8.6-12.2	17	1.0	0.4- 1.6	22	1.4	0.8- 2.0	56	1.5	1.1- 1.9	100	6.0	4.6- 7.4
55-64	1906	850,123	1619	86.1	84.3-87.9	156	8.9	7.3-10.5	22	1.1	0.5- 1.7	8	0.3	0.1- 0.5	53	1.2	0.8- 1.6	48	2.3	1.5- 3.1
65+	3367	1,141,475	2957	89.6	88.2-91.0	252	7.3	6.1- 8.5	22	0.6	0.2- 1.0	14	0.4	0.2- 0.6	80	0.9	0.7- 1.1	42	1.3	0.9- 1.7
Less Than H.S.	578	577,647	351	64.3	59.8-68.8	55	10.0	6.9-13.1	13	1.7	0.7- 2.7	3	0.8	0.0- 1.6	18	1.2	0.4- 2.0	138	22.1	18.4-25.8
H.S. or G.E.D.	2862	1,724,854	2319	80.4	78.6-82.2	240	9.2	7.8-10.6	22	0.7	0.3- 1.1	23	1.5	0.7- 2.3	99	2.0	1.4- 2.6	159	6.2	5.2- 7.2
Some Post-H.S.	2538	1,550,120	2056	82.4	80.6-84.2	245	10.1	8.7-11.5	21	0.7	0.3- 1.1	32	1.7	1.1- 2.3	90	1.5	1.1- 1.9	94	3.5	2.7- 4.3
College Graduate	3656	1,264,424	3087	84.0	82.6-85.4	238	7.5	6.3- 8.7	21	0.4	0.2- 0.6	95	3.2	2.6- 3.8	109	1.8	1.4- 2.2	106	3.2	2.6- 3.8
Less than \$15,000	490	278,139	332	66.6	61.3-71.9	71	16.1	11.8-20.4	6	1.2	0.2- 2.2	15	4.4	1.9- 6.9	26	2.3	1.3- 3.3	40	9.3	6.2-12.4
\$15,000-24,999	871	432,607	625	71.0	67.3-74.7	104	12.1	9.2-15.0	12	1.0	0.2- 1.8	9	0.9	0.3- 1.5	34	1.9	1.1- 2.7	87	13.0	10.1-15.9
\$25,000-34,999	992	551,048	749	73.4	69.9-76.9	112	12.4	9.9-14.9	10	1.1	0.1- 2.1	11	1.6	0.4- 2.8	43	2.2	1.4- 3.0	67	9.4	7.0-11.8
\$35,000-49,999	1109	575,331	890	78.2	74.9-81.5	110	12.5	9.8-15.2	9	1.0	0.2- 1.8	9	0.9	0.3- 1.5	38	1.7	0.9- 2.5	53	5.8	4.0- 7.6
\$50,000-99,999	2368	1,279,587	2033	86.0	84.2-87.8	148	6.8	5.4- 8.2	12	0.3	0.1- 0.5	32	1.5	0.9- 2.1	59	1.3	0.9- 1.7	84	4.1	3.1- 5.1
\$100,000-199,999	1346	706,763	1177	87.3	85.1-89.5	59	5.5	3.9- 7.1	5	0.3	0.1- 0.5	31	2.2	1.4- 3.0	33	1.3	0.7- 1.9	41	3.4	2.2- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4409	2,501,105	3573	79.7	78.1-81.3	294	8.9	7.7-10.1	45	0.8	0.4- 1.2	82	2.0	1.4- 2.6	161	1.7	1.3- 2.1	254	6.8	5.8- 7.8
18-24	286	343,852	186	70.9	65.4-76.4	15	7.5	3.8-11.2	4	1.3	0.0- 2.7	28	7.5	4.6-10.4	18	2.7	1.3- 4.1	35	10.0	6.7-13.3
25-34	483	442,129	342	74.8	70.3-79.3	35	9.2	6.1-12.3	3	0.5	0.0- 1.1	18	2.1	0.9- 3.3	25	2.4	1.2- 3.6	60	11.1	8.0-14.2
35-44	546	409,402	413	75.1	71.0-79.2	37	10.1	6.8-13.4	1	0.3	0.0- 0.9	12	1.5	0.5- 2.5	20	1.6	0.8- 2.4	63	11.3	8.4-14.2
45-54	758	385,394	604	79.6	76.3-82.9	57	10.8	7.9-13.7	10	1.1	0.3- 1.9	7	0.9	0.1- 1.7	33	1.7	1.1- 2.3	47	5.8	4.0- 7.6
55-64	890	413,636	748	85.9	83.4-88.4	66	8.8	6.4-11.2	15	1.4	0.4- 2.4	6	0.4	0.0- 0.8	33	1.5	0.9- 2.1	22	1.9	0.9- 2.9
65+	1446	506,693	1280	88.7	86.5-90.9	84	7.4	5.4- 9.4	12	0.6	0.2- 1.0	11	0.6	0.2- 1.0	32	0.8	0.4- 1.2	27	1.8	1.0- 2.6
Less Than H.S.	270	291,417	159	64.3	57.6-71.0	22	9.3	4.6-14.0	8	2.1	0.5- 3.7	1	0.5	0.0- 1.5	7	1.0	0.2- 1.8	73	22.7	17.2-28.2
H.S. or G.E.D.	1351	894,300	1101	80.5	78.0-83.0	93	8.9	6.9-10.9	14	0.8	0.2- 1.4	14	1.5	0.7- 2.3	43	1.7	1.1- 2.3	86	6.5	4.9- 8.1
Some Post-H.S.	1059	688,123	846	81.1	78.4-83.8	92	10.6	8.2-13.0	11	0.7	0.1- 1.3	15	2.0	1.0- 3.0	51	2.0	1.2- 2.8	44	3.7	2.5- 4.9
College Graduate	1706	614,462	1450	84.5	82.3-86.7	86	7.1	5.3- 8.9	12	0.4	0.2- 0.6	52	3.4	2.4- 4.4	58	1.9	1.3- 2.5	48	2.7	1.9- 3.5
Less than \$15,000	209	129,896	144	69.1	61.3-76.9	24	13.1	7.6-18.6	4	1.5	0.0- 3.1	8	6.6	1.7-11.5	11	1.5	0.5- 2.5	18	8.2	3.9-12.5
\$15,000- 24,999	295	155,505	218	72.6	66.3-78.9	24	9.8	5.3-14.3	9	2.5	0.5- 4.5	4	1.0	0.0- 2.2	11	1.9	0.5- 3.3	29	12.1	7.4-16.8
\$25,000- 34,999	414	246,044	298	69.4	63.9-74.9	43	13.3	9.0-17.6	5	0.9	0.0- 2.1	7	1.8	0.2- 3.4	21	2.5	1.1- 3.9	40	12.1	8.2-16.0
\$35,000- 49,999	510	288,237	411	77.4	72.3-82.5	41	12.5	8.0-17.0	6	1.2	0.0- 2.4	5	1.2	0.0- 2.4	16	1.6	0.4- 2.8	31	6.2	3.7- 8.7
\$50,000- 99,999	1195	677,758	1027	85.3	82.8-87.8	64	7.3	5.3- 9.3	7	0.3	0.1- 0.5	15	1.2	0.4- 2.0	35	1.3	0.7- 1.9	47	4.7	3.1- 6.3
\$100,000 - 199,999	710	389,987	622	87.0	83.9-90.1	27	5.6	3.2- 8.0	2	0.3	0.0- 0.7	21	2.8	1.4- 4.2	19	1.3	0.5- 2.1	19	3.0	1.4- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5269	2,641,046	4274	80.4	79.0-81.8	487	9.3	8.3-10.3	32	0.6	0.4- 0.8	73	1.9	1.3- 2.5	157	1.7	1.3- 2.1	246	6.2	5.4- 7.0
18-24	255	331,266	163	69.6	63.5-75.7	22	9.6	5.5-13.7				20	6.6	3.5- 9.7	15	3.5	1.3- 5.7	35	10.6	6.9-14.3
25-34	547	427,235	391	75.1	71.2-79.0	56	11.0	8.1-13.9	2	0.3	0.0- 0.7	19	2.4	1.2- 3.6	30	2.4	1.4- 3.4	49	8.8	6.1-11.5
35-44	655	416,210	481	73.6	69.9-77.3	65	10.3	7.6-13.0	6	0.9	0.0- 1.9	14	1.9	0.9- 2.9	21	1.6	0.8- 2.4	68	11.6	8.7-14.5
45-54	875	395,066	691	79.8	76.9-82.7	86	10.0	7.8-12.2	7	0.9	0.1- 1.7	15	1.8	0.8- 2.8	23	1.2	0.6- 1.8	53	6.2	4.4- 8.0
55-64	1016	436,487	871	86.3	83.8-88.8	90	9.0	6.8-11.2	7	0.8	0.2- 1.4	2	0.1	0.0- 0.3	20	1.0	0.6- 1.4	26	2.7	1.3- 4.1
65+	1921	634,782	1677	90.2	88.4-92.0	168	7.2	5.6- 8.8	10	0.5	0.1- 0.9	3	0.2	0.0- 0.4	48	1.0	0.6- 1.4	15	0.9	0.3- 1.5
Less Than H.S.	308	286,231	192	64.2	57.9-70.5	33	10.6	6.3-14.9	5	1.2	0.0- 2.4	2	1.1	0.0- 2.5	11	1.4	0.2- 2.6	65	21.5	16.4-26.6
H.S. or G.E.D.	1511	830,554	1218	80.2	77.7-82.7	147	9.5	7.7-11.3	8	0.5	0.1- 0.9	9	1.5	0.3- 2.7	56	2.4	1.4- 3.4	73	5.9	4.3- 7.5
Some Post-H.S.	1479	861,996	1210	83.5	81.3-85.7	153	9.8	8.0-11.6	10	0.6	0.0- 1.2	17	1.5	0.7- 2.3	39	1.2	0.8- 1.6	50	3.4	2.2- 4.6
College Graduate	1950	649,961	1637	83.6	81.6-85.6	152	7.8	6.4- 9.2	9	0.4	0.2- 0.6	43	2.9	1.9- 3.9	51	1.6	1.0- 2.2	58	3.6	2.6- 4.6
Less than \$15,000	281	148,243	188	64.5	57.1-71.9	47	18.7	12.2-25.2	2	1.0	0.0- 2.4	7	2.6	0.4- 4.8	15	3.0	1.2- 4.8	22	10.2	5.5-14.9
\$15,000- 24,999	576	277,102	407	70.1	65.4-74.8	80	13.4	9.7-17.1	3	0.2	0.0- 0.4	5	0.8	0.0- 1.6	23	1.9	0.9- 2.9	58	13.5	9.8-17.2
\$25,000- 34,999	578	305,004	451	76.6	72.1-81.1	69	11.6	8.5-14.7	5	1.2	0.0- 2.6	4	1.4	0.0- 3.0	22	2.0	0.8- 3.2	27	7.2	4.1-10.3
\$35,000- 49,999	599	287,094	479	79.0	74.9-83.1	69	12.4	9.1-15.7	3	0.8	0.0- 1.8	4	0.6	0.0- 1.2	22	1.8	0.8- 2.8	22	5.4	2.9- 7.9
\$50,000- 99,999	1173	601,829	1006	86.9	84.7-89.1	84	6.2	4.6- 7.8	5	0.4	0.0- 0.8	17	1.9	0.9- 2.9	24	1.2	0.6- 1.8	37	3.4	2.2- 4.6
\$100,000 - 199,999	636	316,776	555	87.7	84.6-90.8	32	5.2	3.2- 7.2	3	0.3	0.0- 0.7	10	1.5	0.5- 2.5	14	1.3	0.3- 2.3	22	4.0	2.0- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9678	5,142,151	7847	80.1	79.1-81.1	1831	19.9	18.9-20.9
Male	4409	2,501,105	3573	79.7	78.1-81.3	836	20.3	18.7-21.9
Female	5269	2,641,046	4274	80.4	79.0-81.8	995	19.6	18.2-21.0
18-24	541	675,118	349	70.3	66.2-74.4	192	29.7	25.6-33.8
25-34	1030	869,364	733	75.0	72.1-77.9	297	25.0	22.1-27.9
35-44	1201	825,612	894	74.3	71.6-77.0	307	25.7	23.0-28.4
45-54	1633	780,460	1295	79.7	77.5-81.9	338	20.3	18.1-22.5
55-64	1906	850,123	1619	86.1	84.3-87.9	287	13.9	12.1-15.7
65+	3367	1,141,475	2957	89.6	88.2-91.0	410	10.4	9.0-11.8
Less Than H.S.	578	577,647	351	64.3	59.8-68.8	227	35.7	31.2-40.2
H.S. or G.E.D.	2862	1,724,854	2319	80.4	78.6-82.2	543	19.6	17.8-21.4
Some Post-H.S.	2538	1,550,120	2056	82.4	80.6-84.2	482	17.6	15.8-19.4
College Graduate	3656	1,264,424	3087	84.0	82.6-85.4	569	16.0	14.6-17.4
Less than \$15,000	490	278,139	332	66.6	61.3-71.9	158	33.4	28.1-38.7
\$15,000-24,999	871	432,607	625	71.0	67.3-74.7	246	29.0	25.3-32.7
\$25,000-34,999	992	551,048	749	73.4	69.9-76.9	243	26.6	23.1-30.1
\$35,000-49,999	1109	575,331	890	78.2	74.9-81.5	219	21.8	18.5-25.1
\$50,000-99,999	2368	1,279,587	2033	86.0	84.2-87.8	335	14.0	12.2-15.8
\$100,000-199,999	1346	706,763	1177	87.3	85.1-89.5	169	12.7	10.5-14.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4409	2,501,105	3573	79.7	78.1-81.3	836	20.3	18.7-21.9
18-24	286	343,852	186	70.9	65.4-76.4	100	29.1	23.6-34.6
25-34	483	442,129	342	74.8	70.3-79.3	141	25.2	20.7-29.7
35-44	546	409,402	413	75.1	71.0-79.2	133	24.9	20.8-29.0
45-54	758	385,394	604	79.6	76.3-82.9	154	20.4	17.1-23.7
55-64	890	413,636	748	85.9	83.4-88.4	142	14.1	11.6-16.6
65+	1446	506,693	1280	88.7	86.5-90.9	166	11.3	9.1-13.5
Less Than H.S.	270	291,417	159	64.3	57.6-71.0	111	35.7	29.0-42.4
H.S. or G.E.D.	1351	894,300	1101	80.5	78.0-83.0	250	19.5	17.0-22.0
Some Post-H.S.	1059	688,123	846	81.1	78.4-83.8	213	18.9	16.2-21.6
College Graduate	1706	614,462	1450	84.5	82.3-86.7	256	15.5	13.3-17.7
Less than \$15,000	209	129,896	144	69.1	61.3-76.9	65	30.9	23.1-38.7
\$15,000- 24,999	295	155,505	218	72.6	66.3-78.9	77	27.4	21.1-33.7
\$25,000- 34,999	414	246,044	298	69.4	63.9-74.9	116	30.6	25.1-36.1
\$35,000- 49,999	510	288,237	411	77.4	72.3-82.5	99	22.6	17.5-27.7
\$50,000- 99,999	1195	677,758	1027	85.3	82.8-87.8	168	14.7	12.2-17.2
\$100,000 - 199,999	710	389,987	622	87.0	83.9-90.1	88	13.0	9.9-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5269	2,641,046	4274	80.4	79.0-81.8	995	19.6	18.2-21.0
18-24	255	331,266	163	69.6	63.5-75.7	92	30.4	24.3-36.5
25-34	547	427,235	391	75.1	71.2-79.0	156	24.9	21.0-28.8
35-44	655	416,210	481	73.6	69.9-77.3	174	26.4	22.7-30.1
45-54	875	395,066	691	79.8	76.9-82.7	184	20.2	17.3-23.1
55-64	1016	436,487	871	86.3	83.8-88.8	145	13.7	11.2-16.2
65+	1921	634,782	1677	90.2	88.4-92.0	244	9.8	8.0-11.6
Less Than H.S.	308	286,231	192	64.2	57.9-70.5	116	35.8	29.5-42.1
H.S. or G.E.D.	1511	830,554	1218	80.2	77.7-82.7	293	19.8	17.3-22.3
Some Post-H.S.	1479	861,996	1210	83.5	81.3-85.7	269	16.5	14.3-18.7
College Graduate	1950	649,961	1637	83.6	81.6-85.6	313	16.4	14.4-18.4
Less than \$15,000	281	148,243	188	64.5	57.1-71.9	93	35.5	28.1-42.9
\$15,000- 24,999	576	277,102	407	70.1	65.4-74.8	169	29.9	25.2-34.6
\$25,000- 34,999	578	305,004	451	76.6	72.1-81.1	127	23.4	18.9-27.9
\$35,000- 49,999	599	287,094	479	79.0	74.9-83.1	120	21.0	16.9-25.1
\$50,000- 99,999	1173	601,829	1006	86.9	84.7-89.1	167	13.1	10.9-15.3
\$100,000 - 199,999	636	316,776	555	87.7	84.6-90.8	81	12.3	9.2-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9678	5,142,151	7847	80.1	79.1-81.1	781	9.1	8.3-9.9	365	3.2	2.8-3.6	185	1.1	0.9-1.3	500	6.5	5.9-7.1
Male	4409	2,501,105	3573	79.7	78.1-81.3	294	8.9	7.7-10.1	200	3.6	3.0-4.2	88	1.0	0.8-1.2	254	6.8	5.8-7.8
Female	5269	2,641,046	4274	80.4	79.0-81.8	487	9.3	8.3-10.3	165	2.9	2.3-3.5	97	1.2	0.8-1.6	246	6.2	5.4-7.0
18-24	541	675,118	349	70.3	66.2-74.4	37	8.5	5.8-11.2	57	8.2	5.8-10.6	28	2.7	1.5-3.9	70	10.3	7.8-12.8
25-34	1030	869,364	733	75.0	72.1-77.9	91	10.1	7.9-12.3	62	3.7	2.5-4.9	35	1.4	0.8-2.0	109	9.9	7.7-12.1
35-44	1201	825,612	894	74.3	71.6-77.0	102	10.2	8.0-12.4	47	2.9	1.9-3.9	27	1.1	0.7-1.5	131	11.5	9.5-13.5
45-54	1633	780,460	1295	79.7	77.5-81.9	143	10.4	8.6-12.2	67	3.1	2.1-4.1	28	0.7	0.3-1.1	100	6.0	4.6-7.4
55-64	1906	850,123	1619	86.1	84.3-87.9	156	8.9	7.3-10.5	54	1.9	1.3-2.5	29	0.7	0.3-1.1	48	2.3	1.5-3.1
65+	3367	1,141,475	2957	89.6	88.2-91.0	252	7.3	6.1-8.5	78	1.4	1.0-1.8	38	0.5	0.3-0.7	42	1.3	0.9-1.7
Less Than H.S.	578	577,647	351	64.3	59.8-68.8	55	10.0	6.9-13.1	21	2.8	1.4-4.2	13	0.8	0.2-1.4	138	22.1	18.4-25.8
H.S. or G.E.D.	2862	1,724,854	2319	80.4	78.6-82.2	240	9.2	7.8-10.6	85	2.8	2.0-3.6	59	1.4	1.0-1.8	159	6.2	5.2-7.2
Some Post-H.S.	2538	1,550,120	2056	82.4	80.6-84.2	245	10.1	8.7-11.5	96	3.1	2.3-3.9	47	0.9	0.5-1.3	94	3.5	2.7-4.3
College Graduate	3656	1,264,424	3087	84.0	82.6-85.4	238	7.5	6.3-8.7	159	4.2	3.4-5.0	66	1.2	0.8-1.6	106	3.2	2.6-3.8
Less than \$15,000	490	278,139	332	66.6	61.3-71.9	71	16.1	11.8-20.4	28	6.2	3.5-8.9	19	1.7	0.7-2.7	40	9.3	6.2-12.4
\$15,000-24,999	871	432,607	625	71.0	67.3-74.7	104	12.1	9.2-15.0	34	2.5	1.5-3.5	21	1.3	0.7-1.9	87	13.0	10.1-15.9
\$25,000-34,999	992	551,048	749	73.4	69.9-76.9	112	12.4	9.9-14.9	41	3.8	2.2-5.4	23	1.1	0.5-1.7	67	9.4	7.0-11.8
\$35,000-49,999	1109	575,331	890	78.2	74.9-81.5	110	12.5	9.8-15.2	36	2.5	1.3-3.7	20	1.0	0.4-1.6	53	5.8	4.0-7.6
\$50,000-99,999	2368	1,279,587	2033	86.0	84.2-87.8	148	6.8	5.4-8.2	69	2.4	1.8-3.0	34	0.8	0.4-1.2	84	4.1	3.1-5.1
\$100,000-199,999	1346	706,763	1177	87.3	85.1-89.5	59	5.5	3.9-7.1	49	3.0	2.0-4.0	20	0.8	0.4-1.2	41	3.4	2.2-4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4409	2,501,105	3573	79.7	78.1-81.3	294	8.9	7.7-10.1	200	3.6	3.0-4.2	88	1.0	0.8-1.2	254	6.8	5.8-7.8
18-24	286	343,852	186	70.9	65.4-76.4	15	7.5	3.8-11.2	33	9.0	5.9-12.1	17	2.5	1.1-3.9	35	10.0	6.7-13.3
25-34	483	442,129	342	74.8	70.3-79.3	35	9.2	6.1-12.3	35	4.1	2.5-5.7	11	0.8	0.2-1.4	60	11.1	8.0-14.2
35-44	546	409,402	413	75.1	71.0-79.2	37	10.1	6.8-13.4	21	2.5	1.3-3.7	12	0.9	0.3-1.5	63	11.3	8.4-14.2
45-54	758	385,394	604	79.6	76.3-82.9	57	10.8	7.9-13.7	33	2.9	1.7-4.1	17	0.8	0.4-1.2	47	5.8	4.0-7.6
55-64	890	413,636	748	85.9	83.4-88.4	66	8.8	6.4-11.2	37	2.4	1.4-3.4	17	0.9	0.3-1.5	22	1.9	0.9-2.9
65+	1446	506,693	1280	88.7	86.5-90.9	84	7.4	5.4-9.4	41	1.6	1.0-2.2	14	0.5	0.3-0.7	27	1.8	1.0-2.6
Less Than H.S.	270	291,417	159	64.3	57.6-71.0	22	9.3	4.6-14.0	10	2.7	0.7-4.7	6	1.0	0.2-1.8	73	22.7	17.2-28.2
H.S. or G.E.D.	1351	894,300	1101	80.5	78.0-83.0	93	8.9	6.9-10.9	49	3.2	2.0-4.4	22	0.9	0.5-1.3	86	6.5	4.9-8.1
Some Post-H.S.	1059	688,123	846	81.1	78.4-83.8	92	10.6	8.2-13.0	52	3.7	2.5-4.9	25	1.0	0.4-1.6	44	3.7	2.5-4.9
College Graduate	1706	614,462	1450	84.5	82.3-86.7	86	7.1	5.3-8.9	87	4.5	3.5-5.5	35	1.3	0.9-1.7	48	2.7	1.9-3.5
Less than \$15,000	209	129,896	144	69.1	61.3-76.9	24	13.1	7.6-18.6	17	8.8	3.7-13.9	6	0.8	0.2-1.4	18	8.2	3.9-12.5
\$15,000- 24,999	295	155,505	218	72.6	66.3-78.9	24	9.8	5.3-14.3	16	4.2	1.7-6.7	8	1.2	0.2-2.2	29	12.1	7.4-16.8
\$25,000- 34,999	414	246,044	298	69.4	63.9-74.9	43	13.3	9.0-17.6	23	4.1	1.9-6.3	10	1.1	0.3-1.9	40	12.1	8.2-16.0
\$35,000- 49,999	510	288,237	411	77.4	72.3-82.5	41	12.5	8.0-17.0	22	3.3	1.3-5.3	5	0.6	0.0-1.2	31	6.2	3.7-8.7
\$50,000- 99,999	1195	677,758	1027	85.3	82.8-87.8	64	7.3	5.3-9.3	36	1.9	1.1-2.7	21	0.9	0.5-1.3	47	4.7	3.1-6.3
\$100,000 - 199,999	710	389,987	622	87.0	83.9-90.1	27	5.6	3.2-8.0	29	3.5	2.1-4.9	13	0.9	0.3-1.5	19	3.0	1.4-4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5269	2,641,046	4274	80.4	79.0-81.8	487	9.3	8.3-10.3	165	2.9	2.3- 3.5	97	1.2	0.8- 1.6	246	6.2	5.4- 7.0
18-24	255	331,266	163	69.6	63.5-75.7	22	9.6	5.5-13.7	24	7.4	4.1-10.7	11	2.8	0.8- 4.8	35	10.6	6.9-14.3
25-34	547	427,235	391	75.1	71.2-79.0	56	11.0	8.1-13.9	27	3.2	1.8- 4.6	24	2.0	1.2- 2.8	49	8.8	6.1-11.5
35-44	655	416,210	481	73.6	69.9-77.3	65	10.3	7.6-13.0	26	3.3	1.9- 4.7	15	1.2	0.6- 1.8	68	11.6	8.7-14.5
45-54	875	395,066	691	79.8	76.9-82.7	86	10.0	7.8-12.2	34	3.2	1.8- 4.6	11	0.6	0.2- 1.0	53	6.2	4.4- 8.0
55-64	1016	436,487	871	86.3	83.8-88.8	90	9.0	6.8-11.2	17	1.3	0.5- 2.1	12	0.5	0.1- 0.9	26	2.7	1.3- 4.1
65+	1921	634,782	1677	90.2	88.4-92.0	168	7.2	5.6- 8.8	37	1.2	0.6- 1.8	24	0.5	0.3- 0.7	15	0.9	0.3- 1.5
Less Than H.S.	308	286,231	192	64.2	57.9-70.5	33	10.6	6.3-14.9	11	3.0	1.0- 5.0	7	0.7	0.1- 1.3	65	21.5	16.4-26.6
H.S. or G.E.D.	1511	830,554	1218	80.2	77.7-82.7	147	9.5	7.7-11.3	36	2.5	1.3- 3.7	37	1.9	1.1- 2.7	73	5.9	4.3- 7.5
Some Post-H.S.	1479	861,996	1210	83.5	81.3-85.7	153	9.8	8.0-11.6	44	2.6	1.6- 3.6	22	0.7	0.3- 1.1	50	3.4	2.2- 4.6
College Graduate	1950	649,961	1637	83.6	81.6-85.6	152	7.8	6.4- 9.2	72	3.9	2.9- 4.9	31	1.1	0.7- 1.5	58	3.6	2.6- 4.6
Less than \$15,000	281	148,243	188	64.5	57.1-71.9	47	18.7	12.2-25.2	11	4.0	1.5- 6.5	13	2.6	1.0- 4.2	22	10.2	5.5-14.9
\$15,000- 24,999	576	277,102	407	70.1	65.4-74.8	80	13.4	9.7-17.1	18	1.6	0.6- 2.6	13	1.3	0.5- 2.1	58	13.5	9.8-17.2
\$25,000- 34,999	578	305,004	451	76.6	72.1-81.1	69	11.6	8.5-14.7	18	3.6	1.4- 5.8	13	1.0	0.4- 1.6	27	7.2	4.1-10.3
\$35,000- 49,999	599	287,094	479	79.0	74.9-83.1	69	12.4	9.1-15.7	14	1.7	0.5- 2.9	15	1.4	0.6- 2.2	22	5.4	2.9- 7.9
\$50,000- 99,999	1173	601,829	1006	86.9	84.7-89.1	84	6.2	4.6- 7.8	33	2.9	1.7- 4.1	13	0.6	0.2- 1.0	37	3.4	2.2- 4.6
\$100,000 - 199,999	636	316,776	555	87.7	84.6-90.8	32	5.2	3.2- 7.2	20	2.3	1.1- 3.5	7	0.8	0.0- 1.6	22	4.0	2.0- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9618	5,136,063	1018	20.8	19.6-22.0	1163	17.6	16.6-18.6	1289	14.6	13.8-15.4	1742	15.9	15.1-16.7	2014	16.0	15.2-16.8	2392	15.1	14.3-15.9
Male	4387	2,501,196	513	21.8	20.0-23.6	527	18.1	16.5-19.7	572	14.5	13.3-15.7	830	16.4	15.2-17.6	948	16.0	14.8-17.2	997	13.3	12.3-14.3
Female	5231	2,634,867	505	19.8	18.0-21.6	636	17.1	15.7-18.5	717	14.8	13.6-16.0	912	15.4	14.4-16.4	1066	16.1	15.1-17.1	1395	16.8	15.8-17.8
White/Non-Hisp	7655	4,037,216	681	18.6	17.2-20.0	835	16.6	15.4-17.8	982	14.1	13.1-15.1	1391	16.2	15.2-17.2	1709	17.6	16.6-18.6	2057	16.9	16.1-17.7
Black or Afr. Am./Non-Hisp	763	462,614	81	21.3	17.0-25.6	98	18.3	14.6-22.0	104	16.0	12.7-19.3	155	18.7	15.6-21.8	158	14.7	12.0-17.4	167	11.0	8.6-13.4
Oth. Race/Non-Hisp.	343	158,889	85	44.4	37.1-51.7	51	16.4	11.5-21.3	45	11.3	7.4-15.2	60	12.8	8.9-16.7	46	8.5	5.4-11.6	56	6.6	4.2- 9.0
MultiRacial/Non-Hisp.	181	55,607	38	39.2	28.8-49.6	41	25.1	17.5-32.7	24	10.1	5.4-14.8	24	9.6	5.3-13.9	31	9.9	5.6-14.2	23	6.1	3.0- 9.2
Hispanic	492	328,799	123	34.1	28.8-39.4	118	27.3	22.6-32.0	113	21.4	17.3-25.5	75	10.3	7.6-13.0	39	4.9	2.9- 6.9	24	2.0	1.0- 3.0
Less Than H.S.	590	589,746	76	25.8	20.7-30.9	85	18.7	14.8-22.6	93	15.1	12.0-18.2	97	12.9	10.2-15.6	115	14.6	11.7-17.5	124	12.9	10.4-15.4
H.S. or G.E.D.	2848	1,721,601	345	23.4	21.2-25.6	277	15.0	13.2-16.8	275	10.9	9.5-12.3	493	15.4	14.0-16.8	650	17.7	16.3-19.1	808	17.6	16.2-19.0
Some Post-H.S.	2541	1,556,108	287	21.5	19.3-23.7	291	16.7	14.9-18.5	363	15.6	14.0-17.2	463	16.4	14.8-18.0	540	15.9	14.5-17.3	597	13.9	12.7-15.1
College Graduate	3606	1,249,398	305	13.8	12.2-15.4	504	21.5	19.7-23.3	556	18.4	16.8-20.0	683	17.4	16.0-18.8	706	14.8	13.6-16.0	852	14.1	13.1-15.1
Less than \$15,000	494	276,754	66	28.0	21.9-34.1	49	14.1	10.0-18.2	53	9.8	6.9-12.7	117	19.8	15.9-23.7	124	17.8	14.3-21.3	85	10.3	7.8-12.8
\$15,000-24,999	881	436,765	88	19.2	15.5-22.9	84	14.0	10.9-17.1	102	14.4	11.5-17.3	130	12.8	10.4-15.2	211	20.0	17.1-22.9	266	19.6	16.9-22.3
\$25,000-34,999	988	549,139	129	23.3	19.4-27.2	116	17.7	14.4-21.0	98	11.8	9.3-14.3	132	12.5	10.1-14.9	228	17.1	14.7-19.5	285	17.6	15.2-20.0
\$35,000-49,999	1107	573,353	118	19.2	15.7-22.7	137	19.1	15.8-22.4	114	11.8	9.4-14.2	155	12.9	10.7-15.1	233	17.0	14.6-19.4	350	20.0	17.6-22.4
\$50,000-99,999	2358	1,279,098	248	18.7	16.3-21.1	337	21.2	19.0-23.4	329	15.0	13.2-16.8	478	18.0	16.2-19.8	477	15.5	13.9-17.1	489	11.5	10.3-12.7
\$100,000-199,999	1340	706,445	74	11.5	8.8-14.2	223	22.9	20.2-25.6	315	25.0	22.3-27.7	336	21.3	18.9-23.7	249	13.3	11.5-15.1	143	6.0	4.8- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4387	2,501,196	513	21.8	20.0-23.6	527	18.1	16.5-19.7	572	14.5	13.3-15.7	830	16.4	15.2-17.6	948	16.0	14.8-17.2	997	13.3	12.3-14.3
White/Non-Hisp	3491	1,954,828	346	19.7	17.7-21.7	377	17.2	15.4-19.0	433	14.0	12.6-15.4	671	17.1	15.7-18.5	794	17.1	15.7-18.5	870	15.0	13.8-16.2
Black or Afr. Am./Non-Hisp	287	219,565	26	18.1	11.4-24.8	43	21.2	15.3-27.1	35	15.8	10.5-21.1	65	19.5	14.6-24.4	67	16.4	11.9-20.9	51	9.0	5.9-12.1
Oth. Race/Non-Hisp.	181	82,523	49	48.5	38.9-58.1	26	16.7	9.6-23.8	16	5.9	2.6- 9.2	32	11.9	6.6-17.2	32	10.7	5.8-15.6	26	6.2	3.3- 9.1
MultiRacial/Non-Hisp.	84	24,723	21	41.8	27.9-55.7	13	16.5	7.5-25.5	15	13.9	5.9-21.9	11	9.8	3.1-16.5	19	14.4	6.4-22.4	5	3.7	0.2- 7.2
Hispanic	250	167,519	65	35.1	27.7-42.5	57	26.7	20.2-33.2	59	22.4	16.5-28.3	28	7.5	4.2-10.8	26	5.9	3.2- 8.6	15	2.4	0.8- 4.0
Less Than H.S.	273	297,135	39	27.4	19.8-35.0	40	19.1	13.2-25.0	43	14.6	10.1-19.1	50	14.5	10.2-18.8	59	15.0	10.9-19.1	42	9.4	6.3-12.5
H.S. or G.E.D.	1341	891,068	186	24.1	21.0-27.2	134	16.4	13.7-19.1	146	12.0	10.0-14.0	271	16.6	14.6-18.6	321	17.5	15.5-19.5	283	13.4	11.6-15.2
Some Post-H.S.	1068	694,555	131	22.2	18.9-25.5	121	16.8	14.1-19.5	157	15.9	13.4-18.4	196	16.5	14.1-18.9	235	15.8	13.6-18.0	228	12.8	11.0-14.6
College Graduate	1686	607,562	154	14.8	12.4-17.2	230	21.5	19.0-24.0	225	16.4	14.2-18.6	307	17.1	15.1-19.1	333	14.5	12.9-16.1	437	15.6	14.0-17.2
Less than \$15,000	208	127,501	30	26.3	17.3-35.3	16	14.2	7.3-21.1	23	10.6	5.5-15.7	50	20.5	14.4-26.6	63	21.1	15.2-27.0	26	7.3	4.2-10.4
\$15,000- 24,999	301	157,415	28	17.8	11.7-23.9	19	12.0	6.5-17.5	32	14.3	9.0-19.6	65	18.3	13.8-22.8	88	21.3	16.2-26.4	69	16.5	12.0-21.0
\$25,000- 34,999	410	245,212	70	25.5	19.6-31.4	43	17.1	12.0-22.2	33	9.7	6.2-13.2	55	13.2	9.3-17.1	104	18.8	14.9-22.7	105	15.5	12.0-19.0
\$35,000- 49,999	510	288,357	58	20.3	15.2-25.4	65	21.2	16.1-26.3	49	11.6	8.1-15.1	73	11.9	9.0-14.8	103	16.1	12.8-19.4	162	19.0	15.7-22.3
\$50,000- 99,999	1190	675,201	131	18.6	15.5-21.7	172	22.2	19.1-25.3	163	15.2	12.8-17.6	212	16.5	14.1-18.9	246	15.5	13.3-17.7	266	11.9	10.1-13.7
\$100,000 - 199,999	702	386,979	39	11.7	8.0-15.4	113	22.5	18.6-26.4	141	22.8	19.1-26.5	188	22.7	19.4-26.0	134	13.4	10.9-15.9	87	6.9	5.3- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5231	2,634,867	505	19.8	18.2-21.4	636	17.1	15.7-18.5	717	14.8	13.6-16.0	912	15.4	14.4-16.4	1066	16.1	15.1-17.1	1395	16.8	15.8-17.8
White/Non-Hisp	4164	2,082,388	335	17.5	15.7-19.3	458	16.1	14.7-17.5	549	14.3	13.1-15.5	720	15.4	14.2-16.6	915	18.0	16.8-19.2	1187	18.7	17.5-19.9
Black or Afr. Am./Non-Hisp	476	243,049	55	24.2	18.3-30.1	55	15.7	11.4-20.0	69	16.2	12.1-20.3	90	18.0	14.1-21.9	91	13.0	9.9-16.1	116	12.7	9.4-16.0
Oth. Race/Non-Hisp.	162	76,366	36	39.9	29.1-50.7	25	16.0	9.3-22.7	29	17.1	10.0-24.2	28	13.8	7.7-19.9	14	6.1	2.2-10.0	30	7.1	3.6-10.6
MultiRacial/Non-Hisp.	97	30,884	17	37.1	21.6-52.6	28	31.9	20.1-43.7	9	7.1	2.0-12.2	13	9.5	3.6-15.4	12	6.4	1.9-10.9	18	8.0	3.3-12.7
Hispanic	242	161,280	58	33.2	25.8-40.6	61	27.9	21.2-34.6	54	20.3	14.6-26.0	47	13.3	9.0-17.6	13	3.7	1.0- 6.4	9	1.5	0.3- 2.7
Less Than H.S.	317	292,611	37	24.2	17.1-31.3	45	18.3	13.0-23.6	50	15.6	11.3-19.9	47	11.3	7.8-14.8	56	14.1	10.2-18.0	82	16.5	12.4-20.6
H.S. or G.E.D.	1507	830,534	159	22.5	19.4-25.6	143	13.5	11.3-15.7	129	9.7	7.9-11.5	222	14.2	12.2-16.2	329	17.9	15.9-19.9	525	22.2	20.0-24.4
Some Post-H.S.	1473	861,553	156	20.9	18.0-23.8	170	16.7	14.3-19.1	206	15.4	13.2-17.6	267	16.3	14.3-18.3	305	16.0	14.0-18.0	369	14.8	13.0-16.6
College Graduate	1920	641,836	151	12.8	10.8-14.8	274	21.5	19.1-23.9	331	20.3	18.3-22.3	376	17.8	16.0-19.6	373	15.0	13.4-16.6	415	12.6	11.2-14.0
Less than \$15,000	286	149,253	36	29.5	21.1-37.9	33	14.1	9.0-19.2	30	9.2	5.7-12.7	67	19.3	14.2-24.4	61	15.0	10.7-19.3	59	12.9	9.0-16.8
\$15,000- 24,999	580	279,350	60	20.0	15.3-24.7	65	15.2	11.5-18.9	70	14.4	10.9-17.9	65	9.7	7.2-12.2	123	19.3	15.6-23.0	197	21.4	17.9-24.9
\$25,000- 34,999	578	303,927	59	21.5	16.4-26.6	73	18.2	14.1-22.3	65	13.4	9.9-16.9	77	11.9	9.0-14.8	124	15.8	12.7-18.9	180	19.2	15.9-22.5
\$35,000- 49,999	597	284,996	60	18.2	13.5-22.9	72	17.1	13.2-21.0	65	12.0	9.1-14.9	82	13.9	10.8-17.0	130	17.8	14.5-21.1	188	21.0	17.7-24.3
\$50,000- 99,999	1168	603,897	117	18.8	15.3-22.3	165	20.0	17.1-22.9	166	14.9	12.5-17.3	266	19.7	17.2-22.2	231	15.5	13.3-17.7	223	11.1	9.3-12.9
\$100,000 - 199,999	638	319,466	35	11.3	7.6-15.0	110	23.4	19.3-27.5	174	27.6	23.7-31.5	148	19.6	16.3-22.9	115	13.2	10.5-15.9	56	4.9	3.3- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9618	5,136,063	6254	77.7	76.9-78.5	3364	22.3	21.5-23.1
Male	4387	2,501,196	2929	79.6	78.4-80.8	1458	20.4	19.2-21.6
Female	5231	2,634,867	3325	76.0	74.8-77.2	1906	24.0	22.8-25.2
White/Non-Hisp	7655	4,037,216	4766	75.2	74.2-76.2	2889	24.8	23.8-25.8
Black or Afr. Am./Non-Hisp	763	462,614	521	82.5	79.6-85.4	242	17.5	14.6-20.4
Oth. Race/Non-Hisp.	343	158,889	268	90.5	87.6-93.4	75	9.5	6.6-12.4
MultiRacial/Non-Hisp.	181	55,607	143	89.6	85.5-93.7	38	10.4	6.3-14.5
Hispanic	492	328,799	450	95.6	94.0-97.2	42	4.4	2.8- 6.0
Less Than H.S.	590	589,746	415	80.9	77.8-84.0	175	19.1	16.0-22.2
H.S. or G.E.D.	2848	1,721,601	1736	74.6	73.0-76.2	1112	25.4	23.8-27.0
Some Post-H.S.	2541	1,556,108	1680	78.9	77.3-80.5	861	21.1	19.5-22.7
College Graduate	3606	1,249,398	2402	79.0	77.6-80.4	1204	21.0	19.6-22.4
Less than \$15,000	494	276,754	358	83.4	80.1-86.7	136	16.6	13.3-19.9
\$15,000-24,999	881	436,765	513	72.2	68.9-75.5	368	27.8	24.5-31.1
\$25,000-34,999	988	549,139	574	72.9	70.0-75.8	414	27.1	24.2-30.0
\$35,000-49,999	1107	573,353	627	71.5	68.8-74.2	480	28.5	25.8-31.2
\$50,000-99,999	2358	1,279,098	1647	82.0	80.4-83.6	711	18.0	16.4-19.6
\$100,000-199,999	1340	706,445	1102	89.4	87.8-91.0	238	10.6	9.0-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4387	2,501,196	2929	79.6	78.4-80.8	1458	20.4	19.2-21.6
White/Non-Hisp	3491	1,954,828	2227	77.4	76.0-78.8	1264	22.6	21.2-24.0
Black or Afr. Am./Non-Hisp	287	219,565	206	83.3	79.0-87.6	81	16.7	12.4-21.0
Oth. Race/Non-Hisp.	181	82,523	143	90.7	86.8-94.6	38	9.3	5.4-13.2
MultiRacial/Non-Hisp.	84	24,723	70	90.2	84.1-96.3	14	9.8	3.7-15.9
Hispanic	250	167,519	223	94.6	92.2-97.0	27	5.4	3.0- 7.8
Less Than H.S.	273	297,135	203	84.4	80.3-88.5	70	15.6	11.5-19.7
H.S. or G.E.D.	1341	891,068	914	79.3	77.1-81.5	427	20.7	18.5-22.9
Some Post-H.S.	1068	694,555	725	79.8	77.4-82.2	343	20.2	17.8-22.6
College Graduate	1686	607,562	1075	77.4	75.4-79.4	611	22.6	20.6-24.6
Less than \$15,000	208	127,501	158	85.7	81.2-90.2	50	14.3	9.8-18.8
\$15,000- 24,999	301	157,415	190	75.3	70.0-80.6	111	24.7	19.4-30.0
\$25,000- 34,999	410	245,212	243	73.4	68.9-77.9	167	26.6	22.1-31.1
\$35,000- 49,999	510	288,357	288	72.4	68.3-76.5	222	27.6	23.5-31.7
\$50,000- 99,999	1190	675,201	807	81.7	79.5-83.9	383	18.3	16.1-20.5
\$100,000 - 199,999	702	386,979	561	88.2	86.0-90.4	141	11.8	9.6-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5231	2,634,867	3325	76.0	74.8-77.2	1906	24.0	22.8-25.2
White/Non-Hisp	4164	2,082,388	2539	73.2	71.8-74.6	1625	26.8	25.4-28.2
Black or Afr. Am./Non-Hisp	476	243,049	315	81.7	77.8-85.6	161	18.3	14.4-22.2
Oth. Race/Non-Hisp.	162	76,366	125	90.2	85.9-94.5	37	9.8	5.5-14.1
MultiRacial/Non-Hisp.	97	30,884	73	89.1	83.4-94.8	24	10.9	5.2-16.6
Hispanic	242	161,280	227	96.6	94.4-98.8	15	3.4	1.2- 5.6
Less Than H.S.	317	292,611	212	77.4	72.5-82.3	105	22.6	17.7-27.5
H.S. or G.E.D.	1507	830,534	822	69.6	67.2-72.0	685	30.4	28.0-32.8
Some Post-H.S.	1473	861,553	955	78.2	76.2-80.2	518	21.8	19.8-23.8
College Graduate	1920	641,836	1327	80.5	78.7-82.3	593	19.5	17.7-21.3
Less than \$15,000	286	149,253	200	81.4	76.7-86.1	86	18.6	13.9-23.3
\$15,000- 24,999	580	279,350	323	70.4	66.3-74.5	257	29.6	25.5-33.7
\$25,000- 34,999	578	303,927	331	72.4	68.5-76.3	247	27.6	23.7-31.5
\$35,000- 49,999	597	284,996	339	70.6	66.7-74.5	258	29.4	25.5-33.3
\$50,000- 99,999	1168	603,897	840	82.3	80.1-84.5	328	17.7	15.5-19.9
\$100,000 - 199,999	638	319,466	541	90.8	88.8-92.8	97	9.2	7.2-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	9163	4,855,414	6	0.1	0.1- 0.1	487	5.0	4.4- 5.6	3847	40.1	38.9-41.3	3911	43.9	42.7-45.1	909	10.9	10.1-11.7	3	0.0	0.0- 0.0	
Male	4212	2,377,214	2	0.1	0.0- 0.3	23	0.6	0.2- 1.0	412	10.2	9.0-11.4	2887	67.4	65.6-69.2	885	21.7	20.1-23.3	3	0.1	0.1- 0.1	
Female	4951	2,478,199	4	0.1	0.1- 0.1	464	9.2	8.2-10.2	3435	68.8	67.2-70.4	1024	21.4	20.0-22.8	24	0.5	0.3- 0.7				
White/Non-Hisp	7383	3,886,107	4	0.1	0.1- 0.1	351	4.4	3.8- 5.0	3059	39.2	37.8-40.6	3212	45.3	43.9-46.7	755	11.1	10.1-12.1	2	0.0	0.0- 0.0	
Black or Afr. Am./Non-Hisp	727	441,332				43	4.1	2.5- 5.7	350	43.5	39.0-48.0	265	39.0	34.5-43.5	69	13.3	9.8-16.8				
Oth. Race/Non-Hisp.	313	139,385				29	10.2	5.7-14.7	130	45.7	38.3-53.1	130	34.6	27.9-41.3	24	9.4	5.1-13.7				
MultiRacial/Non-Hisp.	174	52,598				4	3.8	0.0- 7.7	71	42.4	32.4-52.4	75	42.4	32.8-52.0	24	11.4	6.3-16.5				
Hispanic	380	251,760	2	0.5	0.0- 1.3	47	13.2	8.9-17.5	163	45.6	39.5-51.7	150	36.5	30.8-42.2	17	3.9	1.9- 5.9	1	0.3	0.0- 0.9	
18-24	500	631,487				24	5.3	2.9- 7.7	177	37.6	32.7-42.5	238	45.3	40.4-50.2	61	11.7	8.6-14.8				
25-34	963	817,207	2	0.2	0.0- 0.6	40	3.9	2.5- 5.3	377	37.4	33.9-40.9	429	45.5	42.0-49.0	115	12.9	10.5-15.3				
35-44	1120	770,886				45	3.8	2.6- 5.0	463	39.9	36.8-43.0	472	42.6	39.5-45.7	139	13.6	11.2-16.0	1	0.0	0.0- 0.0	
45-54	1534	737,391	2	0.0	0.0- 0.0	64	4.2	3.0- 5.4	602	38.3	35.6-41.0	665	43.9	41.2-46.6	200	13.5	11.5-15.5	1	0.1	0.0- 0.3	
55-64	1816	808,547	1	0.1	0.0- 0.3	85	4.8	3.6- 6.0	742	39.7	37.2-42.2	814	46.2	43.7-48.7	174	9.2	7.8-10.6				
65+	3230	1,089,897	1	0.1	0.0- 0.3	229	7.0	6.0- 8.0	1486	45.3	43.3-47.3	1293	41.1	39.1-43.1	220	6.6	5.6- 7.6	1	0.0	0.0- 0.0	
Less Than H.S.	490	497,097	1	0.2	0.0- 0.6	45	7.5	4.8-10.2	233	44.2	38.9-49.5	179	40.5	35.2-45.8	31	7.4	4.3-10.5	1	0.1	0.0- 0.3	
H.S. or G.E.D.	2715	1,644,009	2	0.1	0.0- 0.3	168	5.2	4.2- 6.2	1169	39.8	37.6-42.0	1147	44.4	42.2-46.6	229	10.5	8.9-12.1				
Some Post-H.S.	2449	1,497,768	2	0.0	0.0- 0.0	135	5.0	4.0- 6.0	1067	41.9	39.5-44.3	1003	42.5	40.1-44.9	242	10.6	9.2-12.0				
College Graduate	3472	1,195,475	1	0.0	0.0- 0.0	138	3.7	2.9- 4.5	1365	36.6	34.8-38.4	1563	46.3	44.3-48.3	403	13.3	11.9-14.7	2	0.1	0.1- 0.1	
Less than \$15,000	461	255,522				45	8.9	6.0-11.8	201	41.3	35.4-47.2	177	40.0	34.1-45.9	37	9.6	5.3-13.9	1	0.3	0.0- 0.9	
\$15,000-24,999	834	407,057	2	0.2	0.0- 0.6	71	8.8	6.4-11.2	427	50.1	46.0-54.2	282	34.4	30.5-38.3	52	6.6	4.2- 9.0				
\$25,000-34,999	964	532,239	1	0.2	0.0- 0.6	54	5.3	3.5- 7.1	460	44.7	40.8-48.6	369	40.3	36.4-44.2	80	9.5	7.1-11.9				
\$35,000-49,999	1100	570,181				49	3.3	2.3- 4.3	471	41.1	37.6-44.6	496	45.8	42.1-49.5	84	9.7	7.3-12.1				
\$50,000-99,999	2337	1,262,893	2	0.1	0.0- 0.3	98	4.1	3.1- 5.1	901	37.1	34.7-39.5	1072	46.9	44.4-49.4	264	11.9	10.3-13.5				
\$100,000-199,999	1327	698,011				40	3.1	1.9- 4.3	472	34.3	31.4-37.2	620	47.5	44.4-50.6	195	15.1	12.7-17.5				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Height Categories																	
	TOTAL	WEIGHTED	N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4212	2,377,214	2	0.1	0.0- 0.3	23	0.6	0.2- 1.0	412	10.2	9.0-11.4	2887	67.4	65.6-69.2	885	21.7	20.1-23.3	3	0.1	0.1- 0.1
White/Non-Hisp	3400	1,900,127	1	0.0	0.0- 0.0	11	0.2	0.0- 0.4	279	8.3	7.1- 9.5	2368	69.3	67.3-71.3	739	22.2	20.4-24.0	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	275	211,325				1	0.1	0.0- 0.3	34	15.2	9.5-20.9	175	58.1	50.8-65.4	65	26.5	20.0-33.0			
Oth. Race/Non-Hisp.	171	73,133				5	3.1	0.0- 6.8	35	22.8	13.8-31.8	107	56.1	46.1-66.1	24	18.0	10.2-25.8			
MultiRacial/Non-Hisp.	83	22,950				11	13.7	4.9-22.5	49	61.0	48.5-73.5	23	25.3	14.7-35.9						
Hispanic	194	125,671	1	0.9	0.0- 2.7	5	4.8	0.0-10.1	45	24.0	16.9-31.1	127	62.8	54.6-71.0	15	7.1	3.4-10.8	1	0.5	0.0- 1.5
18-24	261	316,584				1	0.4	0.0- 1.2	23	9.0	5.3-12.7	178	67.8	61.3-74.3	59	22.8	16.9-28.7			
25-34	449	414,603	1	0.3	0.0- 0.9	3	1.0	0.0- 2.6	43	9.6	6.3-12.9	289	64.0	58.9-69.1	113	25.1	20.6-29.6			
35-44	519	389,694				2	0.6	0.0- 1.4	53	11.6	8.3-14.9	332	62.2	57.5-66.9	131	25.6	21.5-29.7	1	0.1	0.0- 0.3
45-54	721	367,457				3	0.4	0.0- 1.0	57	8.7	6.2-11.2	465	64.4	60.5-68.3	195	26.3	22.8-29.8	1	0.2	0.0- 0.6
55-64	857	397,970				4	0.4	0.0- 0.8	73	9.2	6.8-11.6	609	72.0	68.7-75.3	171	18.4	15.7-21.1			
65+	1405	490,906	1	0.1	0.0- 0.3	10	0.5	0.1- 0.9	163	12.5	10.3-14.7	1014	72.5	69.8-75.2	216	14.3	12.1-16.5	1	0.1	0.0- 0.3
Less Than H.S.	235	258,013	1	0.4	0.0- 1.2	7	2.5	0.0- 5.0	49	18.3	12.6-24.0	147	64.4	57.0-71.8	30	14.0	8.3-19.7	1	0.2	0.0- 0.6
H.S. or G.E.D.	1283	854,056	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	145	11.4	9.2-13.6	913	68.6	65.5-71.7	222	19.7	17.0-22.4			
Some Post-H.S.	1031	664,733				4	0.3	0.0- 0.7	88	8.6	6.6-10.6	703	67.8	64.5-71.1	236	23.3	20.4-26.2			
College Graduate	1640	587,320				10	0.6	0.2- 1.0	128	6.8	5.4- 8.2	1107	66.2	63.5-68.9	393	26.4	23.9-28.9	2	0.1	0.0- 0.3
Less than \$15,000	193	115,574				3	1.7	0.0- 4.1	24	12.6	6.3-18.9	130	64.8	55.6-74.0	35	20.4	11.8-29.0	1	0.6	0.0- 1.8
\$15,000- 24,999	290	149,263	1	0.4	0.0- 1.2	3	1.0	0.0- 2.4	47	18.1	12.4-23.8	190	63.3	56.2-70.4	49	17.2	11.5-22.9			
\$25,000- 34,999	399	235,338	1	0.5	0.0- 1.5	3	0.6	0.0- 1.4	48	11.3	7.6-15.0	268	66.4	60.7-72.1	79	21.3	16.4-26.2			
\$35,000- 49,999	506	285,197				2	0.2	0.0- 0.6	62	12.9	9.0-16.8	362	68.4	63.1-73.7	80	18.6	14.3-22.9			
\$50,000- 99,999	1186	668,946				5	0.4	0.0- 0.8	112	9.2	7.2-11.2	809	68.3	65.2-71.4	260	22.1	19.2-25.0			
\$100,000 - 199,999	702	385,471							37	6.1	3.7- 8.5	473	66.8	62.7-70.9	192	27.1	23.4-30.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4951	2,478,199	4	0.1	0.1- 0.1	464	9.2	8.2-10.2	3435	68.8	67.2-70.4	1024	21.4	20.0-22.8	24	0.5	0.3- 0.7	
White/Non-Hisp	3983	1,985,980	3	0.1	0.0- 0.3	340	8.3	7.3- 9.3	2780	68.8	67.0-70.6	844	22.4	20.8-24.0	16	0.5	0.3- 0.7	
Black or Afr. Am./Non-Hisp	452	230,007				42	7.8	4.9-10.7	316	69.6	64.1-75.1	90	21.5	16.6-26.4	4	1.1	0.0- 2.3	
Oth. Race/Non-Hisp.	142	66,251				24	18.1	9.9-26.3	95	70.9	61.3-80.5	23	11.0	5.3-16.7				
MultiRacial/Non-Hisp.	91	29,648				4	6.7	0.0-13.6	60	64.7	51.6-77.8	26	28.0	15.8-40.2	1	0.6	0.0- 1.8	
Hispanic	186	126,089	1	0.0	0.0- 0.0	42	21.6	14.7-28.5	118	67.2	59.4-75.0	23	10.4	5.7-15.1	2	0.7	0.0- 1.7	
18-24	239	314,902				23	10.3	5.8-14.8	154	66.4	59.7-73.1	60	22.8	17.1-28.5	2	0.6	0.0- 1.4	
25-34	514	402,604	1	0.2	0.0- 0.6	37	6.9	4.5- 9.3	334	66.1	61.6-70.6	140	26.5	22.2-30.8	2	0.3	0.0- 0.7	
35-44	601	381,192				43	7.1	4.7- 9.5	410	69.0	64.9-73.1	140	22.5	19.0-26.0	8	1.4	0.4- 2.4	
45-54	813	369,934	2	0.1	0.0- 0.3	61	7.9	5.7-10.1	545	67.7	64.2-71.2	200	23.6	20.5-26.7	5	0.7	0.1- 1.3	
55-64	959	410,576	1	0.2	0.0- 0.6	81	9.1	6.9-11.3	669	69.3	66.0-72.6	205	21.1	18.2-24.0	3	0.3	0.0- 0.7	
65+	1825	598,991				219	12.4	10.6-14.2	1323	72.1	69.6-74.6	279	15.3	13.3-17.3	4	0.2	0.0- 0.4	
Less Than H.S.	255	239,084				38	12.8	7.9-17.7	184	72.2	65.3-79.1	32	14.7	9.2-20.2	1	0.3	0.0- 0.9	
H.S. or G.E.D.	1432	789,953	1	0.1	0.0- 0.3	166	10.5	8.7-12.3	1024	70.5	67.6-73.4	234	18.3	15.8-20.8	7	0.5	0.1- 0.9	
Some Post-H.S.	1418	833,034	2	0.1	0.0- 0.3	131	8.7	6.9-10.5	979	68.4	65.7-71.1	300	22.3	19.8-24.8	6	0.5	0.1- 0.9	
College Graduate	1832	608,156	1	0.0	0.0- 0.0	128	6.7	5.3- 8.1	1237	65.5	63.0-68.0	456	27.0	24.6-29.4	10	0.7	0.3- 1.1	
Less than \$15,000	268	139,948				42	14.8	9.9-19.7	177	65.0	57.6-72.4	47	19.5	12.8-26.2	2	0.8	0.0- 2.0	
\$15,000- 24,999	544	257,794	1	0.0	0.0- 0.0	68	13.3	9.8-16.8	380	68.6	63.7-73.5	92	17.6	13.7-21.5	3	0.5	0.0- 1.1	
\$25,000- 34,999	565	296,901				51	9.0	6.1-11.9	412	71.2	66.5-75.9	101	19.6	15.5-23.7	1	0.2	0.0- 0.6	
\$35,000- 49,999	594	284,984				47	6.5	4.5- 8.5	409	69.3	65.0-73.6	134	23.3	19.2-27.4	4	0.8	0.0- 1.8	
\$50,000- 99,999	1151	593,947	2	0.2	0.0- 0.4	93	8.3	6.3-10.3	789	68.5	65.2-71.8	263	22.7	19.8-25.6	4	0.4	0.0- 0.8	
\$100,000 - 199,999	625	312,540				40	6.9	4.4- 9.4	435	69.1	64.8-73.4	147	23.6	19.7-27.5	3	0.4	0.0- 0.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9237	4,904,492	8	0.1	0.1- 0.1	494	5.0	4.4- 5.6	3884	40.2	39.0-41.4	3935	43.8	42.6-45.0	913	10.9	10.1-11.7	3	0.0	0.0- 0.0
Male	4253	2,407,435	2	0.1	0.0- 0.3	25	0.6	0.2- 1.0	424	10.5	9.3-11.7	2910	67.2	65.4-69.0	889	21.6	20.0-23.2	3	0.1	0.1- 0.1
Female	4984	2,497,057	6	0.1	0.1- 0.1	469	9.3	8.3-10.3	3460	68.8	67.2-70.4	1025	21.3	19.9-22.7	24	0.5	0.3- 0.7			
White/Non-Hisp	7385	3,887,804	4	0.1	0.1- 0.1	351	4.3	3.7- 4.9	3060	39.2	37.8-40.6	3213	45.3	43.9-46.7	755	11.1	10.1-12.1	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	727	441,332				43	4.1	2.5- 5.7	350	43.5	39.0-48.0	265	39.0	34.5-43.5	69	13.3	9.8-16.8			
Oth. Race/Non-Hisp.	332	152,104				30	10.0	5.7-14.3	138	45.2	38.1-52.3	138	35.3	28.8-41.8	26	9.5	5.4-13.6			
MultiRacial/Non-Hisp.	174	52,598				4	3.8	0.0- 7.7	71	42.4	32.4-52.4	75	42.4	32.8-52.0	24	11.4	6.3-16.5			
Hispanic	433	286,421	4	0.6	0.0- 1.4	53	13.0	9.1-16.9	191	46.4	40.7-52.1	165	35.8	30.5-41.1	19	3.9	1.9- 5.9	1	0.2	0.0- 0.6
18-24	517	647,445				25	5.4	3.0- 7.8	186	38.1	33.4-42.8	244	45.0	40.3-49.7	62	11.6	8.5-14.7			
25-34	989	833,409	2	0.2	0.0- 0.6	42	4.1	2.7- 5.5	389	37.5	34.2-40.8	440	45.5	42.0-49.0	116	12.7	10.3-15.1			
35-44	1133	780,996				46	3.8	2.6- 5.0	469	40.1	37.0-43.2	476	42.5	39.4-45.6	141	13.6	11.2-16.0	1	0.0	0.0- 0.0
45-54	1551	743,454	4	0.1	0.0- 0.3	67	4.4	3.2- 5.6	611	38.3	35.6-41.0	668	43.7	41.0-46.4	200	13.4	11.4-15.4	1	0.1	0.0- 0.3
55-64	1817	809,290	1	0.1	0.0- 0.3	85	4.8	3.6- 6.0	743	39.7	37.2-42.2	814	46.1	43.6-48.6	174	9.2	7.8-10.6			
65+	3230	1,089,897	1	0.1	0.0- 0.3	229	7.0	6.0- 8.0	1486	45.3	43.3-47.3	1293	41.1	39.1-43.1	220	6.6	5.6- 7.6	1	0.0	0.0- 0.0
Less Than H.S.	516	519,728	2	0.3	0.0- 0.7	48	7.6	4.9-10.3	245	44.5	39.2-49.8	188	40.2	34.9-45.5	32	7.3	4.4-10.2	1	0.1	0.0- 0.3
H.S. or G.E.D.	2730	1,653,216	2	0.1	0.0- 0.3	170	5.2	4.2- 6.2	1176	39.9	37.7-42.1	1153	44.4	42.2-46.6	229	10.4	9.0-11.8			
Some Post-H.S.	2460	1,505,638	3	0.1	0.1- 0.1	136	5.0	4.0- 6.0	1071	41.8	39.4-44.2	1007	42.4	40.0-44.8	243	10.6	9.2-12.0			
College Graduate	3494	1,204,845	1	0.0	0.0- 0.0	139	3.7	2.9- 4.5	1379	36.8	35.0-38.6	1568	46.1	44.1-48.1	405	13.3	11.9-14.7	2	0.1	0.1- 0.1
Less than \$15,000	474	264,586				46	8.9	6.0-11.8	207	41.5	35.8-47.2	183	40.0	34.3-45.7	37	9.3	5.2-13.4	1	0.2	0.0- 0.6
\$15,000-24,999	855	419,049	4	0.3	0.0- 0.7	73	8.7	6.3-11.1	439	50.3	46.2-54.4	286	34.2	30.3-38.1	53	6.5	4.3- 8.7			
\$25,000-34,999	980	542,503	1	0.2	0.0- 0.6	54	5.2	3.4- 7.0	467	44.5	40.6-48.4	376	40.4	36.5-44.3	82	9.7	7.3-12.1			
\$35,000-49,999	1104	573,803				50	3.5	2.3- 4.7	474	41.3	37.8-44.8	496	45.6	41.9-49.3	84	9.6	7.2-12.0			
\$50,000-99,999	2342	1,266,793	2	0.1	0.0- 0.3	98	4.1	3.1- 5.1	904	37.1	34.7-39.5	1074	46.9	44.4-49.4	264	11.8	10.2-13.4			
\$100,000-199,999	1328	698,608				40	3.1	1.9- 4.3	472	34.3	31.4-37.2	621	47.5	44.4-50.6	195	15.1	12.7-17.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4253	2,407,435	2	0.1	0.0- 0.3	25	0.6	0.2- 1.0	424	10.5	9.3-11.7	2910	67.2	65.4-69.0	889	21.6	20.0-23.2	3	0.1	0.1- 0.1
White/Non-Hisp	3401	1,900,558	1	0.0	0.0- 0.0	11	0.2	0.0- 0.4	279	8.3	7.1- 9.5	2369	69.3	67.3-71.3	739	22.2	20.4-24.0	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	275	211,325				1	0.1	0.0- 0.3	34	15.2	9.5-20.9	175	58.1	50.8-65.4	65	26.5	20.0-33.0			
Oth. Race/Non-Hisp.	182	80,792				6	4.0	0.0- 8.1	35	20.7	12.5-28.9	115	57.4	47.8-67.0	26	17.9	10.5-25.3			
MultiRacial/Non-Hisp.	83	22,950							11	13.7	4.9-22.5	49	61.0	48.5-73.5	23	25.3	14.7-35.9			
Hispanic	223	147,802	1	0.7	0.0- 2.1	6	4.7	0.2- 9.2	57	27.1	20.2-34.0	141	60.0	52.4-67.6	17	7.0	3.5-10.5	1	0.4	0.0- 1.2
18-24	271	326,272				2	0.7	0.0- 1.7	26	9.9	6.0-13.8	183	67.0	60.7-73.3	60	22.4	16.7-28.1			
25-34	467	425,887	1	0.3	0.0- 0.9	4	1.2	0.0- 2.8	48	10.1	6.8-13.4	300	63.9	58.8-69.0	114	24.5	20.0-29.0			
35-44	526	396,313				2	0.6	0.0- 1.4	54	11.8	8.5-15.1	336	62.0	57.3-66.7	133	25.5	21.4-29.6	1	0.1	0.0- 0.3
45-54	726	369,343				3	0.4	0.0- 1.0	59	8.9	6.4-11.4	468	64.4	60.5-68.3	195	26.2	22.7-29.7	1	0.2	0.0- 0.6
55-64	858	398,714				4	0.4	0.0- 0.8	74	9.3	6.9-11.7	609	71.9	68.6-75.2	171	18.4	15.7-21.1			
65+	1405	490,906	1	0.1	0.0- 0.3	10	0.5	0.1- 0.9	163	12.5	10.3-14.7	1014	72.5	69.8-75.2	216	14.3	12.1-16.5	1	0.1	0.0- 0.3
Less Than H.S.	253	274,462	1	0.4	0.0- 1.2	7	2.4	0.0- 4.9	57	20.1	14.4-25.8	156	63.3	56.2-70.4	31	13.6	8.1-19.1	1	0.2	0.0- 0.6
H.S. or G.E.D.	1290	858,278	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	147	11.5	9.3-13.7	918	68.6	65.7-71.5	222	19.6	16.9-22.3			
Some Post-H.S.	1037	669,452				5	0.5	0.1- 0.9	88	8.6	6.6-10.6	707	67.7	64.4-71.0	237	23.3	20.4-26.2			
College Graduate	1650	592,150				11	0.7	0.1- 1.3	130	6.8	5.4- 8.2	1112	66.1	63.4-68.8	395	26.3	23.8-28.8	2	0.1	0.0- 0.3
Less than \$15,000	201	121,681				3	1.7	0.0- 3.9	26	13.8	7.5-20.1	136	64.6	55.6-73.6	35	19.4	11.2-27.6	1	0.5	0.0- 1.5
\$15,000- 24,999	299	155,569	1	0.4	0.0- 1.2	3	1.0	0.0- 2.4	52	19.6	13.9-25.3	193	62.3	55.4-69.2	50	16.7	11.2-22.2			
\$25,000- 34,999	410	242,490	1	0.4	0.0- 1.2	3	0.6	0.0- 1.2	50	11.2	7.5-14.9	275	66.3	60.6-72.0	81	21.4	16.5-26.3			
\$35,000- 49,999	508	287,896				3	0.5	0.0- 1.3	63	13.4	9.3-17.5	362	67.7	62.4-73.0	80	18.4	14.1-22.7			
\$50,000- 99,999	1188	670,847				5	0.4	0.0- 0.8	112	9.2	7.2-11.2	811	68.4	65.3-71.5	260	22.0	19.1-24.9			
\$100,000 - 199,999	703	386,069							37	6.1	3.7- 8.5	474	66.9	62.8-71.0	192	27.1	23.4-30.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4984	2,497,057	6	0.1	0.1- 0.1	469	9.3	8.3-10.3	3460	68.8	67.2-70.4	1025	21.3	19.9-22.7	24	0.5	0.3- 0.7
White/Non-Hisp	3984	1,987,247	3	0.1	0.0- 0.3	340	8.3	7.3- 9.3	2781	68.8	67.0-70.6	844	22.3	20.7-23.9	16	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	452	230,007				42	7.8	4.9-10.7	316	69.6	64.1-75.1	90	21.5	16.6-26.4	4	1.1	0.0- 2.3
Oth. Race/Non-Hisp.	150	71,312				24	16.8	9.0-24.6	103	73.0	64.0-82.0	23	10.2	4.9-15.5			
MultiRacial/Non-Hisp.	91	29,648				4	6.7	0.0-13.6	60	64.7	51.6-77.8	26	28.0	15.8-40.2	1	0.6	0.0- 1.8
Hispanic	210	138,619	3	0.5	0.0- 1.3	47	21.8	15.1-28.5	134	66.9	59.5-74.3	24	10.1	5.8-14.4	2	0.7	0.0- 1.7
18-24	246	321,173				23	10.1	5.6-14.6	160	66.8	60.3-73.3	61	22.6	16.9-28.3	2	0.6	0.0- 1.4
25-34	522	407,522	1	0.2	0.0- 0.6	38	7.1	4.7- 9.5	341	66.2	61.7-70.7	140	26.2	22.1-30.3	2	0.3	0.0- 0.7
35-44	607	384,683				44	7.1	4.7- 9.5	415	69.2	65.1-73.3	140	22.3	18.8-25.8	8	1.4	0.4- 2.4
45-54	825	374,111	4	0.3	0.0- 0.7	64	8.3	6.1-10.5	552	67.4	63.9-70.9	200	23.3	20.2-26.4	5	0.7	0.1- 1.3
55-64	959	410,576	1	0.2	0.0- 0.6	81	9.1	6.9-11.3	669	69.3	66.0-72.6	205	21.1	18.2-24.0	3	0.3	0.0- 0.7
65+	1825	598,991				219	12.4	10.6-14.2	1323	72.1	69.6-74.6	279	15.3	13.3-17.3	4	0.2	0.0- 0.4
Less Than H.S.	263	245,266	1	0.2	0.0- 0.6	41	13.5	8.6-18.4	188	71.7	65.0-78.4	32	14.3	9.0-19.6	1	0.3	0.0- 0.9
H.S. or G.E.D.	1440	794,937	1	0.1	0.0- 0.3	168	10.5	8.7-12.3	1029	70.6	67.7-73.5	235	18.3	15.8-20.8	7	0.5	0.1- 0.9
Some Post-H.S.	1423	836,186	3	0.1	0.0- 0.3	131	8.7	6.9-10.5	983	68.5	65.8-71.2	300	22.2	19.7-24.7	6	0.5	0.1- 0.9
College Graduate	1844	612,695	1	0.0	0.0- 0.0	128	6.7	5.3- 8.1	1249	65.7	63.2-68.2	456	26.8	24.4-29.2	10	0.7	0.3- 1.1
Less than \$15,000	273	142,905				43	15.2	10.3-20.1	181	65.0	57.6-72.4	47	19.1	12.4-25.8	2	0.8	0.0- 2.0
\$15,000- 24,999	556	263,480	3	0.3	0.0- 0.7	70	13.3	9.8-16.8	387	68.4	63.7-73.1	93	17.6	13.7-21.5	3	0.4	0.0- 1.0
\$25,000- 34,999	570	300,013				51	8.9	6.0-11.8	417	71.5	66.8-76.2	101	19.4	15.3-23.5	1	0.2	0.0- 0.6
\$35,000- 49,999	596	285,907				47	6.5	4.5- 8.5	411	69.4	65.1-73.7	134	23.2	19.1-27.3	4	0.8	0.0- 1.8
\$50,000- 99,999	1154	595,946	2	0.2	0.0- 0.4	93	8.3	6.3-10.3	792	68.6	65.3-71.9	263	22.6	19.7-25.5	4	0.4	0.0- 0.8
\$100,000 - 199,999	625	312,540				40	6.9	4.4- 9.4	435	69.1	64.8-73.4	147	23.6	19.7-27.5	3	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8809	4,696,165	81	0.9	0.7- 1.1	2227	25.3	24.1-26.5	3788	42.5	41.1-43.9	1933	22.2	21.2-23.2	597	7.0	6.4- 7.6	183	2.2	1.8- 2.6
Male	4190	2,371,477	8	0.2	0.0- 0.4	422	11.1	9.7-12.5	1915	45.9	43.9-47.9	1317	30.2	28.4-32.0	395	9.5	8.5-10.5	133	3.1	2.5- 3.7
Female	4619	2,324,688	73	1.6	1.2- 2.0	1805	39.8	38.0-41.6	1873	39.0	37.2-40.8	616	14.1	12.9-15.3	202	4.4	3.6- 5.2	50	1.3	0.9- 1.7
White/Non-Hisp	7025	3,713,571	61	0.9	0.7- 1.1	1759	24.7	23.3-26.1	3025	42.9	41.5-44.3	1555	22.3	21.1-23.5	481	7.1	6.3- 7.9	144	2.1	1.7- 2.5
Black or Afr. Am./Non-Hisp	693	421,340	6	0.4	0.0- 0.8	141	20.5	16.6-24.4	285	37.8	33.3-42.3	182	28.8	24.5-33.1	54	8.5	5.8-11.2	25	4.0	2.2- 5.8
Oth. Race/Non-Hisp.	322	144,585	5	1.8	0.0- 3.6	119	42.5	35.2-49.8	133	38.7	31.8-45.6	48	12.4	7.9-16.9	14	4.1	1.4- 6.8	3	0.4	0.0- 0.8
MultiRacial/Non-Hisp.	165	50,612	2	0.6	0.0- 1.6	42	32.6	21.8-43.4	62	30.0	21.6-38.4	39	25.2	16.8-33.6	18	10.4	4.7-16.1	2	1.2	0.0- 2.8
Hispanic	444	290,055	5	1.4	0.0- 2.8	122	27.2	22.3-32.1	211	48.6	43.1-54.1	76	16.9	12.8-21.0	23	4.3	2.1- 6.5	7	1.6	0.2- 3.0
18-24	497	620,192	8	1.6	0.4- 2.8	193	40.1	35.2-45.0	200	38.8	34.1-43.5	72	14.4	10.9-17.9	21	4.3	2.3- 6.3	3	0.9	0.0- 1.9
25-34	960	803,180	9	0.8	0.2- 1.4	262	26.1	23.0-29.2	391	40.6	37.1-44.1	186	21.3	18.4-24.2	82	8.2	6.2-10.2	30	3.0	1.8- 4.2
35-44	1107	766,205	5	0.3	0.1- 0.5	237	19.9	17.4-22.4	481	43.5	40.2-46.8	248	23.2	20.5-25.9	98	9.6	7.6-11.6	38	3.5	2.3- 4.7
45-54	1454	701,570	12	0.9	0.3- 1.5	289	19.9	17.5-22.3	590	40.9	38.2-43.6	391	26.7	24.2-29.2	133	9.0	7.4-10.6	39	2.7	1.7- 3.7
55-64	1731	774,786	11	0.5	0.1- 0.9	387	21.8	19.6-24.0	718	41.6	38.9-44.3	448	26.9	24.5-29.3	125	7.0	5.6- 8.4	42	2.2	1.4- 3.0
65+	3060	1,030,232	36	1.2	0.8- 1.6	859	25.9	24.1-27.7	1408	47.1	44.9-49.3	588	20.4	18.6-22.2	138	4.4	3.6- 5.2	31	1.0	0.6- 1.4
Less Than H.S.	514	509,881	6	0.7	0.1- 1.3	146	28.3	23.4-33.2	224	41.4	36.3-46.5	92	20.9	16.6-25.2	36	6.8	4.3- 9.3	10	2.0	0.6- 3.4
H.S. or G.E.D.	2600	1,579,172	33	1.2	0.6- 1.8	682	26.4	24.2-28.6	1076	41.5	39.1-43.9	564	21.3	19.5-23.1	185	7.3	6.1- 8.5	60	2.3	1.7- 2.9
Some Post-H.S.	2326	1,436,990	22	0.8	0.4- 1.2	556	24.1	21.9-26.3	995	42.3	39.9-44.7	545	23.4	21.4-25.4	157	7.1	5.9- 8.3	51	2.2	1.4- 3.0
College Graduate	3338	1,152,990	20	0.5	0.3- 0.7	834	23.7	22.1-25.3	1480	44.5	42.5-46.5	724	22.5	20.9-24.1	218	6.6	5.6- 7.6	62	2.1	1.5- 2.7
Less than \$15,000	470	257,436	10	1.6	0.4- 2.8	144	32.1	26.8-37.4	168	33.6	28.3-38.9	94	20.0	14.9-25.1	38	8.4	5.1-11.7	16	4.3	1.6- 7.0
\$15,000-24,999	830	411,132	6	0.4	0.0- 0.8	219	26.0	22.5-29.5	372	44.5	40.4-48.6	160	20.5	17.0-24.0	49	6.1	4.1- 8.1	24	2.5	1.3- 3.7
\$25,000-34,999	949	525,594	9	0.9	0.1- 1.7	243	23.7	20.4-27.0	424	44.9	41.0-48.8	190	20.7	17.4-24.0	62	7.3	5.1- 9.5	21	2.5	1.3- 3.7
\$35,000-49,999	1064	552,750	7	0.8	0.2- 1.4	256	25.9	22.4-29.4	474	41.0	37.5-44.5	232	22.3	19.2-25.4	78	8.6	6.4-10.8	17	1.5	0.7- 2.3
\$50,000-99,999	2267	1,234,081	18	0.9	0.5- 1.3	482	22.2	20.0-24.4	977	41.8	39.3-44.3	577	25.5	23.3-27.7	160	7.0	5.8- 8.2	53	2.6	1.8- 3.4
\$100,000-199,999	1287	679,015	5	0.2	0.0- 0.4	285	21.8	19.1-24.5	547	44.0	40.7-47.3	332	25.5	22.8-28.2	96	6.6	5.2- 8.0	22	1.8	1.0- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4190	2,371,477	8	0.2	0.0- 0.4	422	11.1	9.7-12.5	1915	45.9	43.9-47.9	1317	30.2	28.4-32.0	395	9.5	8.5-10.5	133	3.1	2.5- 3.7
White/Non-Hisp	3348	1,870,138	4	0.1	0.0- 0.3	290	9.3	7.9-10.7	1529	46.2	44.0-48.4	1090	31.3	29.3-33.3	330	10.1	8.9-11.3	105	2.9	2.3- 3.5
Black or Afr. Am./Non-Hisp	273	211,794	2	0.3	0.0- 0.7	29	14.4	8.7-20.1	113	39.1	32.0-46.2	88	30.6	24.1-37.1	23	9.0	4.9-13.1	18	6.5	3.2- 9.8
Oth. Race/Non-Hisp.	179	77,722				45	28.5	19.9-37.1	83	49.1	39.7-58.5	37	15.9	9.6-22.2	12	5.8	1.5-10.1	2	0.6	0.0- 1.4
MultiRacial/Non-Hisp.	77	21,572				12	18.4	7.2-29.6	32	35.7	23.0-48.4	21	30.6	18.3-42.9	12	15.3	4.5-26.1			
Hispanic	223	144,643	2	1.0	0.0- 2.4	34	15.8	10.1-21.5	113	51.8	44.2-59.4	54	23.2	16.7-29.7	14	5.7	2.0- 9.4	6	2.5	0.3- 4.7
18-24	265	319,702	1	0.2	0.0- 0.6	62	23.6	17.9-29.3	133	50.4	43.7-57.1	53	20.0	14.3-25.7	15	5.5	2.6- 8.4	1	0.4	0.0- 1.2
25-34	459	414,084	3	0.6	0.0- 1.2	65	13.8	9.9-17.7	210	45.9	40.6-51.2	108	25.0	20.5-29.5	51	10.3	7.4-13.2	22	4.4	2.4- 6.4
35-44	519	391,631	1	0.1	0.0- 0.3	41	7.6	5.1-10.1	236	44.0	39.3-48.7	152	29.8	25.5-34.1	65	13.7	10.4-17.0	24	4.8	2.8- 6.8
45-54	714	363,959	2	0.3	0.0- 0.7	43	6.3	4.1- 8.5	295	42.8	38.7-46.9	258	35.1	31.2-39.0	85	11.4	8.9-13.9	31	4.1	2.5- 5.7
55-64	850	397,103	1	0.1	0.0- 0.3	71	8.5	6.3-10.7	348	40.5	36.8-44.2	320	38.6	34.9-42.3	81	9.3	7.1-11.5	29	2.9	1.7- 4.1
65+	1383	484,997				140	8.9	7.1-10.7	693	51.2	48.1-54.3	426	31.1	28.2-34.0	98	7.0	5.4- 8.6	26	1.8	1.0- 2.6
Less Than H.S.	246	263,541				45	18.4	12.3-24.5	116	46.4	39.0-53.8	57	25.2	18.5-31.9	21	8.1	4.2-12.0	7	1.9	0.3- 3.5
H.S. or G.E.D.	1265	841,495	3	0.2	0.0- 0.4	138	13.1	10.7-15.5	550	44.6	41.3-47.9	394	28.5	25.8-31.2	133	10.2	8.2-12.2	47	3.3	2.3- 4.3
Some Post-H.S.	1029	670,185	2	0.2	0.0- 0.6	86	7.8	5.8- 9.8	465	45.9	42.4-49.4	345	32.9	29.6-36.2	97	9.8	7.6-12.0	34	3.4	2.0- 4.8
College Graduate	1629	583,848	3	0.2	0.0- 0.4	150	8.3	6.7- 9.9	775	47.6	44.9-50.3	513	31.8	29.3-34.3	143	9.0	7.4-10.6	45	3.1	2.1- 4.1
Less than \$15,000	202	121,979	2	0.9	0.0- 2.3	47	24.0	16.9-31.1	82	36.1	28.1-44.1	44	25.6	16.8-34.4	16	8.0	3.1-12.9	11	5.5	1.8- 9.2
\$15,000- 24,999	294	152,500				46	15.3	10.4-20.2	136	48.3	41.2-55.4	72	23.7	17.6-29.8	22	7.8	4.1-11.5	18	4.8	2.3- 7.3
\$25,000- 34,999	409	243,004				50	11.6	7.3-15.9	207	52.4	46.3-58.5	106	24.2	19.3-29.1	32	8.1	5.0-11.2	14	3.8	1.4- 6.2
\$35,000- 49,999	502	283,704				48	13.3	8.4-18.2	242	44.6	39.3-49.9	151	29.3	24.4-34.2	50	11.2	7.7-14.7	11	1.7	0.5- 2.9
\$50,000- 99,999	1178	666,859	4	0.4	0.0- 0.8	106	10.0	7.8-12.2	504	42.0	38.7-45.3	412	33.9	30.8-37.0	116	10.2	8.0-12.4	36	3.6	2.2- 5.0
\$100,000 - 199,999	700	384,149	1	0.2	0.0- 0.6	37	5.4	3.0- 7.8	299	45.3	40.8-49.8	268	36.7	32.6-40.8	75	9.6	7.2-12.0	20	2.9	1.5- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4619	2,324,688	73	1.6	1.2- 2.0	1805	39.8	38.0-41.6	1873	39.0	37.2-40.8	616	14.1	12.9-15.3	202	4.4	3.6- 5.2	50	1.3	0.9- 1.7
White/Non-Hisp	3677	1,843,434	57	1.6	1.0- 2.2	1469	40.4	38.4-42.4	1496	39.5	37.5-41.5	465	13.1	11.7-14.5	151	4.1	3.3- 4.9	39	1.3	0.7- 1.9
Black or Afr. Am./Non-Hisp	420	209,547	4	0.5	0.0- 1.1	112	26.7	21.2-32.2	172	36.5	30.8-42.2	94	26.9	21.2-32.6	31	7.9	4.4-11.4	7	1.6	0.4- 2.8
Oth. Race/Non-Hisp.	143	66,863	5	3.9	0.0- 7.8	74	58.8	48.4-69.2	50	26.7	18.3-35.1	11	8.4	2.3-14.5	2	2.1	0.0- 5.2	1	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	88	29,041	2	1.1	0.0- 2.7	30	43.2	27.9-58.5	30	25.8	15.0-36.6	18	21.1	9.7-32.5	6	6.8	1.1-12.5	2	2.0	0.0- 4.7
Hispanic	221	145,412	3	1.8	0.0- 4.3	88	38.5	31.1-45.9	98	45.4	37.8-53.0	22	10.6	5.5-15.7	9	2.9	0.5- 5.3	1	0.8	0.0- 2.4
18-24	232	300,490	7	3.1	0.7- 5.5	131	57.6	50.5-64.7	67	26.4	20.3-32.5	19	8.4	4.5-12.3	6	3.0	0.5- 5.5	2	1.4	0.0- 3.4
25-34	501	389,096	6	1.1	0.1- 2.1	197	39.1	34.4-43.8	181	35.0	30.3-39.7	78	17.3	13.4-21.2	31	5.9	3.7- 8.1	8	1.5	0.3- 2.7
35-44	588	374,575	4	0.6	0.0- 1.2	196	32.7	28.6-36.8	245	43.0	38.5-47.5	96	16.3	13.0-19.6	33	5.2	3.2- 7.2	14	2.2	0.8- 3.6
45-54	740	337,611	10	1.5	0.5- 2.5	246	34.6	30.9-38.3	295	38.8	34.9-42.7	133	17.6	14.7-20.5	48	6.4	4.4- 8.4	8	1.1	0.3- 1.9
55-64	881	377,683	10	1.0	0.4- 1.6	316	35.8	32.3-39.3	370	42.7	39.0-46.4	128	14.6	11.9-17.3	44	4.5	3.1- 5.9	13	1.4	0.6- 2.2
65+	1677	545,235	36	2.3	1.3- 3.3	719	41.1	38.4-43.8	715	43.4	40.5-46.3	162	10.8	8.8-12.8	40	2.1	1.3- 2.9	5	0.3	0.0- 0.7
Less Than H.S.	268	246,341	6	1.5	0.3- 2.7	101	38.8	31.5-46.1	108	36.0	29.3-42.7	35	16.3	10.6-22.0	15	5.4	2.1- 8.7	3	2.1	0.0- 4.5
H.S. or G.E.D.	1335	737,678	30	2.4	1.4- 3.4	544	41.5	38.4-44.6	526	37.9	34.8-41.0	170	13.1	10.9-15.3	52	3.9	2.7- 5.1	13	1.2	0.4- 2.0
Some Post-H.S.	1297	766,806	20	1.4	0.6- 2.2	470	38.3	35.2-41.4	530	39.2	36.1-42.3	200	15.2	13.0-17.4	60	4.7	3.3- 6.1	17	1.2	0.6- 1.8
College Graduate	1709	569,142	17	0.8	0.2- 1.4	684	39.5	37.0-42.0	705	41.3	38.6-44.0	211	13.0	11.2-14.8	75	4.2	3.2- 5.2	17	1.1	0.5- 1.7
Less than \$15,000	268	135,457	8	2.2	0.4- 4.0	97	39.5	31.9-47.1	86	31.3	24.2-38.4	50	15.0	9.9-20.1	22	8.8	4.1-13.5	5	3.1	0.0- 6.8
\$15,000- 24,999	536	258,632	6	0.6	0.0- 1.2	173	32.3	27.4-37.2	236	42.2	37.1-47.3	88	18.6	14.3-22.9	27	5.1	2.9- 7.3	6	1.2	0.2- 2.2
\$25,000- 34,999	540	282,590	9	1.7	0.1- 3.3	193	34.0	28.9-39.1	217	38.6	33.5-43.7	84	17.6	13.3-21.9	30	6.5	3.8- 9.2	7	1.5	0.3- 2.7
\$35,000- 49,999	562	269,046	7	1.6	0.2- 3.0	208	39.1	34.0-44.2	232	37.2	32.5-41.9	81	15.0	11.5-18.5	28	5.8	3.3- 8.3	6	1.3	0.3- 2.3
\$50,000- 99,999	1089	567,223	14	1.5	0.7- 2.3	376	36.6	32.9-40.3	473	41.7	38.2-45.2	165	15.5	13.0-18.0	44	3.2	2.0- 4.4	17	1.6	0.6- 2.6
\$100,000 - 199,999	587	294,866	4	0.4	0.0- 0.8	248	43.2	38.5-47.9	248	42.4	37.7-47.1	64	11.0	8.1-13.9	21	2.7	1.3- 4.1	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8664	4,607,090	99	1.3	0.9- 1.7	2444	29.2	28.0-30.4	2952	33.3	32.1-34.5	1716	19.1	18.1-20.1	1453	17.1	16.1-18.1
Male	4136	2,338,924	36	1.0	0.6- 1.4	990	25.9	24.1-27.7	1636	38.9	37.1-40.7	863	19.4	18.0-20.8	611	14.9	13.5-16.3
Female	4528	2,268,165	63	1.7	1.1- 2.3	1454	32.6	30.8-34.4	1316	27.6	26.0-29.2	853	18.8	17.4-20.2	842	19.4	18.0-20.8
White/Non-Hisp	6947	3,668,658	78	1.3	0.9- 1.7	1976	29.2	27.8-30.6	2408	34.2	32.8-35.6	1357	18.9	17.7-20.1	1128	16.3	15.3-17.3
Black or Afr. Am./Non-Hisp	681	412,851	3	0.3	0.0- 0.7	154	25.8	21.3-30.3	201	27.6	23.5-31.7	161	21.8	18.1-25.5	162	24.5	20.4-28.6
Oth. Race/Non-Hisp.	315	142,367	7	2.5	0.1- 4.9	122	47.2	39.9-54.5	107	29.4	23.1-35.7	47	12.6	8.1-17.1	32	8.3	4.6-12.0
MultiRacial/Non-Hisp.	162	50,046	5	2.8	0.0- 5.9	44	30.6	20.0-41.2	47	25.7	17.5-33.9	32	18.8	11.4-26.2	34	22.1	14.1-30.1
Hispanic	408	263,122	4	1.6	0.0- 3.2	99	23.6	18.9-28.3	133	32.6	27.3-37.9	92	20.8	16.3-25.3	80	21.4	16.5-26.3
18-24	490	608,843	15	3.5	1.5- 5.5	239	48.8	43.9-53.7	130	25.2	21.1-29.3	62	12.5	9.2-15.8	44	9.9	6.8-13.0
25-34	919	776,544	15	1.3	0.5- 2.1	280	30.2	26.7-33.7	294	32.5	29.0-36.0	149	16.5	13.8-19.2	181	19.4	16.7-22.1
35-44	1080	746,308	11	0.9	0.3- 1.5	287	24.6	21.9-27.3	350	33.6	30.5-36.7	203	19.3	16.6-22.0	229	21.6	18.9-24.3
45-54	1433	691,063	8	0.6	0.2- 1.0	345	24.4	21.9-26.9	462	33.0	30.3-35.7	316	21.6	19.2-24.0	302	20.4	18.0-22.8
55-64	1714	766,502	16	0.9	0.3- 1.5	420	23.5	21.3-25.7	568	33.9	31.4-36.4	389	23.1	20.7-25.5	321	18.6	16.4-20.8
65+	3028	1,017,830	34	1.2	0.8- 1.6	873	27.4	25.6-29.2	1148	38.4	36.4-40.4	597	20.0	18.2-21.8	376	13.0	11.6-14.4
Less Than H.S.	486	484,533	9	1.8	0.2- 3.4	132	30.2	24.9-35.5	148	28.5	23.8-33.2	91	18.5	14.4-22.6	106	21.0	16.9-25.1
H.S. or G.E.D.	2567	1,558,836	40	1.8	1.2- 2.4	708	29.5	27.3-31.7	835	32.8	30.6-35.0	542	19.4	17.6-21.2	442	16.5	14.9-18.1
Some Post-H.S.	2302	1,419,436	24	1.1	0.5- 1.7	594	26.9	24.7-29.1	776	33.4	31.2-35.6	492	20.5	18.5-22.5	416	18.1	16.3-19.9
College Graduate	3279	1,127,604	26	0.8	0.4- 1.2	998	30.7	28.9-32.5	1186	36.2	34.2-38.2	582	17.1	15.7-18.5	487	15.2	13.8-16.6
Less than \$15,000	457	248,550	13	2.8	1.0- 4.6	131	31.0	25.5-36.5	124	25.6	20.7-30.5	83	18.8	13.7-23.9	106	21.9	17.2-26.6
\$15,000-24,999	818	402,129	8	0.7	0.1- 1.3	231	28.2	24.5-31.9	219	26.8	23.1-30.5	170	20.7	17.2-24.2	190	23.5	20.0-27.0
\$25,000-34,999	940	517,992	14	1.7	0.5- 2.9	255	27.4	23.7-31.1	310	32.3	28.6-36.0	184	18.5	15.6-21.4	177	20.2	16.9-23.5
\$35,000-49,999	1051	545,548	7	0.8	0.0- 1.6	291	29.1	25.6-32.6	356	32.8	29.3-36.3	212	18.9	16.2-21.6	185	18.5	15.6-21.4
\$50,000-99,999	2241	1,215,896	20	1.1	0.5- 1.7	569	26.6	24.2-29.0	789	34.4	32.0-36.8	470	19.8	17.8-21.8	393	18.1	16.1-20.1
\$100,000-199,999	1267	668,327	6	0.6	0.0- 1.2	343	27.9	25.0-30.8	480	38.1	35.0-41.2	266	20.4	17.9-22.9	172	13.0	10.8-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4136	2,338,924	36	1.0	0.6- 1.4	990	25.9	24.1-27.7	1636	38.9	37.1-40.7	863	19.4	18.0-20.8	611	14.9	13.5-16.3
White/Non-Hisp	3320	1,854,643	28	1.1	0.5- 1.7	766	24.7	22.7-26.7	1333	39.8	37.8-41.8	704	19.8	18.2-21.4	489	14.6	13.2-16.0
Black or Afr. Am./Non-Hisp	269	209,064	1	0.2	0.0- 0.6	68	29.6	22.5-36.7	101	34.0	27.3-40.7	52	18.3	13.0-23.6	47	17.9	12.4-23.4
Oth. Race/Non-Hisp.	175	76,642	3	0.8	0.0- 1.8	61	44.6	35.0-54.2	68	37.3	28.1-46.5	26	11.3	5.6-17.0	17	6.0	2.7- 9.3
MultiRacial/Non-Hisp.	76	21,439	2	4.3	0.0-11.2	23	26.7	15.3-38.1	23	30.1	17.6-42.6	16	19.4	9.2-29.6	12	19.6	7.6-31.6
Hispanic	213	136,714	2	1.0	0.0- 2.4	48	23.2	16.5-29.9	75	35.4	28.0-42.8	51	20.4	14.5-26.3	37	20.0	13.3-26.7
18-24	262	316,226	4	2.3	0.0- 4.8	124	47.7	40.8-54.6	81	30.0	23.9-36.1	34	12.8	7.9-17.7	19	7.2	3.7-10.7
25-34	451	408,018	10	1.7	0.5- 2.9	133	29.5	24.4-34.6	164	36.9	31.8-42.0	71	16.7	12.8-20.6	73	15.2	11.7-18.7
35-44	514	387,116	5	0.7	0.1- 1.3	122	22.2	18.3-26.1	204	40.1	35.4-44.8	88	17.0	13.5-20.5	95	20.0	16.1-23.9
45-54	701	357,960	3	0.4	0.0- 1.0	136	19.5	16.2-22.8	271	39.8	35.7-43.9	163	22.2	18.9-25.5	128	18.0	14.9-21.1
55-64	842	392,505	5	0.6	0.0- 1.2	163	18.0	15.1-20.9	331	40.9	37.2-44.6	204	24.2	21.1-27.3	139	16.3	13.4-19.2
65+	1366	477,099	9	0.6	0.2- 1.0	312	22.4	19.9-24.9	585	43.1	40.0-46.2	303	21.9	19.4-24.4	157	12.0	9.8-14.2
Less Than H.S.	239	256,183	4	2.2	0.0- 4.9	66	30.9	23.5-38.3	84	32.7	25.8-39.6	41	17.8	11.7-23.9	44	16.4	11.3-21.5
H.S. or G.E.D.	1250	832,056	13	1.1	0.3- 1.9	296	27.2	24.1-30.3	462	38.0	34.9-41.1	278	19.1	16.7-21.5	201	14.7	12.5-16.9
Some Post-H.S.	1014	659,574	8	0.6	0.2- 1.0	209	21.1	18.2-24.0	422	41.0	37.5-44.5	218	21.2	18.3-24.1	157	16.1	13.4-18.8
College Graduate	1612	578,702	11	0.8	0.2- 1.4	412	26.6	24.1-29.1	663	40.9	38.2-43.6	319	18.4	16.2-20.6	207	13.3	11.3-15.3
Less than \$15,000	197	118,506	7	2.9	0.5- 5.3	66	34.3	26.1-42.5	58	28.1	20.5-35.7	32	17.0	8.8-25.2	34	17.7	11.0-24.4
\$15,000- 24,999	292	151,220	3	0.8	0.0- 1.8	92	31.4	24.9-37.9	90	31.7	25.0-38.4	54	18.6	13.1-24.1	53	17.6	12.5-22.7
\$25,000- 34,999	405	239,538	7	1.6	0.2- 3.0	108	28.2	22.5-33.9	160	40.2	34.3-46.1	69	15.2	11.1-19.3	61	14.7	10.8-18.6
\$35,000- 49,999	498	281,853	3	0.7	0.0- 1.7	119	27.7	22.4-33.0	200	37.9	32.6-43.2	101	18.4	14.3-22.5	75	15.4	11.5-19.3
\$50,000- 99,999	1169	660,179	7	0.8	0.0- 1.6	260	23.5	20.6-26.4	458	38.2	34.9-41.5	265	20.9	18.2-23.6	179	16.7	14.2-19.2
\$100,000 - 199,999	693	381,414	1	0.2	0.0- 0.6	127	20.1	16.2-24.0	305	44.7	40.2-49.2	163	21.4	17.9-24.9	97	13.6	10.7-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4528	2,268,165	63	1.7	1.1- 2.3	1454	32.6	30.8-34.4	1316	27.6	26.0-29.2	853	18.8	17.4-20.2	842	19.4	18.0-20.8
White/Non-Hisp	3627	1,814,015	50	1.6	1.0- 2.2	1210	33.7	31.7-35.7	1075	28.5	26.7-30.3	653	18.0	16.4-19.6	639	18.1	16.5-19.7
Black or Afr. Am./Non-Hisp	412	203,787	2	0.5	0.0- 1.1	86	21.8	16.5-27.1	100	21.0	16.3-25.7	109	25.4	20.1-30.7	115	31.3	25.4-37.2
Oth. Race/Non-Hisp.	140	65,726	4	4.4	0.0- 9.3	61	50.2	39.2-61.2	39	20.3	12.7-27.9	21	14.1	7.0-21.2	15	11.1	4.2-18.0
MultiRacial/Non-Hisp.	86	28,607	3	1.7	0.0- 3.7	21	33.5	17.4-49.6	24	22.5	12.1-32.9	16	18.4	7.8-29.0	22	23.9	13.1-34.7
Hispanic	195	126,408	2	2.2	0.0- 5.1	51	24.0	17.1-30.9	58	29.6	22.0-37.2	41	21.2	14.5-27.9	43	23.0	15.6-30.4
18-24	228	292,616	11	4.8	1.9- 7.7	115	50.0	42.7-57.3	49	20.0	14.3-25.7	28	12.3	7.8-16.8	25	12.9	7.8-18.0
25-34	468	368,526	5	0.9	0.0- 1.9	147	31.1	26.4-35.8	130	27.7	23.2-32.2	78	16.3	12.6-20.0	108	24.0	19.7-28.3
35-44	566	359,192	6	1.2	0.2- 2.2	165	27.2	23.3-31.1	146	26.6	22.5-30.7	115	21.7	17.8-25.6	134	23.4	19.5-27.3
45-54	732	333,103	5	0.8	0.0- 1.6	209	29.6	25.9-33.3	191	25.7	22.2-29.2	153	20.9	17.6-24.2	174	22.9	19.6-26.2
55-64	872	373,997	11	1.2	0.4- 2.0	257	29.4	26.1-32.7	237	26.4	23.1-29.7	185	22.1	19.0-25.2	182	20.9	17.8-24.0
65+	1662	540,731	25	1.7	0.9- 2.5	561	31.8	29.1-34.5	563	34.2	31.5-36.9	294	18.4	16.0-20.8	219	13.9	11.7-16.1
Less Than H.S.	247	228,350	5	1.4	0.0- 2.8	66	29.3	22.0-36.6	64	23.7	17.2-30.2	50	19.3	13.8-24.8	62	26.2	19.5-32.9
H.S. or G.E.D.	1317	726,780	27	2.7	1.5- 3.9	412	32.2	29.1-35.3	373	26.9	24.2-29.6	264	19.7	17.2-22.2	241	18.6	16.1-21.1
Some Post-H.S.	1288	759,861	16	1.4	0.6- 2.2	385	31.9	28.8-35.0	354	26.8	24.1-29.5	274	20.0	17.5-22.5	259	19.8	17.3-22.3
College Graduate	1667	548,901	15	0.8	0.2- 1.4	586	35.1	32.6-37.6	523	31.2	28.7-33.7	263	15.6	13.6-17.6	280	17.2	15.2-19.2
Less than \$15,000	260	130,044	6	2.7	0.3- 5.1	65	27.9	20.6-35.2	66	23.4	17.3-29.5	51	20.3	13.8-26.8	72	25.7	19.0-32.4
\$15,000- 24,999	526	250,909	5	0.7	0.0- 1.5	139	26.4	21.9-30.9	129	23.9	19.4-28.4	116	22.0	17.5-26.5	137	27.1	22.4-31.8
\$25,000- 34,999	535	278,454	7	1.7	0.0- 3.5	147	26.6	21.9-31.3	150	25.5	21.0-30.0	115	21.3	17.0-25.6	116	24.9	20.0-29.8
\$35,000- 49,999	553	263,695	4	1.0	0.0- 2.2	172	30.6	25.9-35.3	156	27.3	22.6-32.0	111	19.4	15.7-23.1	110	21.8	17.7-25.9
\$50,000- 99,999	1072	555,717	13	1.5	0.7- 2.3	309	30.3	26.8-33.8	331	29.9	26.6-33.2	205	18.5	15.8-21.2	214	19.7	16.8-22.6
\$100,000 - 199,999	574	286,912	5	1.2	0.0- 2.6	216	38.3	33.6-43.0	175	29.3	25.0-33.6	103	19.0	15.1-22.9	75	12.2	9.1-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8664	4,607,090	141	1.8	1.4- 2.2	2393	28.6	27.4-29.8	2949	33.3	32.1-34.5	3181	36.3	35.1-37.5
Male	4136	2,338,924	51	1.3	0.7- 1.9	967	25.3	23.5-27.1	1635	38.9	37.1-40.7	1483	34.4	32.6-36.2
Female	4528	2,268,165	90	2.2	1.6- 2.8	1426	32.0	30.2-33.8	1314	27.5	25.9-29.1	1698	38.2	36.4-40.0
White/Non-Hisp	6947	3,668,658	113	1.7	1.3- 2.1	1936	28.7	27.3-30.1	2407	34.3	32.9-35.7	2491	35.4	34.0-36.8
Black or Afr. Am./Non-Hisp	681	412,851	6	1.1	0.0- 2.3	151	24.9	20.6-29.2	199	27.4	23.3-31.5	325	46.5	41.8-51.2
Oth. Race/Non-Hisp.	315	142,367	9	3.4	0.7- 6.1	119	45.6	38.3-52.9	107	30.0	23.5-36.5	80	21.0	15.5-26.5
MultiRacial/Non-Hisp.	162	50,046	5	2.8	0.0- 5.9	43	29.8	19.0-40.6	46	25.4	17.4-33.4	68	42.0	32.2-51.8
Hispanic	408	263,122	5	1.6	0.0- 3.2	97	23.4	18.7-28.1	133	32.6	27.3-37.9	173	42.4	36.7-48.1
18-24	490	608,843	17	3.9	1.9- 5.9	237	48.4	43.5-53.3	130	25.2	21.1-29.3	106	22.5	18.4-26.6
25-34	919	776,544	21	1.9	0.9- 2.9	271	29.2	25.7-32.7	294	32.8	29.3-36.3	333	36.0	32.5-39.5
35-44	1080	746,308	18	1.3	0.7- 1.9	279	24.2	21.5-26.9	349	33.5	30.4-36.6	434	41.1	37.8-44.4
45-54	1433	691,063	11	0.8	0.2- 1.4	341	24.1	21.6-26.6	461	32.9	30.2-35.6	620	42.1	39.4-44.8
55-64	1714	766,502	24	1.3	0.7- 1.9	409	22.9	20.7-25.1	568	33.9	31.4-36.4	713	41.9	39.2-44.6
65+	3028	1,017,830	50	1.6	1.0- 2.2	856	27.0	25.2-28.8	1147	38.4	36.4-40.4	975	33.1	31.1-35.1
Less Than H.S.	486	484,533	9	1.8	0.2- 3.4	132	30.2	24.9-35.5	148	28.5	23.8-33.2	197	39.5	34.2-44.8
H.S. or G.E.D.	2567	1,558,836	53	2.4	1.6- 3.2	692	28.7	26.5-30.9	836	32.9	30.7-35.1	986	35.9	33.7-38.1
Some Post-H.S.	2302	1,419,436	32	1.3	0.7- 1.9	586	26.7	24.5-28.9	774	33.4	31.2-35.6	910	38.7	36.3-41.1
College Graduate	3279	1,127,604	46	1.3	0.9- 1.7	972	30.0	28.2-31.8	1184	36.1	34.1-38.1	1077	32.6	30.8-34.4
Less than \$15,000	457	248,550	16	3.8	1.6- 6.0	128	29.9	24.6-35.2	124	25.6	20.7-30.5	189	40.6	34.7-46.5
\$15,000-24,999	818	402,129	11	1.0	0.2- 1.8	226	27.8	24.1-31.5	220	26.8	23.1-30.5	361	44.3	40.2-48.4
\$25,000-34,999	940	517,992	22	2.1	0.9- 3.3	246	26.7	23.2-30.2	311	32.5	28.8-36.2	361	38.7	34.8-42.6
\$35,000-49,999	1051	545,548	13	1.4	0.4- 2.4	285	28.5	25.0-32.0	355	32.7	29.2-36.2	398	37.4	33.9-40.9
\$50,000-99,999	2241	1,215,896	25	1.3	0.7- 1.9	560	26.3	23.9-28.7	789	34.5	32.1-36.9	867	38.0	35.6-40.4
\$100,000-199,999	1267	668,327	9	0.8	0.0- 1.6	339	27.5	24.6-30.4	477	38.1	35.0-41.2	442	33.6	30.5-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4136	2,338,924	51	1.3	0.7- 1.9	967	25.3	23.5-27.1	1635	38.9	37.1-40.7	1483	34.4	32.6-36.2
White/Non-Hisp	3320	1,854,643	38	1.3	0.7- 1.9	751	24.4	22.4-26.4	1333	39.9	37.9-41.9	1198	34.5	32.5-36.5
Black or Afr. Am./Non-Hisp	269	209,064	4	1.8	0.0- 4.0	65	27.9	21.0-34.8	100	33.8	27.1-40.5	100	36.4	29.5-43.3
Oth. Race/Non-Hisp.	175	76,642	4	1.1	0.0- 2.3	59	43.0	33.6-52.4	68	38.4	29.2-47.6	44	17.5	11.0-24.0
MultiRacial/Non-Hisp.	76	21,439	2	4.3	0.0-11.2	22	24.9	13.7-36.1	22	29.2	16.7-41.7	30	41.6	28.1-55.1
Hispanic	213	136,714	3	1.1	0.0- 2.5	47	23.1	16.4-29.8	75	35.4	28.0-42.8	88	40.4	32.8-48.0
18-24	262	316,226	5	2.8	0.1- 5.5	123	47.2	40.3-54.1	81	30.0	23.9-36.1	53	20.0	14.5-25.5
25-34	451	408,018	11	2.1	0.7- 3.5	130	28.5	23.4-33.6	164	37.4	32.3-42.5	146	32.1	27.2-37.0
35-44	514	387,116	8	0.9	0.1- 1.7	118	21.9	18.0-25.8	203	39.9	35.2-44.6	185	37.3	32.6-42.0
45-54	701	357,960	3	0.4	0.0- 1.0	135	19.4	16.1-22.7	271	39.8	35.7-43.9	292	40.4	36.3-44.5
55-64	842	392,505	9	1.1	0.3- 1.9	156	17.1	14.4-19.8	331	41.0	37.3-44.7	346	40.8	37.1-44.5
65+	1366	477,099	15	0.8	0.4- 1.2	305	22.1	19.6-24.6	585	43.1	40.0-46.2	461	33.9	31.0-36.8
Less Than H.S.	239	256,183	4	2.2	0.0- 4.9	66	30.9	23.5-38.3	84	32.7	25.8-39.6	85	34.2	27.1-41.3
H.S. or G.E.D.	1250	832,056	17	1.5	0.7- 2.3	289	26.4	23.3-29.5	464	38.3	35.2-41.4	480	33.8	30.9-36.7
Some Post-H.S.	1014	659,574	12	0.8	0.2- 1.4	205	20.9	18.0-23.8	421	41.0	37.5-44.5	376	37.3	33.8-40.8
College Graduate	1612	578,702	18	1.1	0.5- 1.7	400	25.9	23.4-28.4	661	40.7	38.0-43.4	533	32.2	29.7-34.7
Less than \$15,000	197	118,506	9	4.9	1.2- 8.6	64	32.4	24.4-40.4	58	28.1	20.5-35.7	66	34.7	25.7-43.7
\$15,000- 24,999	292	151,220	5	1.1	0.1- 2.1	88	30.7	24.2-37.2	92	32.0	25.3-38.7	107	36.2	29.5-42.9
\$25,000- 34,999	405	239,538	12	2.2	0.6- 3.8	102	27.2	21.5-32.9	161	40.6	34.7-46.5	130	29.9	24.6-35.2
\$35,000- 49,999	498	281,853	5	0.9	0.0- 2.1	117	27.5	22.2-32.8	199	37.7	32.4-43.0	177	33.9	28.8-39.0
\$50,000- 99,999	1169	660,179	8	0.8	0.0- 1.6	256	23.2	20.3-26.1	459	38.4	35.1-41.7	446	37.6	34.3-40.9
\$100,000 - 199,999	693	381,414	2	0.3	0.0- 0.7	125	19.6	15.9-23.3	302	44.7	40.2-49.2	264	35.4	31.3-39.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4528	2,268,165	90	2.2	1.6- 2.8	1426	32.0	30.2-33.8	1314	27.5	25.9-29.1	1698	38.2	36.4-40.0
White/Non-Hisp	3627	1,814,015	75	2.2	1.6- 2.8	1185	33.1	31.1-35.1	1074	28.5	26.7-30.3	1293	36.2	34.2-38.2
Black or Afr. Am./Non-Hisp	412	203,787	2	0.5	0.0- 1.1	86	21.8	16.5-27.1	99	20.8	16.1-25.5	225	56.9	50.8-63.0
Oth. Race/Non-Hisp.	140	65,726	5	6.0	0.3-11.7	60	48.6	37.4-59.8	39	20.3	12.7-27.9	36	25.2	16.0-34.4
MultiRacial/Non-Hisp.	86	28,607	3	1.7	0.0- 3.7	21	33.5	17.4-49.6	24	22.5	12.1-32.9	38	42.3	28.2-56.4
Hispanic	195	126,408	2	2.2	0.0- 5.1	50	23.8	16.9-30.7	58	29.5	21.9-37.1	85	44.5	36.1-52.9
18-24	228	292,616	12	5.2	2.3- 8.1	114	49.7	42.4-57.0	49	20.0	14.3-25.7	53	25.1	18.8-31.4
25-34	468	368,526	10	1.8	0.6- 3.0	141	30.1	25.6-34.6	130	27.7	23.2-32.2	187	40.4	35.5-45.3
35-44	566	359,192	10	1.7	0.5- 2.9	161	26.6	22.7-30.5	146	26.6	22.5-30.7	249	45.1	40.6-49.6
45-54	732	333,103	8	1.3	0.3- 2.3	206	29.2	25.5-32.9	190	25.6	22.1-29.1	328	44.0	40.1-47.9
55-64	872	373,997	15	1.6	0.6- 2.6	253	29.0	25.7-32.3	237	26.4	23.1-29.7	367	43.0	39.3-46.7
65+	1662	540,731	35	2.2	1.2- 3.2	551	31.3	28.8-33.8	562	34.2	31.5-36.9	514	32.4	29.7-35.1
Less Than H.S.	247	228,350	5	1.4	0.0- 2.8	66	29.3	22.0-36.6	64	23.7	17.2-30.2	112	45.5	38.1-52.9
H.S. or G.E.D.	1317	726,780	36	3.5	2.1- 4.9	403	31.4	28.3-34.5	372	26.8	24.1-29.5	506	38.3	35.2-41.4
Some Post-H.S.	1288	759,861	20	1.7	0.9- 2.5	381	31.7	28.6-34.8	353	26.7	24.0-29.4	534	39.9	36.8-43.0
College Graduate	1667	548,901	28	1.6	0.8- 2.4	572	34.3	31.8-36.8	523	31.2	28.7-33.7	544	32.9	30.4-35.4
Less than \$15,000	260	130,044	7	2.9	0.5- 5.3	64	27.7	20.4-35.0	66	23.4	17.3-29.5	123	46.0	38.2-53.8
\$15,000- 24,999	526	250,909	6	1.0	0.0- 2.0	138	26.0	21.5-30.5	128	23.7	19.2-28.2	254	49.2	43.9-54.5
\$25,000- 34,999	535	278,454	10	2.0	0.2- 3.8	144	26.3	21.6-31.0	150	25.5	21.0-30.0	231	46.2	40.9-51.5
\$35,000- 49,999	553	263,695	8	1.9	0.5- 3.3	168	29.7	25.0-34.4	156	27.3	22.6-32.0	221	41.2	36.3-46.1
\$50,000- 99,999	1072	555,717	17	1.9	0.9- 2.9	304	29.9	26.4-33.4	330	29.8	26.5-33.1	421	38.4	34.9-41.9
\$100,000 - 199,999	574	286,912	7	1.6	0.0- 3.2	214	37.9	33.2-42.6	175	29.3	25.0-33.6	178	31.2	26.7-35.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8664	4,607,090	2534	30.4	29.2-31.6	6130	69.6	68.4-70.8
Male	4136	2,338,924	1018	26.6	24.8-28.4	3118	73.4	71.6-75.2
Female	4528	2,268,165	1516	34.2	32.4-36.0	3012	65.8	64.0-67.6
White/Non-Hisp	6947	3,668,658	2049	30.4	29.0-31.8	4898	69.6	68.2-71.0
Black or Afr. Am./Non-Hisp	681	412,851	157	26.1	21.6-30.6	524	73.9	69.4-78.4
Oth. Race/Non-Hisp.	315	142,367	128	48.9	41.6-56.2	187	51.1	43.8-58.4
MultiRacial/Non-Hisp.	162	50,046	48	32.6	21.8-43.4	114	67.4	56.6-78.2
Hispanic	408	263,122	102	25.0	20.1-29.9	306	75.0	70.1-79.9
18-24	490	608,843	254	52.3	47.4-57.2	236	47.7	42.8-52.6
25-34	919	776,544	292	31.2	27.7-34.7	627	68.8	65.3-72.3
35-44	1080	746,308	297	25.4	22.7-28.1	783	74.6	71.9-77.3
45-54	1433	691,063	352	25.0	22.5-27.5	1081	75.0	72.5-77.5
55-64	1714	766,502	433	24.2	21.8-26.6	1281	75.8	73.4-78.2
65+	3028	1,017,830	906	28.5	26.5-30.5	2122	71.5	69.5-73.5
Less Than H.S.	486	484,533	141	32.0	26.7-37.3	345	68.0	62.7-73.3
H.S. or G.E.D.	2567	1,558,836	745	31.1	28.9-33.3	1822	68.9	66.7-71.1
Some Post-H.S.	2302	1,419,436	618	28.0	25.8-30.2	1684	72.0	69.8-74.2
College Graduate	3279	1,127,604	1018	31.4	29.6-33.2	2261	68.6	66.8-70.4
Less than \$15,000	457	248,550	144	33.8	28.3-39.3	313	66.2	60.7-71.7
\$15,000-24,999	818	402,129	237	28.8	25.1-32.5	581	71.2	67.5-74.9
\$25,000-34,999	940	517,992	268	28.8	25.1-32.5	672	71.2	67.5-74.9
\$35,000-49,999	1051	545,548	298	29.9	26.4-33.4	753	70.1	66.6-73.6
\$50,000-99,999	2241	1,215,896	585	27.6	25.2-30.0	1656	72.4	70.0-74.8
\$100,000-199,999	1267	668,327	348	28.3	25.4-31.2	919	71.7	68.8-74.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4136	2,338,924	1018	26.6	24.8-28.4	3118	73.4	71.6-75.2
White/Non-Hisp	3320	1,854,643	789	25.6	23.6-27.6	2531	74.4	72.4-76.4
Black or Afr. Am./Non-Hisp	269	209,064	69	29.8	22.7-36.9	200	70.2	63.1-77.3
Oth. Race/Non-Hisp.	175	76,642	63	44.1	34.7-53.5	112	55.9	46.5-65.3
MultiRacial/Non-Hisp.	76	21,439	24	29.2	17.0-41.4	52	70.8	58.6-83.0
Hispanic	213	136,714	50	24.2	17.5-30.9	163	75.8	69.1-82.5
18-24	262	316,226	128	50.0	43.1-56.9	134	50.0	43.1-56.9
25-34	451	408,018	141	30.5	25.4-35.6	310	69.5	64.4-74.6
35-44	514	387,116	126	22.8	18.9-26.7	388	77.2	73.3-81.1
45-54	701	357,960	138	19.9	16.6-23.2	563	80.1	76.8-83.4
55-64	842	392,505	165	18.2	15.3-21.1	677	81.8	78.9-84.7
65+	1366	477,099	320	23.0	20.5-25.5	1046	77.0	74.5-79.5
Less Than H.S.	239	256,183	70	33.1	25.5-40.7	169	66.9	59.3-74.5
H.S. or G.E.D.	1250	832,056	306	27.9	24.8-31.0	944	72.1	69.0-75.2
Some Post-H.S.	1014	659,574	217	21.7	18.8-24.6	797	78.3	75.4-81.2
College Graduate	1612	578,702	418	27.0	24.5-29.5	1194	73.0	70.5-75.5
Less than \$15,000	197	118,506	73	37.2	28.8-45.6	124	62.8	54.4-71.2
\$15,000- 24,999	292	151,220	93	31.8	25.3-38.3	199	68.2	61.7-74.7
\$25,000- 34,999	405	239,538	114	29.4	23.7-35.1	291	70.6	64.9-76.3
\$35,000- 49,999	498	281,853	122	28.4	23.1-33.7	376	71.6	66.3-76.9
\$50,000- 99,999	1169	660,179	264	24.0	20.9-27.1	905	76.0	72.9-79.1
\$100,000 - 199,999	693	381,414	127	19.8	15.9-23.7	566	80.2	76.3-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4528	2,268,165	1516	34.2	32.4-36.0	3012	65.8	64.0-67.6
White/Non-Hisp	3627	1,814,015	1260	35.3	33.3-37.3	2367	64.7	62.7-66.7
Black or Afr. Am./Non-Hisp	412	203,787	88	22.3	17.0-27.6	324	77.7	72.4-83.0
Oth. Race/Non-Hisp.	140	65,726	65	54.6	43.8-65.4	75	45.4	34.6-56.2
MultiRacial/Non-Hisp.	86	28,607	24	35.2	19.1-51.3	62	64.8	48.7-80.9
Hispanic	195	126,408	52	26.0	18.7-33.3	143	74.0	66.7-81.3
18-24	228	292,616	126	54.9	47.6-62.2	102	45.1	37.8-52.4
25-34	468	368,526	151	31.9	27.2-36.6	317	68.1	63.4-72.8
35-44	566	359,192	171	28.3	24.2-32.4	395	71.7	67.6-75.8
45-54	732	333,103	214	30.4	26.7-34.1	518	69.6	65.9-73.3
55-64	872	373,997	268	30.6	27.1-34.1	604	69.4	65.9-72.9
65+	1662	540,731	586	33.5	30.8-36.2	1076	66.5	63.8-69.2
Less Than H.S.	247	228,350	71	30.8	23.5-38.1	176	69.2	61.9-76.5
H.S. or G.E.D.	1317	726,780	439	34.9	31.8-38.0	878	65.1	62.0-68.2
Some Post-H.S.	1288	759,861	401	33.4	30.3-36.5	887	66.6	63.5-69.7
College Graduate	1667	548,901	600	35.9	33.4-38.4	1067	64.1	61.6-66.6
Less than \$15,000	260	130,044	71	30.6	23.2-38.0	189	69.4	62.0-76.8
\$15,000- 24,999	526	250,909	144	27.1	22.4-31.8	382	72.9	68.2-77.6
\$25,000- 34,999	535	278,454	154	28.3	23.4-33.2	381	71.7	66.8-76.6
\$35,000- 49,999	553	263,695	176	31.5	26.8-36.2	377	68.5	63.8-73.2
\$50,000- 99,999	1072	555,717	321	31.8	28.3-35.3	751	68.2	64.7-71.7
\$100,000 - 199,999	574	286,912	221	39.5	34.8-44.2	353	60.5	55.8-65.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9685	5,131,965	7140	64.7	63.5-65.9	1031	13.8	12.8-14.8	897	12.2	11.4-13.0	403	6.1	5.5- 6.7	140	2.1	1.7- 2.5	74	1.2	0.8- 1.6
Male	4412	2,500,553	3342	67.4	65.6-69.2	447	13.1	11.7-14.5	388	11.3	10.1-12.5	155	5.4	4.4- 6.4	56	1.8	1.2- 2.4	24	1.0	0.4- 1.6
Female	5273	2,631,413	3798	62.2	60.4-64.0	584	14.4	13.0-15.8	509	13.0	11.8-14.2	248	6.7	5.7- 7.7	84	2.4	1.8- 3.0	50	1.4	1.0- 1.8
White/Non-Hisp	7691	4,030,393	5863	67.7	66.3-69.1	765	13.2	12.2-14.2	652	11.2	10.2-12.2	279	5.4	4.6- 6.2	90	1.6	1.2- 2.0	42	1.0	0.6- 1.4
Black or Afr. Am./Non-Hisp	760	458,076	518	57.6	53.1-62.1	93	13.5	10.4-16.6	79	14.7	11.4-18.0	47	8.8	6.1-11.5	15	4.1	1.7- 6.5	8	1.3	0.3- 2.3
Oth. Race/Non-Hisp.	349	162,395	247	62.6	55.7-69.5	40	15.0	9.5-20.5	34	11.2	6.9-15.5	13	5.6	2.1- 9.1	6	2.1	0.0- 4.3	9	3.5	0.8- 6.2
MultiRacial/Non-Hisp.	180	55,044	116	61.1	51.9-70.3	24	15.8	8.5-23.1	20	10.7	5.6-15.8	14	8.8	3.7-13.9	4	2.6	0.0- 5.3	2	0.9	0.0- 2.3
Hispanic	489	324,484	229	38.5	33.6-43.4	98	22.5	18.0-27.0	88	20.7	16.2-25.2	44	11.0	7.5-14.5	19	4.4	2.2- 6.6	11	2.9	1.1- 4.7
18-24	538	674,651	369	64.1	59.4-68.8	103	21.2	17.3-25.1	41	8.6	5.9-11.3	18	4.6	2.2- 7.0	5	1.1	0.1- 2.1	2	0.4	0.0- 1.0
25-34	1018	861,025	462	40.1	36.8-43.4	184	18.4	15.7-21.1	207	22.3	19.4-25.2	95	11.0	8.6-13.4	44	5.2	3.4- 7.0	26	3.0	1.6- 4.4
35-44	1185	817,281	349	27.3	24.6-30.0	239	21.4	18.7-24.1	331	27.7	25.0-30.4	176	16.1	13.7-18.5	59	4.6	3.4- 5.8	31	2.9	1.7- 4.1
45-54	1646	785,948	989	60.3	57.8-62.8	315	18.8	16.6-21.0	230	13.5	11.7-15.3	84	5.3	4.1- 6.5	19	1.3	0.7- 1.9	9	0.8	0.2- 1.4
55-64	1903	849,575	1690	88.0	86.2-89.8	123	6.8	5.4- 8.2	60	3.5	2.5- 4.5	17	0.9	0.5- 1.3	10	0.6	0.2- 1.0	3	0.3	0.0- 0.7
65+	3395	1,143,486	3281	96.1	95.3-96.9	67	2.1	1.5- 2.7	28	1.1	0.7- 1.5	13	0.4	0.2- 0.6	3	0.2	0.0- 0.4	3	0.1	0.0- 0.3
Less Than H.S.	581	579,886	370	55.5	50.6-60.4	70	14.6	11.1-18.1	70	13.5	10.2-16.8	41	9.6	6.5-12.7	12	2.7	0.9- 4.5	18	4.1	1.9- 6.3
H.S. or G.E.D.	2853	1,717,548	2174	66.7	64.5-68.9	293	14.1	12.3-15.9	215	10.2	8.8-11.6	110	5.8	4.6- 7.0	39	2.2	1.4- 3.0	22	1.0	0.6- 1.4
Some Post-H.S.	2556	1,554,792	1920	66.9	64.7-69.1	260	13.4	11.6-15.2	226	11.7	10.1-13.3	97	5.2	4.0- 6.4	40	2.0	1.4- 2.6	13	0.7	0.3- 1.1
College Graduate	3646	1,253,516	2636	63.4	61.6-65.2	404	13.3	11.9-14.7	384	14.8	13.4-16.2	153	5.8	4.8- 6.8	49	1.9	1.3- 2.5	20	0.8	0.4- 1.2
Less than \$15,000	493	276,730	395	71.3	65.8-76.8	37	11.2	7.3-15.1	40	10.6	6.9-14.3	11	4.0	1.3- 6.7	3	0.9	0.0- 2.1	7	2.0	0.4- 3.6
\$15,000-24,999	887	438,409	688	69.4	65.5-73.3	77	10.8	8.3-13.3	73	11.9	9.0-14.8	35	5.6	3.4- 7.8	12	1.9	0.5- 3.3	2	0.3	0.0- 0.7
\$25,000-34,999	1001	553,599	753	65.6	61.7-69.5	98	11.8	9.3-14.3	77	11.0	8.5-13.5	47	7.4	5.0- 9.8	14	2.3	0.9- 3.7	12	1.9	0.7- 3.1
\$35,000-49,999	1116	579,191	853	66.2	62.5-69.9	97	11.9	9.2-14.6	87	9.8	7.6-12.0	49	7.0	4.8- 9.2	21	3.3	1.7- 4.9	9	1.8	0.2- 3.4
\$50,000-99,999	2400	1,297,454	1764	64.1	61.6-66.6	271	15.3	13.3-17.3	205	11.1	9.5-12.7	105	6.2	4.8- 7.6	40	2.4	1.6- 3.2	15	0.9	0.3- 1.5
\$100,000-199,999	1357	709,014	802	51.2	48.1-54.3	232	20.1	17.4-22.8	206	18.4	15.9-20.9	90	8.2	6.4-10.0	19	1.5	0.7- 2.3	8	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4412	2,500,553	3342	67.4	65.6-69.2	447	13.1	11.7-14.5	388	11.3	10.1-12.5	155	5.4	4.4- 6.4	56	1.8	1.2- 2.4	24	1.0	0.4- 1.6
White/Non-Hisp	3502	1,954,608	2717	69.3	67.3-71.3	331	12.6	11.0-14.2	287	10.9	9.5-12.3	114	4.9	3.9- 5.9	39	1.4	0.8- 2.0	14	0.8	0.2- 1.4
Black or Afr. Am./Non-Hisp	285	218,059	205	62.7	55.6-69.8	28	10.7	6.4-15.0	28	11.8	7.3-16.3	17	9.8	5.1-14.5	5	3.9	0.2- 7.6	2	1.1	0.0- 2.7
Oth. Race/Non-Hisp.	189	86,006	144	67.3	58.3-76.3	20	14.7	7.8-21.6	15	9.1	4.0-14.2	3	3.3	0.0- 7.4	2	0.6	0.0- 1.4	5	5.0	0.1- 9.9
MultiRacial/Non-Hisp.	85	24,486	60	69.0	56.5-81.5	12	17.0	6.2-27.8	7	5.1	1.0- 9.2	5	6.3	0.4-12.2	1	2.7	0.0- 8.0			
Hispanic	246	163,164	132	48.1	40.7-55.5	50	21.2	15.3-27.1	40	18.2	12.1-24.3	16	8.4	4.1-12.7	6	3.1	0.6- 5.6	2	0.9	0.0- 2.3
18-24	285	343,926	213	70.4	64.3-76.5	46	18.2	12.9-23.5	17	6.7	3.6- 9.8	6	3.5	0.4- 6.6	2	0.9	0.0- 2.1	1	0.4	0.0- 1.2
25-34	480	437,242	265	48.5	43.2-53.8	87	18.7	14.6-22.8	76	18.3	14.4-22.2	32	8.4	5.3-11.5	12	3.3	1.1- 5.5	8	2.7	0.3- 5.1
35-44	541	408,244	195	33.1	28.8-37.4	99	20.0	16.1-23.9	145	26.0	22.1-29.9	68	14.6	11.1-18.1	27	4.6	2.8- 6.4	7	1.7	0.3- 3.1
45-54	764	386,778	474	62.2	58.3-66.1	130	16.2	13.5-18.9	108	13.9	11.2-16.6	37	5.4	3.4- 7.4	9	1.2	0.2- 2.2	6	1.0	0.2- 1.8
55-64	886	413,803	788	88.3	85.9-90.7	54	6.1	4.3- 7.9	29	3.3	1.9- 4.7	8	1.2	0.4- 2.0	5	0.6	0.0- 1.2	2	0.5	0.0- 1.3
65+	1456	510,559	1407	95.8	94.6-97.0	31	2.5	1.5- 3.5	13	1.3	0.5- 2.1	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3			
Less Than H.S.	274	296,769	183	59.8	52.7-66.9	31	13.2	8.3-18.1	27	10.1	6.0-14.2	18	9.7	5.0-14.4	6	2.6	0.1- 5.1	9	4.7	1.2- 8.2
H.S. or G.E.D.	1341	888,980	1032	67.4	64.3-70.5	141	14.5	12.0-17.0	103	10.5	8.3-12.7	44	5.3	3.7- 6.9	15	1.7	0.7- 2.7	6	0.6	0.0- 1.2
Some Post-H.S.	1072	691,899	836	71.4	68.1-74.7	103	12.2	9.8-14.6	85	10.3	8.1-12.5	36	4.5	2.9- 6.1	8	1.1	0.3- 1.9	4	0.5	0.0- 1.1
College Graduate	1698	608,126	1265	65.7	63.0-68.4	171	12.1	10.3-13.9	173	14.7	12.5-16.9	57	4.8	3.4- 6.2	27	2.2	1.2- 3.2	5	0.5	0.1- 0.9
Less than \$15,000	209	129,667	182	82.4	75.7-89.1	12	7.4	2.7-12.1	9	5.4	1.5- 9.3	2	1.8	0.0- 4.2	1	0.9	0.0- 2.7	3	2.1	0.0- 4.6
\$15,000- 24,999	304	158,740	260	78.7	72.4-85.0	19	8.9	4.6-13.2	15	7.8	3.3-12.3	6	2.7	0.2- 5.2	4	1.9	0.0- 3.9			
\$25,000- 34,999	418	247,858	343	74.4	68.9-79.9	29	8.0	5.1-10.9	28	9.7	6.0-13.4	13	5.5	2.4- 8.6	2	1.1	0.0- 2.7	3	1.3	0.0- 2.9
\$35,000- 49,999	510	289,320	399	66.7	61.0-72.4	44	12.3	8.6-16.0	33	7.9	5.0-10.8	23	7.6	4.3-10.9	7	2.9	0.2- 5.6	4	2.7	0.0- 5.6
\$50,000- 99,999	1214	688,107	915	66.1	62.8-69.4	121	14.2	11.5-16.9	107	11.2	8.8-13.6	47	6.0	4.2- 7.8	19	1.9	0.9- 2.9	5	0.6	0.0- 1.2
\$100,000 - 199,999	713	387,780	436	52.9	48.6-57.2	122	19.8	16.1-23.5	107	19.3	15.6-23.0	35	6.4	4.2- 8.6	11	1.4	0.4- 2.4	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5273	2,631,413	3798	62.2	60.4-64.0	584	14.4	13.0-15.8	509	13.0	11.8-14.2	248	6.7	5.7- 7.7	84	2.4	1.8- 3.0	50	1.4	1.0- 1.8
White/Non-Hisp	4189	2,075,785	3146	66.1	64.3-67.9	434	13.7	12.3-15.1	365	11.5	10.3-12.7	165	5.9	4.9- 6.9	51	1.8	1.2- 2.4	28	1.1	0.7- 1.5
Black or Afr. Am./Non-Hisp	475	240,017	313	53.0	47.1-58.9	65	16.1	11.6-20.6	51	17.3	12.4-22.2	30	7.9	4.8-11.0	10	4.2	1.3- 7.1	6	1.5	0.3- 2.7
Oth. Race/Non-Hisp.	160	76,389	103	57.3	46.9-67.7	20	15.3	6.5-24.1	19	13.5	6.6-20.4	10	8.3	2.2-14.4	4	3.7	0.0- 8.0	4	1.9	0.0- 3.9
MultiRacial/Non-Hisp.	95	30,558	56	54.8	41.1-68.5	12	14.9	5.1-24.7	13	15.2	6.8-23.6	9	10.9	3.1-18.7	3	2.4	0.0- 5.3	2	1.7	0.0- 4.1
Hispanic	243	161,320	97	28.8	22.7-34.9	48	23.8	17.1-30.5	48	23.2	16.5-29.9	28	13.7	8.4-19.0	13	5.7	2.4- 9.0	9	4.8	1.5- 8.1
18-24	253	330,725	156	57.4	50.5-64.3	57	24.4	18.3-30.5	24	10.6	6.3-14.9	12	5.8	2.3- 9.3	3	1.4	0.0- 3.0	1	0.4	0.0- 1.2
25-34	538	423,783	197	31.5	27.2-35.8	97	18.0	14.5-21.5	131	26.4	22.3-30.5	63	13.7	10.2-17.2	32	7.2	4.5- 9.9	18	3.2	1.6- 4.8
35-44	644	409,037	154	21.5	18.0-25.0	140	22.8	19.1-26.5	186	29.4	25.5-33.3	108	17.6	14.3-20.9	32	4.7	2.9- 6.5	24	4.1	2.3- 5.9
45-54	882	399,169	515	58.5	55.0-62.0	185	21.3	18.4-24.2	122	13.1	10.7-15.5	47	5.2	3.6- 6.8	10	1.4	0.4- 2.4	3	0.5	0.0- 1.3
55-64	1017	435,772	902	87.6	85.2-90.0	69	7.5	5.5- 9.5	31	3.6	2.0- 5.2	9	0.6	0.2- 1.0	5	0.5	0.0- 1.1	1	0.2	0.0- 0.6
65+	1939	632,926	1874	96.4	95.4-97.4	36	1.7	0.9- 2.5	15	0.9	0.3- 1.5	9	0.4	0.0- 0.8	2	0.3	0.0- 0.7	3	0.2	0.0- 0.4
Less Than H.S.	307	283,117	187	51.1	44.2-58.0	39	16.0	10.7-21.3	43	17.1	11.8-22.4	23	9.4	5.3-13.5	6	2.9	0.4- 5.4	9	3.4	1.2- 5.6
H.S. or G.E.D.	1512	828,568	1142	65.8	62.9-68.7	152	13.7	11.3-16.1	112	10.0	8.0-12.0	66	6.4	4.6- 8.2	24	2.6	1.4- 3.8	16	1.4	0.6- 2.2
Some Post-H.S.	1484	862,893	1084	63.2	60.3-66.1	157	14.4	12.0-16.8	141	12.9	10.7-15.1	61	5.8	4.2- 7.4	32	2.7	1.7- 3.7	9	0.8	0.2- 1.4
College Graduate	1948	645,390	1371	61.2	58.7-63.7	233	14.5	12.7-16.3	211	15.0	13.0-17.0	96	6.6	5.2- 8.0	22	1.5	0.9- 2.1	15	1.1	0.5- 1.7
Less than \$15,000	284	147,064	213	61.6	53.8-69.4	25	14.5	8.4-20.6	31	15.1	9.2-21.0	9	6.0	1.3-10.7	2	1.0	0.0- 2.6	4	1.8	0.0- 3.8
\$15,000- 24,999	583	279,668	428	64.2	59.1-69.3	58	11.9	8.6-15.2	58	14.3	10.6-18.0	29	7.2	4.3-10.1	8	1.9	0.1- 3.7	2	0.5	0.0- 1.3
\$25,000- 34,999	583	305,741	410	58.5	53.2-63.8	69	14.8	10.9-18.7	49	12.1	8.6-15.6	34	9.0	5.5-12.5	12	3.2	1.2- 5.2	9	2.4	0.6- 4.2
\$35,000- 49,999	606	289,871	454	65.6	60.7-70.5	53	11.6	7.7-15.5	54	11.7	8.4-15.0	26	6.4	3.7- 9.1	14	3.7	1.7- 5.7	5	0.9	0.1- 1.7
\$50,000- 99,999	1186	609,347	849	61.9	58.4-65.4	150	16.4	13.7-19.1	98	10.9	8.5-13.3	58	6.6	4.6- 8.6	21	2.9	1.5- 4.3	10	1.3	0.5- 2.1
\$100,000 - 199,999	644	321,234	366	49.2	44.7-53.7	110	20.3	16.4-24.2	99	17.3	14.0-20.6	55	10.4	7.5-13.3	8	1.7	0.3- 3.1	6	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9861	5,227,419	598	11.4	10.4-12.4	2917	33.6	32.4-34.8	2605	30.4	29.2-31.6	3741	24.7	23.9-25.5
Male	4496	2,548,277	279	11.9	10.3-13.5	1374	35.6	33.8-37.4	1094	27.8	26.2-29.4	1749	24.7	23.3-26.1
Female	5365	2,679,141	319	10.9	9.5-12.3	1543	31.6	30.0-33.2	1511	32.8	31.2-34.4	1992	24.7	23.5-25.9
White/Non-Hisp	7813	4,097,570	351	9.1	8.1-10.1	2319	33.8	32.4-35.2	2056	31.2	29.8-32.6	3087	25.9	24.9-26.9
Black or Afr. Am./Non-Hisp	778	468,519	55	12.3	8.6-16.0	240	34.0	29.7-38.3	245	33.5	29.4-37.6	238	20.2	17.3-23.1
Oth. Race/Non-Hisp.	361	165,351	21	9.9	5.4-14.4	85	29.5	22.6-36.4	96	28.8	22.7-34.9	159	31.8	26.3-37.3
MultiRacial/Non-Hisp.	185	56,392	13	8.6	3.7-13.5	59	41.8	31.8-51.8	47	23.4	15.8-31.0	66	26.2	18.9-33.5
Hispanic	497	329,212	138	38.8	33.5-44.1	159	32.5	27.6-37.4	94	16.6	13.1-20.1	106	12.1	9.6-14.6
18-24	544	681,496	40	13.6	9.5-17.7	211	41.2	36.5-45.9	184	34.5	30.2-38.8	109	10.7	8.5-12.9
25-34	1039	877,788	71	12.8	9.7-15.9	285	31.6	28.3-34.9	247	27.7	24.6-30.8	436	27.9	25.2-30.6
35-44	1217	836,988	95	13.1	10.6-15.6	260	25.1	22.4-27.8	326	31.1	28.2-34.0	536	30.8	28.3-33.3
45-54	1689	805,386	105	10.4	8.4-12.4	391	27.5	25.1-29.9	451	31.0	28.5-33.5	742	31.0	28.8-33.2
55-64	1933	861,866	110	9.8	7.8-11.8	631	37.0	34.5-39.5	513	30.5	28.1-32.9	679	22.7	20.9-24.5
65+	3439	1,163,894	177	9.7	8.1-11.3	1139	38.3	36.3-40.3	884	28.9	27.1-30.7	1239	23.1	21.7-24.5
Less Than H.S.	598	595,550	598	100.0	100.0- 100									
H.S. or G.E.D.	2917	1,754,027				2917	100.0	100.0- 100						
Some Post-H.S.	2605	1,588,107							2605	100.0	100.0- 100			
College Graduate	3741	1,289,735										3741	100.0	100.0- 100
Less than \$15,000	495	278,724	109	34.8	28.9-40.7	188	32.6	27.7-37.5	126	24.8	19.9-29.7	72	7.8	5.6-10.0
\$15,000-24,999	888	439,142	107	20.3	16.6-24.0	406	44.6	40.7-48.5	247	27.3	23.8-30.8	128	7.8	6.2- 9.4
\$25,000-34,999	1000	552,584	79	14.2	11.1-17.3	402	43.6	39.7-47.5	314	32.0	28.5-35.5	205	10.1	8.5-11.7
\$35,000-49,999	1117	578,331	56	10.1	7.0-13.2	396	39.3	35.8-42.8	334	32.0	28.7-35.3	331	18.6	16.2-21.0
\$50,000-99,999	2400	1,295,948	51	5.1	3.5- 6.7	552	30.4	28.0-32.8	643	33.8	31.4-36.2	1154	30.7	28.7-32.7
\$100,000-199,999	1364	715,381	12	2.0	0.8- 3.2	189	20.4	17.5-23.3	294	29.7	26.6-32.8	869	47.8	44.7-50.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4496	2,548,277	279	11.9	10.3-13.5	1374	35.6	33.8-37.4	1094	27.8	26.2-29.4	1749	24.7	23.3-26.1
White/Non-Hisp	3556	1,984,226	159	9.4	7.8-11.0	1101	36.3	34.3-38.3	846	28.1	26.3-29.9	1450	26.2	24.6-27.8
Black or Afr. Am./Non-Hisp	293	223,411	22	12.1	6.2-18.0	93	35.8	29.1-42.5	92	32.5	26.2-38.8	86	19.6	14.9-24.3
Oth. Race/Non-Hisp.	198	88,968	10	8.7	2.8-14.6	49	31.8	22.8-40.8	52	28.8	20.6-37.0	87	30.8	23.5-38.1
MultiRacial/Non-Hisp.	88	25,508	6	11.5	2.5-20.5	22	30.5	17.8-43.2	25	27.2	15.6-38.8	35	30.8	20.0-41.6
Hispanic	251	166,189	73	39.8	32.4-47.2	86	35.1	28.2-42.0	44	15.1	10.4-19.8	48	9.9	6.8-13.0
18-24	289	350,462	21	13.2	7.7-18.7	117	42.6	36.1-49.1	87	31.5	25.6-37.4	64	12.7	9.4-16.0
25-34	486	443,152	35	14.1	9.4-18.8	140	34.7	29.8-39.6	105	24.9	20.6-29.2	206	26.4	22.7-30.1
35-44	558	417,964	44	13.5	9.8-17.2	137	28.8	24.5-33.1	141	28.0	23.9-32.1	236	29.8	26.1-33.5
45-54	786	398,163	54	11.2	8.1-14.3	218	32.8	29.1-36.5	183	26.9	23.4-30.4	331	29.1	26.0-32.2
55-64	902	420,658	55	11.1	8.2-14.0	326	39.6	35.9-43.3	230	28.7	25.4-32.0	291	20.6	18.1-23.1
65+	1475	517,878	70	8.9	6.7-11.1	436	36.3	33.4-39.2	348	27.8	25.1-30.5	621	27.0	24.6-29.4
Less Than H.S.	279	302,549	279	100.0	100.0- 100									
H.S. or G.E.D.	1374	908,348				1374	100.0	100.0- 100						
Some Post-H.S.	1094	709,208							1094	100.0	100.0- 100			
College Graduate	1749	628,173										1749	100.0	100.0- 100
Less than \$15,000	210	129,773	46	34.0	25.0-43.0	85	36.1	28.3-43.9	48	22.0	14.9-29.1	31	7.9	4.8-11.0
\$15,000- 24,999	306	159,636	42	21.2	14.9-27.5	144	46.4	39.5-53.3	72	23.3	17.4-29.2	48	9.1	6.0-12.2
\$25,000- 34,999	417	246,189	39	16.2	11.1-21.3	166	41.7	35.8-47.6	129	32.1	26.6-37.6	83	10.0	7.5-12.5
\$35,000- 49,999	512	289,313	37	14.7	9.6-19.8	199	43.0	37.7-48.3	142	27.1	22.4-31.8	134	15.2	12.1-18.3
\$50,000- 99,999	1211	685,254	30	5.3	3.3- 7.3	325	35.4	32.1-38.7	310	31.1	28.0-34.2	546	28.2	25.5-30.9
\$100,000 - 199,999	719	393,424	9	3.1	0.9- 5.3	118	24.2	20.1-28.3	157	29.1	25.0-33.2	435	43.7	39.6-47.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5365	2,679,141	319	10.9	9.5-12.3	1543	31.6	30.0-33.2	1511	32.8	31.2-34.4	1992	24.7	23.5-25.9
White/Non-Hisp	4257	2,113,344	192	8.7	7.3-10.1	1218	31.5	29.7-33.3	1210	34.1	32.3-35.9	1637	25.7	24.3-27.1
Black or Afr. Am./Non-Hisp	485	245,108	33	12.4	7.5-17.3	147	32.4	26.9-37.9	153	34.4	28.9-39.9	152	20.8	16.9-24.7
Oth. Race/Non-Hisp.	163	76,383	11	11.3	4.0-18.6	36	26.9	16.5-37.3	44	28.9	19.7-38.1	72	32.9	24.5-41.3
MultiRacial/Non-Hisp.	97	30,884	7	6.2	1.1-11.3	37	51.2	37.5-64.9	22	20.2	10.6-29.8	31	22.4	13.0-31.8
Hispanic	246	163,023	65	37.7	30.3-45.1	73	29.8	23.1-36.5	50	18.1	12.6-23.6	58	14.4	10.3-18.5
18-24	255	331,034	19	14.0	7.9-20.1	94	39.7	33.0-46.4	97	37.8	31.3-44.3	45	8.6	5.9-11.3
25-34	553	434,636	36	11.5	7.8-15.2	145	28.5	24.4-32.6	142	30.6	26.3-34.9	230	29.4	25.7-33.1
35-44	659	419,024	51	12.7	9.4-16.0	123	21.3	17.8-24.8	185	34.2	30.1-38.3	300	31.8	28.3-35.3
45-54	903	407,223	51	9.7	7.0-12.4	173	22.4	19.3-25.5	268	35.0	31.5-38.5	411	32.9	29.8-36.0
55-64	1031	441,208	55	8.5	6.1-10.9	305	34.5	31.2-37.8	283	32.3	29.0-35.6	388	24.7	22.2-27.2
65+	1964	646,016	107	10.3	8.1-12.5	703	39.9	37.4-42.4	536	29.8	27.4-32.2	618	20.0	18.2-21.8
Less Than H.S.	319	293,001	319	100.0	100.0- 100									
H.S. or G.E.D.	1543	845,679				1543	100.0	100.0- 100						
Some Post-H.S.	1511	878,900							1511	100.0	100.0- 100			
College Graduate	1992	661,562										1992	100.0	100.0- 100
Less than \$15,000	285	148,950	63	35.4	27.6-43.2	103	29.6	23.3-35.9	78	27.2	20.5-33.9	41	7.8	4.9-10.7
\$15,000- 24,999	582	279,506	65	19.8	15.1-24.5	262	43.6	38.7-48.5	175	29.6	25.1-34.1	80	7.0	5.2- 8.8
\$25,000- 34,999	583	306,395	40	12.6	8.5-16.7	236	45.2	40.1-50.3	185	31.9	27.2-36.6	122	10.3	8.1-12.5
\$35,000- 49,999	605	289,017	19	5.4	2.1- 8.7	197	35.6	30.9-40.3	192	36.9	32.2-41.6	197	22.1	18.6-25.6
\$50,000- 99,999	1189	610,695	21	4.8	2.4- 7.2	227	24.8	21.7-27.9	333	36.9	33.4-40.4	608	33.5	30.6-36.4
\$100,000 - 199,999	645	321,957	3	0.8	0.0- 1.8	71	15.8	12.1-19.5	137	30.5	26.0-35.0	434	52.9	48.4-57.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7573	4,025,748	1387	17.9	16.9-18.9	1003	13.8	12.8-14.8	1121	14.4	13.4-15.4	2406	32.3	30.9-33.7	1364	17.8	16.8-18.8	292	3.8	3.2- 4.4
Male	3554	2,002,296	518	14.5	13.1-15.9	419	12.4	11.0-13.8	514	14.5	13.1-15.9	1216	34.4	32.4-36.4	719	19.6	18.0-21.2	168	4.5	3.5- 5.5
Female	4019	2,023,452	869	21.2	19.6-22.8	584	15.2	13.8-16.6	607	14.4	13.0-15.8	1190	30.2	28.4-32.0	645	15.9	14.5-17.3	124	3.2	2.6- 3.8
White/Non-Hisp	6059	3,196,259	957	15.4	14.2-16.6	749	12.7	11.7-13.7	890	14.1	13.1-15.1	2033	34.4	32.8-36.0	1177	19.3	18.1-20.5	253	4.1	3.5- 4.7
Black or Afr. Am./Non-Hisp	619	370,711	175	26.2	21.9-30.5	112	18.4	14.7-22.1	110	19.4	15.3-23.5	148	23.3	19.2-27.4	59	10.4	7.5-13.3	15	2.3	0.9- 3.7
Oth. Race/Non-Hisp.	263	119,412	62	23.6	16.7-30.5	41	17.5	10.8-24.2	36	12.1	7.0-17.2	69	25.3	18.8-31.8	49	17.5	12.2-22.8	6	3.9	0.0- 8.8
MultiRacial/Non-Hisp.	139	38,940	40	26.5	17.9-35.1	23	15.1	8.4-21.8	20	14.9	7.6-22.2	34	24.8	16.0-33.6	20	15.2	7.4-23.0	2	3.4	0.0- 9.3
Hispanic	382	251,045	127	32.7	27.2-38.2	67	20.6	15.7-25.5	53	13.3	9.4-17.2	84	20.9	16.2-25.6	41	9.7	6.4-13.0	10	2.7	0.2- 5.2
18-24	367	445,482	82	22.2	17.5-26.9	63	17.1	12.8-21.4	49	12.8	9.1-16.5	116	30.9	25.6-36.2	40	12.5	8.6-16.4	17	4.6	2.1- 7.1
25-34	864	731,279	135	15.7	13.0-18.4	130	15.4	12.7-18.1	142	16.4	13.5-19.3	313	35.8	32.3-39.3	128	14.2	11.7-16.7	16	2.4	0.6- 4.2
35-44	1024	704,035	146	14.6	12.1-17.1	104	10.9	8.7-13.1	121	12.1	9.9-14.3	305	30.9	27.8-34.0	288	26.5	23.6-29.4	60	5.0	3.6- 6.4
45-54	1355	640,776	197	13.7	11.7-15.7	110	9.3	7.3-11.3	144	10.9	9.1-12.7	456	34.1	31.4-36.8	352	25.2	22.7-27.7	96	6.9	5.5- 8.3
55-64	1546	695,466	319	21.0	18.6-23.4	175	11.2	9.4-13.0	184	12.2	10.4-14.0	492	33.1	30.4-35.8	314	19.0	16.8-21.2	62	3.4	2.4- 4.4
65+	2417	808,710	508	20.8	18.8-22.8	421	18.8	16.8-20.8	481	20.3	18.3-22.3	724	29.0	26.8-31.2	242	9.4	8.0-10.8	41	1.7	1.1- 2.3
Less Than H.S.	417	412,574	216	45.1	39.4-50.8	79	19.0	14.7-23.3	56	14.1	9.8-18.4	51	16.0	11.5-20.5	12	3.6	1.4- 5.8	3	2.2	0.0- 5.1
H.S. or G.E.D.	2160	1,319,035	594	21.7	19.7-23.7	402	18.3	16.3-20.3	396	17.2	15.4-19.0	552	29.9	27.5-32.3	189	11.1	9.3-12.9	27	1.8	1.0- 2.6
Some Post-H.S.	1998	1,232,825	373	15.3	13.5-17.1	314	14.3	12.5-16.1	334	15.0	13.2-16.8	643	35.6	33.1-38.1	294	17.2	15.2-19.2	40	2.5	1.7- 3.3
College Graduate	2980	1,050,334	200	5.3	4.5- 6.1	205	5.3	4.5- 6.1	331	10.3	9.1-11.5	1154	37.9	35.9-39.9	869	32.6	30.6-34.6	221	8.7	7.5- 9.9
Less than \$15,000	498	279,896	498	100.0	100.0- 100															
\$15,000-24,999	889	439,304	889	100.0	100.0- 100															
\$25,000-34,999	1003	555,323				1003	100.0	100.0- 100												
\$35,000-49,999	1121	580,842							1121	100.0	100.0- 100									
\$50,000-99,999	2406	1,300,190										2406	100.0	100.0- 100						
\$100,000-199,999	1364	715,381													1364	100.0	100.0- 100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3554	2,002,296	518	14.5	13.1-15.9	419	12.4	11.0-13.8	514	14.5	13.1-15.9	1216	34.4	32.4-36.4	719	19.6	18.0-21.2	168	4.5	3.5- 5.5			
White/Non-Hisp	2868	1,593,444	362	12.7	11.1-14.3	298	10.7	9.3-12.1	411	14.0	12.4-15.6	1027	36.3	34.1-38.5	622	21.3	19.5-23.1	148	5.0	3.8- 6.2			
Black or Afr. Am./Non-Hisp	230	176,350	48	18.3	12.6-24.0	43	18.6	12.7-24.5	41	20.5	13.6-27.4	64	27.9	21.0-34.8	27	12.4	7.3-17.5	7	2.3	0.3- 4.3			
Oth. Race/Non-Hisp.	146	64,497	33	27.8	17.6-38.0	23	15.5	7.7-23.3	22	14.7	6.7-22.7	36	19.6	12.0-27.2	29	21.0	12.8-29.2	3	1.5	0.0- 3.3			
MultiRacial/Non-Hisp.	64	17,036	14	17.1	7.3-26.9	10	16.1	5.3-26.9	5	10.2	0.2-20.2	21	35.2	20.5-49.9	13	20.6	9.0-32.2	1	0.9	0.0- 2.7			
Hispanic	190	125,983	47	23.4	16.5-30.3	40	23.6	16.5-30.7	31	14.2	8.5-19.9	47	25.4	18.0-32.8	19	9.3	4.6-14.0	6	4.0	0.0- 8.7			
18-24	194	223,615	36	19.2	12.7-25.7	31	15.3	9.6-21.0	29	14.5	9.2-19.8	63	30.7	23.4-38.0	24	14.6	8.7-20.5	11	5.7	2.0- 9.4			
25-34	403	373,363	38	9.9	6.6-13.2	63	14.6	10.7-18.5	69	18.4	13.7-23.1	165	40.2	34.7-45.7	59	13.7	10.2-17.2	9	3.3	0.0- 6.6			
35-44	462	350,060	51	12.5	9.0-16.0	36	8.6	5.7-11.5	51	11.6	8.3-14.9	150	32.3	27.6-37.0	143	29.4	24.9-33.9	31	5.6	3.6- 7.6			
45-54	641	323,050	84	12.7	10.0-15.4	48	9.0	6.3-11.7	62	9.7	7.2-12.2	216	34.0	29.9-38.1	175	26.7	23.0-30.4	56	7.9	5.7-10.1			
55-64	741	347,566	146	19.5	16.2-22.8	70	9.7	7.2-12.2	81	10.9	8.4-13.4	236	35.0	31.1-38.9	174	21.4	18.3-24.5	34	3.7	2.3- 5.1			
65+	1113	384,643	163	15.1	12.6-17.6	171	17.4	14.7-20.1	222	20.7	18.0-23.4	386	32.7	29.6-35.8	144	12.0	9.8-14.2	27	2.1	1.3- 2.9			
Less Than H.S.	205	217,319	88	35.8	28.2-43.4	39	18.4	12.5-24.3	37	19.6	12.7-26.5	30	16.8	10.7-22.9	9	5.5	1.6- 9.4	2	3.9	0.0- 9.4			
H.S. or G.E.D.	1053	698,522	229	17.3	14.9-19.7	166	14.7	12.2-17.2	199	17.8	15.3-20.3	325	34.8	31.5-38.1	118	13.6	11.1-16.1	16	1.8	0.8- 2.8			
Some Post-H.S.	875	566,422	120	11.6	9.1-14.1	129	13.9	11.4-16.4	142	13.8	11.3-16.3	310	37.6	33.9-41.3	157	20.2	17.1-23.3	17	2.8	1.2- 4.4			
College Graduate	1410	512,140	79	4.8	3.6- 6.0	83	4.8	3.6- 6.0	134	8.6	7.0-10.2	546	37.7	34.8-40.6	435	33.5	30.6-36.4	133	10.5	8.7-12.3			
Less than \$15,000	212	130,643	212	100.0	100.0- 100																		
\$15,000- 24,999	306	159,636	306	100.0	100.0- 100																		
\$25,000- 34,999	419	248,424				419	100.0	100.0- 100															
\$35,000- 49,999	514	290,423							514	100.0	100.0- 100												
\$50,000- 99,999	1216	688,934										1216	100.0	100.0- 100									
\$100,000 - 199,999	719	393,424													719	100.0	100.0- 100						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4019	2,023,452	869	21.2	19.6-22.8	584	15.2	13.8-16.6	607	14.4	13.0-15.8	1190	30.2	28.4-32.0	645	15.9	14.5-17.3	124	3.2	2.6-3.8
White/Non-Hisp	3191	1,602,815	595	18.1	16.5-19.7	451	14.6	13.0-16.2	479	14.1	12.7-15.5	1006	32.6	30.6-34.6	555	17.3	15.7-18.9	105	3.2	2.6-3.8
Black or Afr. Am./Non-Hisp	389	194,361	127	33.4	27.1-39.7	69	18.2	13.5-22.9	69	18.4	13.5-23.3	84	19.2	14.5-23.9	32	8.6	5.3-11.9	8	2.3	0.5-4.1
Oth. Race/Non-Hisp.	117	54,915	29	18.8	10.6-27.0	18	19.9	9.1-30.7	14	9.1	3.2-15.0	33	32.0	21.2-42.8	20	13.4	6.9-19.9	3	6.8	0.0-16.8
MultiRacial/Non-Hisp.	75	21,904	26	33.9	21.0-46.8	13	14.4	6.0-22.8	15	18.6	8.2-29.0	13	16.7	7.3-26.1	7	11.0	0.0-22.0	1	5.4	0.0-15.6
Hispanic	192	125,061	80	42.1	33.9-50.3	27	17.6	10.5-24.7	22	12.5	6.8-18.2	37	16.4	10.7-22.1	22	10.1	5.0-15.2	4	1.3	0.0-2.7
18-24	173	221,867	46	25.3	18.2-32.4	32	18.9	12.4-25.4	20	11.0	5.7-16.3	53	31.0	23.0-39.0	16	10.3	5.2-15.4	6	3.5	0.4-6.6
25-34	461	357,916	97	21.8	17.5-26.1	67	16.2	12.3-20.1	73	14.4	10.9-17.9	148	31.3	26.6-36.0	69	14.8	11.3-18.3	7	1.4	0.2-2.6
35-44	562	353,975	95	16.7	13.4-20.0	68	13.2	9.9-16.5	70	12.5	9.6-15.4	155	29.5	25.2-33.8	145	23.7	20.0-27.4	29	4.4	2.8-6.0
45-54	714	317,726	113	14.7	12.0-17.4	62	9.5	7.0-12.0	82	12.1	9.4-14.8	240	34.2	30.3-38.1	177	23.6	20.3-26.9	40	6.0	4.0-8.0
55-64	805	347,901	173	22.6	19.3-25.9	105	12.8	10.3-15.3	103	13.5	11.0-16.0	256	31.3	27.8-34.8	140	16.5	13.6-19.4	28	3.2	1.8-4.6
65+	1304	424,067	345	26.0	23.1-28.9	250	20.1	17.4-22.8	259	19.9	17.4-22.4	338	25.6	22.9-28.3	98	7.0	5.4-8.6	14	1.3	0.5-2.1
Less Than H.S.	212	195,255	128	55.4	47.2-63.6	40	19.8	13.5-26.1	19	8.0	3.1-12.9	21	15.1	8.4-21.8	3	1.3	0.0-3.1	1	0.3	0.0-0.9
H.S. or G.E.D.	1107	620,513	365	26.7	23.8-29.6	236	22.3	19.4-25.2	197	16.6	14.1-19.1	227	24.4	21.3-27.5	71	8.2	6.2-10.2	11	1.8	0.6-3.0
Some Post-H.S.	1123	666,404	253	18.5	16.0-21.0	185	14.7	12.3-17.1	192	16.0	13.6-18.4	333	33.8	30.5-37.1	137	14.7	12.2-17.2	23	2.3	1.3-3.3
College Graduate	1570	538,194	121	5.8	4.6-7.0	122	5.8	4.6-7.0	197	11.9	10.1-13.7	608	38.0	35.3-40.7	434	31.6	28.9-34.3	88	6.9	5.3-8.5
Less than \$15,000	286	149,253	286	100.0	100.0-100															
\$15,000- 24,999	583	279,668	583	100.0	100.0-100															
\$25,000- 34,999	584	306,900				584	100.0	100.0-100												
\$35,000- 49,999	607	290,419							607	100.0	100.0-100									
\$50,000- 99,999	1190	611,256										1190	100.0	100.0-100						
\$100,000 - 199,999	645	321,957												645	100.0	100.0-100				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1 MALES AND FEMALES	110
2 MALES ONLY	111
3 FEMALES ONLY	112
ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4 MALES AND FEMALES	113
5 MALES ONLY	114
6 FEMALES ONLY	115
ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI1)	
7 MALES AND FEMALES	116
8 MALES ONLY	117
9 FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9272	4,899,171	1057	12.8	12.0-13.6	353	4.5	3.9- 5.1	2488	24.6	23.6-25.6	5374	58.0	56.8-59.2
Male	4227	2,392,549	520	14.0	12.6-15.4	160	4.4	3.6- 5.2	1280	26.7	25.1-28.3	2267	55.0	53.2-56.8
Female	5045	2,506,622	537	11.8	10.6-13.0	193	4.6	3.8- 5.4	1208	22.7	21.3-24.1	3107	60.9	59.3-62.5
White/Non-Hisp	7376	3,853,919	872	13.6	12.6-14.6	248	3.8	3.2- 4.4	2096	26.8	25.6-28.0	4160	55.8	54.4-57.2
Black or Afr. Am./Non-Hisp	725	434,532	80	12.6	9.5-15.7	45	7.6	4.7-10.5	149	16.7	13.4-20.0	451	63.0	58.5-67.5
Oth. Race/Non-Hisp.	328	152,178	36	9.2	5.5-12.9	15	4.3	1.2- 7.4	63	12.9	9.2-16.6	214	73.7	68.0-79.4
MultiRacial/Non-Hisp.	168	49,383	26	15.0	8.7-21.3	5	2.4	0.2- 4.6	40	23.5	15.9-31.1	97	59.1	50.1-68.1
Hispanic	463	310,102	24	5.4	2.9- 7.9	29	8.2	4.9-11.5	89	15.9	12.2-19.6	321	70.5	65.6-75.4
18-24	511	636,512	18	4.3	2.1- 6.5	17	3.1	1.5- 4.7	40	8.7	6.0-11.4	436	84.0	80.3-87.7
25-34	983	825,924	127	16.0	13.3-18.7	50	6.3	4.3- 8.3	165	17.6	14.9-20.3	641	60.1	56.6-63.6
35-44	1135	782,294	167	16.5	14.0-19.0	57	5.5	3.9- 7.1	266	24.3	21.6-27.0	645	53.7	50.4-57.0
45-54	1576	752,940	232	16.2	14.0-18.4	67	4.4	3.2- 5.6	374	24.8	22.4-27.2	903	54.6	51.9-57.3
55-64	1816	808,897	264	15.8	13.8-17.8	92	5.4	4.2- 6.6	491	29.0	26.6-31.4	969	49.8	47.3-52.3
65+	3251	1,092,604	249	8.4	7.2- 9.6	70	2.6	1.8- 3.4	1152	36.2	34.2-38.2	1780	52.8	50.8-54.8
Less Than H.S.	541	540,600	120	22.8	18.7-26.9	46	8.8	5.9-11.7	143	23.6	19.5-27.7	232	44.7	39.6-49.8
H.S. or G.E.D.	2705	1,631,445	447	16.5	14.9-18.1	131	5.2	4.2- 6.2	802	26.5	24.5-28.5	1325	51.8	49.6-54.0
Some Post-H.S.	2453	1,491,922	328	12.4	11.0-13.8	109	4.3	3.3- 5.3	741	27.4	25.4-29.4	1275	55.9	53.5-58.3
College Graduate	3520	1,207,481	156	4.0	3.2- 4.8	67	2.0	1.4- 2.6	797	19.5	18.1-20.9	2500	74.5	72.9-76.1
Less than \$15,000	484	270,138	126	26.9	21.8-32.0	51	11.4	7.7-15.1	122	22.0	17.5-26.5	185	39.6	33.9-45.3
\$15,000-24,999	859	420,442	155	20.1	16.8-23.4	57	7.8	5.4-10.2	249	24.2	20.9-27.5	398	47.9	43.8-52.0
\$25,000-34,999	959	532,394	146	17.0	13.9-20.1	53	6.3	4.3- 8.3	278	26.1	22.8-29.4	482	50.6	46.7-54.5
\$35,000-49,999	1093	567,882	136	15.2	12.3-18.1	39	4.7	2.7- 6.7	331	27.5	24.4-30.6	587	52.6	48.9-56.3
\$50,000-99,999	2329	1,253,250	229	11.6	10.0-13.2	70	3.6	2.6- 4.6	642	26.0	23.8-28.2	1388	58.8	56.4-61.2
\$100,000-199,999	1316	693,291	81	6.4	4.8- 8.0	28	1.8	1.0- 2.6	354	27.4	24.5-30.3	853	64.3	61.2-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4227	2,392,549	520	14.0	12.6-15.4	160	4.4	3.6- 5.2	1280	26.7	25.1-28.3	2267	55.0	53.2-56.8
White/Non-Hisp	3362	1,872,416	415	14.3	12.7-15.9	108	3.5	2.7- 4.3	1079	29.2	27.4-31.0	1760	53.0	50.8-55.2
Black or Afr. Am./Non-Hisp	271	206,941	39	16.6	11.1-22.1	16	6.3	2.2-10.4	57	16.3	11.4-21.2	159	60.8	53.7-67.9
Oth. Race/Non-Hisp.	180	80,449	23	11.1	5.6-16.6	9	3.9	0.2- 7.6	40	14.6	9.3-19.9	108	70.3	62.3-78.3
MultiRacial/Non-Hisp.	80	22,632	16	19.3	9.1-29.5	1	0.5	0.0- 1.5	15	20.8	10.2-31.4	48	59.5	46.6-72.4
Hispanic	229	154,113	16	7.4	3.5-11.3	19	11.6	5.9-17.3	62	20.3	14.6-26.0	132	60.7	53.3-68.1
18-24	274	330,456	10	4.8	1.5- 8.1	8	2.7	0.5- 4.9	21	7.1	4.0-10.2	235	85.4	80.7-90.1
25-34	456	413,916	54	15.7	11.4-20.0	27	7.1	4.0-10.2	84	18.8	14.7-22.9	291	58.4	53.1-63.7
35-44	522	392,913	92	19.1	15.4-22.8	23	4.8	2.6- 7.0	126	24.5	20.4-28.6	281	51.6	46.9-56.3
45-54	736	372,783	118	17.7	14.4-21.0	29	3.8	2.4- 5.2	194	27.3	23.8-30.8	395	51.2	47.1-55.3
55-64	845	396,030	132	17.0	14.1-19.9	40	5.1	3.3- 6.9	245	30.4	26.9-33.9	428	47.5	43.6-51.4
65+	1394	486,451	114	9.2	7.2-11.2	33	2.7	1.5- 3.9	610	45.0	41.9-48.1	637	43.1	40.0-46.2
Less Than H.S.	261	282,278	64	24.8	18.5-31.1	24	10.1	5.6-14.6	69	21.0	15.7-26.3	104	44.0	36.6-51.4
H.S. or G.E.D.	1270	844,090	227	17.8	15.3-20.3	62	4.5	3.1- 5.9	421	29.0	26.3-31.7	560	48.7	45.6-51.8
Some Post-H.S.	1022	663,059	151	13.4	11.0-15.8	42	3.9	2.5- 5.3	360	30.4	27.3-33.5	469	52.3	48.8-55.8
College Graduate	1643	587,046	74	3.9	2.9- 4.9	32	2.1	1.3- 2.9	426	22.3	20.1-24.5	1111	71.7	69.3-74.1
Less than \$15,000	206	125,204	63	30.5	22.7-38.3	23	10.1	5.6-14.6	53	20.0	13.9-26.1	67	39.4	30.4-48.4
\$15,000- 24,999	295	151,716	57	19.9	14.4-25.4	20	6.5	3.0-10.0	86	23.0	17.7-28.3	132	50.5	43.6-57.4
\$25,000- 34,999	397	236,871	65	19.5	14.0-25.0	21	5.4	2.9- 7.9	130	28.6	23.5-33.7	181	46.5	40.4-52.6
\$35,000- 49,999	504	286,634	70	17.9	13.2-22.6	20	6.1	2.8- 9.4	173	29.5	24.8-34.2	241	46.5	41.0-52.0
\$50,000- 99,999	1175	664,932	128	12.6	10.2-15.0	44	4.4	2.8- 6.0	375	28.5	25.6-31.4	628	54.6	51.3-57.9
\$100,000 - 199,999	694	380,924	47	7.1	4.9- 9.3	7	0.9	0.3- 1.5	223	32.8	28.7-36.9	417	59.2	54.9-63.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5045	2,506,622	537	11.8	10.6-13.0	193	4.6	3.8- 5.4	1208	22.7	21.3-24.1	3107	60.9	59.3-62.5
White/Non-Hisp	4014	1,981,503	457	13.0	11.6-14.4	140	4.1	3.3- 4.9	1017	24.5	22.9-26.1	2400	58.4	56.4-60.4
Black or Afr. Am./Non-Hisp	454	227,592	41	8.9	5.6-12.2	29	8.9	5.0-12.8	92	17.1	12.6-21.6	292	65.1	59.2-71.0
Oth. Race/Non-Hisp.	148	71,729	13	7.0	1.9-12.1	6	4.6	0.0- 9.7	23	10.9	5.6-16.2	106	77.4	69.2-85.6
MultiRacial/Non-Hisp.	88	26,751	10	11.5	3.9-19.1	4	4.0	0.1- 7.9	25	25.8	15.0-36.6	49	58.8	46.3-71.3
Hispanic	234	155,989	8	3.5	0.6- 6.4	10	4.9	1.8- 8.0	27	11.5	6.8-16.2	189	80.1	74.0-86.2
18-24	237	306,056	8	3.7	1.0- 6.4	9	3.5	1.1- 5.9	19	10.4	5.7-15.1	201	82.4	76.7-88.1
25-34	527	412,008	73	16.2	12.7-19.7	23	5.6	3.2- 8.0	81	16.4	12.9-19.9	350	61.9	57.2-66.6
35-44	613	389,381	75	13.8	10.7-16.9	34	6.1	3.9- 8.3	140	24.2	20.3-28.1	364	55.9	51.6-60.2
45-54	840	380,157	114	14.8	12.1-17.5	38	5.0	3.2- 6.8	180	22.3	19.2-25.4	508	57.9	54.2-61.6
55-64	971	412,867	132	14.6	12.1-17.1	52	5.7	3.9- 7.5	246	27.6	24.3-30.9	541	52.1	48.6-55.6
65+	1857	606,153	135	7.7	6.1- 9.3	37	2.6	1.6- 3.6	542	29.1	26.6-31.6	1143	60.6	57.9-63.3
Less Than H.S.	280	258,322	56	20.7	15.2-26.2	22	7.4	3.9-10.9	74	26.4	20.1-32.7	128	45.5	38.4-52.6
H.S. or G.E.D.	1435	787,356	220	15.1	12.9-17.3	69	5.9	4.3- 7.5	381	23.9	21.4-26.4	765	55.2	52.1-58.3
Some Post-H.S.	1431	828,863	177	11.7	9.9-13.5	67	4.6	3.4- 5.8	381	24.9	22.4-27.4	806	58.8	55.9-61.7
College Graduate	1877	620,434	82	4.1	3.1- 5.1	35	2.0	1.2- 2.8	371	16.9	15.1-18.7	1389	77.1	74.9-79.3
Less than \$15,000	278	144,934	63	23.9	17.2-30.6	28	12.5	7.0-18.0	69	23.8	17.5-30.1	118	39.8	32.4-47.2
\$15,000- 24,999	564	268,726	98	20.1	15.8-24.4	37	8.5	5.6-11.4	163	24.9	20.8-29.0	266	46.4	41.3-51.5
\$25,000- 34,999	562	295,523	81	15.1	11.6-18.6	32	7.1	4.4- 9.8	148	24.0	19.5-28.5	301	53.8	48.7-58.9
\$35,000- 49,999	589	281,248	66	12.3	9.2-15.4	19	3.3	1.5- 5.1	158	25.5	21.4-29.6	346	58.8	54.1-63.5
\$50,000- 99,999	1154	588,318	101	10.4	8.2-12.6	26	2.8	1.6- 4.0	267	23.2	20.3-26.1	760	63.6	60.3-66.9
\$100,000 - 199,999	622	312,367	34	5.6	3.4- 7.8	21	3.0	1.6- 4.4	131	20.9	17.2-24.6	436	70.5	66.4-74.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9272	4,899,171	7862	82.7	81.7-83.7	1410	17.3	16.3-18.3
Male	4227	2,392,549	3547	81.7	80.1-83.3	680	18.3	16.7-19.9
Female	5045	2,506,622	4315	83.6	82.2-85.0	730	16.4	15.0-17.8
White/Non-Hisp	7376	3,853,919	6256	82.6	81.4-83.8	1120	17.4	16.2-18.6
Black or Afr. Am./Non-Hisp	725	434,532	600	79.8	75.9-83.7	125	20.2	16.3-24.1
Oth. Race/Non-Hisp.	328	152,178	277	86.6	81.9-91.3	51	13.4	8.7-18.1
MultiRacial/Non-Hisp.	168	49,383	137	82.6	75.9-89.3	31	17.4	10.7-24.1
Hispanic	463	310,102	410	86.3	82.4-90.2	53	13.7	9.8-17.6
18-24	511	636,512	476	92.6	90.1-95.1	35	7.4	4.9- 9.9
25-34	983	825,924	806	77.7	74.6-80.8	177	22.3	19.2-25.4
35-44	1135	782,294	911	78.1	75.4-80.8	224	21.9	19.2-24.6
45-54	1576	752,940	1277	79.3	76.9-81.7	299	20.7	18.3-23.1
55-64	1816	808,897	1460	78.8	76.6-81.0	356	21.2	19.0-23.4
65+	3251	1,092,604	2932	89.0	87.6-90.4	319	11.0	9.6-12.4
Less Than H.S.	541	540,600	375	68.4	63.7-73.1	166	31.6	26.9-36.3
H.S. or G.E.D.	2705	1,631,445	2127	78.4	76.6-80.2	578	21.6	19.8-23.4
Some Post-H.S.	2453	1,491,922	2016	83.3	81.7-84.9	437	16.7	15.1-18.3
College Graduate	3520	1,207,481	3297	94.0	93.2-94.8	223	6.0	5.2- 6.8
Less than \$15,000	484	270,138	307	61.7	56.2-67.2	177	38.3	32.8-43.8
\$15,000-24,999	859	420,442	647	72.2	68.5-75.9	212	27.8	24.1-31.5
\$25,000-34,999	959	532,394	760	76.6	73.1-80.1	199	23.4	19.9-26.9
\$35,000-49,999	1093	567,882	918	80.1	76.8-83.4	175	19.9	16.6-23.2
\$50,000-99,999	2329	1,253,250	2030	84.8	83.0-86.6	299	15.2	13.4-17.0
\$100,000-199,999	1316	693,291	1207	91.8	90.0-93.6	109	8.2	6.4-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4227	2,392,549	3547	81.7	80.1-83.3	680	18.3	16.7-19.9
White/Non-Hisp	3362	1,872,416	2839	82.2	80.6-83.8	523	17.8	16.2-19.4
Black or Afr. Am./Non-Hisp	271	206,941	216	77.1	70.6-83.6	55	22.9	16.4-29.4
Oth. Race/Non-Hisp.	180	80,449	148	84.9	78.4-91.4	32	15.1	8.6-21.6
MultiRacial/Non-Hisp.	80	22,632	63	80.2	70.0-90.4	17	19.8	9.6-30.0
Hispanic	229	154,113	194	81.0	74.5-87.5	35	19.0	12.5-25.5
18-24	274	330,456	256	92.5	88.6-96.4	18	7.5	3.6-11.4
25-34	456	413,916	375	77.2	72.3-82.1	81	22.8	17.9-27.7
35-44	522	392,913	407	76.0	71.9-80.1	115	24.0	19.9-28.1
45-54	736	372,783	589	78.5	75.0-82.0	147	21.5	18.0-25.0
55-64	845	396,030	673	77.9	74.8-81.0	172	22.1	19.0-25.2
65+	1394	486,451	1247	88.2	86.0-90.4	147	11.8	9.6-14.0
Less Than H.S.	261	282,278	173	65.1	58.0-72.2	88	34.9	27.8-42.0
H.S. or G.E.D.	1270	844,090	981	77.7	75.0-80.4	289	22.3	19.6-25.0
Some Post-H.S.	1022	663,059	829	82.7	80.2-85.2	193	17.3	14.8-19.8
College Graduate	1643	587,046	1537	94.0	92.8-95.2	106	6.0	4.8- 7.2
Less than \$15,000	206	125,204	120	59.4	51.0-67.8	86	40.6	32.2-49.0
\$15,000- 24,999	295	151,716	218	73.6	67.5-79.7	77	26.4	20.3-32.5
\$25,000- 34,999	397	236,871	311	75.1	69.4-80.8	86	24.9	19.2-30.6
\$35,000- 49,999	504	286,634	414	76.0	70.7-81.3	90	24.0	18.7-29.3
\$50,000- 99,999	1175	664,932	1003	83.0	80.3-85.7	172	17.0	14.3-19.7
\$100,000 - 199,999	694	380,924	640	92.0	89.8-94.2	54	8.0	5.8-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5045	2,506,622	4315	83.6	82.2-85.0	730	16.4	15.0-17.8
White/Non-Hisp	4014	1,981,503	3417	82.9	81.5-84.3	597	17.1	15.7-18.5
Black or Afr. Am./Non-Hisp	454	227,592	384	82.2	77.3-87.1	70	17.8	12.9-22.7
Oth. Race/Non-Hisp.	148	71,729	129	88.4	81.3-95.5	19	11.6	4.5-18.7
MultiRacial/Non-Hisp.	88	26,751	74	84.6	76.2-93.0	14	15.4	7.0-23.8
Hispanic	234	155,989	216	91.6	87.3-95.9	18	8.4	4.1-12.7
18-24	237	306,056	220	92.8	89.3-96.3	17	7.2	3.7-10.7
25-34	527	412,008	431	78.2	74.1-82.3	96	21.8	17.7-25.9
35-44	613	389,381	504	80.1	76.4-83.8	109	19.9	16.2-23.6
45-54	840	380,157	688	80.2	77.3-83.1	152	19.8	16.9-22.7
55-64	971	412,867	787	79.7	76.8-82.6	184	20.3	17.4-23.2
65+	1857	606,153	1685	89.7	87.9-91.5	172	10.3	8.5-12.1
Less Than H.S.	280	258,322	202	71.9	65.6-78.2	78	28.1	21.8-34.4
H.S. or G.E.D.	1435	787,356	1146	79.1	76.6-81.6	289	20.9	18.4-23.4
Some Post-H.S.	1431	828,863	1187	83.7	81.5-85.9	244	16.3	14.1-18.5
College Graduate	1877	620,434	1760	94.0	92.8-95.2	117	6.0	4.8- 7.2
Less than \$15,000	278	144,934	187	63.6	56.2-71.0	91	36.4	29.0-43.8
\$15,000- 24,999	564	268,726	429	71.4	66.7-76.1	135	28.6	23.9-33.3
\$25,000- 34,999	562	295,523	449	77.8	73.5-82.1	113	22.2	17.9-26.5
\$35,000- 49,999	589	281,248	504	84.3	80.8-87.8	85	15.7	12.2-19.2
\$50,000- 99,999	1154	588,318	1027	86.8	84.4-89.2	127	13.2	10.8-15.6
\$100,000 - 199,999	622	312,367	567	91.4	88.9-93.9	55	8.6	6.1-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9271	4,896,402	8782	91.9	91.1-92.7	489	8.1	7.3- 8.9
Male	4239	2,399,812	3995	91.3	90.1-92.5	244	8.7	7.5- 9.9
Female	5032	2,496,591	4787	92.5	91.5-93.5	245	7.5	6.5- 8.5
White/Non-Hisp	7374	3,849,890	6979	91.5	90.5-92.5	395	8.5	7.5- 9.5
Black or Afr. Am./Non-Hisp	726	435,068	694	93.7	91.2-96.2	32	6.3	3.8- 8.8
Oth. Race/Non-Hisp.	329	152,238	313	95.5	92.8-98.2	16	4.5	1.8- 7.2
MultiRacial/Non-Hisp.	167	49,300	153	90.6	85.7-95.5	14	9.4	4.5-14.3
Hispanic	463	309,720	436	92.8	89.9-95.7	27	7.2	4.3-10.1
18-24	510	633,448	406	80.0	76.1-83.9	104	20.0	16.1-23.9
25-34	983	825,746	865	86.1	83.6-88.6	118	13.9	11.4-16.4
35-44	1131	779,889	1037	90.8	88.8-92.8	94	9.2	7.2-11.2
45-54	1578	753,584	1512	95.6	94.4-96.8	66	4.4	3.2- 5.6
55-64	1815	808,506	1754	96.1	95.1-97.1	61	3.9	2.9- 4.9
65+	3254	1,095,229	3208	98.5	97.9-99.1	46	1.5	0.9- 2.1
Less Than H.S.	540	542,175	497	90.5	87.4-93.6	43	9.5	6.4-12.6
H.S. or G.E.D.	2704	1,626,668	2501	89.4	87.8-91.0	203	10.6	9.0-12.2
Some Post-H.S.	2454	1,491,341	2296	91.3	89.9-92.7	158	8.7	7.3-10.1
College Graduate	3520	1,208,599	3437	96.8	96.0-97.6	83	3.2	2.4- 4.0
Less than \$15,000	484	270,513	453	91.0	87.5-94.5	31	9.0	5.5-12.5
\$15,000-24,999	852	417,671	801	91.9	89.4-94.4	51	8.1	5.6-10.6
\$25,000-34,999	959	531,394	894	89.4	86.5-92.3	65	10.6	7.7-13.5
\$35,000-49,999	1095	567,580	1033	90.9	88.5-93.3	62	9.1	6.7-11.5
\$50,000-99,999	2318	1,243,724	2196	92.3	90.7-93.9	122	7.7	6.1- 9.3
\$100,000-199,999	1317	692,510	1261	93.7	91.9-95.5	56	6.3	4.5- 8.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4239	2,399,812	3995	91.3	90.1-92.5	244	8.7	7.5- 9.9
White/Non-Hisp	3370	1,876,986	3176	90.8	89.4-92.2	194	9.2	7.8-10.6
Black or Afr. Am./Non-Hisp	272	206,913	260	93.2	88.7-97.7	12	6.8	2.3-11.3
Oth. Race/Non-Hisp.	181	80,674	171	95.3	91.4-99.2	10	4.7	0.8- 8.6
MultiRacial/Non-Hisp.	79	22,484	69	85.4	76.4-94.4	10	14.6	5.6-23.6
Hispanic	229	154,266	214	91.3	86.6-96.0	15	8.7	4.0-13.4
18-24	274	330,456	215	78.5	72.8-84.2	59	21.5	15.8-27.2
25-34	459	417,204	397	84.5	80.6-88.4	62	15.5	11.6-19.4
35-44	523	393,902	477	90.8	88.1-93.5	46	9.2	6.5-11.9
45-54	736	373,211	707	96.0	94.4-97.6	29	4.0	2.4- 5.6
55-64	847	396,743	819	96.2	94.8-97.6	28	3.8	2.4- 5.2
65+	1400	488,296	1380	98.7	98.1-99.3	20	1.3	0.7- 1.9
Less Than H.S.	263	285,974	242	89.7	85.0-94.4	21	10.3	5.6-15.0
H.S. or G.E.D.	1270	843,759	1169	89.0	86.6-91.4	101	11.0	8.6-13.4
Some Post-H.S.	1027	664,920	954	90.9	88.5-93.3	73	9.1	6.7-11.5
College Graduate	1647	588,885	1599	96.0	94.8-97.2	48	4.0	2.8- 5.2
Less than \$15,000	207	126,063	193	92.1	87.6-96.6	14	7.9	3.4-12.4
\$15,000- 24,999	294	150,895	278	92.1	87.4-96.8	16	7.9	3.2-12.6
\$25,000- 34,999	398	236,760	371	90.0	85.5-94.5	27	10.0	5.5-14.5
\$35,000- 49,999	505	286,395	471	89.4	85.9-92.9	34	10.6	7.1-14.1
\$50,000- 99,999	1175	663,475	1100	91.0	88.8-93.2	75	9.0	6.8-11.2
\$100,000 - 199,999	695	381,938	664	93.1	90.6-95.6	31	6.9	4.4- 9.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5032	2,496,591	4787	92.5	91.5-93.5	245	7.5	6.5- 8.5
White/Non-Hisp	4004	1,972,904	3803	92.1	90.9-93.3	201	7.9	6.7- 9.1
Black or Afr. Am./Non-Hisp	454	228,154	434	94.2	91.3-97.1	20	5.8	2.9- 8.7
Oth. Race/Non-Hisp.	148	71,564	142	95.7	91.6-99.8	6	4.3	0.2- 8.4
MultiRacial/Non-Hisp.	88	26,816	84	95.1	90.2- 100	4	4.9	0.0- 9.8
Hispanic	234	155,454	222	94.3	91.0-97.6	12	5.7	2.4- 9.0
18-24	236	302,992	191	81.5	76.2-86.8	45	18.5	13.2-23.8
25-34	524	408,542	468	87.7	84.4-91.0	56	12.3	9.0-15.6
35-44	608	385,988	560	90.9	88.4-93.4	48	9.1	6.6-11.6
45-54	842	380,373	805	95.2	93.6-96.8	37	4.8	3.2- 6.4
55-64	968	411,763	935	95.9	94.3-97.5	33	4.1	2.5- 5.7
65+	1854	606,933	1828	98.3	97.5-99.1	26	1.7	0.9- 2.5
Less Than H.S.	277	256,202	255	91.4	87.5-95.3	22	8.6	4.7-12.5
H.S. or G.E.D.	1434	782,909	1332	89.8	87.6-92.0	102	10.2	8.0-12.4
Some Post-H.S.	1427	826,421	1342	91.6	89.8-93.4	85	8.4	6.6-10.2
College Graduate	1873	619,714	1838	97.7	96.9-98.5	35	2.3	1.5- 3.1
Less than \$15,000	277	144,449	260	90.1	84.6-95.6	17	9.9	4.4-15.4
\$15,000- 24,999	558	266,776	523	91.7	88.8-94.6	35	8.3	5.4-11.2
\$25,000- 34,999	561	294,634	523	88.9	85.0-92.8	38	11.1	7.2-15.0
\$35,000- 49,999	590	281,185	562	92.4	89.3-95.5	28	7.6	4.5-10.7
\$50,000- 99,999	1143	580,248	1096	93.9	91.9-95.9	47	6.1	4.1- 8.1
\$100,000 - 199,999	622	310,572	597	94.5	92.1-96.9	25	5.5	3.1- 7.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9127	4,810,594	4484	50.7	49.5-51.9	4643	49.3	48.1-50.5
Male	4147	2,343,148	2266	55.4	53.4-57.4	1881	44.6	42.6-46.6
Female	4980	2,467,446	2218	46.1	44.3-47.9	2762	53.9	52.1-55.7
White/Non-Hisp	7261	3,786,499	3642	51.8	50.4-53.2	3619	48.2	46.8-49.6
Black or Afr. Am./Non-Hisp	711	424,734	324	48.6	43.9-53.3	387	51.4	46.7-56.1
Oth. Race/Non-Hisp.	325	149,167	134	36.1	29.6-42.6	191	63.9	57.4-70.4
MultiRacial/Non-Hisp.	166	49,132	79	52.0	42.8-61.2	87	48.0	38.8-57.2
Hispanic	458	304,440	221	48.5	43.0-54.0	237	51.5	46.0-57.0
18-24	501	622,686	276	50.5	45.6-55.4	225	49.5	44.6-54.4
25-34	970	812,803	602	61.4	57.9-64.9	368	38.6	35.1-42.1
35-44	1116	767,570	675	60.5	57.4-63.6	441	39.5	36.4-42.6
45-54	1541	734,872	808	50.6	47.9-53.3	733	49.4	46.7-52.1
55-64	1793	796,643	868	47.8	45.3-50.3	925	52.2	49.7-54.7
65+	3206	1,076,020	1255	37.7	35.7-39.7	1951	62.3	60.3-64.3
Less Than H.S.	530	530,087	168	35.3	30.2-40.4	362	64.7	59.6-69.8
H.S. or G.E.D.	2661	1,596,210	1043	43.5	41.1-45.9	1618	56.5	54.1-58.9
Some Post-H.S.	2415	1,466,236	1161	53.0	50.6-55.4	1254	47.0	44.6-49.4
College Graduate	3472	1,190,584	2089	64.2	62.4-66.0	1383	35.8	34.0-37.6
Less than \$15,000	476	264,266	160	35.6	30.1-41.1	316	64.4	58.9-69.9
\$15,000-24,999	845	413,345	254	33.3	29.4-37.2	591	66.7	62.8-70.6
\$25,000-34,999	956	529,450	392	44.1	40.2-48.0	564	55.9	52.0-59.8
\$35,000-49,999	1084	560,422	493	48.6	44.9-52.3	591	51.4	47.7-55.1
\$50,000-99,999	2277	1,219,569	1293	57.7	55.2-60.2	984	42.3	39.8-44.8
\$100,000-199,999	1308	687,478	899	68.6	65.7-71.5	409	31.4	28.5-34.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4147	2,343,148	2266	55.4	53.4-57.4	1881	44.6	42.6-46.6
White/Non-Hisp	3298	1,836,509	1831	56.8	54.6-59.0	1467	43.2	41.0-45.4
Black or Afr. Am./Non-Hisp	263	200,442	133	49.4	42.0-56.8	130	50.6	43.2-58.0
Oth. Race/Non-Hisp.	180	79,524	83	43.3	34.1-52.5	97	56.7	47.5-65.9
MultiRacial/Non-Hisp.	79	22,484	46	65.7	53.9-77.5	33	34.3	22.5-46.1
Hispanic	225	149,548	127	56.4	48.8-64.0	98	43.6	36.0-51.2
18-24	268	323,208	145	49.8	43.1-56.5	123	50.2	43.5-56.9
25-34	451	408,697	309	66.5	61.4-71.6	142	33.5	28.4-38.6
35-44	513	384,279	339	65.5	61.0-70.0	174	34.5	30.0-39.0
45-54	714	362,035	414	55.0	50.9-59.1	300	45.0	40.9-49.1
55-64	833	388,586	448	53.7	49.8-57.6	385	46.3	42.4-50.2
65+	1368	476,342	611	43.4	40.3-46.5	757	56.6	53.5-59.7
Less Than H.S.	257	277,881	105	43.9	36.5-51.3	152	56.1	48.7-63.5
H.S. or G.E.D.	1239	821,241	564	48.1	44.8-51.4	675	51.9	48.6-55.2
Some Post-H.S.	1000	647,325	526	57.0	53.5-60.5	474	43.0	39.5-46.5
College Graduate	1621	579,477	1052	69.2	66.7-71.7	569	30.8	28.3-33.3
Less than \$15,000	202	120,788	78	37.3	29.1-45.5	124	62.7	54.5-70.9
\$15,000- 24,999	289	148,087	101	38.6	31.7-45.5	188	61.4	54.5-68.3
\$25,000- 34,999	396	235,933	184	48.8	42.7-54.9	212	51.2	45.1-57.3
\$35,000- 49,999	497	282,526	242	50.2	44.7-55.7	255	49.8	44.3-55.3
\$50,000- 99,999	1146	644,672	690	62.1	58.8-65.4	456	37.9	34.6-41.2
\$100,000 - 199,999	689	378,714	482	69.1	64.8-73.4	207	30.9	26.6-35.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4980	2,467,446	2218	46.1	44.3-47.9	2762	53.9	52.1-55.7
White/Non-Hisp	3963	1,949,990	1811	47.2	45.2-49.2	2152	52.8	50.8-54.8
Black or Afr. Am./Non-Hisp	448	224,292	191	47.9	41.8-54.0	257	52.1	46.0-58.2
Oth. Race/Non-Hisp.	145	69,644	51	27.9	19.3-36.5	94	72.1	63.5-80.7
MultiRacial/Non-Hisp.	87	26,648	33	40.5	27.6-53.4	54	59.5	46.6-72.4
Hispanic	233	154,892	94	40.9	33.5-48.3	139	59.1	51.7-66.5
18-24	233	299,478	131	51.2	43.9-58.5	102	48.8	41.5-56.1
25-34	519	404,105	293	56.2	51.5-60.9	226	43.8	39.1-48.5
35-44	603	383,291	336	55.5	51.2-59.8	267	44.5	40.2-48.8
45-54	827	372,836	394	46.4	42.7-50.1	433	53.6	49.9-57.3
55-64	960	408,057	420	42.2	38.7-45.7	540	57.8	54.3-61.3
65+	1838	599,678	644	33.2	30.7-35.7	1194	66.8	64.3-69.3
Less Than H.S.	273	252,206	63	25.8	19.3-32.3	210	74.2	67.7-80.7
H.S. or G.E.D.	1422	774,970	479	38.5	35.4-41.6	943	61.5	58.4-64.6
Some Post-H.S.	1415	818,911	635	49.8	46.7-52.9	780	50.2	47.1-53.3
College Graduate	1851	611,107	1037	59.5	57.0-62.0	814	40.5	38.0-43.0
Less than \$15,000	274	143,478	82	34.1	26.7-41.5	192	65.9	58.5-73.3
\$15,000- 24,999	556	265,258	153	30.4	25.5-35.3	403	69.6	64.7-74.5
\$25,000- 34,999	560	293,518	208	40.3	35.0-45.6	352	59.7	54.4-65.0
\$35,000- 49,999	587	277,896	251	47.0	42.1-51.9	336	53.0	48.1-57.9
\$50,000- 99,999	1131	574,896	603	52.8	49.3-56.3	528	47.2	43.7-50.7
\$100,000 - 199,999	619	308,764	417	68.0	63.7-72.3	202	32.0	27.7-36.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9127	4,810,594	2700	30.6	29.4-31.8	954	11.1	10.3-11.9	329	3.3	2.9- 3.7	501	5.6	5.0- 6.2	4643	49.3	48.1-50.5
Male	4147	2,343,148	1229	30.1	28.3-31.9	525	13.3	12.1-14.5	184	3.8	3.2- 4.4	328	8.3	7.1- 9.5	1881	44.6	42.6-46.6
Female	4980	2,467,446	1471	31.1	29.5-32.7	429	9.1	8.1-10.1	145	2.9	2.3- 3.5	173	3.0	2.4- 3.6	2762	53.9	52.1-55.7
White/Non-Hisp	7261	3,786,499	2135	30.6	29.2-32.0	800	11.7	10.7-12.7	287	3.7	3.1- 4.3	420	5.7	4.9- 6.5	3619	48.2	46.8-49.6
Black or Afr. Am./Non-Hisp	711	424,734	227	33.2	28.7-37.7	57	9.1	6.6-11.6	18	2.6	1.2- 4.0	22	3.6	1.6- 5.6	387	51.4	46.7-56.1
Oth. Race/Non-Hisp.	325	149,167	86	23.1	17.6-28.6	26	8.9	4.8-13.0	9	1.4	0.4- 2.4	13	2.7	0.9- 4.5	191	63.9	57.4-70.4
MultiRacial/Non-Hisp.	166	49,132	45	26.7	18.5-34.9	21	17.6	9.6-25.6	3	1.8	0.0- 4.2	10	6.0	1.9-10.1	87	48.0	38.8-57.2
Hispanic	458	304,440	158	33.5	28.4-38.6	33	7.7	4.6-10.8	10	1.5	0.3- 2.7	20	5.8	2.9- 8.7	237	51.5	46.0-57.0
18-24	501	622,686	180	32.6	28.1-37.1	70	12.5	9.6-15.4	12	2.1	0.7- 3.5	14	3.3	1.5- 5.1	225	49.5	44.6-54.4
25-34	970	812,803	375	37.1	33.8-40.4	146	14.0	11.6-16.4	34	3.2	2.0- 4.4	47	7.0	4.6- 9.4	368	38.6	35.1-42.1
35-44	1116	767,570	412	37.0	33.9-40.1	144	13.1	10.9-15.3	63	5.5	4.1- 6.9	56	4.9	3.5- 6.3	441	39.5	36.4-42.6
45-54	1541	734,872	509	31.2	28.7-33.7	171	10.9	9.1-12.7	53	3.3	2.3- 4.3	75	5.3	3.9- 6.7	733	49.4	46.7-52.1
55-64	1793	796,643	493	27.2	24.8-29.6	206	11.3	9.5-13.1	67	3.3	2.5- 4.1	102	6.0	4.8- 7.2	925	52.2	49.7-54.7
65+	3206	1,076,020	731	22.1	20.3-23.9	217	6.8	5.8- 7.8	100	2.6	2.0- 3.2	207	6.2	5.2- 7.2	1951	62.3	60.3-64.3
Less Than H.S.	530	530,087	105	20.7	16.6-24.8	33	7.2	4.7- 9.7	3	0.4	0.0- 1.0	27	7.0	3.7-10.3	362	64.7	59.6-69.8
H.S. or G.E.D.	2661	1,596,210	653	26.8	24.8-28.8	207	9.2	7.8-10.6	64	2.8	2.0- 3.6	119	4.7	3.7- 5.7	1618	56.5	54.1-58.9
Some Post-H.S.	2415	1,466,236	736	33.1	30.9-35.3	225	11.0	9.4-12.6	68	3.0	2.2- 3.8	132	5.9	4.7- 7.1	1254	47.0	44.6-49.4
College Graduate	3472	1,190,584	1192	36.9	35.1-38.7	484	15.7	14.3-17.1	194	5.9	4.9- 6.9	219	5.8	5.0- 6.6	1383	35.8	34.0-37.6
Less than \$15,000	476	264,266	98	22.7	17.8-27.6	27	6.7	3.6- 9.8	10	2.0	0.6- 3.4	25	4.3	2.3- 6.3	316	64.4	58.9-69.9
\$15,000-24,999	845	413,345	175	23.9	20.2-27.6	33	4.0	2.4- 5.6	15	1.9	0.7- 3.1	31	3.6	2.0- 5.2	591	66.7	62.8-70.6
\$25,000-34,999	956	529,450	269	29.4	25.7-33.1	66	8.4	6.2-10.6	19	1.8	0.8- 2.8	38	4.6	2.8- 6.4	564	55.9	52.0-59.8
\$35,000-49,999	1084	560,422	309	29.3	26.0-32.6	102	10.6	8.2-13.0	37	3.1	1.9- 4.3	45	5.5	3.3- 7.7	591	51.4	47.7-55.1
\$50,000-99,999	2277	1,219,569	750	33.2	30.8-35.6	291	14.0	12.2-15.8	114	4.8	3.8- 5.8	138	5.8	4.6- 7.0	984	42.3	39.8-44.8
\$100,000-199,999	1308	687,478	493	38.0	34.9-41.1	221	17.7	15.3-20.1	68	4.7	3.5- 5.9	117	8.2	6.4-10.0	409	31.4	28.5-34.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4147	2,343,148	1229	30.1	28.3-31.9	525	13.3	12.1-14.5	184	3.8	3.2- 4.4	328	8.3	7.1- 9.5	1881	44.6	42.6-46.6
White/Non-Hisp	3298	1,836,509	962	30.0	28.0-32.0	435	13.8	12.4-15.2	163	4.4	3.6- 5.2	271	8.5	7.1- 9.9	1467	43.2	41.0-45.4
Black or Afr. Am./Non-Hisp	263	200,442	86	32.3	25.4-39.2	29	9.9	6.0-13.8	7	2.3	0.3- 4.3	11	4.8	1.3- 8.3	130	50.6	43.2-58.0
Oth. Race/Non-Hisp.	180	79,524	52	27.3	19.3-35.3	16	10.8	4.5-17.1	6	1.4	0.0- 2.8	9	3.8	0.7- 6.9	97	56.7	47.5-65.9
MultiRacial/Non-Hisp.	79	22,484	25	33.4	20.7-46.1	11	20.8	8.1-33.5	1	1.3	0.0- 3.8	9	10.1	2.8-17.4	33	34.3	22.5-46.1
Hispanic	225	149,548	81	33.6	26.5-40.7	26	12.6	7.1-18.1	5	1.0	0.0- 2.2	15	9.2	3.7-14.7	98	43.6	36.0-51.2
18-24	268	323,208	92	30.5	24.6-36.4	39	12.7	8.6-16.8	4	1.7	0.0- 3.7	10	4.9	1.8- 8.0	123	50.2	43.5-56.9
25-34	451	408,697	177	35.6	30.7-40.5	81	16.3	12.6-20.0	16	3.0	1.4- 4.6	35	11.5	7.2-15.8	142	33.5	28.4-38.6
35-44	513	384,279	191	37.2	32.5-41.9	78	15.3	11.8-18.8	34	6.1	3.9- 8.3	36	6.9	4.5- 9.3	174	34.5	30.0-39.0
45-54	714	362,035	232	30.0	26.3-33.7	100	13.3	10.6-16.0	34	4.6	3.0- 6.2	48	7.0	4.8- 9.2	300	45.0	40.9-49.1
55-64	833	388,586	216	25.4	22.1-28.7	127	15.8	12.9-18.7	37	3.9	2.5- 5.3	68	8.5	6.3-10.7	385	46.3	42.4-50.2
65+	1368	476,342	321	23.2	20.7-25.7	100	7.3	5.7- 8.9	59	3.3	2.3- 4.3	131	9.6	7.8-11.4	757	56.6	53.5-59.7
Less Than H.S.	257	277,881	56	19.9	14.4-25.4	25	11.4	6.9-15.9	1	0.4	0.0- 1.2	23	12.2	6.3-18.1	152	56.1	48.7-63.5
H.S. or G.E.D.	1239	821,241	324	27.4	24.5-30.3	125	10.9	8.9-12.9	35	3.2	2.0- 4.4	80	6.6	5.0- 8.2	675	51.9	48.6-55.2
Some Post-H.S.	1000	647,325	287	31.6	28.3-34.9	117	12.8	10.4-15.2	38	3.4	2.2- 4.6	84	9.2	7.0-11.4	474	43.0	39.5-46.5
College Graduate	1621	579,477	550	36.6	33.9-39.3	254	18.0	15.8-20.2	110	6.9	5.5- 8.3	138	7.6	6.2- 9.0	569	30.8	28.3-33.3
Less than \$15,000	202	120,788	38	19.4	12.5-26.3	17	8.8	4.1-13.5	5	1.8	0.0- 4.0	18	7.3	3.6-11.0	124	62.7	54.5-70.9
\$15,000- 24,999	289	148,087	59	25.4	18.7-32.1	17	5.8	2.7- 8.9	7	2.0	0.4- 3.6	18	5.5	2.8- 8.2	188	61.4	54.5-68.3
\$25,000- 34,999	396	235,933	116	29.6	24.1-35.1	32	10.1	6.2-14.0	9	1.4	0.4- 2.4	27	7.8	4.5-11.1	212	51.2	45.1-57.3
\$35,000- 49,999	497	282,526	131	24.5	20.0-29.0	60	14.1	10.2-18.0	24	3.8	2.0- 5.6	27	7.8	3.9-11.7	255	49.8	44.3-55.3
\$50,000- 99,999	1146	644,672	381	33.5	30.2-36.8	158	16.0	13.3-18.7	58	4.7	3.3- 6.1	93	7.9	5.9- 9.9	456	37.9	34.6-41.2
\$100,000 - 199,999	689	378,714	228	34.4	30.1-38.7	133	18.5	15.2-21.8	43	5.5	3.7- 7.3	78	10.7	8.0-13.4	207	30.9	26.6-35.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4980	2,467,446	1471	31.1	29.5-32.7	429	9.1	8.1-10.1	145	2.9	2.3- 3.5	173	3.0	2.4- 3.6	2762	53.9	52.1-55.7
White/Non-Hisp	3963	1,949,990	1173	31.2	29.4-33.0	365	9.7	8.5-10.9	124	3.1	2.5- 3.7	149	3.1	2.5- 3.7	2152	52.8	50.8-54.8
Black or Afr. Am./Non-Hisp	448	224,292	141	34.1	28.4-39.8	28	8.3	4.8-11.8	11	2.9	0.9- 4.9	11	2.6	0.8- 4.4	257	52.1	46.0-58.2
Oth. Race/Non-Hisp.	145	69,644	34	18.4	11.3-25.5	10	6.6	1.7-11.5	3	1.3	0.0- 2.9	4	1.5	0.0- 3.1	94	72.1	63.5-80.7
MultiRacial/Non-Hisp.	87	26,648	20	20.9	10.5-31.3	10	14.9	4.7-25.1	2	2.2	0.0- 6.1	1	2.5	0.0- 7.4	54	59.5	46.6-72.4
Hispanic	233	154,892	77	33.4	26.3-40.5	7	3.0	0.3- 5.7	5	2.0	0.0- 4.0	5	2.6	0.1- 5.1	139	59.1	51.7-66.5
18-24	233	299,478	88	34.9	28.2-41.6	31	12.3	8.0-16.6	8	2.5	0.7- 4.3	4	1.7	0.0- 3.5	102	48.8	41.5-56.1
25-34	519	404,105	198	38.7	34.0-43.4	65	11.6	8.7-14.5	18	3.4	1.6- 5.2	12	2.5	1.1- 3.9	226	43.8	39.1-48.5
35-44	603	383,291	221	36.7	32.4-41.0	66	10.9	8.2-13.6	29	4.9	2.9- 6.9	20	3.0	1.6- 4.4	267	44.5	40.2-48.8
45-54	827	372,836	277	32.2	28.7-35.7	71	8.6	6.6-10.6	19	2.0	1.0- 3.0	27	3.6	2.2- 5.0	433	53.6	49.9-57.3
55-64	960	408,057	277	28.8	25.7-31.9	79	7.0	5.4- 8.6	30	2.8	1.8- 3.8	34	3.6	2.2- 5.0	540	57.8	54.3-61.3
65+	1838	599,678	410	21.2	19.0-23.4	117	6.4	5.0- 7.8	41	2.1	1.3- 2.9	76	3.5	2.5- 4.5	1194	66.8	64.3-69.3
Less Than H.S.	273	252,206	49	21.6	15.5-27.7	8	2.6	0.4- 4.8	2	0.5	0.0- 1.3	4	1.1	0.0- 2.5	210	74.2	67.7-80.7
H.S. or G.E.D.	1422	774,970	329	26.1	23.4-28.8	82	7.3	5.5- 9.1	29	2.4	1.4- 3.4	39	2.6	1.6- 3.6	943	61.5	58.4-64.6
Some Post-H.S.	1415	818,911	449	34.3	31.4-37.2	108	9.6	7.6-11.6	30	2.7	1.7- 3.7	48	3.2	2.2- 4.2	780	50.2	47.1-53.3
College Graduate	1851	611,107	642	37.2	34.7-39.7	230	13.4	11.6-15.2	84	4.9	3.7- 6.1	81	4.0	3.0- 5.0	814	40.5	38.0-43.0
Less than \$15,000	274	143,478	60	25.4	18.5-32.3	10	4.9	1.0- 8.8	5	2.0	0.0- 4.0	7	1.8	0.4- 3.2	192	65.9	58.5-73.3
\$15,000- 24,999	556	265,258	116	23.0	18.5-27.5	16	3.0	1.2- 4.8	8	1.8	0.2- 3.4	13	2.5	0.7- 4.3	403	69.6	64.7-74.5
\$25,000- 34,999	560	293,518	153	29.2	24.3-34.1	34	7.0	4.5- 9.5	10	2.1	0.3- 3.9	11	2.0	0.6- 3.4	352	59.7	54.4-65.0
\$35,000- 49,999	587	277,896	178	34.3	29.6-39.0	42	7.1	4.6- 9.6	13	2.3	0.9- 3.7	18	3.3	1.5- 5.1	336	53.0	48.1-57.9
\$50,000- 99,999	1131	574,896	369	32.7	29.4-36.0	133	11.7	9.3-14.1	56	4.9	3.5- 6.3	45	3.4	2.2- 4.6	528	47.2	43.7-50.7
\$100,000 - 199,999	619	308,764	265	42.5	38.0-47.0	88	16.7	13.0-20.4	25	3.7	2.1- 5.3	39	5.1	3.1- 7.1	202	32.0	27.7-36.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9006	4,735,137	7893	84.6	83.6-85.6	1113	15.4	14.4-16.4
Male	4078	2,296,997	3431	80.7	79.1-82.3	647	19.3	17.7-20.9
Female	4928	2,438,140	4462	88.2	87.0-89.4	466	11.8	10.6-13.0
White/Non-Hisp	7180	3,734,525	6296	84.6	83.4-85.8	884	15.4	14.2-16.6
Black or Afr. Am./Non-Hisp	696	415,014	622	86.0	82.5-89.5	74	14.0	10.5-17.5
Oth. Race/Non-Hisp.	320	147,763	290	90.8	87.1-94.5	30	9.2	5.5-12.9
MultiRacial/Non-Hisp.	164	48,722	134	79.6	72.2-87.0	30	20.4	13.0-27.8
Hispanic	448	298,249	367	78.5	73.6-83.4	81	21.5	16.6-26.4
18-24	496	616,101	370	77.7	73.8-81.6	126	22.3	18.4-26.2
25-34	955	798,792	726	75.7	72.6-78.8	229	24.3	21.2-27.4
35-44	1092	747,064	866	78.9	76.2-81.6	226	21.1	18.4-23.8
45-54	1518	721,981	1302	85.5	83.5-87.5	216	14.5	12.5-16.5
55-64	1762	783,372	1573	88.6	86.8-90.4	189	11.4	9.6-13.2
65+	3183	1,067,827	3056	95.6	94.8-96.4	127	4.4	3.6- 5.2
Less Than H.S.	516	514,284	458	86.3	82.6-90.0	58	13.7	10.0-17.4
H.S. or G.E.D.	2624	1,572,323	2318	85.2	83.4-87.0	306	14.8	13.0-16.6
Some Post-H.S.	2379	1,442,094	2078	83.6	81.6-85.6	301	16.4	14.4-18.4
College Graduate	3440	1,179,925	2998	84.2	82.8-85.6	442	15.8	14.4-17.2
Less than \$15,000	471	260,048	413	87.2	83.5-90.9	58	12.8	9.1-16.5
\$15,000-24,999	837	409,732	771	89.4	86.7-92.1	66	10.6	7.9-13.3
\$25,000-34,999	946	522,884	848	85.6	82.7-88.5	98	14.4	11.5-17.3
\$35,000-49,999	1073	553,937	954	84.1	81.0-87.2	119	15.9	12.8-19.0
\$50,000-99,999	2247	1,197,874	1926	82.8	80.8-84.8	321	17.2	15.2-19.2
\$100,000-199,999	1289	677,841	1049	78.5	75.8-81.2	240	21.5	18.8-24.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4078	2,296,997	3431	80.7	79.1-82.3	647	19.3	17.7-20.9
White/Non-Hisp	3256	1,808,552	2740	80.7	78.9-82.5	516	19.3	17.5-21.1
Black or Afr. Am./Non-Hisp	255	193,537	224	84.6	78.7-90.5	31	15.4	9.5-21.3
Oth. Race/Non-Hisp.	176	78,324	158	89.3	83.8-94.8	18	10.7	5.2-16.2
MultiRacial/Non-Hisp.	78	22,298	58	75.0	64.0-86.0	20	25.0	14.0-36.0
Hispanic	218	145,156	167	71.5	63.9-79.1	51	28.5	20.9-36.1
18-24	266	319,972	198	77.3	72.0-82.6	68	22.7	17.4-28.0
25-34	443	401,255	309	69.1	64.0-74.2	134	30.9	25.8-36.0
35-44	500	371,118	373	74.4	70.1-78.7	127	25.6	21.3-29.9
45-54	703	354,572	575	82.0	78.9-85.1	128	18.0	14.9-21.1
55-64	815	380,094	699	84.6	81.7-87.5	116	15.4	12.5-18.3
65+	1351	469,986	1277	93.9	92.3-95.5	74	6.1	4.5- 7.7
Less Than H.S.	245	264,328	203	79.0	72.5-85.5	42	21.0	14.5-27.5
H.S. or G.E.D.	1216	807,168	1022	81.0	78.3-83.7	194	19.0	16.3-21.7
Some Post-H.S.	983	634,105	825	80.6	77.7-83.5	158	19.4	16.5-22.3
College Graduate	1605	574,442	1358	81.4	79.0-83.8	247	18.6	16.2-21.0
Less than \$15,000	198	117,014	168	83.8	77.5-90.1	30	16.2	9.9-22.5
\$15,000- 24,999	284	145,884	264	91.7	87.6-95.8	20	8.3	4.2-12.4
\$25,000- 34,999	392	232,528	338	82.3	77.4-87.2	54	17.7	12.8-22.6
\$35,000- 49,999	493	280,249	417	78.1	72.8-83.4	76	21.9	16.6-27.2
\$50,000- 99,999	1131	633,751	936	79.3	76.4-82.2	195	20.7	17.8-23.6
\$100,000 - 199,999	676	371,144	523	75.3	71.4-79.2	153	24.7	20.8-28.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4928	2,438,140	4462	88.2	87.0-89.4	466	11.8	10.6-13.0
White/Non-Hisp	3924	1,925,973	3556	88.3	86.9-89.7	368	11.7	10.3-13.1
Black or Afr. Am./Non-Hisp	441	221,478	398	87.3	83.2-91.4	43	12.7	8.6-16.8
Oth. Race/Non-Hisp.	144	69,439	132	92.4	87.7-97.1	12	7.6	2.9-12.3
MultiRacial/Non-Hisp.	86	26,423	76	83.6	73.6-93.6	10	16.4	6.4-26.4
Hispanic	230	153,092	200	85.2	79.5-90.9	30	14.8	9.1-20.5
18-24	230	296,129	172	78.0	72.5-83.5	58	22.0	16.5-27.5
25-34	512	397,537	417	82.3	78.8-85.8	95	17.7	14.2-21.2
35-44	592	375,946	493	83.3	80.0-86.6	99	16.7	13.4-20.0
45-54	815	367,409	727	88.8	86.4-91.2	88	11.2	8.8-13.6
55-64	947	403,278	874	92.4	90.4-94.4	73	7.6	5.6- 9.6
65+	1832	597,841	1779	97.0	96.0-98.0	53	3.0	2.0- 4.0
Less Than H.S.	271	249,956	255	93.9	90.6-97.2	16	6.1	2.8- 9.4
H.S. or G.E.D.	1408	765,155	1296	89.8	87.8-91.8	112	10.2	8.2-12.2
Some Post-H.S.	1396	807,988	1253	85.9	83.5-88.3	143	14.1	11.7-16.5
College Graduate	1835	605,483	1640	86.8	84.8-88.8	195	13.2	11.2-15.2
Less than \$15,000	273	143,034	245	90.0	85.9-94.1	28	10.0	5.9-14.1
\$15,000- 24,999	553	263,849	507	88.2	84.5-91.9	46	11.8	8.1-15.5
\$25,000- 34,999	554	290,356	510	88.4	84.7-92.1	44	11.6	7.9-15.3
\$35,000- 49,999	580	273,688	537	90.3	87.2-93.4	43	9.7	6.6-12.8
\$50,000- 99,999	1116	564,123	990	86.8	84.3-89.3	126	13.2	10.7-15.7
\$100,000 - 199,999	613	306,697	526	82.4	78.5-86.3	87	17.6	13.7-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	>0, <=1		N	>1, <=2		N	>2, <=5		N	>5, <=10		N	>10		N	None	
				%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	8977	4,707,561	1609	17.4	16.4-18.4	586	6.8	6.2- 7.4	908	10.4	9.6-11.2	657	7.8	7.0- 8.6	525	6.7	6.1- 7.3	4692	50.9	49.5-52.3
Male	4063	2,281,118	650	15.0	13.6-16.4	273	6.8	5.8- 7.8	473	11.4	10.2-12.6	391	10.3	9.1-11.5	378	10.2	9.0-11.4	1898	46.2	44.2-48.2
Female	4914	2,426,443	959	19.6	18.2-21.0	313	6.8	5.8- 7.8	435	9.5	8.5-10.5	266	5.5	4.7- 6.3	147	3.4	2.8- 4.0	2794	55.3	53.5-57.1
White/Non-Hisp	7165	3,722,883	1291	17.4	16.4-18.4	492	7.3	6.5- 8.1	735	10.6	9.8-11.4	559	8.4	7.6- 9.2	436	6.9	6.1- 7.7	3652	49.4	48.0-50.8
Black or Afr. Am./Non-Hisp	694	413,306	137	20.0	16.3-23.7	32	4.8	2.8- 6.8	68	10.9	8.0-13.8	36	5.7	3.5- 7.9	28	4.9	2.7- 7.1	393	53.6	48.9-58.3
Oth. Race/Non-Hisp.	323	148,517	45	11.6	7.7-15.5	20	5.4	2.7- 8.1	31	9.6	5.5-13.7	20	6.0	2.9- 9.1	12	2.3	0.7- 3.9	195	65.0	58.5-71.5
MultiRacial/Non-Hisp.	162	48,112	25	14.6	7.7-21.5	10	8.8	2.1-15.5	17	11.2	5.3-17.1	11	8.5	3.0-14.0	11	7.5	2.6-12.4	88	49.5	40.1-58.9
Hispanic	438	285,104	82	18.7	14.4-23.0	24	4.4	2.4- 6.4	40	8.6	5.7-11.5	23	4.9	2.4- 7.4	28	7.3	4.4-10.2	241	56.2	50.7-61.7
18-24	488	603,829	79	15.2	11.7-18.7	36	7.4	4.9- 9.9	65	10.6	7.9-13.3	46	8.0	5.5-10.5	35	7.3	4.8- 9.8	227	51.5	46.6-56.4
25-34	949	791,837	187	19.9	17.0-22.8	96	8.3	6.5-10.1	138	13.6	11.2-16.0	93	10.1	7.7-12.5	66	8.3	6.1-10.5	369	39.8	36.3-43.3
35-44	1094	750,474	209	18.6	16.1-21.1	100	8.8	7.0-10.6	148	13.7	11.5-15.9	103	9.3	7.3-11.3	85	8.6	6.6-10.6	449	41.0	37.7-44.3
45-54	1512	717,786	275	16.5	14.5-18.5	122	7.9	6.3- 9.5	166	10.1	8.5-11.7	122	8.5	6.9-10.1	84	5.6	4.2- 7.0	743	51.4	48.7-54.1
55-64	1763	780,831	331	18.3	16.3-20.3	100	5.3	4.1- 6.5	166	9.0	7.4-10.6	126	7.1	5.7- 8.5	111	6.7	5.3- 8.1	929	53.5	50.8-56.2
65+	3171	1,062,805	528	15.7	14.3-17.1	132	4.3	3.5- 5.1	225	6.9	5.9- 7.9	167	5.1	4.1- 6.1	144	4.5	3.7- 5.3	1975	63.6	61.6-65.6
Less Than H.S.	510	506,322	56	11.7	8.4-15.0	15	3.5	1.5- 5.5	22	4.0	2.0- 6.0	21	5.4	2.5- 8.3	30	6.8	4.1- 9.5	366	68.6	63.5-73.7
H.S. or G.E.D.	2617	1,563,842	385	15.3	13.5-17.1	118	5.1	4.1- 6.1	186	8.1	6.9- 9.3	151	6.7	5.5- 7.9	146	6.7	5.5- 7.9	1631	58.1	55.7-60.5
Some Post-H.S.	2371	1,433,480	422	17.9	16.1-19.7	144	7.0	5.8- 8.2	236	11.5	9.9-13.1	161	8.0	6.6- 9.4	139	7.0	5.6- 8.4	1269	48.6	46.2-51.0
College Graduate	3433	1,177,631	738	21.8	20.2-23.4	307	10.1	8.9-11.3	460	15.1	13.7-16.5	320	10.1	8.9-11.3	208	6.3	5.3- 7.3	1400	36.6	34.8-38.4
Less than \$15,000	464	255,789	51	12.3	8.2-16.4	26	6.5	3.6- 9.4	22	4.0	2.0- 6.0	21	4.9	2.4- 7.4	27	5.6	3.2- 8.0	317	66.7	61.2-72.2
\$15,000-24,999	833	406,140	103	14.3	11.2-17.4	29	3.6	2.0- 5.2	46	5.7	3.7- 7.7	24	3.7	2.1- 5.3	35	4.2	2.6- 5.8	596	68.6	64.7-72.5
\$25,000-34,999	950	525,229	166	16.6	13.7-19.5	49	5.9	3.9- 7.9	67	7.9	5.7-10.1	53	6.6	4.4- 8.8	48	6.4	4.2- 8.6	567	56.7	52.8-60.6
\$35,000-49,999	1074	554,829	201	18.0	15.3-20.7	51	4.7	3.3- 6.1	98	9.7	7.5-11.9	72	7.4	5.4- 9.4	56	7.5	5.1- 9.9	596	52.6	48.9-56.3
\$50,000-99,999	2243	1,193,473	442	18.6	16.6-20.6	182	8.0	6.6- 9.4	266	12.5	10.9-14.1	209	9.9	8.3-11.5	146	7.3	5.9- 8.7	998	43.7	41.2-46.2
\$100,000-199,999	1292	679,373	276	20.1	17.6-22.6	123	10.0	8.0-12.0	203	16.2	13.8-18.6	155	11.7	9.7-13.7	121	9.9	7.9-11.9	414	32.1	29.0-35.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4063	2,281,118	650	15.0	13.6-16.4	273	6.8	5.8- 7.8	473	11.4	10.2-12.6	391	10.3	9.1-11.5	378	10.2	9.0-11.4	1898	46.2	44.2-48.2
White/Non-Hisp	3248	1,801,375	521	15.2	13.6-16.8	223	7.2	6.2- 8.2	382	11.5	10.1-12.9	333	11.1	9.7-12.5	312	10.6	9.2-12.0	1477	44.4	42.2-46.6
Black or Afr. Am./Non-Hisp	257	195,095	48	17.2	11.7-22.7	11	3.6	1.2- 6.0	32	12.2	7.5-16.9	20	8.1	4.2-12.0	15	6.2	2.3-10.1	131	52.8	45.4-60.2
Oth. Race/Non-Hisp.	178	78,873	27	13.5	7.6-19.4	13	8.0	3.1-12.9	19	10.7	4.6-16.8	9	6.1	1.6-10.6	11	4.1	1.0- 7.2	99	57.6	48.4-66.8
MultiRacial/Non-Hisp.	75	21,464	12	18.2	6.8-29.6	6	11.0	0.6-21.4	7	9.8	2.4-17.2	8	12.9	2.9-22.9	8	11.0	2.4-19.6	34	37.0	24.5-49.5
Hispanic	211	135,803	29	11.9	7.2-16.6	16	5.5	2.6- 8.4	25	11.4	6.5-16.3	17	8.1	3.2-13.0	23	12.9	7.4-18.4	101	50.2	42.4-58.0
18-24	261	313,215	36	13.1	8.6-17.6	16	6.1	3.0- 9.2	33	9.7	6.2-13.2	28	9.0	5.3-12.7	23	9.4	5.5-13.3	125	52.7	45.8-59.6
25-34	436	392,119	72	15.9	12.0-19.8	43	7.4	4.9- 9.9	72	14.4	10.9-17.9	59	14.7	10.4-19.0	47	12.4	8.5-16.3	143	35.2	29.9-40.5
35-44	503	376,016	83	15.8	12.3-19.3	47	9.1	6.4-11.8	73	14.7	11.4-18.0	59	11.0	8.1-13.9	62	13.3	10.0-16.6	179	36.0	31.3-40.7
45-54	694	350,375	107	13.7	11.0-16.4	54	7.7	5.5- 9.9	100	12.5	10.0-15.0	76	11.3	8.8-13.8	56	7.8	5.6-10.0	301	46.9	42.8-51.0
55-64	820	381,160	131	15.2	12.5-17.9	53	6.3	4.5- 8.1	87	10.4	8.0-12.8	81	10.1	7.6-12.6	83	10.7	8.3-13.1	385	47.2	43.3-51.1
65+	1349	468,233	221	15.7	13.5-17.9	60	4.6	3.2- 6.0	108	7.4	5.8- 9.0	88	6.5	4.9- 8.1	107	7.7	6.1- 9.3	765	58.0	54.9-61.1
Less Than H.S.	241	258,069	21	8.2	4.5-11.9	9	4.0	1.3- 6.7	16	6.0	2.7- 9.3	14	8.1	2.8-13.4	26	12.2	6.9-17.5	155	61.5	54.1-68.9
H.S. or G.E.D.	1213	801,332	171	14.0	11.6-16.4	58	5.3	3.7- 6.9	99	8.1	6.3- 9.9	102	9.5	7.5-11.5	105	9.6	7.6-11.6	678	53.5	50.2-56.8
Some Post-H.S.	983	634,093	138	14.3	11.8-16.8	58	6.7	4.9- 8.5	121	13.3	10.8-15.8	90	10.4	8.0-12.8	96	10.9	8.5-13.3	480	44.4	40.9-47.9
College Graduate	1599	571,589	313	19.8	17.4-22.2	147	10.4	8.6-12.2	234	16.5	14.3-18.7	181	12.3	10.3-14.3	150	9.4	7.8-11.0	574	31.5	29.0-34.0
Less than \$15,000	193	114,502	16	8.2	3.1-13.3	13	6.6	2.5-10.7	9	3.0	0.8- 5.2	13	7.5	2.8-12.2	17	8.3	3.8-12.8	125	66.4	58.2-74.6
\$15,000- 24,999	284	146,259	30	12.6	7.1-18.1	7	4.0	0.9- 7.1	22	8.2	4.5-11.9	13	5.5	2.2- 8.8	21	6.2	3.1- 9.3	191	63.5	56.6-70.4
\$25,000- 34,999	394	234,063	62	14.3	10.4-18.2	19	4.9	2.4- 7.4	35	10.1	6.4-13.8	32	9.0	5.3-12.7	33	9.7	6.0-13.4	213	52.0	45.9-58.1
\$35,000- 49,999	493	280,154	76	13.1	9.8-16.4	20	2.9	1.5- 4.3	58	11.9	8.4-15.4	41	9.3	6.0-12.6	42	11.9	7.6-16.2	256	50.9	45.4-56.4
\$50,000- 99,999	1127	629,220	211	17.3	14.8-19.8	86	7.9	5.9- 9.9	132	12.8	10.4-15.2	126	12.2	9.8-14.6	112	10.7	8.3-13.1	460	39.2	35.9-42.5
\$100,000 - 199,999	679	373,143	107	15.9	12.4-19.4	62	9.4	6.9-11.9	111	15.2	12.1-18.3	102	14.6	11.7-17.5	89	13.4	10.3-16.5	208	31.5	27.2-35.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4914	2,426,443	959	19.6	18.2-21.0	313	6.8	5.8- 7.8	435	9.5	8.5-10.5	266	5.5	4.7- 6.3	147	3.4	2.8- 4.0	2794	55.3	53.5-57.1
White/Non-Hisp	3917	1,921,508	770	19.4	17.8-21.0	269	7.4	6.4- 8.4	353	9.7	8.5-10.9	226	6.0	5.0- 7.0	124	3.5	2.7- 4.3	2175	54.1	52.1-56.1
Black or Afr. Am./Non-Hisp	437	218,211	89	22.6	17.3-27.9	21	5.8	2.9- 8.7	36	9.8	6.1-13.5	16	3.6	1.6- 5.6	13	3.9	1.5- 6.3	262	54.3	48.2-60.4
Oth. Race/Non-Hisp.	145	69,644	18	9.4	4.3-14.5	7	2.5	0.5- 4.5	12	8.4	3.3-13.5	11	6.0	1.5-10.5	1	0.3	0.0- 0.9	96	73.5	65.1-81.9
MultiRacial/Non-Hisp.	87	26,648	13	11.7	3.9-19.5	4	6.9	0.0-15.7	10	12.4	4.0-20.8	3	4.9	0.0-10.4	3	4.6	0.0-10.3	54	59.5	46.6-72.4
Hispanic	227	149,301	53	24.8	18.1-31.5	8	3.3	0.6- 6.0	15	6.0	2.7- 9.3	6	2.0	0.2- 3.8	5	2.3	0.1- 4.5	140	61.6	54.2-69.0
18-24	227	290,614	43	17.4	12.1-22.7	20	8.8	4.7-12.9	32	11.6	7.5-15.7	18	6.9	3.4-10.4	12	5.0	2.1- 7.9	102	50.2	42.9-57.5
25-34	513	399,718	115	23.8	19.7-27.9	53	9.2	6.7-11.7	66	12.8	9.7-15.9	34	5.6	3.6- 7.6	19	4.3	2.3- 6.3	226	44.2	39.5-48.9
35-44	591	374,458	126	21.4	17.7-25.1	53	8.4	6.0-10.8	75	12.7	9.8-15.6	44	7.6	5.1-10.1	23	3.9	2.1- 5.7	270	46.0	41.5-50.5
45-54	818	367,410	168	19.2	16.3-22.1	68	8.1	6.1-10.1	66	7.7	5.7- 9.7	46	5.8	4.0- 7.6	28	3.5	2.1- 4.9	442	55.7	52.0-59.4
55-64	943	399,671	200	21.2	18.3-24.1	47	4.3	2.9- 5.7	79	7.7	5.7- 9.7	45	4.3	2.9- 5.7	28	2.9	1.7- 4.1	544	59.5	56.0-63.0
65+	1822	594,572	307	15.7	13.7-17.7	72	4.0	3.0- 5.0	117	6.4	5.0- 7.8	79	3.9	2.9- 4.9	37	2.0	1.2- 2.8	1210	68.0	65.5-70.5
Less Than H.S.	269	248,253	35	15.5	10.0-21.0	6	3.0	0.1- 5.9	6	1.9	0.1- 3.7	7	2.5	0.3- 4.7	4	1.2	0.0- 2.4	211	75.9	69.6-82.2
H.S. or G.E.D.	1404	762,510	214	16.7	14.3-19.1	60	5.0	3.4- 6.6	87	8.0	6.2- 9.8	49	3.8	2.4- 5.2	41	3.6	2.4- 4.8	953	63.0	59.9-66.1
Some Post-H.S.	1388	799,387	284	20.7	18.2-23.2	86	7.3	5.7- 8.9	115	10.0	8.0-12.0	71	6.1	4.5- 7.7	43	3.9	2.5- 5.3	789	51.9	48.8-55.0
College Graduate	1834	606,041	425	23.6	21.4-25.8	160	9.8	8.2-11.4	226	13.8	12.0-15.6	139	8.1	6.7- 9.5	58	3.4	2.4- 4.4	826	41.3	38.8-43.8
Less than \$15,000	271	141,287	35	15.7	9.6-21.8	13	6.4	2.1-10.7	13	4.8	1.7- 7.9	8	2.8	0.4- 5.2	10	3.4	1.0- 5.8	192	66.9	59.5-74.3
\$15,000- 24,999	549	259,882	73	15.2	11.3-19.1	22	3.4	1.6- 5.2	24	4.2	2.0- 6.4	11	2.7	0.9- 4.5	14	3.1	1.3- 4.9	405	71.4	66.5-76.3
\$25,000- 34,999	556	291,166	104	18.4	14.3-22.5	30	6.7	4.0- 9.4	32	6.1	3.7- 8.5	21	4.6	2.1- 7.1	15	3.8	1.6- 6.0	354	60.4	55.1-65.7
\$35,000- 49,999	581	274,674	125	23.0	18.9-27.1	31	6.6	4.1- 9.1	40	7.5	5.0-10.0	31	5.6	3.4- 7.8	14	3.0	1.2- 4.8	340	54.4	49.5-59.3
\$50,000- 99,999	1116	564,253	231	20.0	17.3-22.7	96	8.2	6.4-10.0	134	12.2	9.8-14.6	83	7.4	5.6- 9.2	34	3.6	2.2- 5.0	538	48.7	45.2-52.2
\$100,000 - 199,999	613	306,229	169	25.2	21.5-28.9	61	10.8	7.9-13.7	92	17.3	13.6-21.0	53	8.1	5.4-10.8	32	5.7	3.3- 8.1	206	32.9	28.6-37.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8977	4,707,561	8522	94.1	93.5-94.7	455	5.9	5.3- 6.5
Male	4063	2,281,118	3848	93.8	92.8-94.8	215	6.2	5.2- 7.2
Female	4914	2,426,443	4674	94.3	93.5-95.1	240	5.7	4.9- 6.5
White/Non-Hisp	7165	3,722,883	6794	93.9	93.1-94.7	371	6.1	5.3- 6.9
Black or Afr. Am./Non-Hisp	694	413,306	665	95.3	93.3-97.3	29	4.7	2.7- 6.7
Oth. Race/Non-Hisp.	323	148,517	310	97.0	95.0-99.0	13	3.0	1.0- 5.0
MultiRacial/Non-Hisp.	162	48,112	153	92.8	87.7-97.9	9	7.2	2.1-12.3
Hispanic	438	285,104	412	93.6	90.9-96.3	26	6.4	3.7- 9.1
18-24	488	603,829	452	92.5	90.0-95.0	36	7.5	5.0-10.0
25-34	949	791,837	880	92.0	89.8-94.2	69	8.0	5.8-10.2
35-44	1094	750,474	1019	92.7	90.9-94.5	75	7.3	5.5- 9.1
45-54	1512	717,786	1435	95.0	93.8-96.2	77	5.0	3.8- 6.2
55-64	1763	780,831	1670	94.4	93.2-95.6	93	5.6	4.4- 6.8
65+	3171	1,062,805	3066	96.7	95.9-97.5	105	3.3	2.5- 4.1
Less Than H.S.	510	506,322	484	94.1	91.4-96.8	26	5.9	3.2- 8.6
H.S. or G.E.D.	2617	1,563,842	2488	94.3	93.1-95.5	129	5.7	4.5- 6.9
Some Post-H.S.	2371	1,433,480	2246	93.5	92.3-94.7	125	6.5	5.3- 7.7
College Graduate	3433	1,177,631	3260	94.5	93.5-95.5	173	5.5	4.5- 6.5
Less than \$15,000	464	255,789	435	94.0	91.5-96.5	29	6.0	3.5- 8.5
\$15,000-24,999	833	406,140	799	95.5	93.7-97.3	34	4.5	2.7- 6.3
\$25,000-34,999	950	525,229	911	94.3	92.1-96.5	39	5.7	3.5- 7.9
\$35,000-49,999	1074	554,829	1022	93.2	90.8-95.6	52	6.8	4.4- 9.2
\$50,000-99,999	2243	1,193,473	2109	93.1	91.7-94.5	134	6.9	5.5- 8.3
\$100,000-199,999	1292	679,373	1196	91.7	89.7-93.7	96	8.3	6.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4063	2,281,118	3848	93.8	92.8-94.8	215	6.2	5.2- 7.2
White/Non-Hisp	3248	1,801,375	3080	93.9	92.7-95.1	168	6.1	4.9- 7.3
Black or Afr. Am./Non-Hisp	257	195,095	248	96.2	93.1-99.3	9	3.8	0.7- 6.9
Oth. Race/Non-Hisp.	178	78,873	170	96.5	93.6-99.4	8	3.5	0.6- 6.4
MultiRacial/Non-Hisp.	75	21,464	70	92.1	84.3-99.9	5	7.9	0.1-15.7
Hispanic	211	135,803	192	89.4	84.5-94.3	19	10.6	5.7-15.5
18-24	261	313,215	246	93.5	90.2-96.8	15	6.5	3.2- 9.8
25-34	436	392,119	405	91.5	88.0-95.0	31	8.5	5.0-12.0
35-44	503	376,016	471	92.8	90.3-95.3	32	7.2	4.7- 9.7
45-54	694	350,375	663	95.7	94.1-97.3	31	4.3	2.7- 5.9
55-64	820	381,160	771	93.2	91.2-95.2	49	6.8	4.8- 8.8
65+	1349	468,233	1292	95.9	94.7-97.1	57	4.1	2.9- 5.3
Less Than H.S.	241	258,069	221	90.6	85.7-95.5	20	9.4	4.5-14.3
H.S. or G.E.D.	1213	801,332	1146	94.0	92.4-95.6	67	6.0	4.4- 7.6
Some Post-H.S.	983	634,093	924	93.2	91.2-95.2	59	6.8	4.8- 8.8
College Graduate	1599	571,589	1531	95.7	94.5-96.9	68	4.3	3.1- 5.5
Less than \$15,000	193	114,502	178	93.0	88.9-97.1	15	7.0	2.9-11.1
\$15,000- 24,999	284	146,259	269	95.1	92.2-98.0	15	4.9	2.0- 7.8
\$25,000- 34,999	394	234,063	378	94.7	91.6-97.8	16	5.3	2.2- 8.4
\$35,000- 49,999	493	280,154	466	91.7	87.8-95.6	27	8.3	4.4-12.2
\$50,000- 99,999	1127	629,220	1066	93.8	91.8-95.8	61	6.2	4.2- 8.2
\$100,000 - 199,999	679	373,143	627	91.5	89.0-94.0	52	8.5	6.0-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4914	2,426,443	4674	94.3	93.5-95.1	240	5.7	4.9- 6.5
White/Non-Hisp	3917	1,921,508	3714	94.0	93.0-95.0	203	6.0	5.0- 7.0
Black or Afr. Am./Non-Hisp	437	218,211	417	94.5	91.8-97.2	20	5.5	2.8- 8.2
Oth. Race/Non-Hisp.	145	69,644	140	97.6	95.4-99.8	5	2.4	0.2- 4.6
MultiRacial/Non-Hisp.	87	26,648	83	93.4	86.7- 100	4	6.6	0.0-13.3
Hispanic	227	149,301	220	97.4	95.0-99.8	7	2.6	0.2- 5.0
18-24	227	290,614	206	91.5	87.6-95.4	21	8.5	4.6-12.4
25-34	513	399,718	475	92.4	89.9-94.9	38	7.6	5.1-10.1
35-44	591	374,458	548	92.7	90.3-95.1	43	7.3	4.9- 9.7
45-54	818	367,410	772	94.3	92.5-96.1	46	5.7	3.9- 7.5
55-64	943	399,671	899	95.5	94.1-96.9	44	4.5	3.1- 5.9
65+	1822	594,572	1774	97.3	96.5-98.1	48	2.7	1.9- 3.5
Less Than H.S.	269	248,253	263	97.7	95.7-99.7	6	2.3	0.3- 4.3
H.S. or G.E.D.	1404	762,510	1342	94.6	93.0-96.2	62	5.4	3.8- 7.0
Some Post-H.S.	1388	799,387	1322	93.8	92.2-95.4	66	6.2	4.6- 7.8
College Graduate	1834	606,041	1729	93.3	91.9-94.7	105	6.7	5.3- 8.1
Less than \$15,000	271	141,287	257	94.8	91.7-97.9	14	5.2	2.1- 8.3
\$15,000- 24,999	549	259,882	530	95.7	93.5-97.9	19	4.3	2.1- 6.5
\$25,000- 34,999	556	291,166	533	94.0	91.1-96.9	23	6.0	3.1- 8.9
\$35,000- 49,999	581	274,674	556	94.8	92.4-97.2	25	5.2	2.8- 7.6
\$50,000- 99,999	1116	564,253	1043	92.4	90.4-94.4	73	7.6	5.6- 9.6
\$100,000 - 199,999	613	306,229	569	92.0	89.3-94.7	44	8.0	5.3-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 13: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3136	1,056,809	2141	66.6	64.6-68.6	995	33.4	31.4-35.4
Male	1357	469,633	950	67.6	64.7-70.5	407	32.4	29.5-35.3
Female	1779	587,176	1191	65.8	63.1-68.5	588	34.2	31.5-36.9
White/Non-Hisp	2700	928,170	1897	68.1	65.9-70.3	803	31.9	29.7-34.1
Black or Afr. Am./Non-Hisp	229	75,168	121	54.1	45.1-63.1	108	45.9	36.9-54.9
Oth. Race/Non-Hisp.	67	13,720	41	61.7	46.2-77.2	26	38.3	22.8-53.8
65+	3136	1,056,809	2141	66.6	64.6-68.6	995	33.4	31.4-35.4
Less Than H.S.	156	99,585	94	63.1	54.5-71.7	62	36.9	28.3-45.5
H.S. or G.E.D.	1018	397,011	650	62.5	59.2-65.8	368	37.5	34.2-40.8
Some Post-H.S.	805	307,999	532	66.0	62.3-69.7	273	34.0	30.3-37.7
College Graduate	1146	249,147	858	75.7	73.0-78.4	288	24.3	21.6-27.0
Less than \$15,000	135	45,603	81	59.6	50.0-69.2	54	40.4	30.8-50.0
\$15,000-24,999	346	115,342	226	63.1	56.8-69.4	120	36.9	30.6-43.2
\$25,000-34,999	402	144,205	256	61.3	55.4-67.2	146	38.7	32.8-44.6
\$35,000-49,999	468	157,636	312	67.4	62.3-72.5	156	32.6	27.5-37.7
\$50,000-99,999	677	218,499	499	71.8	67.9-75.7	178	28.2	24.3-32.1
\$100,000-199,999	234	73,683	179	72.9	66.2-79.6	55	27.1	20.4-33.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1357	469,633	950	67.6	64.7-70.5	407	32.4	29.5-35.3
White/Non-Hisp	1179	409,301	842	69.2	66.1-72.3	337	30.8	27.7-33.9
Black or Afr. Am./Non-Hisp	78	34,132	45	53.7	39.8-67.6	33	46.3	32.4-60.2
65+	1357	469,633	950	67.6	64.7-70.5	407	32.4	29.5-35.3
Less Than H.S.	62	40,277	38	66.0	53.5-78.5	24	34.0	21.5-46.5
H.S. or G.E.D.	388	165,414	241	60.2	54.7-65.7	147	39.8	34.3-45.3
Some Post-H.S.	323	132,369	221	68.2	62.5-73.9	102	31.8	26.1-37.5
College Graduate	578	129,752	447	77.5	73.8-81.2	131	22.5	18.8-26.2
\$15,000- 24,999	103	35,806	66	60.4	49.0-71.8	37	39.6	28.2-51.0
\$25,000- 34,999	162	63,004	102	59.6	50.6-68.6	60	40.4	31.4-49.4
\$35,000- 49,999	215	75,998	144	68.6	61.3-75.9	71	31.4	24.1-38.7
\$50,000- 99,999	367	117,979	273	72.4	66.9-77.9	94	27.6	22.1-33.1
\$100,000 - 199,999	137	44,156	107	72.8	63.8-81.8	30	27.2	18.2-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1779	587,176	1191	65.8	63.1-68.5	588	34.2	31.5-36.9
White/Non-Hisp	1521	518,868	1055	67.3	64.6-70.0	466	32.7	30.0-35.4
Black or Afr. Am./Non-Hisp	151	41,036	76	54.5	42.7-66.3	75	45.5	33.7-57.3
65+	1779	587,176	1191	65.8	63.1-68.5	588	34.2	31.5-36.9
Less Than H.S.	94	59,308	56	61.2	49.8-72.6	38	38.8	27.4-50.2
H.S. or G.E.D.	630	231,597	409	64.1	59.8-68.4	221	35.9	31.6-40.2
Some Post-H.S.	482	175,630	311	64.4	59.5-69.3	171	35.6	30.7-40.5
College Graduate	568	119,395	411	73.8	69.7-77.9	157	26.2	22.1-30.3
Less than \$15,000	86	27,758	51	61.3	49.0-73.6	35	38.7	26.4-51.0
\$15,000- 24,999	243	79,537	160	64.3	56.7-71.9	83	35.7	28.1-43.3
\$25,000- 34,999	240	81,201	154	62.7	55.1-70.3	86	37.3	29.7-44.9
\$35,000- 49,999	253	81,637	168	66.3	59.2-73.4	85	33.7	26.6-40.8
\$50,000- 99,999	310	100,520	226	71.0	65.1-76.9	84	29.0	23.1-34.9
\$100,000 - 199,999	97	29,527	72	73.0	63.2-82.8	25	27.0	17.2-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3035	1,021,561	2251	73.1	71.1-75.1	784	26.9	24.9-28.9
Male	1309	455,957	919	68.5	65.6-71.4	390	31.5	28.6-34.4
Female	1726	565,604	1332	76.8	74.4-79.2	394	23.2	20.8-25.6
White/Non-Hisp	2610	896,001	1978	74.5	72.5-76.5	632	25.5	23.5-27.5
Black or Afr. Am./Non-Hisp	224	73,538	138	65.3	56.9-73.7	86	34.7	26.3-43.1
Oth. Race/Non-Hisp.	65	13,522	43	63.7	47.8-79.6	22	36.3	20.4-52.2
65+	3035	1,021,561	2251	73.1	71.1-75.1	784	26.9	24.9-28.9
Less Than H.S.	151	96,339	100	67.2	58.6-75.8	51	32.8	24.2-41.4
H.S. or G.E.D.	989	384,565	706	70.3	67.0-73.6	283	29.7	26.4-33.0
Some Post-H.S.	778	297,078	581	74.9	71.4-78.4	197	25.1	21.6-28.6
College Graduate	1106	240,512	854	77.6	74.9-80.3	252	22.4	19.7-25.1
Less than \$15,000	130	44,012	99	77.5	69.1-85.9	31	22.5	14.1-30.9
\$15,000-24,999	335	112,198	255	75.9	70.4-81.4	80	24.1	18.6-29.6
\$25,000-34,999	388	140,583	272	70.9	65.4-76.4	116	29.1	23.6-34.6
\$35,000-49,999	452	152,078	327	72.1	67.2-77.0	125	27.9	23.0-32.8
\$50,000-99,999	656	211,299	499	75.3	71.6-79.0	157	24.7	21.0-28.4
\$100,000-199,999	229	71,366	173	73.0	66.1-79.9	56	27.0	20.1-33.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1309	455,957	919	68.5	65.6-71.4	390	31.5	28.6-34.4
White/Non-Hisp	1135	397,605	812	70.2	67.1-73.3	323	29.8	26.7-32.9
Black or Afr. Am./Non-Hisp	77	33,008	42	57.1	43.4-70.8	35	42.9	29.2-56.6
65+	1309	455,957	919	68.5	65.6-71.4	390	31.5	28.6-34.4
Less Than H.S.	61	39,883	38	63.3	50.0-76.6	23	36.7	23.4-50.0
H.S. or G.E.D.	379	162,698	240	63.2	57.7-68.7	139	36.8	31.3-42.3
Some Post-H.S.	309	126,629	220	70.2	64.3-76.1	89	29.8	23.9-35.7
College Graduate	554	124,927	416	75.3	71.4-79.2	138	24.7	20.8-28.6
\$15,000- 24,999	95	34,195	63	65.6	54.2-77.0	32	34.4	23.0-45.8
\$25,000- 34,999	155	61,133	96	61.9	53.1-70.7	59	38.1	29.3-46.9
\$35,000- 49,999	210	74,436	148	70.0	62.7-77.3	62	30.0	22.7-37.3
\$50,000- 99,999	352	112,912	260	74.3	69.2-79.4	92	25.7	20.6-30.8
\$100,000 - 199,999	135	42,776	98	67.9	58.5-77.3	37	32.1	22.7-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1726	565,604	1332	76.8	74.4-79.2	394	23.2	20.8-25.6
White/Non-Hisp	1475	498,396	1166	77.9	75.4-80.4	309	22.1	19.6-24.6
Black or Afr. Am./Non-Hisp	147	40,530	96	71.9	61.9-81.9	51	28.1	18.1-38.1
65+	1726	565,604	1332	76.8	74.4-79.2	394	23.2	20.8-25.6
Less Than H.S.	90	56,456	62	70.0	59.8-80.2	28	30.0	19.8-40.2
H.S. or G.E.D.	610	221,868	466	75.5	71.6-79.4	144	24.5	20.6-28.4
Some Post-H.S.	469	170,449	361	78.4	74.3-82.5	108	21.6	17.5-25.7
College Graduate	552	115,585	438	80.1	76.4-83.8	114	19.9	16.2-23.6
Less than \$15,000	85	27,331	70	88.6	81.3-95.9	15	11.4	4.1-18.7
\$15,000- 24,999	240	78,002	192	80.4	74.3-86.5	48	19.6	13.5-25.7
\$25,000- 34,999	233	79,450	176	77.9	71.4-84.4	57	22.1	15.6-28.6
\$35,000- 49,999	242	77,642	179	74.0	67.5-80.5	63	26.0	19.5-32.5
\$50,000- 99,999	304	98,388	239	76.4	70.7-82.1	65	23.6	17.9-29.3
\$100,000 - 199,999	94	28,590	75	80.6	72.0-89.2	19	19.4	10.8-28.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8632	4,572,779	2594	32.5	31.3-33.7	6038	67.5	66.3-68.7
Male	3934	2,241,504	1177	30.4	28.6-32.2	2757	69.6	67.8-71.4
Female	4698	2,331,275	1417	34.5	32.7-36.3	3281	65.5	63.7-67.3
White/Non-Hisp	6843	3,580,061	1858	29.4	28.0-30.8	4985	70.6	69.2-72.0
Black or Afr. Am./Non-Hisp	692	417,696	340	55.3	50.6-60.0	352	44.7	40.0-49.4
Oth. Race/Non-Hisp.	307	142,095	78	21.2	15.7-26.7	229	78.8	73.3-84.3
MultiRacial/Non-Hisp.	161	46,154	64	38.0	29.0-47.0	97	62.0	53.0-71.0
Hispanic	442	295,423	192	41.9	36.4-47.4	250	58.1	52.6-63.6
18-24	483	604,466	115	24.2	19.9-28.5	368	75.8	71.5-80.1
25-34	919	774,478	381	41.2	37.5-44.9	538	58.8	55.1-62.5
35-44	1065	733,686	525	48.9	45.6-52.2	540	51.1	47.8-54.4
45-54	1478	705,264	616	40.9	38.2-43.6	862	59.1	56.4-61.8
55-64	1682	745,631	489	29.2	26.7-31.7	1193	70.8	68.3-73.3
65+	3005	1,009,253	468	15.6	14.0-17.2	2537	84.4	82.8-86.0
Less Than H.S.	503	508,769	179	37.7	32.6-42.8	324	62.3	57.2-67.4
H.S. or G.E.D.	2524	1,519,991	703	29.6	27.4-31.8	1821	70.4	68.2-72.6
Some Post-H.S.	2273	1,390,812	740	34.7	32.3-37.1	1533	65.3	62.9-67.7
College Graduate	3286	1,127,905	960	31.4	29.6-33.2	2326	68.6	66.8-70.4
Less than \$15,000	461	255,744	187	44.5	38.6-50.4	274	55.5	49.6-61.4
\$15,000-24,999	806	396,618	296	39.3	35.2-43.4	510	60.7	56.6-64.8
\$25,000-34,999	912	503,385	282	33.4	29.5-37.3	630	66.6	62.7-70.5
\$35,000-49,999	1030	534,895	312	33.7	30.0-37.4	718	66.3	62.6-70.0
\$50,000-99,999	2146	1,151,364	651	32.5	30.1-34.9	1495	67.5	65.1-69.9
\$100,000-199,999	1242	653,931	384	32.1	29.0-35.2	858	67.9	64.8-71.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3934	2,241,504	1177	30.4	28.6-32.2	2757	69.6	67.8-71.4
White/Non-Hisp	3115	1,745,403	846	27.7	25.7-29.7	2269	72.3	70.3-74.3
Black or Afr. Am./Non-Hisp	259	199,702	140	55.5	48.1-62.9	119	44.5	37.1-51.9
Oth. Race/Non-Hisp.	172	76,782	47	20.3	13.6-27.0	125	79.7	73.0-86.4
MultiRacial/Non-Hisp.	74	20,097	27	31.8	19.5-44.1	47	68.2	55.9-80.5
Hispanic	219	147,033	82	32.9	25.8-40.0	137	67.1	60.0-74.2
18-24	261	316,007	44	17.6	12.3-22.9	217	82.4	77.1-87.7
25-34	432	395,841	147	33.8	28.7-38.9	285	66.2	61.1-71.3
35-44	493	371,979	215	42.6	37.7-47.5	278	57.4	52.5-62.3
45-54	685	348,552	278	39.8	35.7-43.9	407	60.2	56.1-64.3
55-64	778	361,780	244	30.7	27.0-34.4	534	69.3	65.6-73.0
65+	1285	447,345	249	19.0	16.5-21.5	1036	81.0	78.5-83.5
Less Than H.S.	242	266,573	78	29.6	22.9-36.3	164	70.4	63.7-77.1
H.S. or G.E.D.	1179	787,297	359	29.4	26.5-32.3	820	70.6	67.7-73.5
Some Post-H.S.	950	620,387	307	32.5	29.0-36.0	643	67.5	64.0-71.0
College Graduate	1536	552,441	425	29.6	26.9-32.3	1111	70.4	67.7-73.1
Less than \$15,000	192	116,182	79	37.5	29.1-45.9	113	62.5	54.1-70.9
\$15,000- 24,999	275	142,828	107	34.5	27.8-41.2	168	65.5	58.8-72.2
\$25,000- 34,999	375	221,284	116	31.1	25.2-37.0	259	68.9	63.0-74.8
\$35,000- 49,999	472	271,306	142	32.8	27.5-38.1	330	67.2	61.9-72.5
\$50,000- 99,999	1090	617,451	316	30.7	27.4-34.0	774	69.3	66.0-72.6
\$100,000 - 199,999	659	361,755	199	30.4	26.3-34.5	460	69.6	65.5-73.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4698	2,331,275	1417	34.5	32.7-36.3	3281	65.5	63.7-67.3
White/Non-Hisp	3728	1,834,658	1012	31.1	29.3-32.9	2716	68.9	67.1-70.7
Black or Afr. Am./Non-Hisp	433	217,994	200	55.0	48.9-61.1	233	45.0	38.9-51.1
Oth. Race/Non-Hisp.	135	65,313	31	22.3	13.7-30.9	104	77.7	69.1-86.3
MultiRacial/Non-Hisp.	87	26,057	37	42.8	30.1-55.5	50	57.2	44.5-69.9
Hispanic	223	148,390	110	50.8	43.0-58.6	113	49.2	41.4-57.0
18-24	222	288,459	71	31.5	24.6-38.4	151	68.5	61.6-75.4
25-34	487	378,637	234	48.9	44.0-53.8	253	51.1	46.2-56.0
35-44	572	361,708	310	55.3	50.8-59.8	262	44.7	40.2-49.2
45-54	793	356,712	338	41.9	38.2-45.6	455	58.1	54.4-61.8
55-64	904	383,851	245	27.8	24.5-31.1	659	72.2	68.9-75.5
65+	1720	561,909	219	12.9	10.9-14.9	1501	87.1	85.1-89.1
Less Than H.S.	261	242,196	101	46.6	39.2-54.0	160	53.4	46.0-60.8
H.S. or G.E.D.	1345	732,693	344	29.9	27.0-32.8	1001	70.1	67.2-73.0
Some Post-H.S.	1323	770,425	433	36.4	33.3-39.5	890	63.6	60.5-66.7
College Graduate	1750	575,464	535	33.1	30.6-35.6	1215	66.9	64.4-69.4
Less than \$15,000	269	139,562	108	50.4	42.6-58.2	161	49.6	41.8-57.4
\$15,000- 24,999	531	253,789	189	41.9	36.6-47.2	342	58.1	52.8-63.4
\$25,000- 34,999	537	282,101	166	35.1	29.8-40.4	371	64.9	59.6-70.2
\$35,000- 49,999	558	263,589	170	34.7	29.8-39.6	388	65.3	60.4-70.2
\$50,000- 99,999	1056	533,913	335	34.5	31.0-38.0	721	65.5	62.0-69.0
\$100,000 - 199,999	583	292,175	185	34.1	29.6-38.6	398	65.9	61.4-70.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 15: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	147
2 MALES ONLY	148
3 FEMALES ONLY	149
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	150
5 MALES ONLY	151
6 FEMALES ONLY	152
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	153
8 MALES ONLY	154
9 FEMALES ONLY	155
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	156
11 MALES ONLY	157
12 FEMALES ONLY	158
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	159
14 MALES ONLY	160
15 FEMALES ONLY	161
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	162
17 MALES ONLY	163
18 FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8668	4,563,069	3813	47.0	45.6-48.4	1177	12.7	11.9-13.5	48	0.7	0.5- 0.9	55	0.8	0.6- 1.0	25	0.3	0.1- 0.5	3550	38.4	37.2-39.6
Male	3948	2,231,901	1882	50.2	48.2-52.2	597	14.5	13.1-15.9	26	0.8	0.4- 1.2	36	1.1	0.7- 1.5	17	0.5	0.1- 0.9	1390	32.9	31.1-34.7
Female	4720	2,331,168	1931	44.0	42.2-45.8	580	11.0	10.0-12.0	22	0.7	0.3- 1.1	19	0.6	0.2- 1.0	8	0.2	0.0- 0.4	2160	43.6	41.8-45.4
White/Non-Hisp	6942	3,615,813	2972	45.9	44.5-47.3	876	11.5	10.5-12.5	22	0.4	0.2- 0.6	42	0.7	0.5- 0.9	19	0.3	0.1- 0.5	3011	41.2	39.8-42.6
Black or Afr. Am./Non-Hisp	667	397,718	364	56.2	51.3-61.1	126	19.3	15.4-23.2	15	3.0	1.2- 4.8	5	1.5	0.0- 3.1	2	0.4	0.0- 1.0	155	19.7	16.2-23.2
Oth. Race/Non-Hisp.	304	140,799	127	48.5	41.1-55.9	48	15.1	9.6-20.6	3	1.8	0.0- 4.2	1	0.9	0.0- 2.7	2	0.9	0.0- 2.5	123	32.8	26.1-39.5
MultiRacial/Non-Hisp.	158	46,619	75	48.6	39.0-58.2	31	18.8	11.2-26.4	2	1.6	0.0- 4.3	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	49	30.6	21.8-39.4
Hispanic	417	279,868	213	50.9	45.2-56.6	68	16.8	12.7-20.9	4	1.0	0.0- 2.2	5	1.3	0.0- 2.7	1	0.3	0.0- 0.9	126	29.7	24.4-35.0
18-24	474	588,914	274	57.6	52.5-62.7	46	9.6	6.7-12.5	4	0.8	0.0- 1.6	6	1.7	0.1- 3.3	2	0.6	0.0- 1.4	142	29.8	25.1-34.5
25-34	917	765,710	495	55.2	51.5-58.9	105	12.4	9.9-14.9	8	1.0	0.2- 1.8	11	1.2	0.4- 2.0	3	0.4	0.0- 0.8	295	29.7	26.4-33.0
35-44	1059	729,448	519	48.9	45.6-52.2	117	12.3	9.9-14.7	6	0.6	0.0- 1.2	5	0.7	0.1- 1.3	3	0.5	0.0- 1.1	409	37.1	34.0-40.2
45-54	1467	698,411	679	46.1	43.4-48.8	169	12.2	10.2-14.2	9	0.8	0.2- 1.4	7	0.5	0.1- 0.9	2	0.1	0.0- 0.3	601	40.3	37.6-43.0
55-64	1709	761,160	708	42.9	40.2-45.6	184	10.9	9.1-12.7	9	0.6	0.2- 1.0	10	0.6	0.2- 1.0	4	0.2	0.0- 0.4	794	44.9	42.2-47.6
65+	3042	1,019,426	1138	37.2	35.2-39.2	556	16.9	15.3-18.5	12	0.6	0.2- 1.0	16	0.6	0.2- 1.0	11	0.3	0.1- 0.5	1309	44.4	42.2-46.6
Less Than H.S.	488	485,959	209	45.3	39.8-50.8	92	16.8	12.9-20.7	6	1.4	0.2- 2.6	6	2.0	0.0- 4.0				175	34.5	29.4-39.6
H.S. or G.E.D.	2499	1,500,934	1067	45.6	43.2-48.0	355	13.9	12.3-15.5	21	1.1	0.5- 1.7	19	0.9	0.5- 1.3	6	0.3	0.1- 0.5	1031	38.3	36.1-40.5
Some Post-H.S.	2296	1,402,718	1079	50.3	47.9-52.7	298	11.7	10.1-13.3	9	0.4	0.2- 0.6	13	0.6	0.2- 1.0	8	0.5	0.1- 0.9	889	36.4	34.0-38.8
College Graduate	3339	1,149,497	1439	45.6	43.6-47.6	424	10.8	9.6-12.0	12	0.4	0.2- 0.6	17	0.5	0.3- 0.7	11	0.3	0.1- 0.5	1436	42.3	40.3-44.3
Less than \$15,000	452	248,823	192	48.1	42.0-54.2	68	13.5	9.6-17.4	4	0.8	0.0- 1.6	6	2.5	0.1- 4.9	2	0.6	0.0- 1.6	180	34.6	29.1-40.1
\$15,000-24,999	808	396,125	350	45.5	41.2-49.8	124	14.3	11.4-17.2	1	0.2	0.0- 0.6	10	1.5	0.3- 2.7	1	0.0	0.0- 0.0	322	38.6	34.5-42.7
\$25,000-34,999	895	491,768	410	49.2	45.1-53.3	152	17.6	14.3-20.9	8	1.6	0.4- 2.8	6	0.6	0.2- 1.0	3	0.2	0.0- 0.4	316	30.8	27.3-34.3
\$35,000-49,999	1035	540,506	491	50.2	46.5-53.9	149	13.9	11.2-16.6	6	0.9	0.0- 1.9	5	0.7	0.1- 1.3	4	0.5	0.0- 1.1	380	33.8	30.3-37.3
\$50,000-99,999	2177	1,165,095	981	47.8	45.3-50.3	274	11.3	9.7-12.9	11	0.6	0.2- 1.0	8	0.5	0.1- 0.9	8	0.6	0.0- 1.2	895	39.2	36.7-41.7
\$100,000-199,999	1266	666,731	568	46.7	43.4-50.0	119	9.1	7.1-11.1	4	0.3	0.0- 0.7	7	0.5	0.1- 0.9	3	0.2	0.0- 0.6	565	43.2	40.1-46.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3948	2,231,901	1882	50.2	48.2-52.2	597	14.5	13.1-15.9	26	0.8	0.4- 1.2	36	1.1	0.7- 1.5	17	0.5	0.1- 0.9	1390	32.9	31.1-34.7
White/Non-Hisp	3163	1,760,972	1486	49.6	47.4-51.8	451	13.3	11.9-14.7	12	0.5	0.3- 0.7	28	1.0	0.4- 1.6	12	0.4	0.0- 0.8	1174	35.2	33.2-37.2
Black or Afr. Am./Non-Hisp	250	189,207	147	57.8	50.4-65.2	47	21.4	14.7-28.1	6	3.0	0.1- 5.9	1	0.9	0.0- 2.7	2	0.8	0.0- 2.2	47	16.1	11.0-21.2
Oth. Race/Non-Hisp.	171	77,667	75	51.6	42.0-61.2	26	12.5	6.4-18.6	1	0.3	0.0- 0.9	1	1.6	0.0- 4.7	1	1.5	0.0- 4.2	67	32.5	24.1-40.9
MultiRacial/Non-Hisp.	73	20,430	31	44.8	30.9-58.7	18	24.9	12.4-37.4	2	3.7	0.0-10.2				1	0.7	0.0- 2.1	21	25.8	14.4-37.2
Hispanic	200	136,973	111	53.4	45.2-61.6	34	18.8	12.3-25.3	3	1.2	0.0- 2.6	4	1.6	0.0- 3.4	1	0.7	0.0- 2.1	47	24.3	16.9-31.7
18-24	254	305,065	152	60.7	54.0-67.4	28	11.0	6.7-15.3				4	2.0	0.0- 4.4	1	0.8	0.0- 2.4	69	25.5	19.6-31.4
25-34	432	392,858	229	53.2	47.7-58.7	59	15.5	11.4-19.6	7	1.9	0.3- 3.5	7	1.8	0.4- 3.2	3	0.7	0.0- 1.5	127	26.8	22.1-31.5
35-44	489	366,553	259	52.9	48.0-57.8	60	14.0	10.5-17.5	2	0.3	0.0- 0.7	2	0.4	0.0- 1.0	2	0.6	0.0- 1.4	164	31.8	27.3-36.3
45-54	675	342,765	334	48.8	44.7-52.9	92	14.9	11.8-18.0	8	1.5	0.3- 2.7	5	0.7	0.1- 1.3				236	34.1	30.2-38.0
55-64	788	368,309	369	48.7	44.8-52.6	93	11.5	9.0-14.0	5	0.5	0.0- 1.1	8	1.0	0.2- 1.8	2	0.2	0.0- 0.6	311	38.1	34.4-41.8
65+	1310	456,350	539	40.9	37.8-44.0	265	18.8	16.3-21.3	4	0.3	0.0- 0.7	10	0.7	0.3- 1.1	9	0.6	0.2- 1.0	483	38.7	35.6-41.8
Less Than H.S.	234	251,479	113	48.8	41.2-56.4	48	19.7	13.8-25.6	4	1.7	0.0- 3.7	4	2.5	0.0- 5.4				65	27.4	20.5-34.3
H.S. or G.E.D.	1172	778,793	546	48.8	45.5-52.1	172	15.3	12.8-17.8	9	0.9	0.3- 1.5	11	1.0	0.4- 1.6	5	0.4	0.0- 0.8	429	33.6	30.5-36.7
Some Post-H.S.	960	625,498	479	52.7	49.0-56.4	133	12.6	10.2-15.0	6	0.6	0.0- 1.2	7	0.8	0.0- 1.6	6	1.0	0.0- 2.0	329	32.4	29.1-35.7
College Graduate	1554	559,772	729	49.9	47.0-52.8	239	13.4	11.4-15.4	7	0.4	0.0- 0.8	14	0.9	0.3- 1.5	6	0.4	0.0- 0.8	559	35.0	32.3-37.7
Less than \$15,000	191	113,124	79	47.2	38.0-56.4	30	16.1	9.2-23.0	3	1.4	0.0- 3.0	4	2.5	0.0- 5.2				75	32.8	24.8-40.8
\$15,000- 24,999	272	140,083	132	49.8	42.7-56.9	40	14.1	9.2-19.0				5	1.8	0.0- 3.6				95	34.3	27.4-41.2
\$25,000- 34,999	375	223,763	180	50.1	43.8-56.4	74	20.7	15.2-26.2	2	0.9	0.0- 2.3	5	1.0	0.2- 1.8	3	0.4	0.0- 1.0	111	26.9	21.6-32.2
\$35,000- 49,999	473	272,018	245	54.8	49.1-60.5	77	15.3	11.0-19.6	3	1.0	0.0- 2.6	3	0.9	0.0- 1.9	4	1.0	0.0- 2.2	141	27.1	22.0-32.2
\$50,000- 99,999	1097	621,927	522	50.0	46.5-53.5	168	14.0	11.5-16.5	7	0.8	0.2- 1.4	6	0.8	0.0- 1.6	6	0.9	0.0- 1.9	388	33.6	30.3-36.9
\$100,000 - 199,999	672	368,630	335	51.5	47.0-56.0	74	11.4	8.5-14.3	4	0.6	0.0- 1.2	6	0.7	0.1- 1.3	1	0.3	0.0- 0.9	252	35.5	31.2-39.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4720	2,331,168	1931	44.0	42.2-45.8	580	11.0	10.0-12.0	22	0.7	0.3- 1.1	19	0.6	0.2- 1.0	8	0.2	0.0- 0.4	2160	43.6	41.8-45.4
White/Non-Hisp	3779	1,854,841	1486	42.4	40.4-44.4	425	9.8	8.6-11.0	10	0.3	0.1- 0.5	14	0.4	0.2- 0.6	7	0.2	0.0- 0.4	1837	46.8	44.8-48.8
Black or Afr. Am./Non-Hisp	417	208,511	217	54.8	48.5-61.1	79	17.3	12.8-21.8	9	3.0	0.6- 5.4	4	2.1	0.0- 4.6				108	22.9	18.0-27.8
Oth. Race/Non-Hisp.	133	63,132	52	44.6	33.4-55.8	22	18.3	8.9-27.7	2	3.6	0.0- 8.7				1	0.3	0.0- 0.9	56	33.2	22.4-44.0
MultiRacial/Non-Hisp.	85	26,189	44	51.6	38.5-64.7	13	14.1	5.3-22.9										28	34.4	21.7-47.1
Hispanic	217	142,896	102	48.4	40.6-56.2	34	14.8	9.5-20.1	1	0.9	0.0- 2.7	1	1.0	0.0- 3.0				79	34.9	27.3-42.5
18-24	220	283,850	122	54.1	46.7-61.5	18	8.2	4.3-12.1	4	1.6	0.0- 3.2	2	1.3	0.0- 3.3	1	0.4	0.0- 1.2	73	34.3	27.0-41.6
25-34	485	372,851	266	57.4	52.5-62.3	46	9.2	6.5-11.9	1	0.1	0.0- 0.3	4	0.6	0.0- 1.2				168	32.8	28.3-37.3
35-44	570	362,895	260	44.9	40.4-49.4	57	10.6	7.7-13.5	4	0.9	0.0- 1.9	3	0.9	0.0- 1.9	1	0.3	0.0- 0.9	245	42.4	37.9-46.9
45-54	792	355,646	345	43.5	39.8-47.2	77	9.7	7.3-12.1	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	2	0.1	0.0- 0.3	365	46.3	42.4-50.2
55-64	921	392,851	339	37.5	34.0-41.0	91	10.3	7.9-12.7	4	0.6	0.0- 1.2	2	0.2	0.0- 0.4	2	0.1	0.0- 0.3	483	51.3	47.6-55.0
65+	1732	563,076	599	34.2	31.5-36.9	291	15.4	13.4-17.4	8	0.8	0.2- 1.4	6	0.5	0.1- 0.9	2	0.1	0.0- 0.3	826	49.1	46.4-51.8
Less Than H.S.	254	234,480	96	41.6	34.0-49.2	44	13.7	9.0-18.4	2	1.1	0.0- 2.7	2	1.5	0.0- 3.7				110	42.1	34.7-49.5
H.S. or G.E.D.	1327	722,141	521	42.1	39.0-45.2	183	12.3	10.3-14.3	12	1.3	0.5- 2.1	8	0.7	0.1- 1.3	1	0.2	0.0- 0.6	602	43.4	40.3-46.5
Some Post-H.S.	1336	777,220	600	48.5	45.4-51.6	165	11.0	9.0-13.0	3	0.2	0.0- 0.4	6	0.5	0.1- 0.9	2	0.2	0.0- 0.6	560	39.7	36.6-42.8
College Graduate	1785	589,725	710	41.6	39.1-44.1	185	8.4	7.0- 9.8	5	0.3	0.0- 0.7	3	0.2	0.0- 0.4	5	0.2	0.0- 0.4	877	49.3	46.8-51.8
Less than \$15,000	261	135,699	113	48.7	40.7-56.7	38	11.4	7.1-15.7	1	0.2	0.0- 0.6	2	2.5	0.0- 6.2	2	1.0	0.0- 2.6	105	36.1	28.7-43.5
\$15,000- 24,999	536	256,042	218	43.1	37.8-48.4	84	14.4	10.9-17.9	1	0.3	0.0- 0.9	5	1.3	0.0- 2.7	1	0.1	0.0- 0.3	227	40.9	35.8-46.0
\$25,000- 34,999	520	268,006	230	48.5	43.0-54.0	78	14.9	11.0-18.8	6	2.2	0.4- 4.0	1	0.3	0.0- 0.9				205	34.1	29.2-39.0
\$35,000- 49,999	562	268,488	246	45.7	40.6-50.8	72	12.5	9.2-15.8	3	0.9	0.0- 1.9	2	0.5	0.0- 1.1				239	40.5	35.6-45.4
\$50,000- 99,999	1080	543,167	459	45.3	41.6-49.0	106	8.3	6.3-10.3	4	0.4	0.0- 0.8	2	0.2	0.0- 0.6	2	0.3	0.0- 0.7	507	45.6	41.9-49.3
\$100,000 - 199,999	594	298,102	233	40.7	36.0-45.4	45	6.3	4.3- 8.3				1	0.2	0.0- 0.6	2	0.1	0.0- 0.3	313	52.7	48.0-57.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8617	4,525,232	3907	48.0	46.6-49.4	3773	41.3	39.9-42.7	453	4.6	4.0- 5.2	187	2.2	1.8- 2.6	56	0.7	0.5- 0.9	241	3.1	2.7- 3.5
Male	3937	2,215,097	1970	52.3	50.3-54.3	1573	37.9	36.1-39.7	171	3.8	3.2- 4.4	70	1.7	1.1- 2.3	27	0.8	0.4- 1.2	126	3.6	2.8- 4.4
Female	4680	2,310,135	1937	44.0	42.2-45.8	2200	44.6	42.8-46.4	282	5.4	4.6- 6.2	117	2.7	2.1- 3.3	29	0.6	0.4- 0.8	115	2.7	2.1- 3.3
White/Non-Hisp	6888	3,578,490	3136	48.3	46.9-49.7	3018	41.3	39.9-42.7	356	4.4	3.8- 5.0	146	2.2	1.8- 2.6	47	0.7	0.5- 0.9	185	3.0	2.4- 3.6
Black or Afr. Am./Non-Hisp	668	399,899	338	53.3	48.4-58.2	260	36.6	31.9-41.3	36	4.9	3.1- 6.7	15	2.5	0.9- 4.1	2	0.5	0.0- 1.3	17	2.2	1.0- 3.4
Oth. Race/Non-Hisp.	296	137,614	135	52.1	44.7-59.5	126	37.8	30.7-44.9	19	6.3	2.6-10.0	6	1.0	0.0- 2.0				10	2.8	0.6- 5.0
MultiRacial/Non-Hisp.	157	45,846	68	40.6	31.4-49.8	71	48.8	39.0-58.6	8	4.6	1.1- 8.1	5	3.8	0.0- 7.7	3	0.8	0.0- 1.8	2	1.4	0.0- 3.4
Hispanic	421	277,995	164	39.0	33.5-44.5	207	48.1	42.6-53.6	21	5.1	2.7- 7.5	12	3.4	1.0- 5.8	2	0.4	0.0- 1.2	15	4.0	1.6- 6.4
18-24	472	583,938	268	56.4	51.5-61.3	167	35.3	30.6-40.0	11	2.4	0.8- 4.0	11	2.5	0.9- 4.1	3	0.8	0.0- 1.8	12	2.6	1.0- 4.2
25-34	916	760,904	462	51.1	47.4-54.8	363	38.3	34.8-41.8	35	3.8	2.4- 5.2	25	2.9	1.7- 4.1	7	0.9	0.1- 1.7	24	3.0	1.6- 4.4
35-44	1049	721,082	461	45.4	42.1-48.7	473	43.6	40.3-46.9	61	5.2	3.8- 6.6	15	1.6	0.8- 2.4	5	0.5	0.1- 0.9	34	3.6	2.2- 5.0
45-54	1457	692,772	681	47.8	44.9-50.7	610	41.1	38.4-43.8	84	5.6	4.4- 6.8	27	1.7	0.9- 2.5	13	0.9	0.3- 1.5	42	2.9	1.9- 3.9
55-64	1702	757,039	786	48.4	45.7-51.1	728	40.6	38.1-43.1	84	4.6	3.4- 5.8	40	2.6	1.6- 3.6	6	0.3	0.1- 0.5	58	3.4	2.4- 4.4
65+	3021	1,009,497	1249	42.7	40.5-44.9	1432	46.2	44.0-48.4	178	5.3	4.3- 6.3	69	2.1	1.5- 2.7	22	0.7	0.3- 1.1	71	3.0	2.2- 3.8
Less Than H.S.	482	478,746	234	52.4	46.9-57.9	181	34.8	29.7-39.9	25	4.6	2.6- 6.6	9	1.9	0.5- 3.3	2	0.7	0.0- 1.7	31	5.6	3.4- 7.8
H.S. or G.E.D.	2466	1,478,964	1216	51.0	48.6-53.4	983	38.4	36.0-40.8	100	3.5	2.7- 4.3	53	2.5	1.7- 3.3	17	0.5	0.3- 0.7	97	4.1	3.1- 5.1
Some Post-H.S.	2284	1,396,635	1114	49.3	46.9-51.7	944	40.4	38.0-42.8	107	4.5	3.5- 5.5	51	2.5	1.7- 3.3	11	0.7	0.1- 1.3	57	2.6	1.8- 3.4
College Graduate	3342	1,148,175	1323	40.7	38.7-42.7	1646	49.1	47.1-51.1	218	6.0	5.0- 7.0	74	1.8	1.4- 2.2	26	0.8	0.4- 1.2	55	1.5	1.1- 1.9
Less than \$15,000	446	246,292	196	45.8	39.7-51.9	189	40.0	34.1-45.9	23	4.5	2.3- 6.7	7	2.4	0.4- 4.4	2	0.4	0.0- 1.2	29	6.8	4.1- 9.5
\$15,000-24,999	795	387,750	408	52.2	47.9-56.5	300	36.4	32.3-40.5	28	3.4	1.8- 5.0	17	2.7	1.1- 4.3	3	0.1	0.0- 0.3	39	5.3	3.3- 7.3
\$25,000-34,999	891	490,715	443	52.6	48.5-56.7	341	35.1	31.2-39.0	49	4.8	3.0- 6.6	19	2.2	1.0- 3.4	9	1.3	0.1- 2.5	30	4.1	2.3- 5.9
\$35,000-49,999	1041	538,096	471	50.1	46.4-53.8	459	38.7	35.2-42.2	53	4.5	3.1- 5.9	24	2.8	1.4- 4.2	7	0.5	0.1- 0.9	27	3.4	1.8- 5.0
\$50,000-99,999	2177	1,163,533	994	48.3	45.8-50.8	950	42.0	39.5-44.5	118	4.8	3.8- 5.8	51	2.0	1.4- 2.6	17	0.8	0.2- 1.4	47	2.1	1.3- 2.9
\$100,000-199,999	1258	660,793	551	45.4	42.1-48.7	578	44.7	41.4-48.0	75	5.0	3.8- 6.2	30	2.6	1.4- 3.8	7	0.5	0.1- 0.9	17	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3937	2,215,097	1970	52.3	50.3-54.3	1573	37.9	36.1-39.7	171	3.8	3.2- 4.4	70	1.7	1.1- 2.3	27	0.8	0.4- 1.2	126	3.6	2.8- 4.4
White/Non-Hisp	3143	1,742,684	1595	53.1	50.9-55.3	1239	37.3	35.1-39.5	133	3.5	2.7- 4.3	56	1.7	1.1- 2.3	21	0.9	0.3- 1.5	99	3.6	2.8- 4.4
Black or Afr. Am./Non-Hisp	253	193,294	129	51.3	43.9-58.7	100	39.9	32.6-47.2	12	4.2	1.5- 6.9	3	1.3	0.0- 2.9	1	0.6	0.0- 1.8	8	2.7	0.5- 4.9
Oth. Race/Non-Hisp.	168	76,237	82	58.4	49.2-67.6	68	33.5	24.7-42.3	10	4.9	1.2- 8.6	2	0.4	0.0- 1.0				6	2.8	0.0- 5.7
MultiRacial/Non-Hisp.	74	20,443	36	46.2	32.5-59.9	31	46.8	32.7-60.9	1	1.9	0.0- 5.6	2	2.5	0.0- 6.2	3	1.7	0.0- 3.7	1	0.9	0.0- 2.7
Hispanic	204	135,285	85	42.0	34.2-49.8	96	45.3	37.5-53.1	11	6.2	2.5- 9.9	5	2.4	0.0- 4.8	1	0.1	0.0- 0.3	6	4.1	0.6- 7.6
18-24	253	302,463	143	56.8	49.9-63.7	92	36.0	29.5-42.5	5	1.6	0.0- 3.2	4	1.7	0.1- 3.3	2	1.2	0.0- 3.0	7	2.7	0.7- 4.7
25-34	426	383,342	232	54.7	49.2-60.2	154	34.1	28.8-39.4	18	4.4	2.2- 6.6	8	2.3	0.5- 4.1	4	1.4	0.0- 3.0	10	3.1	1.1- 5.1
35-44	488	364,766	241	51.3	46.4-56.2	197	38.8	34.1-43.5	22	3.8	2.2- 5.4	7	1.4	0.4- 2.4	2	0.4	0.0- 1.0	19	4.4	2.2- 6.6
45-54	677	341,630	351	52.3	48.2-56.4	260	38.8	34.7-42.9	29	4.0	2.4- 5.6	5	0.5	0.1- 0.9	9	1.2	0.2- 2.2	23	3.3	1.9- 4.7
55-64	790	369,501	407	53.6	49.7-57.5	309	35.9	32.2-39.6	27	3.4	2.0- 4.8	12	2.3	0.9- 3.7	1	0.2	0.0- 0.6	34	4.5	2.9- 6.1
65+	1303	453,396	596	46.8	43.7-49.9	561	42.6	39.5-45.7	70	4.8	3.4- 6.2	34	2.0	1.2- 2.8	9	0.4	0.0- 0.8	33	3.3	1.9- 4.7
Less Than H.S.	234	248,579	121	56.3	48.7-63.9	81	30.9	23.8-38.0	11	4.1	1.6- 6.6	5	2.3	0.3- 4.3	1	0.9	0.0- 2.7	15	5.4	2.5- 8.3
H.S. or G.E.D.	1154	764,313	609	53.5	50.2-56.8	420	36.1	32.8-39.4	41	3.2	2.0- 4.4	17	1.7	0.7- 2.7	10	0.5	0.1- 0.9	57	5.0	3.4- 6.6
Some Post-H.S.	957	624,452	536	55.3	51.6-59.0	340	35.7	32.2-39.2	32	3.1	1.9- 4.3	15	1.6	0.6- 2.6	6	1.2	0.0- 2.4	28	3.1	1.9- 4.3
College Graduate	1566	562,063	690	45.0	42.1-47.9	721	46.0	43.3-48.7	86	5.2	4.0- 6.4	33	1.7	1.1- 2.3	10	0.7	0.1- 1.3	26	1.5	0.9- 2.1
Less than \$15,000	186	109,725	87	50.2	41.0-59.4	71	32.7	24.5-40.9	7	4.3	0.6- 8.0	3	2.8	0.0- 6.1	2	0.9	0.0- 2.5	16	9.1	4.2-14.0
\$15,000- 24,999	267	136,224	145	54.8	47.5-62.1	92	35.5	28.6-42.4	9	2.2	0.4- 4.0	3	1.4	0.0- 3.4	2	0.1	0.0- 0.3	16	5.9	2.6- 9.2
\$25,000- 34,999	375	223,009	198	54.7	48.4-61.0	133	33.5	27.6-39.4	20	4.7	2.3- 7.1	6	1.2	0.0- 2.6	3	1.2	0.0- 3.2	15	4.7	2.0- 7.4
\$35,000- 49,999	480	271,653	239	53.7	48.0-59.4	192	34.5	29.4-39.6	23	4.6	2.2- 7.0	8	2.6	0.6- 4.6	2	0.2	0.0- 0.6	16	4.5	2.0- 7.0
\$50,000- 99,999	1102	621,313	559	52.2	48.7-55.7	437	39.4	35.9-42.9	44	3.3	2.1- 4.5	23	1.4	0.6- 2.2	9	1.0	0.0- 2.0	30	2.7	1.5- 3.9
\$100,000 - 199,999	669	366,392	337	53.5	49.0-58.0	276	39.0	34.7-43.3	31	3.9	2.3- 5.5	12	1.6	0.6- 2.6	3	0.6	0.0- 1.4	10	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4680	2,310,135	1937	44.0	42.2-45.8	2200	44.6	42.8-46.4	282	5.4	4.6- 6.2	117	2.7	2.1- 3.3	29	0.6	0.4- 0.8	115	2.7	2.1- 3.3
White/Non-Hisp	3745	1,835,806	1541	43.9	41.9-45.9	1779	45.2	43.2-47.2	223	5.3	4.5- 6.1	90	2.5	1.9- 3.1	26	0.6	0.4- 0.8	86	2.5	1.9- 3.1
Black or Afr. Am./Non-Hisp	415	206,605	209	55.2	48.9-61.5	160	33.5	27.6-39.4	24	5.5	3.1- 7.9	12	3.7	1.3- 6.1	1	0.4	0.0- 1.2	9	1.7	0.3- 3.1
Oth. Race/Non-Hisp.	128	61,377	53	44.3	32.5-56.1	58	43.1	31.7-54.5	9	8.0	1.1-14.9	4	1.8	0.0- 3.8				4	2.7	0.0- 5.6
MultiRacial/Non-Hisp.	83	25,403	32	36.2	23.7-48.7	40	50.5	37.0-64.0	7	6.8	1.3-12.3	3	4.8	0.0-10.9				1	1.7	0.0- 5.0
Hispanic	217	142,710	79	36.2	28.8-43.6	111	50.7	42.9-58.5	10	4.0	1.3- 6.7	7	4.3	0.4- 8.2	1	0.8	0.0- 2.4	9	4.0	1.1- 6.9
18-24	219	281,475	125	55.9	48.6-63.2	75	34.7	27.6-41.8	6	3.3	0.6- 6.0	7	3.3	0.8- 5.8	1	0.3	0.0- 0.9	5	2.6	0.1- 5.1
25-34	490	377,562	230	47.3	42.4-52.2	209	42.6	37.7-47.5	17	3.1	1.3- 4.9	17	3.6	1.8- 5.4	3	0.5	0.0- 1.1	14	2.9	1.3- 4.5
35-44	561	356,316	220	39.3	34.8-43.8	276	48.6	44.1-53.1	39	6.7	4.3- 9.1	8	1.9	0.5- 3.3	3	0.5	0.0- 1.1	15	2.9	1.1- 4.7
45-54	780	351,142	330	43.4	39.5-47.3	350	43.4	39.5-47.3	55	7.2	5.2- 9.2	22	2.8	1.4- 4.2	4	0.6	0.0- 1.4	19	2.6	1.2- 4.0
55-64	912	387,538	379	43.5	39.8-47.2	419	45.0	41.3-48.7	57	5.8	4.2- 7.4	28	2.9	1.7- 4.1	5	0.4	0.0- 0.8	24	2.4	1.4- 3.4
65+	1718	556,101	653	39.4	36.7-42.1	871	49.1	46.4-51.8	108	5.6	4.4- 6.8	35	2.2	1.4- 3.0	13	1.0	0.4- 1.6	38	2.7	1.7- 3.7
Less Than H.S.	248	230,167	113	48.1	40.5-55.7	100	38.9	31.6-46.2	14	5.2	2.1- 8.3	4	1.5	0.0- 3.1	1	0.5	0.0- 1.5	16	5.8	2.3- 9.3
H.S. or G.E.D.	1312	714,651	607	48.4	45.1-51.7	563	40.9	37.8-44.0	59	3.8	2.6- 5.0	36	3.2	2.0- 4.4	7	0.5	0.1- 0.9	40	3.1	1.9- 4.3
Some Post-H.S.	1327	772,183	578	44.3	41.2-47.4	604	44.2	41.1-47.3	75	5.7	4.1- 7.3	36	3.3	2.1- 4.5	5	0.4	0.0- 0.8	29	2.1	1.1- 3.1
College Graduate	1776	586,112	633	36.6	34.1-39.1	925	52.1	49.4-54.8	132	6.8	5.6- 8.0	41	2.0	1.2- 2.8	16	0.9	0.3- 1.5	29	1.5	0.9- 2.1
Less than \$15,000	260	136,567	109	42.4	34.6-50.2	118	45.9	37.9-53.9	16	4.7	2.2- 7.2	4	2.0	0.0- 4.2				13	5.0	1.9- 8.1
\$15,000- 24,999	528	251,526	263	50.7	45.4-56.0	208	36.9	31.8-42.0	19	4.0	1.6- 6.4	14	3.4	1.2- 5.6	1	0.1	0.0- 0.3	23	4.9	2.7- 7.1
\$25,000- 34,999	516	267,707	245	50.8	45.3-56.3	208	36.5	31.4-41.6	29	4.9	2.5- 7.3	13	3.0	1.2- 4.8	6	1.4	0.2- 2.6	15	3.5	1.1- 5.9
\$35,000- 49,999	561	266,443	232	46.4	41.3-51.5	267	43.0	38.1-47.9	30	4.4	2.6- 6.2	16	3.1	1.3- 4.9	5	0.9	0.1- 1.7	11	2.2	0.6- 3.8
\$50,000- 99,999	1075	542,220	435	43.8	40.1-47.5	513	44.9	41.4-48.4	74	6.5	4.7- 8.3	28	2.7	1.5- 3.9	8	0.6	0.0- 1.2	17	1.5	0.7- 2.3
\$100,000 - 199,999	589	294,401	214	35.4	30.9-39.9	302	51.8	47.1-56.5	44	6.3	4.3- 8.3	18	4.0	1.6- 6.4	4	0.5	0.1- 0.9	7	2.1	0.0- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8654	4,556,908	6228	71.7	70.5-72.9	1536	16.3	15.3-17.3	74	0.9	0.7- 1.1	89	0.9	0.7- 1.1	40	0.4	0.2- 0.6	687	9.7	8.9-10.5
Male	3958	2,238,158	2865	72.0	70.2-73.8	630	14.2	12.8-15.6	34	1.0	0.6- 1.4	40	0.9	0.5- 1.3	13	0.3	0.1- 0.5	376	11.7	10.3-13.1
Female	4696	2,318,750	3363	71.4	69.8-73.0	906	18.3	16.9-19.7	40	0.9	0.5- 1.3	49	1.0	0.6- 1.4	27	0.5	0.3- 0.7	311	7.9	6.7- 9.1
White/Non-Hisp	6920	3,600,762	5062	72.6	71.2-74.0	1160	15.5	14.5-16.5	52	0.8	0.6- 1.0	74	1.0	0.8- 1.2	30	0.3	0.1- 0.5	542	9.8	8.8-10.8
Black or Afr. Am./Non-Hisp	675	404,351	484	71.8	67.5-76.1	132	17.6	14.1-21.1	7	1.0	0.0- 2.0	7	0.8	0.2- 1.4	3	0.6	0.0- 1.4	42	8.2	5.3-11.1
Oth. Race/Non-Hisp.	305	139,814	180	55.7	48.4-63.0	86	27.8	21.3-34.3	4	2.6	0.0- 5.5	1	0.8	0.0- 2.4	2	0.2	0.0- 0.4	32	12.8	7.9-17.7
MultiRacial/Non-Hisp.	156	46,184	107	72.0	63.6-80.4	30	17.6	10.3-24.9	2	1.1	0.0- 2.9	2	0.7	0.0- 1.7	2	0.7	0.0- 1.7	15	8.5	3.6-13.4
Hispanic	420	281,086	288	70.7	65.6-75.8	79	16.4	12.3-20.5	4	1.0	0.0- 2.2	4	0.4	0.0- 0.8	3	1.0	0.0- 2.2	42	10.5	7.0-14.0
18-24	473	591,940	325	68.1	63.4-72.8	56	11.2	8.3-14.1	5	1.3	0.1- 2.5	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	85	19.0	14.9-23.1
25-34	923	772,569	666	71.6	68.3-74.9	137	14.5	11.8-17.2	7	0.9	0.3- 1.5	9	0.9	0.3- 1.5	6	0.5	0.1- 0.9	98	11.6	9.2-14.0
35-44	1055	726,959	761	71.6	68.5-74.7	180	16.7	14.2-19.2	17	1.3	0.7- 1.9	6	0.8	0.2- 1.4	7	0.7	0.1- 1.3	84	8.9	6.7-11.1
45-54	1456	693,040	1038	71.4	68.9-73.9	288	19.6	17.4-21.8	15	1.3	0.5- 2.1	13	0.9	0.3- 1.5	5	0.3	0.0- 0.7	97	6.5	5.1- 7.9
55-64	1710	757,580	1207	71.4	69.0-73.8	346	19.1	16.9-21.3	10	0.4	0.2- 0.6	20	1.2	0.6- 1.8	7	0.2	0.0- 0.4	120	7.6	6.0- 9.2
65+	3037	1,014,820	2231	74.4	72.6-76.2	529	16.0	14.4-17.6	20	0.7	0.3- 1.1	40	1.2	0.8- 1.6	14	0.4	0.2- 0.6	203	7.2	6.0- 8.4
Less Than H.S.	477	482,488	335	68.3	63.2-73.4	65	14.4	10.5-18.3	2	0.7	0.0- 1.7	4	0.3	0.0- 0.7				71	16.3	12.2-20.4
H.S. or G.E.D.	2499	1,506,088	1806	70.9	68.7-73.1	368	14.4	12.8-16.0	13	0.6	0.2- 1.0	24	1.0	0.6- 1.4	6	0.2	0.0- 0.4	282	12.8	11.0-14.6
Some Post-H.S.	2285	1,394,625	1676	73.4	71.2-75.6	373	15.5	13.7-17.3	24	1.2	0.6- 1.8	21	0.9	0.5- 1.3	12	0.5	0.1- 0.9	179	8.4	7.0- 9.8
College Graduate	3350	1,150,246	2382	72.3	70.5-74.1	720	20.3	18.7-21.9	34	1.0	0.6- 1.4	40	1.1	0.7- 1.5	22	0.6	0.2- 1.0	152	4.6	3.8- 5.4
Less than \$15,000	456	252,382	308	65.1	59.4-70.8	70	14.6	10.7-18.5	2	0.6	0.0- 1.4	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	73	19.4	14.5-24.3
\$15,000-24,999	791	386,092	554	69.7	65.8-73.6	117	13.6	10.7-16.5	11	1.5	0.5- 2.5	7	0.7	0.1- 1.3	3	0.3	0.0- 0.7	99	14.1	11.0-17.2
\$25,000-34,999	901	495,894	679	76.7	73.4-80.0	123	11.9	9.4-14.4	7	0.7	0.0- 1.5	6	0.5	0.1- 0.9	5	0.5	0.1- 0.9	81	9.7	7.3-12.1
\$35,000-49,999	1037	538,892	773	74.8	71.5-78.1	171	13.9	11.5-16.3	3	0.1	0.0- 0.3	10	1.2	0.2- 2.2	4	0.5	0.0- 1.1	76	9.4	6.7-12.1
\$50,000-99,999	2182	1,164,637	1611	73.6	71.2-76.0	393	16.9	14.9-18.9	24	1.3	0.7- 1.9	30	1.2	0.6- 1.8	11	0.4	0.0- 0.8	113	6.7	5.3- 8.1
\$100,000-199,999	1262	663,470	910	71.3	68.4-74.2	264	19.9	17.4-22.4	7	0.6	0.0- 1.2	14	1.2	0.6- 1.8	10	0.8	0.2- 1.4	57	6.2	4.2- 8.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3958	2,238,158	2865	72.0	70.2-73.8	630	14.2	12.8-15.6	34	1.0	0.6- 1.4	40	0.9	0.5- 1.3	13	0.3	0.1- 0.5	376	11.7	10.3-13.1
White/Non-Hisp	3166	1,759,576	2317	72.3	70.3-74.3	484	13.8	12.2-15.4	23	0.8	0.4- 1.2	33	0.9	0.5- 1.3	8	0.2	0.0- 0.4	301	12.1	10.5-13.7
Black or Afr. Am./Non-Hisp	255	195,971	191	75.7	69.4-82.0	37	12.1	7.8-16.4	3	1.5	0.0- 3.5	3	0.9	0.0- 2.1	1	0.6	0.0- 1.8	20	9.2	4.5-13.9
Oth. Race/Non-Hisp.	172	77,143	109	60.7	51.3-70.1	41	22.8	15.0-30.6	2	1.7	0.0- 4.6	1	1.5	0.0- 4.4	1	0.1	0.0- 0.3	18	13.2	6.3-20.1
MultiRacial/Non-Hisp.	74	20,749	48	69.0	56.7-81.3	13	17.0	6.2-27.8	1	0.8	0.0- 2.4				2	1.5	0.0- 3.7	10	11.7	3.9-19.5
Hispanic	202	137,359	143	71.3	63.9-78.7	34	15.5	9.4-21.6	2	1.1	0.0- 2.9	2	0.6	0.0- 1.4	1	0.7	0.0- 2.1	20	10.8	5.5-16.1
18-24	253	307,225	173	67.5	61.0-74.0	23	8.5	4.8-12.2	2	1.1	0.0- 2.7	1	0.4	0.0- 1.2				54	22.4	16.5-28.3
25-34	436	396,084	321	72.9	67.8-78.0	52	12.1	8.0-16.2	4	1.1	0.0- 2.3	5	1.0	0.0- 2.0	1	0.2	0.0- 0.6	53	12.6	9.1-16.1
35-44	489	367,679	366	73.6	69.1-78.1	64	13.3	10.0-16.6	8	1.2	0.2- 2.2				3	0.5	0.0- 1.1	48	11.3	8.0-14.6
45-54	675	343,059	486	72.0	68.3-75.7	125	18.0	14.9-21.1	7	1.4	0.0- 2.8	4	0.8	0.0- 1.6	3	0.5	0.0- 1.3	50	7.2	5.0- 9.4
55-64	786	365,376	558	71.3	67.8-74.8	144	17.5	14.6-20.4	3	0.4	0.0- 0.8	10	1.4	0.4- 2.4				71	9.4	7.0-11.8
65+	1319	458,735	961	73.4	70.5-76.3	222	15.2	13.0-17.4	10	0.6	0.2- 1.0	20	1.4	0.8- 2.0	6	0.3	0.1- 0.5	100	9.1	7.1-11.1
Less Than H.S.	231	252,516	151	64.2	56.6-71.8	34	15.8	9.5-22.1	2	1.3	0.0- 3.1	3	0.6	0.0- 1.4				41	18.1	12.2-24.0
H.S. or G.E.D.	1172	782,176	841	70.6	67.5-73.7	147	11.9	9.9-13.9	5	0.5	0.0- 1.1	10	0.8	0.2- 1.4	1	0.1	0.0- 0.3	168	16.1	13.6-18.6
Some Post-H.S.	960	624,537	719	75.0	71.7-78.3	133	13.2	10.7-15.7	11	1.2	0.2- 2.2	7	0.8	0.2- 1.4	6	0.5	0.0- 1.1	84	9.2	6.8-11.6
College Graduate	1566	562,298	1133	74.2	71.7-76.7	311	17.9	15.7-20.1	15	0.9	0.3- 1.5	20	1.2	0.6- 1.8	6	0.4	0.0- 0.8	81	5.4	4.0- 6.8
Less than \$15,000	193	115,273	123	65.1	56.7-73.5	26	13.9	7.8-20.0	1	0.4	0.0- 1.2				1	0.2	0.0- 0.6	42	20.5	13.6-27.4
\$15,000- 24,999	267	136,434	193	71.0	64.3-77.7	34	10.1	6.2-14.0	4	1.5	0.0- 3.3	1	0.3	0.0- 0.9				35	17.1	11.2-23.0
\$25,000- 34,999	378	224,042	286	77.3	72.2-82.4	47	10.3	6.8-13.8	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7				42	12.0	7.9-16.1
\$35,000- 49,999	478	272,651	352	73.2	68.1-78.3	72	12.6	9.1-16.1	2	0.2	0.0- 0.6	5	1.1	0.0- 2.3	1	0.3	0.0- 0.9	46	12.5	8.4-16.6
\$50,000- 99,999	1100	622,093	821	73.6	70.3-76.9	174	14.6	12.1-17.1	11	1.3	0.3- 2.3	16	1.2	0.4- 2.0	4	0.2	0.0- 0.4	74	9.1	6.7-11.5
\$100,000 - 199,999	669	366,010	492	73.7	69.8-77.6	123	16.4	13.3-19.5	2	0.2	0.0- 0.4	5	0.7	0.1- 1.3	5	0.9	0.0- 1.9	42	8.0	5.1-10.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4696	2,318,750	3363	71.4	69.8-73.0	906	18.3	16.9-19.7	40	0.9	0.5- 1.3	49	1.0	0.6- 1.4	27	0.5	0.3- 0.7	311	7.9	6.7- 9.1
White/Non-Hisp	3754	1,841,186	2745	73.0	71.2-74.8	676	17.1	15.7-18.5	29	0.8	0.4- 1.2	41	1.1	0.7- 1.5	22	0.5	0.3- 0.7	241	7.6	6.4- 8.8
Black or Afr. Am./Non-Hisp	420	208,380	293	68.1	62.2-74.0	95	22.9	17.6-28.2	4	0.6	0.0- 1.4	4	0.7	0.0- 1.5	2	0.6	0.0- 1.4	22	7.2	3.3-11.1
Oth. Race/Non-Hisp.	133	62,671	71	49.6	38.2-61.0	45	34.0	23.2-44.8	2	3.8	0.0- 9.1				1	0.3	0.0- 0.9	14	12.3	5.4-19.2
MultiRacial/Non-Hisp.	82	25,435	59	74.4	63.2-85.6	17	18.2	8.4-28.0	1	1.4	0.0- 4.1							5	6.0	0.0-12.3
Hispanic	218	143,727	145	70.1	63.0-77.2	45	17.3	11.6-23.0	2	0.9	0.0- 2.3	2	0.2	0.0- 0.6	2	1.3	0.0- 3.1	22	10.2	5.5-14.9
18-24	220	284,715	152	68.7	61.8-75.6	33	14.0	9.1-18.9	3	1.6	0.0- 3.4				1	0.3	0.0- 0.9	31	15.4	9.9-20.9
25-34	487	376,485	345	70.2	65.7-74.7	85	16.9	13.2-20.6	3	0.6	0.0- 1.4	4	0.8	0.0- 1.8	5	0.8	0.0- 1.6	45	10.6	7.3-13.9
35-44	566	359,280	395	69.5	65.2-73.8	116	20.2	16.5-23.9	9	1.3	0.3- 2.3	6	1.7	0.3- 3.1	4	0.9	0.0- 1.9	36	6.5	4.1- 8.9
45-54	781	349,981	552	70.7	67.2-74.2	163	21.2	18.1-24.3	8	1.1	0.3- 1.9	9	1.1	0.3- 1.9	2	0.1	0.0- 0.3	47	5.8	4.0- 7.6
55-64	924	392,204	649	71.5	68.2-74.8	202	20.6	17.7-23.5	7	0.4	0.0- 0.8	10	1.0	0.4- 1.6	7	0.5	0.1- 0.9	49	6.0	4.0- 8.0
65+	1718	556,084	1270	75.3	72.9-77.7	307	16.7	14.5-18.9	10	0.8	0.2- 1.4	20	1.0	0.4- 1.6	8	0.5	0.1- 0.9	103	5.7	4.3- 7.1
Less Than H.S.	246	229,972	184	72.8	65.9-79.7	31	12.9	8.0-17.8				1	0.1	0.0- 0.3				30	14.2	8.3-20.1
H.S. or G.E.D.	1327	723,911	965	71.3	68.4-74.2	221	17.1	14.7-19.5	8	0.8	0.2- 1.4	14	1.3	0.5- 2.1	5	0.4	0.0- 0.8	114	9.2	7.2-11.2
Some Post-H.S.	1325	770,088	957	72.1	69.2-75.0	240	17.4	15.0-19.8	13	1.3	0.5- 2.1	14	1.0	0.4- 1.6	6	0.5	0.1- 0.9	95	7.8	6.0- 9.6
College Graduate	1784	587,948	1249	70.6	68.2-73.0	409	22.6	20.4-24.8	19	1.1	0.5- 1.7	20	0.9	0.5- 1.3	16	0.9	0.3- 1.5	71	3.9	2.9- 4.9
Less than \$15,000	263	137,109	185	65.1	57.3-72.9	44	15.2	9.9-20.5	1	0.7	0.0- 2.1	2	0.5	0.0- 1.3				31	18.5	11.2-25.8
\$15,000- 24,999	524	249,658	361	68.9	64.0-73.8	83	15.5	11.6-19.4	7	1.6	0.4- 2.8	6	0.9	0.0- 1.9	3	0.5	0.0- 1.3	64	12.5	9.0-16.0
\$25,000- 34,999	523	271,852	393	76.2	71.7-80.7	76	13.3	9.8-16.8	6	1.2	0.0- 2.4	4	0.6	0.0- 1.2	5	0.9	0.1- 1.7	39	7.8	5.1-10.5
\$35,000- 49,999	559	266,241	421	76.3	71.8-80.8	99	15.3	11.8-18.8	1	0.1	0.0- 0.3	5	1.3	0.0- 2.7	3	0.7	0.0- 1.5	30	6.2	2.9- 9.5
\$50,000- 99,999	1082	542,544	790	73.5	70.4-76.6	219	19.5	16.6-22.4	13	1.3	0.5- 2.1	14	1.1	0.3- 1.9	7	0.6	0.0- 1.2	39	4.1	2.7- 5.5
\$100,000 - 199,999	593	297,461	418	68.3	63.8-72.8	141	24.2	20.1-28.3	5	1.2	0.0- 2.6	9	1.7	0.5- 2.9	5	0.6	0.0- 1.2	15	4.0	1.5- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8647	4,541,167	7180	83.8	82.8-84.8	380	5.2	4.6- 5.8	27	0.3	0.1- 0.5	24	0.3	0.1- 0.5	22	0.4	0.2- 0.6	1014	10.0	9.2-10.8
Male	3946	2,223,236	3349	84.8	83.4-86.2	210	6.0	5.0- 7.0	16	0.4	0.2- 0.6	10	0.2	0.0- 0.4	11	0.5	0.1- 0.9	350	8.1	7.1- 9.1
Female	4701	2,317,932	3831	82.9	81.5-84.3	170	4.4	3.6- 5.2	11	0.2	0.0- 0.4	14	0.4	0.2- 0.6	11	0.2	0.0- 0.4	664	11.8	10.6-13.0
White/Non-Hisp	6921	3,596,168	5772	84.4	83.4-85.4	297	5.0	4.2- 5.8	20	0.3	0.1- 0.5	22	0.3	0.1- 0.5	19	0.4	0.2- 0.6	791	9.5	8.7-10.3
Black or Afr. Am./Non-Hisp	670	397,153	561	83.4	79.7-87.1	32	6.3	3.6- 9.0	3	0.5	0.0- 1.1	1	0.3	0.0- 0.9				73	9.5	6.8-12.2
Oth. Race/Non-Hisp.	297	138,622	244	84.0	78.9-89.1	13	5.3	2.0- 8.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	37	10.4	6.3-14.5
MultiRacial/Non-Hisp.	157	45,708	126	83.6	77.3-89.9	7	3.7	0.8- 6.6										24	12.7	7.0-18.4
Hispanic	421	279,801	341	78.9	74.0-83.8	16	4.6	2.2- 7.0	1	0.1	0.0- 0.3							63	16.4	11.9-20.9
18-24	466	584,525	412	86.7	83.0-90.4	30	7.4	4.7-10.1	1	0.2	0.0- 0.6	3	0.4	0.0- 1.0	3	1.0	0.0- 2.2	17	4.4	2.0- 6.8
25-34	918	765,141	791	84.7	82.0-87.4	54	7.1	5.1- 9.1	3	0.3	0.0- 0.7	3	0.3	0.0- 0.7	2	0.3	0.0- 0.7	65	7.4	5.4- 9.4
35-44	1058	729,290	909	85.6	83.2-88.0	41	3.8	2.6- 5.0	4	0.3	0.0- 0.7	4	0.6	0.0- 1.2	5	0.5	0.0- 1.1	95	9.3	7.3-11.3
45-54	1445	687,492	1210	83.2	81.0-85.4	69	5.2	3.8- 6.6	1	0.0	0.0- 0.0	4	0.2	0.0- 0.4	3	0.2	0.0- 0.4	158	11.2	9.4-13.0
55-64	1700	753,559	1409	83.5	81.5-85.5	75	5.0	3.8- 6.2	6	0.4	0.0- 0.8	6	0.3	0.1- 0.5	2	0.2	0.0- 0.4	202	10.6	9.0-12.2
65+	3060	1,021,162	2449	81.1	79.5-82.7	111	3.7	2.9- 4.5	12	0.5	0.1- 0.9	4	0.1	0.0- 0.3	7	0.2	0.0- 0.4	477	14.4	13.0-15.8
Less Than H.S.	483	480,498	378	77.2	72.5-81.9	38	9.3	5.8-12.8				1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	64	12.7	9.0-16.4
H.S. or G.E.D.	2500	1,498,672	2059	84.6	83.0-86.2	142	6.0	4.8- 7.2	12	0.4	0.2- 0.6	7	0.2	0.0- 0.4	7	0.3	0.1- 0.5	273	8.6	7.4- 9.8
Some Post-H.S.	2284	1,392,943	1886	83.1	81.3-84.9	108	5.1	3.9- 6.3	6	0.2	0.0- 0.4	7	0.4	0.0- 0.8	6	0.5	0.0- 1.1	271	10.6	9.2-12.0
College Graduate	3336	1,146,563	2823	86.7	85.5-87.9	89	2.6	2.0- 3.2	9	0.3	0.1- 0.5	9	0.3	0.1- 0.5	7	0.3	0.1- 0.5	399	9.9	8.9-10.9
Less than \$15,000	454	251,047	347	78.7	74.0-83.4	24	6.3	3.2- 9.4	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	1	0.5	0.0- 1.5	80	14.1	10.6-17.6
\$15,000-24,999	798	389,376	637	79.9	76.6-83.2	41	6.2	4.0- 8.4				4	0.6	0.0- 1.4	3	0.6	0.0- 1.2	113	12.7	10.0-15.4
\$25,000-34,999	897	495,153	728	82.3	79.4-85.2	58	7.5	5.3- 9.7	6	0.5	0.1- 0.9	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	102	9.3	7.1-11.5
\$35,000-49,999	1038	534,871	875	84.4	81.5-87.3	47	5.3	2.9- 7.7	6	0.6	0.0- 1.2	3	0.4	0.0- 1.0	2	0.2	0.0- 0.4	105	9.2	7.2-11.2
\$50,000-99,999	2168	1,154,920	1850	85.3	83.3-87.3	85	4.5	3.3- 5.7	6	0.2	0.0- 0.4	6	0.3	0.0- 0.7	7	0.6	0.0- 1.2	214	9.0	7.4-10.6
\$100,000-199,999	1259	662,154	1104	88.2	86.2-90.2	36	3.6	2.2- 5.0	1	0.0	0.0- 0.0	4	0.2	0.0- 0.4	4	0.3	0.0- 0.7	110	7.7	6.1- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3946	2,223,236	3349	84.8	83.4-86.2	210	6.0	5.0- 7.0	16	0.4	0.2- 0.6	10	0.2	0.0- 0.4	11	0.5	0.1- 0.9	350	8.1	7.1- 9.1
White/Non-Hisp	3163	1,756,685	2705	85.8	84.2-87.4	163	5.7	4.7- 6.7	14	0.4	0.2- 0.6	10	0.3	0.1- 0.5	8	0.5	0.1- 0.9	263	7.3	6.3- 8.3
Black or Afr. Am./Non-Hisp	250	187,599	208	82.6	76.5-88.7	16	8.5	3.6-13.4										26	8.9	5.0-12.8
Oth. Race/Non-Hisp.	167	75,471	139	83.2	75.9-90.5	8	7.3	1.6-13.0							1	0.1	0.0- 0.3	19	9.4	4.3-14.5
MultiRacial/Non-Hisp.	72	19,885	59	82.2	72.4-92.0	7	8.5	1.6-15.4										6	9.2	1.6-16.8
Hispanic	205	137,412	168	78.4	71.3-85.5	7	4.3	1.2- 7.4										30	17.3	10.6-24.0
18-24	250	305,498	225	89.3	85.0-93.6	13	5.5	2.4- 8.6	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	3	1.9	0.0- 4.1	7	2.7	0.5- 4.9
25-34	432	389,374	373	84.0	79.7-88.3	27	8.4	5.1-11.7				1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	29	6.9	4.0- 9.8
35-44	491	367,784	432	87.4	84.1-90.7	19	3.8	2.0- 5.6	3	0.6	0.0- 1.2	1	0.1	0.0- 0.3				36	8.0	5.3-10.7
45-54	671	340,591	561	81.8	78.3-85.3	42	7.1	4.7- 9.5	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7	3	0.4	0.0- 1.0	61	10.3	7.6-13.0
55-64	785	365,120	658	83.6	80.7-86.5	48	6.9	4.7- 9.1	2	0.4	0.0- 1.0	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	74	8.8	6.6-11.0
65+	1317	454,868	1100	83.7	81.3-86.1	61	4.5	3.1- 5.9	9	0.9	0.3- 1.5	2	0.2	0.0- 0.6	2	0.1	0.0- 0.3	143	10.6	8.6-12.6
Less Than H.S.	231	246,333	173	75.7	69.2-82.2	24	10.8	5.9-15.7							2	0.9	0.0- 2.1	32	12.7	7.8-17.6
H.S. or G.E.D.	1168	775,468	992	86.0	83.8-88.2	83	7.2	5.4- 9.0	6	0.4	0.0- 0.8	4	0.2	0.0- 0.4	2	0.1	0.0- 0.3	81	6.1	4.5- 7.7
Some Post-H.S.	955	622,689	800	83.9	81.2-86.6	56	5.8	4.0- 7.6	5	0.5	0.1- 0.9	1	0.1	0.0- 0.3	4	0.8	0.0- 1.8	89	8.8	6.8-10.8
College Graduate	1564	562,356	1359	88.2	86.4-90.0	46	2.7	1.7- 3.7	5	0.4	0.0- 0.8	5	0.4	0.0- 0.8	3	0.4	0.0- 1.0	146	8.0	6.6- 9.4
Less than \$15,000	189	112,699	149	79.3	72.2-86.4	15	9.0	3.9-14.1				1	0.3	0.0- 0.9	1	1.1	0.0- 3.3	23	10.3	5.6-15.0
\$15,000- 24,999	270	138,239	230	82.6	76.7-88.5	13	5.7	2.2- 9.2				1	0.3	0.0- 0.9	1	0.6	0.0- 1.8	25	10.8	5.9-15.7
\$25,000- 34,999	374	222,523	301	82.2	77.7-86.7	29	7.6	4.7-10.5	3	0.7	0.0- 1.5	1	0.3	0.0- 0.9				40	9.2	5.9-12.5
\$35,000- 49,999	479	270,229	398	82.7	78.4-87.0	30	7.0	3.5-10.5	4	0.8	0.0- 1.6	1	0.2	0.0- 0.6				46	9.3	6.4-12.2
\$50,000- 99,999	1095	617,725	953	86.6	84.1-89.1	52	5.4	3.6- 7.2	4	0.3	0.1- 0.5				4	0.7	0.0- 1.5	82	7.0	5.0- 9.0
\$100,000 - 199,999	673	367,731	596	89.0	86.3-91.7	21	3.7	1.9- 5.5				4	0.4	0.0- 0.8	3	0.4	0.0- 1.0	49	6.5	4.5- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4701	2,317,932	3831	82.9	81.5-84.3	170	4.4	3.6- 5.2	11	0.2	0.0- 0.4	14	0.4	0.2- 0.6	11	0.2	0.0- 0.4	664	11.8	10.6-13.0
White/Non-Hisp	3758	1,839,483	3067	83.1	81.5-84.7	134	4.4	3.4- 5.4	6	0.2	0.0- 0.4	12	0.4	0.2- 0.6	11	0.3	0.1- 0.5	528	11.6	10.4-12.8
Black or Afr. Am./Non-Hisp	420	209,554	353	84.1	79.4-88.8	16	4.3	1.4- 7.2	3	0.9	0.0- 1.9	1	0.6	0.0- 1.8				47	10.1	6.4-13.8
Oth. Race/Non-Hisp.	130	63,152	105	85.0	77.9-92.1	5	2.8	0.1- 5.5	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9				18	11.6	5.1-18.1
MultiRacial/Non-Hisp.	85	25,824	67	84.7	76.5-92.9													18	15.3	7.1-23.5
Hispanic	216	142,389	173	79.4	72.7-86.1	9	5.0	1.5- 8.5	1	0.1	0.0- 0.3							33	15.5	9.4-21.6
18-24	216	279,026	187	83.8	77.7-89.9	17	9.4	4.7-14.1				2	0.7	0.0- 1.7				10	6.2	1.9-10.5
25-34	486	375,767	418	85.3	81.8-88.8	27	5.8	3.6- 8.0	3	0.6	0.0- 1.4	2	0.4	0.0- 0.8				36	7.9	5.2-10.6
35-44	567	361,506	477	83.6	80.1-87.1	22	3.7	2.1- 5.3	1	0.1	0.0- 0.3	3	1.0	0.0- 2.2	5	1.1	0.1- 2.1	59	10.5	7.6-13.4
45-54	774	346,900	649	84.6	81.9-87.3	27	3.2	1.8- 4.6				1	0.1	0.0- 0.3				97	12.2	9.7-14.7
55-64	915	388,439	751	83.5	80.8-86.2	27	3.3	1.9- 4.7	4	0.4	0.0- 0.8	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	128	12.3	9.9-14.7
65+	1743	566,294	1349	79.0	76.8-81.2	50	3.1	2.1- 4.1	3	0.2	0.0- 0.4	2	0.0	0.0- 0.0	5	0.2	0.0- 0.4	334	17.5	15.5-19.5
Less Than H.S.	252	234,164	205	78.8	71.9-85.7	14	7.8	2.9-12.7				1	0.6	0.0- 1.8				32	12.8	7.3-18.3
H.S. or G.E.D.	1332	723,204	1067	83.1	80.9-85.3	59	4.7	3.3- 6.1	6	0.5	0.1- 0.9	3	0.1	0.0- 0.3	5	0.4	0.0- 0.8	192	11.3	9.5-13.1
Some Post-H.S.	1329	770,253	1086	82.4	80.0-84.8	52	4.6	3.2- 6.0	1	0.0	0.0- 0.0	6	0.7	0.1- 1.3	2	0.2	0.0- 0.6	182	11.9	9.9-13.9
College Graduate	1772	584,207	1464	85.2	83.4-87.0	43	2.4	1.6- 3.2	4	0.3	0.0- 0.7	4	0.2	0.0- 0.4	4	0.2	0.0- 0.4	253	11.8	10.2-13.4
Less than \$15,000	265	138,348	198	78.1	71.8-84.4	9	4.1	0.4- 7.8	1	0.6	0.0- 1.8							57	17.2	11.9-22.5
\$15,000- 24,999	528	251,137	407	78.5	74.4-82.6	28	6.5	4.0- 9.0				3	0.8	0.0- 1.8	2	0.5	0.0- 1.3	88	13.7	10.4-17.0
\$25,000- 34,999	523	272,629	427	82.4	78.3-86.5	29	7.4	4.1-10.7	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	62	9.5	6.8-12.2
\$35,000- 49,999	559	264,642	477	86.0	81.9-90.1	17	3.6	0.5- 6.7	2	0.5	0.0- 1.1	2	0.5	0.0- 1.5	2	0.3	0.0- 0.9	59	9.0	6.3-11.7
\$50,000- 99,999	1073	537,195	897	83.8	80.9-86.7	33	3.5	2.1- 4.9	2	0.2	0.0- 0.4	6	0.7	0.1- 1.3	3	0.4	0.0- 1.0	132	11.4	8.9-13.9
\$100,000 - 199,999	586	294,423	508	87.2	84.1-90.3	15	3.5	1.3- 5.7	1	0.1	0.0- 0.3				1	0.2	0.0- 0.6	61	9.1	6.6-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8543	4,487,835	7091	82.2	81.2-83.2	382	4.6	4.0- 5.2	15	0.2	0.0- 0.4	27	0.4	0.2- 0.6	14	0.2	0.0- 0.4	1014	12.5	11.5-13.5
Male	3890	2,196,730	3211	81.4	79.8-83.0	184	5.0	4.2- 5.8	6	0.2	0.0- 0.4	15	0.4	0.2- 0.6	9	0.2	0.0- 0.4	465	12.7	11.3-14.1
Female	4653	2,291,105	3880	82.9	81.5-84.3	198	4.2	3.6- 4.8	9	0.2	0.0- 0.4	12	0.3	0.1- 0.5	5	0.1	0.1- 0.1	549	12.4	11.2-13.6
White/Non-Hisp	6849	3,558,508	5757	83.4	82.2-84.6	315	4.8	4.2- 5.4	12	0.2	0.0- 0.4	24	0.4	0.2- 0.6	10	0.2	0.0- 0.4	731	11.0	10.0-12.0
Black or Afr. Am./Non-Hisp	657	386,249	544	80.8	76.7-84.9	22	4.2	2.0- 6.4	1	0.0	0.0- 0.0	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	88	14.7	11.0-18.4
Oth. Race/Non-Hisp.	296	139,219	231	75.3	68.8-81.8	14	5.1	2.0- 8.2				1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	48	19.3	13.4-25.2
MultiRacial/Non-Hisp.	154	44,918	122	78.2	70.4-86.0	8	5.2	1.3- 9.1				1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	23	16.3	9.2-23.4
Hispanic	414	277,345	308	73.3	68.2-78.4	13	2.6	0.8- 4.4	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2				91	23.5	18.4-28.6
18-24	468	583,753	372	79.8	75.7-83.9	12	2.0	0.8- 3.2				1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	82	17.6	13.7-21.5
25-34	904	753,699	743	82.4	79.7-85.1	37	4.8	3.2- 6.4	3	0.4	0.0- 0.8	3	0.5	0.0- 1.1	2	0.3	0.0- 0.7	116	11.7	9.3-14.1
35-44	1045	719,564	851	81.2	78.5-83.9	37	3.7	2.3- 5.1	3	0.2	0.0- 0.4	4	0.7	0.0- 1.5	1	0.1	0.0- 0.3	149	14.1	11.7-16.5
45-54	1432	680,642	1163	81.0	78.6-83.4	60	4.7	3.3- 6.1	2	0.2	0.0- 0.4	2	0.1	0.0- 0.3	4	0.2	0.0- 0.4	201	13.7	11.7-15.7
55-64	1675	743,558	1381	82.2	80.0-84.4	81	5.5	4.1- 6.9	2	0.2	0.0- 0.6	6	0.3	0.1- 0.5	3	0.1	0.0- 0.3	202	11.6	9.8-13.4
65+	3019	1,006,619	2581	84.7	83.1-86.3	155	5.8	4.6- 7.0	5	0.2	0.0- 0.4	11	0.3	0.1- 0.5	3	0.0	0.0- 0.0	264	8.9	7.7-10.1
Less Than H.S.	475	474,064	350	73.5	68.6-78.4	37	7.2	4.7- 9.7	1	0.2	0.0- 0.6	3	0.9	0.0- 1.9	1	0.3	0.0- 0.9	83	17.9	13.6-22.2
H.S. or G.E.D.	2461	1,477,712	2013	82.7	80.9-84.5	148	5.6	4.6- 6.6	7	0.3	0.1- 0.5	10	0.3	0.1- 0.5	4	0.1	0.1- 0.1	279	11.0	9.6-12.4
Some Post-H.S.	2258	1,378,235	1880	82.5	80.7-84.3	93	4.1	3.1- 5.1	4	0.1	0.0- 0.3	5	0.3	0.1- 0.5	7	0.3	0.0- 0.7	269	12.6	11.0-14.2
College Graduate	3304	1,134,937	2815	84.7	83.3-86.1	102	2.7	2.1- 3.3	3	0.2	0.0- 0.4	9	0.3	0.1- 0.5	2	0.0	0.0- 0.0	373	12.1	10.7-13.5
Less than \$15,000	447	248,038	347	75.4	70.1-80.7	21	5.7	3.0- 8.4	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	2	0.6	0.0- 1.6	75	18.0	13.1-22.9
\$15,000-24,999	790	383,398	634	79.5	76.0-83.0	41	5.1	3.1- 7.1	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	110	14.9	11.8-18.0
\$25,000-34,999	885	487,094	715	81.6	78.7-84.5	52	4.7	3.1- 6.3	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	114	13.1	10.4-15.8
\$35,000-49,999	1034	533,722	895	85.7	83.2-88.2	42	4.2	2.6- 5.8	4	0.4	0.0- 0.8	4	0.6	0.0- 1.4	2	0.1	0.1- 0.1	87	9.1	6.9-11.3
\$50,000-99,999	2152	1,151,726	1790	82.0	79.8-84.2	92	4.8	3.6- 6.0	2	0.2	0.0- 0.4	7	0.5	0.1- 0.9	3	0.2	0.0- 0.6	258	12.3	10.5-14.1
\$100,000-199,999	1249	657,456	1069	84.7	82.2-87.2	44	3.1	2.1- 4.1	1	0.1	0.0- 0.3	5	0.6	0.0- 1.2	2	0.1	0.0- 0.3	128	11.3	8.9-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3890	2,196,730	3211	81.4	79.8-83.0	184	5.0	4.2- 5.8	6	0.2	0.0- 0.4	15	0.4	0.2- 0.6	9	0.2	0.0- 0.4	465	12.7	11.3-14.1
White/Non-Hisp	3125	1,734,953	2613	82.7	80.9-84.5	149	5.2	4.2- 6.2	3	0.1	0.0- 0.3	15	0.6	0.2- 1.0	5	0.3	0.0- 0.7	340	11.2	9.8-12.6
Black or Afr. Am./Non-Hisp	245	185,544	198	78.7	72.2-85.2	11	5.2	1.7- 8.7	1	0.0	0.0- 0.0				1	0.1	0.0- 0.3	34	15.9	9.8-22.0
Oth. Race/Non-Hisp.	162	74,771	125	72.0	62.8-81.2	9	6.8	1.7-11.9							2	0.4	0.0- 1.0	26	20.8	12.4-29.2
MultiRacial/Non-Hisp.	70	19,343	54	78.6	67.8-89.4	7	9.8	2.2-17.4							1	0.6	0.0- 1.8	8	11.0	3.0-19.0
Hispanic	202	136,931	153	74.0	66.6-81.4	4	1.4	0.0- 2.8	1	0.5	0.0- 1.5							44	24.1	16.8-31.4
18-24	253	308,608	198	78.7	73.0-84.4	7	1.9	0.3- 3.5				1	0.4	0.0- 1.2	1	0.7	0.0- 2.1	46	18.2	12.7-23.7
25-34	423	381,561	335	79.5	75.2-83.8	20	5.7	3.2- 8.2	1	0.4	0.0- 1.2	3	0.9	0.0- 2.1	1	0.3	0.0- 0.9	63	13.1	9.6-16.6
35-44	483	362,864	403	82.3	78.4-86.2	19	4.4	2.2- 6.6	3	0.5	0.0- 1.1	1	0.4	0.0- 1.2				57	12.5	9.2-15.8
45-54	660	335,187	545	81.3	77.8-84.8	30	6.1	3.7- 8.5	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	4	0.3	0.0- 0.7	79	11.9	9.2-14.6
55-64	768	358,380	630	81.3	78.2-84.4	41	6.2	4.0- 8.4				2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	94	12.3	9.8-14.8
65+	1303	450,129	1100	84.3	81.9-86.7	67	5.4	3.8- 7.0	1	0.0	0.0- 0.0	7	0.5	0.1- 0.9	2	0.1	0.1- 0.1	126	9.7	7.7-11.7
Less Than H.S.	227	244,139	160	70.4	63.3-77.5	24	9.3	5.4-13.2				2	1.2	0.0- 2.8	1	0.5	0.0- 1.5	40	18.6	12.3-24.9
H.S. or G.E.D.	1152	765,313	929	82.2	79.7-84.7	72	6.1	4.5- 7.7	3	0.4	0.0- 0.8	6	0.3	0.1- 0.5	1	0.0	0.0- 0.0	141	11.0	8.8-13.2
Some Post-H.S.	939	615,472	778	81.3	78.4-84.2	41	4.5	2.9- 6.1	2	0.1	0.0- 0.3	2	0.3	0.0- 0.7	5	0.5	0.0- 1.3	111	13.2	10.7-15.7
College Graduate	1544	555,830	1320	85.0	82.8-87.2	46	2.4	1.6- 3.2	1	0.1	0.0- 0.3	5	0.5	0.0- 1.1	2	0.1	0.0- 0.3	170	12.0	10.0-14.0
Less than \$15,000	188	112,854	139	72.9	65.1-80.7	14	9.5	4.2-14.8				1	0.3	0.0- 0.9	2	1.3	0.0- 3.5	32	16.1	9.8-22.4
\$15,000- 24,999	264	134,973	216	80.3	74.2-86.4	16	5.3	2.4- 8.2	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9				30	14.1	8.6-19.6
\$25,000- 34,999	366	217,447	290	81.3	76.6-86.0	23	4.7	2.3- 7.1	1	0.2	0.0- 0.6							52	13.8	9.7-17.9
\$35,000- 49,999	477	270,029	406	83.7	79.6-87.8	22	5.2	2.7- 7.7				2	0.7	0.0- 1.9	1	0.1	0.0- 0.3	46	10.2	7.1-13.3
\$50,000- 99,999	1080	615,399	895	81.5	78.6-84.4	52	5.6	3.8- 7.4	2	0.3	0.0- 0.7	2	0.3	0.0- 0.7	3	0.4	0.0- 1.2	126	11.8	9.4-14.2
\$100,000 - 199,999	665	363,772	565	83.6	79.9-87.3	23	3.1	1.7- 4.5	1	0.2	0.0- 0.6	5	1.2	0.0- 2.4	2	0.2	0.0- 0.6	69	11.7	8.4-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4653	2,291,105	3880	82.9	81.5-84.3	198	4.2	3.6- 4.8	9	0.2	0.0- 0.4	12	0.3	0.1- 0.5	5	0.1	0.1- 0.1	549	12.4	11.2-13.6
White/Non-Hisp	3724	1,823,555	3144	84.2	82.8-85.6	166	4.4	3.6- 5.2	9	0.3	0.1- 0.5	9	0.2	0.0- 0.4	5	0.1	0.0- 0.3	391	10.8	9.6-12.0
Black or Afr. Am./Non-Hisp	412	200,706	346	82.7	77.6-87.8	11	3.2	0.7- 5.7				1	0.6	0.0- 1.8				54	13.5	9.0-18.0
Oth. Race/Non-Hisp.	134	64,448	106	79.1	70.5-87.7	5	3.0	0.0- 6.1				1	0.3	0.0- 0.9				22	17.6	9.4-25.8
MultiRacial/Non-Hisp.	84	25,575	68	77.9	66.9-88.9	1	1.7	0.0- 5.0										15	20.4	9.6-31.2
Hispanic	212	140,414	155	72.5	65.2-79.8	9	3.7	0.8- 6.6				1	0.8	0.0- 2.4				47	22.9	16.0-29.8
18-24	215	275,145	174	81.0	74.9-87.1	5	2.0	0.2- 3.8										36	17.0	11.1-22.9
25-34	481	372,138	408	85.4	82.1-88.7	17	3.8	1.8- 5.8	2	0.4	0.0- 1.0				1	0.2	0.0- 0.6	53	10.2	7.3-13.1
35-44	562	356,700	448	80.0	76.3-83.7	18	3.0	1.6- 4.4				3	1.0	0.0- 2.2	1	0.1	0.0- 0.3	92	15.8	12.5-19.1
45-54	772	345,455	618	80.8	77.9-83.7	30	3.4	2.0- 4.8	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				122	15.6	12.9-18.3
55-64	907	385,178	751	83.1	80.4-85.8	40	4.9	3.3- 6.5	2	0.4	0.0- 1.0	4	0.4	0.0- 0.8	2	0.2	0.0- 0.4	108	11.0	8.8-13.2
65+	1716	556,490	1481	85.0	82.8-87.2	88	6.2	4.6- 7.8	4	0.3	0.0- 0.7	4	0.2	0.0- 0.4	1	0.0	0.0- 0.0	138	8.3	6.7- 9.9
Less Than H.S.	248	229,924	190	76.8	70.1-83.5	13	5.0	2.1- 7.9	1	0.5	0.0- 1.5	1	0.6	0.0- 1.8				43	17.2	11.1-23.3
H.S. or G.E.D.	1309	712,399	1084	83.3	80.9-85.7	76	5.1	3.9- 6.3	4	0.3	0.1- 0.5	4	0.3	0.0- 0.7	3	0.1	0.0- 0.3	138	10.9	8.9-12.9
Some Post-H.S.	1319	762,763	1102	83.6	81.2-86.0	52	3.8	2.6- 5.0	2	0.2	0.0- 0.4	3	0.3	0.0- 0.7	2	0.2	0.0- 0.4	158	12.1	9.9-14.3
College Graduate	1760	579,107	1495	84.3	82.3-86.3	56	3.0	2.0- 4.0	2	0.2	0.0- 0.4	4	0.1	0.0- 0.3				203	12.3	10.5-14.1
Less than \$15,000	259	135,184	208	77.4	70.1-84.7	7	2.5	0.5- 4.5	1	0.6	0.0- 1.8							43	19.6	12.3-26.9
\$15,000- 24,999	526	248,425	418	79.1	74.8-83.4	25	5.1	2.6- 7.6	2	0.5	0.0- 1.3				1	0.0	0.0- 0.0	80	15.3	11.6-19.0
\$25,000- 34,999	519	269,647	425	81.8	77.9-85.7	29	4.8	2.8- 6.8	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	62	12.6	9.1-16.1
\$35,000- 49,999	557	263,693	489	87.7	84.4-91.0	20	3.1	1.5- 4.7	4	0.8	0.0- 1.6	2	0.5	0.0- 1.5	1	0.0	0.0- 0.0	41	7.9	5.2-10.6
\$50,000- 99,999	1072	536,326	895	82.6	79.7-85.5	40	3.8	2.4- 5.2				5	0.7	0.0- 1.5				132	12.8	10.1-15.5
\$100,000 - 199,999	584	293,684	504	85.9	82.6-89.2	21	3.2	1.6- 4.8										59	10.9	7.8-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8441	4,428,665	4205	51.9	50.5-53.3	3606	39.9	38.5-41.3	180	2.2	1.8- 2.6	149	1.9	1.5- 2.3	75	0.8	0.6- 1.0	226	3.3	2.7- 3.9
Male	3852	2,163,044	2218	59.2	57.2-61.2	1366	33.0	31.2-34.8	55	1.6	1.0- 2.2	55	1.4	1.0- 1.8	29	0.8	0.4- 1.2	129	4.0	3.2- 4.8
Female	4589	2,265,621	1987	45.0	43.2-46.8	2240	46.4	44.6-48.2	125	2.8	2.2- 3.4	94	2.3	1.7- 2.9	46	0.9	0.5- 1.3	97	2.7	2.1- 3.3
White/Non-Hisp	6761	3,510,130	3332	51.5	50.1-52.9	2933	40.7	39.3-42.1	147	2.2	1.8- 2.6	124	2.0	1.6- 2.4	67	0.9	0.7- 1.1	158	2.8	2.2- 3.4
Black or Afr. Am./Non-Hisp	649	387,077	366	58.5	53.6-63.4	244	34.1	29.4-38.8	10	1.3	0.3- 2.3	7	0.9	0.1- 1.7	6	1.2	0.0- 2.4	16	4.0	1.8- 6.2
Oth. Race/Non-Hisp.	292	136,255	128	43.3	35.9-50.7	142	46.8	39.4-54.2	7	5.9	1.4-10.4	4	1.6	0.0- 3.6				11	2.3	0.7- 3.9
MultiRacial/Non-Hisp.	156	46,104	74	45.0	35.4-54.6	72	48.7	39.1-58.3	4	2.8	0.0- 6.1	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	4	3.1	0.0- 6.2
Hispanic	408	269,643	234	56.9	51.2-62.6	134	32.5	27.2-37.8	2	0.2	0.0- 0.4	8	1.9	0.5- 3.3	1	0.4	0.0- 1.2	29	8.2	5.1-11.3
18-24	458	567,811	271	60.5	55.6-65.4	139	28.0	23.5-32.5	10	2.3	0.9- 3.7	12	3.0	1.2- 4.8	2	0.3	0.0- 0.7	24	6.0	3.5- 8.5
25-34	894	745,499	477	53.9	50.2-57.6	351	38.1	34.4-41.8	17	2.2	1.0- 3.4	17	1.7	0.7- 2.7	6	0.8	0.0- 1.6	26	3.4	2.0- 4.8
35-44	1026	703,395	504	50.7	47.4-54.0	424	39.8	36.5-43.1	31	2.9	1.7- 4.1	25	2.4	1.4- 3.4	10	1.2	0.4- 2.0	32	3.0	1.8- 4.2
45-54	1427	674,147	682	47.8	44.9-50.7	626	44.2	41.3-47.1	40	2.7	1.7- 3.7	28	1.8	1.0- 2.6	12	0.9	0.3- 1.5	39	2.7	1.7- 3.7
55-64	1668	740,486	798	49.8	47.1-52.5	755	43.1	40.4-45.8	32	1.7	0.9- 2.5	24	1.6	1.0- 2.2	17	1.0	0.4- 1.6	42	2.8	1.8- 3.8
65+	2968	997,327	1473	50.9	48.7-53.1	1311	42.6	40.4-44.8	50	1.6	1.0- 2.2	43	1.3	0.9- 1.7	28	0.9	0.5- 1.3	63	2.7	1.9- 3.5
Less Than H.S.	474	472,215	266	59.2	53.9-64.5	153	30.1	25.2-35.0	6	1.4	0.0- 2.8	7	1.2	0.2- 2.2	1	0.5	0.0- 1.5	41	7.7	5.0-10.4
H.S. or G.E.D.	2417	1,454,513	1334	55.5	53.1-57.9	888	35.6	33.4-37.8	34	1.6	1.0- 2.2	41	1.8	1.2- 2.4	26	1.0	0.6- 1.4	94	4.5	3.5- 5.5
Some Post-H.S.	2227	1,356,134	1132	51.5	49.1-53.9	954	40.9	38.5-43.3	47	2.6	1.8- 3.4	34	2.0	1.2- 2.8	17	0.8	0.4- 1.2	43	2.1	1.3- 2.9
College Graduate	3282	1,125,406	1452	44.7	42.7-46.7	1592	48.3	46.3-50.3	93	2.8	2.2- 3.4	67	2.1	1.5- 2.7	31	0.8	0.4- 1.2	47	1.4	1.0- 1.8
Less than \$15,000	438	242,786	238	56.9	51.0-62.8	143	29.1	23.8-34.4	6	1.0	0.2- 1.8	9	2.0	0.6- 3.4	4	0.9	0.0- 2.1	38	10.1	6.4-13.8
\$15,000-24,999	777	381,060	431	57.0	52.7-61.3	287	33.7	29.8-37.6	12	2.5	0.9- 4.1	10	1.5	0.3- 2.7	5	0.6	0.0- 1.2	32	4.8	2.8- 6.8
\$25,000-34,999	881	486,419	477	55.9	51.8-60.0	354	38.6	34.7-42.5	14	1.7	0.5- 2.9	5	0.3	0.1- 0.5	8	0.7	0.1- 1.3	23	2.8	1.4- 4.2
\$35,000-49,999	1009	524,931	516	54.2	50.5-57.9	418	36.1	32.6-39.6	18	1.9	0.9- 2.9	18	2.0	0.8- 3.2	11	1.4	0.6- 2.2	28	4.3	2.1- 6.5
\$50,000-99,999	2127	1,127,726	1066	51.6	49.1-54.1	921	41.5	39.0-44.0	47	2.0	1.2- 2.8	39	2.3	1.3- 3.3	20	0.8	0.4- 1.2	34	1.9	1.1- 2.7
\$100,000-199,999	1239	648,027	546	45.1	41.8-48.4	593	46.6	43.3-49.9	40	2.6	1.6- 3.6	29	2.4	1.4- 3.4	13	1.1	0.5- 1.7	18	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3852	2,163,044	2218	59.2	57.2-61.2	1366	33.0	31.2-34.8	55	1.6	1.0- 2.2	55	1.4	1.0- 1.8	29	0.8	0.4- 1.2	129	4.0	3.2- 4.8
White/Non-Hisp	3093	1,712,546	1787	59.5	57.3-61.7	1104	33.3	31.3-35.3	42	1.5	0.9- 2.1	44	1.4	0.8- 2.0	26	0.8	0.4- 1.2	90	3.4	2.6- 4.2
Black or Afr. Am./Non-Hisp	239	182,174	154	66.0	58.7-73.3	71	26.7	20.0-33.4	3	1.1	0.0- 2.5	2	0.8	0.0- 1.8	2	1.3	0.0- 3.1	7	4.1	0.8- 7.4
Oth. Race/Non-Hisp.	163	75,497	74	47.9	38.1-57.7	75	41.5	31.9-51.1	5	6.5	0.6-12.4	2	1.7	0.0- 4.2				7	2.4	0.2- 4.6
MultiRacial/Non-Hisp.	74	20,663	42	52.0	38.1-65.9	27	42.0	28.1-55.9	1	0.7	0.0- 2.1	1	0.7	0.0- 2.1	1	0.4	0.0- 1.2	2	4.2	0.0- 9.9
Hispanic	195	128,608	121	57.3	49.1-65.5	53	29.9	22.1-37.7				4	2.0	0.0- 4.2				17	10.8	5.5-16.1
18-24	245	292,996	161	67.8	61.3-74.3	63	22.6	17.1-28.1	4	1.9	0.0- 3.9	4	2.0	0.0- 4.0	1	0.3	0.0- 0.9	12	5.4	2.3- 8.5
25-34	419	378,703	255	60.1	54.6-65.6	138	33.0	27.7-38.3	5	1.1	0.1- 2.1	4	0.8	0.0- 1.8	2	0.8	0.0- 2.0	15	4.3	1.9- 6.7
35-44	475	352,756	261	56.7	51.8-61.6	175	34.7	30.0-39.4	9	2.0	0.6- 3.4	8	1.7	0.5- 2.9	6	1.4	0.2- 2.6	16	3.5	1.7- 5.3
45-54	661	331,660	376	55.8	51.7-59.9	235	36.7	32.6-40.8	14	2.3	0.9- 3.7	10	1.4	0.4- 2.4	5	0.9	0.1- 1.7	21	3.0	1.6- 4.4
55-64	766	357,258	435	59.2	55.3-63.1	281	33.8	30.1-37.5	11	1.6	0.4- 2.8	11	1.5	0.5- 2.5	4	0.5	0.0- 1.1	24	3.3	1.9- 4.7
65+	1286	449,671	730	57.5	54.4-60.6	474	35.2	32.1-38.3	12	0.9	0.3- 1.5	18	1.3	0.5- 2.1	11	0.7	0.1- 1.3	41	4.3	2.7- 5.9
Less Than H.S.	227	239,101	127	59.4	51.8-67.0	68	28.9	21.6-36.2	2	1.2	0.0- 2.8	5	1.8	0.2- 3.4	1	0.9	0.0- 2.7	24	7.7	4.4-11.0
H.S. or G.E.D.	1125	746,444	723	64.1	60.8-67.4	311	27.5	24.6-30.4	13	1.2	0.6- 1.8	14	1.1	0.5- 1.7	11	0.8	0.2- 1.4	53	5.3	3.7- 6.9
Some Post-H.S.	937	611,078	555	59.6	55.9-63.3	327	33.0	29.7-36.3	13	2.2	0.8- 3.6	9	1.4	0.4- 2.4	7	0.8	0.2- 1.4	26	3.0	1.6- 4.4
College Graduate	1536	550,984	798	52.1	49.2-55.0	649	42.2	39.3-45.1	27	1.6	0.8- 2.4	27	1.8	1.0- 2.6	10	0.7	0.1- 1.3	25	1.6	0.8- 2.4
Less than \$15,000	184	109,923	112	65.6	57.4-73.8	47	21.4	14.5-28.3	2	1.0	0.0- 2.4	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	21	11.4	6.1-16.7
\$15,000- 24,999	260	133,466	173	66.3	59.2-73.4	66	22.6	16.7-28.5	2	1.8	0.0- 4.3	3	1.6	0.0- 3.6	1	0.1	0.0- 0.3	15	7.7	3.4-12.0
\$25,000- 34,999	369	220,400	232	64.1	58.0-70.2	113	29.9	24.2-35.6	6	1.7	0.0- 3.7	2	0.3	0.0- 0.7	3	0.7	0.0- 1.5	13	3.3	1.1- 5.5
\$35,000- 49,999	468	266,732	277	61.9	56.6-67.2	154	27.7	23.0-32.4	4	1.5	0.0- 3.1	6	1.3	0.1- 2.5	6	1.6	0.2- 3.0	21	5.9	3.2- 8.6
\$50,000- 99,999	1067	599,847	630	59.5	56.0-63.0	384	34.9	31.4-38.4	14	1.3	0.5- 2.1	14	1.6	0.4- 2.8	7	0.6	0.2- 1.0	18	2.1	0.9- 3.3
\$100,000 - 199,999	660	357,805	331	52.2	47.7-56.7	278	40.1	35.6-44.6	16	1.9	0.9- 2.9	15	2.2	1.0- 3.4	7	1.2	0.2- 2.2	13	2.5	0.9- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4589	2,265,621	1987	45.0	43.2-46.8	2240	46.4	44.6-48.2	125	2.8	2.2- 3.4	94	2.3	1.7- 2.9	46	0.9	0.5- 1.3	97	2.7	2.1- 3.3
White/Non-Hisp	3668	1,797,584	1545	43.8	41.8-45.8	1829	47.7	45.7-49.7	105	2.8	2.2- 3.4	80	2.6	1.8- 3.4	41	0.9	0.5- 1.3	68	2.2	1.4- 3.0
Black or Afr. Am./Non-Hisp	410	204,904	212	51.8	45.5-58.1	173	40.8	34.5-47.1	7	1.5	0.3- 2.7	5	1.1	0.1- 2.1	4	1.1	0.0- 2.5	9	3.8	0.7- 6.9
Oth. Race/Non-Hisp.	129	60,758	54	37.6	26.6-48.6	67	53.4	41.8-65.0	2	5.2	0.0-12.3	2	1.6	0.0- 4.3				4	2.2	0.0- 4.9
MultiRacial/Non-Hisp.	82	25,441	32	39.3	26.4-52.2	45	54.1	40.8-67.4	3	4.4	0.0-10.3							2	2.2	0.0- 5.3
Hispanic	213	141,035	113	56.5	48.7-64.3	81	34.9	27.5-42.3	2	0.3	0.0- 0.7	4	1.8	0.0- 3.8	1	0.8	0.0- 2.4	12	5.8	2.3- 9.3
18-24	213	274,815	110	52.8	45.4-60.2	76	33.8	26.7-40.9	6	2.7	0.5- 4.9	8	4.0	1.1- 6.9	1	0.2	0.0- 0.6	12	6.5	2.4-10.6
25-34	475	366,796	222	47.4	42.3-52.5	213	43.4	38.5-48.3	12	3.3	1.1- 5.5	13	2.7	1.1- 4.3	4	0.8	0.0- 1.6	11	2.5	0.9- 4.1
35-44	551	350,639	243	44.7	40.0-49.4	249	44.9	40.2-49.6	22	3.8	2.0- 5.6	17	3.0	1.4- 4.6	4	1.0	0.0- 2.0	16	2.6	1.2- 4.0
45-54	766	342,487	306	40.0	36.1-43.9	391	51.6	47.7-55.5	26	3.1	1.9- 4.3	18	2.2	1.0- 3.4	7	0.9	0.1- 1.7	18	2.3	1.1- 3.5
55-64	902	383,228	363	41.1	37.4-44.8	474	51.8	48.1-55.5	21	1.8	1.0- 2.6	13	1.6	0.6- 2.6	13	1.4	0.4- 2.4	18	2.3	1.1- 3.5
65+	1682	547,656	743	45.5	42.6-48.4	837	48.7	45.8-51.6	38	2.2	1.4- 3.0	25	1.4	0.8- 2.0	17	1.0	0.4- 1.6	22	1.3	0.7- 1.9
Less Than H.S.	247	233,114	139	58.9	51.5-66.3	85	31.2	24.5-37.9	4	1.7	0.0- 3.7	2	0.5	0.0- 1.3				17	7.7	3.2-12.2
H.S. or G.E.D.	1292	708,069	611	46.4	43.1-49.7	577	44.2	40.9-47.5	21	2.0	1.0- 3.0	27	2.6	1.4- 3.8	15	1.2	0.4- 2.0	41	3.6	2.2- 5.0
Some Post-H.S.	1290	745,056	577	45.0	41.9-48.1	627	47.3	44.2-50.4	34	3.0	1.8- 4.2	25	2.6	1.4- 3.8	10	0.9	0.3- 1.5	17	1.3	0.7- 1.9
College Graduate	1746	574,422	654	37.5	35.0-40.0	943	54.1	51.4-56.8	66	3.8	2.8- 4.8	40	2.4	1.6- 3.2	21	1.0	0.6- 1.4	22	1.2	0.6- 1.8
Less than \$15,000	254	132,863	126	49.8	41.8-57.8	96	35.5	27.9-43.1	4	1.1	0.0- 2.3	8	3.1	0.6- 5.6	3	1.5	0.0- 3.5	17	9.0	3.9-14.1
\$15,000- 24,999	517	247,594	258	52.0	46.7-57.3	221	39.6	34.5-44.7	10	2.9	0.7- 5.1	7	1.5	0.1- 2.9	4	0.8	0.0- 1.8	17	3.2	1.4- 5.0
\$25,000- 34,999	512	266,019	245	49.2	43.7-54.7	241	45.9	40.4-51.4	8	1.6	0.0- 3.2	3	0.2	0.0- 0.4	5	0.8	0.0- 1.6	10	2.3	0.5- 4.1
\$35,000- 49,999	541	258,199	239	46.2	41.1-51.3	264	44.7	39.6-49.8	14	2.3	0.9- 3.7	12	2.8	0.8- 4.8	5	1.2	0.2- 2.2	7	2.7	0.0- 5.8
\$50,000- 99,999	1060	527,879	436	42.6	38.9-46.3	537	48.9	45.2-52.6	33	2.7	1.5- 3.9	25	3.1	1.5- 4.7	13	1.0	0.2- 1.8	16	1.7	0.7- 2.7
\$100,000 - 199,999	579	290,222	215	36.5	31.8-41.2	315	54.7	50.0-59.4	24	3.6	1.8- 5.4	14	2.6	0.8- 4.4	6	1.0	0.2- 1.8	5	1.6	0.0- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2021**

End of Calculated Variable Data Report