

INDIANA

2021 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19 MALES AND FEMALES	22
20 MALES ONLY	23
21 FEMALES ONLY	24
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	25
23 MALES ONLY	26
24 FEMALES ONLY	27
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	28
26 MALES ONLY	29
27 FEMALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1488	626,529	527	34.5	31.6-37.4	961	65.5	62.6-68.4
Male	748	324,407	265	33.1	29.2-37.0	483	66.9	63.0-70.8
Female	740	302,122	262	35.9	31.6-40.2	478	64.1	59.8-68.4
White/Non-Hisp	1154	486,324	405	34.7	31.4-38.0	749	65.3	62.0-68.6
Black or Afr. Am./Non-Hisp	161	72,317	56	35.5	25.7-45.3	105	64.5	54.7-74.3
Oth. Race/Non-Hisp.	53	15,511	21	37.0	18.4-55.6	32	63.0	44.4-81.6
Hispanic	61	34,015	22	24.9	12.9-36.9	39	75.1	63.1-87.1
35-44	75	55,826	28	30.6	19.4-41.8	47	69.4	58.2-80.6
45-54	194	95,739	67	33.2	25.8-40.6	127	66.8	59.4-74.2
55-64	391	182,380	131	33.7	28.2-39.2	260	66.3	60.8-71.8
65+	806	271,334	293	35.7	31.8-39.6	513	64.3	60.4-68.2
Less Than H.S.	122	96,923	51	40.6	30.8-50.4	71	59.4	49.6-69.2
H.S. or G.E.D.	492	223,470	174	33.1	28.2-38.0	318	66.9	62.0-71.8
Some Post-H.S.	439	191,231	149	32.9	27.8-38.0	290	67.1	62.0-72.2
College Graduate	428	112,715	148	34.1	29.0-39.2	280	65.9	60.8-71.0
Less than \$15,000	118	52,976	48	43.0	31.6-54.4	70	57.0	45.6-68.4
\$15,000- 24,999	201	84,565	89	42.1	33.7-50.5	112	57.9	49.5-66.3
\$25,000- 34,999	186	83,241	69	36.9	28.7-45.1	117	63.1	54.9-71.3
\$35,000- 49,999	187	77,747	65	37.2	29.2-45.2	122	62.8	54.8-70.8
\$50,000- 99,999	321	137,635	94	25.9	19.8-32.0	227	74.1	68.0-80.2
\$100,000- 199,999	123	55,003	41	30.6	21.4-39.8	82	69.4	60.2-78.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	748	324,407	265	33.1	29.2-37.0	483	66.9	63.0-70.8
White/Non-Hisp	604	255,976	210	33.6	29.3-37.9	394	66.4	62.1-70.7
Black or Afr. Am./Non-Hisp	58	32,630	18	26.1	13.0-39.2	40	73.9	60.8-87.0
45-54	97	51,693	36	37.8	26.8-48.8	61	62.2	51.2-73.2
55-64	192	93,137	64	32.7	25.1-40.3	128	67.3	59.7-74.9
65+	411	142,169	148	32.8	27.7-37.9	263	67.2	62.1-72.3
Less Than H.S.	56	45,246	26	44.3	30.0-58.6	30	55.7	41.4-70.0
H.S. or G.E.D.	250	119,087	82	29.6	23.3-35.9	168	70.4	64.1-76.7
Some Post-H.S.	199	94,511	63	29.3	22.2-36.4	136	70.7	63.6-77.8
College Graduate	237	63,505	90	36.7	29.8-43.6	147	63.3	56.4-70.2
\$15,000- 24,999	73	30,334	34	46.1	32.8-59.4	39	53.9	40.6-67.2
\$25,000- 34,999	90	40,820	33	38.0	25.7-50.3	57	62.0	49.7-74.3
\$35,000- 49,999	103	45,202	35	35.5	24.5-46.5	68	64.5	53.5-75.5
\$50,000- 99,999	178	74,558	54	23.1	16.4-29.8	124	76.9	70.2-83.6
\$100,000- 199,999	87	41,446	28	27.2	17.0-37.4	59	72.8	62.6-83.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	740	302,122	262	35.9	31.6-40.2	478	64.1	59.8-68.4
White/Non-Hisp	550	230,347	195	36.0	31.1-40.9	355	64.0	59.1-68.9
Black or Afr. Am./Non-Hisp	103	39,687	38	43.3	30.0-56.6	65	56.7	43.4-70.0
45-54	97	44,046	31	27.8	18.0-37.6	66	72.2	62.4-82.0
55-64	199	89,243	67	34.9	27.3-42.5	132	65.1	57.5-72.7
65+	395	129,166	145	38.9	33.0-44.8	250	61.1	55.2-67.0
Less Than H.S.	66	51,677	25	37.4	24.3-50.5	41	62.6	49.5-75.7
H.S. or G.E.D.	242	104,383	92	37.0	29.4-44.6	150	63.0	55.4-70.6
Some Post-H.S.	240	96,720	86	36.5	29.2-43.8	154	63.5	56.2-70.8
College Graduate	191	49,210	58	30.8	23.4-38.2	133	69.2	61.8-76.6
Less than \$15,000	69	28,729	26	40.6	25.5-55.7	43	59.4	44.3-74.5
\$15,000- 24,999	128	54,231	55	39.9	29.1-50.7	73	60.1	49.3-70.9
\$25,000- 34,999	96	42,420	36	35.7	24.9-46.5	60	64.3	53.5-75.1
\$35,000- 49,999	84	32,544	30	39.4	27.4-51.4	54	60.6	48.6-72.6
\$50,000- 99,999	143	63,077	40	29.1	18.7-39.5	103	70.9	60.5-81.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1440	603,532	143	10.1	08.1-12.1	435	30.4	27.5-33.3	804	55.2	52.1-58.3	58	4.3	02.7-05.9
Male	724	312,999	61	8.5	06.0-11.0	249	34.2	30.1-38.3	387	54.3	50.0-58.6	27	2.9	01.7-04.1
Female	716	290,534	82	11.9	09.0-14.8	186	26.3	22.4-30.2	417	56.2	51.7-60.7	31	5.7	03.0-08.4
White/Non-Hisp	1123	471,700	108	9.7	07.7-11.7	347	30.3	27.2-33.4	621	55.8	52.5-59.1	47	4.2	02.4-06.0
Black or Afr. Am./Non-Hisp	155	68,360	15	7.3	02.6-12.0	42	33.6	23.6-43.6	93	53.6	43.2-64.0	5	5.4	00.3-10.5
Oth. Race/Non-Hisp.	50	14,783	5	11.9	00.0-24.2	16	38.1	18.9-57.3	28	49.5	30.1-68.9	1	0.4	00.0-01.2
Hispanic	58	32,816	8	19.3	05.6-33.0	15	25.2	11.1-39.3	32	50.7	34.2-67.2	3	4.8	00.0-10.5
35-44	69	50,317	8	15.3	05.3-25.3	24	35.1	22.4-47.8	35	47.1	33.8-60.4	2	2.5	00.0-06.0
45-54	188	93,048	29	14.7	08.8-20.6	56	32.3	24.7-39.9	91	48.3	40.3-56.3	12	4.7	02.0-07.4
55-64	379	177,642	30	7.1	04.4-09.8	113	28.4	23.1-33.7	223	60.7	55.0-66.4	13	3.8	01.4-06.2
65+	784	262,085	72	9.0	06.6-11.4	236	31.3	27.4-35.2	447	56.0	51.9-60.1	29	3.7	02.1-05.3
Less Than H.S.	115	92,027	13	9.8	04.1-15.5	29	28.5	19.1-37.9	69	59.5	49.5-69.5	4	2.3	00.0-04.7
H.S. or G.E.D.	481	217,851	47	10.5	07.2-13.8	135	28.0	23.5-32.5	287	57.4	52.1-62.7	12	4.2	00.9-07.5
Some Post-H.S.	425	183,432	41	10.1	06.8-13.4	129	31.8	26.7-36.9	239	54.3	48.8-59.8	16	3.8	01.8-05.8
College Graduate	413	108,444	41	9.4	06.3-12.5	142	35.1	29.8-40.4	204	48.7	43.2-54.2	26	6.8	03.9-09.7
Less than \$15,000	113	50,208	20	18.5	09.7-27.3	23	19.1	10.3-27.9	66	58.2	46.6-69.8	4	4.2	00.0-09.3
\$15,000- 24,999	195	80,307	18	9.1	04.4-13.8	51	26.4	18.6-34.2	114	58.1	49.5-66.7	12	6.4	02.3-10.5
\$25,000- 34,999	183	82,281	16	11.1	05.4-16.8	56	30.1	22.5-37.7	107	56.8	48.4-65.2	4	2.0	00.0-04.2
\$35,000- 49,999	181	75,817	14	6.3	02.8-09.8	61	31.0	23.4-38.6	102	59.8	51.6-68.0	4	2.9	00.0-05.8
\$50,000- 99,999	311	131,375	34	10.1	06.0-14.2	108	36.3	29.6-43.0	154	47.8	40.9-54.7	15	5.8	01.1-10.5
\$100,000- 199,999	118	53,305	10	8.1	02.6-13.6	40	38.4	27.8-49.0	57	44.5	34.3-54.7	11	9.0	03.5-14.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never						< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	724	312,999	61	8.5	06.1-10.9	249	34.2	30.1-38.3	387	54.3	50.0-58.6	27	2.9	01.7-04.1			
White/Non-Hisp	588	248,823	47	8.2	05.7-10.7	203	33.8	29.5-38.1	316	54.9	50.4-59.4	22	3.1	01.7-04.5			
Black or Afr. Am./Non-Hisp	55	30,940	5	4.7	00.0-09.4	19	46.7	30.4-63.0	31	48.6	32.5-64.7						
45-54	96	51,283	14	12.4	04.8-20.0	32	35.4	24.2-46.6	45	49.2	37.8-60.6	5	2.9	00.2-05.6			
55-64	187	90,910	12	5.0	02.1-07.9	64	33.0	25.4-40.6	106	59.2	51.2-67.2	5	2.9	00.4-05.4			
65+	397	136,707	27	6.3	03.8-08.8	138	35.7	30.2-41.2	216	54.6	48.9-60.3	16	3.4	01.4-05.4			
Less Than H.S.	54	43,873	6	10.5	01.5-19.5	15	27.7	14.4-41.0	33	61.8	47.3-76.3						
H.S. or G.E.D.	244	114,760	19	8.1	04.2-12.0	83	34.8	27.9-41.7	135	55.2	48.1-62.3	7	2.0	00.4-03.6			
Some Post-H.S.	193	91,654	15	7.1	03.2-11.0	68	35.6	28.2-43.0	101	53.3	45.5-61.1	9	4.0	01.3-06.7			
College Graduate	228	61,065	20	9.2	04.9-13.5	83	36.7	29.4-44.0	114	48.7	41.3-56.1	11	5.4	01.9-08.9			
\$15,000- 24,999	72	29,493	6	8.2	00.9-15.5	21	26.6	15.0-38.2	40	60.6	47.5-73.7	5	4.6	00.0-09.7			
\$25,000- 34,999	88	40,213	3	2.8	00.0-06.1	35	37.4	25.1-49.7	49	58.7	46.2-71.2	1	1.1	00.0-03.3			
\$35,000- 49,999	98	43,516	8	6.1	01.4-10.8	32	29.5	19.5-39.5	56	62.0	51.2-72.8	2	2.4	00.0-05.7			
\$50,000- 99,999	173	71,531	18	10.6	04.9-16.3	57	33.8	25.4-42.2	90	52.6	43.8-61.4	8	3.1	00.6-05.6			
\$100,000- 199,999	84	40,487	7	8.7	01.8-15.6	31	41.5	28.8-54.2	39	42.6	30.6-54.6	7	7.3	01.8-12.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	716	290,534	82	11.9	09.0-14.8	186	26.3	22.4-30.2	417	56.2	51.7-60.7	31	5.7	03.0-08.4	
White/Non-Hisp	535	222,877	61	11.5	08.4-14.6	144	26.3	22.0-30.6	305	56.8	51.7-61.9	25	5.4	02.3-08.5	
Black or Afr. Am./Non-Hisp	100	37,420	10	9.5	01.9-17.1	23	22.8	12.2-33.4	62	57.7	44.4-71.0	5	9.9	01.1-18.7	
45-54	92	41,765	15	17.4	08.6-26.2	24	28.5	17.9-39.1	46	47.2	35.8-58.6	7	6.8	01.5-12.1	
55-64	192	86,732	18	9.4	04.5-14.3	49	23.7	16.6-30.8	117	62.2	54.0-70.4	8	4.7	00.8-08.6	
65+	387	125,378	45	11.9	08.2-15.6	98	26.5	21.4-31.6	231	57.5	51.6-63.4	13	4.1	01.6-06.6	
Less Than H.S.	61	48,154	7	9.1	02.0-16.2	14	29.1	16.0-42.2	36	57.4	43.5-71.3	4	4.4	00.1-08.7	
H.S. or G.E.D.	237	103,091	28	13.1	07.8-18.4	52	20.4	14.7-26.1	152	59.8	52.0-67.6	5	6.7	00.2-13.2	
Some Post-H.S.	232	91,778	26	13.1	07.6-18.6	61	27.9	21.0-34.8	138	55.3	47.7-62.9	7	3.7	00.8-06.6	
College Graduate	185	47,379	21	9.5	05.0-14.0	59	33.1	25.5-40.7	90	48.7	40.5-56.9	15	8.6	03.7-13.5	
Less than \$15,000	67	27,958	11	16.1	05.5-26.7	13	14.7	05.7-23.7	41	63.3	48.6-78.0	2	5.9	00.0-14.5	
\$15,000- 24,999	123	50,814	12	9.7	03.4-16.0	30	26.3	16.1-36.5	74	56.6	45.4-67.8	7	7.5	01.6-13.4	
\$25,000- 34,999	95	42,068	13	19.1	09.1-29.1	21	23.1	13.9-32.3	58	55.1	43.7-66.5	3	2.8	00.0-06.7	
\$35,000- 49,999	83	32,301	6	6.7	01.0-12.4	29	33.0	21.6-44.4	46	56.7	44.5-68.9	2	3.6	00.0-08.9	
\$50,000- 99,999	138	59,843	16	9.5	03.6-15.4	51	39.4	28.8-50.0	64	42.1	31.9-52.3	7	9.0	00.0-18.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1429	596,324	744	51.2	48.1-54.3	258	17.6	15.2-20.0	105	7.7	05.9-09.5	69	5.2	03.6-06.8	243	17.1	14.7-19.5	10	1.2	00.4-02.0
Male	714	308,611	352	49.1	44.8-53.4	133	17.8	14.5-21.1	58	7.6	05.2-10.0	36	5.9	03.7-08.1	128	17.8	14.5-21.1	7	1.8	00.4-03.2
Female	715	287,713	392	53.5	49.0-58.0	125	17.5	14.2-20.8	47	7.8	05.3-10.3	33	4.4	02.4-06.4	115	16.3	12.8-19.8	3	0.5	00.0-01.3
White/Non-Hisp	1110	466,793	585	53.5	50.2-56.8	202	17.3	14.8-19.8	79	6.6	05.0-08.2	57	5.3	03.7-06.9	183	16.7	14.2-19.2	4	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	154	66,959	78	43.6	33.6-53.6	33	23.2	14.2-32.2	14	12.9	05.3-20.5	4	3.5	00.0-07.6	23	15.0	08.1-21.9	2	1.8	00.0-05.1
Oth. Race/Non-Hisp.	52	15,449	26	35.9	19.6-52.2	6	6.6	00.0-13.3	4	16.8	00.0-34.6	3	4.2	00.0-09.1	12	31.2	12.6-49.8	1	5.4	00.0-15.6
Hispanic	58	31,271	25	38.9	23.8-54.0	12	20.8	06.7-34.9	3	7.8	00.0-16.4	1	5.7	00.0-16.5	15	21.5	08.6-34.4	2	5.3	00.0-13.3
35-44	72	52,143	43	54.5	41.6-67.4	11	17.3	06.7-27.9	6	9.4	01.4-17.4	2	2.1	00.0-04.8	8	12.9	04.3-21.5	2	3.8	00.0-08.9
45-54	190	93,582	98	48.3	40.3-56.3	29	15.2	09.1-21.3	14	9.6	04.3-14.9	13	7.7	03.4-12.0	33	17.8	11.3-24.3	3	1.3	00.0-03.1
55-64	385	179,010	216	56.4	50.7-62.1	80	18.1	14.0-22.2	27	7.4	04.5-10.3	12	4.4	01.5-07.3	48	12.8	09.1-16.5	2	0.8	00.0-02.2
65+	763	254,763	382	49.5	45.4-53.6	134	18.7	15.4-22.0	56	7.0	04.8-09.2	41	5.0	03.2-06.8	148	19.2	15.9-22.5	2	0.5	00.0-01.1
Less Than H.S.	112	87,871	55	45.1	34.9-55.3	19	20.1	11.3-28.9	8	8.6	02.5-14.7	6	6.5	01.0-12.0	22	17.4	09.2-25.6	2	2.3	00.0-05.6
H.S. or G.E.D.	474	212,902	247	51.8	46.7-56.9	82	16.5	13.0-20.0	36	6.6	04.2-09.0	23	5.0	02.5-07.5	82	18.3	14.4-22.2	4	1.7	00.0-03.5
Some Post-H.S.	421	184,011	236	56.3	50.8-61.8	69	16.1	12.2-20.0	27	7.5	04.4-10.6	19	3.8	01.8-05.8	68	15.7	11.6-19.8	2	0.6	00.0-01.4
College Graduate	416	109,761	202	46.9	41.4-52.4	88	20.7	16.4-25.0	34	9.5	06.2-12.8	20	6.1	03.2-09.0	70	16.5	12.4-20.6	2	0.3	00.0-00.9
Less than \$15,000	117	52,402	59	48.9	37.3-60.5	22	14.7	07.4-22.0	9	6.4	01.7-11.1	3	2.5	00.0-05.4	21	23.1	12.1-34.1	3	4.3	00.0-09.6
\$15,000- 24,999	197	80,666	104	52.6	44.0-61.2	33	19.8	12.4-27.2	24	11.0	06.1-15.9	9	4.6	00.9-08.3	26	11.1	06.4-15.8	1	1.0	00.0-03.0
\$25,000- 34,999	176	80,448	106	59.8	51.2-68.4	24	13.5	07.4-19.6	13	7.5	02.6-12.4	7	2.1	00.3-03.9	24	15.3	08.4-22.2	2	1.9	00.0-04.8
\$35,000- 49,999	182	74,985	91	47.8	39.4-56.2	37	20.9	14.2-27.6	14	9.8	04.3-15.3	7	3.2	00.3-06.1	33	18.2	11.5-24.9			
\$50,000- 99,999	309	129,702	155	48.6	41.9-55.3	67	19.8	14.7-24.9	20	6.6	03.3-09.9	11	6.2	01.9-10.5	55	18.7	13.6-23.8	1	0.0	00.0-00.0
\$100,000- 199,999	121	53,861	56	46.8	36.4-57.2	23	20.9	11.9-29.9	12	8.4	03.5-13.3	9	6.6	01.9-11.3	21	17.3	09.9-24.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	714	308,611	352	49.1	44.8-53.4	133	17.8	14.5-21.1	58	7.6	05.2-10.0	36	5.9	03.7-08.1	128	17.8	14.5-21.1	7	1.8	00.4-03.2
White/Non-Hisp	580	246,541	292	50.7	46.0-55.4	110	17.9	14.6-21.2	43	6.7	04.5-08.9	30	5.9	03.5-08.3	102	17.8	14.3-21.3	3	1.0	00.0-02.2
Black or Afr. Am./Non-Hisp	55	30,733	25	43.6	27.9-59.3	12	23.8	08.9-38.7	6	10.0	00.2-19.8	2	3.7	00.0-09.2	10	18.9	06.9-30.9			
45-54	96	51,283	47	45.6	34.2-57.0	17	17.3	08.3-26.3	7	9.1	01.8-16.4	8	10.0	03.1-16.9	15	15.9	07.5-24.3	2	2.2	00.0-05.3
55-64	189	91,127	95	52.3	44.1-60.5	38	16.9	11.2-22.6	19	10.0	05.1-14.9	7	4.5	01.0-08.0	30	16.4	10.5-22.3			
65+	385	132,922	192	50.2	44.3-56.1	69	18.4	13.9-22.9	27	5.5	03.1-07.9	19	5.0	02.5-07.5	76	20.0	15.3-24.7	2	0.9	00.0-02.1
Less Than H.S.	51	40,991	24	44.2	29.5-58.9	9	21.3	08.2-34.4	4	8.5	00.1-16.9	3	7.1	00.0-14.9	9	14.1	04.1-24.1	2	4.9	00.0-11.8
H.S. or G.E.D.	244	115,246	117	48.6	41.5-55.7	43	15.9	11.0-20.8	25	7.6	04.3-10.9	10	5.1	01.4-08.8	46	20.7	14.8-26.6	3	2.1	00.0-04.6
Some Post-H.S.	187	89,865	103	55.8	47.8-63.8	30	15.4	09.7-21.1	11	6.8	02.5-11.1	9	4.4	01.3-07.5	32	16.5	10.8-22.2	2	1.2	00.0-03.0
College Graduate	227	60,862	105	44.3	37.0-51.6	51	23.0	16.9-29.1	18	8.7	04.4-13.0	13	7.8	03.3-12.3	40	16.3	10.8-21.8			
\$15,000- 24,999	72	29,493	35	49.3	35.6-63.0	12	18.7	08.3-29.1	13	13.5	05.5-21.5	1	1.9	00.0-05.6	10	13.7	04.9-22.5	1	2.8	00.0-08.3
\$25,000- 34,999	85	39,437	48	54.9	42.0-67.8	9	10.5	01.9-19.1	9	10.8	02.2-19.4	5	3.6	00.1-07.1	12	16.4	06.6-26.2	2	3.8	00.0-09.7
\$35,000- 49,999	99	42,792	47	45.4	34.2-56.6	17	17.2	09.0-25.4	9	11.6	03.6-19.6	5	4.7	00.0-09.6	21	21.1	11.5-30.7			
\$50,000- 99,999	170	71,023	80	47.5	38.5-56.5	40	21.4	14.5-28.3	10	5.5	01.4-09.6	6	6.4	00.5-12.3	34	19.1	12.2-26.0			
\$100,000- 199,999	86	41,218	41	49.3	37.0-61.6	18	21.2	10.6-31.8	8	8.1	02.4-13.8	7	7.3	01.6-13.0	12	14.2	05.8-22.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	715	287,713	392	53.5	49.0-58.0	125	17.5	14.2-20.8	47	7.8	05.3-10.3	33	4.4	02.4-06.4	115	16.3	12.8-19.8	3	0.5	00.0-01.3
White/Non-Hisp	530	220,253	293	56.6	51.7-61.5	92	16.7	13.2-20.2	36	6.6	04.2-09.0	27	4.5	02.3-06.7	81	15.4	11.5-19.3	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	99	36,226	53	43.5	30.4-56.6	21	22.6	11.6-33.6	8	15.3	04.1-26.5	2	3.3	00.0-09.2	13	11.8	04.2-19.4	2	3.4	00.0-09.7
45-54	94	42,299	51	51.6	40.2-63.0	12	12.8	05.2-20.4	7	10.3	02.7-17.9	5	5.0	00.5-09.5	18	20.2	10.4-30.0	1	0.1	00.0-00.3
55-64	196	87,883	121	60.6	52.6-68.6	42	19.4	13.3-25.5	8	4.8	01.3-08.3	5	4.3	00.0-09.0	18	9.2	04.9-13.5	2	1.7	00.0-04.4
65+	378	121,841	190	48.8	42.7-54.9	65	19.0	14.1-23.9	29	8.7	05.4-12.0	22	5.0	02.6-07.4	72	18.5	14.0-23.0			
Less Than H.S.	61	46,880	31	46.0	31.9-60.1	10	19.0	07.2-30.8	4	8.7	00.5-16.9	3	6.0	00.0-13.8	13	20.3	08.0-32.6			
H.S. or G.E.D.	230	97,656	130	55.7	48.4-63.0	39	17.3	12.0-22.6	11	5.5	02.0-09.0	13	4.9	01.6-08.2	36	15.4	10.1-20.7	1	1.2	00.0-03.6
Some Post-H.S.	234	94,146	133	56.8	49.2-64.4	39	16.8	11.3-22.3	16	8.2	03.9-12.5	10	3.2	00.8-05.6	36	15.0	09.3-20.7			
College Graduate	189	48,899	97	50.2	42.2-58.2	37	17.7	11.8-23.6	16	10.6	05.3-15.9	7	3.9	00.6-07.2	30	16.8	10.7-22.9	2	0.7	00.0-01.9
Less than \$15,000	68	28,155	34	42.8	27.7-57.9	12	12.3	04.9-19.7	5	8.7	00.5-16.9	3	4.7	00.0-10.0	12	26.1	09.6-42.6	2	5.3	00.0-13.5
\$15,000- 24,999	125	51,173	69	54.4	43.2-65.6	21	20.4	10.4-30.4	11	9.5	03.6-15.4	8	6.2	00.5-11.9	16	9.5	04.4-14.6			
\$25,000- 34,999	91	41,011	58	64.4	52.8-76.0	15	16.4	08.0-24.8	4	4.3	00.0-09.2	2	0.8	00.0-02.0	12	14.2	04.6-23.8			
\$35,000- 49,999	83	32,194	44	51.1	38.8-63.4	20	26.0	15.0-37.0	5	7.3	00.4-14.2	2	1.2	00.0-03.0	12	14.4	05.8-23.0			
\$50,000- 99,999	139	58,678	75	50.0	39.8-60.2	27	17.8	10.4-25.2	10	8.0	02.5-13.5	5	6.0	00.0-12.5	21	18.2	10.2-26.2	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	1 time		2 times		3 times		4 times		5 or more times			None					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1433	605,845	258	16.3	14.1-18.5	387	25.8	23.1-28.5	192	14.5	12.1-16.9	294	21.0	18.5-23.5	132	9.9	07.9-11.9	170	12.4	10.2-14.6
Male	719	312,067	138	17.6	14.5-20.7	209	27.2	23.5-30.9	87	12.8	10.1-15.5	141	20.7	17.0-24.4	66	9.7	07.2-12.2	78	12.0	09.1-14.9
Female	714	293,778	120	15.0	12.1-17.9	178	24.4	20.5-28.3	105	16.3	12.8-19.8	153	21.3	17.6-25.0	66	10.1	07.4-12.8	92	12.9	10.0-15.8
White/Non-Hisp	1125	475,596	192	15.9	13.5-18.3	318	27.9	24.8-31.0	159	15.1	12.6-17.6	241	21.5	18.8-24.2	95	8.7	06.7-10.7	120	11.0	08.8-13.2
Black or Afr. Am./Non-Hisp	142	65,508	33	18.5	11.1-25.9	29	16.7	09.4-24.0	20	16.9	08.9-24.9	28	21.9	12.1-31.7	18	17.7	09.1-26.3	14	8.4	02.7-14.1
Oth. Race/Non-Hisp.	50	14,899	8	17.1	04.2-30.0	14	21.6	08.3-34.9	5	9.3	00.0-19.1	8	19.6	02.2-37.0	6	8.1	00.0-16.7	9	24.2	05.4-43.0
Hispanic	58	31,582	12	14.0	05.0-23.0	10	17.3	04.0-30.6	7	10.8	02.4-19.2	7	13.4	00.5-26.3	6	10.6	02.0-19.2	16	33.9	18.2-49.6
35-44	73	53,290	11	12.0	04.7-19.3	14	22.5	10.9-34.1	11	14.2	05.4-23.0	14	17.9	08.5-27.3	15	20.8	10.2-31.4	8	12.5	03.9-21.1
45-54	190	93,585	34	18.0	11.9-24.1	40	19.1	13.0-25.2	28	12.3	07.4-17.2	35	20.6	13.5-27.7	22	11.5	06.6-16.4	31	18.5	11.8-25.2
55-64	382	178,341	70	16.9	12.8-21.0	105	26.0	20.7-31.3	52	14.6	10.5-18.7	77	21.3	16.6-26.0	37	10.6	06.9-14.3	41	10.6	07.1-14.1
65+	766	259,380	139	16.9	13.8-20.0	226	30.3	26.4-34.2	97	14.2	11.3-17.1	164	21.2	17.7-24.7	56	6.6	04.6-08.6	84	10.8	08.3-13.3
Less Than H.S.	108	86,548	13	8.0	03.3-12.7	23	23.0	13.8-32.2	12	9.7	04.2-15.2	23	27.2	17.2-37.2	13	11.9	05.2-18.6	24	20.1	12.1-28.1
H.S. or G.E.D.	474	218,728	90	18.1	14.4-21.8	112	22.9	18.6-27.2	65	14.7	10.6-18.8	89	18.1	14.2-22.0	60	13.2	09.7-16.7	58	12.9	09.4-16.4
Some Post-H.S.	423	186,819	75	15.9	12.0-19.8	118	27.9	23.0-32.8	64	17.8	13.5-22.1	82	20.2	15.7-24.7	40	8.8	05.7-11.9	44	9.3	06.0-12.6
College Graduate	422	111,689	76	19.5	15.0-24.0	134	30.8	25.9-35.7	51	12.3	08.8-15.8	98	22.5	18.0-27.0	19	4.0	02.0-06.0	44	10.9	07.6-14.2
Less than \$15,000	116	51,554	22	15.1	08.2-22.0	19	13.6	06.2-21.0	19	14.5	07.4-21.6	15	17.8	06.8-28.8	24	23.3	13.3-33.3	17	15.6	07.4-23.8
\$15,000- 24,999	191	80,258	29	13.8	08.5-19.1	40	26.1	17.5-34.7	22	13.5	07.6-19.4	50	25.2	17.4-33.0	24	10.3	05.6-15.0	26	11.2	06.3-16.1
\$25,000- 34,999	180	81,103	31	12.7	07.6-17.8	44	23.0	16.1-29.9	23	13.3	07.6-19.0	43	24.4	17.3-31.5	17	10.5	05.4-15.6	22	16.1	08.8-23.4
\$35,000- 49,999	178	74,007	38	20.0	13.5-26.5	50	25.3	18.2-32.4	22	14.4	08.3-20.5	37	22.3	15.2-29.4	13	8.4	03.7-13.1	18	9.6	04.5-14.7
\$50,000- 99,999	314	135,248	53	16.2	11.5-20.9	98	29.8	23.5-36.1	47	17.5	11.4-23.6	68	21.5	15.8-27.2	18	5.0	02.3-07.7	30	10.0	06.1-13.9
\$100,000- 199,999	122	54,620	31	26.7	17.7-35.7	36	27.8	18.6-37.0	18	12.7	06.6-18.8	19	16.6	08.0-25.2	6	5.0	00.7-09.3	12	11.2	04.5-17.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	719	312,067	138	17.6	14.5-20.7	209	27.2	23.5-30.9	87	12.8	10.1-15.5	141	20.7	17.0-24.4	66	9.7	07.2-12.2	78	12.0	09.1-14.9			
White/Non-Hisp	587	248,813	105	16.9	13.6-20.2	179	29.7	25.4-34.0	77	13.9	10.8-17.0	115	20.1	16.4-23.8	51	8.6	05.9-11.3	60	10.8	07.9-13.7			
Black or Afr. Am./Non-Hisp	53	30,892	15	20.9	08.7-33.1	12	19.2	07.8-30.6	5	12.2	02.0-22.4	10	22.4	07.5-37.3	7	17.0	04.5-29.5	4	8.4	00.0-17.8			
45-54	94	50,122	16	18.2	09.6-26.8	24	22.2	13.2-31.2	12	10.2	03.9-16.5	15	17.8	07.8-27.8	11	12.5	05.2-19.8	16	19.2	09.4-29.0			
55-64	188	91,080	32	15.9	10.4-21.4	59	29.7	22.3-37.1	26	15.1	09.4-20.8	36	19.5	13.0-26.0	15	9.1	04.0-14.2	20	10.8	05.9-15.7			
65+	391	135,993	81	19.6	15.1-24.1	118	29.7	24.6-34.8	44	12.7	08.8-16.6	80	22.0	17.1-26.9	33	7.5	04.6-10.4	35	8.5	05.4-11.6			
H.S. or G.E.D.	245	117,327	53	18.4	13.3-23.5	57	23.1	17.2-29.0	30	12.4	07.9-16.9	42	18.8	13.1-24.5	32	13.1	08.2-18.0	31	14.2	09.1-19.3			
Some Post-H.S.	191	91,898	35	18.7	12.4-25.0	62	31.4	24.1-38.7	27	16.6	10.5-22.7	35	19.1	12.8-25.4	16	7.6	03.3-11.9	16	6.6	02.9-10.3			
College Graduate	231	62,479	41	19.9	13.8-26.0	79	32.7	25.8-39.6	25	10.4	06.1-14.7	53	23.0	16.9-29.1	12	4.6	01.9-07.3	21	9.5	05.2-13.8			
\$15,000- 24,999	69	28,474	10	16.9	06.7-27.1	13	18.8	07.2-30.4	10	16.1	05.5-26.7	15	22.4	10.6-34.2	11	13.9	05.1-22.7	10	12.0	03.2-20.8			
\$25,000- 34,999	88	39,639	18	13.5	06.8-20.2	23	24.0	14.0-34.0	10	14.1	05.3-22.9	20	24.5	13.7-35.3	6	8.1	01.6-14.6	11	15.8	05.8-25.8			
\$35,000- 49,999	98	42,189	15	11.6	04.9-18.3	34	33.2	22.8-43.6	9	8.8	02.3-15.3	23	27.0	16.6-37.4	9	9.3	03.0-15.6	8	10.2	02.6-17.8			
\$50,000- 99,999	174	73,247	29	16.8	10.3-23.3	63	35.7	27.5-43.9	24	15.1	08.8-21.4	37	21.6	13.8-29.4	6	2.0	00.0-04.0	15	8.8	03.7-13.9			
\$100,000- 199,999	86	41,063	22	28.6	17.6-39.6	27	28.6	17.6-39.6	11	11.2	04.3-18.1	13	15.4	05.4-25.4	6	6.6	00.9-12.3	7	9.7	02.1-17.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	714	293,778	120	15.0	12.1-17.9	178	24.4	20.5-28.3	105	16.3	12.8-19.8	153	21.3	17.6-25.0	66	10.1	07.4-12.8	92	12.9	10.0-15.8			
White/Non-Hisp	538	226,783	87	14.8	11.5-18.1	139	25.8	21.3-30.3	82	16.4	12.3-20.5	126	23.1	18.8-27.4	44	8.8	06.1-11.5	60	11.2	08.3-14.1			
Black or Afr. Am./Non-Hisp	89	34,616	18	16.3	07.7-24.9	17	14.5	05.5-23.5	15	21.1	09.3-32.9	18	21.4	08.3-34.5	11	18.3	06.1-30.5	10	8.3	01.4-15.2			
45-54	96	43,463	18	17.8	09.2-26.4	16	15.5	07.7-23.3	16	14.7	07.3-22.1	20	23.8	14.2-33.4	11	10.4	03.9-16.9	15	17.7	08.9-26.5			
55-64	194	87,261	38	17.9	12.0-23.8	46	22.2	14.9-29.5	26	14.1	08.4-19.8	41	23.1	16.2-30.0	22	12.2	06.9-17.5	21	10.4	05.7-15.1			
65+	375	123,387	58	14.0	10.1-17.9	108	31.0	25.3-36.7	53	15.8	11.3-20.3	84	20.3	15.2-25.4	23	5.6	03.1-08.1	49	13.3	09.2-17.4			
Less Than H.S.	61	48,114	7	8.7	01.6-15.8	12	23.5	10.4-36.6	7	10.2	02.6-17.8	14	29.0	15.1-42.9	7	10.7	02.5-18.9	14	17.8	08.2-27.4			
H.S. or G.E.D.	229	101,401	37	17.6	11.9-23.3	55	22.8	16.5-29.1	35	17.4	10.3-24.5	47	17.4	12.1-22.7	28	13.4	08.1-18.7	27	11.5	06.6-16.4			
Some Post-H.S.	232	94,921	40	13.2	08.7-17.7	56	24.5	18.0-31.0	37	19.0	12.5-25.5	47	21.4	15.1-27.7	24	10.0	05.5-14.5	28	11.9	06.6-17.2			
College Graduate	191	49,210	35	18.9	12.6-25.2	55	28.4	21.3-35.5	26	14.8	08.7-20.9	45	21.9	15.2-28.6	7	3.2	00.8-05.6	23	12.7	07.4-18.0			
Less than \$15,000	69	28,770	12	17.0	06.8-27.2	16	19.0	08.2-29.8	12	14.3	05.1-23.5	9	21.5	05.0-38.0	12	18.0	06.8-29.2	8	10.2	02.0-18.4			
\$15,000- 24,999	122	51,783	19	12.1	06.2-18.0	27	30.1	18.5-41.7	12	12.1	04.8-19.4	35	26.8	16.6-37.0	13	8.3	02.8-13.8	16	10.7	04.6-16.8			
\$25,000- 34,999	92	41,464	13	11.9	04.1-19.7	21	22.0	13.0-31.0	13	12.5	05.1-19.9	23	24.3	15.5-33.1	11	12.8	05.2-20.4	11	16.4	06.0-26.8			
\$35,000- 49,999	80	31,818	23	31.1	19.5-42.7	16	14.8	06.8-22.8	13	21.9	11.1-32.7	14	16.1	07.3-24.9	4	7.3	00.0-14.6	10	8.8	02.7-14.9			
\$50,000- 99,999	140	62,001	24	15.5	08.6-22.4	35	22.8	14.2-31.4	23	20.3	09.5-31.1	31	21.4	13.0-29.8	12	8.7	03.0-14.4	15	11.3	05.4-17.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1409	590,164	755	52.9	49.8-56.0	478	33.0	30.1-35.9	60	4.5	03.3-05.7	21	1.6	00.6-02.6	77	6.6	04.8-08.4	18	1.5	00.7-02.3
Male	715	308,147	395	55.0	50.7-59.3	228	31.0	27.1-34.9	31	4.1	02.5-05.7	9	1.4	00.2-02.6	42	7.2	04.7-09.7	10	1.3	00.3-02.3
Female	694	282,017	360	50.5	46.0-55.0	250	35.2	30.9-39.5	29	4.9	02.9-06.9	12	1.9	00.5-03.3	35	5.9	03.5-08.3	8	1.6	00.4-02.8
White/Non-Hisp	1104	463,173	598	53.5	50.2-56.8	392	35.4	32.1-38.7	43	3.9	02.5-05.3	12	1.0	00.2-01.8	49	5.5	03.7-07.3	10	0.8	00.2-01.4
Black or Afr. Am./Non-Hisp	149	67,624	72	47.7	37.1-58.3	52	31.7	21.7-41.7	8	8.2	02.5-13.9	5	4.8	00.0-10.3	6	1.9	00.0-04.3	6	5.9	00.8-11.0
Hispanic	58	30,582	24	41.3	24.8-57.8	12	13.4	04.4-22.4	3	3.9	00.0-08.6	3	5.5	00.0-11.8	14	32.2	16.5-47.9	2	3.6	00.0-08.7
35-44	73	53,247	41	54.0	41.1-66.9	18	22.4	12.0-32.8	3	4.4	00.0-09.7	4	6.1	00.0-12.8	6	10.8	02.4-19.2	1	2.2	00.0-06.5
45-54	183	90,190	100	53.4	45.2-61.6	51	27.6	20.3-34.9	8	4.1	01.2-07.0	3	1.2	00.0-02.8	19	12.2	06.5-17.9	2	1.5	00.0-03.5
55-64	375	173,841	197	50.4	44.5-56.3	132	35.6	30.1-41.1	18	5.7	03.2-08.2	4	1.5	00.0-03.3	23	6.6	03.7-09.5	1	0.3	00.0-00.9
65+	758	255,394	408	54.0	49.7-58.3	272	36.2	32.1-40.3	31	4.1	02.5-05.7	10	1.0	00.2-01.8	24	2.7	01.3-04.1	13	2.0	00.8-03.2
Less Than H.S.	102	80,985	46	46.6	35.8-57.4	28	29.0	19.4-38.6	4	2.3	00.1-04.5	3	4.3	00.0-09.4	14	12.6	05.7-19.5	7	5.3	01.4-09.2
H.S. or G.E.D.	469	214,869	246	51.1	45.8-56.4	154	31.8	26.9-36.7	30	6.9	04.4-09.4	5	1.2	00.0-02.4	29	7.8	04.7-10.9	5	1.1	00.0-02.3
Some Post-H.S.	416	182,996	227	54.0	48.5-59.5	147	36.3	31.0-41.6	17	4.3	01.9-06.7	6	0.9	00.0-01.9	16	3.9	01.4-06.4	3	0.5	00.0-01.1
College Graduate	417	109,343	233	59.0	53.7-64.3	147	32.7	27.6-37.8	9	1.7	00.5-02.9	7	1.7	00.3-03.1	18	4.1	01.9-06.3	3	0.8	00.0-01.8
Less than \$15,000	114	48,168	51	37.0	26.6-47.4	39	33.3	22.7-43.9	10	11.7	04.3-19.1	4	3.5	00.0-08.2	8	10.9	03.1-18.7	2	3.6	00.0-08.9
\$15,000- 24,999	192	81,109	92	51.1	42.3-59.9	68	32.6	24.4-40.8	11	5.8	01.9-09.7	4	2.0	00.0-04.2	15	7.9	03.4-12.4	2	0.5	00.0-01.3
\$25,000- 34,999	177	79,731	94	52.6	44.2-61.0	61	34.2	26.4-42.0	8	4.6	01.1-08.1	1	0.3	00.0-00.9	10	7.4	01.9-12.9	3	0.9	00.0-02.1
\$35,000- 49,999	179	73,936	97	52.7	44.3-61.1	64	36.6	28.4-44.8	6	3.9	00.6-07.2	3	1.3	00.0-02.9	9	5.4	01.3-09.5			
\$50,000- 99,999	310	133,185	168	56.6	49.7-63.5	111	34.0	27.7-40.3	12	3.3	01.1-05.5	2	0.4	00.0-01.0	15	5.1	01.8-08.4	2	0.5	00.0-01.3
\$100,000- 199,999	119	53,125	75	59.8	49.2-70.4	35	29.7	19.7-39.7	2	2.2	00.0-05.3	2	2.8	00.0-06.7	5	5.5	00.2-10.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	715	308,147	395	55.0	50.7-59.3	228	31.0	27.1-34.9	31	4.1	02.5-05.7	9	1.4	00.2-02.6	42	7.2	04.8-09.6	10	1.3	00.3-02.3
White/Non-Hisp	578	244,573	320	55.5	50.8-60.2	193	33.2	28.9-37.5	25	3.7	02.1-05.3	6	1.1	00.0-02.3	29	6.0	03.5-08.5	5	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	56	31,078	29	51.7	35.6-67.8	17	29.7	14.4-45.0	4	9.4	00.2-18.6				2	1.8	00.0-04.9	4	7.5	00.0-15.9
45-54	96	51,375	59	61.6	50.2-73.0	22	21.8	12.0-31.6	4	4.1	00.0-08.2	1	1.2	00.0-03.6	9	10.1	02.7-17.5	1	1.3	00.0-03.8
55-64	185	87,524	102	54.3	46.1-62.5	60	31.1	23.7-38.5	8	4.3	01.4-07.2	1	1.3	00.0-03.8	13	8.3	03.6-13.0	1	0.7	00.0-02.1
65+	388	134,893	207	52.8	46.9-58.7	137	37.4	31.7-43.1	18	4.2	02.0-06.4	5	1.2	00.0-02.4	14	3.2	01.2-05.2	7	1.2	00.2-02.2
H.S. or G.E.D.	241	114,201	131	53.2	46.1-60.3	67	28.1	21.8-34.4	19	7.5	04.0-11.0	3	1.1	00.0-02.5	18	8.8	04.5-13.1	3	1.4	00.0-03.6
Some Post-H.S.	190	91,327	108	57.2	49.4-65.0	65	34.8	27.4-42.2	7	3.3	00.2-06.4	1	0.5	00.0-01.5	6	3.2	00.1-06.3	3	1.0	00.0-02.4
College Graduate	231	62,064	130	60.6	53.5-67.7	81	31.3	24.6-38.0	5	1.7	00.1-03.3	3	1.2	00.0-02.8	10	4.5	01.4-07.6	2	0.7	00.0-01.7
\$15,000- 24,999	68	28,786	27	43.6	29.7-57.5	23	32.7	19.6-45.8	7	10.1	02.3-17.9	1	1.8	00.0-05.3	9	11.3	02.7-19.9	1	0.4	00.0-01.2
\$25,000- 34,999	86	38,914	48	57.0	44.8-69.2	27	34.6	22.6-46.6	3	3.0	00.0-06.7				5	3.6	00.0-07.3	3	1.8	00.0-04.2
\$35,000- 49,999	98	42,090	54	54.8	43.4-66.2	33	33.2	22.4-44.0	3	2.5	00.0-05.8	3	2.3	00.0-05.2	5	7.2	00.5-13.9			
\$50,000- 99,999	175	73,782	96	58.0	49.6-66.4	63	32.8	25.2-40.4	6	2.8	00.3-05.3				9	6.0	01.3-10.7	1	0.3	00.0-00.9
\$100,000- 199,999	84	40,131	53	59.5	46.8-72.2	25	30.7	18.5-42.9	2	2.9	00.0-07.0	1	1.5	00.0-04.4	3	5.4	00.0-11.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	694	282,017	360	50.5	46.0-55.0	250	35.2	30.9-39.5	29	4.9	02.9-06.9	12	1.9	00.5-03.3	35	5.9	03.5-08.3	8	1.6	00.4-02.8
White/Non-Hisp	526	218,600	278	51.3	46.2-56.4	199	37.8	32.9-42.7	18	4.1	02.1-06.1	6	0.9	00.1-01.7	20	4.9	02.5-07.3	5	1.1	00.1-02.1
Black or Afr. Am./Non-Hisp	93	36,545	43	44.2	30.1-58.3	35	33.4	20.1-46.7	4	7.1	00.0-14.2	5	8.8	00.0-18.6	4	2.0	00.0-05.1	2	4.5	00.0-10.6
45-54	87	38,815	41	42.6	30.8-54.4	29	35.4	24.4-46.4	4	4.1	00.0-08.6	2	1.3	00.0-03.1	10	14.9	05.7-24.1	1	1.7	00.0-05.0
55-64	190	86,317	95	46.4	38.0-54.8	72	40.1	32.1-48.1	10	7.1	02.8-11.4	3	1.7	00.0-03.9	10	4.7	01.2-08.2			
65+	370	120,500	201	55.4	49.3-61.5	135	34.9	29.0-40.8	13	4.0	01.5-06.5	5	0.8	00.0-01.6	10	2.0	00.2-03.8	6	2.8	00.4-05.2
Less Than H.S.	53	42,268	22	46.6	31.7-61.5	15	28.7	16.0-41.4	4	4.3	00.0-08.6	1	3.9	00.0-11.3	6	9.0	01.4-16.6	5	7.5	00.8-14.2
H.S. or G.E.D.	228	100,669	115	48.8	41.0-56.6	87	36.0	28.7-43.3	11	6.3	02.4-10.2	2	1.3	00.0-03.3	11	6.8	02.3-11.3	2	0.9	00.0-02.3
Some Post-H.S.	226	91,669	119	50.9	43.1-58.7	82	37.9	30.5-45.3	10	5.2	01.7-08.7	5	1.3	00.0-02.9	10	4.7	00.6-08.8			
College Graduate	186	47,280	103	56.9	48.9-64.9	66	34.6	27.0-42.2	4	1.7	00.0-03.5	4	2.2	00.0-04.4	8	3.7	01.0-06.4	1	1.0	00.0-03.0
Less than \$15,000	68	26,196	28	32.6	20.6-44.6	26	41.0	26.5-55.5	8	16.1	05.3-26.9	1	0.7	00.0-02.1	5	9.7	00.7-18.7			
\$15,000- 24,999	124	52,324	65	55.3	44.1-66.5	45	32.6	22.0-43.2	4	3.4	00.0-07.5	3	2.1	00.0-04.8	6	6.0	00.7-11.3	1	0.6	00.0-01.8
\$25,000- 34,999	91	40,816	46	48.5	37.1-59.9	34	33.7	23.5-43.9	5	6.2	00.3-12.1	1	0.5	00.0-01.5	5	11.1	01.3-20.9			
\$35,000- 49,999	81	31,846	43	50.0	37.7-62.3	31	41.1	28.8-53.4	3	5.7	00.0-11.8				4	3.2	00.0-06.7			
\$50,000- 99,999	135	59,403	72	54.9	43.9-65.9	48	35.5	25.3-45.7	6	4.0	00.3-07.7	2	0.9	00.0-02.3	6	4.0	00.0-08.5	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1433	596,986	373	25.8	23.1-28.5	308	21.7	19.2-24.2	106	7.3	05.7-08.9	187	13.3	11.1-15.5	102	6.4	05.0-07.8	357	25.4	22.7-28.1
Male	723	308,153	200	28.1	24.2-32.0	153	21.4	17.9-24.9	50	6.4	04.4-08.4	83	12.5	09.6-15.4	58	6.8	04.8-08.8	179	24.9	21.2-28.6
Female	710	288,832	173	23.3	19.6-27.0	155	22.1	18.2-26.0	56	8.3	05.8-10.8	104	14.3	11.0-17.6	44	6.0	03.8-08.2	178	26.0	22.1-29.9
White/Non-Hisp	1125	472,487	294	25.6	22.7-28.5	244	22.5	19.6-25.4	80	6.7	05.1-08.3	154	13.7	11.3-16.1	77	6.0	04.4-07.6	276	25.5	22.4-28.6
Black or Afr. Am./Non-Hisp	148	64,981	42	30.7	21.1-40.3	31	17.7	09.5-25.9	16	11.6	04.9-18.3	19	12.6	05.3-19.9	14	10.2	03.7-16.7	26	17.3	09.7-24.9
Oth. Race/Non-Hisp.	50	14,189	12	24.2	09.3-39.1	14	29.2	10.4-48.0	5	8.5	00.0-17.9	5	16.0	00.0-34.6				14	22.1	08.8-35.4
Hispanic	58	30,259	12	19.0	07.2-30.8	7	14.0	00.9-27.1	2	5.0	00.0-13.2	7	12.5	00.2-24.8	6	6.4	00.5-12.3	24	43.0	27.1-58.9
35-44	72	52,081	16	21.2	11.0-31.4	14	21.0	10.0-32.0	5	9.9	01.3-18.5	8	8.9	02.0-15.8	5	6.3	00.0-13.0	24	32.6	20.6-44.6
45-54	187	92,525	53	26.3	19.2-33.4	34	19.1	12.2-26.0	11	5.7	02.4-09.0	25	15.3	09.4-21.2	15	6.3	02.8-09.8	49	27.3	20.0-34.6
55-64	381	176,371	99	26.4	21.3-31.5	83	21.8	16.9-26.7	24	7.4	04.5-10.3	46	12.0	08.3-15.7	28	6.5	03.8-09.2	101	26.0	21.1-30.9
65+	772	256,028	199	26.7	23.0-30.4	174	23.3	19.8-26.8	65	7.7	05.5-09.9	104	13.0	10.3-15.7	53	6.5	04.5-08.5	177	22.7	19.2-26.2
Less Than H.S.	107	82,210	17	14.4	07.3-21.5	22	24.9	14.9-34.9	6	5.4	00.9-09.9	15	14.1	07.4-20.8	9	8.0	02.5-13.5	38	33.3	23.1-43.5
H.S. or G.E.D.	475	215,446	129	28.1	23.4-32.8	88	18.2	14.3-22.1	34	6.5	04.1-08.9	53	12.7	08.6-16.8	36	6.7	04.3-09.1	135	27.7	23.2-32.2
Some Post-H.S.	422	186,053	108	26.0	21.1-30.9	90	22.4	17.7-27.1	41	10.1	06.6-13.6	57	13.1	09.4-16.8	31	6.0	03.5-08.5	95	22.4	17.9-26.9
College Graduate	423	111,178	116	29.0	24.1-33.9	106	24.9	20.2-29.6	25	5.9	03.2-08.6	61	14.0	10.3-17.7	26	5.5	03.3-07.7	89	20.7	16.4-25.0
Less than \$15,000	114	49,527	24	22.2	12.6-31.8	12	7.9	01.4-14.4	7	4.3	00.8-07.8	17	11.3	05.4-17.2	11	9.2	03.5-14.9	43	45.1	33.1-57.1
\$15,000- 24,999	195	80,584	56	31.4	23.4-39.4	41	23.3	15.3-31.3	18	8.5	04.0-13.0	22	11.5	06.0-17.0	24	8.8	04.7-12.9	34	16.4	10.3-22.5
\$25,000- 34,999	177	78,518	43	23.4	16.3-30.5	35	20.0	13.1-26.9	14	8.3	03.4-13.2	29	18.0	11.3-24.7	16	7.5	03.4-11.6	40	22.9	15.6-30.2
\$35,000- 49,999	181	73,219	39	23.3	16.2-30.4	44	22.5	15.8-29.2	15	7.8	03.5-12.1	26	15.3	08.8-21.8	11	7.3	02.6-12.0	46	24.0	16.9-31.1
\$50,000- 99,999	315	135,951	92	26.2	20.5-31.9	70	22.9	17.0-28.8	23	8.7	04.6-12.8	35	12.3	06.6-18.0	19	4.9	02.4-07.4	76	25.1	19.4-30.8
\$100,000- 199,999	122	54,497	32	28.5	19.1-37.9	30	25.7	16.1-35.3	7	4.6	00.9-08.3	16	12.4	05.9-18.9	5	2.6	00.2-05.0	32	26.2	17.4-35.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	723	308,153	200	28.1	24.2-32.0	153	21.4	17.9-24.9	50	6.4	04.4-08.4	83	12.5	09.6-15.4	58	6.8	04.8-08.8	179	24.9	21.2-28.6
White/Non-Hisp	589	247,114	167	28.7	24.4-33.0	126	22.2	18.3-26.1	41	6.3	04.1-08.5	69	11.4	08.5-14.3	46	6.6	04.4-08.8	140	24.8	20.7-28.9
Black or Afr. Am./Non-Hisp	55	31,151	14	27.1	13.4-40.8	14	24.2	09.7-38.7	3	3.2	00.0-07.5	7	18.1	04.8-31.4	5	7.3	00.2-14.4	12	20.2	07.7-32.7
45-54	92	48,617	32	34.5	23.7-45.3	18	19.1	09.3-28.9	4	3.6	00.0-07.3	10	13.1	04.7-21.5	5	4.2	00.1-08.3	23	25.5	15.3-35.7
55-64	190	91,035	53	27.5	20.2-34.8	43	23.7	16.4-31.0	9	5.2	01.5-08.9	19	10.0	05.1-14.9	17	7.7	03.8-11.6	49	25.9	18.8-33.0
65+	397	136,106	102	25.9	20.8-31.0	85	22.8	17.9-27.7	34	7.5	04.8-10.2	50	14.1	10.0-18.2	33	7.4	04.5-10.3	93	22.3	17.6-27.0
H.S. or G.E.D.	245	115,160	69	29.5	23.0-36.0	42	17.1	11.6-22.6	15	5.0	02.3-07.7	31	14.5	09.2-19.8	20	6.3	03.4-09.2	68	27.5	21.2-33.8
Some Post-H.S.	191	91,816	53	27.9	20.6-35.2	43	23.7	16.8-30.6	16	8.6	04.1-13.1	17	10.3	05.2-15.4	14	6.1	02.4-09.8	48	23.4	16.7-30.1
College Graduate	234	62,331	67	32.0	24.9-39.1	57	24.2	18.1-30.3	16	5.9	02.6-09.2	30	13.3	08.2-18.4	18	6.9	03.4-10.4	46	17.7	12.4-23.0
\$15,000- 24,999	72	29,506	14	20.7	09.9-31.5	12	18.5	06.5-30.5	10	13.0	04.4-21.6	6	11.7	02.7-20.7	16	17.1	07.9-26.3	14	19.0	08.2-29.8
\$25,000- 34,999	84	36,978	24	26.8	15.6-38.0	16	21.3	10.7-31.9	3	5.9	00.0-13.3	13	19.0	08.2-29.8	9	9.7	02.8-16.6	19	17.2	08.6-25.8
\$35,000- 49,999	99	41,252	21	23.1	13.3-32.9	24	23.3	13.9-32.7	8	5.4	01.5-09.3	13	14.7	05.9-23.5	7	8.8	01.9-15.7	26	24.6	15.2-34.0
\$50,000- 99,999	175	74,147	61	35.0	26.6-43.4	36	20.6	13.3-27.9	14	7.6	03.1-12.1	19	10.6	04.5-16.7	7	2.7	00.2-05.2	38	23.4	15.8-31.0
\$100,000- 199,999	86	40,940	22	27.4	16.4-38.4	20	25.4	13.8-37.0	5	4.1	00.0-08.2	11	13.2	05.2-21.2	5	3.5	00.2-06.8	23	26.4	16.0-36.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	710	288,832	173	23.3	19.6-27.0	155	22.1	18.2-26.0	56	8.3	05.8-10.8	104	14.3	11.0-17.6	44	6.0	03.8-08.2	178	26.0	22.1-29.9
White/Non-Hisp	536	225,374	127	22.1	18.0-26.2	118	22.8	18.5-27.1	39	7.2	04.7-09.7	85	16.3	12.4-20.2	31	5.3	03.3-07.3	136	26.3	21.8-30.8
Black or Afr. Am./Non-Hisp	93	33,830	28	34.0	21.1-46.9	17	11.7	04.4-19.0	13	19.2	07.6-30.8	12	7.6	01.5-13.7	9	12.9	02.5-23.3	14	14.6	05.8-23.4
45-54	95	43,908	21	17.3	09.5-25.1	16	19.1	09.3-28.9	7	8.0	02.1-13.9	15	17.7	09.7-25.7	10	8.7	02.8-14.6	26	29.3	19.1-39.5
55-64	191	85,336	46	25.1	17.7-32.5	40	19.7	12.8-26.6	15	9.7	04.8-14.6	27	14.2	08.5-19.9	11	5.2	01.7-08.7	52	26.0	18.9-33.1
65+	375	119,921	97	27.6	22.1-33.1	89	23.9	18.8-29.0	31	7.8	04.5-11.1	54	11.9	08.2-15.6	20	5.6	03.1-08.1	84	23.2	18.3-28.1
Less Than H.S.	59	45,332	8	12.5	03.5-21.5	13	25.8	11.9-39.7	3	4.6	00.0-10.1	11	18.2	08.8-27.6	3	6.2	00.0-13.8	21	32.7	19.0-46.4
H.S. or G.E.D.	230	100,286	60	26.5	19.6-33.4	46	19.4	13.7-25.1	19	8.1	04.2-12.0	22	10.7	04.2-17.2	16	7.2	03.7-10.7	67	28.0	21.3-34.7
Some Post-H.S.	231	94,236	55	24.1	17.6-30.6	47	21.1	14.6-27.6	25	11.5	06.2-16.8	40	15.9	10.4-21.4	17	6.0	02.7-09.3	47	21.4	15.1-27.7
College Graduate	189	48,847	49	25.1	18.2-32.0	49	25.9	18.8-33.0	9	6.0	01.7-10.3	31	15.0	09.3-20.7	8	3.6	01.1-06.1	43	24.5	17.4-31.6
Less than \$15,000	67	27,165	15	21.2	09.0-33.4	6	3.1	00.4-05.8	5	5.2	00.3-10.1	12	16.1	06.5-25.7	5	9.0	01.0-17.0	24	45.3	29.2-61.4
\$15,000- 24,999	123	51,078	42	37.6	26.6-48.6	29	26.2	15.4-37.0	8	6.0	00.9-11.1	16	11.4	04.5-18.3	8	4.0	00.7-07.3	20	14.8	07.5-22.1
\$25,000- 34,999	93	41,539	19	20.2	11.0-29.4	19	18.8	09.8-27.8	11	10.3	03.6-17.0	16	17.2	09.6-24.8	7	5.5	00.8-10.2	21	28.0	17.0-39.0
\$35,000- 49,999	82	31,967	18	23.4	13.0-33.8	20	21.4	12.0-30.8	7	10.8	02.8-18.8	13	15.9	06.5-25.3	4	5.4	00.0-11.1	20	23.1	12.7-33.5
\$50,000- 99,999	140	61,804	31	15.6	08.9-22.3	34	25.7	16.3-35.1	9	10.0	02.9-17.1	16	14.2	04.2-24.2	12	7.4	02.9-11.9	38	27.1	18.3-35.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1468	618,494	309	20.9	18.4-23.4	709	46.5	43.4-49.6	211	14.9	12.5-17.3	186	13.6	11.4-15.8	53	4.1	02.9-05.3
Male	741	321,601	142	19.7	16.2-23.2	361	48.0	43.7-52.3	104	14.0	11.1-16.9	98	12.7	10.0-15.4	36	5.7	03.5-07.9
Female	727	296,892	167	22.3	18.8-25.8	348	44.9	40.4-49.4	107	15.9	12.4-19.4	88	14.5	11.0-18.0	17	2.4	01.2-03.6
White/Non-Hisp	1141	482,133	248	21.7	19.0-24.4	555	46.5	43.2-49.8	154	14.1	11.6-16.6	145	13.6	11.1-16.1	39	4.1	02.7-05.5
Black or Afr. Am./Non-Hisp	157	70,185	27	19.4	11.0-27.8	83	49.9	39.7-60.1	30	19.9	12.1-27.7	14	8.9	02.0-15.8	3	1.8	00.0-04.0
Oth. Race/Non-Hisp.	53	15,511	10	16.4	04.4-28.4	24	41.0	22.6-59.4	8	23.9	05.1-42.7	6	11.6	01.6-21.6	5	7.2	00.1-14.3
Hispanic	62	34,406	14	17.9	07.1-28.7	24	42.2	26.3-58.1	10	10.8	02.8-18.8	8	20.4	06.9-33.9	6	8.7	01.1-16.3
35-44	72	52,306	10	14.8	05.8-23.8	28	43.3	30.2-56.4	12	14.1	05.7-22.5	16	18.5	09.1-27.9	6	9.3	01.7-16.9
45-54	192	94,769	41	21.0	14.3-27.7	80	41.2	33.4-49.0	29	15.7	09.6-21.8	28	14.4	08.9-19.9	14	7.6	03.1-12.1
55-64	387	180,783	82	21.7	17.0-26.4	180	46.1	40.4-51.8	56	14.3	10.4-18.2	56	14.4	10.5-18.3	13	3.4	01.4-05.4
65+	795	269,385	171	21.6	18.1-25.1	418	52.0	47.9-56.1	107	13.8	10.9-16.7	81	10.2	07.5-12.9	18	2.4	01.2-03.6
Less Than H.S.	120	95,571	22	18.1	10.5-25.7	51	43.6	33.6-53.6	18	13.3	07.0-19.6	21	19.0	10.6-27.4	8	6.0	01.5-10.5
H.S. or G.E.D.	485	221,228	96	19.2	15.3-23.1	235	48.6	43.5-53.7	70	13.9	10.0-17.8	65	14.0	10.5-17.5	19	4.2	02.0-06.4
Some Post-H.S.	431	187,404	102	24.6	19.9-29.3	201	42.6	37.3-47.9	69	18.4	14.1-22.7	48	11.6	07.9-15.3	11	2.9	01.1-04.7
College Graduate	425	112,102	87	20.4	16.1-24.7	217	51.1	45.8-56.4	54	12.6	09.1-16.1	52	11.7	08.4-15.0	15	4.2	01.8-06.6
Less than \$15,000	117	52,859	23	17.8	10.0-25.6	43	33.3	22.5-44.1	22	16.3	08.9-23.7	19	22.9	11.7-34.1	10	9.7	03.0-16.4
\$15,000- 24,999	196	82,273	36	15.4	09.3-21.5	99	54.3	45.7-62.9	30	13.5	08.2-18.8	29	16.3	09.2-23.4	2	0.5	00.0-01.3
\$25,000- 34,999	184	82,593	39	23.1	15.8-30.4	85	43.6	35.4-51.8	30	18.1	11.2-25.0	24	13.0	06.7-19.3	6	2.2	00.0-04.4
\$35,000- 49,999	182	76,069	42	20.5	13.8-27.2	89	48.8	40.4-57.2	19	11.8	06.1-17.5	26	14.7	08.8-20.6	6	4.3	00.6-08.0
\$50,000- 99,999	319	135,421	63	19.6	14.3-24.9	162	49.1	42.2-56.0	45	16.0	10.3-21.7	38	11.1	07.4-14.8	11	4.2	01.3-07.1
\$100,000- 199,999	123	55,003	28	25.2	15.8-34.6	63	47.9	37.7-58.1	12	9.5	03.8-15.2	13	9.6	03.7-15.5	7	7.7	01.8-13.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	741	321,601	142	19.7	16.2-23.2	361	48.0	43.7-52.3	104	14.0	11.1-16.9	98	12.7	10.0-15.4	36	5.7	03.5-07.9
White/Non-Hisp	599	254,312	119	20.0	16.3-23.7	292	48.3	43.6-53.0	78	12.6	09.7-15.5	83	13.1	10.0-16.2	27	5.9	03.4-08.4
Black or Afr. Am./Non-Hisp	58	32,630	8	20.7	06.4-35.0	31	49.4	33.9-64.9	12	20.1	07.8-32.4	4	5.9	00.0-13.0	3	3.9	00.0-08.4
45-54	95	50,588	23	24.1	13.7-34.5	39	40.8	29.6-52.0	12	15.3	06.7-23.9	14	13.3	05.9-20.7	7	6.6	00.5-12.7
55-64	192	93,070	33	18.0	11.7-24.3	87	46.0	38.0-54.0	32	15.8	09.7-21.9	30	14.6	09.1-20.1	10	5.6	02.1-09.1
65+	407	141,574	77	19.6	14.9-24.3	217	53.6	47.9-59.3	52	12.5	08.8-16.2	48	10.8	07.5-14.1	13	3.4	01.2-05.6
Less Than H.S.	56	45,246	12	22.9	10.4-35.4	25	44.3	29.8-58.8	6	10.3	01.9-18.7	8	14.0	04.4-23.6	5	8.5	00.5-16.5
H.S. or G.E.D.	249	118,658	46	17.5	12.2-22.8	115	47.9	40.8-55.0	38	13.8	09.1-18.5	37	14.4	09.5-19.3	13	6.4	02.7-10.1
Some Post-H.S.	195	92,713	41	22.3	15.6-29.0	93	45.8	38.0-53.6	31	17.1	10.8-23.4	21	10.2	05.5-14.9	9	4.6	01.5-07.7
College Graduate	235	62,926	41	17.1	11.6-22.6	124	53.6	46.3-60.9	29	12.8	07.9-17.7	32	12.5	08.0-17.0	9	4.1	01.0-07.2
\$15,000- 24,999	71	29,919	13	16.9	05.9-27.9	36	59.7	46.4-73.0	10	12.8	04.0-21.6	10	9.1	02.8-15.4	2	1.5	00.0-03.7
\$25,000- 34,999	89	40,484	19	22.1	11.5-32.7	37	40.3	28.1-52.5	16	20.4	09.8-31.0	13	13.6	04.8-22.4	4	3.6	00.0-07.7
\$35,000- 49,999	100	44,272	20	17.9	09.5-26.3	48	48.0	36.4-59.6	12	12.9	04.7-21.1	16	15.0	07.4-22.6	4	6.2	00.0-12.5
\$50,000- 99,999	177	73,864	28	16.8	09.9-23.7	95	52.0	43.2-60.8	30	17.0	10.5-23.5	18	9.0	04.5-13.5	6	5.2	00.5-09.9
\$100,000- 199,999	87	41,446	17	21.2	10.4-32.0	46	50.8	38.6-63.0	8	9.9	02.8-17.0	11	10.1	03.4-16.8	5	7.9	00.8-15.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	727	296,892	167	22.3	18.8-25.8	348	44.9	40.4-49.4	107	15.9	12.4-19.4	88	14.5	11.0-18.0	17	2.4	01.2-03.6
White/Non-Hisp	542	227,822	129	23.5	19.4-27.6	263	44.5	39.6-49.4	76	15.7	11.6-19.8	62	14.2	10.3-18.1	12	2.1	00.7-03.5
Black or Afr. Am./Non-Hisp	99	37,555	19	18.3	08.3-28.3	52	50.4	36.9-63.9	18	19.8	10.0-29.6	10	11.6	00.6-22.6			
45-54	97	44,181	18	17.5	09.3-25.7	41	41.8	31.0-52.6	17	16.2	07.8-24.6	14	15.8	07.6-24.0	7	8.8	02.1-15.5
55-64	195	87,713	49	25.8	18.9-32.7	93	46.3	38.1-54.5	24	12.6	07.3-17.9	26	14.2	08.3-20.1	3	1.1	00.0-02.5
65+	388	127,811	94	23.8	18.7-28.9	201	50.1	44.0-56.2	55	15.3	10.8-19.8	33	9.6	05.5-13.7	5	1.3	00.1-02.5
Less Than H.S.	64	50,325	10	13.8	05.0-22.6	26	43.0	29.3-56.7	12	16.0	06.6-25.4	13	23.4	10.3-36.5	3	3.8	00.0-08.3
H.S. or G.E.D.	236	102,570	50	21.2	15.1-27.3	120	49.5	41.9-57.1	32	14.0	07.3-20.7	28	13.5	08.4-18.6	6	1.8	00.2-03.4
Some Post-H.S.	236	94,691	61	26.8	20.1-33.5	108	39.4	32.1-46.7	38	19.6	13.3-25.9	27	12.9	07.4-18.4	2	1.1	00.0-02.9
College Graduate	190	49,176	46	24.6	17.7-31.5	93	48.0	40.2-55.8	25	12.3	07.0-17.6	20	10.6	05.5-15.7	6	4.4	00.9-07.9
Less than \$15,000	68	28,612	11	14.4	05.4-23.4	28	31.5	18.4-44.6	16	23.2	11.0-35.4	10	24.7	07.6-41.8	3	6.3	00.0-13.7
\$15,000- 24,999	125	52,355	23	14.6	07.5-21.7	63	51.1	39.9-62.3	20	13.9	07.0-20.8	19	20.4	10.2-30.6			
\$25,000- 34,999	95	42,109	20	24.1	14.1-34.1	48	46.7	35.5-57.9	14	15.8	07.2-24.4	11	12.4	03.6-21.2	2	1.0	00.0-02.4
\$35,000- 49,999	82	31,798	22	24.2	13.4-35.0	41	49.9	37.7-62.1	7	10.2	03.1-17.3	10	14.1	05.3-22.9	2	1.7	00.0-04.1
\$50,000- 99,999	142	61,558	35	22.9	14.5-31.3	67	45.6	35.0-56.2	15	14.8	04.4-25.2	20	13.6	07.3-19.9	5	3.0	00.5-05.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1478	624,657	256	16.9	14.5-19.3	1222	83.1	80.7-85.5
Male	743	322,731	134	18.9	15.6-22.2	609	81.1	77.8-84.4
Female	735	301,927	122	14.7	11.8-17.6	613	85.3	82.4-88.2
White/Non-Hisp	1147	484,807	190	16.1	13.6-18.6	957	83.9	81.4-86.4
Black or Afr. Am./Non-Hisp	160	72,274	27	17.0	09.0-25.0	133	83.0	75.0-91.0
Oth. Race/Non-Hisp.	53	15,511	9	23.2	05.2-41.2	44	76.8	58.8-94.8
Hispanic	60	33,749	17	20.5	09.7-31.3	43	79.5	68.7-90.3
35-44	75	55,826	12	14.0	05.4-22.6	63	86.0	77.4-94.6
45-54	194	95,506	41	19.9	13.6-26.2	153	80.1	73.8-86.4
55-64	389	181,154	68	18.9	14.2-23.6	321	81.1	76.4-85.8
65+	798	270,923	132	15.7	12.8-18.6	666	84.3	81.4-87.2
Less Than H.S.	123	97,495	28	22.0	14.2-29.8	95	78.0	70.2-85.8
H.S. or G.E.D.	489	223,496	95	18.1	14.2-22.0	394	81.9	78.0-85.8
Some Post-H.S.	435	189,297	73	14.3	10.6-18.0	362	85.7	82.0-89.4
College Graduate	424	112,180	57	14.4	10.7-18.1	367	85.6	81.9-89.3
Less than \$15,000	118	52,964	31	21.4	13.0-29.8	87	78.6	70.2-87.0
\$15,000- 24,999	198	83,515	40	15.3	09.6-21.0	158	84.7	79.0-90.4
\$25,000- 34,999	185	83,005	41	24.4	17.0-31.8	144	75.6	68.2-83.0
\$35,000- 49,999	186	77,703	32	17.3	10.8-23.8	154	82.7	76.2-89.2
\$50,000- 99,999	320	136,955	33	9.5	06.0-13.0	287	90.5	87.0-94.0
\$100,000- 199,999	123	55,003	19	15.2	08.1-22.3	104	84.8	77.7-91.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	743	322,731	134	18.9	15.4-22.4	609	81.1	77.6-84.6
White/Non-Hisp	601	254,957	101	17.5	14.0-21.0	500	82.5	79.0-86.0
Black or Afr. Am./Non-Hisp	58	32,630	7	13.2	01.4-25.0	51	86.8	75.0-98.6
45-54	97	51,693	20	19.8	10.8-28.8	77	80.2	71.2-89.2
55-64	191	92,292	38	22.5	15.2-29.8	153	77.5	70.2-84.8
65+	407	141,337	67	17.3	13.0-21.6	340	82.7	78.4-87.0
Less Than H.S.	56	45,246	17	28.8	16.1-41.5	39	71.2	58.5-83.9
H.S. or G.E.D.	248	118,549	51	20.8	14.9-26.7	197	79.2	73.3-85.1
Some Post-H.S.	198	93,831	30	14.5	08.8-20.2	168	85.5	79.8-91.2
College Graduate	235	63,046	34	15.3	10.2-20.4	201	84.7	79.6-89.8
\$15,000- 24,999	70	29,284	15	22.0	09.8-34.2	55	78.0	65.8-90.2
\$25,000- 34,999	89	40,585	21	28.6	17.0-40.2	68	71.4	59.8-83.0
\$35,000- 49,999	103	45,202	14	18.1	08.5-27.7	89	81.9	72.3-91.5
\$50,000- 99,999	177	73,878	19	9.1	04.6-13.6	158	90.9	86.4-95.4
\$100,000- 199,999	87	41,446	16	18.0	09.0-27.0	71	82.0	73.0-91.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	735	301,927	122	14.7	11.8-17.6	613	85.3	82.4-88.2
White/Non-Hisp	546	229,850	89	14.7	11.4-18.0	457	85.3	82.0-88.6
Black or Afr. Am./Non-Hisp	102	39,643	20	20.1	09.1-31.1	82	79.9	68.9-90.9
45-54	97	43,813	21	20.1	11.3-28.9	76	79.9	71.1-88.7
55-64	198	88,861	30	15.1	09.4-20.8	168	84.9	79.2-90.6
65+	391	129,586	65	14.1	10.2-18.0	326	85.9	82.0-89.8
Less Than H.S.	67	52,249	11	16.2	06.4-26.0	56	83.8	74.0-93.6
H.S. or G.E.D.	241	104,947	44	15.2	10.3-20.1	197	84.8	79.9-89.7
Some Post-H.S.	237	95,466	43	14.2	09.5-18.9	194	85.8	81.1-90.5
College Graduate	189	49,134	23	13.2	07.7-18.7	166	86.8	81.3-92.3
Less than \$15,000	69	28,717	16	16.8	07.6-26.0	53	83.2	74.0-92.4
\$15,000- 24,999	128	54,231	25	11.6	06.1-17.1	103	88.4	82.9-93.9
\$25,000- 34,999	96	42,420	20	20.4	11.2-29.6	76	79.6	70.4-88.8
\$35,000- 49,999	83	32,501	18	16.2	08.0-24.4	65	83.8	75.6-92.0
\$50,000- 99,999	143	63,077	14	10.0	04.5-15.5	129	90.0	84.5-95.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1485	625,387	828	54.7	51.6-57.8	657	45.3	42.2-48.4
Male	744	322,109	384	52.6	48.3-56.9	360	47.4	43.1-51.7
Female	741	303,278	444	56.9	52.4-61.4	297	43.1	38.6-47.6
White/Non-Hisp	1152	485,558	639	55.2	51.9-58.5	513	44.8	41.5-48.1
Black or Afr. Am./Non-Hisp	161	72,317	97	54.5	44.3-64.7	64	45.5	35.3-55.7
Oth. Race/Non-Hisp.	52	15,128	24	32.3	16.8-47.8	28	67.7	52.2-83.2
Hispanic	61	34,022	34	56.0	40.3-71.7	27	44.0	28.3-59.7
35-44	75	55,826	38	50.8	38.3-63.3	37	49.2	36.7-61.7
45-54	193	95,603	103	53.1	45.1-61.1	90	46.9	38.9-54.9
55-64	391	182,024	216	54.4	48.7-60.1	175	45.6	39.9-51.3
65+	804	270,685	457	55.7	51.6-59.8	347	44.3	40.2-48.4
Less Than H.S.	122	96,565	55	48.9	38.9-58.9	67	51.1	41.1-61.1
H.S. or G.E.D.	494	224,579	249	50.6	45.3-55.9	245	49.4	44.1-54.7
Some Post-H.S.	436	189,898	264	59.4	54.1-64.7	172	40.6	35.3-45.9
College Graduate	426	112,155	256	59.9	54.6-65.2	170	40.1	34.8-45.4
Less than \$15,000	118	53,044	54	45.3	33.9-56.7	64	54.7	43.3-66.1
\$15,000- 24,999	201	84,565	106	47.2	38.6-55.8	95	52.8	44.2-61.4
\$25,000- 34,999	184	81,927	104	60.8	52.8-68.8	80	39.2	31.2-47.2
\$35,000- 49,999	187	77,747	110	58.3	50.1-66.5	77	41.7	33.5-49.9
\$50,000- 99,999	319	137,196	191	59.9	53.2-66.6	128	40.1	33.4-46.8
\$100,000- 199,999	122	54,620	72	58.6	48.4-68.8	50	41.4	31.2-51.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	744	322,109	384	52.6	48.5-56.7	360	47.4	43.3-51.5
White/Non-Hisp	602	254,446	308	52.5	48.0-57.0	294	47.5	43.0-52.0
Black or Afr. Am./Non-Hisp	58	32,630	36	63.2	48.3-78.1	22	36.8	21.9-51.7
45-54	96	51,310	50	53.8	42.4-65.2	46	46.2	34.8-57.6
55-64	192	92,781	95	51.8	43.8-59.8	97	48.2	40.2-56.2
65+	408	140,611	217	54.4	48.9-59.9	191	45.6	40.1-51.1
Less Than H.S.	55	44,316	26	55.6	41.1-70.1	29	44.4	29.9-58.9
H.S. or G.E.D.	251	119,287	112	45.8	38.9-52.7	139	54.2	47.3-61.1
Some Post-H.S.	197	93,502	114	57.4	49.8-65.0	83	42.6	35.0-50.2
College Graduate	235	62,945	128	56.0	48.7-63.3	107	44.0	36.7-51.3
\$15,000- 24,999	73	30,334	31	43.8	30.5-57.1	42	56.2	42.9-69.5
\$25,000- 34,999	88	39,506	51	65.0	53.6-76.4	37	35.0	23.6-46.4
\$35,000- 49,999	103	45,202	64	60.8	49.6-72.0	39	39.2	28.0-50.4
\$50,000- 99,999	177	74,382	94	53.0	44.4-61.6	83	47.0	38.4-55.6
\$100,000- 199,999	86	41,063	47	57.1	45.1-69.1	39	42.9	30.9-54.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	741	303,278	444	56.9	52.4-61.4	297	43.1	38.6-47.6
White/Non-Hisp	550	231,112	331	58.1	53.2-63.0	219	41.9	37.0-46.8
Black or Afr. Am./Non-Hisp	103	39,687	61	47.3	34.0-60.6	42	52.7	39.4-66.0
45-54	97	44,293	53	52.4	41.2-63.6	44	47.6	36.4-58.8
55-64	199	89,243	121	57.2	49.0-65.4	78	42.8	34.6-51.0
65+	396	130,074	240	57.0	51.1-62.9	156	43.0	37.1-48.9
Less Than H.S.	67	52,249	29	43.2	29.9-56.5	38	56.8	43.5-70.1
H.S. or G.E.D.	243	105,292	137	56.0	48.4-63.6	106	44.0	36.4-51.6
Some Post-H.S.	239	96,396	150	61.3	54.0-68.6	89	38.7	31.4-46.0
College Graduate	191	49,210	128	64.8	57.2-72.4	63	35.2	27.6-42.8
Less than \$15,000	69	28,797	37	50.4	34.9-65.9	32	49.6	34.1-65.1
\$15,000- 24,999	128	54,231	75	49.1	38.1-60.1	53	50.9	39.9-61.9
\$25,000- 34,999	96	42,420	53	56.9	45.9-67.9	43	43.1	32.1-54.1
\$35,000- 49,999	84	32,544	46	54.8	42.6-67.0	38	45.2	33.0-57.4
\$50,000- 99,999	142	62,814	97	68.0	58.2-77.8	45	32.0	22.2-41.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021

MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCHK)	
1	MALES AND FEMALES	32
2	MALES ONLY	33
3	FEMALES ONLY	34
	DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK)	
4	MALES AND FEMALES	35
5	MALES ONLY	36
6	FEMALES ONLY	37
	DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)	
7	MALES AND FEMALES	38
8	MALES ONLY	39
9	FEMALES ONLY	40
	HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)	
10	MALES AND FEMALES	41
11	MALES ONLY	42
12	FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 1: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCBK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9609	5,077,406	3255	27.9	26.9-28.9	6354	72.1	71.1-73.1
Male	4351	2,458,597	1593	29.5	27.9-31.1	2758	70.5	68.9-72.1
Female	5258	2,618,809	1662	26.4	25.0-27.8	3596	73.6	72.2-75.0
White/Non-Hisp	7639	3,996,885	2612	28.4	27.2-29.6	5027	71.6	70.4-72.8
Black or Afr. Am./Non-Hisp	758	454,196	337	35.7	31.6-39.8	421	64.3	60.2-68.4
Oth. Race/Non-Hisp.	340	151,238	103	20.2	15.3-25.1	237	79.8	74.9-84.7
MultiRacial/Non-Hisp.	174	53,222	50	20.2	13.7-26.7	124	79.8	73.3-86.3
Hispanic	470	314,513	83	14.2	10.5-17.9	387	85.8	82.1-89.5
18-24	504	642,395	38	6.9	04.5-09.3	466	93.1	90.7-95.5
25-34	976	837,604	107	10.8	08.6-13.0	869	89.2	87.0-91.4
35-44	1168	807,160	213	17.9	15.5-20.3	955	82.1	79.7-84.5
45-54	1668	794,644	468	28.9	26.4-31.4	1200	71.1	68.6-73.6
55-64	1896	847,565	738	39.4	36.9-41.9	1158	60.6	58.1-63.1
65+	3397	1,148,038	1691	49.9	47.9-51.9	1706	50.1	48.1-52.1
Less Than H.S.	585	583,925	189	25.2	21.5-28.9	396	74.8	71.1-78.5
H.S. or G.E.D.	2827	1,692,470	1030	29.1	27.3-30.9	1797	70.9	69.1-72.7
Some Post-H.S.	2516	1,527,975	898	28.9	26.9-30.9	1618	71.1	69.1-73.1
College Graduate	3620	1,242,520	1121	26.5	24.9-28.1	2499	73.5	71.9-75.1
Less than \$15,000	477	266,856	215	39.5	34.0-45.0	262	60.5	55.0-66.0
\$15,000- 24,999	864	426,288	352	31.7	28.2-35.2	512	68.3	64.8-71.8
\$25,000- 34,999	973	539,760	348	29.0	25.7-32.3	625	71.0	67.7-74.3
\$35,000- 49,999	1076	557,412	375	28.6	25.5-31.7	701	71.4	68.3-74.5
\$50,000- 99,999	2341	1,260,211	740	25.6	23.6-27.6	1601	74.4	72.4-76.4
\$100,000- 199,999	1332	698,986	405	27.3	24.6-30.0	927	72.7	70.0-75.4
\$200,000+	284	151,155	57	17.3	12.4-22.2	227	82.7	77.8-87.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 2: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCBK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4351	2,458,597	1593	29.5	27.9-31.1	2758	70.5	68.9-72.1
White/Non-Hisp	3460	1,926,987	1298	30.0	28.2-31.8	2162	70.0	68.2-71.8
Black or Afr. Am./Non-Hisp	282	213,824	121	35.1	28.6-41.6	161	64.9	58.4-71.4
Oth. Race/Non-Hisp.	182	77,177	65	25.6	18.0-33.2	117	74.4	66.8-82.0
MultiRacial/Non-Hisp.	80	23,156	28	25.5	14.9-36.1	52	74.5	63.9-85.1
Hispanic	234	157,648	45	16.0	10.7-21.3	189	84.0	78.7-89.3
18-24	261	326,067	18	6.1	03.2-09.0	243	93.9	91.0-96.8
25-34	447	418,052	45	9.5	06.6-12.4	402	90.5	87.6-93.4
35-44	529	398,615	119	21.6	17.7-25.5	410	78.4	74.5-82.3
45-54	780	394,802	245	32.6	28.9-36.3	535	67.4	63.7-71.1
55-64	878	411,531	395	44.9	41.2-48.6	483	55.1	51.4-58.8
65+	1456	509,532	771	52.3	49.4-55.2	685	47.7	44.8-50.6
Less Than H.S.	271	294,523	81	23.4	18.1-28.7	190	76.6	71.3-81.9
H.S. or G.E.D.	1323	871,915	484	28.9	26.4-31.4	839	71.1	68.6-73.6
Some Post-H.S.	1048	676,950	404	31.8	28.7-34.9	644	68.2	65.1-71.3
College Graduate	1676	598,969	614	31.0	28.5-33.5	1062	69.0	66.5-71.5
Less than \$15,000	197	120,611	87	35.6	27.6-43.6	110	64.4	56.4-72.4
\$15,000- 24,999	296	155,520	130	33.6	27.5-39.7	166	66.4	60.3-72.5
\$25,000- 34,999	398	237,109	156	31.1	25.8-36.4	242	68.9	63.6-74.2
\$35,000- 49,999	493	278,911	183	31.2	26.5-35.9	310	68.8	64.1-73.5
\$50,000- 99,999	1173	662,704	405	27.3	24.4-30.2	768	72.7	69.8-75.6
\$100,000- 199,999	702	385,598	258	31.8	27.9-35.7	444	68.2	64.3-72.1
\$200,000+	162	88,327	37	19.9	13.0-26.8	125	80.1	73.2-87.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 3: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCBK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5258	2,618,809	1662	26.4	25.0-27.8	3596	73.6	72.2-75.0
White/Non-Hisp	4179	2,069,898	1314	26.8	25.2-28.4	2865	73.2	71.6-74.8
Black or Afr. Am./Non-Hisp	476	240,372	216	36.3	30.8-41.8	260	63.7	58.2-69.2
Oth. Race/Non-Hisp.	158	74,061	38	14.5	08.8-20.2	120	85.5	79.8-91.2
MultiRacial/Non-Hisp.	94	30,066	22	16.2	08.6-23.8	72	83.8	76.2-91.4
Hispanic	236	156,865	38	12.5	07.4-17.6	198	87.5	82.4-92.6
18-24	243	316,328	20	7.7	04.2-11.2	223	92.3	88.8-95.8
25-34	529	419,552	62	12.1	09.0-15.2	467	87.9	84.8-91.0
35-44	639	408,546	94	14.3	11.4-17.2	545	85.7	82.8-88.6
45-54	888	399,842	223	25.3	22.2-28.4	665	74.7	71.6-77.8
55-64	1018	436,034	343	34.3	31.0-37.6	675	65.7	62.4-69.0
65+	1941	638,507	920	47.9	45.2-50.6	1021	52.1	49.4-54.8
Less Than H.S.	314	289,403	108	26.9	21.4-32.4	206	73.1	67.6-78.6
H.S. or G.E.D.	1504	820,555	546	29.2	26.7-31.7	958	70.8	68.3-73.3
Some Post-H.S.	1468	851,025	494	26.6	24.1-29.1	974	73.4	70.9-75.9
College Graduate	1944	643,551	507	22.3	20.3-24.3	1437	77.7	75.7-79.7
Less than \$15,000	280	146,244	128	42.7	35.3-50.1	152	57.3	49.9-64.7
\$15,000- 24,999	568	270,768	222	30.7	26.4-35.0	346	69.3	65.0-73.6
\$25,000- 34,999	575	302,651	192	27.4	23.1-31.7	383	72.6	68.3-76.9
\$35,000- 49,999	583	278,501	192	26.0	22.1-29.9	391	74.0	70.1-77.9
\$50,000- 99,999	1168	597,507	335	23.8	21.1-26.5	833	76.2	73.5-78.9
\$100,000- 199,999	630	313,387	147	21.8	18.1-25.5	483	78.2	74.5-81.9
\$200,000+	122	62,827	20	13.7	07.2-20.2	102	86.3	79.8-92.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 4: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9624	5,085,521	3109	27.8	26.8-28.8	6515	72.2	71.2-73.2
Male	4360	2,462,407	1508	29.4	27.8-31.0	2852	70.6	69.0-72.2
Female	5264	2,623,114	1601	26.2	24.8-27.6	3663	73.8	72.4-75.2
White/Non-Hisp	7644	4,001,847	2438	27.7	26.5-28.9	5206	72.3	71.1-73.5
Black or Afr. Am./Non-Hisp	760	454,068	331	36.4	32.1-40.7	429	63.6	59.3-67.9
Oth. Race/Non-Hisp.	340	151,261	99	21.6	16.3-26.9	241	78.4	73.1-83.7
MultiRacial/Non-Hisp.	176	53,733	56	22.5	15.6-29.4	120	77.5	70.6-84.4
Hispanic	471	314,779	107	18.5	14.6-22.4	364	81.5	77.6-85.4
18-24	504	641,539	41	8.4	05.7-11.1	463	91.6	88.9-94.3
25-34	979	840,716	131	13.8	11.4-16.2	848	86.2	83.8-88.6
35-44	1171	808,388	232	19.9	17.4-22.4	939	80.1	77.6-82.6
45-54	1668	795,062	471	30.0	27.5-32.5	1197	70.0	67.5-72.5
55-64	1898	848,263	726	38.7	36.2-41.2	1172	61.3	58.8-63.8
65+	3404	1,151,553	1508	44.7	42.7-46.7	1896	55.3	53.3-57.3
Less Than H.S.	584	585,210	189	28.2	24.1-32.3	395	71.8	67.7-75.9
H.S. or G.E.D.	2832	1,693,071	1045	30.4	28.4-32.4	1787	69.6	67.6-71.6
Some Post-H.S.	2522	1,530,782	848	28.1	26.1-30.1	1674	71.9	69.9-73.9
College Graduate	3623	1,244,819	1015	23.9	22.3-25.5	2608	76.1	74.5-77.7
Less than \$15,000	479	268,842	183	34.2	28.7-39.7	296	65.8	60.3-71.3
\$15,000- 24,999	867	427,169	350	33.8	30.1-37.5	517	66.2	62.5-69.9
\$25,000- 34,999	976	540,712	360	31.2	27.7-34.7	616	68.8	65.3-72.3
\$35,000- 49,999	1078	559,176	350	27.6	24.5-30.7	728	72.4	69.3-75.5
\$50,000- 99,999	2335	1,258,135	732	27.5	25.3-29.7	1603	72.5	70.3-74.7
\$100,000- 199,999	1333	699,245	364	24.9	22.2-27.6	969	75.1	72.4-77.8
\$200,000+	284	150,809	65	18.7	13.8-23.6	219	81.3	76.4-86.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 5: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4360	2,462,407	1508	29.4	27.8-31.0	2852	70.6	69.0-72.2
White/Non-Hisp	3463	1,929,373	1202	29.2	27.4-31.0	2261	70.8	69.0-72.6
Black or Afr. Am./Non-Hisp	283	212,813	124	38.1	31.4-44.8	159	61.9	55.2-68.6
Oth. Race/Non-Hisp.	183	77,939	56	22.4	15.3-29.5	127	77.6	70.5-84.7
MultiRacial/Non-Hisp.	81	23,568	25	24.9	14.3-35.5	56	75.1	64.5-85.7
Hispanic	235	157,915	65	23.1	17.0-29.2	170	76.9	70.8-83.0
18-24	261	325,211	22	9.8	05.5-14.1	239	90.2	85.9-94.5
25-34	449	419,591	56	12.1	08.8-15.4	393	87.9	84.6-91.2
35-44	531	399,717	125	23.9	19.8-28.0	406	76.1	72.0-80.2
45-54	780	394,224	233	31.7	28.0-35.4	547	68.3	64.6-72.0
55-64	881	412,764	371	42.2	38.5-45.9	510	57.8	54.1-61.5
65+	1458	510,900	701	48.2	45.3-51.1	757	51.8	48.9-54.7
Less Than H.S.	271	295,427	88	28.3	22.2-34.4	183	71.7	65.6-77.8
H.S. or G.E.D.	1326	873,252	499	30.6	27.9-33.3	827	69.4	66.7-72.1
Some Post-H.S.	1050	676,449	369	30.2	27.1-33.3	681	69.8	66.7-72.9
College Graduate	1680	601,036	547	27.7	25.3-30.1	1133	72.3	69.9-74.7
Less than \$15,000	200	122,437	73	34.5	25.7-43.3	127	65.5	56.7-74.3
\$15,000- 24,999	297	155,893	129	35.8	29.5-42.1	168	64.2	57.9-70.5
\$25,000- 34,999	400	238,202	175	37.1	31.4-42.8	225	62.9	57.2-68.6
\$35,000- 49,999	494	279,253	165	28.3	23.6-33.0	329	71.7	67.0-76.4
\$50,000- 99,999	1168	660,511	386	28.4	25.5-31.3	782	71.6	68.7-74.5
\$100,000- 199,999	704	385,982	230	29.5	25.6-33.4	474	70.5	66.6-74.4
\$200,000+	163	88,637	43	21.2	14.1-28.3	120	78.8	71.7-85.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 6: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCHK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5264	2,623,114	1601	26.2	24.8-27.6	3663	73.8	72.4-75.2
White/Non-Hisp	4181	2,072,474	1236	26.2	24.6-27.8	2945	73.8	72.2-75.4
Black or Afr. Am./Non-Hisp	477	241,255	207	34.9	29.4-40.4	270	65.1	59.6-70.6
Oth. Race/Non-Hisp.	157	73,323	43	20.7	13.1-28.3	114	79.3	71.7-86.9
MultiRacial/Non-Hisp.	95	30,165	31	20.7	12.1-29.3	64	79.3	70.7-87.9
Hispanic	236	156,865	42	13.8	09.1-18.5	194	86.2	81.5-90.9
18-24	243	316,328	19	6.9	03.6-10.2	224	93.1	89.8-96.4
25-34	530	421,125	75	15.4	11.9-18.9	455	84.6	81.1-88.1
35-44	640	408,671	107	16.0	12.9-19.1	533	84.0	80.9-87.1
45-54	888	400,837	238	28.3	25.0-31.6	650	71.7	68.4-75.0
55-64	1017	435,500	355	35.3	32.0-38.6	662	64.7	61.4-68.0
65+	1946	640,653	807	41.9	39.2-44.6	1139	58.1	55.4-60.8
Less Than H.S.	313	289,782	101	28.0	22.3-33.7	212	72.0	66.3-77.7
H.S. or G.E.D.	1506	819,818	546	30.1	27.6-32.6	960	69.9	67.4-72.4
Some Post-H.S.	1472	854,333	479	26.4	23.9-28.9	993	73.6	71.1-76.1
College Graduate	1943	643,783	468	20.5	18.5-22.5	1475	79.5	77.5-81.5
Less than \$15,000	279	146,405	110	34.0	27.1-40.9	169	66.0	59.1-72.9
\$15,000- 24,999	570	271,276	221	32.6	27.9-37.3	349	67.4	62.7-72.1
\$25,000- 34,999	576	302,509	185	26.6	22.5-30.7	391	73.4	69.3-77.5
\$35,000- 49,999	584	279,923	185	26.9	22.8-31.0	399	73.1	69.0-77.2
\$50,000- 99,999	1167	597,625	346	26.5	23.6-29.4	821	73.5	70.6-76.4
\$100,000- 199,999	629	313,263	134	19.3	15.8-22.8	495	80.7	77.2-84.2
\$200,000+	121	62,171	22	15.2	08.5-21.9	99	84.8	78.1-91.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

**TABLE 7: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At home			On a machine at a pharmacy, grocery or similar location			Do not check it		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3075	1,392,361	2724	86.7	85.1-88.3	336	12.9	11.3-14.5	15	0.5	0.3-0.7
Male	1493	714,381	1309	85.0	82.6-87.4	180	14.8	12.4-17.2	4	0.2	0.0-0.4
Female	1582	677,980	1415	88.4	86.4-90.4	156	10.9	08.9-12.9	11	0.7	0.3-0.11
White/Non-Hisp	2416	1,091,774	2179	88.6	87.0-90.2	231	11.2	09.6-12.8	6	0.2	0.0-0.4
Black or Afr. Am./Non-Hisp	327	164,154	276	80.7	74.8-86.6	49	18.7	12.8-24.6	2	0.5	0.0-0.1.3
Oth. Race/Non-Hisp.	97	32,035	87	89.2	82.1-96.3	9	8.6	02.7-14.5	1	2.2	0.0-0.6.5
MultiRacial/Non-Hisp.	56	12,107	47	80.1	67.6-92.6	9	19.9	07.4-32.4			
Hispanic	104	55,989	68	63.5	52.5-74.5	31	32.1	21.3-42.9	5	4.4	0.3-0.8.5
25-34	126	110,718	88	71.7	63.1-80.3	35	26.4	18.0-34.8	3	1.9	0.0-0.4.1
35-44	229	158,175	191	83.7	78.0-89.4	38	16.3	10.6-22.0			
45-54	464	235,532	384	83.3	79.6-87.0	76	16.0	12.3-19.7	4	0.7	0.1-0.1.3
55-64	718	325,272	639	87.9	85.0-90.8	76	11.9	09.0-14.8	3	0.3	0.0-0.0.7
65+	1499	511,310	1393	92.4	90.8-94.0	102	7.3	05.7-08.9	4	0.2	0.0-0.0.4
Less Than H.S.	188	163,647	156	82.3	76.0-88.6	31	17.5	11.2-23.8	1	0.2	0.0-0.0.6
H.S. or G.E.D.	1034	508,769	916	86.2	83.5-88.9	115	13.5	10.8-16.2	3	0.2	0.0-0.0.6
Some Post-H.S.	836	419,939	745	88.2	85.7-90.7	84	11.0	08.5-13.5	7	0.9	0.3-0.1.5
College Graduate	1005	294,729	895	87.4	84.9-89.9	106	12.1	09.6-14.6	4	0.5	0.1-0.0.9
Less than \$15,000	182	91,812	153	84.9	78.2-91.6	26	13.8	07.3-20.3	3	1.3	0.0-0.0.2.9
\$15,000- 24,999	347	143,235	305	85.8	80.7-90.9	40	13.7	08.8-18.6	2	0.5	0.0-0.0.1.3
\$25,000- 34,999	359	167,438	320	85.6	80.7-90.5	38	14.2	09.3-19.1	1	0.2	0.0-0.0.6
\$35,000- 49,999	348	153,440	308	84.6	79.7-89.5	37	14.5	09.6-19.4	3	0.8	0.0-0.0.1.8
\$50,000- 99,999	722	338,975	646	87.7	84.6-90.8	74	12.0	08.9-15.1	2	0.3	0.0-0.0.7
\$100,000- 199,999	358	170,958	316	87.3	83.2-91.4	42	12.7	08.6-16.8			
\$200,000+	65	28,185	51	77.7	66.3-89.1	14	22.3	10.9-33.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 8: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At home			On a machine at a pharmacy, grocery or similar location			Do not check it		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1493	714,381	1309	85.0	82.6-87.4	180	14.8	12.4-17.2	4	0.2	00.0-00.4
White/Non-Hisp	1193	556,464	1070	87.2	84.7-89.7	121	12.7	10.2-15.2	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	123	80,784	101	80.3	71.7-88.9	22	19.7	11.1-28.3			
Oth. Race/Non-Hisp.	54	16,858	49	92.7	86.0-99.4	5	7.3	00.6-14.0			
Hispanic	63	35,468	38	57.8	43.3-72.3	23	39.2	24.9-53.5	2	3.0	00.0-07.3
25-34	53	47,951	38	71.5	58.0-85.0	14	27.1	13.8-40.4	1	1.5	00.0-04.4
35-44	123	93,790	103	82.7	74.9-90.5	20	17.3	09.5-25.1			
45-54	228	122,506	185	81.3	75.6-87.0	43	18.7	13.0-24.4			
55-64	370	174,029	327	86.4	82.1-90.7	41	13.2	08.9-17.5	2	0.4	00.0-01.0
65+	698	245,097	643	91.2	88.7-93.7	54	8.6	06.1-11.1	1	0.1	00.0-00.3
Less Than H.S.	88	83,565	68	77.0	67.0-87.0	19	22.6	12.6-32.6	1	0.4	00.0-01.2
H.S. or G.E.D.	493	263,139	430	83.2	78.9-87.5	62	16.5	12.4-20.6	1	0.3	00.0-00.9
Some Post-H.S.	365	200,476	325	88.7	85.0-92.4	39	11.2	07.5-14.9	1	0.1	00.0-00.3
College Graduate	542	164,735	481	87.2	83.7-90.7	60	12.6	09.3-15.9	1	0.2	00.0-00.6
Less than \$15,000	73	42,236	64	86.4	75.6-97.2	8	12.8	02.0-23.6	1	0.8	00.0-02.4
\$15,000- 24,999	128	55,771	110	83.7	75.5-91.9	18	16.3	08.1-24.5			
\$25,000- 34,999	175	88,456	151	82.5	75.1-89.9	23	17.1	09.7-24.5	1	0.4	00.0-01.2
\$35,000- 49,999	164	78,706	141	81.8	74.0-89.6	22	17.8	10.0-25.6	1	0.4	00.0-01.2
\$50,000- 99,999	380	182,642	341	87.0	82.5-91.5	39	13.0	08.5-17.5			
\$100,000- 199,999	226	111,120	197	85.5	79.8-91.2	29	14.5	08.8-20.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 9: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At home			On a machine at a pharmacy, grocery or similar location			Do not check it		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1582	677,980	1415	88.4	86.4-90.4	156	10.9	08.9-12.9	11	0.7	00.3-01.1
White/Non-Hisp	1223	535,310	1109	90.2	88.2-92.2	110	9.6	07.6-11.6	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	204	83,370	175	81.2	73.2-89.2	27	17.8	09.8-25.8	2	1.1	00.0-02.5
25-34	73	62,768	50	71.9	60.7-83.1	21	25.9	14.9-36.9	2	2.2	00.0-05.1
35-44	106	64,385	88	85.1	77.7-92.5	18	14.9	07.5-22.3			
45-54	236	113,026	199	85.6	80.7-90.5	33	13.0	08.3-17.7	4	1.4	00.0-02.8
55-64	348	151,243	312	89.5	86.0-93.0	35	10.4	06.9-13.9	1	0.2	00.0-00.6
65+	801	266,213	750	93.5	91.5-95.5	48	6.1	04.1-08.1	3	0.3	00.0-00.7
Less Than H.S.	100	80,082	88	87.9	80.5-95.3	12	12.1	04.7-19.5			
H.S. or G.E.D.	541	245,630	486	89.4	86.3-92.5	53	10.3	07.2-13.4	2	0.2	00.0-00.6
Some Post-H.S.	471	219,462	420	87.7	84.2-91.2	45	10.8	07.5-14.1	6	1.5	00.3-02.7
College Graduate	463	129,993	414	87.7	84.0-91.4	46	11.5	08.0-15.0	3	0.8	00.0-01.8
Less than \$15,000	109	49,575	89	83.6	75.6-91.6	18	14.6	06.8-22.4	2	1.8	00.0-04.3
\$15,000- 24,999	219	87,464	195	87.1	80.8-93.4	22	12.1	05.8-18.4	2	0.8	00.0-02.0
\$25,000- 34,999	184	78,983	169	89.0	82.9-95.1	15	11.0	04.9-17.1			
\$35,000- 49,999	184	74,734	167	87.6	81.7-93.5	15	11.1	05.4-16.8	2	1.3	00.0-03.3
\$50,000- 99,999	342	156,333	305	88.4	84.3-92.5	35	10.9	07.0-14.8	2	0.7	00.0-01.7
\$100,000- 199,999	132	59,838	119	90.6	85.3-95.9	13	9.4	04.1-14.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 10: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Telephone			Other methods such as email, internet portal, or fax			In person			Do not share information		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3066	1,394,004	274	8.9	07.7-10.1	324	10.9	09.5-12.3	2044	65.0	62.8-67.2	424	15.2	13.4-17.0
Male	1484	714,458	131	9.4	07.6-11.2	145	9.4	07.6-11.2	989	64.5	61.4-67.6	219	16.7	14.2-19.2
Female	1582	679,547	143	8.5	06.7-10.3	179	12.4	10.4-14.4	1055	65.5	62.6-68.4	205	13.6	11.4-15.8
White/Non-Hisp	2410	1,096,068	189	8.4	07.0-09.8	239	10.2	08.6-11.8	1651	66.3	63.9-68.7	331	15.1	13.1-17.1
Black or Afr. Am./Non-Hisp	326	162,876	48	10.2	06.3-14.1	39	13.1	08.4-17.8	202	63.8	57.1-70.5	37	12.9	08.0-17.8
Oth. Race/Non-Hisp.	95	30,489	12	10.2	03.3-17.1	14	17.4	06.6-28.2	56	59.2	46.3-72.1	13	13.2	05.4-21.0
MultiRacial/Non-Hisp.	56	12,107	6	9.2	01.0-17.4	9	24.8	10.1-39.5	30	46.9	31.6-62.2	11	19.2	07.0-31.4
Hispanic	105	56,933	12	14.9	06.3-23.5	10	6.0	02.1-09.9	64	57.9	46.7-69.1	19	21.2	11.6-30.8
25-34	130	115,375	14	11.9	05.6-18.2	20	15.5	08.4-22.6	69	49.4	39.8-59.0	27	23.2	14.8-31.6
35-44	229	158,238	19	7.6	03.9-11.3	33	12.6	08.3-16.9	128	60.2	53.3-67.1	49	19.6	14.1-25.1
45-54	467	236,398	42	10.1	07.0-13.2	65	12.8	09.7-15.9	291	62.0	57.1-66.9	69	15.2	11.5-18.9
55-64	720	326,439	54	7.8	05.4-10.2	95	12.5	09.8-15.2	484	67.9	64.0-71.8	87	11.7	09.0-14.4
65+	1480	505,057	142	9.0	07.2-10.8	106	6.9	05.3-08.5	1051	72.0	69.3-74.7	181	12.1	10.1-14.1
Less Than H.S.	181	158,109	20	9.9	05.2-14.6	12	6.1	02.0-10.2	131	68.1	59.5-76.7	18	15.9	08.1-23.7
H.S. or G.E.D.	1033	510,532	113	10.0	07.8-12.2	64	7.1	05.1-09.1	722	68.4	65.1-71.7	134	14.4	11.9-16.9
Some Post-H.S.	841	426,322	83	9.8	07.4-12.2	95	13.0	10.1-15.9	554	62.4	58.5-66.3	109	14.8	11.9-17.7
College Graduate	1000	294,311	56	5.1	03.5-06.7	152	16.9	14.2-19.6	631	61.4	57.9-64.9	161	16.5	13.8-19.2
Less than \$15,000	181	91,281	19	13.3	06.4-20.2	12	4.3	01.6-07.0	136	72.7	62.5-82.9	14	9.7	00.5-18.9
\$15,000- 24,999	348	144,074	52	14.7	10.2-19.2	23	9.8	05.1-14.5	233	62.2	55.7-68.7	40	13.3	08.8-17.8
\$25,000- 34,999	354	165,389	40	9.6	06.1-13.1	31	11.4	07.1-15.7	242	64.9	58.6-71.2	41	14.1	09.0-19.2
\$35,000- 49,999	348	153,566	20	6.1	03.0-09.2	33	11.6	07.3-15.9	247	70.1	64.0-76.2	48	12.2	07.7-16.7
\$50,000- 99,999	725	341,746	60	8.7	06.2-11.2	92	11.9	09.2-14.6	478	64.5	60.2-68.8	95	14.9	11.6-18.2
\$100,000- 199,999	360	173,014	19	4.7	02.2-07.2	59	17.2	12.5-21.9	224	60.1	54.0-66.2	58	18.0	13.1-22.9
\$200,000+	64	27,774	2	0.6	00.0-01.6	10	17.3	07.1-27.5	39	60.1	47.0-73.2	13	22.0	10.8-33.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 11: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Telephone			Other methods such as email, internet portal, or fax			In person			Do not share information		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1484	714,458	131	9.4	07.6-11.2	145	9.4	07.6-11.2	989	64.5	61.4-67.6	219	16.7	14.2-19.2
White/Non-Hisp	1184	556,570	98	8.8	06.8-10.8	108	9.2	07.2-11.2	812	66.2	62.9-69.5	166	15.7	12.8-18.6
Black or Afr. Am./Non-Hisp	121	79,538	14	8.8	03.1-14.5	14	9.4	04.1-14.7	75	65.5	55.7-75.3	18	16.3	08.5-24.1
Oth. Race/Non-Hisp.	54	16,970	6	12.1	01.1-23.1	10	24.0	07.5-40.5	28	46.8	29.4-64.2	10	17.1	05.7-28.5
Hispanic	65	36,511	8	16.8	05.2-28.4	5	4.4	00.3-08.5	38	52.3	37.8-66.8	14	26.6	13.3-39.9
25-34	56	50,964	6	11.8	02.8-20.8	6	8.1	01.4-14.8	30	50.9	36.2-65.6	14	29.3	15.0-43.6
35-44	123	93,853	11	8.3	03.2-13.4	14	9.8	04.5-15.1	73	63.3	54.1-72.5	25	18.6	11.2-26.0
45-54	230	123,337	25	12.5	07.4-17.6	28	11.0	06.7-15.3	138	59.0	51.9-66.1	39	17.4	11.9-22.9
55-64	367	173,457	35	9.9	06.4-13.4	40	10.6	07.1-14.1	247	67.6	62.1-73.1	45	11.9	08.0-15.8
65+	686	240,879	52	7.8	05.4-10.2	55	7.5	05.3-09.7	491	71.5	67.6-75.4	88	13.1	10.2-16.0
Less Than H.S.	84	80,711	11	11.9	04.6-19.2	4	4.3	00.0-08.8	60	65.0	52.3-77.7	9	18.8	06.5-31.1
H.S. or G.E.D.	491	264,713	51	10.0	07.1-12.9	27	5.5	03.3-07.7	338	67.2	62.3-72.1	75	17.3	13.2-21.4
Some Post-H.S.	367	202,651	37	10.1	06.8-13.4	38	11.4	07.5-15.3	237	62.3	56.6-68.0	55	16.2	11.7-20.7
College Graduate	537	163,917	31	6.1	03.6-08.6	75	15.8	12.1-19.5	351	62.7	57.8-67.6	80	15.4	11.9-18.9
Less than \$15,000	72	41,926	11	17.3	05.9-28.7	2	3.3	00.0-08.0	50	62.6	44.8-80.4	9	16.8	00.0-35.0
\$15,000- 24,999	128	55,733	22	18.6	10.6-26.6	6	4.3	00.8-07.8	85	61.4	51.2-71.6	15	15.6	07.2-24.0
\$25,000- 34,999	172	87,098	19	9.8	05.1-14.5	16	12.4	06.3-18.5	114	59.6	50.4-68.8	23	18.2	09.8-26.6
\$35,000- 49,999	163	78,318	8	5.6	01.3-09.9	13	10.8	04.5-17.1	124	72.3	63.5-81.1	18	11.4	04.7-18.1
\$50,000- 99,999	381	184,613	34	9.5	06.0-13.0	44	10.1	06.4-13.8	248	64.9	59.0-70.8	55	15.6	11.1-20.1
\$100,000- 199,999	227	113,057	14	5.5	02.4-08.6	31	12.6	07.9-17.3	148	64.6	57.3-71.9	34	17.3	11.0-23.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 16: HOME/ SELF-MEASURED BLOOD PRESSURE**

TABLE 12: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Telephone			Other methods such as email, internet portal, or fax			In person			Do not share information		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1582	679,547	143	8.5	06.7-10.3	179	12.4	10.4-14.4	1055	65.5	62.6-68.4	205	13.6	11.4-15.8
White/Non-Hisp	1226	539,498	91	8.0	06.0-10.0	131	11.3	09.1-13.5	839	66.4	63.3-69.5	165	14.4	11.9-16.9
Black or Afr. Am./Non-Hisp	205	83,338	34	11.5	06.0-17.0	25	16.7	09.1-24.3	127	62.2	53.0-71.4	19	9.6	03.9-15.3
25-34	74	64,411	8	12.0	03.6-20.4	14	21.3	10.3-32.3	39	48.3	35.8-60.8	13	18.4	08.6-28.2
35-44	106	64,385	8	6.6	01.3-11.9	19	16.8	09.4-24.2	55	55.5	45.1-65.9	24	21.2	12.6-29.8
45-54	237	113,062	17	7.3	03.8-10.8	37	14.7	10.0-19.4	153	65.3	58.6-72.0	30	12.7	08.2-17.2
55-64	353	152,982	19	5.5	03.0-08.0	55	14.6	10.5-18.7	237	68.3	62.8-73.8	42	11.5	07.8-15.2
65+	794	264,178	90	10.1	07.7-12.5	51	6.2	04.2-08.2	560	72.3	68.6-76.0	93	11.3	08.6-14.0
Less Than H.S.	97	77,398	9	7.9	01.8-14.0	8	8.1	01.4-14.8	71	71.2	60.0-82.4	9	12.8	03.6-22.0
H.S. or G.E.D.	542	245,819	62	10.1	07.2-13.0	37	8.9	05.8-12.0	384	69.8	65.3-74.3	59	11.3	08.2-14.4
Some Post-H.S.	474	223,671	46	9.6	06.5-12.7	57	14.4	10.5-18.3	317	62.4	57.1-67.7	54	13.6	09.7-17.5
College Graduate	463	130,394	25	4.0	02.2-05.8	77	18.4	14.3-22.5	280	59.7	54.6-64.8	81	17.9	13.8-22.0
Less than \$15,000	109	49,355	8	9.8	01.6-18.0	10	5.1	01.6-08.6	86	81.4	72.2-90.6	5	3.7	00.0-07.6
\$15,000- 24,999	220	88,340	30	12.2	07.1-17.3	17	13.2	05.9-20.5	148	62.7	54.3-71.1	25	11.9	06.6-17.2
\$25,000- 34,999	182	78,291	21	9.4	04.3-14.5	15	10.3	04.4-16.2	128	70.8	62.8-78.8	18	9.5	04.6-14.4
\$35,000- 49,999	185	75,249	12	6.6	01.9-11.3	20	12.4	06.7-18.1	123	67.8	59.6-76.0	30	13.1	07.4-18.8
\$50,000- 99,999	344	157,133	26	7.7	04.0-11.4	48	14.0	09.7-18.3	230	64.1	57.8-70.4	40	14.2	09.3-19.1
\$100,000- 199,999	133	59,957	5	3.0	01.8-04.2	28	25.8	16.4-35.2	76	51.8	42.2-61.4	24	19.4	12.0-26.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 19: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)	
1 MALES AND FEMALES	46
2 MALES ONLY	47
3 FEMALES ONLY	48
WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)	
4 MALES AND FEMALES	49
5 MALES ONLY	50
6 FEMALES ONLY	51
FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)	
7 MALES AND FEMALES	52
8 MALES ONLY	53
9 FEMALES ONLY	54
IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)	
10 MALES AND FEMALES	55
11 MALES ONLY	56
12 FEMALES ONLY	57
WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)	
13 MALES AND FEMALES	58
14 MALES ONLY	59
15 FEMALES ONLY	60
DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)	
16 MALES AND FEMALES	61
17 MALES ONLY	62
18 FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 19: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPER1)	
19 MALES AND FEMALES	64
20 MALES ONLY	65
21 FEMALES ONLY	66
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOU1)	
22 MALES AND FEMALES	67
23 MALES ONLY	68
24 FEMALES ONLY	69
IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)	
25 MALES AND FEMALES	70
26 MALES ONLY	71
27 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 1: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8440	4,421,890	1824	21.2	20.2-22.2	6606	78.7	77.7-79.7	10	0.1	00.1-00.1
Male	3830	2,155,585	708	17.9	16.3-19.5	3117	82.0	80.4-83.6	5	0.1	00.0-00.3
Female	4610	2,266,305	1116	24.3	22.7-25.9	3489	75.6	74.0-77.2	5	0.1	00.0-00.3
White/Non-Hisp	6770	3,516,283	1448	21.3	20.1-22.5	5313	78.6	77.4-79.8	9	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	661	392,244	170	24.2	20.1-28.3	491	75.8	71.7-79.9			
Oth. Race/Non-Hisp.	283	128,252	56	18.2	12.3-24.1	227	81.8	75.9-87.7			
MultiRacial/Non-Hisp.	152	43,440	39	23.1	15.3-30.9	112	76.3	68.5-84.1	1	0.6	00.0-01.8
Hispanic	395	261,298	58	14.0	10.1-17.9	337	86.0	82.1-89.9			
18-24	437	552,923	58	13.9	10.2-17.6	379	86.1	82.4-89.8			
25-34	859	730,281	149	18.1	15.2-21.0	709	81.8	78.9-84.7	1	0.1	00.0-00.3
35-44	1004	693,202	194	19.5	16.8-22.2	809	80.4	77.7-83.1	1	0.1	00.0-00.3
45-54	1417	674,157	351	25.9	23.4-28.4	1065	74.0	71.5-76.5	1	0.1	00.0-00.3
55-64	1675	749,758	432	26.1	23.7-28.5	1239	73.6	71.2-76.0	4	0.2	00.0-00.4
65+	3048	1,021,569	640	21.8	20.0-23.6	2405	78.1	76.3-79.9	3	0.1	00.0-00.3
Less Than H.S.	483	484,177	101	20.2	16.1-24.3	381	79.6	75.5-83.7	1	0.2	00.0-00.6
H.S. or G.E.D.	2443	1,459,400	540	21.9	19.9-23.9	1899	77.9	75.9-79.9	4	0.1	00.0-00.3
Some Post-H.S.	2221	1,345,649	521	22.8	20.8-24.8	1697	77.1	75.1-79.1	3	0.1	00.0-00.3
College Graduate	3248	1,108,547	653	18.5	17.1-19.9	2593	81.4	80.0-82.8	2	0.1	00.0-00.3
Less than \$15,000	437	240,639	101	24.9	19.6-30.2	333	74.6	69.3-79.9	3	0.5	00.0-01.3
\$15,000- 24,999	785	381,070	195	24.2	20.7-27.7	588	75.4	71.9-78.9	2	0.4	00.0-01.0
\$25,000- 34,999	877	484,681	209	25.0	21.3-28.7	668	75.0	71.3-78.7			
\$35,000- 49,999	991	507,203	240	23.3	20.2-26.4	750	76.7	73.6-79.8	1	0.0	00.0-00.0
\$50,000- 99,999	2116	1,128,923	458	21.2	19.0-23.4	1655	78.7	76.5-80.9	3	0.1	00.0-00.3
\$100,000- 199,999	1224	643,468	216	16.4	14.0-18.8	1007	83.5	81.1-85.9	1	0.1	00.0-00.3
\$200,000+	264	140,517	43	15.2	09.9-20.5	221	84.8	79.5-90.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 2: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3830	2,155,585	708	17.9	16.3-19.5	3117	82.0	80.4-83.6	5	0.1	00.0-00.3
White/Non-Hisp	3085	1,714,979	560	17.8	16.0-19.6	2520	82.0	80.2-83.8	5	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	245	184,923	56	22.1	16.0-28.2	189	77.9	71.8-84.0			
Oth. Race/Non-Hisp.	154	66,288	28	13.9	07.0-20.8	126	86.1	79.2-93.0			
MultiRacial/Non-Hisp.	70	19,016	19	21.6	11.2-32.0	51	78.4	68.0-88.8			
Hispanic	187	125,642	21	11.4	05.9-16.9	166	88.6	83.1-94.1			
18-24	231	286,887	23	11.7	06.8-16.6	208	88.3	83.4-93.2			
25-34	397	370,535	61	15.6	11.5-19.7	335	84.2	80.1-88.3	1	0.2	00.0-00.6
35-44	458	344,545	70	15.9	12.2-19.6	388	84.1	80.4-87.8			
45-54	661	335,209	133	21.1	17.6-24.6	527	78.7	75.2-82.2	1	0.2	00.0-00.6
55-64	767	361,314	173	22.7	19.4-26.0	593	77.2	73.9-80.5	1	0.1	00.0-00.3
65+	1316	457,095	248	19.1	16.6-21.6	1066	80.8	78.3-83.3	2	0.1	00.0-00.3
Less Than H.S.	230	251,037	46	19.9	13.8-26.0	183	79.8	73.7-85.9	1	0.3	00.0-00.9
H.S. or G.E.D.	1140	752,966	217	18.3	15.8-20.8	921	81.6	79.1-84.1	2	0.1	00.0-00.3
Some Post-H.S.	927	599,019	188	18.8	16.1-21.5	738	81.2	78.5-83.9	1	0.0	00.0-00.0
College Graduate	1506	537,723	250	14.7	12.7-16.7	1255	85.1	83.1-87.1	1	0.2	00.0-00.6
Less than \$15,000	180	106,215	41	26.0	17.8-34.2	136	72.8	64.4-81.2	3	1.2	00.0-02.8
\$15,000- 24,999	264	134,856	70	25.4	19.1-31.7	193	74.0	67.7-80.3	1	0.6	00.0-01.8
\$25,000- 34,999	357	213,241	72	21.5	16.0-27.0	285	78.5	73.0-84.0			
\$35,000- 49,999	461	258,282	90	18.6	14.5-22.7	370	81.3	77.2-85.4	1	0.0	00.0-00.0
\$50,000- 99,999	1058	599,703	216	19.2	16.5-21.9	842	80.8	78.1-83.5			
\$100,000- 199,999	653	357,263	80	11.4	08.7-14.1	573	88.6	85.9-91.3			
\$200,000+	149	80,939	21	12.9	05.8-20.0	128	87.1	80.0-94.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 3: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4610	2,266,305	1116	24.3	22.7-25.9	3489	75.6	74.0-77.2	5	0.1	00.0-00.3
White/Non-Hisp	3685	1,801,304	888	24.5	22.7-26.3	2793	75.4	73.6-77.2	4	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	416	207,320	114	26.1	20.6-31.6	302	73.9	68.4-79.4			
Oth. Race/Non-Hisp.	129	61,964	28	22.8	13.4-32.2	101	77.2	67.8-86.6			
MultiRacial/Non-Hisp.	82	24,424	20	24.3	12.9-35.7	61	74.7	63.3-86.1	1	1.0	00.0-03.0
Hispanic	208	135,656	37	16.3	10.6-22.0	171	83.7	78.0-89.4			
18-24	206	266,036	35	16.3	10.8-21.8	171	83.7	78.2-89.2			
25-34	462	359,746	88	20.7	16.6-24.8	374	79.3	75.2-83.4			
35-44	546	348,657	124	23.1	19.2-27.0	421	76.7	72.8-80.6	1	0.2	00.0-00.6
45-54	756	338,949	218	30.6	26.9-34.3	538	69.4	65.7-73.1			
55-64	908	388,443	259	29.3	26.0-32.6	646	70.4	67.1-73.7	3	0.3	00.0-00.7
65+	1732	564,475	392	23.9	21.5-26.3	1339	76.0	73.6-78.4	1	0.1	00.0-00.3
Less Than H.S.	253	233,140	55	20.5	14.8-26.2	198	79.5	73.8-85.2			
H.S. or G.E.D.	1303	706,434	323	25.7	23.0-28.4	978	74.1	71.4-76.8	2	0.2	00.0-00.4
Some Post-H.S.	1294	746,629	333	26.1	23.4-28.8	959	73.8	71.1-76.5	2	0.1	00.0-00.3
College Graduate	1742	570,824	403	22.0	19.8-24.2	1338	77.9	75.7-80.1	1	0.0	00.0-00.0
Less than \$15,000	257	134,424	60	24.0	17.3-30.7	197	76.0	69.3-82.7			
\$15,000- 24,999	521	246,214	125	23.5	19.2-27.8	395	76.2	71.9-80.5	1	0.3	00.0-00.9
\$25,000- 34,999	520	271,440	137	27.8	22.9-32.7	383	72.2	67.3-77.1			
\$35,000- 49,999	530	248,921	150	28.1	23.6-32.6	380	71.9	67.4-76.4			
\$50,000- 99,999	1058	529,220	242	23.4	20.3-26.5	813	76.3	73.2-79.4	3	0.2	00.0-00.4
\$100,000- 199,999	571	286,206	136	22.7	18.8-26.6	434	77.0	73.1-80.9	1	0.2	00.0-00.6
\$200,000+	115	59,578	22	18.3	10.5-26.1	93	81.7	73.9-89.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 4: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1790	920,577	494	29.6	27.1-32.1	218	11.3	09.5-13.1	361	17.6	15.6-19.6	263	18.6	16.2-21.0	96	5.6	04.2-07.0	358	17.2	15.2-19.2
Male	686	374,559	169	28.0	23.7-32.3	77	10.3	07.8-12.8	175	21.3	17.8-24.8	84	17.6	13.7-21.5	42	5.8	03.6-08.0	139	17.0	13.9-20.1
Female	1104	546,018	325	30.8	27.5-34.1	141	12.0	09.8-14.2	186	15.1	12.7-17.5	179	19.3	16.4-22.2	54	5.4	03.6-07.2	219	17.4	14.9-19.9
White/Non-Hisp	1427	736,864	395	30.3	27.4-33.2	175	11.4	09.4-13.4	314	19.4	17.0-21.8	204	17.9	15.4-20.4	72	5.2	03.8-06.6	267	15.8	13.6-18.0
Black or Afr. Am./Non-Hisp	167	93,442	44	25.4	17.2-33.6	23	13.4	07.5-19.3	21	11.6	05.9-17.3	26	18.6	10.4-26.8	12	8.9	02.8-15.0	41	22.1	14.5-29.7
Oth. Race/Non-Hisp.	54	22,969	10	17.0	02.3-31.7	4	4.3	00.0-09.4	10	13.4	03.2-23.6	13	33.8	16.4-51.2	2	3.2	00.0-07.7	15	28.3	13.0-43.6
Hispanic	58	36,460	22	32.3	18.6-46.0	6	9.5	00.9-18.1	3	5.4	00.0-11.9	14	30.7	15.8-45.6	3	4.9	00.0-10.8	10	17.2	05.6-28.8
18-24	57	75,142	22	40.4	26.3-54.5	3	5.8	00.0-12.7				18	35.7	21.6-49.8	2	2.5	00.0-06.6	12	15.6	06.6-24.6
25-34	149	132,324	39	25.2	17.6-32.8	13	9.7	04.4-15.0	8	5.6	01.7-09.5	49	34.5	25.9-43.1	17	11.8	05.7-17.9	23	13.2	07.5-18.9
35-44	189	132,615	68	34.3	26.9-41.7	8	3.9	01.0-06.8	18	12.2	06.3-18.1	52	26.2	19.5-32.9	8	5.5	01.4-09.6	35	17.9	12.0-23.8
45-54	339	168,534	131	37.1	31.4-42.8	47	13.8	09.7-17.9	49	16.0	11.5-20.5	46	14.3	10.2-18.4	24	6.2	03.5-08.9	42	12.6	08.7-16.5
55-64	424	192,365	160	38.8	33.5-44.1	60	13.9	10.2-17.6	66	16.1	12.2-20.0	40	9.9	06.6-13.2	24	5.6	03.2-08.0	74	15.7	12.0-19.4
65+	632	219,597	74	11.9	09.0-14.8	87	14.5	11.4-17.6	220	36.8	32.3-41.3	58	9.6	06.9-12.3	21	2.4	01.2-03.6	172	24.8	20.9-28.7
Less Than H.S.	101	97,870	24	28.9	18.1-39.7	12	9.6	03.7-15.5	17	15.8	08.0-23.6	23	25.0	15.0-35.0	12	10.7	03.8-17.6	13	10.0	04.1-15.9
H.S. or G.E.D.	531	314,184	137	29.5	24.8-34.2	72	12.4	09.5-15.3	106	18.7	15.0-22.4	62	14.5	10.6-18.4	25	3.9	02.1-05.7	129	21.1	17.2-25.0
Some Post-H.S.	510	300,378	140	29.0	24.5-33.5	58	11.3	08.2-14.4	96	15.8	12.5-19.1	94	22.2	17.7-26.7	24	5.5	03.1-07.9	98	16.3	12.8-19.8
College Graduate	640	201,182	192	31.3	27.2-35.4	75	10.7	08.2-13.2	141	19.8	16.5-23.1	83	17.1	13.6-20.6	32	4.7	02.9-06.5	117	16.4	13.3-19.5
Less than \$15,000	100	59,606	23	24.5	14.3-34.7	10	8.9	02.8-15.0	5	8.9	00.5-17.3	12	14.8	05.0-24.6	12	11.7	03.7-19.7	38	31.3	20.7-41.9
\$15,000- 24,999	192	91,204	40	21.5	14.4-28.6	25	11.3	06.4-16.2	30	16.3	10.4-22.2	37	21.9	14.5-29.3	12	7.0	02.3-11.7	48	21.9	14.8-29.0
\$25,000- 34,999	207	120,512	50	26.6	19.0-34.2	19	9.0	04.3-13.7	48	20.5	14.2-26.8	35	22.6	14.8-30.4	7	3.1	00.0-06.2	48	18.1	12.0-24.2
\$35,000- 49,999	239	117,752	63	26.3	19.8-32.8	31	12.9	08.2-17.6	56	22.9	17.0-28.8	34	16.0	09.9-22.1	11	6.2	02.3-10.1	44	15.7	10.4-21.0
\$50,000- 99,999	447	232,623	137	31.4	26.1-36.7	59	12.3	08.8-15.8	89	15.9	12.4-19.4	58	17.9	13.0-22.8	26	5.4	02.7-08.1	78	17.1	13.0-21.2
\$100,000- 199,999	215	105,272	79	37.3	29.9-44.7	31	12.6	07.9-17.3	39	14.1	09.2-19.0	38	21.6	15.1-28.1	7	4.4	00.7-08.1	21	10.0	05.3-14.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 5: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	686	374,559	169	28.0	23.9-32.1	77	10.3	07.8-12.8	175	21.3	17.8-24.8	84	17.6	13.7-21.5	42	5.8	03.6-08.0	139	17.0	13.9-20.1
White/Non-Hisp	548	299,292	140	29.1	24.4-33.8	60	9.8	07.1-12.5	145	22.6	18.7-26.5	66	17.1	12.8-21.4	32	5.8	03.3-08.3	105	15.6	12.3-18.9
Black or Afr. Am./Non-Hisp	54	39,832	10	21.5	08.2-34.8	10	18.6	07.0-30.2	12	18.0	06.8-29.2	7	15.8	03.8-27.8	2	2.1	00.0-05.2	13	24.0	10.9-37.1
25-34	61	57,849	15	27.4	14.5-40.3	4	7.1	00.2-14.0	3	5.8	00.0-12.7	20	36.1	22.2-50.0	8	12.2	03.0-21.4	11	11.4	03.8-19.0
35-44	67	52,925	21	29.3	17.7-40.9	3	4.2	00.0-09.3	10	19.1	07.5-30.7	13	20.9	10.1-31.7	4	7.6	00.0-16.0	16	18.9	09.1-28.7
45-54	125	66,096	44	34.3	25.7-42.9	15	12.5	05.6-19.4	27	22.4	14.4-30.4	12	11.7	05.0-18.4	10	5.9	02.0-09.8	17	13.1	06.4-19.8
55-64	168	79,532	57	36.6	28.4-44.8	24	13.6	07.9-19.3	30	18.3	11.6-25.0	14	8.6	03.5-13.7	10	4.6	01.7-07.5	33	18.3	11.8-24.8
65+	243	86,275	26	11.4	06.5-16.3	29	12.5	07.6-17.4	105	42.7	35.4-50.0	17	8.0	04.1-11.9	9	3.0	00.8-05.2	57	22.4	16.1-28.7
H.S. or G.E.D.	210	133,977	51	27.2	19.8-34.6	21	8.5	04.6-12.4	51	22.2	15.9-28.5	26	18.0	10.9-25.1	15	5.0	02.1-07.9	46	19.1	13.2-25.0
Some Post-H.S.	180	107,009	49	27.1	20.0-34.2	17	10.5	05.4-15.6	49	22.7	16.2-29.2	21	16.2	09.1-23.3	7	3.8	00.5-07.1	37	19.7	13.0-26.4
College Graduate	244	77,680	53	23.7	17.6-29.8	31	12.2	07.7-16.7	67	23.5	18.0-29.0	25	14.7	09.0-20.4	14	5.5	02.4-08.6	54	20.5	15.0-26.0
\$15,000- 24,999	68	33,588	12	18.8	07.2-30.4	8	11.2	02.6-19.8	13	15.8	06.8-24.8	10	17.9	05.7-30.1	7	12.0	01.6-22.4	18	24.2	11.7-36.7
\$25,000- 34,999	71	45,523	16	30.1	16.4-43.8	5	7.7	00.1-15.3	21	21.3	11.7-30.9	10	22.0	08.3-35.7	3	4.9	00.0-12.0	16	13.9	06.5-21.3
\$35,000- 49,999	90	48,150	15	15.1	06.7-23.5	11	13.6	05.8-21.4	30	31.0	20.8-41.2	12	17.7	07.1-28.3	4	4.0	00.0-08.1	18	18.7	09.3-28.1
\$50,000- 99,999	207	110,022	61	32.2	24.6-39.8	24	9.8	04.9-14.7	55	20.6	14.7-26.5	24	18.4	10.8-26.0	11	6.2	01.5-10.9	32	12.8	07.9-17.7
\$100,000- 199,999	80	40,628	26	30.0	19.0-41.0	9	10.6	03.2-18.0	18	17.8	09.0-26.6	12	20.3	09.3-31.3	3	4.0	00.0-08.7	12	17.3	07.3-27.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1104	546,018	325	30.8	27.5-34.1	141	12.0	09.8-14.2	186	15.1	12.7-17.5	179	19.3	16.4-22.2	54	5.4	03.6-07.2	219	17.4	14.9-19.9
White/Non-Hisp	879	437,572	255	31.1	27.6-34.6	115	12.4	09.9-14.9	169	17.3	14.6-20.0	138	18.5	15.4-21.6	40	4.7	02.9-06.5	162	15.9	13.2-18.6
Black or Afr. Am./Non-Hisp	113	53,610	34	28.4	18.2-38.6	13	9.6	04.1-15.1	9	6.8	01.7-11.9	19	20.6	09.2-32.0	10	13.9	04.1-23.7	28	20.7	11.9-29.5
25-34	88	74,475	24	23.6	14.2-33.0	9	11.7	04.3-19.1	5	5.5	00.8-10.2	29	33.3	22.5-44.1	9	11.5	03.7-19.3	12	14.5	06.7-22.3
35-44	122	79,690	47	37.6	28.0-47.2	5	3.7	00.2-07.2	8	7.7	02.2-13.2	39	29.7	21.1-38.3	4	4.1	00.0-08.2	19	17.2	09.6-24.8
45-54	214	102,438	87	39.0	31.9-46.1	32	14.6	09.5-19.7	22	11.8	06.7-16.9	34	16.0	10.7-21.3	14	6.3	02.8-09.8	25	12.2	07.5-16.9
55-64	256	112,833	103	40.3	33.6-47.0	36	14.2	09.5-18.9	36	14.5	09.8-19.2	26	10.9	06.6-15.2	14	6.3	03.0-09.6	41	13.8	09.5-18.1
65+	389	133,322	48	12.2	08.5-15.9	58	15.8	11.5-20.1	115	33.0	27.3-38.7	41	10.6	07.1-14.1	12	2.0	00.4-03.6	115	26.3	21.2-31.4
Less Than H.S.	55	47,828	9	19.0	07.8-30.2	5	6.5	00.4-12.6	10	18.6	07.4-29.8	12	25.0	11.5-38.5	7	11.8	02.2-21.4	12	19.1	08.1-30.1
H.S. or G.E.D.	321	180,208	86	31.1	25.0-37.2	51	15.3	11.0-19.6	55	16.1	11.8-20.4	36	11.9	07.4-16.4	10	3.0	00.6-05.4	83	22.6	17.3-27.9
Some Post-H.S.	330	193,369	91	30.1	24.4-35.8	41	11.7	07.6-15.8	47	12.0	08.5-15.5	73	25.5	19.8-31.2	17	6.4	03.3-09.5	61	14.4	10.5-18.3
College Graduate	396	123,502	139	36.1	30.8-41.4	44	9.8	06.7-12.9	74	17.5	13.4-21.6	58	18.6	14.1-23.1	18	4.2	02.0-06.4	63	13.8	10.1-17.5
Less than \$15,000	60	32,267	13	20.9	09.1-32.7	8	10.7	02.7-18.7	2	2.8	00.0-07.7	9	19.4	04.1-34.7	6	12.6	00.3-24.9	22	33.5	19.2-47.8
\$15,000- 24,999	124	57,616	28	23.1	14.3-31.9	17	11.4	05.3-17.5	17	16.6	08.8-24.4	27	24.3	14.9-33.7	5	4.0	00.1-07.9	30	20.6	12.2-29.0
\$25,000- 34,999	136	74,990	34	24.6	15.8-33.4	14	9.7	03.8-15.6	27	20.0	12.0-28.0	25	23.0	13.6-32.4	4	2.0	00.0-04.4	32	20.7	12.1-29.3
\$35,000- 49,999	149	69,601	48	34.0	25.2-42.8	20	12.5	07.0-18.0	26	17.3	10.6-24.0	22	14.9	08.0-21.8	7	7.8	01.9-13.7	26	13.6	07.7-19.5
\$50,000- 99,999	240	122,601	76	30.7	23.6-37.8	35	14.6	09.3-19.9	34	11.6	07.5-15.7	34	17.5	11.0-24.0	15	4.7	02.0-07.4	46	20.9	14.8-27.0
\$100,000- 199,999	135	64,644	53	41.8	32.2-51.4	22	13.8	07.9-19.7	21	11.8	06.1-17.5	26	22.4	14.4-30.4	4	4.7	00.0-10.2	9	5.5	01.6-09.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1778	917,798	246	14.1	12.1-16.1	231	12.9	11.1-14.7	353	18.7	16.5-20.9	403	23.3	20.9-25.7	545	30.9	28.4-33.4
Male	686	376,858	86	13.7	10.6-16.8	83	11.2	8.5-13.9	147	22.5	18.6-26.4	163	21.6	17.9-25.3	207	30.9	26.6-35.2
Female	1092	540,940	160	14.4	11.9-16.9	148	14.1	11.6-16.6	206	16.1	13.7-18.5	240	24.5	21.4-27.6	338	30.9	27.6-34.2
White/Non-Hisp	1418	734,204	184	13.3	11.1-15.5	187	13.2	11.0-15.4	283	18.4	16.0-20.8	330	24.0	21.3-26.7	434	31.2	28.3-34.1
Black or Afr. Am./Non-Hisp	166	93,000	32	16.7	09.8-23.6	14	9.0	03.7-14.3	36	22.3	14.5-30.1	29	15.5	08.2-22.8	55	36.5	27.3-45.7
Oth. Race/Non-Hisp.	53	22,439	6	11.9	00.7-23.1	10	15.7	04.7-26.7	5	6.1	00.2-12.0	11	29.7	11.3-48.1	21	36.6	19.7-53.5
Hispanic	56	35,744	11	24.9	11.0-38.8	10	16.8	05.8-27.8	9	18.1	05.9-30.3	10	20.2	07.3-33.1	16	20.1	08.7-31.5
18-24	57	76,183	16	22.9	12.1-33.7	11	14.0	05.2-22.8	7	15.7	03.9-27.5	12	26.1	13.0-39.2	11	21.3	09.5-33.1
25-34	147	130,803	22	14.1	07.8-20.4	25	15.0	08.9-21.1	33	20.9	13.8-28.0	32	22.6	15.2-30.0	35	27.4	19.2-35.6
35-44	190	132,745	27	13.3	08.2-18.4	20	10.9	06.0-15.8	35	16.7	10.8-22.6	38	21.0	14.3-27.7	70	38.2	30.4-46.0
45-54	344	171,430	47	14.6	10.3-18.9	45	12.5	08.8-16.2	64	18.6	14.1-23.1	76	21.7	17.0-26.4	112	32.6	26.9-38.3
55-64	421	191,234	54	12.1	08.6-15.6	45	10.5	07.2-13.8	84	19.2	14.9-23.5	104	25.2	20.5-29.9	134	32.9	27.8-38.0
65+	619	215,403	80	12.9	09.8-16.0	85	14.8	11.3-18.3	130	19.5	16.0-23.0	141	23.9	19.8-28.0	183	28.9	24.8-33.0
Less Than H.S.	98	96,139	12	8.9	03.2-14.6	15	12.1	05.6-18.6	14	16.1	06.7-25.5	17	19.1	10.3-27.9	40	43.7	32.3-55.1
H.S. or G.E.D.	521	310,530	74	14.0	10.7-17.3	70	14.1	10.6-17.6	101	18.0	14.3-21.7	114	22.5	18.2-26.8	162	31.3	26.6-36.0
Some Post-H.S.	512	302,555	66	14.6	10.9-18.3	67	12.4	09.3-15.5	92	18.3	14.4-22.2	127	26.3	21.8-30.8	160	28.4	24.1-32.7
College Graduate	638	201,201	91	15.1	12.0-18.2	79	12.6	09.7-15.5	144	21.8	18.3-25.3	142	21.7	18.2-25.2	182	28.9	25.0-32.8
Less than \$15,000	95	57,962	15	13.2	05.6-20.8	17	17.2	08.2-26.2	19	18.5	09.3-27.7	17	19.7	08.5-30.9	27	31.4	19.8-43.0
\$15,000- 24,999	187	88,795	14	6.4	02.5-10.3	25	16.2	09.3-23.1	39	19.5	12.6-26.4	40	21.8	14.7-28.9	69	36.0	28.0-44.0
\$25,000- 34,999	207	120,512	27	12.5	07.0-18.0	29	12.1	07.0-17.2	34	14.2	08.7-19.7	50	28.4	20.4-36.4	67	32.8	24.8-40.8
\$35,000- 49,999	232	114,506	28	11.4	06.9-15.9	26	12.8	07.7-17.9	49	19.4	13.5-25.3	59	25.1	18.6-31.6	70	31.2	24.1-38.3
\$50,000- 99,999	452	235,115	62	13.0	09.5-16.5	56	11.1	07.6-14.6	108	25.2	20.3-30.1	96	22.3	17.4-27.2	130	28.5	23.4-33.6
\$100,000- 199,999	216	105,673	34	20.1	13.4-26.8	23	11.4	06.5-16.3	39	14.7	09.8-19.6	53	23.1	16.8-29.4	67	30.8	23.7-37.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	686	376,858	86	13.7	10.6-16.8	83	11.2	08.5-13.9	147	22.5	18.6-26.4	163	21.6	17.9-25.3	207	30.9	26.6-35.2
White/Non-Hisp	547	299,953	66	13.1	09.6-16.6	66	11.2	08.1-14.3	124	23.2	18.7-27.7	130	21.4	17.5-25.3	161	31.1	26.4-35.8
Black or Afr. Am./Non-Hisp	55	39,781	8	16.3	04.5-28.1	6	12.0	02.2-21.8	11	20.5	08.2-32.8	12	16.0	05.6-26.4	18	35.2	20.3-50.1
25-34	60	57,153	11	16.9	06.3-27.5	13	18.5	07.9-29.1	14	23.4	11.4-35.4	5	10.6	01.0-20.2	17	30.6	17.1-44.1
35-44	67	52,766	12	16.8	07.4-26.2	3	3.4	00.0-07.3	15	20.1	09.5-30.7	13	18.4	07.8-29.0	24	41.2	27.9-54.5
45-54	131	69,644	20	17.8	10.0-25.6	17	12.1	06.2-18.0	22	17.7	10.4-25.0	31	20.9	13.6-28.2	41	31.4	23.0-39.8
55-64	167	79,654	14	8.4	03.3-13.5	17	10.4	04.9-15.9	45	25.8	18.5-33.1	43	25.0	17.9-32.1	48	30.5	22.5-38.5
65+	238	84,071	23	9.8	05.3-14.3	31	13.0	08.1-17.9	46	21.7	15.6-27.8	66	27.9	21.2-34.6	72	27.6	21.5-33.7
H.S. or G.E.D.	210	134,064	28	14.9	09.2-20.6	27	14.7	08.8-20.6	48	21.6	15.3-27.9	44	19.2	12.9-25.5	63	29.6	22.2-37.0
Some Post-H.S.	185	111,004	20	13.5	07.6-19.4	15	6.2	02.7-09.7	38	23.5	16.1-30.9	51	26.3	19.2-33.4	61	30.5	23.1-37.9
College Graduate	240	76,599	32	13.8	08.9-18.7	35	13.9	09.2-18.6	51	23.0	16.9-29.1	58	21.7	16.0-27.4	64	27.6	21.1-34.1
\$15,000- 24,999	64	31,386	2	4.4	00.0-11.1	8	18.2	05.1-31.3	15	19.0	08.0-30.0	15	27.3	13.8-40.8	24	31.0	18.1-43.9
\$25,000- 34,999	71	45,523	11	16.6	05.6-27.6	7	6.0	01.1-10.9	14	21.9	10.3-33.5	14	18.8	07.6-30.0	25	36.7	22.4-51.0
\$35,000- 49,999	86	45,684	9	10.3	03.0-17.6	10	13.2	05.0-21.4	17	20.5	10.7-30.3	27	26.5	16.1-36.9	23	29.6	18.2-41.0
\$50,000- 99,999	213	113,760	18	9.0	04.3-13.7	26	9.9	05.2-14.6	55	29.1	21.7-36.5	47	19.7	13.2-26.2	67	32.3	24.7-39.9
\$100,000- 199,999	80	40,628	15	26.9	14.9-38.9	8	8.3	01.8-14.8	17	17.5	08.9-26.1	18	20.3	10.9-29.7	22	27.1	16.1-38.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1092	540,940	160	14.4	11.9-16.9	148	14.1	11.6-16.6	206	16.1	13.7-18.5	240	24.5	21.4-27.6	338	30.9	27.6-34.2
White/Non-Hisp	871	434,252	118	13.5	11.0-16.0	121	14.5	11.8-17.2	159	15.0	12.5-17.5	200	25.8	22.3-29.3	273	31.2	27.7-34.7
Black or Afr. Am./Non-Hisp	111	53,219	24	17.0	09.0-25.0	8	6.7	01.4-12.0	25	23.7	13.5-33.9	17	15.1	05.1-25.1	37	37.4	25.6-49.2
25-34	87	73,650	11	12.0	04.6-19.4	12	12.3	05.0-19.6	19	19.0	10.4-27.6	27	31.9	21.3-42.5	18	24.8	14.4-35.2
35-44	123	79,979	15	11.0	05.3-16.7	17	15.8	08.4-23.2	20	14.4	07.7-21.1	25	22.7	14.1-31.3	46	36.2	26.6-45.8
45-54	213	101,786	27	12.4	07.5-17.3	28	12.8	07.9-17.7	42	19.2	13.5-24.9	45	22.2	16.1-28.3	71	33.4	26.3-40.5
55-64	254	111,580	40	14.8	10.1-19.5	28	10.6	06.7-14.5	39	14.5	09.8-19.2	61	25.3	19.2-31.4	86	34.7	28.0-41.4
65+	381	131,332	57	14.8	10.7-18.9	54	16.0	11.3-20.7	84	18.1	14.0-22.2	75	21.3	16.4-26.2	111	29.7	24.2-35.2
Less Than H.S.	54	47,211	8	9.4	01.8-17.0	9	14.0	04.4-23.6	6	10.1	01.9-18.3	10	23.7	10.6-36.8	21	42.9	28.2-57.6
H.S. or G.E.D.	311	176,465	46	13.4	09.3-17.5	43	13.7	09.2-18.2	53	15.3	11.0-19.6	70	25.0	19.1-30.9	99	32.6	26.5-38.7
Some Post-H.S.	327	191,550	46	15.2	10.5-19.9	52	16.0	11.5-20.5	54	15.3	11.0-19.6	76	26.3	20.6-32.0	99	27.3	22.0-32.6
College Graduate	398	124,602	59	15.8	11.7-19.9	44	11.7	08.0-15.4	93	21.1	16.8-25.4	84	21.7	17.2-26.2	118	29.7	24.8-34.6
Less than \$15,000	55	30,621	10	13.9	04.3-23.5	7	11.5	01.9-21.1	15	23.9	11.0-36.8	7	19.4	03.1-35.7	16	31.3	15.8-46.8
\$15,000- 24,999	123	57,409	12	7.5	02.4-12.6	17	15.2	07.6-22.8	24	19.8	11.2-28.4	25	18.9	10.9-26.9	45	38.7	28.5-48.9
\$25,000- 34,999	136	74,990	16	10.0	04.5-15.5	22	15.9	08.3-23.5	20	9.5	04.8-14.2	36	34.2	23.8-44.6	42	30.5	20.9-40.1
\$35,000- 49,999	146	68,822	19	12.1	06.4-17.8	16	12.6	06.3-18.9	32	18.7	11.4-26.0	32	24.3	16.1-32.5	47	32.2	23.4-41.0
\$50,000- 99,999	239	121,355	44	16.7	11.4-22.0	30	12.2	07.3-17.1	53	21.6	15.5-27.7	49	24.6	17.5-31.7	63	24.9	18.4-31.4
\$100,000- 199,999	136	65,045	19	15.9	08.5-23.3	15	13.3	06.4-20.2	22	12.9	07.2-18.6	35	24.8	16.4-33.2	45	33.1	24.1-42.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1675	866,507	966	56.0	53.1-58.9	226	14.2	12.0-16.4	177	10.0	08.2-11.8	306	19.7	17.3-22.1
Male	652	355,572	393	58.2	53.5-62.9	80	14.6	11.1-18.1	72	9.5	07.0-12.0	107	17.7	14.0-21.4
Female	1023	510,936	573	54.5	50.8-58.2	146	13.9	11.4-16.4	105	10.4	08.2-12.6	199	21.2	18.1-24.3
White/Non-Hisp	1347	696,759	801	58.1	55.0-61.2	180	13.4	11.2-15.6	141	10.3	08.3-12.3	225	18.2	15.7-20.7
Black or Afr. Am./Non-Hisp	152	86,451	64	36.8	27.6-46.0	28	23.0	13.8-32.2	14	9.2	03.9-14.5	46	31.1	21.7-40.5
Hispanic	52	33,006	32	70.9	57.4-84.4	5	7.1	00.0-14.2	4	4.6	00.0-10.5	11	17.3	06.1-28.5
18-24	55	73,122	35	64.2	50.5-77.9	10	17.0	06.2-27.8	6	9.4	01.8-17.0	4	9.3	00.5-18.1
25-34	143	127,284	82	55.2	46.2-64.2	20	15.5	08.6-22.4	13	7.5	03.2-11.8	28	21.7	14.1-29.3
35-44	179	124,618	82	46.3	38.1-54.5	30	13.9	08.8-19.0	21	11.5	06.2-16.8	46	28.2	20.6-35.8
45-54	328	162,131	186	56.1	50.0-62.2	42	12.9	08.8-17.0	38	11.6	07.7-15.5	62	19.4	14.7-24.1
55-64	397	177,881	238	57.4	51.9-62.9	51	13.6	09.7-17.5	37	8.8	05.7-11.9	71	20.2	15.5-24.9
65+	573	201,472	343	58.3	53.6-63.0	73	14.1	10.8-17.4	62	10.7	07.8-13.6	95	17.0	13.5-20.5
Less Than H.S.	90	89,807	46	53.6	41.8-65.4	11	13.9	05.3-22.5	10	8.3	02.6-14.0	23	24.1	14.3-33.9
H.S. or G.E.D.	488	290,844	276	55.1	49.8-60.4	61	12.3	08.8-15.8	60	12.1	08.8-15.4	91	20.5	16.2-24.8
Some Post-H.S.	484	287,735	260	54.6	49.5-59.7	70	15.0	11.5-18.5	53	9.7	07.0-12.4	101	20.8	16.7-24.9
College Graduate	605	191,159	380	61.0	56.7-65.3	80	14.7	11.6-17.8	54	8.6	06.2-11.0	91	15.7	12.4-19.0
Less than \$15,000	90	55,220	42	41.4	29.1-53.7	10	15.2	04.4-26.0	11	8.4	03.1-13.7	27	35.0	22.5-47.5
\$15,000- 24,999	180	84,292	90	48.9	40.1-57.7	22	14.8	08.5-21.1	20	9.4	04.7-14.1	48	26.9	19.1-34.7
\$25,000- 34,999	194	115,716	101	48.5	39.9-57.1	20	13.9	07.2-20.6	21	12.0	06.3-17.7	52	25.5	18.1-32.9
\$35,000- 49,999	220	108,593	116	50.6	43.0-58.2	37	15.5	10.6-20.4	31	13.7	08.2-19.2	36	20.2	13.7-26.7
\$50,000- 99,999	426	220,028	261	59.6	53.9-65.3	53	13.4	09.3-17.5	42	9.6	06.5-12.7	70	17.4	12.9-21.9
\$100,000- 199,999	213	104,076	143	66.3	59.0-73.6	20	9.3	04.8-13.8	17	7.5	03.6-11.4	33	16.9	11.2-22.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	652	355,572	393	58.2	53.5-62.9	80	14.6	11.3-17.9	72	9.5	07.0-12.0	107	17.7	14.0-21.4
White/Non-Hisp	523	283,976	328	60.4	55.3-65.5	66	14.6	10.9-18.3	54	9.7	06.8-12.6	75	15.3	11.4-19.2
Black or Afr. Am./Non-Hisp	50	35,660	21	39.6	23.9-55.3	8	20.4	06.5-34.3	6	9.0	00.8-17.2	15	31.0	15.5-46.5
25-34	56	53,804	36	63.7	49.2-78.2	6	14.9	03.1-26.7	7	7.8	01.5-14.1	7	13.7	03.3-24.1
35-44	62	48,483	27	40.9	27.4-54.4	11	16.6	06.8-26.4	8	11.1	02.7-19.5	16	31.4	17.5-45.3
45-54	126	66,878	72	56.6	47.2-66.0	20	15.5	08.4-22.6	14	10.8	05.1-16.5	20	17.1	09.8-24.4
55-64	160	74,124	105	62.6	54.2-71.0	18	14.2	08.1-20.3	16	9.3	04.2-14.4	21	13.9	08.0-19.8
65+	227	81,774	140	59.7	52.3-67.1	21	11.7	06.8-16.6	25	9.7	05.6-13.8	41	19.0	12.9-25.1
H.S. or G.E.D.	203	127,952	114	54.4	46.2-62.6	25	14.5	08.2-20.8	22	9.4	04.9-13.9	42	21.7	14.8-28.6
Some Post-H.S.	174	103,611	99	59.2	51.0-67.4	23	13.9	08.4-19.4	22	10.6	05.9-15.3	30	16.3	10.0-22.6
College Graduate	229	72,851	156	64.8	57.9-71.7	22	11.9	07.2-16.6	24	10.8	06.3-15.3	27	12.6	07.7-17.5
\$15,000- 24,999	63	30,603	30	48.2	32.9-63.5	7	15.3	04.5-26.1	9	12.0	02.6-21.4	17	24.5	11.4-37.6
\$25,000- 34,999	69	44,764	38	51.4	36.9-65.9	8	20.7	07.0-34.4	8	9.3	02.8-15.8	15	18.6	08.0-29.2
\$35,000- 49,999	84	45,220	52	59.5	47.5-71.5	13	12.8	05.9-19.7	8	6.5	01.4-11.6	11	21.2	09.8-32.6
\$50,000- 99,999	195	102,183	123	59.4	51.0-67.8	21	14.1	07.8-20.4	22	11.1	06.0-16.2	29	15.3	08.8-21.8
\$100,000- 199,999	80	40,628	56	67.7	55.9-79.5	6	8.0	00.6-15.4	8	9.4	02.3-16.5	10	14.8	05.8-23.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1023	510,936	573	54.5	50.8-58.2	146	13.9	11.4-16.4	105	10.4	08.2-12.6	199	21.2	18.1-24.3
White/Non-Hisp	824	412,784	473	56.5	52.4-60.6	114	12.6	10.1-15.1	87	10.7	08.2-13.2	150	20.2	16.9-23.5
Black or Afr. Am./Non-Hisp	102	50,792	43	34.8	23.6-46.0	20	24.9	12.7-37.1	8	9.2	02.1-16.3	31	31.1	19.3-42.9
25-34	87	73,480	46	49.1	37.7-60.5	14	16.0	07.8-24.2	6	7.3	01.4-13.2	21	27.7	17.1-38.3
35-44	117	76,135	55	49.8	39.6-60.0	19	12.3	06.6-18.0	13	11.8	04.9-18.7	30	26.2	17.4-35.0
45-54	202	95,253	114	55.8	48.4-63.2	22	11.1	06.4-15.8	24	12.2	07.1-17.3	42	21.0	14.9-27.1
55-64	237	103,757	133	53.6	46.5-60.7	33	13.3	08.8-17.8	21	8.5	04.6-12.4	50	24.6	17.9-31.3
65+	346	119,698	203	57.3	51.2-63.4	52	15.7	11.2-20.2	37	11.4	07.5-15.3	54	15.6	11.3-19.9
Less Than H.S.	50	44,501	24	48.5	33.2-63.8	5	12.8	00.5-25.1	6	10.2	01.0-19.4	15	28.5	15.0-42.0
H.S. or G.E.D.	285	162,892	162	55.6	48.7-62.5	36	10.6	06.7-14.5	38	14.2	09.5-18.9	49	19.6	13.9-25.3
Some Post-H.S.	310	184,124	161	52.0	45.7-58.3	47	15.6	11.1-20.1	31	9.2	05.9-12.5	71	23.3	18.0-28.6
College Graduate	376	118,307	224	58.6	53.1-64.1	58	16.5	12.4-20.6	30	7.3	04.6-10.0	64	17.6	13.3-21.9
Less than \$15,000	52	29,533	26	39.1	23.2-55.0	5	16.5	00.0-33.0	7	9.9	02.3-17.5	14	34.6	18.1-51.1
\$15,000- 24,999	117	53,689	60	49.3	38.7-59.9	15	14.6	06.8-22.4	11	7.8	02.7-12.9	31	28.3	18.5-38.1
\$25,000- 34,999	125	70,953	63	46.8	36.2-57.4	12	9.7	03.8-15.6	13	13.7	05.7-21.7	37	29.9	19.9-39.9
\$35,000- 49,999	136	63,373	64	44.2	34.6-53.8	24	17.4	10.5-24.3	23	18.9	10.5-27.3	25	19.5	11.9-27.1
\$50,000- 99,999	231	117,845	138	59.8	52.2-67.4	32	12.8	07.9-17.7	20	8.3	04.2-12.4	41	19.2	12.9-25.5
\$100,000- 199,999	133	63,448	87	65.5	56.5-74.5	14	10.1	04.4-15.8	9	6.2	01.7-10.7	23	18.3	10.9-25.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3)			Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	906	470,583	141	16.5	13.4-19.6	122	14.5	11.8-17.2	296	31.1	27.6-34.6	220	24.1	20.8-27.4	44	4.9	03.3-06.5	83	9.0	06.8-11.2
Male	323	181,936	46	14.4	09.7-19.1	47	17.3	12.0-22.6	111	32.7	26.6-38.8	73	22.2	16.5-27.9	9	2.4	00.6-04.2	37	11.0	07.1-14.9
Female	583	288,647	95	17.7	13.6-21.8	75	12.7	09.6-15.8	185	30.1	25.8-34.4	147	25.3	21.0-29.6	35	6.5	04.1-08.9	46	7.7	05.2-10.2
White/Non-Hisp	719	378,455	114	16.4	13.1-19.7	97	15.0	11.7-18.3	238	31.5	27.6-35.4	170	23.6	19.7-27.5	32	4.5	02.7-06.3	68	9.0	06.6-11.4
Black or Afr. Am./Non-Hisp	90	51,105	13	21.2	08.3-34.1	11	11.6	04.2-19.0	27	29.9	18.1-41.7	26	22.8	13.0-32.6	8	7.3	01.2-13.4	5	7.2	00.3-14.1
25-34	85	78,489	18	22.6	12.2-33.0	14	18.1	09.1-27.1	27	31.1	20.1-42.1	14	16.4	08.0-24.8	4	4.3	00.0-08.6	8	7.5	01.8-13.2
35-44	102	72,332	18	17.6	09.2-26.0	13	12.8	05.0-20.6	42	39.8	29.0-50.6	18	18.6	09.8-27.4	2	1.2	00.0-03.0	9	10.0	03.5-16.5
45-54	187	91,699	19	10.3	05.6-15.0	33	18.2	11.9-24.5	65	32.0	24.7-39.3	55	29.8	22.0-37.6	7	3.5	00.8-06.2	8	6.1	01.8-10.4
55-64	215	94,771	31	13.1	08.4-17.8	26	13.4	07.9-18.9	74	33.3	26.4-40.2	52	25.7	19.0-32.4	13	6.6	02.9-10.3	19	7.9	04.2-11.6
65+	290	101,374	50	17.9	12.6-23.2	34	12.7	08.2-17.2	84	27.8	22.1-33.5	71	23.4	17.7-29.1	16	6.8	03.3-10.3	35	11.4	07.1-15.7
Less Than H.S.	54	54,852	8	22.1	07.8-36.4	7	13.4	03.0-23.8	20	33.8	19.7-47.9	14	25.0	11.9-38.1	2	3.0	00.0-07.3	3	2.6	00.0-05.9
H.S. or G.E.D.	254	150,246	44	17.6	12.3-22.9	41	17.3	12.0-22.6	61	23.0	17.1-28.9	62	23.8	17.7-29.9	18	7.5	03.8-11.2	28	10.9	06.6-15.2
Some Post-H.S.	273	162,470	39	15.1	10.2-20.0	38	14.4	09.5-19.3	89	32.1	25.8-38.4	70	24.5	18.6-30.4	12	3.7	01.3-06.1	25	10.3	06.2-14.4
College Graduate	323	101,706	50	14.1	10.0-18.2	35	10.8	07.1-14.5	126	40.5	34.6-46.4	73	23.0	17.7-28.3	12	4.0	01.6-06.4	27	7.6	04.5-10.7
Less than \$15,000	55	36,002	12	27.4	11.7-43.1	8	17.2	04.3-30.1	18	30.6	16.1-45.1	9	13.0	03.0-23.0	1	1.0	00.0-03.0	7	10.8	01.6-20.0
\$15,000- 24,999	93	44,868	17	15.8	07.2-24.4	9	14.4	04.8-24.0	31	33.4	22.0-44.8	20	19.3	10.3-28.3	7	6.4	01.3-11.5	9	10.6	03.3-17.9
\$25,000- 34,999	92	53,159	15	17.3	06.3-28.3	9	9.3	02.0-16.6	28	29.7	17.9-41.5	24	27.4	16.4-38.4	9	10.9	03.3-18.5	7	5.5	00.8-10.2
\$35,000- 49,999	139	70,149	20	16.9	09.3-24.5	27	21.1	13.3-28.9	41	28.0	19.4-36.6	34	23.5	15.9-31.1	9	5.9	02.0-09.8	8	4.5	00.6-08.4
\$50,000- 99,999	230	121,101	42	19.4	13.1-25.7	30	12.6	07.3-17.9	73	30.3	23.2-37.4	57	25.8	18.5-33.1	4	2.2	00.0-04.6	24	9.7	05.2-14.2
\$100,000- 199,999	119	58,881	13	9.1	03.8-14.4	22	22.8	13.4-32.2	47	34.5	25.3-43.7	26	22.0	13.0-31.0	2	1.1	00.0-02.7	9	10.5	03.4-17.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3)			Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	323	181,936	46	14.4	09.7-19.1	47	17.3	12.0-22.6	111	32.7	26.6-38.8	73	22.2	16.9-27.5	9	2.4	00.6-04.2	37	11.0	07.1-14.9
White/Non-Hisp	252	146,698	36	15.5	10.0-21.0	37	18.3	12.2-24.4	84	31.9	25.2-38.6	61	22.8	16.7-28.9	4	1.1	00.0-02.3	30	10.4	06.1-14.7
45-54	62	33,604	8	12.2	03.6-20.8	15	24.7	12.7-36.7	17	21.0	11.4-30.6	18	32.9	20.7-45.1	1	1.5	00.0-04.4	3	7.6	00.0-15.8
55-64	78	36,231	7	8.0	01.9-14.1	8	13.1	03.3-22.9	30	38.8	26.8-50.8	19	25.2	14.2-36.2	4	4.3	00.0-09.0	10	10.6	03.5-17.7
65+	111	42,050	17	17.5	10.6-24.4	13	13.9	06.1-21.7	36	31.4	22.2-40.6	27	20.9	12.7-29.1	4	5.5	00.0-11.4	14	10.9	04.0-17.8
H.S. or G.E.D.	100	62,711	16	15.9	07.9-23.9	16	17.6	08.8-26.4	29	28.9	18.5-39.3	24	22.5	13.1-31.9	6	5.1	00.6-09.6	9	10.1	03.2-17.0
Some Post-H.S.	92	56,518	14	14.3	06.9-21.7	17	18.3	08.9-27.7	28	30.8	20.0-41.6	21	20.4	10.4-30.4	1	0.6	00.0-01.8	11	15.6	07.0-24.2
College Graduate	105	33,238	13	11.0	04.7-17.3	7	8.0	01.7-14.3	45	45.1	34.7-55.5	22	20.1	11.1-29.1	2	2.4	00.0-05.7	16	13.4	06.1-20.7
\$50,000- 99,999	95	52,573	18	18.5	09.1-27.9	10	11.5	02.9-20.1	29	29.3	18.1-40.5	21	24.3	12.1-36.5	2	2.7	00.0-06.8	15	13.7	05.5-21.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3)			Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	583	288,647	95	17.7	13.6-21.8	75	12.7	09.6-15.8	185	30.1	25.8-34.4	147	25.3	21.0-29.6	35	6.5	04.1-08.9	46	7.7	05.2-10.2
White/Non-Hisp	467	231,756	78	16.9	12.8-21.0	60	13.0	09.5-16.5	154	31.2	26.3-36.1	109	24.1	19.4-28.8	28	6.7	04.0-09.4	38	8.1	05.4-10.8
Black or Afr. Am./Non-Hisp	61	31,160	11	31.9	13.5-50.3	8	11.0	02.4-19.6	14	20.4	08.6-32.2	22	28.9	15.6-42.2	4	4.7	00.0-10.0	2	3.1	00.0-08.8
25-34	56	48,659	12	23.4	10.7-36.1	9	16.6	06.2-27.0	15	26.0	13.7-38.3	12	22.7	10.7-34.7	4	6.9	00.0-13.8	4	4.3	00.0-09.0
35-44	70	46,985	11	18.1	07.1-29.1	8	9.0	02.1-15.9	28	37.6	24.9-50.3	16	24.6	12.6-36.6	2	1.9	00.0-04.6	5	8.8	01.4-16.2
45-54	125	58,095	11	9.2	03.7-14.7	18	14.4	07.5-21.3	48	38.3	29.1-47.5	37	28.1	19.7-36.5	6	4.7	00.8-08.6	5	5.2	00.5-09.9
55-64	137	58,540	24	16.3	09.8-22.8	18	13.5	06.8-20.2	44	29.9	21.5-38.3	33	26.0	17.6-34.4	9	8.1	02.8-13.4	9	6.2	02.1-10.3
65+	179	59,325	33	18.1	11.6-24.6	21	11.8	06.3-17.3	48	25.3	18.2-32.4	44	25.2	17.6-32.8	12	7.7	03.2-12.2	21	11.8	06.5-17.1
H.S. or G.E.D.	154	87,535	28	18.9	11.8-26.0	25	17.1	10.4-23.8	32	18.8	12.1-25.5	38	24.7	16.7-32.7	12	9.2	03.9-14.5	19	11.4	05.9-16.9
Some Post-H.S.	181	105,952	25	15.5	09.2-21.8	21	12.3	06.6-18.0	61	32.8	25.2-40.4	49	26.7	19.3-34.1	11	5.4	01.9-08.9	14	7.4	03.1-11.7
College Graduate	218	68,468	37	15.7	10.4-21.0	28	12.2	07.5-16.9	81	38.2	31.1-45.3	51	24.3	17.8-30.8	10	4.8	01.7-07.9	11	4.7	01.8-07.6
\$15,000- 24,999	62	27,123	10	15.4	03.6-27.2	5	8.0	00.6-15.4	19	28.9	16.2-41.6	15	25.2	12.3-38.1	6	10.4	02.0-18.8	7	12.1	02.5-21.7
\$25,000- 34,999	60	32,099	11	14.9	04.1-25.7	5	6.4	00.3-12.5	16	27.1	13.2-41.0	15	27.4	13.5-41.3	9	18.0	06.0-30.0	4	6.3	00.0-13.0
\$35,000- 49,999	95	45,788	13	18.1	07.9-28.3	18	20.2	10.8-29.6	29	26.2	16.4-36.0	24	26.3	16.3-36.3	8	8.0	02.3-13.7	3	1.2	00.0-03.2
\$50,000- 99,999	135	68,528	24	20.0	11.6-28.4	20	13.5	06.8-20.2	44	31.1	21.9-40.3	36	27.0	18.0-36.0	2	1.7	00.0-04.2	9	6.6	01.7-11.5
\$100,000- 199,999	75	35,842	11	13.2	05.2-21.2	15	27.1	14.4-39.8	27	30.2	19.2-41.2	16	20.2	09.0-31.4	2	1.7	00.0-04.2	4	7.7	00.0-15.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 16: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1586	825,711	222	13.2	11.2-15.2	1364	86.8	84.8-88.8
Male	606	334,074	91	14.0	10.7-17.3	515	86.0	82.7-89.3
Female	980	491,637	131	12.8	10.3-15.3	849	87.2	84.7-89.7
White/Non-Hisp	1264	662,504	165	12.2	10.0-14.4	1099	87.8	85.6-90.0
Black or Afr. Am./Non-Hisp	152	85,073	25	15.6	08.5-22.7	127	84.4	77.3-91.5
18-24	53	70,781	8	12.7	03.3-22.1	45	87.3	77.9-96.7
25-34	137	123,195	19	15.5	08.6-22.4	118	84.5	77.6-91.4
35-44	175	122,135	27	12.1	07.2-17.0	148	87.9	83.0-92.8
45-54	302	151,089	41	11.6	07.9-15.3	261	88.4	84.7-92.1
55-64	362	164,548	54	15.5	11.2-19.8	308	84.5	80.2-88.8
65+	557	193,962	73	12.1	09.0-15.2	484	87.9	84.8-91.0
Less Than H.S.	86	85,499	13	9.9	04.0-15.8	73	90.1	84.2-96.0
H.S. or G.E.D.	483	287,083	51	10.5	07.2-13.8	432	89.5	86.2-92.8
Some Post-H.S.	451	268,538	61	14.5	10.6-18.4	390	85.5	81.6-89.4
College Graduate	557	177,217	94	15.9	12.6-19.2	463	84.1	80.8-87.4
Less than \$15,000	90	54,188	17	15.9	07.1-24.7	73	84.1	75.3-92.9
\$15,000- 24,999	174	81,340	28	15.7	09.2-22.2	146	84.3	77.8-90.8
\$25,000- 34,999	195	115,992	30	14.9	08.4-21.4	165	85.1	78.6-91.6
\$35,000- 49,999	202	98,713	28	11.0	06.3-15.7	174	89.0	84.3-93.7
\$50,000- 99,999	396	207,937	48	12.3	08.2-16.4	348	87.7	83.6-91.8
\$100,000- 199,999	182	92,016	23	12.5	07.0-18.0	159	87.5	82.0-93.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 17: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	606	334,074	91	14.0	10.7-17.3	515	86.0	82.7-89.3
White/Non-Hisp	482	266,691	66	12.5	09.2-15.8	416	87.5	84.2-90.8
25-34	54	51,710	8	16.9	04.7-29.1	46	83.1	70.9-95.3
35-44	63	48,935	11	13.3	05.1-21.5	52	86.7	78.5-94.9
45-54	115	61,781	17	11.0	05.1-16.9	98	89.0	83.1-94.9
55-64	143	67,587	22	17.1	10.6-23.6	121	82.9	76.4-89.4
65+	212	75,613	31	14.5	08.8-20.2	181	85.5	79.8-91.2
H.S. or G.E.D.	191	121,850	24	10.6	05.5-15.7	167	89.4	84.3-94.5
Some Post-H.S.	157	93,937	22	16.0	09.5-22.5	135	84.0	77.5-90.5
College Graduate	211	68,094	36	16.4	10.9-21.9	175	83.6	78.1-89.1
\$15,000- 24,999	60	28,600	11	19.2	06.3-32.1	49	80.8	67.9-93.7
\$25,000- 34,999	64	43,019	10	14.9	03.1-26.7	54	85.1	73.3-96.9
\$35,000- 49,999	78	40,727	9	8.5	02.0-15.0	69	91.5	85.0-98.0
\$50,000- 99,999	187	99,989	25	13.9	08.0-19.8	162	86.1	80.2-92.0
\$100,000- 199,999	66	33,669	10	16.0	06.2-25.8	56	84.0	74.2-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 18: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	980	491,637	131	12.8	10.3-15.3	849	87.2	84.7-89.7
White/Non-Hisp	782	395,812	99	12.0	09.3-14.7	683	88.0	85.3-90.7
Black or Afr. Am./Non-Hisp	106	50,977	17	13.4	05.6-21.2	89	86.6	78.8-94.4
25-34	83	71,485	11	14.4	06.2-22.6	72	85.6	77.4-93.8
35-44	112	73,200	16	11.3	05.2-17.4	96	88.7	82.6-94.8
45-54	187	89,309	24	12.0	07.1-16.9	163	88.0	83.1-92.9
55-64	219	96,961	32	14.4	08.9-19.9	187	85.6	80.1-91.1
65+	345	118,349	42	10.6	06.9-14.3	303	89.4	85.7-93.1
H.S. or G.E.D.	292	165,233	27	10.4	06.1-14.7	265	89.6	85.3-93.9
Some Post-H.S.	294	174,601	39	13.7	09.2-18.2	255	86.3	81.8-90.8
College Graduate	346	109,123	58	15.5	11.4-19.6	288	84.5	80.4-88.6
Less than \$15,000	52	28,150	9	16.2	04.4-28.0	43	83.8	72.0-95.6
\$15,000- 24,999	114	52,740	17	13.8	06.9-20.7	97	86.2	79.3-93.1
\$25,000- 34,999	131	72,973	20	14.9	07.1-22.7	111	85.1	77.3-92.9
\$35,000- 49,999	124	57,987	19	12.8	06.3-19.3	105	87.2	80.7-93.7
\$50,000- 99,999	209	107,947	23	10.8	05.7-15.9	186	89.2	84.1-94.3
\$100,000- 199,999	116	58,347	13	10.5	04.0-17.0	103	89.5	83.0-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1766	907,704	832	49.2	46.5-51.9	934	50.8	48.1-53.5
Male	676	368,341	292	43.9	39.2-48.6	384	56.1	51.4-60.8
Female	1090	539,363	540	52.9	49.4-56.4	550	47.1	43.6-50.6
White/Non-Hisp	1407	727,009	648	48.0	44.9-51.1	759	52.0	48.9-55.1
Black or Afr. Am./Non-Hisp	166	91,656	90	59.1	49.9-68.3	76	40.9	31.7-50.1
Oth. Race/Non-Hisp.	50	21,409	26	47.8	29.6-66.0	24	52.2	34.0-70.4
Hispanic	57	34,694	31	53.6	38.3-68.9	26	46.4	31.1-61.7
18-24	55	72,298	25	48.1	33.6-62.6	30	51.9	37.4-66.4
25-34	149	132,324	79	54.8	46.0-63.6	70	45.2	36.4-54.0
35-44	186	129,719	104	54.0	46.0-62.0	82	46.0	38.0-54.0
45-54	343	169,458	180	51.7	45.8-57.6	163	48.3	42.4-54.2
55-64	416	187,862	194	48.2	42.7-53.7	222	51.8	46.3-57.3
65+	617	216,043	250	42.3	37.8-46.8	367	57.7	53.2-62.2
Less Than H.S.	98	95,419	57	56.6	45.2-68.0	41	43.4	32.0-54.8
H.S. or G.E.D.	521	308,673	234	46.2	41.1-51.3	287	53.8	48.7-58.9
Some Post-H.S.	510	299,256	255	51.8	46.9-56.7	255	48.2	43.3-53.1
College Graduate	630	199,051	283	46.4	42.1-50.7	347	53.6	49.3-57.9
Less than \$15,000	96	58,473	52	61.5	49.7-73.3	44	38.5	26.7-50.3
\$15,000- 24,999	192	90,667	91	50.2	41.8-58.6	101	49.8	41.4-58.2
\$25,000- 34,999	205	119,553	94	47.9	39.3-56.5	111	52.1	43.5-60.7
\$35,000- 49,999	232	115,572	127	57.9	50.6-65.2	105	42.1	34.8-49.4
\$50,000- 99,999	442	227,672	194	45.8	40.1-51.5	248	54.2	48.5-59.9
\$100,000- 199,999	214	104,979	106	49.9	42.3-57.5	108	50.1	42.5-57.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	676	368,341	292	43.9	39.4-48.4	384	56.1	51.6-60.6
White/Non-Hisp	539	295,057	226	42.3	37.2-47.4	313	57.7	52.6-62.8
Black or Afr. Am./Non-Hisp	53	38,004	32	60.6	45.3-75.9	21	39.4	24.1-54.7
25-34	61	57,849	24	41.1	27.2-55.0	37	58.9	45.0-72.8
35-44	65	50,459	35	54.4	40.9-67.9	30	45.6	32.1-59.1
45-54	129	68,386	59	46.2	37.0-55.4	70	53.8	44.6-63.0
55-64	163	77,148	72	42.2	33.6-50.8	91	57.8	49.2-66.4
65+	238	85,461	96	42.6	35.3-49.9	142	57.4	50.1-64.7
H.S. or G.E.D.	207	131,707	93	43.7	35.7-51.7	114	56.3	48.3-64.3
Some Post-H.S.	182	107,886	80	43.3	35.1-51.5	102	56.7	48.5-64.9
College Graduate	237	76,045	94	41.7	34.6-48.8	143	58.3	51.2-65.4
\$15,000- 24,999	67	32,769	26	39.2	25.1-53.3	41	60.8	46.7-74.9
\$25,000- 34,999	70	45,292	35	46.1	31.8-60.4	35	53.9	39.6-68.2
\$35,000- 49,999	85	45,980	40	48.8	36.5-61.1	45	51.2	38.9-63.5
\$50,000- 99,999	206	107,658	85	46.2	38.0-54.4	121	53.8	45.6-62.0
\$100,000- 199,999	80	40,628	42	52.6	40.3-64.9	38	47.4	35.1-59.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1090	539,363	540	52.9	49.4-56.4	550	47.1	43.6-50.6
White/Non-Hisp	868	431,952	422	51.8	47.9-55.7	446	48.2	44.3-52.1
Black or Afr. Am./Non-Hisp	113	53,652	58	58.0	46.6-69.4	55	42.0	30.6-53.4
25-34	88	74,475	55	65.4	54.8-76.0	33	34.6	24.0-45.2
35-44	121	79,260	69	53.8	43.8-63.8	52	46.2	36.2-56.2
45-54	214	101,071	121	55.4	48.1-62.7	93	44.6	37.3-51.9
55-64	253	110,714	122	52.5	45.6-59.4	131	47.5	40.6-54.4
65+	379	130,582	154	42.1	36.2-48.0	225	57.9	52.0-63.8
Less Than H.S.	54	47,211	34	64.7	51.0-78.4	20	35.3	21.6-49.0
H.S. or G.E.D.	314	176,967	141	48.1	41.6-54.6	173	51.9	45.4-58.4
Some Post-H.S.	328	191,370	175	56.6	50.5-62.7	153	43.4	37.3-49.5
College Graduate	393	123,006	189	49.3	43.8-54.8	204	50.7	45.2-56.2
Less than \$15,000	56	31,162	33	72.6	60.1-85.1	23	27.4	14.9-39.9
\$15,000- 24,999	125	57,897	65	56.4	46.0-66.8	60	43.6	33.2-54.0
\$25,000- 34,999	135	74,261	59	49.0	38.4-59.6	76	51.0	40.4-61.6
\$35,000- 49,999	147	69,591	87	63.9	55.1-72.7	60	36.1	27.3-44.9
\$50,000- 99,999	236	120,014	109	45.4	37.8-53.0	127	54.6	47.0-62.2
\$100,000- 199,999	134	64,351	64	48.3	38.7-57.9	70	51.7	42.1-61.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 22: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1763	905,273	1358	79.3	77.1-81.5	405	20.7	18.5-22.9
Male	672	366,850	503	77.1	73.4-80.8	169	22.9	19.2-26.6
Female	1091	538,423	855	80.8	78.1-83.5	236	19.2	16.5-21.9
White/Non-Hisp	1407	726,311	1087	79.4	76.9-81.9	320	20.6	18.1-23.1
Black or Afr. Am./Non-Hisp	165	90,937	130	82.7	75.8-89.6	35	17.3	10.4-24.2
Oth. Race/Non-Hisp.	50	20,699	39	77.2	62.9-91.5	11	22.8	08.5-37.1
Hispanic	57	36,107	42	72.6	58.5-86.7	15	27.4	13.3-41.5
18-24	56	74,064	42	77.2	65.2-89.2	14	22.8	10.8-34.8
25-34	148	131,292	131	89.2	83.7-94.7	17	10.8	05.3-16.3
35-44	185	128,653	156	84.9	79.2-90.6	29	15.1	09.4-20.8
45-54	343	169,460	276	80.5	75.8-85.2	67	19.5	14.8-24.2
55-64	413	186,416	325	78.9	74.4-83.4	88	21.1	16.6-25.6
65+	618	215,386	428	70.1	65.8-74.4	190	29.9	25.6-34.2
Less Than H.S.	97	94,767	69	75.9	67.1-84.7	28	24.1	15.3-32.9
H.S. or G.E.D.	518	306,620	387	76.9	72.8-81.0	131	23.1	19.0-27.2
Some Post-H.S.	510	298,323	405	82.3	78.6-86.0	105	17.7	14.0-21.4
College Graduate	629	198,189	490	79.9	76.6-83.2	139	20.1	16.8-23.4
Less than \$15,000	99	59,269	67	70.2	59.2-81.2	32	29.8	18.8-40.8
\$15,000- 24,999	192	90,667	134	72.6	65.2-80.0	58	27.4	20.0-34.8
\$25,000- 34,999	204	118,522	161	84.7	79.2-90.2	43	15.3	09.8-20.8
\$35,000- 49,999	231	113,998	187	84.4	79.1-89.7	44	15.6	10.3-20.9
\$50,000- 99,999	443	229,268	336	77.8	73.3-82.3	107	22.2	17.7-26.7
\$100,000- 199,999	211	103,884	182	85.3	79.8-90.8	29	14.7	09.2-20.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 23: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	672	366,850	503	77.1	73.4-80.8	169	22.9	19.2-26.6
White/Non-Hisp	536	294,261	408	78.4	74.3-82.5	128	21.6	17.5-25.7
Black or Afr. Am./Non-Hisp	52	37,284	40	75.5	61.6-89.4	12	24.5	10.6-38.4
25-34	60	56,817	48	83.2	73.2-93.2	12	16.8	06.8-26.8
35-44	65	50,078	55	87.8	80.2-95.4	10	12.2	04.6-19.8
45-54	130	69,040	104	81.1	73.8-88.4	26	18.9	11.6-26.2
55-64	161	76,055	118	71.4	63.2-79.6	43	28.6	20.4-36.8
65+	235	84,054	165	70.9	64.0-77.8	70	29.1	22.2-36.0
H.S. or G.E.D.	206	130,691	159	76.5	69.4-83.6	47	23.5	16.4-30.6
Some Post-H.S.	181	106,782	136	77.8	70.9-84.7	45	22.2	15.3-29.1
College Graduate	234	74,907	173	76.5	70.6-82.4	61	23.5	17.6-29.4
\$15,000- 24,999	67	32,769	42	65.0	51.3-78.7	25	35.0	21.3-48.7
\$25,000- 34,999	69	44,261	57	88.0	80.4-95.6	12	12.0	04.4-19.6
\$35,000- 49,999	84	44,949	67	79.5	69.3-89.7	17	20.5	10.3-30.7
\$50,000- 99,999	207	109,441	156	79.7	73.8-85.6	51	20.3	14.4-26.2
\$100,000- 199,999	77	39,533	65	84.4	75.4-93.4	12	15.6	06.6-24.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 24: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1091	538,423	855	80.8	78.1-83.5	236	19.2	16.5-21.9
White/Non-Hisp	871	432,050	679	80.1	77.0-83.2	192	19.9	16.8-23.0
Black or Afr. Am./Non-Hisp	113	53,652	90	87.7	81.6-93.8	23	12.3	06.2-18.4
25-34	88	74,475	83	93.8	88.1-99.5	5	6.2	00.5-11.9
35-44	120	78,575	101	83.1	75.3-90.9	19	16.9	09.1-24.7
45-54	213	100,420	172	80.0	73.9-86.1	41	20.0	13.9-26.1
55-64	252	110,361	207	84.1	79.4-88.8	45	15.9	11.2-20.6
65+	383	131,332	263	69.6	64.1-75.1	120	30.4	24.9-35.9
Less Than H.S.	53	46,560	39	75.0	62.3-87.7	14	25.0	12.3-37.7
H.S. or G.E.D.	312	175,928	228	77.3	72.2-82.4	84	22.7	17.6-27.8
Some Post-H.S.	329	191,541	269	84.8	80.3-89.3	60	15.2	10.7-19.7
College Graduate	395	123,282	317	81.9	77.8-86.0	78	18.1	14.0-22.2
Less than \$15,000	58	31,635	41	76.3	64.1-88.5	17	23.7	11.5-35.9
\$15,000- 24,999	125	57,897	92	76.8	68.2-85.4	33	23.2	14.6-31.8
\$25,000- 34,999	135	74,261	104	82.8	75.4-90.2	31	17.2	09.8-24.6
\$35,000- 49,999	147	69,049	120	87.5	82.2-92.8	27	12.5	07.2-17.8
\$50,000- 99,999	236	119,827	180	76.1	69.2-83.0	56	23.9	17.0-30.8
\$100,000- 199,999	134	64,351	117	85.9	78.8-93.0	17	14.1	07.0-21.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6233	3,303,448	962	15.7	14.5-16.9	5271	84.3	83.1-85.5
Male	2941	1,682,751	399	14.3	12.7-15.9	2542	85.7	84.1-87.3
Female	3292	1,620,697	563	17.0	15.4-18.6	2729	83.0	81.4-84.6
White/Non-Hisp	5038	2,635,205	756	14.8	13.6-16.0	4282	85.2	84.0-86.4
Black or Afr. Am./Non-Hisp	461	281,666	93	24.5	19.2-29.8	368	75.5	70.2-80.8
Oth. Race/Non-Hisp.	206	96,835	29	12.8	07.1-18.5	177	87.2	81.5-92.9
MultiRacial/Non-Hisp.	101	31,107	17	16.1	07.9-24.3	84	83.9	75.7-92.1
Hispanic	316	210,817	46	15.4	10.5-20.3	270	84.6	79.7-89.5
18-24	375	471,107	43	12.6	08.7-16.5	332	87.4	83.5-91.3
25-34	685	575,916	75	11.9	09.0-14.8	610	88.1	85.2-91.0
35-44	777	536,846	114	15.7	12.8-18.6	663	84.3	81.4-87.2
45-54	1004	470,335	196	20.0	17.3-22.7	808	80.0	77.3-82.7
55-64	1171	520,345	238	20.8	18.1-23.5	933	79.2	76.5-81.9
65+	2221	728,899	296	14.1	12.3-15.9	1925	85.9	84.1-87.7
Less Than H.S.	352	357,775	64	17.6	12.9-22.3	288	82.4	77.7-87.1
H.S. or G.E.D.	1775	1,077,042	259	16.1	13.9-18.3	1516	83.9	81.7-86.1
Some Post-H.S.	1612	996,119	273	15.8	13.8-17.8	1339	84.2	82.2-86.2
College Graduate	2463	859,952	365	14.3	12.7-15.9	2098	85.7	84.1-87.3
Less than \$15,000	324	175,684	53	16.0	11.1-20.9	271	84.0	79.1-88.9
\$15,000- 24,999	548	270,880	98	19.7	15.4-24.0	450	80.3	76.0-84.6
\$25,000- 34,999	623	337,114	108	20.1	15.8-24.4	515	79.9	75.6-84.2
\$35,000- 49,999	721	378,811	113	15.9	12.6-19.2	608	84.1	80.8-87.4
\$50,000- 99,999	1591	859,718	259	15.9	13.7-18.1	1332	84.1	81.9-86.3
\$100,000- 199,999	965	515,562	148	14.9	12.2-17.6	817	85.1	82.4-87.8
\$200,000+	212	114,852	33	11.6	07.3-15.9	179	88.4	84.1-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2941	1,682,751	399	14.3	12.7-15.9	2542	85.7	84.1-87.3
White/Non-Hisp	2393	1,344,176	300	13.0	11.2-14.8	2093	87.0	85.2-88.8
Black or Afr. Am./Non-Hisp	182	140,635	43	25.4	17.4-33.4	139	74.6	66.6-82.6
Oth. Race/Non-Hisp.	114	53,264	15	13.6	05.6-21.6	99	86.4	78.4-94.4
Hispanic	154	104,894	20	13.5	07.2-19.8	134	86.5	80.2-92.8
18-24	207	253,121	26	15.5	09.4-21.6	181	84.5	78.4-90.6
25-34	322	300,129	32	10.2	06.5-13.9	290	89.8	86.1-93.5
35-44	371	280,969	49	15.3	11.0-19.6	322	84.7	80.4-89.0
45-54	493	247,314	77	16.3	12.6-20.0	416	83.7	80.0-87.4
55-64	558	261,248	95	16.5	13.0-20.0	463	83.5	80.0-87.0
65+	990	339,969	120	13.2	10.7-15.7	870	86.8	84.3-89.3
Less Than H.S.	168	183,876	28	15.1	09.0-21.2	140	84.9	78.8-91.0
H.S. or G.E.D.	866	588,601	125	16.6	13.5-19.7	741	83.4	80.3-86.5
Some Post-H.S.	702	468,229	95	13.4	10.5-16.3	607	86.6	83.7-89.5
College Graduate	1187	434,632	150	12.2	10.0-14.4	1037	87.8	85.6-90.0
Less than \$15,000	133	76,106	18	12.6	06.3-18.9	115	87.4	81.1-93.7
\$15,000- 24,999	179	94,150	35	20.9	13.6-28.2	144	79.1	71.8-86.4
\$25,000- 34,999	267	156,265	44	19.5	12.8-26.2	223	80.5	73.8-87.2
\$35,000- 49,999	354	204,606	49	14.3	09.6-19.0	305	85.7	81.0-90.4
\$50,000- 99,999	803	466,659	111	14.7	11.6-17.8	692	85.3	82.2-88.4
\$100,000- 199,999	545	302,574	68	13.8	09.9-17.7	477	86.2	82.3-90.1
\$200,000+	128	70,471	15	7.7	03.4-12.0	113	92.3	88.0-96.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3292	1,620,697	563	17.0	15.4-18.6	2729	83.0	81.4-84.6
White/Non-Hisp	2645	1,291,029	456	16.6	14.8-18.4	2189	83.4	81.6-85.2
Black or Afr. Am./Non-Hisp	279	141,032	50	23.5	16.6-30.4	229	76.5	69.6-83.4
Oth. Race/Non-Hisp.	92	43,571	14	12.0	03.8-20.2	78	88.0	79.8-96.2
MultiRacial/Non-Hisp.	58	18,134	6	7.4	00.7-14.1	52	92.6	85.9-99.3
Hispanic	162	105,923	26	17.2	09.9-24.5	136	82.8	75.5-90.1
18-24	168	217,986	17	9.2	04.7-13.7	151	90.8	86.3-95.3
25-34	363	275,787	43	13.7	09.2-18.2	320	86.3	81.8-90.8
35-44	406	255,877	65	16.1	12.0-20.2	341	83.9	79.8-88.0
45-54	511	223,021	119	24.1	20.0-28.2	392	75.9	71.8-80.0
55-64	613	259,097	143	25.1	21.0-29.2	470	74.9	70.8-79.0
65+	1231	388,929	176	15.0	12.6-17.4	1055	85.0	82.6-87.4
Less Than H.S.	184	173,899	36	20.3	13.0-27.6	148	79.7	72.4-87.0
H.S. or G.E.D.	909	488,441	134	15.5	12.8-18.2	775	84.5	81.8-87.2
Some Post-H.S.	910	527,890	178	18.0	15.3-20.7	732	82.0	79.3-84.7
College Graduate	1276	425,320	215	16.4	14.2-18.6	1061	83.6	81.4-85.8
Less than \$15,000	191	99,578	35	18.6	11.5-25.7	156	81.4	74.3-88.5
\$15,000- 24,999	369	176,730	63	19.1	13.8-24.4	306	80.9	75.6-86.2
\$25,000- 34,999	356	180,849	64	20.7	15.4-26.0	292	79.3	74.0-84.6
\$35,000- 49,999	367	174,204	64	17.8	13.3-22.3	303	82.2	77.7-86.7
\$50,000- 99,999	788	393,059	148	17.4	14.3-20.5	640	82.6	79.5-85.7
\$100,000- 199,999	420	212,988	80	16.4	12.7-20.1	340	83.6	79.9-87.3
\$200,000+	84	44,382	18	17.9	09.5-26.3	66	82.1	73.7-90.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 21: MARIJUANA USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1 MALES AND FEMALES	74
2 MALES ONLY	75
3 FEMALES ONLY	76
DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN3)	
4 MALES AND FEMALES	77
5 MALES ONLY	78
6 FEMALES ONLY	79
WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)	
7 MALES AND FEMALES	80
8 MALES ONLY	81
9 FEMALES ONLY	82

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8340	4,356,626	7761	91.2	90.4-92.0	58	0.7	00.5-00.9	146	2.1	01.7-02.5	62	0.9	00.7-01.1	80	1.4	01.0-01.8	233	3.7	03.1-04.3
Male	3764	2,115,219	3434	89.3	87.9-90.7	31	0.7	00.5-00.9	84	2.7	01.9-03.5	28	0.9	00.5-01.3	50	1.7	01.1-02.3	137	4.6	03.6-05.6
Female	4576	2,241,406	4327	93.0	92.0-94.0	27	0.6	00.4-00.8	62	1.6	01.2-02.0	34	0.9	00.5-01.3	30	1.1	00.7-01.5	96	2.7	02.1-03.3
White/Non-Hisp	6701	3,467,878	6272	91.7	90.7-92.7	40	0.6	00.4-00.8	110	2.1	01.7-02.5	50	0.9	00.5-01.3	56	1.2	00.8-01.6	173	3.5	02.9-04.1
Black or Afr. Am./Non-Hisp	654	386,384	596	87.4	83.7-91.1	5	0.8	00.0-01.6	12	2.0	00.6-03.4	4	0.6	00.0-01.2	15	4.3	01.9-06.7	22	5.0	02.5-07.5
Oth. Race/Non-Hisp.	271	122,070	245	92.3	88.8-95.8	6	2.0	00.2-03.8	5	1.9	00.1-03.7				2	0.5	00.0-01.3	13	3.3	00.9-05.7
MultiRacial/Non-Hisp.	150	43,180	123	77.2	68.6-85.8	3	3.4	00.0-08.1	9	6.6	02.1-11.1	3	2.4	00.0-05.1	4	4.1	00.0-08.2	8	6.4	01.3-11.5
Hispanic	394	261,572	364	92.9	90.0-95.8	3	0.6	00.0-01.4	10	2.1	00.5-03.7	1	0.3	00.0-00.9	3	0.7	00.0-01.7	13	3.4	01.2-05.6
18-24	434	548,744	353	82.9	79.0-86.8	9	1.4	00.4-02.4	20	4.4	02.0-06.8	8	1.5	00.3-02.7	17	3.9	01.9-05.9	27	6.0	03.6-08.4
25-34	845	717,543	730	85.8	83.1-88.5	10	0.9	00.3-01.5	30	3.3	01.9-04.7	16	1.8	00.8-02.8	15	2.0	01.0-03.0	44	6.2	04.2-08.2
35-44	989	679,920	884	89.4	87.2-91.6	7	0.6	00.2-01.0	25	2.3	01.3-03.3	9	0.9	00.3-01.5	15	1.6	00.6-02.6	49	5.1	03.5-06.7
45-54	1401	664,097	1310	93.7	92.3-95.1	7	0.4	00.0-00.8	22	1.4	00.8-02.0	11	0.8	00.2-01.4	12	0.8	00.4-01.2	39	2.8	01.8-03.8
55-64	1646	734,449	1539	93.9	92.7-95.1	15	0.8	00.4-01.2	36	2.0	01.2-02.8	7	0.3	00.1-00.5	11	0.7	00.3-01.1	38	2.3	01.5-03.1
65+	3025	1,011,873	2945	97.3	96.7-97.9	10	0.3	00.1-00.5	13	0.5	00.3-00.7	11	0.4	00.2-00.6	10	0.4	00.2-00.6	36	1.2	00.8-01.6
Less Than H.S.	475	476,620	428	89.5	86.2-92.8	5	0.8	00.0-01.6	9	1.6	00.4-02.8	3	0.4	00.0-01.0	7	1.5	00.1-02.9	23	6.2	03.5-08.9
H.S. or G.E.D.	2417	1,436,441	2238	90.7	89.1-92.3	12	0.5	00.1-00.9	43	2.1	01.3-02.9	26	1.3	00.7-01.9	20	1.4	00.6-02.2	78	4.1	03.1-05.1
Some Post-H.S.	2199	1,327,571	2023	90.6	89.0-92.2	15	0.7	00.3-01.1	38	2.3	01.5-03.1	13	0.8	00.4-01.2	28	1.8	01.0-02.6	82	3.9	02.9-04.9
College Graduate	3206	1,093,557	3037	93.8	92.8-94.8	26	0.9	00.5-01.3	55	2.1	01.5-02.7	17	0.7	00.3-01.1	23	0.9	00.5-01.3	48	1.6	01.0-02.2
Less than \$15,000	434	237,844	375	87.0	82.9-91.1	2	0.3	00.0-00.7	16	3.2	01.4-05.0	7	1.1	00.1-02.1	5	1.0	00.0-02.2	29	7.4	03.9-10.9
\$15,000- 24,999	780	378,272	721	91.6	89.2-94.0	9	1.4	00.4-02.4	10	1.4	00.4-02.4	3	0.3	00.0-00.7	6	0.7	00.1-01.3	31	4.6	02.8-06.4
\$25,000- 34,999	863	474,119	780	87.2	84.1-90.3	8	1.2	00.2-02.2	17	3.0	01.0-05.0	10	1.1	00.3-01.9	14	2.1	00.7-03.5	34	5.4	03.2-07.6
\$35,000- 49,999	983	502,853	895	88.5	85.8-91.2	11	0.8	00.2-01.4	23	3.2	01.6-04.8	9	1.0	00.2-01.8	14	2.5	00.9-04.1	31	3.9	02.3-05.5
\$50,000- 99,999	2090	1,111,903	1964	91.8	90.2-93.4	15	0.7	00.3-01.1	30	1.8	01.0-02.6	14	1.1	00.5-01.7	19	1.5	00.7-02.3	48	3.1	02.1-04.1
\$100,000- 199,999	1212	637,308	1129	92.2	90.2-94.2	6	0.4	00.0-00.8	30	2.4	01.2-03.6	7	0.8	00.2-01.4	14	1.4	00.6-02.2	26	2.8	01.6-04.0
\$200,000+	263	140,163	251	95.4	92.5-98.3	2	0.4	00.0-01.0	7	3.4	00.7-06.1	1	0.2	00.0-00.6	2	0.6	00.0-01.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3764	2,115,219	3434	89.3	87.9-90.7	31	0.7	0.05-00.9	84	2.7	0.19-03.5	28	0.9	0.05-01.3	50	1.7	0.11-02.3	137	4.6	0.36-05.6
White/Non-Hisp	3041	1,684,593	2796	89.9	88.5-91.3	20	0.6	0.02-01.0	60	2.6	0.18-03.4	25	1.0	0.06-01.4	38	1.5	0.09-02.1	102	4.4	0.34-05.4
Black or Afr. Am./Non-Hisp	241	181,402	213	85.3	79.4-91.2	1	0.1	0.00-00.3	9	3.4	0.07-06.1	1	0.3	0.00-00.9	6	4.2	0.05-07.9	11	6.8	0.25-11.1
Oth. Race/Non-Hisp.	143	62,126	125	90.3	84.8-95.8	4	2.7	0.00-05.6	2	0.8	0.00-02.0	2	0.9	0.00-02.3	10	5.3	0.10-09.6			
MultiRacial/Non-Hisp.	69	18,883	54	70.3	56.4-84.2	3	7.8	0.00-18.0	6	11.0	0.24-19.6	2	5.7	0.00-13.5	4	5.2	0.00-10.9			
Hispanic	187	126,712	168	89.2	83.7-94.7	2	0.9	0.00-02.3	7	3.2	0.01-06.3	2	1.3	0.00-03.3	8	5.3	0.12-09.4			
18-24	229	284,713	184	82.2	76.7-87.7	6	1.5	0.01-02.9	16	6.5	0.26-10.4	2	0.8	0.00-02.0	9	3.6	0.11-06.1	12	5.3	0.22-08.4
25-34	388	362,031	324	82.6	78.3-86.9	6	1.0	0.02-01.8	13	3.0	0.12-04.8	8	2.2	0.04-04.0	10	2.8	0.10-04.6	27	8.4	0.51-11.7
35-44	451	336,341	396	87.6	84.3-90.9	4	0.7	0.01-01.3	14	3.1	0.13-04.9	4	0.9	0.01-01.7	8	1.7	0.03-03.1	25	6.0	0.35-08.5
45-54	649	328,477	604	93.3	91.1-95.5	2	0.2	0.00-00.4	9	1.2	0.04-02.0	7	1.0	0.02-01.8	6	1.0	0.02-01.8	21	3.4	0.18-05.0
55-64	747	350,892	679	91.8	89.6-94.0	8	1.0	0.02-01.8	22	2.5	0.13-03.7	3	0.3	0.00-00.7	10	1.3	0.05-02.1	25	3.2	0.18-04.6
65+	1300	452,764	1247	95.7	94.3-97.1	5	0.3	0.01-00.5	10	0.9	0.03-01.5	4	0.4	0.00-00.8	7	0.6	0.02-01.0	27	2.2	0.12-03.2
Less Than H.S.	225	244,294	192	84.2	78.5-89.9	2	0.6	0.00-01.6	6	2.2	0.02-04.2	1	0.2	0.00-00.6	7	3.0	0.05-05.5	17	9.8	0.51-14.5
H.S. or G.E.D.	1126	740,240	1023	89.3	86.9-91.7	8	0.6	0.02-01.0	24	2.5	0.11-03.9	11	1.2	0.02-02.2	13	1.5	0.05-02.5	47	4.8	0.32-06.4
Some Post-H.S.	913	589,800	820	89.2	86.8-91.6	5	0.5	0.00-01.1	23	2.9	0.15-04.3	6	0.8	0.00-01.6	16	2.1	0.09-03.3	43	4.4	0.28-06.0
College Graduate	1476	527,971	1380	92.5	90.9-94.1	16	1.3	0.05-02.1	30	2.5	0.15-03.5	9	0.8	0.02-01.4	13	0.9	0.03-01.5	28	1.9	0.11-02.7
Less than \$15,000	178	102,858	144	86.0	80.5-91.5	2	0.6	0.00-01.4	9	3.9	0.10-06.8	2	1.0	0.00-02.4	3	1.0	0.00-02.4	18	7.5	0.32-11.8
\$15,000- 24,999	261	134,558	236	89.8	85.5-94.1	4	1.3	0.00-02.7	4	1.7	0.00-03.7	4	1.2	0.00-02.4	13	6.0	0.25-09.5			
\$25,000- 34,999	349	208,680	299	81.1	75.2-87.0	4	1.0	0.00-02.2	8	3.8	0.01-07.5	5	1.2	0.00-02.4	11	3.5	0.10-06.0	22	9.3	0.48-13.8
\$35,000- 49,999	457	256,210	402	84.5	80.0-89.0	5	0.8	0.00-01.6	18	5.3	0.26-08.0	6	1.5	0.03-02.7	10	3.6	0.09-06.3	16	4.4	0.17-07.1
\$50,000- 99,999	1042	590,117	968	90.5	88.1-92.9	9	0.9	0.03-01.5	17	2.3	0.11-03.5	6	0.9	0.00-01.9	12	1.6	0.06-02.6	30	3.8	0.22-05.4
\$100,000- 199,999	643	352,210	596	92.0	89.3-94.7	4	0.5	0.00-01.1	15	1.6	0.06-02.6	3	0.5	0.00-01.1	7	1.6	0.02-03.0	18	3.8	0.18-05.8
\$200,000+	148	80,585	139	93.8	89.1-98.5	1	0.4	0.00-01.2	6	5.1	0.06-09.6	1	0.4	0.00-01.2	1	0.3	0.00-00.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4576	2,241,406	4327	93.0	92.0-94.0	27	0.6	0.4-0.8	62	1.6	1.2-2.0	34	0.9	0.5-0.1.3	30	1.1	0.7-0.1.5	96	2.7	0.2.1-0.3.3
White/Non-Hisp	3660	1,783,286	3476	93.3	92.1-94.5	20	0.6	0.4-0.8	50	1.7	1.1-0.2.3	25	0.9	0.5-0.1.3	18	0.8	0.4-0.1.2	71	2.7	0.1.9-0.3.5
Black or Afr. Am./Non-Hisp	413	204,982	383	89.2	84.9-93.5	4	1.4	0.0-0.2.8	3	0.8	0.0-0.1.8	3	0.8	0.0-0.1.8	9	4.3	0.1.2-0.7.4	11	3.4	0.0.7-0.6.1
Oth. Race/Non-Hisp.	128	59,944	120	94.3	90.0-98.6	2	1.4	0.0-0.3.6	3	3.1	0.0-0.6.6	3	4.2	0.0-0.9.1	2	2.8	0.0-0.6.7	4	7.3	0.0-0.1.5.1
MultiRacial/Non-Hisp.	81	24,297	69	82.5	72.3-92.7	1	0.4	0.0-0.1.2	3	3.1	0.0-0.7.0	3	4.2	0.0-0.9.1	2	2.8	0.0-0.6.7	4	7.3	0.0-0.1.5.1
Hispanic	207	134,860	196	96.3	93.8-98.8	1	0.4	0.0-0.1.2	3	1.0	0.0-0.2.4	1	0.6	0.0-0.1.8	1	0.2	0.0-0.0.6	5	1.6	0.0-0.3.2
18-24	205	264,030	169	83.7	78.4-89.0	3	1.2	0.0-0.2.6	4	2.0	0.0-0.4.2	6	2.2	0.4-0.4.0	8	4.2	0.1.1-0.7.3	15	6.6	0.3.1-1.0.1
25-34	457	355,511	406	89.0	85.9-92.1	4	0.8	0.0-0.1.6	17	3.7	0.1.9-0.5.5	8	1.5	0.3-0.2.7	5	1.2	0.0-0.2.4	17	4.0	0.2.0-0.6.0
35-44	538	343,579	488	91.1	88.6-93.6	3	0.6	0.0-0.1.4	11	1.6	0.6-0.2.6	5	1.0	0.0-0.2.0	7	1.5	0.1-0.2.9	24	4.2	0.2.4-0.6.0
45-54	752	335,620	706	94.1	92.3-95.9	5	0.7	0.1-0.1.3	13	1.6	0.6-0.2.6	4	0.7	0.1-0.1.3	6	0.7	0.1-0.1.3	18	2.3	0.1.1-0.3.5
55-64	899	383,557	860	95.8	94.4-97.2	7	0.7	0.1-0.1.3	14	1.5	0.5-0.2.5	4	0.4	0.0-0.0.8	1	0.1	0.0-0.0.3	13	1.5	0.5-0.2.5
65+	1725	559,109	1698	98.6	98.0-99.2	5	0.2	0.0-0.0.4	3	0.2	0.0-0.0.4	7	0.4	0.0-0.0.8	3	0.2	0.0-0.0.4	9	0.4	0.0-0.0.6
Less Than H.S.	250	232,326	236	95.0	91.9-98.1	3	1.0	0.0-0.2.2	3	1.0	0.0-0.2.2	2	0.6	0.0-0.1.8	7	1.3	0.1-0.2.5	6	2.4	0.0-0.4.9
H.S. or G.E.D.	1291	696,200	1215	92.1	90.1-94.1	4	0.3	0.0-0.0.7	19	1.7	0.9-0.2.5	15	1.4	0.6-0.2.2	7	1.3	0.1-0.2.5	31	3.3	0.1.9-0.4.7
Some Post-H.S.	1286	737,771	1203	91.7	89.7-93.7	10	0.8	0.2-0.1.4	15	1.7	0.7-0.2.7	7	0.8	0.2-0.1.4	12	1.5	0.5-0.2.5	39	3.5	0.2.3-0.4.7
College Graduate	1730	565,586	1657	95.0	93.8-96.2	10	0.6	0.2-0.1.0	25	1.7	0.9-0.2.5	8	0.5	0.1-0.0.9	10	0.8	0.2-0.1.4	20	1.3	0.0.7-0.1.9
Less than \$15,000	256	134,987	231	87.8	81.9-93.7	7	2.6	0.2-0.5.0	7	2.6	0.2-0.5.0	5	1.2	0.0-0.2.4	2	1.0	0.0-0.2.6	11	7.4	0.2.1-1.2.7
\$15,000- 24,999	519	243,714	485	92.6	89.9-95.3	5	1.5	0.1-0.2.9	6	1.2	0.0-0.2.4	3	0.5	0.0-0.1.1	2	0.4	0.0-0.1.0	18	3.9	0.1.9-0.5.9
\$25,000- 34,999	514	265,439	481	92.0	89.1-94.9	4	1.3	0.0-0.2.7	9	2.3	0.5-0.4.1	5	1.1	0.1-0.2.1	3	1.0	0.0-0.2.2	12	2.3	0.0.7-0.3.9
\$35,000- 49,999	526	246,643	493	92.6	89.9-95.3	6	0.8	0.0-0.1.6	5	1.1	0.1-0.2.1	3	0.6	0.0-0.1.4	4	1.5	0.0-0.3.1	15	3.4	0.1.4-0.5.4
\$50,000- 99,999	1048	521,786	996	93.3	91.3-95.3	6	0.5	0.1-0.0.9	13	1.3	0.5-0.2.1	8	1.3	0.3-0.2.3	7	1.3	0.3-0.2.3	18	2.3	0.1.1-0.3.5
\$100,000- 199,999	569	285,098	533	92.5	89.8-95.2	2	0.4	0.0-0.1.0	15	3.4	0.1.2-0.5.6	4	1.1	0.0-0.2.3	7	1.0	0.2-0.1.8	8	1.6	0.0.4-0.2.8
\$200,000+	115	59,578	112	97.5	94.6-0.100	1	0.4	0.0-0.1.4	1	1.1	0.0-0.3.3	1	0.9	0.0-0.2.7	1	0.9	0.0-0.2.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	571	376,002	393	69.3	64.6-74.0	100	13.9	11.0-16.8	4	0.4	00.0-00.8	46	10.3	06.8-13.8	16	3.7	01.7-05.7	12	2.4	00.6-04.2
Male	327	223,875	239	70.4	64.1-76.7	46	11.8	08.1-15.5	2	0.4	00.0-01.0	23	10.7	05.6-15.8	10	3.9	01.4-06.4	7	2.9	00.2-05.6
Female	244	152,127	154	67.8	61.1-74.5	54	17.1	12.0-22.2	2	0.4	00.0-01.0	23	9.7	05.6-13.8	6	3.3	00.6-06.0	5	1.6	00.0-03.4
White/Non-Hisp	424	284,308	284	67.8	62.5-73.1	79	14.2	10.9-17.5	2	0.2	00.0-00.4	37	12.0	07.7-16.3	13	4.2	01.8-06.6	9	1.7	00.5-02.9
Black or Afr. Am./Non-Hisp	58	48,828	48	86.9	76.1-97.7	6	5.2	00.7-09.7	1	1.0	00.0-03.0	2	1.9	00.0-04.8				1	5.1	00.0-14.7
18-24	79	90,309	53	68.2	56.2-80.2	10	10.0	03.3-16.7				7	10.1	01.1-19.1	7	7.2	01.7-12.7	2	4.5	00.0-10.8
25-34	115	102,186	76	67.4	57.8-77.0	19	12.5	06.4-18.6				15	15.7	07.9-23.5	4	3.3	00.0-06.6	1	1.1	00.0-03.3
35-44	104	71,020	64	64.5	54.3-74.7	22	17.1	09.8-24.4				13	12.5	05.4-19.6	3	4.0	00.0-08.7	2	1.9	00.0-04.4
45-54	90	41,700	60	69.1	58.9-79.3	17	17.9	09.7-26.1	2	2.4	00.0-05.7	6	6.1	00.8-11.4	2	2.4	00.0-05.9	3	2.0	00.0-04.5
55-64	106	44,250	83	83.0	75.9-90.1	19	14.2	07.5-20.9	1	0.7	00.0-02.1	3	2.1	00.0-04.6						
65+	77	26,537	57	71.5	60.1-82.9	13	17.6	08.2-27.0	1	0.7	00.0-02.1	2	4.1	00.0-09.6				4	6.1	00.2-12.0
H.S. or G.E.D.	178	132,664	138	76.5	68.7-84.3	20	8.5	04.4-12.6	1	0.4	00.0-01.2	12	11.7	04.4-19.0	5	2.3	00.1-04.5	2	0.7	00.0-01.7
Some Post-H.S.	173	121,128	117	63.9	55.7-72.1	28	15.3	09.4-21.2				16	11.7	05.8-17.6	8	6.7	02.2-11.2	4	2.4	00.0-04.8
College Graduate	168	67,344	98	58.7	50.5-66.9	49	28.5	21.1-35.9	1	0.5	00.0-01.5	16	10.4	05.1-15.7	1	0.8	00.0-02.4	3	1.1	00.0-02.5
Less than \$15,000	59	30,837	48	87.8	79.6-96.0	6	6.3	00.6-12.0	1	1.6	00.0-04.7	2	1.3	00.0-03.1	1	2.1	00.0-06.2	1	1.0	00.0-03.0
\$15,000- 24,999	59	31,856	50	86.0	76.4-95.6							4	5.5	00.0-11.2	4	8.3	00.3-16.3	1	0.2	00.0-00.6
\$25,000- 34,999	82	60,122	60	71.5	58.4-84.6	7	5.0	01.1-08.9				9	16.8	04.1-29.5	3	4.3	00.0-09.4	3	2.3	00.0-05.0
\$35,000- 49,999	88	58,060	62	69.8	58.0-81.6	14	11.8	05.1-18.5	2	1.2	00.0-03.0	7	9.2	01.9-16.5	2	3.8	00.0-09.1	1	4.3	00.0-12.3
\$50,000- 99,999	126	90,942	78	60.5	50.5-70.5	32	23.8	15.4-32.2				12	11.8	04.7-18.9	1	0.6	00.0-01.8	3	3.3	00.0-07.4
\$100,000- 199,999	81	46,382	50	63.3	51.0-75.6	22	20.2	11.4-29.0	1	0.7	00.0-02.1	5	10.5	01.1-19.9	1	2.9	00.0-08.4	2	2.4	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	327	223,875	239	70.4	64.1-76.7	46	11.8	08.1-15.5	2	0.4	00.0-01.0	23	10.7	05.6-15.8	10	3.9	01.4-06.4	7	2.9	00.2-05.6
White/Non-Hisp	243	168,582	178	70.8	63.7-77.9	33	10.9	07.0-14.8	1	0.2	00.0-00.6	19	12.5	06.2-18.8	7	4.1	01.0-07.2	5	1.5	00.1-02.9
25-34	64	62,904	46	72.0	59.7-84.3	8	7.6	01.9-13.3				7	16.0	05.0-27.0	3	4.4	00.0-09.5			
35-44	54	40,459	32	62.0	47.7-76.3	11	17.3	07.1-27.5				7	12.8	03.0-22.6	2	4.6	00.0-11.5	2	3.3	00.0-07.8
55-64	68	28,763	57	87.7	80.1-95.3	7	7.9	01.4-14.4	1	1.1	00.0-03.3	3	3.2	00.0-06.9						
65+	52	19,314	42	78.4	66.2-90.6	6	12.1	02.3-21.9				2	5.6	00.0-13.0				2	3.9	00.0-09.4
H.S. or G.E.D.	103	78,989	82	75.3	64.1-86.5	9	7.0	02.1-11.9				8	14.6	03.8-25.4	3	2.6	00.0-05.7	1	0.5	00.0-01.5
Some Post-H.S.	92	62,747	64	64.2	52.4-76.0	12	12.3	05.0-19.6				9	14.2	04.6-23.8	4	6.4	00.0-12.9	3	2.8	00.0-06.1
College Graduate	95	39,282	66	68.4	58.0-78.8	22	24.6	15.0-34.2	1	0.8	00.0-02.4	4	3.9	00.0-08.0	1	1.5	00.0-04.2	1	0.8	00.0-02.4
\$25,000- 34,999	50	39,375	37	72.6	54.8-90.4	6	6.9	01.0-12.8				2	11.2	00.0-28.6	3	6.6	00.0-14.2	2	2.6	00.0-06.3
\$35,000- 49,999	55	39,769	42	72.1	57.0-87.2	6	10.0	02.0-18.0	1	1.3	00.0-03.8	5	10.5	00.9-20.1				1	6.2	00.0-17.8
\$50,000- 99,999	74	56,159	51	64.3	51.4-77.2	13	18.2	08.2-28.2				7	13.2	03.6-22.8	1	0.9	00.0-02.7	2	3.4	00.0-08.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	244	152,127	154	67.8	61.1-74.5	54	17.1	12.0-22.2	2	0.4	00.0-01.0	23	9.7	05.6-13.8	6	3.3	00.6-06.0	5	1.6	00.0-03.2
White/Non-Hisp	181	115,727	106	63.3	55.5-71.1	46	19.0	12.9-25.1	1	0.2	00.0-00.6	18	11.1	06.0-16.2	6	4.4	00.9-07.9	4	2.0	00.0-04.2
25-34	51	39,282	30	59.9	45.4-74.4	11	20.4	08.4-32.4				8	15.3	04.7-25.9	1	1.5	00.0-04.4	1	2.8	00.0-08.1
35-44	50	30,561	32	67.7	53.8-81.6	11	16.8	06.6-27.0				6	12.2	02.4-22.0	1	3.3	00.0-09.6			
H.S. or G.E.D.	75	53,674	56	78.1	67.9-88.3	11	10.8	03.7-17.9	1	0.9	00.0-02.7	4	7.4	00.3-14.5	2	1.8	00.0-04.3	1	1.0	00.0-03.0
Some Post-H.S.	81	58,381	53	63.6	52.0-75.2	16	18.4	09.0-27.8				7	9.1	02.4-15.8	4	7.0	00.3-13.7	1	1.9	00.0-05.6
College Graduate	73	28,061	32	45.1	32.4-57.8	27	33.9	21.9-45.9				12	19.4	08.8-30.0				2	1.6	00.0-04.3
\$50,000- 99,999	52	34,784	27	54.3	38.4-70.2	19	32.8	17.9-47.7				5	9.7	00.9-18.5				1	3.1	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	566	369,827	131	20.2	16.5-23.9	187	34.7	30.0-39.4	248	45.1	40.2-50.0
Male	322	215,130	63	17.3	12.4-22.2	111	36.6	30.3-42.9	148	46.1	39.4-52.8
Female	244	154,698	68	24.2	18.1-30.3	76	32.1	25.0-39.2	100	43.7	36.3-51.1
White/Non-Hisp	421	278,790	98	21.3	17.0-25.6	139	34.1	28.8-39.4	184	44.6	39.1-50.1
Black or Afr. Am./Non-Hisp	57	48,232	6	8.9	00.0-18.3	25	43.3	27.6-59.0	26	47.8	31.9-63.7
18-24	80	89,782	8	9.2	02.9-15.5	41	51.7	39.5-63.9	31	39.1	27.1-51.1
25-34	113	98,500	23	22.3	13.5-31.1	37	27.1	18.5-35.7	53	50.6	40.4-60.8
35-44	103	70,390	25	22.2	13.8-30.6	31	34.1	23.3-44.9	47	43.7	33.1-54.3
45-54	88	41,043	29	29.5	19.3-39.7	23	24.4	14.8-34.0	36	46.1	34.5-57.7
55-64	107	44,730	32	27.2	18.0-36.4	28	23.9	15.3-32.5	47	48.9	38.7-59.1
65+	75	25,382	14	18.5	09.1-27.9	27	41.5	29.2-53.8	34	40.0	28.0-52.0
H.S. or G.E.D.	176	127,290	42	21.9	15.0-28.8	47	31.9	23.7-40.1	87	46.2	37.8-54.6
Some Post-H.S.	171	121,796	40	18.7	12.6-24.8	49	34.5	26.1-42.9	82	46.8	38.4-55.2
College Graduate	168	67,344	38	20.0	13.5-26.5	79	49.7	41.3-58.1	51	30.3	22.7-37.9
Less than \$15,000	59	30,837	22	26.8	13.7-39.9	8	11.1	02.1-20.1	29	62.1	46.6-77.6
\$15,000- 24,999	57	31,200	16	23.5	11.5-35.5	11	18.1	07.3-28.9	30	58.4	44.3-72.5
\$25,000- 34,999	82	56,764	23	25.6	15.0-36.2	17	22.9	11.5-34.3	42	51.5	38.8-64.2
\$35,000- 49,999	87	56,591	21	25.1	13.9-36.3	26	31.1	19.5-42.7	40	43.8	31.3-56.3
\$50,000- 99,999	124	88,134	23	17.4	09.8-25.0	53	44.2	34.0-54.4	48	38.5	28.7-48.3
\$100,000- 199,999	83	49,693	10	9.1	02.8-15.4	45	58.0	45.5-70.5	28	32.9	20.9-44.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	322	215,130	63	17.3	12.4-22.2	111	36.6	30.3-42.9	148	46.1	39.4-52.8
White/Non-Hisp	238	159,836	43	17.2	11.7-22.7	86	37.1	29.8-44.4	109	45.7	38.3-53.1
25-34	62	59,218	7	15.4	04.2-26.6	22	30.1	17.8-42.4	33	54.5	40.6-68.4
35-44	53	39,828	11	19.4	08.2-30.6	15	32.0	17.1-46.9	27	48.6	33.3-63.9
55-64	68	28,763	22	28.7	16.9-40.5	16	22.5	11.7-33.3	30	48.8	36.5-61.1
65+	51	18,723	6	12.1	02.5-21.7	21	48.6	33.7-63.5	24	39.3	25.0-53.6
H.S. or G.E.D.	101	72,936	21	19.3	10.5-28.1	27	32.0	21.8-42.2	53	48.8	37.8-59.8
Some Post-H.S.	90	61,525	18	13.8	06.4-21.2	30	41.3	29.1-53.5	42	44.9	32.9-56.9
College Graduate	95	39,282	16	16.7	08.7-24.7	44	47.6	36.2-59.0	35	35.7	25.1-46.3
\$35,000- 49,999	54	38,300	11	25.8	10.9-40.7	18	32.6	17.9-47.3	25	41.6	25.5-57.7
\$50,000- 99,999	72	53,350	8	10.5	02.1-18.9	33	48.3	34.8-61.8	31	41.2	27.9-54.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	244	154,698	68	24.2	18.1-30.3	76	32.1	25.0-39.2	100	43.7	36.3-51.1
White/Non-Hisp	183	118,954	55	26.8	19.5-34.1	53	29.9	21.9-37.9	75	43.3	34.9-51.7
25-34	51	39,282	16	32.6	18.9-46.3	15	22.6	11.4-33.8	20	44.8	29.9-59.7
35-44	50	30,561	14	25.8	12.9-38.7	16	36.9	21.4-52.4	20	37.4	23.5-51.3
H.S. or G.E.D.	75	54,354	21	25.5	14.5-36.5	20	31.7	18.2-45.2	34	42.9	30.0-55.8
Some Post-H.S.	81	60,272	22	23.6	13.8-33.4	19	27.7	16.1-39.3	40	48.7	36.4-61.0
College Graduate	73	28,061	22	24.6	14.0-35.2	35	52.6	39.7-65.5	16	22.8	12.0-33.6
\$50,000- 99,999	52	34,784	15	28.0	14.3-41.7	20	37.8	22.5-53.1	17	34.2	19.5-48.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021

MODULE 22: TOBACCO CESSATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
1	MALES AND FEMALES	84
2	MALES ONLY	85
3	FEMALES ONLY	86
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
4	MALES AND FEMALES	87
5	MALES ONLY	88
6	FEMALES ONLY	89

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2406	1,158,235	219	12.6	10.8-14.4	373	19.6	17.4-21.8	272	12.5	10.9-14.1	1526	54.3	51.9-56.7	16	1.0	0.4-01.6
Male	1237	610,834	117	12.7	10.2-15.2	180	18.5	15.8-21.2	129	11.7	09.5-13.9	804	56.5	53.2-59.8	7	0.6	0.2-01.0
Female	1169	547,401	102	12.5	10.0-15.0	193	20.8	17.7-23.9	143	13.4	11.0-15.8	722	51.9	48.4-55.4	9	1.4	0.2-02.6
White/Non-Hisp	2034	993,091	171	12.3	10.3-14.3	303	19.3	16.9-21.7	231	12.4	10.6-14.2	1320	55.3	52.8-57.8	9	0.8	0.2-01.4
Black or Afr. Am./Non-Hisp	145	69,874	12	8.1	03.0-13.2	26	22.9	13.1-32.7	15	14.1	06.5-21.7	91	54.3	43.5-65.1	1	0.7	0.0-02.1
Oth. Race/Non-Hisp.	59	18,823	8	16.9	05.5-28.3	11	20.4	08.6-32.2	5	8.5	00.9-16.1	33	50.6	35.5-65.7	2	3.6	0.0-09.7
Hispanic	82	45,682	15	18.8	09.0-28.6	19	24.2	12.4-36.0	13	17.4	07.4-27.4	32	37.0	24.5-49.5	3	2.7	0.0-06.2
25-34	152	132,910	49	31.2	23.2-39.2	70	46.6	38.0-55.2	25	16.5	10.0-23.0	7	5.2	01.1-09.3	1	0.5	0.0-01.5
35-44	247	178,572	36	15.5	10.4-20.6	70	26.7	20.6-32.8	47	18.4	13.3-23.5	91	38.2	31.5-44.9	3	1.2	0.0-02.6
45-54	358	176,802	49	12.4	08.9-15.9	69	19.4	14.7-24.1	60	17.2	12.9-21.5	175	49.1	43.4-54.8	5	2.0	0.2-03.8
55-64	484	231,571	40	8.0	05.3-10.7	73	15.3	11.8-18.8	61	13.2	09.7-16.7	308	63.4	58.5-68.3	2	0.1	0.0-00.3
65+	1127	386,129	24	2.3	01.3-03.3	77	6.8	05.0-08.6	78	7.5	05.7-09.3	945	83.1	80.6-85.6	3	0.3	0.0-00.7
Less Than H.S.	137	121,756	22	15.8	08.5-23.1	26	25.1	15.9-34.3	13	9.8	04.3-15.3	76	49.3	39.7-58.9			
H.S. or G.E.D.	778	416,245	78	13.0	10.1-15.9	140	21.2	17.7-24.7	77	10.8	08.1-13.5	477	53.7	49.6-57.8	6	1.3	0.0-02.7
Some Post-H.S.	715	390,402	73	14.0	10.7-17.3	108	17.6	14.3-20.9	97	14.6	11.7-17.5	431	52.6	48.3-56.9	6	1.1	0.1-02.1
College Graduate	772	227,481	46	7.8	05.4-10.2	98	17.0	13.7-20.3	85	13.7	10.8-16.6	539	60.9	56.8-65.0	4	0.6	0.0-01.2
Less than \$15,000	117	56,142	14	13.7	06.1-21.3	29	26.8	15.6-38.0	14	12.9	05.5-20.3	60	46.6	35.4-57.8			
\$15,000- 24,999	241	98,623	26	14.6	08.7-20.5	38	18.6	12.7-24.5	24	10.3	05.6-15.0	153	56.5	48.9-64.1			
\$25,000- 34,999	274	137,272	32	16.2	09.9-22.5	56	23.7	17.2-30.2	26	11.8	06.9-16.7	159	47.8	40.5-55.1	1	0.5	0.0-01.5
\$35,000- 49,999	322	151,792	38	18.9	13.0-24.8	46	16.1	11.0-21.2	38	12.1	07.8-16.4	198	52.1	45.4-58.8	2	0.8	0.0-02.4
\$50,000- 99,999	615	310,259	56	12.9	09.4-16.4	92	19.5	15.4-23.6	72	13.2	10.1-16.3	390	53.5	48.8-58.2	5	0.9	0.1-01.7
\$100,000- 199,999	341	178,071	23	8.4	04.7-12.1	54	20.3	14.8-25.8	52	15.6	11.3-19.9	210	55.2	48.9-61.5	2	0.5	0.0-01.3
\$200,000+	54	27,713	2	6.0	00.0-15.0	10	24.9	08.4-41.4	7	14.2	03.0-25.4	34	51.5	35.0-68.0	1	3.5	0.0-10.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 lt 5 years ago			5 lt 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1237	610,834	117	12.7	10.3-15.1	180	18.5	15.8-21.2	129	11.7	09.5-13.9	804	56.5	53.2-59.8	7	0.6	00.2-01.0
White/Non-Hisp	1048	523,940	89	12.4	09.7-15.1	141	17.8	14.9-20.7	107	11.5	09.1-13.9	708	58.0	54.5-61.5	3	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	56	32,901	4	5.6	00.0-11.3	12	22.2	09.3-35.1	7	17.6	04.7-30.5	32	53.2	37.3-69.1	1	1.5	00.0-04.2
Hispanic	56	28,219	11	21.2	08.3-34.1	14	29.0	12.9-45.1	6	9.0	01.2-16.8	23	37.1	22.0-52.2	2	3.7	00.0-09.0
25-34	76	68,817	24	29.9	18.7-41.1	35	47.7	35.4-60.0	14	18.1	08.9-27.3	3	4.3	00.0-09.6			
35-44	115	87,605	12	11.5	04.8-18.2	36	28.9	19.7-38.1	20	18.1	10.5-25.7	46	41.0	31.0-51.0	1	0.4	00.0-01.2
45-54	185	96,457	33	15.9	10.4-21.4	32	16.6	10.7-22.5	24	13.2	07.7-18.7	93	52.4	44.4-60.4	3	1.9	00.0-04.1
55-64	243	119,981	20	8.4	04.3-12.5	33	14.2	09.3-19.1	34	13.2	08.3-18.1	155	64.1	57.2-71.0	1	0.1	00.0-00.3
65+	597	214,550	16	3.1	01.5-04.7	37	6.6	04.2-09.0	36	6.7	04.3-09.1	507	83.3	79.8-86.8	1	0.2	00.0-00.6
Less Than H.S.	66	55,886	15	21.0	10.2-31.8	11	19.6	08.4-30.8	5	9.2	01.2-17.2	35	50.2	36.9-63.5			
H.S. or G.E.D.	408	235,488	47	14.0	09.9-18.1	63	19.6	14.7-24.5	37	10.2	06.7-13.7	258	55.4	49.9-60.9	3	0.7	00.0-01.7
Some Post-H.S.	346	190,670	29	11.7	07.2-16.2	55	17.9	13.0-22.8	48	14.5	10.4-18.6	212	55.4	49.3-61.5	2	0.5	00.0-01.3
College Graduate	414	127,129	26	8.1	04.8-11.4	51	17.3	12.6-22.0	39	11.7	07.8-15.6	296	62.2	56.7-67.7	2	0.7	00.0-01.7
Less than \$15,000	51	23,540	6	15.9	02.8-29.0	13	20.5	07.8-33.2	4	5.1	00.0-10.4	28	58.5	42.2-74.8			
\$15,000- 24,999	82	33,296	11	12.9	04.9-20.9	13	20.0	09.2-30.8	6	7.8	00.7-14.9	52	59.2	46.7-71.7			
\$25,000- 34,999	129	67,332	17	14.5	07.1-21.9	24	23.6	14.2-33.0	12	11.8	04.7-18.9	76	50.1	40.1-60.1			
\$35,000- 49,999	169	82,427	20	21.3	12.7-29.9	18	10.4	04.9-15.9	22	14.2	07.5-20.9	108	54.0	44.8-63.2	1	0.1	00.0-00.3
\$50,000- 99,999	357	177,573	34	13.3	08.6-18.0	44	16.6	11.5-21.7	37	12.1	07.8-16.4	239	57.1	50.8-63.4	3	0.9	00.0-02.1
\$100,000- 199,999	215	117,393	17	9.1	04.4-13.8	39	23.7	16.4-31.0	26	11.7	07.0-16.4	132	55.1	47.3-62.9	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1169	547,401	102	12.5	10.0-15.0	193	20.8	17.7-23.9	143	13.4	11.0-15.8	722	51.9	48.4-55.4	9	1.4	00.2-02.6
White/Non-Hisp	986	469,151	82	12.3	09.4-15.2	162	20.9	17.6-24.2	124	13.3	10.8-15.8	612	52.2	48.5-55.9	6	1.3	00.1-02.5
Black or Afr. Am./Non-Hisp	89	36,973	8	10.2	02.0-18.4	14	23.5	08.8-38.2	8	11.0	02.8-19.2	59	55.3	40.4-70.2			
25-34	76	64,094	25	32.5	20.9-44.1	35	45.4	33.2-57.6	11	14.8	05.8-23.8	4	6.2	00.0-12.5	1	1.1	00.0-03.3
35-44	132	90,967	24	19.3	11.9-26.7	34	24.7	16.5-32.9	27	18.6	11.5-25.7	45	35.5	26.3-44.7	2	1.9	00.0-04.6
45-54	173	80,344	16	8.1	03.8-12.4	37	22.7	15.6-29.8	36	22.1	15.2-29.0	82	45.0	37.0-53.0	2	2.2	00.0-05.1
55-64	241	111,590	20	7.7	04.2-11.2	40	16.5	11.2-21.8	27	13.1	08.0-18.2	153	62.6	55.7-69.5	1	0.2	00.0-00.6
65+	530	171,579	8	1.2	00.2-02.2	40	7.1	04.7-09.5	42	8.4	05.7-11.1	438	82.8	79.1-86.5	2	0.5	00.0-01.3
Less Than H.S.	71	65,870	7	11.3	01.5-21.1	15	29.8	15.7-43.9	8	10.4	02.8-18.0	41	48.5	34.8-62.2			
H.S. or G.E.D.	370	180,758	31	11.7	07.4-16.0	77	23.3	18.0-28.6	40	11.5	07.6-15.4	219	51.5	45.4-57.6	3	2.1	00.0-04.8
Some Post-H.S.	369	199,732	44	16.2	11.3-21.1	53	17.4	12.7-22.1	49	14.7	10.6-18.8	219	49.9	44.0-55.8	4	1.7	00.0-03.5
College Graduate	358	100,351	20	7.4	04.1-10.7	47	16.7	12.0-21.4	46	16.2	11.7-20.7	243	59.3	53.4-65.2	2	0.4	00.0-01.0
Less than \$15,000	66	32,602	8	12.1	03.1-21.1	16	31.4	15.1-47.7	10	18.5	06.5-30.5	32	38.0	24.1-51.9			
\$15,000- 24,999	159	65,327	15	15.5	07.7-23.3	25	17.9	11.0-24.8	18	11.5	05.4-17.6	101	55.2	45.8-64.6			
\$25,000- 34,999	145	69,941	15	17.8	07.6-28.0	32	23.9	14.9-32.9	14	11.8	04.9-18.7	83	45.5	35.1-55.9	1	1.0	00.0-03.0
\$35,000- 49,999	153	69,364	18	16.1	08.3-23.9	28	22.8	14.4-31.2	16	9.6	04.7-14.5	90	49.9	40.5-59.3	1	1.7	00.0-05.0
\$50,000- 99,999	258	132,686	22	12.4	06.9-17.9	48	23.5	16.8-30.2	35	14.5	09.6-19.4	151	48.7	41.4-56.0	2	0.9	00.0-02.1
\$100,000- 199,999	126	60,678	6	7.2	00.9-13.5	15	13.8	06.5-21.1	26	23.1	14.5-31.7	78	55.6	45.4-65.8	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1351	813,059	677	51.1	47.8-54.4	674	48.9	45.6-52.2
Male	647	419,012	318	51.7	47.0-56.4	329	48.3	43.6-53.0
Female	704	394,047	359	50.5	46.2-54.8	345	49.5	45.2-53.8
White/Non-Hisp	1073	643,186	514	49.0	45.5-52.5	559	51.0	47.5-54.5
Black or Afr. Am./Non-Hisp	124	86,679	84	63.0	51.8-74.2	40	37.0	25.8-48.2
Oth. Race/Non-Hisp.	50	20,143	22	47.6	28.2-67.0	28	52.4	33.0-71.8
Hispanic	50	40,458	26	54.9	38.6-71.2	24	45.1	28.8-61.4
25-34	163	171,376	90	54.4	45.8-63.0	73	45.6	37.0-54.2
35-44	213	162,084	116	56.5	49.2-63.8	97	43.5	36.2-50.8
45-54	289	151,256	141	47.7	41.2-54.2	148	52.3	45.8-58.8
55-64	345	166,651	178	52.1	46.2-58.0	167	47.9	42.0-53.8
65+	308	116,231	133	41.0	34.3-47.7	175	59.0	52.3-65.7
Less Than H.S.	160	164,956	79	51.1	41.9-60.3	81	48.9	39.7-58.1
H.S. or G.E.D.	557	340,428	271	49.4	44.5-54.3	286	50.6	45.7-55.5
Some Post-H.S.	420	237,642	225	54.3	48.8-59.8	195	45.7	40.2-51.2
College Graduate	210	67,756	101	49.1	41.5-56.7	109	50.9	43.3-58.5
Less than \$15,000	172	99,729	103	63.1	54.3-71.9	69	36.9	28.1-45.7
\$15,000- 24,999	203	111,655	108	54.8	46.8-62.8	95	45.2	37.2-53.2
\$25,000- 34,999	193	121,218	101	50.7	41.7-59.7	92	49.3	40.3-58.3
\$35,000- 49,999	166	107,713	87	56.9	47.3-66.5	79	43.1	33.5-52.7
\$50,000- 99,999	287	182,242	127	46.0	39.3-52.7	160	54.0	47.3-60.7
\$100,000- 199,999	107	56,020	47	42.4	31.8-53.0	60	57.6	47.0-68.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	647	419,012	318	51.7	47.0-56.4	329	48.3	43.6-53.0
White/Non-Hisp	499	318,189	234	49.5	44.2-54.8	265	50.5	45.2-55.8
Black or Afr. Am./Non-Hisp	54	46,132	37	64.2	47.9-80.5	17	35.8	19.5-52.1
25-34	74	89,436	42	55.3	42.6-68.0	32	44.7	32.0-57.4
35-44	108	86,973	61	59.7	49.7-69.7	47	40.3	30.3-50.3
45-54	140	77,214	65	48.5	39.1-57.9	75	51.5	42.1-60.9
55-64	168	86,460	81	50.5	42.3-58.7	87	49.5	41.3-57.7
65+	141	55,416	60	40.6	31.0-50.2	81	59.4	49.8-69.0
Less Than H.S.	85	95,437	43	54.0	41.7-66.3	42	46.0	33.7-58.3
H.S. or G.E.D.	281	183,981	138	50.1	43.2-57.0	143	49.9	43.0-56.8
Some Post-H.S.	181	106,082	98	55.8	47.6-64.0	83	44.2	36.0-52.4
College Graduate	98	32,231	38	40.0	29.4-50.6	60	60.0	49.4-70.6
Less than \$15,000	82	47,593	44	63.4	51.6-75.2	38	36.6	24.8-48.4
\$15,000- 24,999	75	39,734	45	60.9	48.6-73.2	30	39.1	26.8-51.4
\$25,000- 34,999	81	56,278	39	45.0	31.1-58.9	42	55.0	41.1-68.9
\$35,000- 49,999	85	66,407	46	61.1	48.0-74.2	39	38.9	25.8-52.0
\$50,000- 99,999	166	108,615	80	51.7	42.9-60.5	86	48.3	39.5-57.1
\$100,000- 199,999	52	29,165	16	32.4	18.5-46.3	36	67.6	53.7-81.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 22: TOBACCO CESSATION**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	704	394,047	359	50.5	46.2-54.8	345	49.5	45.2-53.8
White/Non-Hisp	574	324,997	280	48.5	43.8-53.2	294	51.5	46.8-56.2
Black or Afr. Am./Non-Hisp	70	40,547	47	61.6	46.5-76.7	23	38.4	23.3-53.5
25-34	89	81,940	48	53.5	42.3-64.7	41	46.5	35.3-57.7
35-44	105	75,111	55	52.9	42.3-63.5	50	47.1	36.5-57.7
45-54	149	74,042	76	46.7	38.1-55.3	73	53.3	44.7-61.9
55-64	177	80,191	97	53.8	45.6-62.0	80	46.2	38.0-54.4
65+	167	60,815	73	41.4	32.4-50.4	94	58.6	49.6-67.6
Less Than H.S.	75	69,519	36	47.1	34.2-60.0	39	52.9	40.0-65.8
H.S. or G.E.D.	276	156,446	133	48.6	41.9-55.3	143	51.4	44.7-58.1
Some Post-H.S.	239	131,560	127	53.0	45.7-60.3	112	47.0	39.7-54.3
College Graduate	112	35,525	63	57.4	46.8-68.0	49	42.6	32.0-53.2
Less than \$15,000	90	52,136	59	62.8	49.7-75.9	31	37.2	24.1-50.3
\$15,000- 24,999	128	71,920	63	51.5	41.1-61.9	65	48.5	38.1-58.9
\$25,000- 34,999	112	64,940	62	55.5	44.9-66.1	50	44.5	33.9-55.1
\$35,000- 49,999	81	41,307	41	50.2	37.9-62.5	40	49.8	37.5-62.1
\$50,000- 99,999	121	73,627	47	37.7	27.9-47.5	74	62.3	52.5-72.1
\$100,000- 199,999	55	26,856	31	53.2	37.9-68.5	24	46.8	31.5-62.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021

MODULE 28: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI) CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	M20.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1	MALES AND FEMALES	91
2	MALES ONLY	92
3	FEMALES ONLY	93
	M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4	MALES AND FEMALES	94
5	MALES ONLY	95
6	FEMALES ONLY	96
	M20.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7	MALES AND FEMALES	97
8	MALES ONLY	98
9	FEMALES ONLY	99

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2021

MODULE 28: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 1: M20.01.a Which of the following best represents how you think of yourself? (SOMALE)

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	4206	2,381,295	90	2.2	01.6-02.8	3962	93.5	92.5-94.5	74	2.2	01.6-02.8	80	2.1	01.5-02.7	
White/Non-Hisp	3381	1,888,728	73	2.1	01.5-02.7	3206	94.1	93.1-95.1	57	2.3	01.5-03.1	45	1.5	00.9-02.1	
Black or Afr. Am./Non-Hisp	279	210,479	5	2.5	00.0-05.2	266	94.0	90.3-97.7	3	1.1	00.0-02.9	5	2.4	00.2-04.6	
Oth. Race/Non-Hisp.	168	71,940	2	0.9	00.0-02.3	159	95.6	91.9-99.3	3	2.3	00.0-05.6	4	1.2	00.0-02.4	
MultiRacial/Non-Hisp.	81	23,449	1	0.8	00.0-02.4	75	91.8	84.5-99.1	1	0.8	00.0-02.4	4	6.6	00.0-13.7	
Hispanic	220	146,683	8	3.7	00.8-06.6	191	85.1	79.0-91.2	7	3.0	00.6-05.4	14	8.2	03.1-13.3	
18-24	256	317,058	9	3.6	00.9-06.3	225	87.9	83.4-92.4	12	5.7	02.4-09.0	10	2.8	01.0-04.6	
25-34	436	409,711	16	2.9	01.3-04.5	388	90.7	87.8-93.6	16	2.8	01.2-04.4	16	3.7	01.5-05.9	
35-44	509	383,604	10	2.2	00.6-03.8	478	93.7	91.2-96.2	13	2.5	00.9-04.1	8	1.6	00.2-03.0	
45-54	743	375,509	15	1.7	00.7-02.7	705	95.4	93.6-97.2	9	1.2	00.2-02.2	14	1.7	00.7-02.7	
55-64	862	404,790	15	1.5	00.7-02.3	832	96.4	95.0-97.8	8	1.2	00.4-02.0	7	0.9	00.1-01.7	
65+	1400	490,622	25	1.5	00.9-02.1	1334	95.5	94.3-96.7	16	1.0	00.4-01.6	25	2.0	01.2-02.8	
Less Than H.S.	253	274,713	8	3.2	00.5-05.9	225	87.7	82.6-92.8	6	3.3	00.2-06.4	14	5.7	02.4-09.0	
H.S. or G.E.D.	1284	848,445	23	1.7	00.9-02.5	1212	94.7	93.3-96.1	22	1.7	00.9-02.5	27	1.9	01.1-02.7	
Some Post-H.S.	1022	663,151	25	2.7	01.5-03.9	962	93.4	91.4-95.4	18	2.5	01.1-03.9	17	1.4	00.6-02.2	
College Graduate	1623	582,700	34	1.9	01.1-02.7	1540	94.4	93.0-95.8	28	2.2	01.2-03.2	21	1.5	00.7-02.3	
Less than \$15,000	192	118,134	9	3.7	01.0-06.4	169	85.9	79.4-92.4	6	3.9	00.2-07.6	8	6.4	01.3-11.5	
\$15,000- 24,999	284	150,302	10	3.2	00.7-05.7	252	88.0	83.3-92.7	10	4.2	01.3-07.1	12	4.5	01.6-07.4	
\$25,000- 34,999	384	229,614	8	2.2	00.6-03.8	363	94.4	91.9-96.9	5	1.2	00.0-02.4	8	2.2	00.4-04.0	
\$35,000- 49,999	484	274,116	14	3.1	00.9-05.3	455	93.5	90.6-96.4	3	0.8	00.0-02.0	12	2.6	00.8-04.4	
\$50,000- 99,999	1149	649,298	23	2.1	00.9-03.3	1094	94.7	93.1-96.3	22	2.4	01.2-03.6	10	0.8	00.2-01.4	
\$100,000- 199,999	688	378,751	12	1.6	00.6-02.6	669	97.5	96.3-98.7	3	0.4	00.0-00.8	4	0.5	00.1-00.9	
\$200,000+	162	88,284	3	1.5	00.0-03.3	154	93.4	86.5-0100	3	1.4	00.0-03.0	2	3.7	00.0-10.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2021

MODULE 28: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 2: M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5048	2,518,730	77	1.7	01.3-02.1	4664	89.9	88.7-91.1	188	5.7	04.7-06.7	119	2.7	02.1-03.3
White/Non-Hisp	4065	2,018,538	61	1.8	01.2-02.4	3780	90.4	89.0-91.8	148	5.9	04.7-07.1	76	2.0	01.4-02.6
Black or Afr. Am./Non-Hisp	469	236,697	9	1.8	00.4-03.2	440	92.1	89.0-95.2	15	4.5	02.0-07.0	5	1.5	00.1-02.9
Oth. Race/Non-Hisp.	143	68,055	3	1.5	00.0-03.7	127	86.5	78.3-94.7	2	2.6	00.0-06.3	11	9.4	02.0-16.8
MultiRacial/Non-Hisp.	90	27,015	1	1.5	00.0-04.4	76	79.5	68.9-90.1	11	16.1	06.5-25.7	2	2.9	00.0-07.8
Hispanic	210	139,086	3	1.2	00.0-02.6	181	85.1	79.4-90.8	10	4.6	01.7-07.5	16	9.1	04.4-13.8
18-24	237	305,442	6	2.3	00.3-04.3	169	73.9	67.8-80.0	50	19.4	13.7-25.1	12	4.3	01.8-06.8
25-34	516	408,806	14	2.9	01.3-04.5	419	81.0	77.1-84.9	59	10.9	07.8-14.0	24	5.1	02.9-07.3
35-44	622	397,046	10	1.4	00.4-02.4	564	91.3	88.9-93.7	32	4.9	02.9-06.9	16	2.5	01.1-03.9
45-54	845	379,931	15	2.1	00.9-03.3	798	94.0	92.2-95.8	22	2.8	01.4-04.2	10	1.1	00.3-01.9
55-64	983	422,339	18	1.7	00.9-02.5	938	95.8	94.4-97.2	11	1.1	00.3-01.9	16	1.4	00.6-02.2
65+	1845	605,165	14	0.6	00.2-01.0	1776	96.4	95.4-97.4	14	0.8	00.2-01.4	41	2.2	01.4-03.0
Less Than H.S.	283	263,617	5	1.4	00.0-02.8	253	85.3	79.4-91.2	15	10.4	04.7-16.1	10	2.8	00.6-05.0
H.S. or G.E.D.	1441	786,360	25	2.3	01.3-03.3	1316	88.1	85.9-90.3	56	5.7	04.1-07.3	44	3.9	02.5-05.3
Some Post-H.S.	1426	833,170	20	1.5	00.7-02.3	1312	90.5	88.7-92.3	58	5.6	04.0-07.2	36	2.3	01.3-03.3
College Graduate	1883	627,134	27	1.3	00.7-01.9	1770	93.4	92.0-94.8	58	3.8	02.8-04.8	28	1.5	00.9-02.1
Less than \$15,000	270	139,781	4	1.4	00.0-03.0	241	86.3	80.0-92.6	15	9.4	03.3-15.5	10	2.8	00.8-04.8
\$15,000- 24,999	539	257,380	9	2.7	00.7-04.7	495	88.0	84.3-91.7	19	5.5	03.0-08.0	16	3.8	01.8-05.8
\$25,000- 34,999	563	294,482	9	1.7	00.5-02.9	507	86.5	82.6-90.4	27	7.2	04.3-10.1	20	4.6	02.1-07.1
\$35,000- 49,999	571	274,018	17	3.1	01.5-04.7	518	89.6	86.5-92.7	21	4.8	02.4-07.2	15	2.6	01.0-04.2
\$50,000- 99,999	1157	592,880	14	0.9	00.3-01.5	1080	91.4	89.0-93.8	42	5.8	03.6-08.0	21	2.0	01.0-03.0
\$100,000- 199,999	620	308,970	8	1.8	00.4-03.2	586	94.4	92.2-96.6	20	3.1	01.7-04.5	6	0.7	00.1-01.3
\$200,000+	120	62,026	3	1.6	00.0-03.6	115	96.5	93.2-99.8	1	1.2	00.0-03.6	1	0.7	00.0-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 28: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)
TABLE 3: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9484	5,025,489	8	0.1	00.1-00.1	15	0.2	00.0-00.4	16	0.3	00.1-00.5	9445	99.4	99.2-99.6
Male	4293	2,432,253	4	0.1	00.0-00.3	6	0.2	00.0-00.4	10	0.3	00.1-00.5	4273	99.4	99.0-99.8
Female	5191	2,593,236	4	0.1	00.1-00.1	9	0.2	00.0-00.4	6	0.2	00.0-00.4	5172	99.5	99.3-99.7
White/Non-Hisp	7576	3,972,700	6	0.1	00.1-00.1	9	0.2	00.0-00.4	12	0.2	00.0-00.4	7549	99.5	99.3-99.7
Black or Afr. Am./Non-Hisp	758	452,524	1	0.1	00.0-00.3	1	0.1	00.0-00.3				756	99.8	99.6-0100
Oth. Race/Non-Hisp.	332	148,474	1	0.2	00.0-00.6	1	0.8	00.0-02.4	1	0.1	00.0-00.3	329	98.9	97.3-0100
MultiRacial/Non-Hisp.	174	53,123										174	100.0	0100-0100
Hispanic	462	308,077				3	0.7	00.0-01.5	2	0.6	00.0-01.6	457	98.8	97.6-0100
18-24	500	636,978	1	0.2	00.0-00.6	3	0.6	00.0-01.4	5	0.9	00.1-01.7	491	98.3	97.1-99.5
25-34	974	836,936	2	0.2	00.0-00.4	5	0.4	00.0-00.8	4	0.4	00.0-00.8	963	98.9	98.3-99.5
35-44	1163	802,642	1	0.1	00.0-00.3	2	0.2	00.0-00.4	4	0.4	00.0-00.8	1156	99.4	98.8-0100
45-54	1624	775,075				2	0.1	00.0-00.3				1622	99.9	99.7-0100
55-64	1878	841,606	1	0.0	00.0-00.0	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1873	99.8	99.6-0100
65+	3345	1,132,252	3	0.1	00.1-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0	3340	99.9	99.9-99.9
Less Than H.S.	571	573,714	1	0.0	00.0-00.0	2	0.2	00.0-00.6	1	0.2	00.0-00.6	567	99.5	98.9-0100
H.S. or G.E.D.	2801	1,679,484	3	0.1	00.0-00.3	7	0.4	00.0-00.8	3	0.1	00.0-00.3	2788	99.4	99.0-99.8
Some Post-H.S.	2499	1,523,896	4	0.2	00.0-00.4	4	0.2	00.0-00.4	7	0.5	00.1-00.9	2484	99.1	98.7-99.5
College Graduate	3571	1,226,692				2	0.1	00.1-00.1	5	0.2	00.0-00.4	3564	99.8	99.6-0100
Less than \$15,000	473	264,869	1	0.1	00.0-00.3	3	0.7	00.0-01.5	3	1.0	00.0-02.2	466	98.3	96.7-99.9
\$15,000- 24,999	855	423,397	2	0.3	00.0-00.7	2	0.3	00.0-00.7	1	0.3	00.0-00.9	850	99.2	98.4-0100
\$25,000- 34,999	965	537,612	1	0.0	00.0-00.0				4	0.8	00.0-01.6	960	99.2	98.4-0100
\$35,000- 49,999	1074	556,977				1	0.2	00.0-00.6				1073	99.8	99.4-0100
\$50,000- 99,999	2333	1,257,477							7	0.4	00.0-00.8	2326	99.6	99.2-0100
\$100,000- 199,999	1324	695,349										1324	100.0	0100-0100
\$200,000+	283	150,958										283	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2021

MODULE 28: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 5: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4293	2,432,253	4	0.1	00.0-00.3	6	0.2	00.0-00.4	10	0.3	00.1-00.5	4273	99.4	99.0-99.8
White/Non-Hisp	3431	1,914,156	2	0.1	00.0-00.3	4	0.2	00.0-00.4	8	0.3	00.1-00.5	3417	99.4	99.0-99.8
Black or Afr. Am./Non-Hisp	283	213,657	1	0.1	00.0-00.3							282	99.9	99.7-0100
Oth. Race/Non-Hisp.	178	76,381	1	0.4	00.0-01.2	1	1.5	00.0-04.4	1	0.2	00.0-00.6	175	97.9	94.8-0100
MultiRacial/Non-Hisp.	80	23,078										80	100.0	0100-0100
Hispanic	230	154,029				1	0.4	00.0-01.2	1	0.2	00.0-00.6	228	99.4	98.4-0100
18-24	259	323,515	1	0.4	00.0-01.2	2	0.8	00.0-01.8	3	0.9	00.0-02.1	253	97.9	96.1-99.7
25-34	445	416,911				2	0.4	00.0-01.0	2	0.3	00.0-00.7	441	99.4	98.8-0100
35-44	524	394,724	1	0.2	00.0-00.6				3	0.6	00.0-01.4	520	99.2	98.2-0100
45-54	759	384,906				1	0.2	00.0-00.6				758	99.8	99.4-0100
55-64	874	409,625	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.1	00.0-00.3	870	99.7	99.3-0100
65+	1432	502,573	1	0.1	00.0-00.3							1431	99.9	99.7-0100
Less Than H.S.	264	290,172	1	0.1	00.0-00.3	1	0.2	00.0-00.6				262	99.7	99.3-0100
H.S. or G.E.D.	1314	866,639	1	0.0	00.0-00.0	2	0.2	00.0-00.6	2	0.1	00.0-00.3	1309	99.6	99.2-0100
Some Post-H.S.	1039	673,717	2	0.3	00.0-00.7	3	0.4	00.0-00.8	4	0.7	00.1-01.3	1030	98.7	97.7-99.7
College Graduate	1654	590,810							4	0.3	00.0-00.7	1650	99.7	99.3-0100
Less than \$15,000	196	121,623				1	0.5	00.0-01.5	2	0.9	00.0-02.5	193	98.6	96.8-0100
\$15,000- 24,999	293	154,384	1	0.4	00.0-01.2							292	99.6	98.8-0100
\$25,000- 34,999	398	237,592							3	1.1	00.0-02.5	395	98.9	97.5-0100
\$35,000- 49,999	492	278,047				1	0.3	00.0-00.9				491	99.7	99.1-0100
\$50,000- 99,999	1166	660,412							5	0.5	00.0-01.1	1161	99.5	98.9-0100
\$100,000- 199,999	696	382,968										696	100.0	0100-0100
\$200,000+	162	88,284										162	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 28: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)
TABLE 6: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5191	2,593,236	4	0.1	00.1-00.1	9	0.2	00.0-00.4	6	0.2	00.0-00.4	5172	99.5	99.3-99.7
White/Non-Hisp	4145	2,058,544	4	0.1	00.0-00.3	5	0.2	00.0-00.4	4	0.2	00.0-00.4	4132	99.5	99.1-99.9
Black or Afr. Am./Non-Hisp	475	238,867				1	0.2	00.0-00.6				474	99.8	99.4-0100
Oth. Race/Non-Hisp.	154	72,094										154	100.0	0100-0100
MultiRacial/Non-Hisp.	94	30,045										94	100.0	0100-0100
Hispanic	232	154,047				2	0.9	00.0-02.3	1	0.9	00.0-02.7	229	98.1	95.9-0100
18-24	241	313,463				1	0.5	00.0-01.5	2	0.8	00.0-02.0	238	98.6	97.0-0100
25-34	529	420,025	2	0.4	00.0-01.0	3	0.5	00.0-01.1	2	0.6	00.0-01.4	522	98.5	97.3-99.7
35-44	639	407,918				2	0.3	00.0-00.7	1	0.2	00.0-00.6	636	99.5	98.9-0100
45-54	865	390,169				1	0.1	00.0-00.3				864	99.9	99.7-0100
55-64	1004	431,982				1	0.1	00.0-00.3				1003	99.9	99.7-0100
65+	1913	629,680	2	0.1	00.1-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1909	99.9	99.7-0100
Less Than H.S.	307	283,542				1	0.2	00.0-00.6	1	0.5	00.0-01.5	305	99.3	98.1-0100
H.S. or G.E.D.	1487	812,845	2	0.1	00.0-00.3	5	0.5	00.0-01.1	1	0.2	00.0-00.6	1479	99.2	98.6-99.8
Some Post-H.S.	1460	850,179	2	0.1	00.0-00.3	1	0.1	00.0-00.3	3	0.3	00.0-00.7	1454	99.5	99.1-99.9
College Graduate	1917	635,881				2	0.1	00.0-00.3	1	0.0	00.0-00.0	1914	99.9	99.7-0100
Less than \$15,000	277	143,246	1	0.2	00.0-00.6	2	0.8	00.0-02.0	1	1.0	00.0-03.0	273	98.1	95.9-0100
\$15,000- 24,999	562	269,013	1	0.3	00.0-00.9	2	0.4	00.0-01.0	1	0.4	00.0-01.2	558	98.9	97.7-0100
\$25,000- 34,999	567	300,019	1	0.1	00.0-00.3				1	0.5	00.0-01.5	565	99.4	98.4-0100
\$35,000- 49,999	582	278,931										582	100.0	0100-0100
\$50,000- 99,999	1167	597,065							2	0.3	00.0-00.7	1165	99.7	99.3-0100
\$100,000- 199,999	628	312,380										628	100.0	0100-0100
\$200,000+	121	62,674										121	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

End of Module Data Report